# Lab 3: Data Visualization

#### 2025-04-18

# Why Visualize Data?

In an age of big data, it can be difficult to accurately convey a narrative through presenting plain numbers in tables

On the flip side, there are **BAD** ways to visualize that data

Let's create a list of axioms or goals that we want to stick to when creating data visualizations that help us convey what we want to be conveyed. Our goals:

- Be clear and concise (avoid over-complicating the figure)
- Accurately represent the data (use the *right* type of graph)
- Be purposeful (avoid doing things because it looks neat)
- Others?

# Types of Visualizations

Here are a list of different types of graphs often used to express data (these are hyperlinks):

- Most common: Line, Scatter, Bar
- Less common: Density / Histogram, Box, Pie, Sankey
- Rare: Waterfall, Radar, Pareto (these are mostly stylistic variations or combinations of the above graphs, and are often pointless)

#### Which do I use?

• Non-answer: It depends on the data!

## GGPLOT2

R's best friend for data visualization is the package ggplot2

```
library(pacman)
p_load(ggplot2)
```

In general, the code for line charts will look like:


```
ggplot(dataset, aes(x = x_variable, y = y_variable)) +
  geom_TYPE() +
  labs(x = "x variable label", y = "y variable label", title = "Graph title") +
  theme()
```

#### Line Chart

Let's graph the unemployment data over time, using

```
# Load package and data
p_load(readr)
url time = "https://raw.githubusercontent.com/cmulholland217/Metrics Lab Spring2025/refs/heads/main/tim
time_data = read_csv(url(url_time))
## Rows: 123 Columns: 4
## -- Column specification ------
## Delimiter: ","
## dbl (3): UNRATE, FEDFUNDS, INF
## date (1): date
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
# Graph:
ggplot(time_data, aes(x = date, y = UNRATE)) +
 geom_line() +
 labs(x = "Date", y = "Unemployment Rate (%)", title = "US Unemployment Rate Over Time") +
 theme_bw()
```


## **US Unemployment Rate Over Time**



There are a lot of options we have for adjusting this visualization. Suppose we want:

- The y-axis to span from 0 to 15
- The line to be dashed instead of solid
- The line to be blue
- Try theme\_dark()






Is this a better data visualization? Admittedly, no...


## Multiple Lines


Let's graph the unemployment rate (in percent) and the inflation rate (in percent)

```
# Plainly:
ggplot(time_data, aes(x = date)) +
geom_line(aes(y = UNRATE)) +
geom_line(aes(y = INF))
```



Let's add some detail:






### Notice:

- the colors are listed within the aes() function
- scale\_color\_identity() gives details in the legend. name = "" yields no name, as it's unnecessary here
- theme(legend.position = "bottom") is after theme\_bw(), doing it the other way around won't work

## Scatter

Let's graph the unemployment rate against the inflation rate (the Phillips Curve)


```
# geom_point()
ggplot(time_data, aes(x = UNRATE, y = INF)) +
geom_point()
```




Problems start to arise when there are three variables. One common way to introduce a third variable is with *color* or *size*. Suppose we want to show what the effective federal funds rate was in these data points:

```
# Color
plot1 = ggplot(time_data, aes(x = UNRATE, y = INF)) +
    geom_point(aes(color = FEDFUNDS))

# Size
plot2= ggplot(time_data, aes(x = UNRATE, y = INF)) +
    geom_point(aes(size = FEDFUNDS))
plot1
```



plot2




#### Bar Graph

Grab the  $\mathbf{space\_data}$  from the GitHub page

```
# planets
url_space = "https://raw.githubusercontent.com/cmulholland217/Metrics_Lab_Spring2025/refs/heads/main/sp
space_data = read_csv(url(url_space))


## Rows: 36 Columns: 3
## -- Column specification ------
## Delimiter: ","
## chr (2): Body, Type
## dbl (1): Volume
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

ggplot(space_data, aes(x = Body, y = Volume)) +
    geom_bar(stat = "identity")
```




Yikes... Let's clean this up. And

```
ggplot(space_data, aes(x = reorder(Body, Volume), y = log(Volume))) +
# Color for the type of celestial body
geom_bar(aes(color = Type), stat = "identity") +
    # replace "color" with "fill" for different look
coord_flip() +
labs(x = "Celestial Body", y = "Log of Volume in Billions of Cubic Kilometers") +
theme_minimal()
```




## Pie Chart

```
ggplot(space_data, aes(x="", y = log(Volume), fill=Type)) +
  geom_bar(stat="identity", width=1) +
  coord_polar("y") +
  theme_void()
```



# Multiple Graphs

```
p_load(gridExtra)
grid.arrange(plot1, plot2)
```



### Scatter with Regression

```
reg <- lm(INF~ UNRATE,data=time_data)

ggplot(time_data,aes(x=UNRATE,y=INF)) +
    geom_point(color="blue")+
    geom_line(aes(y=fitted(reg)),color="red",size=1) +
    labs(title = "Inflation over Unemplowment", x = "Unemployment", y = "Inflation")

## Warning: Using 'size' aesthetic for lines was deprecated in ggplot2 3.4.0.

## i Please use 'linewidth' instead.

## This warning is displayed once every 8 hours.

## Call 'lifecycle::last_lifecycle_warnings()' to see where this warning was
## generated.</pre>
```

# Inflation over Unemplowment

