# Predicting Mortgage Yield using Regression Analysis

Group 42

2025-04-02

# 1 Introduction

The study of A. H. Schaaf, 1966, "Regional Differences in Mortgage Financing Costs", investigates the existence and causes of regional differences in mortgage financing costs in the United States. While these differences in mortgage yields were decreasing in the early 20th century, they suprisingly remained stable after World War II. The paper explores two main explanations for this phenomenon:

- 1. Differences in investment value due to risk, terms, and liquidity.
- 2. Market imperfections such as legal barriers and information gaps.

The data used in this study comes from the Federal Home Loan Bank Board, which contains interest rates and fees in 18 SMSAs (Standard Metropolitan Statistical Areas). The findings suggest that distance from major financial centers, risk levels, and local demand for savings significantly affect mortgage yields. However, market structure and overall savings levels play a lesser important role.

The aim of this report is to analyze the data and develop a predictive model to predict Mortgage Yield (mortYld in %) based on 6 explanatory variables:

- X1: Loan-to-Mortgage Ratio, in %  $\rightarrow$  High values indicate low down payments.
- X2: Distance from Boston, in miles → Measures regional proximity to financial centers.
- X3: Savings per New Unit Built, in  $\$ \to \text{Indicator of regional credit demand}$ .
- X4: Savings per Capita, in  $\$ \to \text{Measures local savings levels (credit supply)}.$
- X5: Population Increase, 1950-1960, in  $\% \to \text{Proxy}$  for housing demand growth.
- X6: Percentage of first mortgages from inter-regional banks, in % Indicator of external financing reliance.

# 2 Exploratory Data Analysis (EDA)

#### 2.1 Load Data and Libraries

Table 1: First few rows of the dataset

smsa	mortYld	X1	X2	Х3	X4	X5	X6
Los Angeles-Long Bea	6.17	78.1	3042	91.3	1738.1	45.5	33.1
Denver	6.06	77.0	1997	84.1	1110.4	51.8	21.9
San Francisco-Oaklan	6.04	75.7	3162	129.3	1738.1	24.0	46.0

Dallas-Fort Worth	6.04	77.4	1821	41.2	778.4	45.7	51.3
Miami	6.02	77.4	1542	119.1	1136.7	88.9	18.7
Atlanta	6.02	73.6	1074	32.3	582.9	39.9	26.6

Here is a display of the first few rows of the dataset. Each SMSA is described by its Mortgage Yield (mortYld) as the dependent variable and six explanatory variables (X1 to X6). All data consist of numerical values and quick checking confirms that there are no missing values in any region.

#### 2.2 Univariate Analysis

#### 2.2.1 Summary Statistics


Table 2: Summary Statistics of Variables

mortYld	X1	X2	Х3	X4	X5	X6
Min. :5.280 1st Qu.:5.678 Median :5.880 Mean :5.841 3rd Qu.:6.020	Min. :67.00 1st Qu.:70.03 Median :73.25 Mean :73.38 3rd Qu.:77.22	Min.: 0 1st Qu.: 648 Median:1364 Mean:1389 3rd Qu.:1847	Min.: 32.3 1st Qu.: 85.9 Median:122.2 Mean:159.8 3rd Qu.:218.2	Min.: 582.9 1st Qu.: 792.9 Median:1161.3 Mean:1245.9 3rd Qu.:1556.6	Min.: 7.50 1st Qu.:23.18 Median:27.35 Mean:33.03 3rd Qu.:44.10	Min.: 2.00 1st Qu.: 9.55 Median: 18.70 Mean: 20.95 3rd Qu.: 30.43
Max. :6.170	Max. :78.10	Max. :3162	Max. :428.2	Max. :2582.4	Max. :88.90	Max. :51.30

Through this summary, we already observe that mortgage yields don't vary much across regions. Most values are between 5.2% and 6.2%, suggesting relatively stable mortgage rates.

Loan-to-Mortgage Ratios (X1) are concentrated in between 67% and 78.1%, indicating relatively consistent lending practices across regions. Distance from Boston (X2) has a vast range (0–3162 miles), highlighting geographical diversity and potential financial access disparities. Savings per New Unit Built (X3) and Savings per Capita (X4) are characterized by means bigger than medians, representing right-skewed distributions, thus suggesting regional imbalances in credit demand and supply/in housing affordability across regions. Population Increase (X5) from 1950 to 1960 varies widely (7.5–88.9%), reflecting differing housing market pressures. Lastly, Percentage of First Mortgages from Inter-Regional Banks (X6) spans from 2.0% to 51.3%, meaning that some areas depend heavily on external financing while others rely more on local institutions.

## 2.2.2 Graphical Representation



With deeper analysis, although the variation across SMSAs is small, we see that regional differences still exist in mortgage yields, possibly due to economic factors like savings, loan terms, and regional banking practices.

The histograms confirm the distribution of the explanatory variables:


The Loan-to-Mortgage Ratio (X1) shows low variance with most values concentrated between 67% and 80%, possibly indicating limited variability across regions. Distance from Boston (X2) displays a wide and almost homogeneous distribution, reflecting substantial geographic spread among SMSAs. Savings per New Unit Built (X3) and Savings per Capita (X4) both exhibit right-skewed distributions, suggesting that a few cities have notably higher savings levels. Population Increase (X5) is also highly right-skewed with one major outlier (increase of  $\sim 25\%$ ), indicating that most regions had moderate growth, while a few experienced rapid expansion. Finally, the percentage of First Mortgages from Inter-Regional Banks (X6) is also right-skewed, with most cities relying minimally on external financing and a few showing heavy dependence.

Overall, the data suggests regional variation in housing finance conditions, credit accessibility, and mortgage market dynamics.

#### 2.3 Bivariate Numerical Analysis

### 2.3.1 Association Analysis


#### **Association Matrix of Variables and mortYld**



The Association Matrix provides a quick visual assessment of bivariate relationships (how each variable relates to the others and mortYld), of types of associations among predictors (if a relationship looks linear, curved or weak, as well as positive or negative), and of outlier presence. It complements numerical analyses like the correlation matrix and VIF.

We can see that most of the plots are random dispersion, while some are linear, and some are curved. X3 seems to be positively associated with X4 and negatively with X5. X2 and X3 seem negatively exponentially associated. X6 seems to be negatively associated with X3.

Let's take a closer look into the Association Matrix, regarding the relationship between Mortgage Yield (%) and the explanatory variables (x-axis), representing the first row in the precedent figure.




As the Loan-to-Mortgage Ratio (X1) increases, the Mortgage Yield increases. This suggests a positive correlation, and that higher Loan-to-Mortgage Ratios (more borrowed money relative to the property value) are associated with higher mortgage yields. Distance from Boston (X2) reveals a positive correlation with mortYld. Boston represents a major financial center with surplus capital. Regions further from Boston might have higher yields. Savings per New Unit Built (X3) seems to be negatively correlated with mortYld. This indicates that areas with more savings dedicated to new construction have better access to local financing, resulting in lower mortgage yields. Savings per Capita (X4)'s influence is less distinguishable but appears to be a weak negative correlation or a random dispersion. Population Increase (X5) shows a positive association which can be seen as a square-root relationship. High population growth may imply higher demand for housing, increasing mortgage yields due to heightened competition for available funds. We can observe a potential outlier at the right side of the plot. The Percentage of First Mortgages from Inter-Regional Banks (X6)'s variation shows no clear trend. It seems like the reliance on external financing does not significantly influence mortgage yields.

#### To resume:

- X1, X2 and X5 seem to be the most influential variables positively correlated with Mortgage Yield.
- X3 is the most influential variable negatively correlated with Mortgage Yield.
- X6 shows moderate positive influence on Mortgage Yield.
- X4 variable shows a weak relationship with mortgage yields.

These observations support the findings of Schaaf (1966) stating that distance from financial centers, risk factors, and local demand for savings contribute to Mortgage Yield variations.

## 2.3.2 Correlation Analysis



Now, let's take a look at the correlations between each variable and confirm our previous observations.

- X3 is are strongly positively correlated to X4 (0.77) and moderately negatively correlated to X2 (-0.64), X5 (-0.63) and X6 (-0.56). This confirms our observations with the Association Matrix.
- X1 and X2 exhibit strong positive correlation with mortYld, while X5 shows moderate positive correlation, and X3 a strong negative one. X6 shows moderate positive correlation with mortYld as well. X4 shows only weak correlation with mortYld. In consequence, we can confirm our previous statements about the scatter-plots.

We can then think about removing one of the highly correlated predictors, to see if multicollinearity affects the regression model. However, these correlations only indicate if two variables are linearly associated. Thus, a low value doesn't necessarily mean that the variables are not correlated in another way.

# 3 Model Fitting

In this analysis, all predictors are continuous variables and each observation corresponds to a unique SMSA. Since the dataset contains no grouping or categorical factors with unequal group sizes, this is a standard multiple regression model with one observation per row. Therefore, the design is not factorial and does not involve unbalanced group structures. As a result, the order in which predictors are entered into the lm() function does not influence the coefficient estimates, F-tests, or model interpretation.

#### 3.1 Pairwise Simple Regressions

Predictor	$R_squared$	p_value
X1	0.654	0.0000
X2	0.546	0.0005
X3	0.517	0.0008
X4	0.049	0.3763
X5	0.419	0.0037
X6	0.346	0.0103

Table 3: Simple Linear Regressions:  $\mathbb{R}^2$  and p-values

The table summarizes the individual linear relationships between each predictor (X1–X6) and Mortgage Yield, assuming all other variables remain constant, based on simple linear regression.

- X1 is the strongest and most significant predictor of Mortgage Yield, explaining 65.4% of its variance (p < 0.0001).
- X2 and X3 also show strong and significant linear associations ( $R^2 = 0.546$  and 0.517, respectively with p < 0.001 and p < 0.001).
- X5 and X6 show moderate yet significant associations ( $R^2 = 0.419$  and 0.346, respectively with p < 0.005 and p < 0.05).
- X4 doesn't exhibit a significant linear relationship with Mortgage Yield ( $R^2 = 0.049$ , p = 0.3763), suggesting it may not be a strong individual linear predictor.

This preliminary analysis indicates that variables X1, X2, and X3 may be the most promising candidates for predicting Mortgage Yield in a multivariate linear model.

## 3.2 Null Model vs Full Model Comparison

Table 4: Comparison of Null and Full Model (ANOVA)

term	df.residual	rss	df	sumsq	statistic	p.value
$mortYld \sim 1$	17	0.8485778	NA	NA	NA	NA
$mortYld \sim X1 + X2 + X3 + X4 + X5 + X6$	11	0.1098038	6	0.738774	12.3349	0.0002523

The ANOVA comparison between the null model (intercept-only) and the full model (including all predictors), reveals that the full model better explains the Mortgage Yield, as shown by the significant F-statistic and p-value (p < 0.001). This indicates that at least one of the predictors is significantly related to Mortgage Yield, and is useful for improving the model.

Table 5: Summary of Full Linear Model

term	estimate	std.error	statistic	p.value
(Intercept)	4.2852	0.6682	6.4127	0.0000
X1	0.0203	0.0093	2.1835	0.0515
X2	0.0000	0.0000	0.2896	0.7775
X3	-0.0016	0.0008	-2.1029	0.0593
X4	0.0002	0.0001	1.7944	0.1002
X5	0.0013	0.0018	0.7267	0.4826
X6	0.0002	0.0023	0.1024	0.9203

The full model explains approximately 87% of the variance in Mortgage Yield, and after adjusting for the number of predictors, 80% of the variance is still explained, highlithing a strong fit. The

overall model is statistically significant, with a very low p-value (p < 0.001). Once again, it means that at least one predictor contributes significantly to explaining the variation in mortYld. The intercept appears to be really significant to fit the model (p < 0.001).

However, most variables do not show statistically significant individual contributions. Only X1 and X3 show weak significance (p  $\approx 0.05$ ). The other variables, X2, X5 and X6, do not show significant individual effects. This suggests that a reduced model may be more appropriate.

#### 3.3 Make stepwise regression to select the best model

Table 6: Stepwise AIC Steps

Step	Model	RSS	AIC
Start	X1 + X2 + X3 + X4 + X5 + X6	0.1098	-77.79
Step 1	X1 + X2 + X3 + X4 + X5	0.1099	-79.77
Step 2	X1 + X3 + X4 + X5	0.1109	-81.61
Step 3	X1 + X3 + X4	0.1159	-82.81

Table 7: Coefficients of Final Stepwise Model

term	estimate	std.error	statistic	p.value
(Intercept)	4.2226	0.5814	7.2629	0.0000
X1	0.0223	0.0079	2.8143	0.0138
X3	-0.0019	0.0004	-4.4599	0.0005
X4	0.0002	0.0001	3.0261	0.0091

Table 8: Fit Statistics of Stepwise Model

Residual Std. Error	$\mathbb{R}^2$	Adjusted $\mathbb{R}^2$	F-statistic	DF	p-value
0.091	0.8634	0.8341	29.4933	3	2.62e-06

The stepwise regression process identifies X1, X3, and X4 as the most significant predictors of Mortgage Yield, constituting the final model.

It is interesting to observe that X4 appears among the 3 most significant predictors although it shows the weakest correlation in the Correlation Matrix. Multiple regression measures the effect of each variable while holding all others constant. As X4 has very strong correlation with X3 (0.77), holding X3 can make the unique contribution of X4 clearer.

The final model explains approximately 83.4% of the variance in Mortgage Yield using only these three predictors. The AIC isn't increased by a lot when keeping more predictors, meaning that even if these can still be statistically valid to keep, they are not so useful to the model. Though the final model is simpler, it explains the data just as well or better than more complex models.

The residual standard error (0.091) is low, and the overall model is highly significant (p < ...), indicating a good fit.

We end up with: mortYld = 4.223 + 0.02229.X1 - 0.001863.X3 + 0.0002249.X4

Let's now try a model with 2-way interactions.

The interactions increase the complexity of the model for an improvement that seems very small.

term	estimate	std.error	statistic	p.value
(Intercept)	5.3710	2.0329	2.6421	0.0229
X1	0.0069	0.0266	0.2601	0.7996
X3	-0.0001	0.0096	-0.0108	0.9916
X4	-0.0009	0.0025	-0.3706	0.7180
X1:X3	0.0000	0.0001	-0.1582	0.8772
X1:X4	0.0000	0.0000	0.4641	0.6516
X3.X4	0.0000	0.000	-0.1046	0.0185

Table 9: Coefficients of Interaction Model

Table 10: Residual Summary of Interaction Model

	Statistic	Value
0%	Min	-0.1876
25%	1Q	-0.0156
50%	Median	0.0072
75%	3Q	0.0309
100%	Max	0.1552

Table 11: Fit Statistics of Interaction Model

$\mathbb{R}^2$	Adjusted $\mathbb{R}^2$	Residual Std. Error	F-statistic	p-value	DF
0.8698	0.7988	0.1002	12.25	3e-04	6

We decided not to include a 3-way interaction model in our analysis. Given the small sample size (18 observations), adding high-order interactions would significantly reduce degrees of freedom and increase the risk of overfitting. Moreover, 3-way interactions are often difficult to interpret meaningfully.

# 3.4 Model Comparison

Table 12: Comparison of Model Performance Metrics

Model	R2	Adj_R2	AIC	Residual_SE	F_statistic
Full Model	0.871	0.800	-24.708	0.100	12.335
Stepwise Model	0.863	0.834	-29.731	0.091	29.493
2-Way Interaction Model	0.870	0.799	-24.600	0.100	12.250

The **Stepwise Model** offers the best trade-off between simplicity and performance: It has the **lowest AIC**, indicating the best model fit among the three. Despite having a slightly lower  $\mathbb{R}^2$  than the full model, it achieves the **highest Adjusted R**<sup>2</sup>.

It also has the **lowest residual standard error** and the **highest F-statistic**, confirming overall model significance and parsimony.

Table 13: ANOVA Comparison: Stepwise vs Interaction Model


Model	Res.Df	RSS	Df	Sum of Sq	F	Pr(>F)
Stepwise model	14	0.1159	NA	NA	NA	NA
Interaction model	11	0.1105	3	0.0055	0.1813	0.9069

An ANOVA was conducted to assess whether including 2-way interaction terms significantly improved the model fit. The test yielded an F-statistic of 0.18 and a p-value of 0.91, indicating that the additional interaction terms did not meaningfully reduce the residual variance.

As a result, we retained the simpler model with only main effects (X1, X3, and X4), which offers comparable explanatory power and better interpretability.

# 4 Model assumptions and Diagnostics

#### 4.1 Independence evaluation



The 1st graph shows that the residuals appear randomly scattered around 0. There's no clear pattern. This suggests the assumptions of linearity and constant error variance (homoscedasticity) are reasonably met.

The 2nd graph can help us conclude that there is no consistent trend so the independence is verified.

## 4.2 Multicolinearity diagnostic

Table 14: Variance Inflation Factors (VIF)


	vif_values
X1	1.886802
X3	4.550125
X4	3.348330

All variables have a VIF value under 5 meaning that variables are not too highly related and that no variable should be eliminated. This confirms our choice of keeping X3 and X4 even if they showed a high correlation coefficient.

#### 4.3 Homoscedasticity

Random scatter indicates good assumption of homeoscedasticity. If we can distinguish a clear pattern, then we have potential heteroscedasticity issue.






# 4.4 Normality Check

If points lie on 45 degrees line, it means the residuals are normally distributed. If we can see a curved pattern, then the normality assumption is violated

#### Q-Q Plot of Residuals



# 5 Final estimated Model

## 6 Conclusions

- The analysis showed that [mention significant predictors] have a strong relationship with mortgage yield.
- The assumptions of linear regression were [state if met or violated].
- The model provides [good/poor] predictive accuracy based on [R<sup>2</sup> and residual analysis].

• Future improvements could involve [mention possible improvements like transformations, additional predictors, etc.].