



2016年

COUNTERPOINT BY CONVOLUTION

Cheng-Zhi Anna Huang^{*†‡}

Tim Cooijmans^{*†}

Adam Roberts[#]

Aaron Courville[†]

Douglas Eck[#]

^{*} Equal contributions

[†] MILA, Université de Montréal

[#] Google Brain

chengzhiannahuang@gmail.com, cooijmans.tim@umontreal.ca


ABSTRACT

Machine learning models of music typically break up the task of composition into a chronological process, composing a piece of music in a single pass from beginning to end. On the contrary, human composers write music in a nonlinear fashion, scribbling motifs here and there, often revisiting choices previously made. In order to better approximate this process, we train a convolutional neural network to complete partial musical scores, and explore the use of blocked Gibbs sampling as an analogue to rewriting. Neither the model nor the generative procedure are tied to a particular causal direction of composition.

Our model is an instance of orderless NADE [36], which allows more direct ancestral sampling. However, we find that Gibbs sampling greatly improves sample quality, which we demonstrate to be due to some conditional distributions being poorly modeled. Moreover, we show that even the cheap approximate blocked Gibbs procedure from [40] yields better samples than ancestral sampling, based on both log-likelihood and human evaluation.

1. INTRODUCTION

Counterpoint is the process of placing notes against notes to construct a polyphonic musical piece. [9] This is a challenging task, as each note has strong musical influences on its neighbors and notes beyond. Human composers have developed systems of rules to guide their compositional decisions. However, these rules sometimes contra-





Coconet: 能在任意空白处填充曲调

女高音

女低音

男高音

男低音

Coconet