



INCIDENT REPORT

ON THE BREACH OF
THE AUSTRALIAN
NATIONAL UNIVERSITY'S
ADMINISTRATIVE SYSTEMS

CONTENTS

程序代写代做 CS编程辅导

Vice-Chancellor's Forev	1
Executive summary	2
Detailed timeline of the	4
Figure 1: Simplified over	8
Figure 2: Attack timeline	9
Post notification events	10
Malware and tradecraft analysis	utores
Malware and tradecraft analysis Chat: CSti Lessons from the attack and follow-up actions	
Personally identifiable information	12
Phishing awareness Assignment Table One: Issues and Remediation	Project Exam Help
Appendix	14
Appendix A: "invitation" Inishnatia: tutoro	cs@163.com
Appendix B: "meeting" phishing email	15
Appendix C: "planning" phishing email	16
QQ: 749389	476

VICE-CHANCELLOR'S FOREWORD 程序代写代做 CS编程辅导

In June 2019, I notified our co

In the wake of that announce transparent with you as poss doing so, I also want to enco

This incident report provides infiltrate The Australian Nation report is the first of its kind in

e victims of a cyber attack.

ng our investigation public. I wanted to be as I, how it happened and why it happened. And by attacks more broadly.

Iding the methods used by the attacker to ms. To my knowledge, this publicly available attack on a public institution.

I have made this report public and the state of cyber attacks. It is confronting to say this, but we are certainly not alone, and many organisations will already have been hacked, perhaps without their knowledge. I hope this report will help them protect themselves, and their data and their communities.

As I said in my statement on 4 June 2019, the perpetrators of our data breach were extremely sophisticated. This report details the level of sophistication, the likes of which has shocked even the most experienced Australian security experts.

While it's clear we moved quickly to implement hardening and security improvement measures following the pour first cyber-attack in May 2018, this report shows we could have done more.

The report outlines where those lessons for ANU have been learned and what we are doing to further protect our systems. But we reverse palarter and this report denote the instruction manual for would-be hackers to launch another attack. I have asked or this report to be as transparent as is allowable to ensure our community is well-informed, but not so that criminals are armed with information that compromises our systems or that of another organisation.

Despite our considerable fore sid vor), we have not been able to determine, accurately, which records were taken. However, our analysis has been able to establish that while the hackers had access to data up to 19-years-old, the hackers took much less than the 19 years' worth of data we originally feared. We also knew the stolen data has not been further misused. Frustratingly this brings us no closer to the motivations of the actor.

I thank all those involved in the response to this incident and in the preparation of this report, particularly our colleagues across Commonwealth security agencies, IDCARE and Northrop Grumman.

Finally, and most importantly, I wish to apologise to the victims of this data breach: our community. We are working constantly to ensure the protection of the data you entrust us with; and are investing heavily in measures to reduce the risks of this occurring again, including a multi-year information security investment program. But we must all remain vigilant and follow the advice of security experts to protect our personal information.

Professor Brian P. Schmidt AC

Vice-Chancellor and President The Australian National University

EXECUTIVE SUMMARY

程序代写代做 CS编程辅导

In early November 2 declared actor gained unauthorised access to the ANU resulted in the breach of part of the network by the t

By gaining access to ESD, the actor was able to copy and steal an unknown quantity of data contained in the above systems. There is some evidence to suggest the same actor attempted to regain access to ESD during February 2019, but this second attack was ultimately unsuccessful.

Indications of an intrusion were first detected in Strt 201 change at the treat hunting exercise. The hunt uncovered network traffic data suggesting the presence of a malicious actor whose characteristics were distinct from the actor detected during the breach reported by the University in May 2018. The new detection precipitated an incident response, led by Northrop Grumman, working with ANU cybersecurity staff. The incident response team uncovered the data treatment in Fiday 7 May and vertally experted to the Vice-Chancellor that day.

The initial means of infection was a sophisticated spearphishing email which did not require user interaction, ie clicking on a link or downloading an attachment. The actor's dwell-time on the ANU network was approximately six weeks with most individual time are used to the control of the c

The actor's activity was contained to a handful of systems, although they had gained broader access. It is clear from the pathway taken by the actor the sele aim was to penetrate ESD and gain unauthorised access to the systems mentioned above. There's the foreign exploration of juggest the actor accessed or displayed any interest in files containing general administrative documents or research data; nor was the ANU Enterprise Records Management System (ERMS) affected.³

At the time of the public announcement, ANU was not able to ascertain how much data or specifically which fields might have been accepted as such to error on the side of caution. More recent forensic analysis has been able to determine that the amount of data taken is much less than 19 years' worth; although it is not possible to determine how many, or precisely which, records were taken. This analysis is based on duration of exfiltration activity and known, albeit incomplete, data volumes.

ANU worked closely with, and reported findings to, the Australian Cyber Security Centre (ACSC) and the Office of the Australian Information Commissioner (OAIC), before public notification. During the intervening two weeks between the detection of the breach and the public announcement on Tuesday 4 June 2019, we implemented a range of additional security controls inside ESD and the broader network – many of these activities were to expedite hardening measures already scheduled for implementation.

¹ Spear-phishing emails are a form of malicious email targeting an individual or organisation. They mimic legitimate mail and contain malicious attachments or links designed to steal credentials or enable the install malware.

² Dwell time refers to the amount of time the actor spent on the network undetected.

³ The ANU ERMS is the central repository for the University's records.

⁴ This analysis is based on duration of exfiltration activity and known, albeit incomplete, data volumes.

ANU needed to undertake th were ongoing attempts to ga We were also advised ANU w actors once the data breach intrusion attempts within one which were stopped.

cly announcing the breach because there cess to ESD as new protections came online. econdary attacks from other opportunistic th noting that ANU was subject to further cement and on the following day, both of

The tactics, techniques and r determination of the actor.5 Ir systems, evolved their techni-

e attack highlight the sophistication and y and precision, the actor evaded detection used custom malware and demonstrated an exceptional degree of operational security that left few traces of their activities.

To ensure the protection of personal information the University has added additional protection to the affected systems, and there's ongoing work to further reduce risks to our data. The University continues to scan online sources for evidence of stellen data being trased or used illegally. At the time of this report, there is no evidence of such activity. ANU will continue this work with specialist service providers and will notify affected parties if there is any evidence their data has been misused.

That said, ANU acknowledges several technical vulperabilities and pracess issues that contributed to the success of the actors comparing. ANU has either addressed these issues of the more complex issues, is in the process of developing a response and remediation plan as part of our strategic information security program. A summary of lessons can be found in Table One of this report.

ANU has increased its technical cyl ANU has increased its technical cybersequrity efforts achaiderably single is first ereach in Ma and is now nearing the end of the tactical measures program ansing from that incident. Howe the complexity and age of the IT network, the rollout of these measures has taken considerable time. Without the measures already in place, the second intrusion would not have been detected, and the subsequent attacks might have been more successful. Infortunately, there was not sufficient time to universally implement all measures across the ANU retwork between the wo attacks in 2018. The sophistication and speed of the second attack underscore the threat environment in which we, and other organisations, now operate.

Technical gaps aside, ANU ultimately views this preach and cybersecurity more broadly as an organisational issue, one which requires a change to the University's security culture to adequately mitigate. It is through this lens we will undertake the next phase of our cybersecurity work – a strategic information security program. This program encompasses the modernisation of IT and security infrastructure and, more importantly, an emphasis on culture and security awareness among students, staff and researchers; and the protection of the data they entrust to ANU.

The investigation following the breach, which contributed to the contents of this report, was conducted in close cooperation with Australian Government security agencies and Northrop Grumman. ANU is grateful for their continued support.

Tactics, techniques and procedures or TTPs refers to the methodology and tools used by the actor in gaining access and taking out stolen information.

DETAILED TIMELINE OF THE D裡停代對CS编程辅导

Overview

This section provides a chror One of the hallmarks of the a log erasure. Another hallmark Because of this the forensics enough detail available to procategories of activities undert ta breach based on available forensic data.

of operational security which involved file and
to defeat forensic analysis and hide activities.
t analysis) is incomplete. However, there is
s activities. Broadly speaking, there are three
the campaign:

- > Credential theft. The ac shift shi
- > Compromised infrastructure. The actor built a shadow ecosystem of compromised ANU machines, tools and network connections to carry out their activities undetected. Some compromised machines provide adopting the provider actor with a base properations to map the network, identify targets of interest, run tools and compromise other machines.
- > **Data theft.** The actor used a variety of methods to extract stolen data or credentials from the ANU network. This was either via a mailtor through other complement. In errest-facing machines.

9 November 2018: spearphishing email one.

The actor's campaign started with a spearphishing email senito the mailbox of a senior member of staff. Based on available logs this email was original viewed by the malcibus code contained in the email did not require the recipient to click on any link nor download and open an attachment. This "interaction-less" attack resulted in the senior staff member's credentials being sent to several external web addresses. It is highly likely that the credentials taken from this account were used to gain access to other systems. The actor as a trained access/to the senior staff member's ratendar – information which was used to conduct additional spearphishing attacks later in the actor's campaign.

12-14 November 2018: webserver infrastructure compromised.

It is probable that the actor used credentials gained on 9 November to successfully access an Internet-facing webserver used by one of the University's schools. The actor successfully created a webshell on this webserver which was then used, over two days, to conduct command and control (C2) operations through what is known as a TOR exit node. These activities were likely designed to set up infrastructure and tools to be used throughout the actor's campaign.

⁶ Hashes are a one-way mathematically altered version of a password designed to ensure the confidentiality of credentials.

⁷ All ANU machines compromised by the actor have been cleansed of any malicious code.

⁸ A web shell is a script that is loaded onto a web server to enable remote access and administration that machine and be used to access other machines on the network.

⁹ This refers to The Onion Router (TOR) network designed to anonymise internet traffic. Command and Control and or C2 refers to the commands sent via the webshell to control the compromised machine.

16 November 2018: con

From the compromised school trial software. This server was no longer active. Unfortunatel the ANU network. It is unclear stolen on 9 November were ustolen was not a system adm full control of the server – refe



s able to gain access to a legacy server hosting sioning in late 2019 and at the time of this report to a virtual LAN with extensive access across legacy server, but we believe that the credentials ine. The senior user whose credentials were a privilege escalation exploit was used to gain to in the remainder of this report.

Exfiltration: T1048

20–21 November 2018: the creation of attack station one. Execution: T1059

Over the course of two days the actor downloaded tools and scripts to build attack station one. To download these tools the actor also comprenise it a second interret facing webserver using a webshell and used this server to download software tools to attack station one. These tools were used to run scripts and perform remote management tasks including scheduled deletion of logs to hide their activities. The actor started to map the ANU network on 21 November Execution: T1064

22 November 2018: the Creation of intual machines on attacle of Exam Help

The following day the actor set up two virtual machines on *attack station one*, one using Windows XFCommand and Control: T1105 and the second Kali Linux. Both operating systems were download using BitTorrent. Shortly after the creation of these virtual machines the actor also gained access (through remote desktop) to a monitored or redirected network traffic. The actor also gained access (through remote desktop) to a machine in a school which had a publicly routable IP address. Age and permissiveness of the machine and its operating system are the likely reasons the actor compromised this machine – which will be referred to as *school machine one* for the remainder of this report The actor continued to map the ANU network on this day.

Discovery: T1049

23 November 2018: exfiltration of network mapping data.

The actor connected to a legacy mail server, this legacy mail server equires no authentication. The emails sent out likely held data gained from the actor's network mapping from the previous two days, as well as user and machine data. On the same day, the actor set up what is known as a tunnelling proxy which is typically used for C2 and taking data out of the network. The actor commenced network packet captures, most likely to collect more credentials or gain more knowledge about the network. **Command and Control: T1041**

25-26 of November: spearphishing email two. Initial Access: T1193

The actor started a second attempt to gain credentials using spearphishing emails. This email entitled "invitation" was sent to one external and 10 ANU email addresses. ¹¹ Some of these emails appear to be tests to determine if the ANU mail filters would block the actor's spearphishing emails. This spearphishing attempt resulted in only one user's credentials being compromised but usage of this credential was limited, suggesting it did not have the accesses the actor was seeking. The actor also accessed the network's Lightweight Directory Access Protocol (LDAP) infrastructure, gaining information on the ANU pool of Windows users and devices. ¹²

¹⁰ A privilege escalation exploit is malicious code which uses a flaw or bug in software or the operating system to gain administrative access to a machine.

¹¹ A copy of this email is available in Appendix A.

¹² Lightweight Directory Access Protocol

27 November: access to

At this stage the actor did no over the course of 27 Novem using exploits or stolen crede ESD and other parts of the ne no interest in file shares other used by several business unit such as finance and HR reco

nt credentials needed for their campaign and e attempt to compromise a range of servers y found credentials to access file shares in tory structures. However the actor displays le share in ESD is a temporary storage location routine extraction and manipulation of data

The actor also starts to map out maci and locates servers housing the databases Command and Control: T1105 underpinning ANU HR, finance, student administration and e-forms systems. Upon finding these databases the actor tries repeatedly, and unsuccessfully, to access these systems. Late on Defence Evasion: T1070 27 November the actor down ords source ode for a bespoke toolset or malware; this code is then compiled and run. The nature of his coded unknown at the late Wheel t and the compiled executable after use. Executable files allow source code to run on a machine. Forensic evidence also shows the extensive use of password cracking tools at this stage. The combination of the bespoke code and password cracking is very likely to have been the mechanism for gaining access to the above administrative databasesortheir host poster

The actor then accessed the administrative databases directly using a commercial tool. This tool allowed the actor to connect to several databases at once to search and extract records; and convert them to PDF format. The PDFs were then sent to the compromised school machine one for extraction from the ANU network.13 initial Access: T1193

29 November 2018: third spearphishing attempt.

The actor continues to look for executials and tries to maximise the effectiveness of their spearphishing efforts by connecting to the University's Span literand at empting to disable its ability to detect malicious emails. There is no forensic evidence to suggest that they were successful in this attempt. The actor then sent 75 emails, 50 to ANU addresses and the remainder to external email addresses. These were used to either exfiltrate data or to undertake more spearphishing. The actor was able to harvest at least of administrator/cretential during this spearshishing phase.

Defence Evasion: 1107

29 November-13 December 2018: clean-up operations and loss of attack station one.

As noted earlier, the actor displayed a very high degree of operational security and routinely erased files and logs. One such clean up phase commenced on 29 November with the actor erasing files and tools with logs packaged for exfiltration through school machine one, which itself was also subject to clean up operations. It is believed that the actor was preparing attack station one for the next phase of their campaign.

On 30 November the ANU implemented a routine firewall change. This cut the actor off from attack station one. The actor immediately then initiated activity to try and get back on to attack station one or to find another place in the network to resume operations. This activity continued until 13 December.

¹³ This machine was not used directly for research purposes and there is no indication that any local data was taken from this machine

13-20 December 2018:

After nearly two weeks of eff running a legacy operating sy as attack station two. This mile 19 December. Forensic analy station two presumably to eit campaign. On 19 December, through TOR.

nd resumption of exfiltration.

access to the network through a machine - referred to in the remainder of the report rge amount of C2 activity between 13 and sassociated with the actor preparing attack Ita from ESD or to start a new phase of the Iditional files, compressed into archives,

At the time of this activity, the school nosting attack station two was not behind the University firewalls and was using publicly routable IP addresses. The actor also probed other parts of the network for other vulnerable systems and began updating malware on attack station two. These updates were likely preparing attack station we for continued access into ESD or the rest of the network.

Inital Addess: 11213 CSTUTOTCS

21 December 2018: fourth spearphishing attempt and loss of attack station two.

The actor starts to target users with administrative access and sends 40 phishing emails to ANU staff with privileged accounts. This enait entitled "hey Planning for In emation Tenhnology Services used calendar information gained from the first spearphishing campaign. 4 This phishing attempt was successful in harvesting a handful of privileged accounts, but ANU IT staff detected the unusual behaviour and were able to remove the new attack station from the network. At the time, however, this activity was treated as an individual event, by ANU, IT, rather than part of a broader compaign

Prior to the loss of attack station two the actor was able to scan an internet facing web server. This formed the basis of a subsequent intrusion attempt in February 2019.

22 December 2018 - March 2019: C2/activity and second/intrusion attempt.

As noted above there was an intrusion attempt in February 2019 against an externally facing webserver. This attack was ultimately unsuccessful but given the similarities in tradecraft used between the November and February attacks, the latter was likely a further attempt by the same actor to regain access to ESD. This activity a so things to C2 activity stem throughout danuary and in early March, which was the last known activity by he actor.

¹⁴ A copy of this email is available in Appendix C.












Figure 2: Attack timeline



POST NOTIFICATION EVENTS 程序代写代做 CS编程辅导

In the intervening two weeks detected repeated attempts these attempts, which were level Vice-Chancellor's notice infor ANU network was subject to way of comparison the ANU



the breach and the public notification, ANU access to ESD. Investigations into the nature of at the time of this report. Within an hour of the and public of the data breach on 4 June, the ck was also successfully stopped by ANU. 15 By attempts on a daily basis.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

¹⁵ Botnet is a combination of the words robot and network. It refers to a logical grouping (or network) of compromised machines (known as bots), each running malware designed to control it and working in concert to undertake a malicious mission.

MALWARE AND TRADECRAFT ANALYSIS 程序代写代做 CS编程辅导

The actor exhibited exception of forensic evidence. Logs, dlaw ecurrer was attack station one which and analysis of these traces that f the still underway at the time of the still underway at the still un

ring the campaign and left very little in the way ecurrent feature of the campaign. The exception n 30 November. At this point, the actor was ot able to fully erase all traces. It is the forensic of this report. Analysis of attack station one is

The analysis of attack station and the campaign and the campaign. Also, the malware and some tools also extended individual components did not trigger the University's endpoint protection. There is also evidence of bespoke malware in the form of source code (compiled within the network) used to gain access to ESD. The purpose of this code remains unknown, and no forensic traces of it or the executable if which was compiled training the campaign. Also, the malware and some tools are ANU network after a foothold had been established. This meant that the downloaded individual components did not trigger the University's endpoint protection. There is also evidence of bespoke malware in the form of source code (compiled within the network) used to gain access to ESD. The purpose of this code remains unknown, and no forensic traces of it or the executable if which was compiled training to the compiled training the campaign. Also, the malware used during the campaign. Also, the malware used during the campaign. Also, the malware is a foothold had been established. This meant that the downloaded individual components did not trigger the University's endpoint protection. There is also evidence of bespoke malware in the form of source code (compiled within the network) used to gain access to ESD. The purpose of this code remains unknown, and no forensic traces of it or the executable if which was compiled to the compiled that the downloaded individual components did not trigger the University's endpoint protection.

Other software used by the actor included network session capture and mapping tools, bespoke clean-up, JavaScript and PowerShell scripts as well as a proxy tool. The actor downloaded several types of virtualisation software of the Septembrie and power land to the software of the series of the se

The first phishing email was designed to be interaction-less and likely used some form of scripting. It is assumed the actor anticipated a high degree of security awareness on the part of the intended recipient. Unfortunately, a copyright was not recipient. Some first part of the intended recipient.

Subsequent phishing attachments were designed to harvest credentials and used similar scripts. The user opened the attached Word document and the credentials were sent to the remote server. All the attachments in the second, third and fourth spear-phishing cycles used the same technique with the credentials sent to the active attack station instead of the opens.

Due to the operational security and clean-up operations of the actor, it has not been possible to retrieve copies of the files exfiltrated from the network. In some cases, there was enough forensic and log data to ascertain file sizes. However, because these files were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what specific data sets were compressed and likely to have been encrypted, it is difficult to infer what sets were compressed and likely to have been encrypted, it is difficult to infer what sets were compressed and likely to have been encrypted.

The actor's use of a third-party tool to extract data directly from the underlying databases of our administrative systems effectively bypassed application-level logging. Safeguards against this happening again have been implemented.

Analysis of *school machine one*, through which most of the data was taken, is ongoing. However, this machine has been subject to a range of erasure and clean-up techniques, so it is not possible to identify precisely what data was taken at the time of writing.

LESSONS FROM THE ATTACK AND FOL 程序代写代码IOS编程辅导

While, and in part because, there are several lessons for the basis of a range of remediation phishing awareness are called

sophisticated and deliberate in their targeting, sen from the data breach and have formed the s. Below, personally identifiable information and and the remainder are captured in Table One.

Personally identifiable in

The most critical issue arising to the loss of personally identifiable information (PII). As an initial step, ANU provided assistance in this matter through services offered by IDCARE. In addition, enquiries relating to individual PII queries are being handled by the ANU Chief Privacy Officer.

As noted above it is not possible to ascertain with accuracy what data was taken other than through the lens of the systems which were precise in lights assumed in life and contained in affected systems might be in the scope of the disclosure. ANU has proceeded with its security efforts on that basis.

ANU has already instigated data safeguarding measures designed to minimise security risks associated with PII data kept in its administrative cystems. The properties provided by the undertaken in order to further reduce the risk to the information heldsh these systems; and in a manner, which allows us to remain compliant with relevant legislation. To this end, a working group, chaired by the Chief Privacy Officer has begun a full review and will develop and guide of additional remediation measures.

Before the detection of the breach, as part of its planned mitigation measures, ANU was searching for stolen data or credentials that might be traded or transmitted online. At the time of this report, no such activity has been detected. ANU continues to work with specialist services to look for any relevant data or credentials. Should the september identified, ANU will take appropriate remedial steps including the prompt notification of any affected services.

Phishing awareness

As noted throughout the time in the social engineering which underpinned these emails highlights the vigilance needed to protect users against this form of attack. ¹⁶ Given the methods of the actor and the number of successfully phished users, it is clear to us that more effort is required to help drive awareness and safe user behaviours across the University community. ANU will focus significantly in this area as part of a broader investment in security culture efforts under the auspices of its forthcoming strategic information security strategy. Work has already commenced with awareness training for high-risk groups.

In addition to security culture, we have invested in stronger safeguards for our mail gateway and are expediting the retirement of legacy mail systems. These measures have already resulted in better technical protection for our mail users, and further investment will follow under the strategic program.

¹⁶ Social engineering is a form of deception used by threat actors to trick users into handing over credentials or other data to gain unauthorised access to systems. It can involve using information about the user or their organisation in a carefully crafted manner to successfully trick the user.

Issue	■ ■ Property of the policy o	Status
Phishing awareness	The require awareness across car	In progress starting with high-risk user groups and expanding throughout 2019 and 2020. Eventual coverage will be all staff and students.
Legacy devices	Incomplete at-risk devices on the AN	Discovery and remediation activities have commenced in high-risk areas of the network including the hardening of devices and their access to the network. This will be expanded significantly under the strategic information security program over 2019 and 2020.
ESD data protection	Information had in ESP recresents a significant a risk to ANU and its community. Reading the risk of the irreducible minimum and additional protective controls are essential.	Initial data protection measures have been deployed and a vorking group established to develop a risk management strategy in-line with legislative requirements. Implementation will occur under the strategic information security program.
Legacy email	Continued use of legacy small systems represents a significant risk to network security; and the primary mail gateway protection system requires a security review and potentially further hardening. Emal: tutorcs	Work has sommenced on dentifying residual legacy email solutions and affected users. The ANU primary mail server has been significantly hardened and will gain further investment under the strategic information security prefrance entitle course of 2019 and 2020.
Two-factor authentication	Two-factor authentication rollout needs to be accelerated and legacy authentication removed across all system: 74938947	Two-factor authentication has already been rolled out to administrative users and high-risk systems. The scope and speed of deployment will be expanded and accelerated throughout 2019 and 2020.
Firewall coverage	Firewall coverage needs to be reviewed and re-validated for all parts of the network.	Work has commenced on reviewing firewall coverage with industry assistance.
Network hardening	Network segmentation, zoning and other network hardening measures need to be expedited including the review and phasing out of publicly routable addresses.	A range of network hardening measures has been undertaken including segmentation of ESD. Future work is being planned at the time of this report and will form the basis of further uplift and network modernisation under the strategic information security program.
Vulnerability and patch management	Vulnerability and patch management initiatives need to be expedited.	Deployment of these systems commenced under the tactical cyber program following the May 2018 intrusion. The scope of this initiative has been expanded and will continue under the strategic information security program.
Simulation exercises	ANU responded quickly to the breach but ongoing practice and simulation exercises are vital.	The first exercise is scheduled under the strategic security program in 2020.

Table One: Issues and Remediation

APPENDIX

程序代写代做 CS编程辅导

Appendix A: "invi

To:
Sent: November 26, 2018 7:28:50 PM AEDT
Received: November 26, 2018 7:18:38 PM AEDT

Attachments: Explain We Chat: cstutorcs

We would like to seek your assistance and supply reason properties to prove the form seem that a mexame Help convenient to you (between 10:30am - 3:00pm on Weshesday 28th November, 2018), on an exercise they are conducting to consolidate some common issues in the region. Please indicate your availability so we ensure it does not clash with our other clients.


An explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note is also attached or an explanatory note in the explanatory note in

Conference Office

Australian National University

QQ: 749389476

This email contains information which is confidential and may be subject to legal privilege. If you are not the intended recipient, you may not peruse, use, describing extribute or color this email or attachments. If for received this in error, please notify the sender immediately by return email, facsimile or telephone (call collect) and delete this email. Thank you.



Appendix C: "pla email

New planning for Info

From: To:

Sent: December 21, 2018 2:48:56 PM AEDT

Received: Dictmber 77, 2018 2:48:42 PM AEDT OTCS
Attachments: New-Planning dea att. CSTUTOTCS

Assignment Project Exam Help

Well the year has got away from us and due to a number of factors we have not been able to organise one last meeting for the year. So I wanted to touch base with you all and say well done on making it to the end of year, merry Xmas, happy holidays and happy help and the true of the company of the work of the

Next year the plan is to have four meetings - Meeting plan refer to Annex.

QQ: 749389476

https://tutorcs.com

The Australian National University Canberra, ACT, 0200, Australia



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

CONTACT



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

Office of the Chief Information 749389476

Security Officer

E CISO@anu.edu.au

https://tutorcs.com

CRICOS Provider #001200