

Copyright 程序代写代做 CS编程辅导

## Course materials copyright

UNSW Sydney owns copyright in the materials (unless stated otherwise). The material is subject to copyright under Australian law and under international treaties. The materials are provided for use by enrolled UNSW students, or any part, may not be copied, shared or distributed, in print or digitally, outside the University, without prior written permission. Students may only copy a reasonable portion of the material for personal use, for criticism or review. Under no circumstances may these materials be copied or distributed for commercial purposes without prior written permission of UNSW Sydney.



## Statement on class recording WeChat: cstutorcs

To ensure the free and open discussion of ideas, students may not record, by any means, classroom lectures, discussion and/or activities without the advance written permission of the instructor, and any such recording properly approved in advance can be used solely for the students own private use.

Assignment Project Exam Help  
WARNING: Your failure to comply with these conditions may lead to disciplinary action, and may give rise to a civil action or a criminal offence under the law.

THE ABOVE INFORMATION MUST NOT BE REMOVED FROM THIS MATERIAL.  
Email: tutors@163.com

QQ: 749389476

<https://tutorcs.com>

# Financial Econometrics ECOM3206/5206

## Term 2 2020

### Sample Answer for Tutorial 5

1. (Error correction ar

The first VEC equation from the assumption that  $\Delta x_t = \gamma \Delta x_{t-1} + \eta_t$  with  $\alpha_1 = 0$ ,  $\phi_{11} = \gamma$  and  $u_{1t} = \eta_t$  can be found from  $y_t = \beta x_t + \varepsilon_t$

$$\begin{aligned}\Delta y_t &= y_t - y_{t-1} \\ &= -y_{t-1} + \beta x_t + \varepsilon_t \\ &= -(y_{t-1} - \beta x_{t-1}) + \beta x_t - \beta x_{t-1} + \varepsilon_t \\ &= -(y_{t-1} - \beta x_{t-1}) + \beta(\gamma \Delta x_{t-1} + \eta_t) + \varepsilon_t \\ &= -(y_{t-1} - \beta x_{t-1}) + \beta \gamma \Delta x_{t-1} + (\beta \eta_t + \varepsilon_t).\end{aligned}$$

Comparing the last expression against the second VEC equation leads to  $\alpha_2 = -1$ ,  $\phi_{21} = \beta \gamma$ , and  $u_{2t} = \beta \eta_t + \varepsilon_t$ . In this example, because  $x_t$  does not depend on the last period's cointegration error ( $\alpha_1 = 0$ ) and the adjustment toward long-run equilibrium is entirely done by  $y_t$  ( $\alpha_2 = -1$ ),  $x_t$  is the common trend that drives  $y_t$  moving along.

2. AR(p), MA(q) and ARMA(p,q) imply linear predictability. We learned that for financial return there is no linear predictability. Moreover, all these models have constant variance, while financial returns exhibit time-varying variance and volatility clustering. We will get to these exiting models very soon.

3. (Cointegration and error correction model)

(a) The time series plot of R and INF does visually suggest that they move together in the sample period: both were high in 80s and low in post 1990 period.




Assignment Project Exam Help

Email: [tutors@163.com](mailto:tutors@163.com)

(b) The estimation results for  $R_t = \beta_0 + \beta_1 INF_t + \varepsilon_t$  indicate that the residuals are strongly autocorrelated (tiny p-values for Q-stats in residual correlogram). The ADF unit-root test on resid01, using the Dickey-Fuller critical values (which are incorrect in this context, see part (c) below), strongly rejects the null hypothesis of a unit-root (p-value = .0007).

QQ: 749389476



**Augmented Dickey-Fuller Unit Root Test on RESID01**

Null Hypothesis: RESID01 has a unit root  
Exogenous: None  
Lag Length: 1 (Automatic) XLAG=12

	t-Statistic	Prob.*
Augmented Dickey-Fuller Test	-3.459213	0.0007
Test critical values:	-2.585962	
	-1.943741	
	-1.614818	

\*MacKinnon (1996) one-sided p-values.

**WeChat: cstutorcs**

(c) The Engle-Granger cointegration test is just the ADF on the residual from part (b) without intercept and time trend. However the critical values of the EG test differ from the Dickey-Fuller critical values because the test is performed on the residual from a regression involving  $I(1)$  time series. In fact, the 1%, 5%, 10% critical values for EG test involving two  $I(1)$  series are approximately -4.1, -3.4, -3.1 respectively. Hence the test result shows that we may reject the null hypothesis of a unit-root in residual (or spurious regression) at approximately 5% level. The reported p-value (0.0007) is under the Dickey-Fuller critical values and are invalid in this context.

(d) Given that  $\beta_1$  is positive, if the cointegration error  $\varepsilon_t = R_t - \beta_0 - \beta_1 \text{INF}_t$  is positive at  $t$ ,  $R_{t+1}$  and  $\text{INF}_{t+1}$  should move toward eliminating the error. Hence  $R_{t+1}$  would likely move downward or  $\text{INF}_{t+1}$  would likely move upward.

(e) The estimation results, where  $E = \text{resid01}$ , suggest that many of the coefficients on the lags of DR and DINF are statistically insignificant. For the adjustment coefficients on  $E(-1)$ ,  $\alpha_1$  is only statistically significant at about 15% (p-value=0.1342) and  $\alpha_2$  is at about 30% (p-value=0.2994).

Dependent Variable: DR  
Method: Least Squares

Sample (adjusted): 1984Q2 2012Q1  
Included observations: 112 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.068242	0.094035	0.725707	0.4697
E(-1)	0.054172	0.035881	1.509753	0.1342
DR(-1)	0.095159	0.102556	0.927873	0.3557
DR(-2)	0.013995	0.092036	0.152059	0.8794
DR(-3)	0.217247	0.085789	2.532337	0.0129
DR(-4)	-0.075634	0.083956	-0.900872	0.3698
DINF(-1)	-0.029474	0.049132	-0.599890	0.5499
DINF(-2)	-0.044087	0.050898	-0.866183	0.3884
DINF(-3)	0.034231	0.049238	0.695219	0.4885
DINF(-4)	0.050601	0.039576	1.278605	0.2039

R-squared	0.181211	Mean dependent var	0.083214
Adjusted R-squared	0.108965	S.D. dependent var	1.047904
S.E. of regression	0.989165	Akaike info criterion	2.901135
Sum squared resid	99.80168	Schwarz criterion	3.143858
Log likelihood	-152.4635	F-statistic	2.508255
Durbin-Watson stat	2.007214	Prob(F-statistic)	0.012322

Dependent Variable: DINF  
Method: Least Squares

Sample (adjusted): 1984Q2 2012Q1  
Included observations: 112 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.042511	0.221627	0.191814	0.8483
E(-1)	0.088206	0.084566	1.043033	0.2994
DR(-1)	-0.949470	0.241710	-3.928138	0.0002
DR(-2)	-0.381278	0.216916	-1.757718	0.0818
DR(-3)	-0.021145	0.202192	-0.104581	0.9169
DR(-4)	0.015634	0.197871	0.079013	0.9372
DINF(-1)	-0.712485	0.115797	-6.152859	0.0000
DINF(-2)	-0.544431	0.119958	-4.538509	0.0000
DINF(-3)	-0.446453	0.116047	-3.847159	0.0002
DINF(-4)	-0.161552	0.093274	-1.732026	0.0863

R-squared	0.411134	Mean dependent var	0.006924
Adjusted R-squared	0.359175	S.D. dependent var	2.912268
S.E. of regression	2.331315	Akaike info criterion	4.615788
Sum squared resid	554.3731	Schwarz criterion	4.858511
Log likelihood	-248.4841	F-statistic	7.912690
Durbin-Watson stat	2.055841	Prob(F-statistic)	0.000000

Hence the assumed cointegration cannot be statistically justified at even the 1% level because it is necessary to have the error correction mechanism in place for the cointegration to hold. However the model here may have been over-specified and included too many irrelevant lags. Including too many irrelevant lags may have inflated the standard errors (or standard errors) of the OLS estimators.

(f) As many of the lags of DR and DINF are statistically insignificant, the model size can indeed be reduced. For example, we can test the exclusion of the DINF lags from the first equation and the exclusion of DR(-4) from the second equation. The Wald tests below confirm that the exclusions cannot be rejected (large p-values). See Tutorial 2 for EViews clicks for the Wald test (tips iii). From the new estimation results, indeed, the standard errors on the adjustment coefficients are smaller than those in part (e). The adjustment coefficient  $\alpha_1$  is now statistically significant at 5% (p-value=0.0231) whilst  $\alpha_2$  remains insignificant. An interpretation is that the interest rate makes adjustments according to the inflation and the latter acts as the common trend, which does not respond to the deviation from the long-run relationship.

Wald Test:  
Equation: EQN4

Test Statistic	Value	df	Probability
F-statistic	1.311135	(4, 102)	0.2765
Chi-square	5.24774	4	0.2628

Null Hypothesis Summary:

Normalized Restriction (= 0)	Value	Std. Err.
C(7)	-0.029474	0.049132
C(8)	-0.044087	0.050898
C(9)	0.034231	0.049238
C(10)	0.050601	0.039576

Dependent Variable: DR  
Method: Least Squares

Sample (adjusted): 1984Q2 2012Q1  
Included observations: 112 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.068053	0.094578	0.719543	0.4734
E(-1)	0.069750	0.030260	2.305005	0.0231
DR(-1)	0.107971	0.099253	1.087840	0.2791
DR(-2)	-0.021571	0.083630	-0.257930	0.7970
DR(-3)	0.226945	0.081229	2.793907	0.0062
DR(-4)	-0.084482	0.082638	-1.022311	0.3090
R-squared	0.139086	Mean dependent var	0.083214	
Adjusted R-squared	0.098477	S.D. dependent var	1.047904	
S.E. of regression	0.994970	Akaike info criterion	2.879875	
Sum squared resid	104.9363	Schwarz criterion	3.025509	
Log likelihood	-155.2730	F-statistic	3.424994	
Durbin-Watson stat	2.000971	Prob(F-statistic)	0.006577	

Wald Test:  
Equation: EQN5

Test Statistic	Value	df	Probability
F-statistic	0.008300	(2, 102)	0.9917
Chi-square	0.016599	2	0.9917

Null Hypothesis Summary:


Normalized Restriction (= 0)	Value	Std. Err.
C(5)	-0.021145	0.202192
C(6)	0.015634	0.197871

Dependent Variable: DINF  
Method: Least Squares

Sample (adjusted): 1984Q2 2012Q1  
Included observations: 112 after adjustments

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.042457	0.219071	0.193804	0.8467
E(-1)	0.088531	0.082615	1.071600	0.2864
DR(-1)	-0.943837	0.232946	-4.051751	0.0001
DR(-2)	-0.382355	0.211139	-1.810916	0.0730
DINF(-1)	-0.710166	0.111908	-6.345996	0.0000
DINF(-2)	-0.541910	0.112432	-4.819876	0.0000
DINF(-3)	-0.445855	0.110805	-4.023790	0.0001
DINF(-4)	-0.159725	0.089154	-1.791550	0.0761
R-squared	0.411038	Mean dependent var	0.006924	
Adjusted R-squared	0.371396	S.D. dependent var	2.912268	
S.E. of regression	2.308978	Akaike info criterion	4.580236	
Sum squared resid	554.4634	Schwarz criterion	4.774415	
Log likelihood	-248.4932	F-statistic	10.36883	
Durbin-Watson stat	2.058307	Prob(F-statistic)	0.000000	

4. While the specific results will be different due to random numbers, this is my output

SUMMARY OUTPUT									
Regression Statistics									
Multiple R	0.45								
R Square	0.20								
Adjusted R Square	0.20								
Standard Error	6.46								
Observations									
ANOVA									
	df			F	Significance F				
Regression	1	10767.76	10767.76	257.4169915	1.03657E-51				
Residual	998	41746.44	41.8301						
Total	999	52514.21							
	Coefficient	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%	
Intercept	16.0075	0.220029	72.75172	0	15.57572369	16.43926929	15.57572369	16.43926929	
X Variable 1	0.169708	0.010578	16.04422	1.03657E-51	0.148951156	0.190464572	0.148951156	0.190464572	

## Assignment Project Exam Help

The common theme will be that the coefficient estimates of the regression will be super significant.

The  $R^2$  is also relatively high. However, the regression does not make any sense (we regress two totally unrelated random walks) and we would expect coefficient estimates to be equal to zero. This is an example of spurious regression.

More cute examples of spurious regression:

<http://www.eco.uc3m.es/~jgonzalo/teaching/timeseriesMA/examplesspuriousregression.pdf>

<https://tutorcs.com>

\*[Nice discussion and remedy "Is the Spurious Regression Problem Spurious?"]

<http://www.nber.org/papers/w15690.pdf>