

---

# Real Analysis

---

**Manik Bhandari\***

Department of Computer Science  
Indian Institute of Science  
Bangalore, India  
mbbhandarimanik2@gmail.com

## Abstract

Notes of Real Analysis mainly from Abbott's *Understanding Analysis* and Rudin's *Principles of Mathematical Analysis*.

## 1 Real Numbers

Rational numbers have *holes*.

**Theorem 1.** *There is no rational number whose square is 2.*

*Proof.* Proof is by contradiction. Let there be a rational number  $p/q$  where  $p$  and  $q$  have no common factors and whose square is 2. Find the common factor 2 and reach the contradiction.  $\square$

Further, let  $A$  be the set of all positive rational numbers  $q$  such that  $q^2 < 2$  and  $B$  be the set of all rational numbers  $p$  such that  $p^2 > 2$ . Then,  $A$  contains no largest number and  $B$  has no smallest number. Consider

$$q = p - \frac{p^2 - 2}{p + 2} = \frac{2p + 2}{p + 2}.$$
$$\implies q^2 - 2 = 2 \frac{p^2 - 2}{(p + 2)^2}.$$

If  $p \in A$  then  $q > p$  and  $q \in A$ . If  $p \in B$  then  $q < p$  and  $q \in B$ . Clearly, rational number system has certain holes. Interestingly between every two rational numbers  $r$  and  $s$  there is a rational  $\frac{r+s}{2}$ . Still the rational number system has gaps and the real system will try to fill these gaps by defining a new *irrational number* wherever there are holes.

### 1.1 Ordered Set

A set is a *collection* of objects called *elements* of the set. An order is a *relation* defined on a set, say  $S$  and is denoted by  $<$ . Order has 2 properties:

1. For  $x \in S$  and  $y \in S$ , either  $x < y$  or  $x = y$  or  $x > y$ .
2. If  $x, y, z \in S$ , if  $x < y$  and  $y < z$  then  $x < z$ .

An *Ordered Set* is a set on which an order is defined.

**Bound.** Let  $S$  be an ordered set and  $E \subset S$ . If there is a  $\beta \in S$  such that  $x \leq \beta$  for every  $x \in E$  then  $E$  is *bounded above* and  $\beta$  is the *upper bound* of  $E$ . Note that  $\beta$  might not belong to  $E$ . Similar definition for *lower bound*.

---

\*Use footnote for providing further information about author (webpage, alternative address)—*not* for acknowledging funding agencies.

**Least Upper bound.** Let  $S$  be an ordered set and  $E \subset S$  which is bounded above. Then if there is an  $\alpha \in S$  such that

1.  $\alpha$  is an upper bound of  $E$  and
2. if  $\gamma < \alpha$ , then  $\gamma$  is not an upper bound of  $E$

then  $\alpha$  is the *least upper bound* of  $E$  or *supremum* of  $E$ . There is at most one such number.

$$\alpha = \sup E.$$

**Greatest Lower Bound.** For the same  $S$  and  $E$  defined above, if there is a  $\beta \in S$  such that (1)  $\beta$  is a lower bound of  $E$  and (2) if  $\gamma > \beta$  then  $\gamma$  is not a lower bound of  $E$  then  $\beta$  is the *greatest lower bound* of  $E$  or *Infimum* of  $E$ .

$$\beta = \inf E.$$

**Least Upper Bound Property.**  $S$  has least upper bound property if for any  $E \subset S$ , if  $E$  is not empty and  $E$  is bounded above then  $\sup E$  exists in  $S$ .

**Theorem 2.** Suppose  $S$  has least upper bound property, then for every  $B \subset S$ ,  $B$  is not empty and  $B$  is bounded below,  $\inf B$  exists in  $S$ .

*Proof.* Let  $L$  be the set of all lower bounds of  $B$  i.e.  $L$  consists of all  $y \in S$  such that  $y < x$  for every  $x \in B$ . Then  $L$  is not empty.  $L$  is bounded above by every element of  $B$ . So  $L$  must have a supremum in  $S$ , say  $\alpha$ .  $\alpha$  might not be in  $L$ .

Let  $\gamma < \alpha$ , then by definition,  $\gamma$  is not an upper bound of  $L$  but every element of  $B$  is an upper bound of  $L$ , so  $\gamma \notin B$ . This means that  $\alpha \leq x$  for every  $x \in B$ . So  $\alpha$  is a lower bound of  $B \implies \alpha \in L$ . Also, if  $\beta > \alpha$  then  $\beta \notin L$  since  $\alpha$  is an upper bound of  $L$ . So,  $\alpha$  is a lower bound of  $B$  but  $\beta$  is not if  $\beta > \alpha$ .  $\implies \alpha = \inf B$ .  $\square$

## 1.2 Field

A Field is a set with two operations - *addition* and *multiplication* which satisfy *Field Axioms* - A (addition), M (multiplication), D (Distributive Law).

### Addition Axioms:

1. *Closure.* If  $x \in F$  and  $y \in F$ , then  $x + y \in F$ .
2. *Commutative.*  $x + y = y + x$  for all  $x, y \in F$ .
3. *Associative.*  $(x + y) + z = x + (y + z)$  for all  $x, y, z \in F$ .
4. *Identity.*  $F$  contains an element  $0$  such that,  $0 + x = x$  for every  $x \in F$ .
5. *Inverse.* For every  $x \in F$  there is an element  $-x \in F$  such that,  $x + (-x) = 0$ .

### Multiplication Axioms:

1. *Closure.* If  $x \in F$  and  $y \in F$ , then  $xy \in F$ .
2. *Commutative.*  $xy = yx$  for all  $x, y \in F$ .
3. *Associative.*  $(xy)z = x(yz)$  for all  $x, y, z \in F$ .
4. *Identity.*  $F$  contains an element  $1$  ( $1 \neq 0$ ) such that,  $1x = x$  for every  $x \in F$ .
5. *Inverse.* For every  $x \in F$  (except  $0$ ) there is an element  $1/x \in F$  such that,  $x(1/x) = 1$ .

**Distributive Law:** For all  $x, y, z \in F$ ,  $x(y + z) = xy + xz$ .  
Clearly,  $\mathbb{Q}$ , the set of all rational numbers is a Field.

### 1.2.1 Ordered Field

Ordered Field  $F$  is a Field that is also an ordered set such that

1.  $x + y < x + z$  if  $y < z$  for  $x, y, z \in F$ .
2.  $xy > 0$  if  $x > 0$  and  $y > 0$  for  $x, y \in F$ .

### 1.3 The Real Field

There exists an ordered field  $R$  which has *least upper bound property* and *contains*  $Q$  as a sub-field. Elements of  $R$  are *real numbers*.  $R$  can be constructed from  $Q$ .