
Game Theory

Manik Bhandari

Department of Computational Data Science
Indian Institute of Science
Bangalore, India
manikb@iisc.ac.in

Abstract

Notes of Game Theory mainly from lectures at IISC.

1 Introduction and Examples

The course can be divided into four parts. We start with Non cooperative Game Theory.

Game Theory vs Mechanism Design In Game Theory, you are given a game and you must analyze it. *Analyzing* a game typically means finding and analyzing the *Equilibrium*. An informal definition of equilibrium is when all the players of the game are *happy* i.e. if they were to perform some other action, they would not be happy.

In Mechanism Design, you are given a *desirable behavior* of the players i.e. a *Social Choice Function*. Your task, is to design a game that implements the SCF in the *optimal case*. **Optimal case means equilibrium?**

Student Coordination Problem Consider two students, call them P_1 and P_2 . They wish to meet and chat. They can either do that in IISC or on MG Road. These two actions are called *strategies*. Let "going to IISC" be strategy A and "going to MG Road" be strategy B . Then the *strategy sets* of the two players are $S_1 = S_2 = \{A, B\}$.

Assume that *strategies are chosen simultaneously*. This is called a *Simultaneous Moves Game*. A game like chess is not a simultaneous moves game. Such a game can be represented in *normal form/matrix form* also known as *strategic form* which is why such a game is also called a *Strategic form Game*. **Q. What other form of game can exist? A. Extensive form games including others. Basically those games which can't be fully represented by a matrix.**

The *utility* of a player is a function $u_i : S_1 \times S_2 \rightarrow \mathbb{R}$ (subscript i for player). It maps a *vector or profile* of strategies to a real number called *utility or payoff*.

Assumption of Common Knowledge This means that

1. Each player knows the payoff matrix.
2. Each player knows 1.
3. Each player knows 2.
4. .
5. .

1/2	A	B
A	100,100	0, 0
B	0, 0	10, 10

Table 1: Payoff matrix.

ad infinitum.

Players are Rational and Intelligent A *rational player* maximizes the *expected value of his own payoff*. This is called *Expected Utility Maximization*. An *Intelligent* player is capable of computing the optimal strategy.

Equilibrium In this example, there are two equilibria – (A, A) and (B, B) . The intuition is that players don't want to unilaterally deviate from this strategy. i.e. knowing that others are playing this strategy, a player wouldn't want to deviate from his own strategy. This is an example of *Pure Strategy Equilibrium*.

But another possibility is to have a *probabilistic strategy* leading to *Mixed Strategy Equilibrium*. A strategy will then be a vector of probabilities of choosing each action.

In this case the mixed strategy equilibrium is $(1/11, 10/11)$, $(1/11, 10/11)$ i.e. players can choose to be in MG road most of the time and still be pretty happy!

Cake cutting problem This is an example of Mechanism Design. Suppose you and your brother want to eat a cake and your mom (The mechanism designer) is to decide how to divide the cake. The SCF is not just fair division, it is to make everyone involved *happy*.

If she cuts the cake, you might feel that your brother will pick the bigger part leading to dissatisfaction. Consider this strategy: you cut the cake but your brother picks the first piece. Since you cut the cake and there is *common knowledge*, you are absolutely sure that it is exactly in half so you're satisfied. Since he picks the first, he might pick what he thinks is the bigger part and he'll be happy. Possible extensions for this could be to n cakes and m players.

Braess Paradox Adding more links should help but doesn't. Why?

Vickrey Auction Auctions are essential. Google has a few slots to display for ads and many companies would like to place their ad in the slot. If the user clicks on an ad, the company pays Google for the click. How to decide the price for obtaining the slot? Best way is to bid for it.

Winner Determination: The winner is decided by whoever bids the highest.

Pricing: In *First price auctions* the winning bid would be the price of the slot. But Vickrey introduced *Second price auctions* where the second highest bid or the highest non-winning bid is the price of the slot.

This extracts the exact *validation* of each player i.e. the maximum willingness to buy the item. This also satisfies *allocative efficiency* i.e. the item goes to the person who values it the most. It also has the *DSIC property* (*Dominant Strategy Incentive Compatibility*) which means that you can safely ignore other players and always bid your true validation. (There also exists others like BIC – Bayesian Incentive Compatibility) There is also no complexity of computing the strategy.

This has led to VCG (Vickrey Clarke Groves) mechanism

Cooperative Game Theory This is the form of GT when people form a coalition or a group for their benefit.

Divide the dollar problem Suppose you have 300\$ and you want to divide it amongst three people such that *at least two should agree* on the division. Let's say P_1 proposes $(150, 150, 0)$. This is also a simultaneous moves game. We say that coalition $\{1, 2\}$ is formed. But P_3 will not sit quietly. He proposes $(200, 0, 100)$. Coalition $\{1, 3\}$ is formed since both P_1 and P_3 have increased their utility. But now P_2 will not sit quietly, he proposes $(0, 100, 200)$ and thus Coalition $\{2, 3\}$ is formed. This is a highly unstable situation where players will keep cycling.

Variations of this could be similar game but "a leader and one other should agree" or "all three should agree". The dynamics will completely change.

2 Utility Theory

Every game of chess ends in either a win for white, win for black, or draw. Simple proof idea: think of the game of chess as a tree with children being the reachable board positions from parent. Start from the leaf and build up.

preference relation A player wants his *best possible outcome*. To measure this we want a relation between all possible outcomes. **An order?** This relation is *preference relation*. It is a binary relation over the set of possible outcomes O i.e. $x \geq_i y$ implies that player i prefers outcome x over y or is indifferent between the two.

Assumptions about the preference relation

1. It is complete i.e. for any pair of outcomes x, y in O either $x \geq_i y$ or $x \leq_i y$ or both.
2. It is reflexive i.e. $x \geq_i x$ for all $x \in O$.
3. It is transitive i.e. for any $x, y, z \in O$ if $x \geq_i y$ and $y \geq_i z$ then $x \geq_i z$.

Utility function is a mapping from $O \rightarrow \mathbb{R}$ such that if $x \geq_i y$ then $u(x) \geq u(y)$. Essentially it is an association of preference with a real number. Note that for any monotonically increasing function $v : \mathbb{R} \rightarrow \mathbb{R}$, $v \cdot u = v(u(x))$ is also a utility function for the same preference relation. So a utility function u is only *ordinal* i.e the real number is not a measure of intensity of a player's preference.

3 Strategic form games a.k.a. Normal form

Definition A Strategic Form Game is an ordered triple $G = (N, (S_i)_{i \in N}, (u_i)_{i \in N})$. N is the *finite* set of players $N = 1, 2, \dots, n$, S_i is the set of strategies of player i . Denote the set of all possible strategy vectors as $S = S_1 \times S_2 \times \dots \times S_n$. And $u_i : S \rightarrow \mathbb{R}$ maps a vector of strategies $s = (s_i)_{i \in N}$ to the payoff of the i^{th} player.

Note the strategy set of a player need not be finite. If it is finite, we call it a *finite game*.

Notation Denote X as the cross product $\times_{i \in N} X_i$. Then $X_{-i} = \times_{j \neq i} X_j$ i.e. an element of X_{-i} is an $n-1$ dimensional vector $x_{-i} = (x_1, \dots, x_{i-1}, x_{i+1}, \dots, x_n)$.

Domination The strategy s_i of a player is dominated by t_i if for *each* strategy of other players $s_{-i} \in S_{-i}$

$$u_i(s_i, s_{-i}) < u_i(t_i, s_{-i})$$

So t_i strictly dominates s_i or s_i is strictly dominated by t_i .

Assumptions A rational player will never choose a strictly dominated strategy and all players in the game are rational. Also assume rationality is common knowledge.

Strictly dominant strategy of a player is one which strictly dominates all other strategies of the player.

Iterated elimination of dominant strategies Since all players are rational and this is common knowledge, and rational players never choose a dominated strategy, we can safely eliminate such a strategy from a player's strategy set. Iteratively doing this is called Iterated elimination of dominated strategies. When this process yields only *one* strategy per player, the strategy vector obtained is called *solution of game*.

Therefore, solution always exists if each player has a *strictly dominant strategy*.

Order of elimination does not matter when we iteratively eliminate strictly dominated strategies. You'll always get the same set of strategies. **prove this**. However, for eliminating weakly dominated strategies, you might get the different results.

Weakly dominated strategy s_i is weakly dominated by t_i if

1. for every strategy $s_{-i} \in S_{-i}$ of other players, $u_i(s_i, s_{-i}) \leq u_i(t_i, s_{-i})$ and
2. there exists at least one strategy $t_{-i} \in S_{-i}$ of other players such that $u_i(s_i, t_{-i}) < u_i(t_i, t_{-i})$.

Henceforth, dominated = weakly dominated. A rational player will never choose a dominated strategy. A *rational strategy* is one which is reached by iterative elimination of weakly dominated strategies a.k.a. *rationalizability*.

Elimination of a player's strictly dominated strategy does not require the knowledge of other players' payoffs. However, in rationalizability when we eliminate s_i of player i after s_j of player j , player i assume that player j will never play s_j .

Second price auction as Strategic Form Game Let N be the set of players, $S_i = [0, \infty]$ is the set of bids that the player can make, utility for a given strategy vector b is

$$u_i(b) = \begin{cases} 0 & \text{if } b_i \neq \max_j b_j \\ \frac{v_i - \max_{j \neq i} b_j}{|\{k: b_k = \max_j b_j\}|} & \text{if } b_i = \max_j b_j \end{cases}$$

Second case arises from the fact that k people can give the same maximum bid in which case, the winner will be decided by a fair lottery. Note that, in this case the second highest bid will also be the same as v_i and so the profit will be 0.

In this game, the strategy $b_i = v_i$ weakly dominates all other strategies. **Verify by drawing the utility functions.**

Three Definitions of Nash Equilibrium

1. A strategy vector $s^* = (s_1^*, s_2^*, \dots, s_n^*)$ is a Nash Equilibrium if for *each* player $i \in N$ and for each strategy $s_i \in S_i$, $u_i(s^*) \geq u_i(s_i, s_{-i}^*)$. And the corresponding payoff vector $u(s^*)$ is the *equilibrium payoff* corresponding to the Nash eqbm s^* .
2. **Profitable Deviation** of player i from a strategy vector s , is a strategy $\hat{s}_i \in S_i$ such that $u_i(\hat{s}_i, s_{-i}) > u_i(s_i)$. A Nash eqbm is a strategy vector from which no player has a profitable (unilateral) deviation.
3. **Best Response** s_i is a *best response* of player i to s_{-i} if $u_i(s_i, s_{-i}) \geq \max_{t_i \in S_i} u_i(t_i, s_{-i})$.
 $s^* = (s_1^*, s_2^*, \dots)$ is a Nash Equilibrium if s_i^* is a best response to s_{-i}^* for every player $i \in N$.

Coordination Games are those in which coordinating responses leads to better payoffs than not coordinating.

Properties of Nash Equilibrium

1. It is stable - a property that every equilibrium should exhibit.
2. It is self-fulfilling - If there is a agreement to play *some* equilibrium, then even if the agreement was not binding, players would prefer not to deviate.
3. It is also a sort of prescription - a judge would prescribe such an equilibrium to players so that they don't deviate.
4. It can also be interpreted as a prediction - what *would* happen if rational players with common knowledge play this game?

4 PSNE and intro to MSNE

Example Let's say there is a channel and n agents who want to communicate information through the channel. It's channel capacity is 1 units. This is a *single shot simultaneous moves* game.

Here $N = 1, 2, \dots, n$; $S_1 = S_2 = \dots = S_n = [0, 1]$. A strategy profile $x = (x_1, x_2, \dots, x_n)$ is a vector with $x_i \in [0, 1]$. Note that this is an infinite game since infinite strategies are possible.

Side Note: An infinite game has either infinite players or infinite strategies possible to players (**or both I guess**).

Here

$$u_i(x_1, x_2, \dots, x_n) = \begin{cases} x_i(1 - \sum_{i=1}^n x_i) & \text{if } \sum_{i=1}^n x_i \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

where $(1 - \sum_{i=1}^n x_i)$ is the *quality of service* of the channel. Let's try to compute the PSNE $(x_1^*, x_2^*, \dots, x_n^*)$. By definition

$$\begin{aligned} u_i(x_i^*, x_{-i}^*) &= \max_{x_i \in [0,1]} u_i(x_i, x_{-i}^*) \\ &= \max_{x_i \in [0,1]} x_i(1 - x_i - \sum_{j \neq i} x_j^*) \\ &= \max_{x_i \in [0,1]} x_i(1 - x_i - t_i) \end{aligned}$$

This is a quadratic in x_i and can be solved by setting derivative to be 0 which gives us

$$x_i^* = \frac{1 - t_i}{2} = \frac{1 - \sum_{j \neq i} x_j^*}{2}$$

These are essentially n equations in n variables and can be solved. **But how to solve it?** This gives the solution $x_i = \frac{1}{n+1}$ for every $i \in N$.

Social utility/welfare is defined as the sum of utilities of all players i.e. $\sum_{i=1}^n u_i(x)$.

For the above Nash Equilibrium, Social Utility will be $\sum_{i=1}^n u_i(x^*) = \sum_{i=1}^n (\frac{1}{n+1}(1 - \frac{n}{n+1})) = \frac{n}{(n+1)^2}$

However, consider the profile $x = (\frac{1}{2n}, \frac{1}{2n}, \dots)$. Its social utility is $\sum_{i=1}^n \frac{1}{2n}(1 - \frac{n}{2n}) = \frac{1}{4}$. This is always greater than the PSNE for $n \geq 1$.

This is an illustration of how Nash Equilibrias may not maximize the social utility. This means that there is some *cost* of following the Nash Equilibrium. Rational and Intelligent players are *losing something*. This *cost* is also known as *Price of Anarchy*.

5 Solutions other than Nash Equilibrium

We will find solutions that *rational* players might not choose but *pessimistic* players might.

A pessimistic player might want to maximize the minimum payoff he can get, disregarding whether other players are rational or not. i.e.

$$\underline{v}_i := \max_{s_i \in S_i} \min_{t_{-i} \in S_{-i}} u_i(s_i, t_{-i})$$

This quantity \underline{v}_i is the *maxmin value* of player i or the *security* of player i . The strategy s_i^* that guarantees this value is the *maxmin strategy*. It is also known as *no regret strategy* since a player is never worse off with any other strategy.

Since this strategy s_i^* is the max, it satisfies $\min_{t_{-i} \in S_{-i}} u_i(s_i^*, t_{-i}) \geq \min_{t_{-i} \in S_{-i}} u_i(s_i, t_{-i}) \forall s_i \in S_i$.

Since this is true for all $s_i \in S_i$, it must be true for the maxmin strategy also. Therefore, $\min_{t_{-i} \in S_{-i}} u_i(s_i^*, t_{-i}) \geq \underline{v}_i \forall t_{-i} \in S_{-i}$. This is another way of saying player i is never worse off than \underline{v}_i no matter what the other players play.

[side note] You have to be careful if max and min are not defined, let's say when the strategy sets are infinite. Then you must replace max and min by sup and inf respectively. Even then, they might not exist.

Dominant strategy and maxmin strategy The dominant strategy is also the maxmin strategy and is also the nash equilibrium strategy. **proof?. Reconfirm this. It sounds wrong.**

Strictly dominant and maxmin If each player has a strictly dominant strategy s_i^* then (s_1^*, \dots, s_n^*) is a unique *equilibrium* of the game and the vector is also the vector of *maxmin* strategies.

nash equilibrium and security Every Nash Equilibrium σ^* of a strategic form game satisfies $u_i(\sigma^*) \geq \underline{v}_i$ for every player i .

This is because for every player i , $u_i(s_i, s_{-i}) \geq \min_{s_{-i}} u_i(s_i, s_{-i})$. Taking max over s_i on both sides, you get $\max_{s_i} u_i(s_i, s_{-i}) \geq \max_{s_i} \min_{s_{-i}} u_i(s_i, s_{-i})$ which proves the theorem.