

Cognitive Profile and ADHD Assessment for Adults

Demographics


Patient ID: 40301

Age: 21

Language: English (United Kingdom)

Test Date: March 31, 2025 16:46:10

Cognitive Domain Profile



Cognitive Domain Scores

Domain	Standard Score	Percentile	Classification	Valid
Neurocognition Index (NCI)	63	1	Very Low	Yes
Composite Memory	57	1	Very Low	Yes
Verbal Memory	53	1	Very Low	Yes
Visual Memory	74	4	Low	Yes
Psychomotor Speed	88	21	Low Average	Yes
Reaction Time*	90	25	Average	Yes
Complex Attention*	38	1	Very Low	Yes
Cognitive Flexibility	42	1	Very Low	Yes
Processing Speed	89	23	Low Average	Yes
Executive Function	49	1	Very Low	Yes
Reasoning	102	55	Average	Yes
Working Memory	91	27	Average	Yes
Sustained Attention	95	37	Average	Yes
Simple Attention	26	1	Very Low	Yes
Motor Speed	89	23	Low Average	Yes

Score Interpretation

Percentile Range	Classification	Clinical Interpretation
> 75	Above Average	Strengths
25-75	Average	Normal functioning
9-25	Low Average	Mild difficulties
2-9	Low	Significant difficulties
≤ 2	Very Low	Severe impairment

Subtest Results




Verbal Memory Test (VBM)			
Metric	Score	Standard	Percentile
Correct Hits - Immediate	9.0	71	3
Correct Passes - Immediate	11.0	47	1
Correct Hits - Delay	6.0	66	1
Correct Passes - Delay	14.0	95	37
Visual Memory Test (VSM)			
Metric	Score	Standard	Percentile
Correct Hits - Immediate	10.0	81	10
Correct Passes - Immediate	10.0	85	16

Correct Hits - Delay	12.0	105	63
Correct Passes - Delay	6.0	61	1
Finger Tapping Test (FTT)			
Metric	Score	Standard	Percentile
Right Taps Average	51.0	83	13
Left Taps Average	55.0	97	42
Symbol Digit Coding Test (SDC)			
Metric	Score	Standard	Percentile
Correct Responses	60.0	92	30
Errors*	4.0	72	3
Stroop Test (ST)			
Metric	Score	Standard	Percentile
Simple Reaction Time*	272.0	99	47
Complex Reaction Time Correct*	531.0	102	55
Stroop Reaction Time Correct*	773.0	81	10
Stroop Commission Errors*	5.0	44	1
Shifting Attention Test (SAT)			
Metric	Score	Standard	Percentile
Correct Responses	32.0	50	1
Errors*	15.0	68	2
Correct Reaction Time*	1203.0	78	7
Continuous Performance Test (CPT)			
Metric	Score	Standard	Percentile
Correct Responses	39.0	84	14
Omission Errors*	1.0	84	14
Commission Errors*	6.0	6	1
Choice Reaction Time Correct*	415.0	95	37
Reasoning Test (RT)			
Metric	Score	Standard	Percentile
Correct Responses	11.0	101	53
Average Correct Reaction Time*	3576.0	117	87
Commission Errors*	3.0	103	58
Omission Errors*	1.0	95	37
Four Part Continuous Performance Test (FPCPT)			
Metric	Score	Standard	Percentile
Average Correct Reaction Time* - Part 1	281.0	106	66
Correct Responses - Part 2	6.0	103	58
Average Correct Reaction Time* - Part 2	336.0	104	61
Incorrect Responses* - Part 2	1.0	100	50

Average Incorrect Reaction Time* - Part 2	300.0	80	9
Omission Errors* - Part 2	0.0	103	58
Correct Responses - Part 3	14.0	98	45
Average Correct Reaction Time* - Part 3	549.0	91	27
Incorrect Responses* - Part 3	1.0	101	53
Average Incorrect Reaction Time* - Part 3	73.0	104	61
Omission Errors* - Part 3	2.0	98	45
Correct Responses - Part 4	12.0	100	50
Average Correct Reaction Time* - Part 4	707.0	91	27
Incorrect Responses* - Part 4	4.0	80	9
Average Incorrect Reaction Time* - Part 4	813.0	91	27
Omission Errors* - Part 4	4.0	100	50

Speed vs. Accuracy Analysis

The following charts illustrate the relationship between response speed and accuracy. Each chart shows the overall ADHD patient population trend (grey dots and red line) and highlights this patient's performance (blue dot). This helps visualize the individual's speed-accuracy tradeoff strategy compared to others. Non clinical means are in blue (Norm)



Interpreting Speed-Accuracy Trends:

The population trend lines (red) illustrate how speed (reaction time) typically relates to accuracy (errors) for each test within the dataset.

- **Shifting Attention Test (SAT):** Shows a positive correlation, indicating a classic speed-accuracy tradeoff where faster responses tend to be associated with more errors.
- **Stroop Test & Reasoning:** These tests display a negative correlation. Slower reaction times are generally associated with *fewer* errors. This suggests that individuals who take more time tend to perform more accurately on these specific tasks within this population sample.

ASRS to DSM-5 Mapping

Criterion A: Inattention	ASRS Question	Response	Met
A1: Often fails to give close attention to details or makes careless mistakes	Q7: How often do you make careless mistakes when you have to work on a boring or difficult project?	Often	Met
A2: Often has difficulty sustaining attention in tasks or play activities	Q8: How often do you have difficulty keeping your attention when you are doing boring or repetitive work?	Very Often	Met
A3: Often does not seem to listen when spoken to directly	Q9: How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?	Very Often	Met
A4: Often does not follow through on instructions and fails to finish duties	Q1: How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?	Often	Met
A5: Often has difficulty organizing tasks and activities	Q2: How often do you have difficulty getting things in order when you have to do a task that requires organization?	Very Often	Met
A6: Often avoids or is reluctant to engage in tasks requiring sustained mental effort	Q4: When you have a task that requires a lot of thought, how often do you avoid or delay getting started?	Rarely	Not Met
A7: Often loses things necessary for tasks or activities	Q10: How often do you misplace or have difficulty finding things at home or at work?	Often	Met
A8: Is often easily distracted by extraneous stimuli	Q11: How often are you distracted by activity or noise around you?	Very Often	Met
A9: Is often forgetful in daily activities	Q3: How often do you have problems remembering appointments or obligations?	Often	Met
Summary: Criterion A	8/9 criteria met	Need ≥5	Met

Criterion B: Hyperactivity/Impulsivity	ASRS Question	Response	Met
B1: Often fidgets or squirms in seat	Q5: How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?	Very Often	Met
B2: Often leaves seat in situations when remaining seated is expected	Q12: How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	Often	Met
B3: Often runs about or climbs in situations where it is inappropriate	Q13: How often do you feel restless or fidgety?	Very Often	Met
B4: Often unable to play or engage in leisure activities quietly	Q14: How often do you have difficulty unwinding and relaxing when you have time to yourself?	Very Often	Met
B5: Is often 'on the go', acting as if 'driven by a motor'	Q6: How often do you feel overly active and compelled to do things, like you were driven by a motor?	Very Often	Met
B6: Often talks excessively	Q15: How often do you find yourself talking too much when you are in social situations?	Very Often	Met
B7: Often blurts out an answer before a question has been completed	Q16: When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?	Very Often	Met
B8: Often has difficulty waiting his or her turn	Q17: How often do you have difficulty waiting your turn in situations when turn taking is required?	Often	Met
B9: Often interrupts or intrudes on others	Q18: How often do you interrupt others when they are busy?	Often	Met
Summary: Criterion B	9/9 criteria met	Need ≥5	Met

ADHD Diagnosis Summary	
Inattention	Met
Hyperactivity/Impulsivity	Met
Overall Diagnosis	Combined Presentation

NPQ LF-207 Diagnostic Screen

The NPQ is a clinical screening tool. Scores suggest potential symptom burden and are not diagnostic. Results should be used as a basis for clinical enquiry rather than diagnosis. Clinicians should use these results to guide further assessment and corroborate with clinical judgment.

=== Attention & Hyperactivity Symptoms ===		
ADHD	273	Severe
Attention	273	Severe
Impulsive	283	Severe
Learning	131	Mild
Memory	223	Moderate
Fatigue	117	Mild
Sleep	200	Moderate
=== Anxiety Symptoms ===		
Anxiety	260	Severe
Panic	183	Moderate
Agoraphobia	167	Moderate
Obsessions & Compulsions	105	Mild
Social Anxiety	188	Moderate
PTSD	206	Moderate
=== Mood Symptoms ===		
Depression	200	Moderate
Bipolar	231	Severe
Mood Stability	223	Moderate
Mania	175	Moderate
Aggression	90	Mild
=== Autism Spectrum Symptoms ===		
Autism	167	Moderate
Asperger's	173	Moderate
=== Other Concerns Symptoms ===		
Psychotic	93	Mild
Somatic	44	Not a problem
Fatigue	117	Mild
Suicide	67	Not a problem
Pain	38	Not a problem
Substance Abuse	67	Not a problem
MCI	233	Severe
Concussion	228	Severe

Severity Color Legend			
Severe	Moderate	Mild	None

Detailed NPQ Responses

Question	Score	Severity
ADHD		
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling restless	3	A severe problem
Feeling scattered, disorganized	3	A severe problem
Fidgety, I can't sit still	3	A severe problem
Forgetful, I need constant reminding	2	A moderate problem
Impatient	2	A moderate problem
Impulsive, act without thinking	3	A severe problem
Leaving things behind and having to go back to get them.	2	A moderate problem
Losing things	3	A severe problem
Making careless mistakes	2	A moderate problem
Not finishing chores, homework or projects	3	A severe problem
Overly active	3	A severe problem
Short attention span	3	A severe problem
Aggression		
Blaming other people for your own mistakes	0	Not a problem
Defiant or argumentative	2	A moderate problem
Destructive to property or things	1	A mild problem
Excessive yelling or screaming	1	A mild problem
Getting into fights	0	Not a problem
Having an urge to injure or to hurt someone	0	Not a problem
Having the urge to destroy things	3	A severe problem
Hostile	2	A moderate problem
In trouble with the law	0	Not a problem
Physical aggression toward others	0	Not a problem
Agoraphobia		
Avoiding certain things or places	3	A severe problem
Feeling scared in open spaces or out in public	2	A moderate problem
Feeling scared to use buses or trains	0	Not a problem
Feeling uncomfortable in crowds	3	A severe problem
Feelings of being trapped	2	A moderate problem
Worrying about fainting in public	0	Not a problem
Anxiety		
Feeling anxious	3	A severe problem

Question	Score	Severity
Feeling keyed up or on edge	2	A moderate problem
Feeling nervous	3	A severe problem
Feeling restless	3	A severe problem
Feeling tense	2	A moderate problem
Fidgety, I can't sit still	3	A severe problem
Having nightmares or bad dreams	2	A moderate problem
High-strung or keyed up	2	A moderate problem
I find it hard to relax	3	A severe problem
Worrying too much	3	A severe problem
Anxiety/Depression		
Crying spells	0	Not a problem
Easily agitated	2	A moderate problem
Fatigue	2	A moderate problem
Feeling anxious	3	A severe problem
Feeling depressed	2	A moderate problem
Feeling discouraged about the future	3	A severe problem
Feeling empty inside	2	A moderate problem
Feeling hopeless	3	A severe problem
Feeling irritable	3	A severe problem
Feeling keyed up or on edge	2	A moderate problem
Feeling little or no interest in things	3	A severe problem
Feeling lonely	3	A severe problem
Feeling nervous	3	A severe problem
Feeling restless	3	A severe problem
Feeling sad	2	A moderate problem
Feeling scattered, disorganized	3	A severe problem
Feeling so nervous it's hard to breathe	2	A moderate problem
Feeling tense	2	A moderate problem
Feeling that doing anything is a real effort	0	Not a problem
Feeling tired	1	A mild problem
Feelings of guilt or remorse	0	Not a problem
Fidgety, I can't sit still	3	A severe problem
Hard to fall asleep	3	A severe problem
Having nightmares or bad dreams	2	A moderate problem
High-strung or keyed up	2	A moderate problem
I feel like a failure	3	A severe problem
I feel like I'm being punished	3	A severe problem
I find it hard to relax	3	A severe problem

Question	Score	Severity
Low energy	2	A moderate problem
My mind goes blank	3	A severe problem
Not enjoying things as much as before	0	Not a problem
Restless or disturbed sleep	2	A moderate problem
Thinking about death or dying	0	Not a problem
Withdrawn, isolated	2	A moderate problem
Worrying too much	3	A severe problem
Asperger's		
Avoiding eye contact	0	Not a problem
Difficulty developing friendships	0	Not a problem
Difficulty understanding sarcasm, metaphors or jokes	0	Not a problem
Hard to relate to other people	3	A severe problem
I can't relate to other people, socially or emotionally	3	A severe problem
I don't attend to social signals	2	A moderate problem
I don't respond to other people's expressions or body language	2	A moderate problem
Not able to begin or to sustain a conversation with other people	2	A moderate problem
Not responsive to other people's feelings	2	A moderate problem
Odd preoccupations or interests	2	A moderate problem
Preoccupied by a particular interest to the exclusion of other things	1	A mild problem
Rigid, inflexible, resistant to change	1	A mild problem
Strongly attached to routines or sameness in the environment	3	A severe problem
I can't feel close to another person	3	A severe problem
Withdrawn, isolated	2	A moderate problem
Attention		
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling scattered, disorganized	3	A severe problem
Forgetful, I need constant reminding	2	A moderate problem
Leaving things behind and having to go back to get them.	2	A moderate problem
Losing things	3	A severe problem
Making careless mistakes	2	A moderate problem
Not finishing chores, homework or projects	3	A severe problem
Short attention span	3	A severe problem
When reading, losing track of what the story is about	3	A severe problem
Autism		
Avoiding eye contact	0	Not a problem
I can't relate to other people, socially or emotionally	3	A severe problem

Question	Score	Severity
I don't attend to social signals	2	A moderate problem
I don't respond to other people's expressions or body language	2	A moderate problem
Not able to begin or to sustain a conversation with other people	2	A moderate problem
Not responsive to other people's feelings	2	A moderate problem
Odd preoccupations or interests	2	A moderate problem
Peculiar or bizarre behavior	2	A moderate problem
Preoccupied by a particular interest to the exclusion of other things	1	A mild problem
Repetitive behaviors like touching or counting	0	Not a problem
Rigid, inflexible, resistant to change	1	A mild problem
Strongly attached to routines or sameness in the environment	3	A severe problem
Bipolar		
Anger	2	A moderate problem
Angry outbursts	2	A moderate problem
Much more interested in sex than usual	0	Not a problem
Being much more social or outgoing than usual	3	A severe problem
Crying spells	0	Not a problem
Decreased need for sleep	1	A mild problem
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily agitated	2	A moderate problem
Easily annoyed	2	A moderate problem
Easily distracted	3	A severe problem
Easily frustrated	2	A moderate problem
Elevated mood, euphoria	3	A severe problem
Excitable	2	A moderate problem
Explosive	3	A severe problem
Feeling irritable	3	A severe problem
Feeling much more confident than usual	1	A mild problem
Feeling restless	3	A severe problem
Feeling scattered, disorganized	3	A severe problem
Having much more energy than usual	3	A severe problem
High energy	3	A severe problem
Impulsive, act without thinking	3	A severe problem
Increased or inappropriate sexual interest	0	Not a problem
My moods change quickly	3	A severe problem
Overly active	3	A severe problem
Pressured speech, uninterruptible and continuous	3	A severe problem
Short attention span	3	A severe problem

Question	Score	Severity
Temper tantrums	2	A moderate problem
Thoughts racing	3	A severe problem
Concussion		
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Dizzy/unsteady/lightheaded	0	Not a problem
Easily distracted	3	A severe problem
Easily frustrated	2	A moderate problem
Fatigue	2	A moderate problem
Feeling irritable	3	A severe problem
Feeling scattered, disorganized	3	A severe problem
Feeling slower than usual	2	A moderate problem
Hard to fall asleep	3	A severe problem
Headache	0	Not a problem
I can't think straight	3	A severe problem
Low energy	2	A moderate problem
My mind goes blank	3	A severe problem
My moods change quickly	3	A severe problem
Problems with memory	3	A severe problem
Short attention span	3	A severe problem
Unable to exercise without getting really tired	0	Not a problem
Depression		
Crying spells	0	Not a problem
Feeling depressed	2	A moderate problem
Feeling discouraged about the future	3	A severe problem
Feeling empty inside	2	A moderate problem
Feeling hopeless	3	A severe problem
Feeling irritable	3	A severe problem
Feeling little or no interest in things	3	A severe problem
Feeling lonely	3	A severe problem
Feeling sad	2	A moderate problem
Feeling that doing anything is a real effort	0	Not a problem
Feelings of guilt or remorse	0	Not a problem
Having nightmares or bad dreams	2	A moderate problem
I feel like a failure	3	A severe problem
I feel like I'm being punished	3	A severe problem
Loss of interest in sex	3	A severe problem
Not enjoying things as much as before	0	Not a problem

Question	Score	Severity
Withdrawn, isolated	2	A moderate problem
Fatigue		
Fatigue	2	A moderate problem
Feeling slower than usual	2	A moderate problem
Feeling tired	1	A mild problem
Feeling weak	0	Not a problem
Low energy	2	A moderate problem
Unable to exercise without getting really tired	0	Not a problem
Impulsive		
Feeling restless	3	A severe problem
Fidgety, I can't sit still	3	A severe problem
High energy	3	A severe problem
Impatient	2	A moderate problem
Impulsive, act without thinking	3	A severe problem
Overly active	3	A severe problem
Learning		
Bad handwriting	2	A moderate problem
Having to do things slowly to make sure it's right	0	Not a problem
Learning a foreign language	2	A moderate problem
Learning math	0	Not a problem
Learning new things	0	Not a problem
I don't like to read	0	Not a problem
I don't work up to my potential	3	A severe problem
Organizing studies or projects	2	A moderate problem
Paying attention to lectures	3	A severe problem
Remembering what you studied or read	0	Not a problem
Taking notes	1	A mild problem
Taking tests	1	A mild problem
When reading, losing track of what the story is about	3	A severe problem
MCI		
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling scattered, disorganized	3	A severe problem
Forgetful, I need constant reminding	2	A moderate problem
Forgetting appointments or social engagements.	2	A moderate problem
Forgetting if you have taken your medicine	3	A severe problem
Forgetting to do something you said you would do	2	A moderate problem

Question	Score	Severity
Forgetting to give a message to someone	3	A severe problem
Forgetting to tell somebody something that you meant to tell them	2	A moderate problem
Forgetting where things are kept; looking for them in the wrong place	3	A severe problem
Going to the store but forgetting to get what you need	3	A severe problem
Having to do things slowly to make sure it's right	0	Not a problem
I can't remember the names of close relatives or friends.	2	A moderate problem
Learning new things	0	Not a problem
Leaving things behind and having to go back to get them.	2	A moderate problem
Losing things	3	A severe problem
Making careless mistakes	2	A moderate problem
My mind goes blank	3	A severe problem
Not finishing chores, homework or projects	3	A severe problem
Putting something down and then forgetting where you put it.	2	A moderate problem
Reading something and then realizing you have read it before.	1	A mild problem
Short attention span	3	A severe problem
When reading, losing track of what the story is about	3	A severe problem
Mania		
Much more interested in sex than usual	0	Not a problem
Being much more social or outgoing than usual	3	A severe problem
Decreased need for sleep	1	A mild problem
Feeling much more confident than usual	1	A mild problem
Having much more energy than usual	3	A severe problem
Increased or inappropriate sexual interest	0	Not a problem
Pressured speech, uninterruptible and continuous	3	A severe problem
Thoughts racing	3	A severe problem
Memory		
Failing to recognize places you have been before.	2	A moderate problem
Finding a television story or a movie hard to follow.	2	A moderate problem
Forgetful, I need constant reminding	2	A moderate problem
Forgetting appointments or social engagements.	2	A moderate problem
Forgetting if you have taken your medicine	3	A severe problem
Forgetting something cooking on the stove or in the toaster	2	A moderate problem
Forgetting to do something you said you would do	2	A moderate problem
Forgetting to give a message to someone	3	A severe problem
Forgetting to tell somebody something that you meant to tell them	2	A moderate problem
Forgetting where things are kept; looking for them in the wrong place	3	A severe problem
Forgetting where you parked the car	2	A moderate problem
Going to the store but forgetting to get what you need	3	A severe problem

Question	Score	Severity
I can't remember the names of close relatives or friends.	2	A moderate problem
Learning new things	0	Not a problem
Leaving things behind and having to go back to get them.	2	A moderate problem
My mind goes blank	3	A severe problem
Problems with memory	3	A severe problem
Putting something down and then forgetting where you put it.	2	A moderate problem
Reading something and then realizing you have read it before.	1	A mild problem
Trouble thinking of the right word	3	A severe problem
Unable to remember things as well as I used to	2	A moderate problem
When reading, losing track of what the story is about	3	A severe problem
Mood Stability		
Anger	2	A moderate problem
Angry outbursts	2	A moderate problem
Crying spells	0	Not a problem
Easily agitated	2	A moderate problem
Easily annoyed	2	A moderate problem
Easily frustrated	2	A moderate problem
Elevated mood, euphoria	3	A severe problem
Excitable	2	A moderate problem
Explosive	3	A severe problem
Feeling irritable	3	A severe problem
Feeling negative	3	A severe problem
My moods change quickly	3	A severe problem
Temper tantrums	2	A moderate problem
Obsessions & Compulsions		
I hate being touched or held	3	A severe problem
Checking things several times	3	A severe problem
Collecting things that you don't really need	3	A severe problem
Counting things; numbers going through your mind	0	Not a problem
Eating the same foods all the time	0	Not a problem
Feeling guilty over minor infractions	1	A mild problem
Having bad thoughts that you can't get rid of	3	A severe problem
Having thoughts or words that go over and over in your mind	3	A severe problem
It bothers me when someone eats off my plate	0	Not a problem
I have a special number that I count up to or do things just that number of times	0	Not a problem
I have to do things a certain number of times before I'm satisfied	0	Not a problem
Moving or talking in special ways to avoid bad luck	3	A severe problem
Putting things away, and they have to be just right	0	Not a problem

Question	Score	Severity
Repetitive behaviors like touching or counting	0	Not a problem
Thoughts about sex that are troubling	0	Not a problem
Trouble making up your mind	1	A mild problem
Washing your hands over and over	0	Not a problem
Worrying about being clean	0	Not a problem
Worrying about the germs that are on things	0	Not a problem
PTSD		
Avoiding certain things or places	3	A severe problem
Difficulty concentrating	3	A severe problem
Difficulty staying asleep	0	Not a problem
Easily startled	3	A severe problem
Emotionally numb	2	A moderate problem
Feeling depressed	2	A moderate problem
Feeling discouraged about the future	3	A severe problem
I feel that I can't trust other people	0	Not a problem
Flashbacks to a traumatic event	0	Not a problem
Hard to fall asleep	3	A severe problem
Hard to go out in public	2	A moderate problem
Hard to relate to other people	3	A severe problem
Having nightmares or bad dreams	2	A moderate problem
Having unpleasant thoughts that you can't get out of your mind	3	A severe problem
I feel like I'm being punished	3	A severe problem
Reliving a traumatic event	0	Not a problem
Restless or disturbed sleep	2	A moderate problem
I can't feel close to another person	3	A severe problem
Pain		
A lot of aches and pains	0	Not a problem
Abdominal pain or discomfort	0	Not a problem
Back pain	1	A mild problem
Chest pain or discomfort	2	A moderate problem
Headache	0	Not a problem
Muscle soreness	0	Not a problem
Unable to exercise without a lot of pain	0	Not a problem
Unbearable pain	0	Not a problem
Panic		
Attacks of intense anxiety	3	A severe problem
Feeling so nervous it's hard to breathe	2	A moderate problem
Getting so nervous I feel like passing out	1	A mild problem

Question	Score	Severity
Getting really scared for no reason at all	3	A severe problem
Panic attacks	2	A moderate problem
Trouble catching my breath	0	Not a problem
Psychotic		
I feel nervous when people watch me or talk about me	2	A moderate problem
Feeling paranoid	1	A mild problem
I feel that other people are watching or talking about me	0	Not a problem
I feel that someone else can control my mind	0	Not a problem
I feel that I can't trust other people	0	Not a problem
I feel I am being watched	0	Not a problem
I hear voices that no one else can hear	0	Not a problem
I can't think straight	3	A severe problem
My mind is full of terrifying thoughts or images	1	A mild problem
Other people know my private thoughts	0	Not a problem
Overly suspicious	1	A mild problem
Peculiar or bizarre behavior	2	A moderate problem
Seeing things that other people don't see	0	Not a problem
I can't feel close to another person	3	A severe problem
Sleep		
Difficulty staying asleep	0	Not a problem
Hard to fall asleep	3	A severe problem
I wake up too early in the morning and can't get back to sleep	3	A severe problem
Restless or disturbed sleep	2	A moderate problem
Social Anxiety		
I am a shy person	2	A moderate problem
Difficulty developing friendships	0	Not a problem
Feeling nervous around people I don't know	2	A moderate problem
Feeling nervous when I have to do something in front of people	3	A severe problem
Feeling uneasy about eating or drinking in public	2	A moderate problem
Hard to go out in public	2	A moderate problem
Hard to relate to other people	3	A severe problem
Starting a conversation with people I don't know	1	A mild problem
Somatic		
Blackout spells or seizures	0	Not a problem
Difficulty breathing	1	A mild problem
Difficulty swallowing	1	A mild problem
Dizzy/unsteady/lightheaded	0	Not a problem
Feeling faint	0	Not a problem

Question	Score	Severity
Heart racing	2	A moderate problem
Nausea	0	Not a problem
Numbness/Tingling	0	Not a problem
Worrying that something bad is wrong with your body	0	Not a problem
Substance Abuse		
Abusing drugs	2	A moderate problem
I drink too much	0	Not a problem
I use too many drugs or medications	0	Not a problem
Suicide		
I feel like giving up on life	0	Not a problem
I feel like I would be better off dead	1	A mild problem
I feel that I have nothing left to live for	0	Not a problem
I feel that my family would be better off if I were gone	3	A severe problem
Thinking about death or dying	0	Not a problem
Thoughts about ending your life	0	Not a problem

Cognitive Domain Explanations

The cognitive assessment measures performance across multiple domains. Each domain score is derived from specific test components as described below:

Cognitive Domain	Calculation Method
Executive Function	SAT Correct Responses - SAT Errors
Complex Attention	Stroop Correct Responses - Stroop Commission Errors
Simple Attention	CPT Correct Responses - CPT Commission Errors
Sustained Attention	Sum(4PCPT P2-P4 Correct) - Sum(4PCPT P2-P4 Incorrect)
Processing Speed	SDC Correct Responses - SDC Errors
Reaction Time	Stroop RT + CPT RT + SAT RT (weighted average)
Psychomotor Speed	FTT Right Taps Average + FTT Left Taps Average + SDC Correct
Motor Speed	FTT Right Taps Average + FTT Left Taps Average
Visual Memory	BVMT-R Total Recall + BVMT-R Delayed Recall
Verbal Memory	VBM Total Recall + VBM Delayed Recall
Working Memory	4PCPT Part 4 Correct - Part 4 Incorrect
Reasoning	NVRT Correct Responses - NVRT Commission Errors
Cognitive Flexibility	SAT Correct Responses - SAT Errors + Stroop Interference Score

Note: Percentiles compare an individual's score to a normative group. A percentile of 50 represents average performance. Scores marked (INVALID) indicate the source test failed validity checks.