

ADHD Cognitive Assessment Report

Patient ID: 3819 | Test Date: N/A

Validity Warnings

No validity warnings detected.

Cognitive Profile Summary

Summary:

Disclaimer: This is an automatically generated summary and is not a substitute for clinical judgement. Results should be interpreted by a qualified healthcare professional in the context of a full clinical evaluation. Invalid test results have been excluded from interpretation below.

DSM-5 Symptom Endorsement (Self-Report via ASRS Alignment):

- Overall:** Meets criteria for **Predominantly Inattentive Presentation**.
- Inattention:** 7/9 criteria met.
- Hyperactivity/Impulsivity:** 4/9 criteria met.



Domain-Specific Findings:

1. Attention:

- DSM:** Meets all 9 criteria for Inattention (e.g., Often has difficulty sustaining attention in tasks or play activities, Often does not seem to listen when spoken to directly, Often does not follow through on instructions and fails to finish duties...).
- NPQ (Moderate/Severe Symptoms):** Reports "Difficulty concentrating" (Severe), "Difficulty paying attention" (Severe), "Easily distracted" (Severe), "Not finishing chores, homework or projects" (Moderate), "Short attention span" (Severe) The most severe endorsed symptom was "Difficulty concentrating" (Severe).

2. Executive Function

- Overall Cognitive Score (Valid):** Percentile: 23.0, Range: Low Average.
- Planning & Organization:**

- DSM: Endorses "Often has difficulty organizing tasks and activities".
- Cognitive: Reasoning score was Percentile: 77.0, Range: High Average.
- **Prioritization & Time Management:**
 - DSM/NPQ: Implied by difficulties organizing (A5), avoiding tasks (A6), and severe difficulty finishing projects/chores (NPQ Attention Q9).
- **Task Initiation & Completion:**
 - DSM: Endorses "Often does not follow through on instructions and fails to finish duties and Often avoids or is reluctant to engage in tasks requiring sustained mental effort".
- **Working Memory:**
 - Cognitive: Average noted (Working Memory).
 - NPQ: Moderate problems with memory including "Forgetting appointments or social engagements." (Moderate), "Forgetting if you have taken your medicine" (Moderate), "Going to the store but forgetting to get what you need" (Moderate).
 - NPQ: Reports being "Forgetful, I need constant reminding" (Mild).
- **Inhibition (Response Control):**
 - DSM: Endorses "Often blurts out an answer before a question has been completed".
 - NPQ: Reports being "Impulsive, act without thinking" (Mild).
 - Cognitive (Subtests): Other commission errors: Stroop Test (ST)-Stroop Commission Errors* (Average); Continuous Performance Test (CPT)-Commission Errors* (Average); Reasoning Test (RT)-Commission Errors* (High Average).
- **Cognitive Flexibility:**
 - Cognitive: Low Average performance (Cognitive Flexibility).
 - Subtests (SAT): Shifting Attention Test (SAT)-Correct Responses (Low Average); Shifting Attention Test (SAT)-Correct Reaction Time* (Average).
- **Emotional Regulation:**
 - NPQ: Mood Stability domain rated "Mild"; "Anger" (Moderate), "Angry outbursts" (Mild), "Easily agitated" (Moderate), "Easily annoyed" (Moderate), "Easily frustrated" (Moderate), "Feeling irritable" (Mild), "Feeling negative" (Mild), "My moods change quickly" (Mild). Anxiety domain rated "Mild"; "Feeling tense" (Moderate), "High-strung or keyed up" (Moderate), "I find it hard to relax" (Moderate), "Worrying too much" (Moderate). Depression domain rated "Mild"; . OC: "Checking things several times" (Severe), "Counting things; numbers going through your mind" (Moderate), "I have a special number that I count up to or do things just that number of times" (Severe), "I have to do things a certain number of times before I'm satisfied" (Severe), "Putting things away, and they have to be just

right" (Severe), "Repetitive behaviors like touching or counting" (Moderate), "Washing your hands over and over" (Severe), "Worrying about being clean" (Moderate).

3. Memory:

- **Overall Cognitive Score (Valid):** Not Available.
- DSM: Endorses "Often loses things necessary for tasks or activities".
- NPQ (Memory Domain): "Forgetting appointments or social engagements." (Moderate), "Forgetting if you have taken your medicine" (Moderate), "Going to the store but forgetting to get what you need" (Moderate), "Problems with memory" (Moderate)

4. Hyperactivity / Motor / Impulsivity:

- DSM: Meets all 4 criteria for Hyperactivity/Impulsivity (e.g., Often fidgets or squirms in seat, Often runs about or climbs in situations where it is inappropriate, Often unable to play or engage in leisure activities quietly...).
- NPQ: Impulsive domain (hyperactivity items) rated "Not a"; Moderate: . Mild: "Feeling restless" (Mild), "Fidgety, I can't sit still" (Mild), "Impatient" (Mild), "Impulsive, act without thinking" (Mild).

5. Secondary Consequences / Functional Impact:

- NPQ (Learning Domain): "Having to do things slowly to make sure it's right" (Severe), "I don't work up to my potential" (Severe), "Organizing studies or projects" (Moderate), "Remembering what you studied or read" (Moderate)
- NPQ (Comorbid Domains - Moderate/Severe Focus):
- Memory: "Forgetting appointments or social engagements." (Moderate), "Forgetting if you have taken your medicine" (Moderate), "Going to the store but forgetting to get what you need" (Moderate), "Problems with memory" (Moderate)
- Anxiety: "Feeling tense" (Moderate), "High-strung or keyed up" (Moderate), "I find it hard to relax" (Moderate), "Worrying too much" (Moderate)
- Sleep: "I wake up too early in the morning and can't get back to sleep" (Moderate)
- Pain: "A lot of aches and pains" (Moderate), "Back pain" (Severe)
- Obsessions & Compulsions: "Checking things several times" (Severe), "Counting things; numbers going through your mind" (Moderate), "I have a special number that I count up to or do things just that number of times" (Severe), "I have to do things a certain number of times before I'm satisfied" (Severe), "Putting things away, and they have to be just right" (Severe), "Repetitive behaviors like touching or counting" (Moderate), "Washing your hands over and over" (Severe), "Worrying about being clean" (Moderate)
- PTSD: "Difficulty concentrating" (Severe)
- Sleep: Epworth score indicates Normal level of daytime sleepiness.

6. Interpersonal Function:

- NPQ (Social Anxiety): Domain rated Mild overall. Mild: "I am a shy person" (Moderate), "Difficulty developing friendships" (Mild), "Feeling nervous around people I don't know" (Mild), "Feeling nervous when I have to do something in front of people" (Moderate), "Starting a conversation with people I don't know" (Mild).

Cognitive Domain Scores

Domain	Standard Score	Percentile	Rating	Graph
Neurocognition Index (NCI)	87	19	Low Average	<div><div></div></div>
Composite Memory	67	1	Very Low	<div><div></div></div>
Verbal Memory	56	1	Very Low	<div><div></div></div>
Visual Memory	89	23	Low Average	<div><div></div></div>
Psychomotor Speed	122	93	Above Average	<div><div></div></div>
Reaction Time*	65	1	Very Low	<div><div></div></div>
Complex Attention*	94	34	Average	<div><div></div></div>
Cognitive Flexibility	89	23	Low Average	<div><div></div></div>
Processing Speed	108	70	Average	<div><div></div></div>
Executive Function	89	23	Low Average	<div><div></div></div>
Reasoning	111	77	Above Average	<div><div></div></div>
Working Memory	109	73	Average	<div><div></div></div>
Sustained Attention	110	75	Average	<div><div></div></div>
Simple Attention	94	34	Average	<div><div></div></div>
Motor Speed	124	95	Above Average	<div><div></div></div>

Score Interpretation Guide

≤ 2	2-9	9-25	25-75	> 75
Very Low	Low	Low Average	Average	Above Average
Classification based on Percentile (%ile).				

Subtest Results

Verbal Memory Test (VBM)

Metric	Score	Percentile
Correct Hits - Immediate	10.0	12%
Correct Passes - Immediate	9.0	1%
Correct Hits - Delay	8.0	9%
Correct Passes - Delay	12.0	2%

Visual Memory Test (VSM)

Metric	Score	Percentile
Correct Hits - Immediate	12.0	53%
Correct Passes - Immediate	11.0	37%
Correct Hits - Delay	10.0	34%
Correct Passes - Delay	9.0	19%

Finger Tapping Test (FTT)

Metric	Score	Percentile
Right Taps Average	73.0	95%
Left Taps Average	67.0	91%

Symbol Digit Coding (SDC)

Metric	Score	Percentile
Correct Responses	61.0	68%
Errors*	0.0	77%

Stroop Test (ST)

Metric	Score	Percentile
Simple Reaction Time*	340.0	23%
Complex Reaction Time Correct*	820.0	1%
Stroop Reaction Time Correct*	874.0	4%
Stroop Commission Errors*	1.0	47%

Shifting Attention Test (SAT)

Metric	Score	Percentile
Correct Responses	44.0	21%
Errors*	7.0	37%
Correct Reaction Time*	1081.0	55%

Continuous Performance Test (CPT)

Metric	Score	Percentile
Correct Responses	40.0	61%
Omission Errors*	0.0	61%
Commission Errors*	1.0	30%
Choice Reaction Time Correct*	485.0	5%

Reasoning Test (RT)

Metric	Score	Percentile
Correct Responses	12.0	81%
Average Correct Reaction Time*	5595.0	21%
Commission Errors*	2.0	77%

Metric	Score	Percentile
Omission Errors*	1.0	55%

Four Part Continuous Performance Test

Metric	Score	Percentile
Average Correct Reaction Time*	385.0	30%
Average Correct Reaction Time*	408.0	30%
Average Correct Reaction Time*	518.0	53%
Average Correct Reaction Time*	768.0	30%
Average Incorrect Reaction Time*	0.0	NaN%
Average Incorrect Reaction Time*	565.0	6%
Average Incorrect Reaction Time*	728.0	40%
Correct Responses	6.0	55%
Correct Responses	16.0	82%
Correct Responses	13.0	70%
Incorrect Responses*	0.0	61%
Incorrect Responses*	1.0	40%
Incorrect Responses*	1.0	61%
Omission Errors*	0.0	55%
Omission Errors*	0.0	82%
Omission Errors*	3.0	70%

ASRS to DSM-5 Mapping

Criterion A: Inattention

DSM-5 Criterion	ASRS Question	Response	Met
A1: Often fails to give close attention to details or makes careless mistakes	Q7: How often do you make careless mistakes when you have to work on a boring or difficult project?	Rarely	Not Met
A2: Often has difficulty sustaining attention in tasks or play activities	Q8: How often do you have difficulty keeping your attention when you are doing boring or repetitive work?	Often	Met
A3: Often does not seem to listen when spoken to directly	Q9: How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?	Often	Met
A4: Often does not follow through on instructions and fails to finish duties	Q1: How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?	Very Often	Met
A5: Often has difficulty organizing tasks and activities	Q2: How often do you have difficulty getting things in order when you have to do a task that requires organization?	Often	Met
A6: Often avoids or is reluctant to engage in tasks requiring sustained mental effort	Q4: When you have a task that requires a lot of thought, how often do you avoid or delay getting started?	Very Often	Met
A7: Often loses things necessary for tasks or activities	Q10: How often do you misplace or have difficulty finding things at home or at work?	Sometimes	Not Met
A8: Is often easily distracted by extraneous stimuli	Q11: How often are you distracted by activity or noise around you?	Often	Met
A9: Is often forgetful in daily activities	Q3: How often do you have problems remembering appointments or obligations?	Sometimes	Met
Summary: 7/9 criteria met (Need ≥5) - Met			

Criterion B: Hyperactivity/Impulsivity

DSM-5 Criterion	ASRS Question	Response	Met
B1: Often fidgets or squirms in seat	Q5: How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?	Often	Met
B2: Often leaves seat in situations when remaining seated is expected	Q12: How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	Never	Not Met
B3: Often runs about or climbs in situations where it is inappropriate	Q13: How often do you feel restless or fidgety?	Often	Met
B4: Often unable to play or engage in leisure activities quietly	Q14: How often do you have difficulty unwinding and relaxing when you have time to yourself?	Often	Met
B5: Is often 'on the go', acting as if 'driven by a motor'	Q6: How often do you feel overly active and compelled to do things, like you were driven by a motor?	Rarely	Not Met
B6: Often talks excessively	Q15: How often do you find yourself talking too much when you are in social situations?	Sometimes	Not Met
B7: Often blurts out an answer before a question has been completed	Q16: When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?	Sometimes	Met
B8: Often has difficulty waiting his or her turn	Q17: How often do you have difficulty waiting your turn in situations when turn taking is required?	Rarely	Not Met
B9: Often interrupts or intrudes on others	Q18: How often do you interrupt others when they are busy?	Rarely	Not Met
Summary: 4/9 criteria met (Need ≥5) - Not Met			

Inattention Criteria

Met

Hyperactivity/Impulsivity Criteria	Not Met
Overall Diagnosis	Predominantly Inattentive Presentation

Epworth Sleepiness Scale

Situation	Score (0-3)
Sitting and reading	2
Watching TV	1
Sitting inactive in a public place (e.g., a theater or a meeting)	0
As a passenger in a car for an hour without a break	1
Lying down to rest in the afternoon when circumstances permit	3
Sitting and talking to someone	1
Sitting quietly after a lunch without alcohol	1
In a car, while stopped for a few minutes in traffic	0
Interpretation: Normal level of daytime sleepiness. Total Score: 9	

NPQ LF-207 Diagnostic Screen Summary

Note: The NPQ is a clinical screening tool. Scores suggest potential symptom burden and are not diagnostic. Results should be used as a basis for clinical enquiry rather than diagnosis.

Domain	Score	Severity
ADHD	133	Mild
Attention	155	Moderate
Impulsive	67	Not a problem
Learning	92	Mild
Memory	86	Mild
Anxiety	130	Mild
Panic	0	Not a problem
Agoraphobia	17	Not a problem
Obsessions & Compulsions	142	Mild
Social Anxiety	88	Mild
PTSD	50	Not a problem
Depression	76	Mild
Bipolar	97	Mild
Mood Stability	92	Mild
Mania	25	Not a problem
Aggression	0	Not a problem
Autism	83	Mild
Asperger's	67	Not a problem
Psychotic	29	Not a problem
Somatic	11	Not a problem
Fatigue	50	Not a problem
Sleep	100	Mild
Suicide	17	Not a problem
Pain	88	Mild
Substance Abuse	67	Not a problem
MCI	133	Mild

Domain	Score	Severity
Concussion	139	Mild
Anxiety/Depression	94	Mild

Severity Legend

Not a problem Mild Moderate Severe

Detailed NPQ Responses

ADHD

Question	Score	Severity
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling restless	1	A mild problem
Feeling scattered, disorganized	1	A mild problem
Fidgety, I can't sit still	1	A mild problem
Forgetful, I need constant reminding	1	A mild problem
Impatient	1	A mild problem
Impulsive, act without thinking	1	A mild problem
Leaving things behind and having to go back to get them.	0	Not a problem
Losing things	0	Not a problem
Making careless mistakes	0	Not a problem
Not finishing chores, homework or projects	2	A moderate problem
Overly active	0	Not a problem
Short attention span	3	A severe problem

Attention

Question	Score	Severity
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling scattered, disorganized	1	A mild problem
Forgetful, I need constant reminding	1	A mild problem
Leaving things behind and having to go back to get them.	0	Not a problem

Question	Score	Severity
Losing things	0	Not a problem
Making careless mistakes	0	Not a problem
Not finishing chores, homework or projects	2	A moderate problem
Short attention span	3	A severe problem
When reading, losing track of what the story is about	1	A mild problem

Impulsive

Question	Score	Severity
Feeling restless	1	A mild problem
Fidgety, I can't sit still	1	A mild problem
High energy	0	Not a problem
Impatient	1	A mild problem
Impulsive, act without thinking	1	A mild problem
Overly active	0	Not a problem

Learning

Question	Score	Severity
Bad handwriting	0	Not a problem
Having to do things slowly to make sure it's right	3	A severe problem
Learning a foreign language	0	Not a problem
Learning math	0	Not a problem
Learning new things	0	Not a problem
I don't like to read	0	Not a problem
I don't work up to my potential	3	A severe problem
Organizing studies or projects	2	A moderate problem
Paying attention to lectures	0	Not a problem

Question	Score	Severity
Remembering what you studied or read	2	A moderate problem
Taking notes	1	A mild problem
Taking tests	0	Not a problem
When reading, losing track of what the story is about	1	A mild problem

Memory

Question	Score	Severity
Failing to recognize places you have been before.	0	Not a problem
Finding a television story or a movie hard to follow.	1	A mild problem
Forgetful, I need constant reminding	1	A mild problem
Forgetting appointments or social engagements.	2	A moderate problem
Forgetting if you have taken your medicine	2	A moderate problem
Forgetting something cooking on the stove or in the toaster	0	Not a problem
Forgetting to do something you said you would do	1	A mild problem
Forgetting to give a message to someone	1	A mild problem
Forgetting to tell somebody something that you meant to tell them	1	A mild problem
Forgetting where things are kept; looking for them in the wrong place	0	Not a problem
Forgetting where you parked the car	0	Not a problem
Going to the store but forgetting to get what you need	2	A moderate problem
I can't remember the names of close relatives or friends.	1	A mild problem
Learning new things	0	Not a problem
Leaving things behind and having to go back to get them.	0	Not a problem
My mind goes blank	0	Not a problem
Problems with memory	2	A moderate problem
Putting something down and then forgetting where you put it.	1	A mild problem
Reading something and then realizing you have read it before.	1	A mild problem
Trouble thinking of the right word	1	A mild problem

Question	Score	Severity
Unable to remember things as well as I used to	1	A mild problem
When reading, losing track of what the story is about	1	A mild problem

Anxiety

Question	Score	Severity
Feeling anxious	1	A mild problem
Feeling keyed up or on edge	1	A mild problem
Feeling nervous	1	A mild problem
Feeling restless	1	A mild problem
Feeling tense	2	A moderate problem
Fidgety, I can't sit still	1	A mild problem
Having nightmares or bad dreams	0	Not a problem
High-strung or keyed up	2	A moderate problem
I find it hard to relax	2	A moderate problem
Worrying too much	2	A moderate problem

Panic

Question	Score	Severity
Attacks of intense anxiety	0	Not a problem
Feeling so nervous it's hard to breathe	0	Not a problem
Getting so nervous I feel like passing out	0	Not a problem
Getting really scared for no reason at all	0	Not a problem
Panic attacks	0	Not a problem
Trouble catching my breath	0	Not a problem

Agoraphobia

Question	Score	Severity
Avoiding certain things or places	1	A mild problem
Feeling scared in open spaces or out in public	0	Not a problem
Feeling scared to use buses or trains	0	Not a problem
Feeling uncomfortable in crowds	0	Not a problem
Feelings of being trapped	0	Not a problem
Worrying about fainting in public	0	Not a problem

Obsessions & Compulsions

Question	Score	Severity
I hate being touched or held	0	Not a problem
Checking things several times	3	A severe problem
Collecting things that you don't really need	0	Not a problem
Counting things; numbers going through your mind	2	A moderate problem
Eating the same foods all the time	1	A mild problem
Feeling guilty over minor infractions	1	A mild problem
Having bad thoughts that you can't get rid of	1	A mild problem
Having thoughts or words that go over and over in your mind	1	A mild problem
It bothers me when someone eats off my plate	1	A mild problem
I have a special number that I count up to or do things just that number of times	3	A severe problem
I have to do things a certain number of times before I'm satisfied	3	A severe problem
Moving or talking in special ways to avoid bad luck	0	Not a problem
Putting things away, and they have to be just right	3	A severe problem
Repetitive behaviors like touching or counting	2	A moderate problem
Thoughts about sex that are troubling	0	Not a problem
Trouble making up your mind	1	A mild problem
Washing your hands over and over	3	A severe problem

Question	Score	Severity
Worrying about being clean	2	A moderate problem
Worrying about the germs that are on things	0	Not a problem

Social Anxiety

Question	Score	Severity
I am a shy person	2	A moderate problem
Difficulty developing friendships	1	A mild problem
Feeling nervous around people I don't know	1	A mild problem
Feeling nervous when I have to do something in front of people	2	A moderate problem
Feeling uneasy about eating or drinking in public	0	Not a problem
Hard to go out in public	0	Not a problem
Hard to relate to other people	0	Not a problem
Starting a conversation with people I don't know	1	A mild problem

PTSD

Question	Score	Severity
Avoiding certain things or places	1	A mild problem
Difficulty concentrating	3	A severe problem
Difficulty staying asleep	0	Not a problem
Easily startled	0	Not a problem
Emotionally numb	0	Not a problem
Feeling depressed	1	A mild problem
Feeling discouraged about the future	1	A mild problem
I feel that I can't trust other people	1	A mild problem
Flashbacks to a traumatic event	0	Not a problem
Hard to fall asleep	1	A mild problem

Question	Score	Severity
Hard to go out in public	0	Not a problem
Hard to relate to other people	0	Not a problem
Having nightmares or bad dreams	0	Not a problem
Having unpleasant thoughts that you can't get out of your mind	0	Not a problem
I feel like I'm being punished	0	Not a problem
Reliving a traumatic event	0	Not a problem
Restless or disturbed sleep	1	A mild problem
I can't feel close to another person	0	Not a problem

Depression

Question	Score	Severity
Crying spells	0	Not a problem
Feeling depressed	1	A mild problem
Feeling discouraged about the future	1	A mild problem
Feeling empty inside	0	Not a problem
Feeling hopeless	1	A mild problem
Feeling irritable	1	A mild problem
Feeling little or no interest in things	1	A mild problem
Feeling lonely	1	A mild problem
Feeling sad	1	A mild problem
Feeling that doing anything is a real effort	1	A mild problem
Feelings of guilt or remorse	1	A mild problem
Having nightmares or bad dreams	0	Not a problem
I feel like a failure	1	A mild problem
I feel like I'm being punished	0	Not a problem
Loss of interest in sex	1	A mild problem
Not enjoying things as much as before	1	A mild problem

Question	Score	Severity
Withdrawn, isolated	1	A mild problem

Bipolar

Question	Score	Severity
Anger	2	A moderate problem
Angry outbursts	1	A mild problem
Much more interested in sex than usual	0	Not a problem
Being much more social or outgoing than usual	0	Not a problem
Crying spells	0	Not a problem
Decreased need for sleep	0	Not a problem
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily agitated	2	A moderate problem
Easily annoyed	2	A moderate problem
Easily distracted	3	A severe problem
Easily frustrated	2	A moderate problem
Elevated mood, euphoria	0	Not a problem
Excitable	0	Not a problem
Explosive	0	Not a problem
Feeling irritable	1	A mild problem
Feeling much more confident than usual	0	Not a problem
Feeling restless	1	A mild problem
Feeling scattered, disorganized	1	A mild problem
Having much more energy than usual	0	Not a problem
High energy	0	Not a problem
Impulsive, act without thinking	1	A mild problem
Increased or inappropriate sexual interest	0	Not a problem

Question	Score	Severity
My moods change quickly	1	A mild problem
Overly active	0	Not a problem
Pressured speech, uninterruptible and continuous	0	Not a problem
Short attention span	3	A severe problem
Temper tantrums	0	Not a problem
Thoughts racing	2	A moderate problem

Mood Stability

Question	Score	Severity
Anger	2	A moderate problem
Angry outbursts	1	A mild problem
Crying spells	0	Not a problem
Easily agitated	2	A moderate problem
Easily annoyed	2	A moderate problem
Easily frustrated	2	A moderate problem
Elevated mood, euphoria	0	Not a problem
Excitable	0	Not a problem
Explosive	0	Not a problem
Feeling irritable	1	A mild problem
Feeling negative	1	A mild problem
My moods change quickly	1	A mild problem
Temper tantrums	0	Not a problem

Mania

Question	Score	Severity
Much more interested in sex than usual	0	Not a problem

Question	Score	Severity
Being much more social or outgoing than usual	0	Not a problem
Decreased need for sleep	0	Not a problem
Feeling much more confident than usual	0	Not a problem
Having much more energy than usual	0	Not a problem
Increased or inappropriate sexual interest	0	Not a problem
Pressured speech, uninterruptible and continuous	0	Not a problem
Thoughts racing	2	A moderate problem

Aggression

Question	Score	Severity
Blaming other people for your own mistakes	0	Not a problem
Defiant or argumentative	0	Not a problem
Destructive to property or things	0	Not a problem
Excessive yelling or screaming	0	Not a problem
Getting into fights	0	Not a problem
Having an urge to injure or to hurt someone	0	Not a problem
Having the urge to destroy things	0	Not a problem
Hostile	0	Not a problem
In trouble with the law	0	Not a problem
Physical aggression toward others	0	Not a problem

Autism

Question	Score	Severity
Avoiding eye contact	0	Not a problem
I can't relate to other people, socially or emotionally	0	Not a problem
I don't attend to social signals	0	Not a problem

Question	Score	Severity
I don't respond to other people's expressions or body language	0	Not a problem
Not able to begin or to sustain a conversation with other people	1	A mild problem
Not responsive to other people's feelings	2	A moderate problem
Odd preoccupations or interests	0	Not a problem
Peculiar or bizarre behavior	0	Not a problem
Preoccupied by a particular interest to the exclusion of other things	2	A moderate problem
Repetitive behaviors like touching or counting	2	A moderate problem
Rigid, inflexible, resistant to change	1	A mild problem
Strongly attached to routines or sameness in the environment	2	A moderate problem

Asperger's

Question	Score	Severity
Avoiding eye contact	0	Not a problem
Difficulty developing friendships	1	A mild problem
Difficulty understanding sarcasm, metaphors or jokes	0	Not a problem
Hard to relate to other people	0	Not a problem
I can't relate to other people, socially or emotionally	0	Not a problem
I don't attend to social signals	0	Not a problem
I don't respond to other people's expressions or body language	0	Not a problem
Not able to begin or to sustain a conversation with other people	1	A mild problem
Not responsive to other people's feelings	2	A moderate problem
Odd preoccupations or interests	0	Not a problem
Preoccupied by a particular interest to the exclusion of other things	2	A moderate problem
Rigid, inflexible, resistant to change	1	A mild problem
Strongly attached to routines or sameness in the environment	2	A moderate problem
I can't feel close to another person	0	Not a problem
Withdrawn, isolated	1	A mild problem

Psychotic

Question	Score	Severity
I feel nervous when people watch me or talk about me	1	A mild problem
Feeling paranoid	0	Not a problem
I feel that other people are watching or talking about me	0	Not a problem
I feel that someone else can control my mind	0	Not a problem
I feel that I can't trust other people	1	A mild problem
I feel I am being watched	0	Not a problem
I hear voices that no one else can hear	0	Not a problem
I can't think straight	2	A moderate problem
My mind is full of terrifying thoughts or images	0	Not a problem
Other people know my private thoughts	0	Not a problem
Overly suspicious	0	Not a problem
Peculiar or bizarre behavior	0	Not a problem
Seeing things that other people don't see	0	Not a problem
I can't feel close to another person	0	Not a problem

Somatic

Question	Score	Severity
Blackout spells or seizures	0	Not a problem
Difficulty breathing	0	Not a problem
Difficulty swallowing	0	Not a problem
Dizzy/unsteady/lightheaded	0	Not a problem
Feeling faint	0	Not a problem
Heart racing	0	Not a problem
Nausea	0	Not a problem
Numbness/Tingling	0	Not a problem
Worrying that something bad is wrong with your body	1	A mild problem

Fatigue

Question	Score	Severity
Fatigue	1	A mild problem
Feeling slower than usual	0	Not a problem
Feeling tired	1	A mild problem
Feeling weak	0	Not a problem
Low energy	1	A mild problem
Unable to exercise without getting really tired	0	Not a problem

Sleep

Question	Score	Severity
Difficulty staying asleep	0	Not a problem
Hard to fall asleep	1	A mild problem
I wake up too early in the morning and can't get back to sleep	2	A moderate problem
Restless or disturbed sleep	1	A mild problem

Suicide

Question	Score	Severity
I feel like giving up on life	1	A mild problem
I feel like I would be better off dead	0	Not a problem
I feel that I have nothing left to live for	0	Not a problem
I feel that my family would be better off if I were gone	0	Not a problem
Thinking about death or dying	0	Not a problem
Thoughts about ending your life	0	Not a problem

Pain

Question	Score	Severity
A lot of aches and pains	2	A moderate problem
Abdominal pain or discomfort	0	Not a problem
Back pain	3	A severe problem
Chest pain or discomfort	0	Not a problem
Headache	1	A mild problem
Muscle soreness	0	Not a problem
Unable to exercise without a lot of pain	1	A mild problem
Unbearable pain	0	Not a problem

Substance Abuse

Question	Score	Severity
Abusing drugs	1	A mild problem
I drink too much	0	Not a problem
I use too many drugs or medications	1	A mild problem

MCI

Question	Score	Severity
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Easily distracted	3	A severe problem
Feeling scattered, disorganized	1	A mild problem
Forgetful, I need constant reminding	1	A mild problem
Forgetting appointments or social engagements.	2	A moderate problem
Forgetting if you have taken your medicine	2	A moderate problem
Forgetting to do something you said you would do	1	A mild problem
Forgetting to give a message to someone	1	A mild problem

Question	Score	Severity
Forgetting to tell somebody something that you meant to tell them	1	A mild problem
Forgetting where things are kept; looking for them in the wrong place	0	Not a problem
Going to the store but forgetting to get what you need	2	A moderate problem
Having to do things slowly to make sure it's right	3	A severe problem
I can't remember the names of close relatives or friends.	1	A mild problem
Learning new things	0	Not a problem
Leaving things behind and having to go back to get them.	0	Not a problem
Losing things	0	Not a problem
Making careless mistakes	0	Not a problem
My mind goes blank	0	Not a problem
Not finishing chores, homework or projects	2	A moderate problem
Putting something down and then forgetting where you put it.	1	A mild problem
Reading something and then realizing you have read it before.	1	A mild problem
Short attention span	3	A severe problem
When reading, losing track of what the story is about	1	A mild problem

Concussion

Question	Score	Severity
Difficulty concentrating	3	A severe problem
Difficulty paying attention	3	A severe problem
Dizzy/unsteady/lightheaded	0	Not a problem
Easily distracted	3	A severe problem
Easily frustrated	2	A moderate problem
Fatigue	1	A mild problem
Feeling irritable	1	A mild problem
Feeling scattered, disorganized	1	A mild problem
Feeling slower than usual	0	Not a problem

Question	Score	Severity
Hard to fall asleep	1	A mild problem
Headache	1	A mild problem
I can't think straight	2	A moderate problem
Low energy	1	A mild problem
My mind goes blank	0	Not a problem
My moods change quickly	1	A mild problem
Problems with memory	2	A moderate problem
Short attention span	3	A severe problem
Unable to exercise without getting really tired	0	Not a problem

Anxiety/Depression

Question	Score	Severity
Crying spells	0	Not a problem
Easily agitated	2	A moderate problem
Fatigue	1	A mild problem
Feeling anxious	1	A mild problem
Feeling depressed	1	A mild problem
Feeling discouraged about the future	1	A mild problem
Feeling empty inside	0	Not a problem
Feeling hopeless	1	A mild problem
Feeling irritable	1	A mild problem
Feeling keyed up or on edge	1	A mild problem
Feeling little or no interest in things	1	A mild problem
Feeling lonely	1	A mild problem
Feeling nervous	1	A mild problem
Feeling restless	1	A mild problem
Feeling sad	1	A mild problem

Question	Score	Severity
Feeling scattered, disorganized	1	A mild problem
Feeling so nervous it's hard to breathe	0	Not a problem
Feeling tense	2	A moderate problem
Feeling that doing anything is a real effort	1	A mild problem
Feeling tired	1	A mild problem
Feelings of guilt or remorse	1	A mild problem
Fidgety, I can't sit still	1	A mild problem
Hard to fall asleep	1	A mild problem
Having nightmares or bad dreams	0	Not a problem
High-strung or keyed up	2	A moderate problem
I feel like a failure	1	A mild problem
I feel like I'm being punished	0	Not a problem
I find it hard to relax	2	A moderate problem
Low energy	1	A mild problem
My mind goes blank	0	Not a problem
Not enjoying things as much as before	1	A mild problem
Restless or disturbed sleep	1	A mild problem
Thinking about death or dying	0	Not a problem
Withdrawn, isolated	1	A mild problem
Worrying too much	2	A moderate problem

Final Integrative Diagnosis

Inattention Criteria	Met (7/9 criteria met)
Hyperactivity/Impulsivity Criteria	Not Met (4/9 criteria met)
Overall Diagnosis	Predominantly Inattentive Presentation