

CNS Vital Signs Report				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
CNSVS Duration: 35:52 (min:secs)	CNSVS Online Version 2.0.5			

Patient Profile	Percentile Range Standard Score Range				> 74	25 - 74	9 - 24	2 - 8	< 2
Patient Prome					> 109	90 - 109	80 - 89	70 - 79	< 70
<b>Domain Scores</b>	Patient Score	Standard Score	Percentile	VI**	Above	Average	Low Average	Low	Very Low
Neurocognition Index (NCI)	NA	79	8	Yes				Х	
Composite Memory	99	97	42	Yes		Х			
Verbal Memory	54	104	61	Yes		Х			
Visual Memory	45	93	32	Yes		Х			
Psychomotor Speed	183	99	47	Yes		Х			
Reaction Time*	666	88	21	Yes			Х		
Complex Attention*	20	59	1	Yes					Х
Cognitive Flexibility	18	51	1	Yes					Х
Processing Speed	50	82	12	Yes			Х		
<b>Executive Function</b>	21	55	1	Yes					Х
Reasoning	3	84	14	Yes			Х		
Working Memory	10	98	45	Yes		Х			
Sustained Attention	31	103	58	Yes		Х			
Simple Attention	36	61	1	Yes					Х
Motor Speed	133	113	81	Yes	Х				

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An \* denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI\*\* - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

Verbal Memory Test (VBM)	Score	Standard	Percentile	
Correct Hits - Immediate	15	118	88	Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at
Correct Passes - Immediate	14	95	37	the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend
Correct Hits - Delay	10	91	27	literal representations or attribute. "Correct Hits" refers to the
Correct Passes - Delay	15	109	73	number of target words recognized. Low scores indicate verbal memory impairment.
Visual Memory Test (VSM)	Score	Standard	Percentile	
Correct Hits - Immediate	11	89	23	Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is
Correct Passes - Immediate	12	101	53	repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric
Correct Hits - Delay	9	86	18	figures e.g. exploit or attend symbolic or spatial representations.
Correct Passes - Delay	13	106	66	"Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment.
Finger Tapping Test (FTT)	Score	Standard	Percentile	
Right Taps Average	66	108	70	The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand.
Left Taps Average	67	115	84	Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always.



CNS Vital Signs Report				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
CNSVS Duration: 35:52 (min:secs)	CNSVS Online Version 2.0.5			

Symbol Digit Coding (SDC)	Score	Standard	Percentile	
Correct Responses	50	80	9	The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual
Errors*	0	112	79	perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion.
Stroop Test (ST)	Score	Standard	Percentile	
Simple Reaction Time*	246	104	61	The ST measures simple and complex reaction time, inhibition /
Complex Reaction Time Correct*	547	100	50	disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and
Stroop Reaction Time Correct*	785	80	9	increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to
Stroop Commission Errors*	3	70	2	impulsive responding, misperception, or confusion.
Shifting Attention Test (SAT)	Score	Standard	Percentile	
Correct Responses	34	54	1	The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules, categories) and manages multiple tasks simultaneously. Subjects
Errors*	13	75	5	have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction
Correct Reaction Time*	1212	77	6	time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent.
Continuous Performance Test (CPT)	Score	Standard	Percentile	
Correct Responses	40	104	61	The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on
Omission Errors*	0	104	61	this test. A long response time may suggest cognitive slowing
Commission Errors*	4	40	1	and/or impairment. More than 2 errors (total) may be clinically significant. More than 4 errors (total) indicate attentional
Choice Reaction Time Correct*	453	83	13	dysfunction.
Reasoning Test (RT)	Score	Standard	Percentile	
Correct Responses	9	87	19	The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and
Average Correct Reaction Time*	4435	104	61	recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices
Commission Errors*	6	81	10	are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving issues, and reaching conclusions through the use of symbols are
Omission Errors*	0	115	84	issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information.



CNS Vital Signs Report				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
CNSVS Duration: 35:52 (min:secs)	CNSVS Online Version 2.0.5			

Four Pa	art Continuous Performance Test	Score	Standard	Percentile	
Part 1					The FPCPT test is a four part test that measures a subject
	Average Correct Reaction Time*	265	109	73	memory and sustained attention. The FPCPT is a four p
Part 2			•	•	PART ONE - is a simple reaction time test, the subject me the space bar when any stimulus is presented; PART TO
	Correct Responses	6	103	58	variant of the continuous performance test, the subject is
	Average Correct Reaction Time*	384	98	45	respond to one stimulus, but not to any others. Discrim
	Incorrect Responses*	0	104	61	required, so the reaction times that are generated are
	Average Incorrect Reaction Time*	0			reaction times". PART THREE - is a "one back" CPT. The su
	Omission Errors*	0	103	58	to respond to a figure only if the figure immediately prece the same. PART FOUR - is a "two-back" CPT. It is a difficult
Part 3					is used to measure working memory. Parts two, three, ar
	Correct Responses	15	105	63	the tests are used to calculate sustained attention domain.
	Average Correct Reaction Time*	426	109	73	
	Incorrect Responses*	0	104	61	
	Average Incorrect Reaction Time*	0			
	Omission Errors*	1	105	63	
Part 4					
	Correct Responses	10	91	27	
	Average Correct Reaction Time*	468	113	81	
	Incorrect Responses*	0	112	79	
	Average Incorrect Reaction Time*	0			
· <u> </u>	Omission Errors*	6	91	27	



Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
Duration: 2:26 (min:secs)	CNSVS Online Version 2.0.5			

Some

Verv

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

Pa	rt A (questions 1-6)	Never	Rarely	times	Often	Often
1	How often do you have trouble wrapping up the final details of a project, once the					X
	challenging parts have been done?					
2	How often do you have difficulty getting things in order when you have to do a task				X	
	that requires organization?					
3	How often do you have problems remembering appointments or obligations?			X		
4	When you have a task that requires a lot of thought, how often do you avoid or delay					Х
	getting started?					
5	How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?			X		
6	How often do you feel overly active and compelled to do things, like you were driven by a motor?					Х
Pa	rt B (questions 7-18)					
7	How often do you make careless mistakes when you have to work on a boring or					Х
	difficult project?					
8	How often do you have difficulty keeping your attention when you are doing boring? or repetitive work					Х
9	How often do you have difficulty concentrating on what people say to you, even when					Х
	they are speaking to you directly?					
10	How often do you misplace or have difficulty finding things at home or at work?					Х
11	How often are you distracted by activity or noise around you?					Х
12	How often do you leave your seat in meetings or other situations in which you are			X		
	expected to remain seated?					
13	How often do you feel restless or fidgety?				Х	
14	How often do you have difficulty unwinding and relaxing when you have time to yourself?				Х	
15	How often do you find yourself talking too much when you are in social situations?					Х
16	When you're in a conversation, how often do you find yourself finishing the sentences					Х
	of the people you are talking to, before they can finish them themselves?					
17	How often do you have difficulty waiting your turn in situations when taking turns is required?					X
18	How often do you interrupt others when they are busy?					Х

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.

For more information go to http://www.hcp.med.harvard.edu/ncs/asrs.php



Epworth Sleepiness Scale (ESS) SF-8				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
Duration: 1:55 (min:secs)	CNSVS Online Version 2.0.5			

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

In	In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation?					
1	Sitting and reading	1 - Slight chance of dozing				
2	Watching TV	1 - Slight chance of dozing				
3	Sitting inactive in a public place (e.g., a theater or a meeting)	2 - Moderate chance of dozing				
4	As a passenger in a car for an hour without a break	1 - Slight chance of dozing				
5	Lying down to rest in the afternoon when circumstances permit	2 - Moderate chance of dozing				
6	Sitting and talking to someone	0 - No chance of dozing				
7	Sitting quietly after a lunch without alcohol	1 - Slight chance of dozing				
8	In a car, while stopped for a few minutes in traffic	0 - No chance of dozing				
	Epworth Score	8				



NeuroPsych Questionnaire (NPQ) LF-207				
Patient ID: 39363	Test Date: April 5, 2025 06:32:19			
Age: 27	Administrator: Lucid Cognition			
Total Test Time: 57:07 (min:secs)	Language: English (United States)			
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5			

Domain	Score	Severity	Description
Attention	300	Severe	The Neurops
Impulsive	250	Severe	a series of q
Learning	269	Severe	the symptom
Memory	232	Severe	similar to the
Anxiety	220	Moderate	clinical questi symptoms ar
Panic	117	Mild	scale of 0 (no
Agoraphobia	233	Severe	indicate a se
Obsessions & Compulsions	179	Moderate	problem; and
Social Anxiety	200	Moderate	Neuropsych
Depression	171	Moderate	symptoms of
Mood Stability	146	Mild	patient has a
Mania	225	Severe	parent or car
Aggression	100	Mild	Conversely,
Psychotic	150	Moderate	not reporting
Somatic	156	Moderate	during the pe not have the
Fatigue	233	Severe	others tend
Sleep	300	Severe	Questionnaire
Suicide	83	Mild	only meant to
Pain	175	Moderate	clinical exam
Substance Abuse	0	Not a problem	
Average Symptom Score	187	Moderate	
PTSD	244	Severe	
Bipolar	203	Moderate	
Autism	167	Moderate	
Asperger's	160	Moderate	
ADHD	287	Severe	
MCI	267	Severe	
Concussion	250	Severe	_
Anxiety/Depression	209	Moderate	

The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination.

Attention Questions	
1 Difficulty concentrating	3 - A severe problem
Difficulty paying attention	3 - A severe problem
3 Easily distracted	3 - A severe problem
4 Feeling scattered, disorganized	3 - A severe problem
5 Forgetful, I need constant reminding	3 - A severe problem
6 Leaving things behind and having to go back to get them.	3 - A severe problem
7 Losing things	3 - A severe problem
8 Making careless mistakes	3 - A severe problem
9 Not finishing chores, homework or projects	3 - A severe problem
10 Short attention span	3 - A severe problem
11 When reading, losing track of what the story is about	3 - A severe problem
Impulsive Questions	
1 Feeling restless	2 - A moderate problem
2 Fidgety, I can't sit still	3 - A severe problem
3 High energy	2 - A moderate problem
4 Impatient	3 - A severe problem
5 Impulsive, act without thinking	3 - A severe problem
6 Overly active	2 - A moderate problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5	

Lear	ning Questions	
1	Bad handwriting	2 - A moderate problem
2	Having to do things slowly to make sure it's right	3 - A severe problem
	Learning a foreign language	2 - A moderate problem
4	Learning a rotoigh language	3 - A severe problem
5	Learning new things	3 - A severe problem
	I don't like to read	3 - A severe problem
	I don't like to read	2 - A moderate problem
8	Organizing studies or projects	2 - A moderate problem
9	Paying attention to lectures	3 - A severe problem
10	Remembering what you studied or read	3 - A severe problem
11	Taking notes	3 - A severe problem
	Taking notes  Taking tests	3 - A severe problem
	When reading, losing track of what the story is about	3 - A severe problem
	nory Questions	3 - A Severe problem
1	Failing to recognize places you have been before.	2 A moderate problem
		2 - A moderate problem
2	Finding a television story or a movie hard to follow.	3 - A severe problem
3	Forgetful, I need constant reminding	3 - A severe problem
4	Forgetting appointments or social engagements.	2 - A moderate problem
5	Forgetting if you have taken your medicine	1 - A mild problem
6	Forgetting something cooking on the stove or in the toaster	0 - Not a problem
7	Forgetting to do something you said you would do	3 - A severe problem
8	Forgetting to give a message to someone	3 - A severe problem
9	Forgetting to tell somebody something that you meant to tell them	2 - A moderate problem
	Forgetting where things are kept; looking for them in the wrong place	3 - A severe problem
11	Forgetting where you parked the car	3 - A severe problem
12	Going to the store but forgetting to get what you need	2 - A moderate problem
	I can't remember the names of close relatives or friends.	0 - Not a problem
14	Learning new things	3 - A severe problem
15		3 - A severe problem
	My mind goes blank	3 - A severe problem
17	Problems with memory	3 - A severe problem
18	Putting something down and then forgetting where you put it.	3 - A severe problem
19	Reading something and then realizing you have read it before.	3 - A severe problem
20	Trouble thinking of the right word	3 - A severe problem
21	Unable to remember things as well as I used to	0 - Not a problem
22	When reading, losing track of what the story is about	3 - A severe problem
Anxi	ety Questions	
1	Feeling anxious	3 - A severe problem
2	Feeling keyed up or on edge	2 - A moderate problem
3	Feeling nervous	2 - A moderate problem
4	Feeling restless	2 - A moderate problem
5	Feeling tense	2 - A moderate problem
6	Fidgety, I can't sit still	3 - A severe problem
7	Having nightmares or bad dreams	2 - A moderate problem
8	High-strung or keyed up	1 - A mild problem
9	I find it hard to relax	2 - A moderate problem
10	Worrying too much	3 - A severe problem
Pani	c Questions	· · · · · · · · · · · · · · · · · · ·
1	Attacks of intense anxiety	1 - A mild problem
2	Feeling so nervous it's hard to breathe	2 - A moderate problem
3	Getting so nervous I feel like passing out	1 - A mild problem
4	Getting really scared for no reason at all	2 - A moderate problem
5	Panic attacks	1 - A mild problem
6	Trouble catching my breath	0 - Not a problem
_	· · · · · · · · · · · · · · · · · · ·	0



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5	

<del>-yo</del>	raphobia Questions	
1	Avoiding certain things or places	3 - A severe problem
2	Feeling scared in open spaces or out in public	3 - A severe problem
3	Feeling scared to use buses or trains	3 - A severe problem
4	Feeling uncomfortable in crowds	3 - A severe problem
5	Feelings of being trapped	2 - A moderate problem
6	Worrying about fainting in public	0 - Not a problem
Obs	essions & Compulsions Questions	· · · · · · · · · · · · · · · · · · ·
1	I hate being touched or held	2 - A moderate problem
2	Checking things several times	3 - A severe problem
3	Collecting things that you don't really need	3 - A severe problem
4	Counting things; numbers going through your mind	2 - A moderate problem
5	Eating the same foods all the time	3 - A severe problem
6	Feeling guilty over minor infractions	3 - A severe problem
7	Having bad thoughts that you can't get rid of	2 - A moderate problem
8	Having thoughts or words that go over and over in your mind	3 - A severe problem
9	It bothers me when someone eats off my plate	1 - A mild problem
10	I have a special number that I count up to or do things just that number of times	0 - Not a problem
11	I have to do things a certain number of times before I'm satisfied	1 - A mild problem
12	Moving or talking in special ways to avoid bad luck	2 - A moderate problem
13	Putting things away, and they have to be just right	2 - A moderate problem
14	Repetitive behaviors like touching or counting	2 - A moderate problem
		0 - Not a problem
15	Thoughts about sex that are troubling	
16	Trouble making up your mind	2 - A moderate problem
17	Washing your hands over and over	1 - A mild problem
18	Worrying about being clean	1 - A mild problem
19	Worrying about the germs that are on things	1 - A mild problem
	al Anxiety Questions	
1	I am a shy person	2 - A moderate problem
2	Difficulty developing friendships	2 - A moderate problem
3	Feeling nervous around people I don't know	2 - A moderate problem
4	Feeling nervous when I have to do something in front of people	3 - A severe problem
5	Feeling uneasy about eating or drinking in public	1 - A mild problem
6	Hard to go out in public	3 - A severe problem
7	Hard to relate to other people	2 - A moderate problem
8	Starting a conversation with people I don't know	1 - A mild problem
)ері	ression Questions	
1	Crying spells	1 - A mild problem
2	Feeling depressed	2 - A moderate problem
3	Feeling discouraged about the future	3 - A severe problem
4	Feeling empty inside	1 - A mild problem
5	Feeling hopeless	1 - A mild problem
6	Feeling irritable	1 - A mild problem
7	Feeling little or no interest in things	2 - A moderate problem
8	Feeling lonely	2 - A moderate problem
9	Feeling sad	2 - A moderate problem
10	Feeling that doing anything is a real effort	3 - A severe problem
11	Feelings of guilt or remorse	1 - A mild problem
12	Having nightmares or bad dreams	2 - A moderate problem
	I feel like a failure	1 - A mild problem
13		
14	I feel like I'm being punished	2 - A moderate problem
15	Loss of interest in sex	2 - A moderate problem
16	Not enjoying things as much as before	2 - A moderate problem
_	Withdrawn, isolated	1 - A mild problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5	

Моо	d Stability Questions	
1	Anger	1 - A mild problem
2	Angry outbursts	1 - A mild problem
3	Crying spells	1 - A mild problem
4	Easily agitated	1 - A mild problem
5	Easily annoyed	2 - A moderate problem
6	Easily frustrated	2 - A moderate problem
7	Elevated mood, euphoria	3 - A severe problem
8	Excitable	2 - A moderate problem
9	Explosive	1 - A mild problem
10	Feeling irritable	1 - A mild problem
11	Feeling negative	2 - A moderate problem
12	My moods change quickly	1 - A mild problem
	Temper tantrums	1 - A mild problem
	ia Questions	
1	Much more interested in sex than usual	2 - A moderate problem
2	Being much more social or outgoing than usual	3 - A severe problem
3	Decreased need for sleep	3 - A severe problem
4	Feeling much more confident than usual	3 - A severe problem
5	Having much more energy than usual	2 - A moderate problem
6	Increased or inappropriate sexual interest	0 - Not a problem
7	Pressured speech, uninterruptible and continuous	2 - A moderate problem
8	Thoughts racing	3 - A severe problem
	ression Questions	3 - A severe problem
<u> 1</u>	Blaming other people for your own mistakes	2 - A moderate problem
2	Defiant or argumentative	2 - A moderate problem
3	Destructive to property or things	0 - Not a problem
4	Excessive yelling or screaming	2 - A moderate problem
5	Getting into fights	2 - A moderate problem
6	Having an urge to injure or to hurt someone	0 - Not a problem
7	Having the urge to destroy things	1 - A mild problem
8	Hostile	0 - Not a problem
9	In trouble with the law	0 - Not a problem
10	Physical aggression toward others	1 - A mild problem
		i - A mila problem
	chotic Questions	2. A severe machine
1	I feel nervous when people watch me or talk about me	3 - A severe problem
2	Feeling paranoid	2 - A moderate problem
3	I feel that other people are watching or talking about me	3 - A severe problem
4	I feel that someone else can control my mind	0 - Not a problem
5	I feel that I can't trust other people	2 - A moderate problem
6	I feel I am being watched	0 - Not a problem
7	I hear voices that no one else can hear	0 - Not a problem
8	I can't think straight	3 - A severe problem
9	My mind is full of terrifying thoughts or images	3 - A severe problem
10	Other people know my private thoughts	0 - Not a problem
11	Overly suspicious	2 - A moderate problem
12	Peculiar or bizarre behavior	1 - A mild problem
13	Seeing things that other people don't see	0 - Not a problem
14	I can't feel close to another person	2 - A moderate problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5	

	Duration: 10.11 (mm.secs)	CIVS VS Offinite Version 2.0.5
Son	natic Questions	
1	Blackout spells or seizures	1 - A mild problem
2	Difficulty breathing	0 - Not a problem
3	Difficulty swallowing	2 - A moderate problem
4	Dizzy/unsteady/lightheaded	1 - A mild problem
5	Feeling faint	1 - A mild problem
6	Heart racing	2 - A moderate problem
7	Nausea	2 - A moderate problem
8	Numbness/Tingling	2 - A moderate problem
9	Worrying that something bad is wrong with your body	3 - A severe problem
	gue Questions	0 / 1 de 1
1	Fatigue	3 - A severe problem
2	Feeling slower than usual	3 - A severe problem
3	Feeling tired	3 - A severe problem
4	Feeling weak	1 - A mild problem
5	Low energy	2 - A moderate problem
6	Unable to exercise without getting really tired	2 - A moderate problem
	p Questions	
1	Difficulty staying asleep	3 - A severe problem
2	Hard to fall asleep	3 - A severe problem
3	I wake up too early in the morning and can't get back to sleep	3 - A severe problem
4	Restless or disturbed sleep	3 - A severe problem
	ride Questions	0 // 00/0/0 problem
1	I feel like giving up on life	1 - A mild problem
2	I feel like I would be better off dead	1 - A mild problem
3	I feel that I have nothing left to live for	0 - Not a problem
4	I feel that my family would be better off if I were gone	0 - Not a problem
5	Thinking about death or dying	3 - A severe problem
6	Thoughts about ending your life	0 - Not a problem
	Questions	0 Not a problem
1	A lot of aches and pains	2 - A moderate problem
2	Abdominal pain or discomfort	2 - A moderate problem
3	Back pain	2 - A moderate problem
4	Chest pain or discomfort	2 - A moderate problem
5	Headache	3 - A severe problem
6	Muscle soreness	2 - A moderate problem
7	Unable to exercise without a lot of pain	1 - A mild problem
8	Unbearable pain	0 - Not a problem
_	stance Abuse Questions	0 - Not a problem
		O Not a problem
1	Abusing drugs	0 - Not a problem
2	I drink too much	0 - Not a problem
3	I use too many drugs or medications	0 - Not a problem
	D Questions	
	Avoiding certain things or places	3 - A severe problem
2	Difficulty concentrating	3 - A severe problem
3	Difficulty staying asleep	3 - A severe problem
4	Easily startled	0 - Not a problem
5	Emotionally numb	3 - A severe problem
6	Feeling depressed	2 - A moderate problem
7	Feeling discouraged about the future	3 - A severe problem
8	I feel that I can't trust other people	2 - A moderate problem
9	Flashbacks to a traumatic event	2 - A moderate problem
10	Hard to fall asleep	3 - A severe problem
11	Hard to go out in public	3 - A severe problem
12	Hard to relate to other people	2 - A moderate problem
13	Having nightmares or bad dreams	2 - A moderate problem
14	Having unpleasant thoughts that you can't get out of your mind	3 - A severe problem
15	I feel like I'm being punished	2 - A moderate problem
16	Reliving a traumatic event	3 - A severe problem
17	Restless or disturbed sleep	3 - A severe problem
18	'	2 - A moderate problem
16 17	Reliving a traumatic event	3 - A severe problem 3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Duration: 16:11 (min:secs)	CNSVS Online Version 2.0.5	

Bipo	olar Questions	
1	Anger	1 - A mild problem
2	Angry outbursts	1 - A mild problem
3	Much more interested in sex than usual	2 - A moderate problem
4	Being much more social or outgoing than usual	3 - A severe problem
5	Crying spells	1 - A mild problem
6	Decreased need for sleep	3 - A severe problem
7	Difficulty concentrating	3 - A severe problem
8	Difficulty paying attention	3 - A severe problem
9	Easily agitated	1 - A mild problem
10	Easily annoyed	2 - A moderate problem
11	Easily distracted	3 - A severe problem
12	Easily frustrated	2 - A moderate problem
13	Elevated mood, euphoria	3 - A severe problem
14	Excitable	2 - A moderate problem
15	Explosive	1 - A mild problem
16	Feeling irritable	1 - A mild problem
17	Feeling much more confident than usual	3 - A severe problem
18	Feeling restless	2 - A moderate problem
19	Feeling scattered, disorganized	3 - A severe problem
20	Having much more energy than usual	2 - A moderate problem
21	High energy	2 - A moderate problem
22	Impulsive, act without thinking	3 - A severe problem
23	Increased or inappropriate sexual interest	0 - Not a problem
24	My moods change quickly	1 - A mild problem
25	Overly active	2 - A moderate problem
26	Pressured speech, uninterruptible and continuous	2 - A moderate problem
27	Short attention span	3 - A severe problem
28	Temper tantrums	1 - A mild problem
29	Thoughts racing	3 - A severe problem
Auti	sm Questions	
1	Avoiding eye contact	2 - A moderate problem
2	I can't relate to other people, socially or emotionally	1 - A mild problem
3	I don't attend to social signals	1 - A mild problem
4	I don't respond to other people's expressions or body language	0 - Not a problem
5	Not able to begin or to sustain a conversation with other people	2 - A moderate problem
6	Not responsive to other people's feelings	2 - A moderate problem
7	Odd preoccupations or interests	3 - A severe problem
8	Peculiar or bizarre behavior	1 - A mild problem
9	Preoccupied by a particular interest to the exclusion of other things	1 - A mild problem
10	Repetitive behaviors like touching or counting	2 - A moderate problem
11	Rigid, inflexible, resistant to change	2 - A moderate problem
12	Strongly attached to routines or sameness in the environment	3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Ouration: 16:11 (min:secs) CNSVS Online Version 2.0.5		

Asperger's Questions	
1 Avoiding eye contact	2 - A moderate problem
Difficulty developing friendships	2 - A moderate problem
Difficulty understanding sarcasm, metaphors or jokes	0 - Not a problem
4 Hard to relate to other people	2 - A moderate problem
5 I can't relate to other people, socially or emotionally	1 - A mild problem
6 I don't attend to social signals	1 - A mild problem
7 I don't respond to other people's expressions or body language	0 - Not a problem
8 Not able to begin or to sustain a conversation with other people	2 - A moderate problem
9 Not responsive to other people's feelings	2 - A moderate problem
Odd preoccupations or interests	3 - A severe problem
Preoccupied by a particular interest to the exclusion of other things	1 - A mild problem
2 Rigid, inflexible, resistant to change	2 - A moderate problem
3 Strongly attached to routines or sameness in the environment	3 - A severe problem
	2 - A moderate problem
4   I can't feel close to another person  5   Withdrawn, isolated	
•	1 - A mild problem
DHD Questions	2. A covere problem
Difficulty concentrating	3 - A severe problem
2 Difficulty paying attention	3 - A severe problem
B Easily distracted	3 - A severe problem
Feeling restless	2 - A moderate problem
Feeling scattered, disorganized	3 - A severe problem
6 Fidgety, I can't sit still	3 - A severe problem
Forgetful, I need constant reminding	3 - A severe problem
3 Impatient	3 - A severe problem
Impulsive, act without thinking	3 - A severe problem
Leaving things behind and having to go back to get them.	3 - A severe problem
1 Losing things	3 - A severe problem
2 Making careless mistakes	3 - A severe problem
3 Not finishing chores, homework or projects	3 - A severe problem
4 Overly active	2 - A moderate problem
5 Short attention span	3 - A severe problem
CI Questions	
1 Difficulty concentrating	3 - A severe problem
2 Difficulty paying attention	3 - A severe problem
B Easily distracted	3 - A severe problem
Feeling scattered, disorganized	3 - A severe problem
Forgetful, I need constant reminding	3 - A severe problem
6 Forgetting appointments or social engagements.	2 - A moderate problem
7 Forgetting if you have taken your medicine	1 - A mild problem
Forgetting to do something you said you would do	3 - A severe problem
Forgetting to give a message to someone	3 - A severe problem
0 Forgetting to tell somebody something that you meant to tell them	2 - A moderate problem
1 Forgetting where things are kept; looking for them in the wrong place	3 - A severe problem
2 Going to the store but forgetting to get what you need	2 - A moderate problem
3 Having to do things slowly to make sure it's right	3 - A severe problem
4 I can't remember the names of close relatives or friends.	0 - Not a problem
5 Learning new things	3 - A severe problem
6 Leaving things behind and having to go back to get them.	3 - A severe problem
	3 - A severe problem
8 Making careless mistakes	3 - A severe problem
9 My mind goes blank	3 - A severe problem
0 Not finishing chores, homework or projects	3 - A severe problem
1 Putting something down and then forgetting where you put it.	3 - A severe problem
2 Reading something and then realizing you have read it before.	3 - A severe problem
3 Short attention span	3 - A severe problem
4 When reading, losing track of what the story is about	3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39363	Test Date: April 5, 2025 06:32:19	
Age: 27	Administrator: Lucid Cognition	
Total Test Time: 57:07 (min:secs)	Language: English (United States)	
Ouration: 16:11 (min:secs) CNSVS Online Version 2.0.5		

Con	cussion Questions	
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Dizzy/unsteady/lightheaded	1 - A mild problem
4	Easily distracted	3 - A severe problem
5	Easily frustrated	2 - A moderate problem
6	Fatigue	3 - A severe problem
7	Feeling irritable	1 - A mild problem
8	Feeling scattered, disorganized	3 - A severe problem
9	Feeling slower than usual	3 - A severe problem
10	Hard to fall asleep	3 - A severe problem
11	Headache	3 - A severe problem
12	I can't think straight	3 - A severe problem
	Low energy	2 - A moderate problem
	My mind goes blank	3 - A severe problem
	My moods change quickly	1 - A mild problem
	Problems with memory	3 - A severe problem
17	Short attention span	3 - A severe problem
18	Unable to exercise without getting really tired	2 - A moderate problem
	ety/Depression Questions	<u> </u>
1	Crying spells	1 - A mild problem
2	Easily agitated	1 - A mild problem
3	Fatigue	3 - A severe problem
4	Feeling anxious	3 - A severe problem
5	Feeling depressed	2 - A moderate problem
6	Feeling discouraged about the future	3 - A severe problem
7	Feeling empty inside	1 - A mild problem
8	Feeling hopeless	1 - A mild problem
9	Feeling irritable	1 - A mild problem
10	Feeling keyed up or on edge	2 - A moderate problem
11	Feeling little or no interest in things	2 - A moderate problem
12	Feeling lonely	2 - A moderate problem
13	Feeling nervous	2 - A moderate problem
14	Feeling restless	2 - A moderate problem
15	Feeling sad	2 - A moderate problem
16	Feeling scattered, disorganized	3 - A severe problem
17	Feeling so nervous it's hard to breathe	2 - A moderate problem
18	Feeling tense	2 - A moderate problem
19	Feeling that doing anything is a real effort	3 - A severe problem
20	Feeling tired	3 - A severe problem
21	Feelings of guilt or remorse	1 - A mild problem
22	Fidgety, I can't sit still	3 - A severe problem
23	Hard to fall asleep	3 - A severe problem
24	Having nightmares or bad dreams	2 - A moderate problem
25	High-strung or keyed up	1 - A mild problem
26	I feel like a failure	1 - A mild problem
27	I feel like I'm being punished	2 - A moderate problem
28	I find it hard to relax	2 - A moderate problem
29	Low energy	2 - A moderate problem
	My mind goes blank	3 - A severe problem
31	Not enjoying things as much as before	2 - A moderate problem
32	Restless or disturbed sleep	3 - A severe problem
33	Thinking about death or dying	3 - A severe problem
34	Withdrawn, isolated	1 - A mild problem
35	Worrying too much	3 - A severe problem