

CNS Vital Signs Report				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
CNSVS Duration: 35:20 (min:secs)	CNSVS Online Version 2.0.5			

Patient Profile	Percentil	e Range		> 74	25 - 74	9 - 24	2 - 8	< 2	
Standard Score Range			nge		> 109	90 - 109	80 - 89	70 - 79	< 70
Domain Scores	Patient Score	Standard Score	Percentile	VI**	Above	Average	Low Average	Low	Very Low
Neurocognition Index (NCI)	NA	106	66	Yes		Х			
Composite Memory	96	97	42	Yes		Х			
Verbal Memory	54	106	66	Yes		Х			
Visual Memory	42	90	25	Yes		Х			
Psychomotor Speed	178	113	81	Yes	Х				
Reaction Time*	681	98	45	Yes		Х			
Complex Attention*	1	118	88	Yes	Х				
Cognitive Flexibility	48	106	66	Yes		Х			
Processing Speed	49	99	47	Yes		Х			
Executive Function	49	106	66	Yes		Х			
Reasoning	10	115	84	Yes	Х				
Working Memory	15	121	92	Yes	Х				
Sustained Attention	37	119	90	Yes	Х				
Simple Attention	40	107	68	Yes		Х			
Motor Speed	129	119	90	Yes	Х				

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An * denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI** - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

Verbal Memory Test (VBM)	Score	Standard	Percentile	
Correct Hits - Immediate	13	104	61	Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at
Correct Passes - Immediate	15	110	75	the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend
Correct Hits - Delay	11	99	47	literal representations or attribute. "Correct Hits" refers to the
Correct Passes - Delay	15	110	75	number of target words recognized. Low scores indicate verbal memory impairment.
Visual Memory Test (VSM)	Score	Standard	Percentile	
Correct Hits - Immediate	10	85	16	Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is
Correct Passes - Immediate	11	98	45	repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric
Correct Hits - Delay	8	80	9	figures e.g. exploit or attend symbolic or spatial representations.
Correct Passes - Delay	13	113	81	"Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment.
Finger Tapping Test (FTT)	Score	Standard	Percentile	
Right Taps Average	67	120	91	The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand.
Left Taps Average	62	114	82	Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always.



CNS Vital Signs Report				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
CNSVS Duration: 35:20 (min:secs)	CNSVS Online Version 2.0.5			

Symbol Digit Coding (SDC)	Score	Standard	Percentile	
Correct Responses	49	97	42	The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual
Errors*	0	110	75	perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion.
Stroop Test (ST)	Score	Standard	Percentile	
Simple Reaction Time*	327	97	42	The ST measures simple and complex reaction time, inhibition /
Complex Reaction Time Correct*	624	98	45	disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and
Stroop Reaction Time Correct*	737	99	47	increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to
Stroop Commission Errors*	1	98	45	impulsive responding, misperception, or confusion.
Shifting Attention Test (SAT)	Score	Standard	Percentile	
Correct Responses	49	98	45	The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules,
Errors*	0	119	90	categories) and manages multiple tasks simultaneously. Subjects have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction
Correct Reaction Time*	1165	96	40	time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent.
Continuous Performance Test (CPT)	Score	Standard	Percentile	
Correct Responses	40	103	58	The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on
Omission Errors*	0	103	58	this test. A long response time may suggest cognitive slowing
Commission Errors*	0	107	68	and/or impairment. More than 2 errors (total) may be clinically significant. More than 4 errors (total) indicate attentional
Choice Reaction Time Correct*	452	93	32	dysfunction.
Reasoning Test (RT)	Score	Standard	Percentile	
Correct Responses	12	116	86	The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and
Average Correct Reaction Time*	5063	100	50	recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices
Commission Errors*	2	113	81	are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving
Omission Errors*	1	104	61	issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information.



CNS Vital Signs Report				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
CNSVS Duration: 35:20 (min:secs)	CNSVS Online Version 2.0.5			

Four Pa	art Continuous Performance Test	Score	Standard	Percentile	
Part 1				•	The FPCPT test is a four part test that measures a subject's worki
	Average Correct Reaction Time*	359	100	50	memory and sustained attention. The FPCPT is a four part tes
Part 2					PART ONE - is a simple reaction time test, the subject must pro the space bar when any stimulus is presented; PART TWO - is
	Correct Responses	6	103	58	variant of the continuous performance test, the subject is asked
	Average Correct Reaction Time*	400	98	45	respond to one stimulus, but not to any others. Discrimination
	Incorrect Responses*	0	104	61	required, so the reaction times that are generated are "cho
	Average Incorrect Reaction Time*	0			reaction times". PART THREE - is a "one back" CPT. The subject h
	Omission Errors*	0	103	58	to respond to a figure only if the figure immediately preceding w the same. PART FOUR - is a "two-back" CPT. It is a difficult task a
Part 3					is used to measure working memory. Parts two, three, and four
	Correct Responses	16	113	81	the tests are used to calculate sustained attention domain.
	Average Correct Reaction Time*	510	103	58	
	Incorrect Responses*	0	104	61	
	Average Incorrect Reaction Time*	0			
	Omission Errors*	0	113	81	
Part 4					
	Correct Responses	16	124	95	
	Average Correct Reaction Time*	719	96	40	
	Incorrect Responses*	1	103	58	
	Average Incorrect Reaction Time*	836	92	30	
	Omission Errors*	0	124	95	



Part A (questions 1-6)

Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
Duration: 2:14 (min:secs)	CNSVS Online Version 2.0.5			

Some

Ofton

Novor Parely times

Verv

Ofton

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

	rt A (questions 1-6)	never	Rarely	times	Often	Often
1	How often do you have trouble wrapping up the final details of a project, once the					Х
	challenging parts have been done?					
2	How often do you have difficulty getting things in order when you have to do a task					Х
	that requires organization?					
3	How often do you have problems remembering appointments or obligations?					X
4	When you have a task that requires a lot of thought, how often do you avoid or delay					X
	getting started?					
5	How often do you fidget or squirm with your hands or feet when you have to sit down					X
	for a long time?					
6	How often do you feel overly active and compelled to do things, like you were driven			X		
	by a motor?					
Da	rt P (quantiana 7 10)					
Г а	rt B (questions 7-18) How often do you make careless mistakes when you have to work on a boring or				Х	
′	difficult project?				^	
Ω	How often do you have difficulty keeping your attention when you are doing boring?					X
0	or repetitive work					^
9	How often do you have difficulty concentrating on what people say to you, even when					Х
	they are speaking to you directly?					
10	How often do you misplace or have difficulty finding things at home or at work?				Х	
	The viter de year implace of have dimonly imaling timings at notice of at work.					
11	How often are you distracted by activity or noise around you?					X
	The color and you along on the color along you					, , ,
12	How often do you leave your seat in meetings or other situations in which you are				Х	
	expected to remain seated?					
13	How often do you feel restless or fidgety?					Х
		•				
14	How often do you have difficulty unwinding and relaxing when you have time to				Х	
	yourself?					
15	How often do you find yourself talking too much when you are in social situations?				Х	
16	When you're in a conversation, how often do you find yourself finishing the sentences			Χ		
	of the people you are talking to, before they can finish them themselves?					
17	How often do you have difficulty waiting your turn in situations when taking turns is			Х		
	required?					
18	How often do you interrupt others when they are busy?			Х		

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.

For more information go to http://www.hcp.med.harvard.edu/ncs/asrs.php



Epworth Sleepiness Scale (ESS) SF-8				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
Duration: 1:30 (min:secs)	CNSVS Online Version 2.0.5			

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

In	In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation?				
1	Sitting and reading	2 - Moderate chance of dozing			
2	Watching TV	1 - Slight chance of dozing			
	Sitting inactive in a public place (e.g., a theater or a meeting)	2 - Moderate chance of dozing			
	As a passenger in a car for an hour without a break	2 - Moderate chance of dozing			
5	Lying down to rest in the afternoon when circumstances permit	3 - High chance of dozing			
6	Sitting and talking to someone	0 - No chance of dozing			
7	Sitting quietly after a lunch without alcohol	1 - Slight chance of dozing			
8	In a car, while stopped for a few minutes in traffic	0 - No chance of dozing			
	Epworth Score	11			



NeuroPsych Questionnaire (NPQ) LF-207				
Patient ID: 39381	Test Date: April 27, 2025 21:56:47			
Age: 50	Administrator: Lucid Cognition			
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)			
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5			

Domain	Score	Severity	Description
Attention	264	Severe	The Neurops
Impulsive	117	Mild	a series of q
Learning	177	Moderate	the symptom
Memory	186	Moderate	similar to th
Anxiety	200	Moderate	clinical quest
Panic	100	Mild	symptoms at scale of 0 (n
Agoraphobia	200	Moderate	indicate a se
Obsessions & Compulsions	216	Moderate	problem; and
Social Anxiety	275	Severe	Neuropsych
Depression	200	Moderate	symptoms of
Mood Stability	131	Mild	patient has a
Mania	50	Not a problem	parent or car
Aggression	50	Not a problem	Conversely,
Psychotic	107	Mild	not reporting
Somatic	78	Mild	during the pe
Fatigue	183	Moderate	others tend
Sleep	50	Not a problem	Questionnair
Suicide	0	Not a problem	only meant to
Pain	150	Moderate	clinical exam
Substance Abuse	0	Not a problem	
Average Symptom Score	137	Mild	
PTSD	167	Moderate	
Bipolar	121	Mild	
Autism	250	Severe	
Asperger's	240	Severe	<u> </u>
ADHD	240	Severe]
MCI	250	Severe]
Concussion	200	Moderate	<u> </u>
Anxiety/Depression	186	Moderate	

The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination.

Attention Questions	
1 Difficulty concentrating	3 - A severe problem
2 Difficulty paying attention	3 - A severe problem
3 Easily distracted	3 - A severe problem
4 Feeling scattered, disorganized	2 - A moderate problem
5 Forgetful, I need constant reminding	3 - A severe problem
6 Leaving things behind and having to go back to get them.	3 - A severe problem
7 Losing things	3 - A severe problem
8 Making careless mistakes	3 - A severe problem
9 Not finishing chores, homework or projects	3 - A severe problem
10 Short attention span	3 - A severe problem
11 When reading, losing track of what the story is about	0 - Not a problem
mpulsive Questions	
1 Feeling restless	2 - A moderate problem
2 Fidgety, I can't sit still	2 - A moderate problem
3 High energy	0 - Not a problem
4 Impatient	3 - A severe problem
5 Impulsive, act without thinking	0 - Not a problem
6 Overly active	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

4	ning Questions	1 A mild problem
1	Bad handwriting	1 - A mild problem
2	Having to do things slowly to make sure it's right	3 - A severe problem
3	Learning a foreign language	3 - A severe problem
4	Learning math	1 - A mild problem
5	Learning new things	2 - A moderate problem
	I don't like to read	0 - Not a problem
	I don't work up to my potential	3 - A severe problem
8	Organizing studies or projects	3 - A severe problem
	Paying attention to lectures	3 - A severe problem
	Remembering what you studied or read	1 - A mild problem
	Taking notes	3 - A severe problem
	Taking tests	0 - Not a problem
		0 - Not a problem
	ory Questions	
	Failing to recognize places you have been before.	1 - A mild problem
2	Finding a television story or a movie hard to follow.	0 - Not a problem
3	Forgetful, I need constant reminding	3 - A severe problem
4	Forgetting appointments or social engagements.	3 - A severe problem
	Forgetting if you have taken your medicine	2 - A moderate problem
6	Forgetting something cooking on the stove or in the toaster	1 - A mild problem
7	Forgetting to do something you said you would do	3 - A severe problem
8	Forgetting to give a message to someone	3 - A severe problem
9	Forgetting to tell somebody something that you meant to tell them	3 - A severe problem
	Forgetting where things are kept; looking for them in the wrong place	3 - A severe problem
	Forgetting where you parked the car	1 - A mild problem
12	Going to the store but forgetting to get what you need	3 - A severe problem
13	I can't remember the names of close relatives or friends.	1 - A mild problem
14	Learning new things	2 - A moderate problem
	Leaving things behind and having to go back to get them.	3 - A severe problem
	My mind goes blank	1 - A mild problem
	Problems with memory	2 - A moderate problem
	Putting something down and then forgetting where you put it.	3 - A severe problem
	Reading something and then realizing you have read it before.	1 - A mild problem
	Trouble thinking of the right word	0 - Not a problem
21	Unable to remember things as well as I used to	2 - A moderate problem
	When reading, losing track of what the story is about	0 - Not a problem
nxi	ety Questions	
1	Feeling anxious	2 - A moderate problem
2	Feeling keyed up or on edge	2 - A moderate problem
3	Feeling nervous	3 - A severe problem
4	Feeling restless	2 - A moderate problem
5	Feeling tense	2 - A moderate problem
6	Fidgety, I can't sit still	2 - A moderate problem
7	Having nightmares or bad dreams	2 - A moderate problem
8	High-strung or keyed up	1 - A mild problem
9	I find it hard to relax	1 - A mild problem
	Worrying too much	3 - A severe problem
	c Questions	
1	Attacks of intense anxiety	2 - A moderate problem
2	Feeling so nervous it's hard to breathe	0 - Not a problem
3	Getting so nervous I feel like passing out	1 - A mild problem
_	Getting really scared for no reason at all	1 - A mild problem
4 5	Getting really scared for no reason at all Panic attacks	1 - A mild problem 2 - A moderate problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

Ago	raphobia Questions	
1	Avoiding certain things or places	3 - A severe problem
2	Feeling scared in open spaces or out in public	2 - A moderate problem
3	Feeling scared to use buses or trains	1 - A mild problem
4	Feeling uncomfortable in crowds	3 - A severe problem
5	Feelings of being trapped	2 - A moderate problem
6	Worrying about fainting in public	1 - A mild problem
Obs	essions & Compulsions Questions	-
1	I hate being touched or held	3 - A severe problem
2	Checking things several times	3 - A severe problem
3	Collecting things that you don't really need	2 - A moderate problem
4	Counting things; numbers going through your mind	3 - A severe problem
5	Eating the same foods all the time	2 - A moderate problem
6	Feeling guilty over minor infractions	3 - A severe problem
7	Having bad thoughts that you can't get rid of	0 - Not a problem
8	Having thoughts or words that go over and over in your mind	3 - A severe problem
9	It bothers me when someone eats off my plate	3 - A severe problem
10	I have a special number that I count up to or do things just that number of times	1 - A mild problem
11	I have to do things a certain number of times before I'm satisfied	3 - A severe problem
12	Moving or talking in special ways to avoid bad luck	2 - A moderate problem
13	Putting things away, and they have to be just right	3 - A severe problem
14	Repetitive behaviors like touching or counting	3 - A severe problem
15	Thoughts about sex that are troubling	0 - Not a problem
	Trouble making up your mind	3 - A severe problem
17	Washing your hands over and over	1 - A mild problem
18	Worrying about being clean	2 - A moderate problem
19	Worrying about the germs that are on things	1 - A mild problem
	ial Anxiety Questions	
1	I am a shy person	3 - A severe problem
2	Difficulty developing friendships	3 - A severe problem
3	Feeling nervous around people I don't know	3 - A severe problem
4	Feeling nervous when I have to do something in front of people	2 - A moderate problem
5	Feeling uneasy about eating or drinking in public	2 - A moderate problem
6	Hard to go out in public	3 - A severe problem
7	Hard to relate to other people	3 - A severe problem
8	Starting a conversation with people I don't know	3 - A severe problem
ер	ression Questions	<u> </u>
1	Crying spells	0 - Not a problem
2	Feeling depressed	2 - A moderate problem
3	Feeling discouraged about the future	2 - A moderate problem
4	Feeling empty inside	2 - A moderate problem
5	Feeling hopeless	2 - A moderate problem
6	Feeling irritable	2 - A moderate problem
7	Feeling little or no interest in things	2 - A moderate problem
8	Feeling lonely	2 - A moderate problem
9	Feeling sad	2 - A moderate problem
10	Feeling that doing anything is a real effort	3 - A severe problem
11	Feelings of guilt or remorse	2 - A moderate problem
12	Having nightmares or bad dreams	2 - A moderate problem
13	I feel like a failure	2 - A moderate problem
14	I feel like I'm being punished	2 - A moderate problem
15	Loss of interest in sex	2 - A moderate problem
16	Not enjoying things as much as before	3 - A severe problem
17	Withdrawn, isolated	2 - A moderate problem
	1	_ /



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

Моо	od Stability Questions	
1	Anger	1 - A mild problem
2	Angry outbursts	1 - A mild problem
3	Crying spells	0 - Not a problem
4	Easily agitated	3 - A severe problem
5	Easily annoyed	2 - A moderate problem
6	Easily frustrated	3 - A severe problem
7	Elevated mood, euphoria	0 - Not a problem
8	Excitable	1 - A mild problem
9	Explosive	0 - Not a problem
10	Feeling irritable	2 - A moderate problem
11	Feeling negative	2 - A moderate problem
12	My moods change quickly	1 - A mild problem
13	Temper tantrums	1 - A mild problem
_	ia Questions	1
1	Much more interested in sex than usual	0 - Not a problem
2	Being much more social or outgoing than usual	0 - Not a problem
3	Decreased need for sleep	0 - Not a problem
4	Feeling much more confident than usual	0 - Not a problem
5	Having much more energy than usual	0 - Not a problem
6	Increased or inappropriate sexual interest	0 - Not a problem
7	Pressured speech, uninterruptible and continuous	1 - A mild problem
8	Thoughts racing	3 - A severe problem
	ression Questions	3 - A Severe problem
1	Blaming other people for your own mistakes	0 - Not a problem
2	Defiant or argumentative	3 - A severe problem
3	Destructive to property or things	0 - Not a problem
4	Excessive yelling or screaming	0 - Not a problem
5	Getting into fights	1 - A mild problem
6	Having an urge to injure or to hurt someone	0 - Not a problem
7	Having the urge to destroy things	0 - Not a problem
8	Hostile	1 - A mild problem
9	In trouble with the law	0 - Not a problem
10	Physical aggression toward others	0 - Not a problem
_	chotic Questions	0 - Not a problem
1	I feel nervous when people watch me or talk about me	3 - A severe problem
2	Feeling paranoid	0 - Not a problem
3	I feel that other people are watching or talking about me	2 - A moderate problem
4	I feel that other people are watching or talking about me I feel that someone else can control my mind	2 - A moderate problem 0 - Not a problem
5	,	· · · · · · · · · · · · · · · · · · ·
_	I feel that I can't trust other people	2 - A moderate problem
6	I feel I am being watched	2 - A moderate problem
7	I hear voices that no one else can hear	0 - Not a problem
8	I can't think straight	2 - A moderate problem
9	My mind is full of terrifying thoughts or images	0 - Not a problem
10	Other people know my private thoughts	0 - Not a problem
11	Overly suspicious	1 - A mild problem
12	Peculiar or bizarre behavior	1 - A mild problem
13	Seeing things that other people don't see	2 - A moderate problem
14	I can't feel close to another person	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

	Duration: 13.42 (min.3ccs)	CNSVS Offinite Version 2.0.5
Som	natic Questions	
1	Blackout spells or seizures	0 - Not a problem
2	Difficulty breathing	0 - Not a problem
3	Difficulty swallowing	0 - Not a problem
4	Dizzy/unsteady/lightheaded	1 - A mild problem
5	Feeling faint	1 - A mild problem
6	Heart racing	1 - A mild problem
7	Nausea	1 - A mild problem
8	Numbness/Tingling	0 - Not a problem
9	Worrying that something bad is wrong with your body	3 - A severe problem
Fatig	gue Questions	
1	Fatigue	3 - A severe problem
2	Feeling slower than usual	1 - A mild problem
3	Feeling tired	2 - A moderate problem
4	Feeling weak	1 - A mild problem
5	Low energy	3 - A severe problem
6	Unable to exercise without getting really tired	1 - A mild problem
Slee	p Questions	·
1	Difficulty staying asleep	1 - A mild problem
2	Hard to fall asleep	0 - Not a problem
3	I wake up too early in the morning and can't get back to sleep	0 - Not a problem
4	Restless or disturbed sleep	1 - A mild problem
Suic	ide Questions	·
1	I feel like giving up on life	0 - Not a problem
2	I feel like I would be better off dead	0 - Not a problem
3	I feel that I have nothing left to live for	0 - Not a problem
4	I feel that my family would be better off if I were gone	0 - Not a problem
5	Thinking about death or dying	0 - Not a problem
6	Thoughts about ending your life	0 - Not a problem
Pain	Questions	
1	A lot of aches and pains	2 - A moderate problem
2	Abdominal pain or discomfort	2 - A moderate problem
3	Back pain	2 - A moderate problem
4	Chest pain or discomfort	1 - A mild problem
5	Headache	2 - A moderate problem
6	Muscle soreness	2 - A moderate problem
7	Unable to exercise without a lot of pain	0 - Not a problem
8	Unbearable pain	1 - A mild problem
Sub	stance Abuse Questions	· · · · · · · · · · · · · · · · · · ·
1	Abusing drugs	0 - Not a problem
2	I drink too much	0 - Not a problem
3	I use too many drugs or medications	0 - Not a problem
	D Questions	
1	Avoiding certain things or places	3 - A severe problem
2	Difficulty concentrating	3 - A severe problem
3	Difficulty staying asleep	1 - A mild problem
4	Easily startled	2 - A moderate problem
5	Emotionally numb	2 - A moderate problem
6	Feeling depressed	2 - A moderate problem
7	Feeling discouraged about the future	2 - A moderate problem
8	I feel that I can't trust other people	2 - A moderate problem
9	Flashbacks to a traumatic event	0 - Not a problem
10	Hard to fall asleep	0 - Not a problem
11	Hard to go out in public	3 - A severe problem
12	Hard to relate to other people	3 - A severe problem
13	Having nightmares or bad dreams	2 - A moderate problem
14	Having unpleasant thoughts that you can't get out of your mind	2 - A moderate problem
15	I feel like I'm being punished	2 - A moderate problem
16	Reliving a traumatic event	0 - Not a problem
17	Restless or disturbed sleep	1 - A mild problem
18	I can't feel close to another person	0 - Not a problem
		<u> </u>



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

Bipo	olar Questions	
1	Anger	1 - A mild problem
2	Angry outbursts	1 - A mild problem
3	Much more interested in sex than usual	0 - Not a problem
4	Being much more social or outgoing than usual	0 - Not a problem
5	Crying spells	0 - Not a problem
6	Decreased need for sleep	0 - Not a problem
7	Difficulty concentrating	3 - A severe problem
8	Difficulty paying attention	3 - A severe problem
9	Easily agitated	3 - A severe problem
10	Easily annoyed	2 - A moderate problem
11	Easily distracted	3 - A severe problem
12	Easily frustrated	3 - A severe problem
13	Elevated mood, euphoria	0 - Not a problem
14	Excitable	1 - A mild problem
15	Explosive	0 - Not a problem
16	Feeling irritable	2 - A moderate problem
17	Feeling much more confident than usual	0 - Not a problem
18	Feeling restless	2 - A moderate problem
19	Feeling scattered, disorganized	2 - A moderate problem
20	Having much more energy than usual	0 - Not a problem
21	High energy	0 - Not a problem
22	Impulsive, act without thinking	0 - Not a problem
23	Increased or inappropriate sexual interest	0 - Not a problem
24	My moods change quickly	1 - A mild problem
25	Overly active	0 - Not a problem
26	Pressured speech, uninterruptible and continuous	1 - A mild problem
27	Short attention span	3 - A severe problem
28	Temper tantrums	1 - A mild problem
29	Thoughts racing	3 - A severe problem
Auti	sm Questions	
1	Avoiding eye contact	3 - A severe problem
2	I can't relate to other people, socially or emotionally	3 - A severe problem
3	I don't attend to social signals	3 - A severe problem
4	I don't respond to other people's expressions or body language	2 - A moderate problem
5	Not able to begin or to sustain a conversation with other people	2 - A moderate problem
6	Not responsive to other people's feelings	2 - A moderate problem
7	Odd preoccupations or interests	3 - A severe problem
8	Peculiar or bizarre behavior	1 - A mild problem
9	Preoccupied by a particular interest to the exclusion of other things	3 - A severe problem
10	Repetitive behaviors like touching or counting	3 - A severe problem
11	Rigid, inflexible, resistant to change	2 - A moderate problem
12	Strongly attached to routines or sameness in the environment	3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

Asperger's Questions	
1 Avoiding eye contact	3 - A severe problem
2 Difficulty developing friendships	3 - A severe problem
Difficulty understanding sarcasm, metaphors or jokes	2 - A moderate problem
4 Hard to relate to other people	3 - A severe problem
5 I can't relate to other people, socially or emotionally	3 - A severe problem
6 I don't attend to social signals	3 - A severe problem
7 I don't respond to other people's expressions or body language	2 - A moderate problem
8 Not able to begin or to sustain a conversation with other people	2 - A moderate problem
9 Not responsive to other people's feelings	2 - A moderate problem
10 Odd preoccupations or interests	3 - A severe problem
Preoccupied by a particular interest to the exclusion of other things	3 - A severe problem
12 Rigid, inflexible, resistant to change	2 - A moderate problem
13 Strongly attached to routines or sameness in the environment	3 - A severe problem
14 I can't feel close to another person	
'	0 - Not a problem
•	2 - A moderate problem
DHD Questions	2 A source problem
1 Difficulty concentrating	3 - A severe problem
2 Difficulty paying attention	3 - A severe problem
3 Easily distracted	3 - A severe problem
4 Feeling restless	2 - A moderate problem
5 Feeling scattered, disorganized	2 - A moderate problem
6 Fidgety, I can't sit still	2 - A moderate problem
7 Forgetful, I need constant reminding	3 - A severe problem
8 Impatient	3 - A severe problem
9 Impulsive, act without thinking	0 - Not a problem
Leaving things behind and having to go back to get them.	3 - A severe problem
11 Losing things	3 - A severe problem
12 Making careless mistakes	3 - A severe problem
Not finishing chores, homework or projects	3 - A severe problem
14 Overly active	0 - Not a problem
15 Short attention span	3 - A severe problem
ICI Questions	
1 Difficulty concentrating	3 - A severe problem
2 Difficulty paying attention	3 - A severe problem
3 Easily distracted	3 - A severe problem
4 Feeling scattered, disorganized	2 - A moderate problem
5 Forgetful, I need constant reminding	3 - A severe problem
6 Forgetting appointments or social engagements.	3 - A severe problem
7 Forgetting if you have taken your medicine	2 - A moderate problem
8 Forgetting to do something you said you would do	3 - A severe problem
9 Forgetting to give a message to someone	3 - A severe problem
To getting to give a miceage to cometing Forgetting to tell somebody something that you meant to tell them	3 - A severe problem
11 Forgetting where things are kept; looking for them in the wrong place	3 - A severe problem
12 Going to the store but forgetting to get what you need	3 - A severe problem
Having to the store but lorgetting to get what you need Having to do things slowly to make sure it's right	3 - A severe problem
14 I can't remember the names of close relatives or friends.	1 - A mild problem
	2 - A moderate problem
 Learning new things Leaving things behind and having to go back to get them. 	·
The state of the s	3 - A severe problem
17 Losing things	3 - A severe problem
8 Making careless mistakes	3 - A severe problem
9 My mind goes blank	1 - A mild problem
Not finishing chores, homework or projects	3 - A severe problem
Putting something down and then forgetting where you put it.	3 - A severe problem
Reading something and then realizing you have read it before.	1 - A mild problem
23 Short attention span	3 - A severe problem
24 When reading, losing track of what the story is about	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207		
Patient ID: 39381	Test Date: April 27, 2025 21:56:47	
Age: 50	Administrator: Lucid Cognition	
Total Test Time: 53:24 (min:secs)	Language: English (United Kingdom)	
Duration: 13:42 (min:secs)	CNSVS Online Version 2.0.5	

one	cussion Questions	
1	Difficulty concentrating	3 - A severe problem
2	Difficulty paying attention	3 - A severe problem
3	Dizzy/unsteady/lightheaded	1 - A mild problem
4	Easily distracted	3 - A severe problem
5	Easily frustrated	3 - A severe problem
6	Fatigue	3 - A severe problem
7	Feeling irritable	2 - A moderate problem
8	Feeling scattered, disorganized	2 - A moderate problem
9	Feeling slower than usual	1 - A mild problem
0	Hard to fall asleep	0 - Not a problem
1	Headache	2 - A moderate problem
2	I can't think straight	2 - A moderate problem
3	Low energy	3 - A severe problem
	My mind goes blank	1 - A mild problem
	My moods change quickly	1 - A mild problem
	Problems with memory	2 - A moderate problem
7	Short attention span	3 - A severe problem
В	Unable to exercise without getting really tired	1 - A mild problem
ιxi	iety/Depression Questions	
1	Crying spells	0 - Not a problem
2	Easily agitated	3 - A severe problem
3	Fatigue	3 - A severe problem
1	Feeling anxious	2 - A moderate problem
5	Feeling depressed	2 - A moderate problem
3	Feeling discouraged about the future	2 - A moderate problem
,	Feeling empty inside	2 - A moderate problem
3	Feeling hopeless	2 - A moderate problem
)	Feeling irritable	2 - A moderate problem
0	Feeling keyed up or on edge	2 - A moderate problem
1	Feeling little or no interest in things	2 - A moderate problem
2	Feeling lonely	2 - A moderate problem
3	Feeling nervous	3 - A severe problem
4	Feeling restless	2 - A moderate problem
5	Feeling sad	2 - A moderate problem
6	Feeling scattered, disorganized	2 - A moderate problem
7	Feeling so nervous it's hard to breathe	0 - Not a problem
8	Feeling tense	2 - A moderate problem
9	Feeling that doing anything is a real effort	3 - A severe problem
0	Feeling tired	2 - A moderate problem
1	Feelings of guilt or remorse	2 - A moderate problem
2	Fidgety, I can't sit still	2 - A moderate problem
3	Hard to fall asleep	0 - Not a problem
	Having nightmares or bad dreams	2 - A moderate problem
_	High-strung or keyed up	1 - A mild problem
	I feel like a failure	2 - A moderate problem
	I feel like I'm being punished	2 - A moderate problem
	I find it hard to relax	1 - A mild problem
9	Low energy	3 - A severe problem
	My mind goes blank	1 - A mild problem
	Not enjoying things as much as before	3 - A severe problem
2	Restless or disturbed sleep	1 - A mild problem
3	Thinking about death or dying	0 - Not a problem
34	Withdrawn, isolated	2 - A moderate problem
35	Worrying too much	3 - A severe problem