



| CNS Vital Signs Report | |
|-----------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| CNSVS Duration: 39:13 (min:secs) | CNSVS Online Version 2.0.5 |

| Patient Profile | Percentile Range | | | | > 74 | 25 - 74 | 9 - 24 | 2 - 8 | < 2 |
|----------------------------|----------------------|----------------|------------|------|-------|----------|-------------|---------|----------|
| | Standard Score Range | | | | > 109 | 90 - 109 | 80 - 89 | 70 - 79 | < 70 |
| Domain Scores | Patient Score | Standard Score | Percentile | VI** | Above | Average | Low Average | Low | Very Low |
| Neurocognition Index (NCI) | NA | 99 | 47 | Yes | | X | | | |
| Composite Memory | 103 | 110 | 75 | Yes | X | | | | |
| Verbal Memory | 55 | 109 | 73 | Yes | | X | | | |
| Visual Memory | 48 | 107 | 68 | Yes | | X | | | |
| Psychomotor Speed | 182 | 107 | 68 | Yes | | X | | | |
| Reaction Time* | 753 | 81 | 10 | Yes | | | X | | |
| Complex Attention* | 5 | 105 | 63 | Yes | | X | | | |
| Cognitive Flexibility | 39 | 93 | 32 | Yes | | X | | | |
| Processing Speed | 51 | 94 | 34 | Yes | | X | | | |
| Executive Function | 39 | 92 | 30 | Yes | | X | | | |
| Reasoning | 8 | 103 | 58 | Yes | | X | | | |
| Working Memory | 13 | 112 | 79 | No | X | | | | |
| Sustained Attention | 19 | 80 | 9 | No | | | X | | |
| Simple Attention | 39 | 94 | 34 | Yes | | X | | | |
| Motor Speed | 129 | 113 | 81 | Yes | X | | | | |

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An * denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI** - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

| Verbal Memory Test (VBM) | Score | Standard | Percentile | |
|----------------------------|-------|----------|------------|---|
| Correct Hits - Immediate | 12 | 96 | 40 | Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend literal representations or attribute. "Correct Hits" refers to the number of target words recognized. Low scores indicate verbal memory impairment. |
| Correct Passes - Immediate | 15 | 110 | 75 | |
| Correct Hits - Delay | 13 | 110 | 75 | |
| Correct Passes - Delay | 15 | 109 | 73 | |
| Visual Memory Test (VSM) | Score | Standard | Percentile | |
| Correct Hits - Immediate | 13 | 109 | 73 | Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric figures e.g. exploit or attend symbolic or spatial representations. "Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment. |
| Correct Passes - Immediate | 11 | 95 | 37 | |
| Correct Hits - Delay | 12 | 107 | 68 | |
| Correct Passes - Delay | 12 | 104 | 61 | |
| Finger Tapping Test (FTT) | Score | Standard | Percentile | |
| Right Taps Average | 67 | 114 | 82 | The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand. Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always. |
| Left Taps Average | 62 | 109 | 73 | |



| CNS Vital Signs Report | |
|-----------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| CNSVS Duration: 39:13 (min:secs) | CNSVS Online Version 2.0.5 |

| Symbol Digit Coding (SDC) | Score | Standard | Percentile | |
|-----------------------------------|-------|----------|------------|---|
| Correct Responses | 53 | 95 | 37 | The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion. |
| Errors* | 2 | 89 | 23 | |
| Stroop Test (ST) | Score | Standard | Percentile | |
| Simple Reaction Time* | 244 | 109 | 73 | The ST measures simple and complex reaction time, inhibition / disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to impulsive responding, misperception, or confusion. |
| Complex Reaction Time Correct* | 713 | 79 | 8 | |
| Stroop Reaction Time Correct* | 792 | 86 | 18 | |
| Stroop Commission Errors* | 0 | 109 | 73 | |
| Shifting Attention Test (SAT) | Score | Standard | Percentile | |
| Correct Responses | 43 | 86 | 18 | The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules, categories) and manages multiple tasks simultaneously. Subjects have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent. |
| Errors* | 4 | 105 | 63 | |
| Correct Reaction Time* | 1243 | 87 | 19 | |
| Continuous Performance Test (CPT) | Score | Standard | Percentile | |
| Correct Responses | 40 | 104 | 61 | The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on this test. A long response time may suggest cognitive slowing and/or impairment. More than 2 errors (total) may be clinically significant. More than 4 errors (total) indicate attentional dysfunction. |
| Omission Errors* | 0 | 104 | 61 | |
| Commission Errors* | 1 | 92 | 30 | |
| Choice Reaction Time Correct* | 407 | 100 | 50 | |
| Reasoning Test (RT) | Score | Standard | Percentile | |
| Correct Responses | 11 | 105 | 63 | The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information. |
| Average Correct Reaction Time* | 5225 | 94 | 34 | |
| Commission Errors* | 3 | 104 | 61 | |
| Omission Errors* | 1 | 102 | 55 | |



| CNS Vital Signs Report | |
|-----------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| CNSVS Duration: 39:13 (min:secs) | CNSVS Online Version 2.0.5 |

| Four Part Continuous Performance Test | Score | Standard | Percentile | Possibly Invalid |
|---------------------------------------|-------|----------|------------|--|
| Part 1 | | | | The FPCPT test is a four part test that measures a subject's working memory and sustained attention. The FPCPT is a four part test: PART ONE - is a simple reaction time test, the subject must press the space bar when any stimulus is presented; PART TWO - is a variant of the continuous performance test, the subject is asked to respond to one stimulus, but not to any others. Discrimination is required, so the reaction times that are generated are "choice reaction times". PART THREE - is a "one back" CPT. The subject has to respond to a figure only if the figure immediately preceding was the same. PART FOUR - is a "two-back" CPT. It is a difficult task and is used to measure working memory. Parts two, three, and four of the tests are used to calculate sustained attention domain. |
| Average Correct Reaction Time* | 319 | 103 | 58 | |
| Part 2 | | | | |
| Correct Responses | 6 | 102 | 55 | |
| Average Correct Reaction Time* | 349 | 108 | 70 | |
| Incorrect Responses* | 0 | 104 | 61 | |
| Average Incorrect Reaction Time* | 0 | | | |
| Omission Errors* | 0 | 102 | 55 | |
| Part 3 | | | | |
| Correct Responses | 1 | 10 | 1 | |
| Average Correct Reaction Time* | 738 | 78 | 7 | |
| Incorrect Responses* | 1 | 96 | 40 | |
| Average Incorrect Reaction Time* | 711 | 70 | 2 | |
| Omission Errors* | 15 | 9 | 1 | |
| Part 4 | | | | |
| Correct Responses | 15 | 117 | 87 | |
| Average Correct Reaction Time* | 738 | 94 | 34 | |
| Incorrect Responses* | 2 | 100 | 50 | |
| Average Incorrect Reaction Time* | 1178 | 82 | 12 | |
| Omission Errors* | 1 | 117 | 87 | |

| Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist | |
|--|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 2:34 (min:secs) | CNSVS Online Version 2.0.5 |

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

| Part A (questions 1-6) | | Never | Rarely | Some times | Often | Very Often |
|------------------------|--|-------|--------|------------|-------|------------|
| 1 | How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done? | | | | X | |
| 2 | How often do you have difficulty getting things in order when you have to do a task that requires organization? | | | | X | |
| 3 | How often do you have problems remembering appointments or obligations? | | | | X | |
| 4 | When you have a task that requires a lot of thought, how often do you avoid or delay getting started? | | | X | | |
| 5 | How often do you fidget or squirm with your hands or feet when you have to sit down for a long time? | | | | X | |
| 6 | How often do you feel overly active and compelled to do things, like you were driven by a motor? | | | X | | |

Part B (questions 7-18)

| | | | | | | |
|----|---|--|---|---|---|--|
| 7 | How often do you make careless mistakes when you have to work on a boring or difficult project? | | | | X | |
| 8 | How often do you have difficulty keeping your attention when you are doing boring or repetitive work? | | | | X | |
| 9 | How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly? | | | X | | |
| 10 | How often do you misplace or have difficulty finding things at home or at work? | | | | X | |
| 11 | How often are you distracted by activity or noise around you? | | | | X | |
| 12 | How often do you leave your seat in meetings or other situations in which you are expected to remain seated? | | X | | | |
| 13 | How often do you feel restless or fidgety? | | | X | | |
| 14 | How often do you have difficulty unwinding and relaxing when you have time to yourself? | | | | X | |
| 15 | How often do you find yourself talking too much when you are in social situations? | | X | | | |
| 16 | When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves? | | | X | | |
| 17 | How often do you have difficulty waiting your turn in situations when taking turns is required? | | | X | | |
| 18 | How often do you interrupt others when they are busy? | | X | | | |

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.

For more information go to <http://www.hcp.med.harvard.edu/ncs/asrs.php>



| Epworth Sleepiness Scale (ESS) SF-8 | |
|-------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 1:54 (min:secs) | CNSVS Online Version 2.0.5 |

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

| In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation? | | |
|--|---|-------------------------------|
| 1 | Sitting and reading | 2 - Moderate chance of dozing |
| 2 | Watching TV | 1 - Slight chance of dozing |
| 3 | Sitting inactive in a public place (e.g., a theater or a meeting) | 1 - Slight chance of dozing |
| 4 | As a passenger in a car for an hour without a break | 1 - Slight chance of dozing |
| 5 | Lying down to rest in the afternoon when circumstances permit | 0 - No chance of dozing |
| 6 | Sitting and talking to someone | 0 - No chance of dozing |
| 7 | Sitting quietly after a lunch without alcohol | 1 - Slight chance of dozing |
| 8 | In a car, while stopped for a few minutes in traffic | 0 - No chance of dozing |
| Epworth Score | | 6 |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Domain | Score | Severity | Description |
|--------------------------|-------|---------------|--|
| Attention | 155 | Moderate | The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination. |
| Impulsive | 133 | Mild | |
| Learning | 77 | Mild | |
| Memory | 91 | Mild | |
| Anxiety | 100 | Mild | |
| Panic | 0 | Not a problem | |
| Agoraphobia | 0 | Not a problem | |
| Obsessions & Compulsions | 16 | Not a problem | |
| Social Anxiety | 0 | Not a problem | |
| Depression | 29 | Not a problem | |
| Mood Stability | 38 | Not a problem | |
| Mania | 0 | Not a problem | |
| Aggression | 10 | Not a problem | |
| Psychotic | 7 | Not a problem | |
| Somatic | 11 | Not a problem | |
| Fatigue | 100 | Mild | |
| Sleep | 175 | Moderate | |
| Suicide | 0 | Not a problem | |
| Pain | 25 | Not a problem | |
| Substance Abuse | 0 | Not a problem | |
| Average Symptom Score | 48 | Not a problem | |
| PTSD | 56 | Not a problem | |
| Bipolar | 66 | Not a problem | |
| Autism | 17 | Not a problem | |
| Asperger's | 13 | Not a problem | |
| ADHD | 160 | Moderate | |
| MCI | 121 | Mild | |
| Concussion | 139 | Mild | |
| Anxiety/Depression | 77 | Mild | |

| Attention Questions | | |
|---------------------|--|------------------------|
| 1 | Difficulty concentrating | 2 - A moderate problem |
| 2 | Difficulty paying attention | 2 - A moderate problem |
| 3 | Easily distracted | 2 - A moderate problem |
| 4 | Feeling scattered, disorganized | 2 - A moderate problem |
| 5 | Forgetful, I need constant reminding | 1 - A mild problem |
| 6 | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| 7 | Losing things | 1 - A mild problem |
| 8 | Making careless mistakes | 1 - A mild problem |
| 9 | Not finishing chores, homework or projects | 2 - A moderate problem |
| 10 | Short attention span | 2 - A moderate problem |
| 11 | When reading, losing track of what the story is about | 1 - A mild problem |
| Impulsive Questions | | |
| 1 | Feeling restless | 2 - A moderate problem |
| 2 | Fidgety, I can't sit still | 2 - A moderate problem |
| 3 | High energy | 0 - Not a problem |
| 4 | Impatient | 1 - A mild problem |
| 5 | Impulsive, act without thinking | 1 - A mild problem |
| 6 | Overly active | 2 - A moderate problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Learning Questions | | |
|--------------------|---|------------------------|
| 1 | Bad handwriting | 0 - Not a problem |
| 2 | Having to do things slowly to make sure it's right | 3 - A severe problem |
| 3 | Learning a foreign language | 0 - Not a problem |
| 4 | Learning math | 0 - Not a problem |
| 5 | Learning new things | 0 - Not a problem |
| 6 | I don't like to read | 1 - A mild problem |
| 7 | I don't work up to my potential | 0 - Not a problem |
| 8 | Organizing studies or projects | 1 - A mild problem |
| 9 | Paying attention to lectures | 2 - A moderate problem |
| 10 | Remembering what you studied or read | 2 - A moderate problem |
| 11 | Taking notes | 0 - Not a problem |
| 12 | Taking tests | 0 - Not a problem |
| 13 | When reading, losing track of what the story is about | 1 - A mild problem |
| Memory Questions | | |
| 1 | Failing to recognize places you have been before. | 0 - Not a problem |
| 2 | Finding a television story or a movie hard to follow. | 0 - Not a problem |
| 3 | Forgetful, I need constant reminding | 1 - A mild problem |
| 4 | Forgetting appointments or social engagements. | 1 - A mild problem |
| 5 | Forgetting if you have taken your medicine | 0 - Not a problem |
| 6 | Forgetting something cooking on the stove or in the toaster | 1 - A mild problem |
| 7 | Forgetting to do something you said you would do | 0 - Not a problem |
| 8 | Forgetting to give a message to someone | 0 - Not a problem |
| 9 | Forgetting to tell somebody something that you meant to tell them | 0 - Not a problem |
| 10 | Forgetting where things are kept; looking for them in the wrong place | 1 - A mild problem |
| 11 | Forgetting where you parked the car | 0 - Not a problem |
| 12 | Going to the store but forgetting to get what you need | 1 - A mild problem |
| 13 | I can't remember the names of close relatives or friends. | 2 - A moderate problem |
| 14 | Learning new things | 0 - Not a problem |
| 15 | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| 16 | My mind goes blank | 2 - A moderate problem |
| 17 | Problems with memory | 2 - A moderate problem |
| 18 | Putting something down and then forgetting where you put it. | 2 - A moderate problem |
| 19 | Reading something and then realizing you have read it before. | 0 - Not a problem |
| 20 | Trouble thinking of the right word | 2 - A moderate problem |
| 21 | Unable to remember things as well as I used to | 3 - A severe problem |
| 22 | When reading, losing track of what the story is about | 1 - A mild problem |
| Anxiety Questions | | |
| 1 | Feeling anxious | 0 - Not a problem |
| 2 | Feeling keyed up or on edge | 0 - Not a problem |
| 3 | Feeling nervous | 0 - Not a problem |
| 4 | Feeling restless | 2 - A moderate problem |
| 5 | Feeling tense | 2 - A moderate problem |
| 6 | Fidgety, I can't sit still | 2 - A moderate problem |
| 7 | Having nightmares or bad dreams | 0 - Not a problem |
| 8 | High-strung or keyed up | 1 - A mild problem |
| 9 | I find it hard to relax | 3 - A severe problem |
| 10 | Worrying too much | 0 - Not a problem |
| Panic Questions | | |
| 1 | Attacks of intense anxiety | 0 - Not a problem |
| 2 | Feeling so nervous it's hard to breathe | 0 - Not a problem |
| 3 | Getting so nervous I feel like passing out | 0 - Not a problem |
| 4 | Getting really scared for no reason at all | 0 - Not a problem |
| 5 | Panic attacks | 0 - Not a problem |
| 6 | Trouble catching my breath | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Agoraphobia Questions | | |
|------------------------------------|---|------------------------|
| 1 | Avoiding certain things or places | 0 - Not a problem |
| 2 | Feeling scared in open spaces or out in public | 0 - Not a problem |
| 3 | Feeling scared to use buses or trains | 0 - Not a problem |
| 4 | Feeling uncomfortable in crowds | 0 - Not a problem |
| 5 | Feelings of being trapped | 0 - Not a problem |
| 6 | Worrying about fainting in public | 0 - Not a problem |
| Obsessions & Compulsions Questions | | |
| 1 | I hate being touched or held | 0 - Not a problem |
| 2 | Checking things several times | 1 - A mild problem |
| 3 | Collecting things that you don't really need | 0 - Not a problem |
| 4 | Counting things; numbers going through your mind | 0 - Not a problem |
| 5 | Eating the same foods all the time | 0 - Not a problem |
| 6 | Feeling guilty over minor infractions | 0 - Not a problem |
| 7 | Having bad thoughts that you can't get rid of | 0 - Not a problem |
| 8 | Having thoughts or words that go over and over in your mind | 0 - Not a problem |
| 9 | It bothers me when someone eats off my plate | 0 - Not a problem |
| 10 | I have a special number that I count up to or do things just that number of times | 0 - Not a problem |
| 11 | I have to do things a certain number of times before I'm satisfied | 0 - Not a problem |
| 12 | Moving or talking in special ways to avoid bad luck | 0 - Not a problem |
| 13 | Putting things away, and they have to be just right | 0 - Not a problem |
| 14 | Repetitive behaviors like touching or counting | 0 - Not a problem |
| 15 | Thoughts about sex that are troubling | 0 - Not a problem |
| 16 | Trouble making up your mind | 2 - A moderate problem |
| 17 | Washing your hands over and over | 0 - Not a problem |
| 18 | Worrying about being clean | 0 - Not a problem |
| 19 | Worrying about the germs that are on things | 0 - Not a problem |
| Social Anxiety Questions | | |
| 1 | I am a shy person | 0 - Not a problem |
| 2 | Difficulty developing friendships | 0 - Not a problem |
| 3 | Feeling nervous around people I don't know | 0 - Not a problem |
| 4 | Feeling nervous when I have to do something in front of people | 0 - Not a problem |
| 5 | Feeling uneasy about eating or drinking in public | 0 - Not a problem |
| 6 | Hard to go out in public | 0 - Not a problem |
| 7 | Hard to relate to other people | 0 - Not a problem |
| 8 | Starting a conversation with people I don't know | 0 - Not a problem |
| Depression Questions | | |
| 1 | Crying spells | 0 - Not a problem |
| 2 | Feeling depressed | 0 - Not a problem |
| 3 | Feeling discouraged about the future | 1 - A mild problem |
| 4 | Feeling empty inside | 0 - Not a problem |
| 5 | Feeling hopeless | 0 - Not a problem |
| 6 | Feeling irritable | 1 - A mild problem |
| 7 | Feeling little or no interest in things | 1 - A mild problem |
| 8 | Feeling lonely | 0 - Not a problem |
| 9 | Feeling sad | 0 - Not a problem |
| 10 | Feeling that doing anything is a real effort | 0 - Not a problem |
| 11 | Feelings of guilt or remorse | 0 - Not a problem |
| 12 | Having nightmares or bad dreams | 0 - Not a problem |
| 13 | I feel like a failure | 0 - Not a problem |
| 14 | I feel like I'm being punished | 0 - Not a problem |
| 15 | Loss of interest in sex | 0 - Not a problem |
| 16 | Not enjoying things as much as before | 2 - A moderate problem |
| 17 | Withdrawn, isolated | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Mood Stability Questions | | |
|--------------------------|---|--------------------|
| 1 | Anger | 0 - Not a problem |
| 2 | Angry outbursts | 1 - A mild problem |
| 3 | Crying spells | 0 - Not a problem |
| 4 | Easily agitated | 0 - Not a problem |
| 5 | Easily annoyed | 1 - A mild problem |
| 6 | Easily frustrated | 1 - A mild problem |
| 7 | Elevated mood, euphoria | 0 - Not a problem |
| 8 | Excitable | 0 - Not a problem |
| 9 | Explosive | 0 - Not a problem |
| 10 | Feeling irritable | 1 - A mild problem |
| 11 | Feeling negative | 1 - A mild problem |
| 12 | My moods change quickly | 0 - Not a problem |
| 13 | Temper tantrums | 0 - Not a problem |
| Mania Questions | | |
| 1 | Much more interested in sex than usual | 0 - Not a problem |
| 2 | Being much more social or outgoing than usual | 0 - Not a problem |
| 3 | Decreased need for sleep | 0 - Not a problem |
| 4 | Feeling much more confident than usual | 0 - Not a problem |
| 5 | Having much more energy than usual | 0 - Not a problem |
| 6 | Increased or inappropriate sexual interest | 0 - Not a problem |
| 7 | Pressured speech, uninterruptible and continuous | 0 - Not a problem |
| 8 | Thoughts racing | 0 - Not a problem |
| Aggression Questions | | |
| 1 | Blaming other people for your own mistakes | 0 - Not a problem |
| 2 | Defiant or argumentative | 1 - A mild problem |
| 3 | Destructive to property or things | 0 - Not a problem |
| 4 | Excessive yelling or screaming | 0 - Not a problem |
| 5 | Getting into fights | 0 - Not a problem |
| 6 | Having an urge to injure or to hurt someone | 0 - Not a problem |
| 7 | Having the urge to destroy things | 0 - Not a problem |
| 8 | Hostile | 0 - Not a problem |
| 9 | In trouble with the law | 0 - Not a problem |
| 10 | Physical aggression toward others | 0 - Not a problem |
| Psychotic Questions | | |
| 1 | I feel nervous when people watch me or talk about me | 0 - Not a problem |
| 2 | Feeling paranoid | 0 - Not a problem |
| 3 | I feel that other people are watching or talking about me | 0 - Not a problem |
| 4 | I feel that someone else can control my mind | 0 - Not a problem |
| 5 | I feel that I can't trust other people | 0 - Not a problem |
| 6 | I feel I am being watched | 0 - Not a problem |
| 7 | I hear voices that no one else can hear | 0 - Not a problem |
| 8 | I can't think straight | 1 - A mild problem |
| 9 | My mind is full of terrifying thoughts or images | 0 - Not a problem |
| 10 | Other people know my private thoughts | 0 - Not a problem |
| 11 | Overly suspicious | 0 - Not a problem |
| 12 | Peculiar or bizarre behavior | 0 - Not a problem |
| 13 | Seeing things that other people don't see | 0 - Not a problem |
| 14 | I can't feel close to another person | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Somatic Questions | | |
|---------------------------|--|------------------------|
| 1 | Blackout spells or seizures | 0 - Not a problem |
| 2 | Difficulty breathing | 0 - Not a problem |
| 3 | Difficulty swallowing | 0 - Not a problem |
| 4 | Dizzy/unsteady/lightheaded | 1 - A mild problem |
| 5 | Feeling faint | 0 - Not a problem |
| 6 | Heart racing | 0 - Not a problem |
| 7 | Nausea | 0 - Not a problem |
| 8 | Numbness/Tingling | 0 - Not a problem |
| 9 | Worrying that something bad is wrong with your body | 0 - Not a problem |
| Fatigue Questions | | |
| 1 | Fatigue | 1 - A mild problem |
| 2 | Feeling slower than usual | 1 - A mild problem |
| 3 | Feeling tired | 2 - A moderate problem |
| 4 | Feeling weak | 0 - Not a problem |
| 5 | Low energy | 1 - A mild problem |
| 6 | Unable to exercise without getting really tired | 1 - A mild problem |
| Sleep Questions | | |
| 1 | Difficulty staying asleep | 2 - A moderate problem |
| 2 | Hard to fall asleep | 2 - A moderate problem |
| 3 | I wake up too early in the morning and can't get back to sleep | 1 - A mild problem |
| 4 | Restless or disturbed sleep | 2 - A moderate problem |
| Suicide Questions | | |
| 1 | I feel like giving up on life | 0 - Not a problem |
| 2 | I feel like I would be better off dead | 0 - Not a problem |
| 3 | I feel that I have nothing left to live for | 0 - Not a problem |
| 4 | I feel that my family would be better off if I were gone | 0 - Not a problem |
| 5 | Thinking about death or dying | 0 - Not a problem |
| 6 | Thoughts about ending your life | 0 - Not a problem |
| Pain Questions | | |
| 1 | A lot of aches and pains | 1 - A mild problem |
| 2 | Abdominal pain or discomfort | 0 - Not a problem |
| 3 | Back pain | 0 - Not a problem |
| 4 | Chest pain or discomfort | 0 - Not a problem |
| 5 | Headache | 1 - A mild problem |
| 6 | Muscle soreness | 0 - Not a problem |
| 7 | Unable to exercise without a lot of pain | 0 - Not a problem |
| 8 | Unbearable pain | 0 - Not a problem |
| Substance Abuse Questions | | |
| 1 | Abusing drugs | 0 - Not a problem |
| 2 | I drink too much | 0 - Not a problem |
| 3 | I use too many drugs or medications | 0 - Not a problem |
| PTSD Questions | | |
| 1 | Avoiding certain things or places | 0 - Not a problem |
| 2 | Difficulty concentrating | 2 - A moderate problem |
| 3 | Difficulty staying asleep | 2 - A moderate problem |
| 4 | Easily startled | 0 - Not a problem |
| 5 | Emotionally numb | 1 - A mild problem |
| 6 | Feeling depressed | 0 - Not a problem |
| 7 | Feeling discouraged about the future | 1 - A mild problem |
| 8 | I feel that I can't trust other people | 0 - Not a problem |
| 9 | Flashbacks to a traumatic event | 0 - Not a problem |
| 10 | Hard to fall asleep | 2 - A moderate problem |
| 11 | Hard to go out in public | 0 - Not a problem |
| 12 | Hard to relate to other people | 0 - Not a problem |
| 13 | Having nightmares or bad dreams | 0 - Not a problem |
| 14 | Having unpleasant thoughts that you can't get out of your mind | 0 - Not a problem |
| 15 | I feel like I'm being punished | 0 - Not a problem |
| 16 | Reliving a traumatic event | 0 - Not a problem |
| 17 | Restless or disturbed sleep | 2 - A moderate problem |
| 18 | I can't feel close to another person | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Bipolar Questions | | |
|-------------------|---|------------------------|
| 1 | Anger | 0 - Not a problem |
| 2 | Angry outbursts | 1 - A mild problem |
| 3 | Much more interested in sex than usual | 0 - Not a problem |
| 4 | Being much more social or outgoing than usual | 0 - Not a problem |
| 5 | Crying spells | 0 - Not a problem |
| 6 | Decreased need for sleep | 0 - Not a problem |
| 7 | Difficulty concentrating | 2 - A moderate problem |
| 8 | Difficulty paying attention | 2 - A moderate problem |
| 9 | Easily agitated | 0 - Not a problem |
| 10 | Easily annoyed | 1 - A mild problem |
| 11 | Easily distracted | 2 - A moderate problem |
| 12 | Easily frustrated | 1 - A mild problem |
| 13 | Elevated mood, euphoria | 0 - Not a problem |
| 14 | Excitable | 0 - Not a problem |
| 15 | Explosive | 0 - Not a problem |
| 16 | Feeling irritable | 1 - A mild problem |
| 17 | Feeling much more confident than usual | 0 - Not a problem |
| 18 | Feeling restless | 2 - A moderate problem |
| 19 | Feeling scattered, disorganized | 2 - A moderate problem |
| 20 | Having much more energy than usual | 0 - Not a problem |
| 21 | High energy | 0 - Not a problem |
| 22 | Impulsive, act without thinking | 1 - A mild problem |
| 23 | Increased or inappropriate sexual interest | 0 - Not a problem |
| 24 | My moods change quickly | 0 - Not a problem |
| 25 | Overly active | 2 - A moderate problem |
| 26 | Pressured speech, uninterruptible and continuous | 0 - Not a problem |
| 27 | Short attention span | 2 - A moderate problem |
| 28 | Temper tantrums | 0 - Not a problem |
| 29 | Thoughts racing | 0 - Not a problem |
| Autism Questions | | |
| 1 | Avoiding eye contact | 0 - Not a problem |
| 2 | I can't relate to other people, socially or emotionally | 0 - Not a problem |
| 3 | I don't attend to social signals | 0 - Not a problem |
| 4 | I don't respond to other people's expressions or body language | 0 - Not a problem |
| 5 | Not able to begin or to sustain a conversation with other people | 0 - Not a problem |
| 6 | Not responsive to other people's feelings | 0 - Not a problem |
| 7 | Odd preoccupations or interests | 0 - Not a problem |
| 8 | Peculiar or bizarre behavior | 0 - Not a problem |
| 9 | Preoccupied by a particular interest to the exclusion of other things | 1 - A mild problem |
| 10 | Repetitive behaviors like touching or counting | 0 - Not a problem |
| 11 | Rigid, inflexible, resistant to change | 1 - A mild problem |
| 12 | Strongly attached to routines or sameness in the environment | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Asperger's Questions | | |
|----------------------|---|------------------------|
| 1 | Avoiding eye contact | 0 - Not a problem |
| 2 | Difficulty developing friendships | 0 - Not a problem |
| 3 | Difficulty understanding sarcasm, metaphors or jokes | 0 - Not a problem |
| 4 | Hard to relate to other people | 0 - Not a problem |
| 5 | I can't relate to other people, socially or emotionally | 0 - Not a problem |
| 6 | I don't attend to social signals | 0 - Not a problem |
| 7 | I don't respond to other people's expressions or body language | 0 - Not a problem |
| 8 | Not able to begin or to sustain a conversation with other people | 0 - Not a problem |
| 9 | Not responsive to other people's feelings | 0 - Not a problem |
| 10 | Odd preoccupations or interests | 0 - Not a problem |
| 11 | Preoccupied by a particular interest to the exclusion of other things | 1 - A mild problem |
| 12 | Rigid, inflexible, resistant to change | 1 - A mild problem |
| 13 | Strongly attached to routines or sameness in the environment | 0 - Not a problem |
| 14 | I can't feel close to another person | 0 - Not a problem |
| 15 | Withdrawn, isolated | 0 - Not a problem |
| ADHD Questions | | |
| 1 | Difficulty concentrating | 2 - A moderate problem |
| 2 | Difficulty paying attention | 2 - A moderate problem |
| 3 | Easily distracted | 2 - A moderate problem |
| 4 | Feeling restless | 2 - A moderate problem |
| 5 | Feeling scattered, disorganized | 2 - A moderate problem |
| 6 | Fidgety, I can't sit still | 2 - A moderate problem |
| 7 | Forgetful, I need constant reminding | 1 - A mild problem |
| 8 | Impatient | 1 - A mild problem |
| 9 | Impulsive, act without thinking | 1 - A mild problem |
| 10 | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| 11 | Losing things | 1 - A mild problem |
| 12 | Making careless mistakes | 1 - A mild problem |
| 13 | Not finishing chores, homework or projects | 2 - A moderate problem |
| 14 | Overly active | 2 - A moderate problem |
| 15 | Short attention span | 2 - A moderate problem |
| MCI Questions | | |
| 1 | Difficulty concentrating | 2 - A moderate problem |
| 2 | Difficulty paying attention | 2 - A moderate problem |
| 3 | Easily distracted | 2 - A moderate problem |
| 4 | Feeling scattered, disorganized | 2 - A moderate problem |
| 5 | Forgetful, I need constant reminding | 1 - A mild problem |
| 6 | Forgetting appointments or social engagements. | 1 - A mild problem |
| 7 | Forgetting if you have taken your medicine | 0 - Not a problem |
| 8 | Forgetting to do something you said you would do | 0 - Not a problem |
| 9 | Forgetting to give a message to someone | 0 - Not a problem |
| 10 | Forgetting to tell somebody something that you meant to tell them | 0 - Not a problem |
| 11 | Forgetting where things are kept; looking for them in the wrong place | 1 - A mild problem |
| 12 | Going to the store but forgetting to get what you need | 1 - A mild problem |
| 13 | Having to do things slowly to make sure it's right | 3 - A severe problem |
| 14 | I can't remember the names of close relatives or friends. | 2 - A moderate problem |
| 15 | Learning new things | 0 - Not a problem |
| 16 | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| 17 | Losing things | 1 - A mild problem |
| 18 | Making careless mistakes | 1 - A mild problem |
| 19 | My mind goes blank | 2 - A moderate problem |
| 20 | Not finishing chores, homework or projects | 2 - A moderate problem |
| 21 | Putting something down and then forgetting where you put it. | 2 - A moderate problem |
| 22 | Reading something and then realizing you have read it before. | 0 - Not a problem |
| 23 | Short attention span | 2 - A moderate problem |
| 24 | When reading, losing track of what the story is about | 1 - A mild problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | |
|---------------------------------------|-----------------------------------|
| Patient ID: 39270 | Test Date: April 7, 2025 21:18:03 |
| Age: 44 | Administrator: Lucid Cognition |
| Total Test Time: 55:23 (min:secs) | Language: English (United States) |
| Duration: 11:16 (min:secs) | CNSVS Online Version 2.0.5 |

| Concussion Questions | | |
|------------------------------|---|------------------------|
| 1 | Difficulty concentrating | 2 - A moderate problem |
| 2 | Difficulty paying attention | 2 - A moderate problem |
| 3 | Dizzy/unsteady/lightheaded | 1 - A mild problem |
| 4 | Easily distracted | 2 - A moderate problem |
| 5 | Easily frustrated | 1 - A mild problem |
| 6 | Fatigue | 1 - A mild problem |
| 7 | Feeling irritable | 1 - A mild problem |
| 8 | Feeling scattered, disorganized | 2 - A moderate problem |
| 9 | Feeling slower than usual | 1 - A mild problem |
| 10 | Hard to fall asleep | 2 - A moderate problem |
| 11 | Headache | 1 - A mild problem |
| 12 | I can't think straight | 1 - A mild problem |
| 13 | Low energy | 1 - A mild problem |
| 14 | My mind goes blank | 2 - A moderate problem |
| 15 | My moods change quickly | 0 - Not a problem |
| 16 | Problems with memory | 2 - A moderate problem |
| 17 | Short attention span | 2 - A moderate problem |
| 18 | Unable to exercise without getting really tired | 1 - A mild problem |
| Anxiety/Depression Questions | | |
| 1 | Crying spells | 0 - Not a problem |
| 2 | Easily agitated | 0 - Not a problem |
| 3 | Fatigue | 1 - A mild problem |
| 4 | Feeling anxious | 0 - Not a problem |
| 5 | Feeling depressed | 0 - Not a problem |
| 6 | Feeling discouraged about the future | 1 - A mild problem |
| 7 | Feeling empty inside | 0 - Not a problem |
| 8 | Feeling hopeless | 0 - Not a problem |
| 9 | Feeling irritable | 1 - A mild problem |
| 10 | Feeling keyed up or on edge | 0 - Not a problem |
| 11 | Feeling little or no interest in things | 1 - A mild problem |
| 12 | Feeling lonely | 0 - Not a problem |
| 13 | Feeling nervous | 0 - Not a problem |
| 14 | Feeling restless | 2 - A moderate problem |
| 15 | Feeling sad | 0 - Not a problem |
| 16 | Feeling scattered, disorganized | 2 - A moderate problem |
| 17 | Feeling so nervous it's hard to breathe | 0 - Not a problem |
| 18 | Feeling tense | 2 - A moderate problem |
| 19 | Feeling that doing anything is a real effort | 0 - Not a problem |
| 20 | Feeling tired | 2 - A moderate problem |
| 21 | Feelings of guilt or remorse | 0 - Not a problem |
| 22 | Fidgety, I can't sit still | 2 - A moderate problem |
| 23 | Hard to fall asleep | 2 - A moderate problem |
| 24 | Having nightmares or bad dreams | 0 - Not a problem |
| 25 | High-strung or keyed up | 1 - A mild problem |
| 26 | I feel like a failure | 0 - Not a problem |
| 27 | I feel like I'm being punished | 0 - Not a problem |
| 28 | I find it hard to relax | 3 - A severe problem |
| 29 | Low energy | 1 - A mild problem |
| 30 | My mind goes blank | 2 - A moderate problem |
| 31 | Not enjoying things as much as before | 2 - A moderate problem |
| 32 | Restless or disturbed sleep | 2 - A moderate problem |
| 33 | Thinking about death or dying | 0 - Not a problem |
| 34 | Withdrawn, isolated | 0 - Not a problem |
| 35 | Worrying too much | 0 - Not a problem |