

| CNS Vital Signs Report | | | | |
|-----------------------------------|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| CNSVS Duration: 35:24 (min:secs) | CNSVS Online Version 2.0.5 | | | |

| Patient Profile | Percentil | | | > 74 | 25 - 74 | 9 - 24 | 2 - 8 | < 2 | |
|----------------------------|----------------------|----------------|------------|------|---------|----------|----------------|---------|-------------|
| Patient Prome | Standard Score Range | | | | > 109 | 90 - 109 | 80 - 89 | 70 - 79 | < 70 |
| Domain Scores | Patient Score | Standard Score | Percentile | VI** | Above | Average | Low Average | Low | Very Low |
| Neurocognition Index (NCI) | NA | 100 | 50 | Yes | | Х | | | |
| Composite Memory | 91 | 82 | 12 | Yes | | | Х | | |
| Verbal Memory | 49 | 86 | 18 | Yes | | | Х | | |
| Visual Memory | 42 | 85 | 16 | Yes | | | Х | | |
| Psychomotor Speed | 213 | 118 | 88 | Yes | Х | | | | |
| Reaction Time* | 696 | 82 | 12 | Yes | | | Х | | |
| Complex Attention* | 2 | 113 | 81 | Yes | Х | | | | |
| Cognitive Flexibility | 52 | 103 | 58 | Yes | | Х | | | |
| Processing Speed | 61 | 95 | 37 | Yes | | Х | | | |
| Executive Function | 52 | 102 | 55 | Yes | | Х | | | |
| Reasoning | 12 | 117 | 87 | Yes | Х | | | | |
| Working Memory | 16 | 119 | 90 | Yes | Х | | | | |
| Sustained Attention | 37 | 113 | 81 | Yes | Х | | | | |
| Simple Attention | 40 | 108 | 70 | Yes | | Х | | | |
| Motor Speed | 149 | 126 | 96 | Yes | Х | | | | |

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An * denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI** - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

| Verbal Memory Test (VBM) | Score | Standard | Percentile | |
|----------------------------|-------|----------|------------|--|
| Correct Hits - Immediate | 11 | 86 | 18 | Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at |
| Correct Passes - Immediate | 14 | 95 | 37 | the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend |
| Correct Hits - Delay | 10 | 91 | 27 | literal representations or attribute. "Correct Hits" refers to the |
| Correct Passes - Delay | 14 | 95 | 37 | number of target words recognized. Low scores indicate verbal memory impairment. |
| Visual Memory Test (VSM) | Score | Standard | Percentile | |
| Correct Hits - Immediate | 13 | 107 | 68 | Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is |
| Correct Passes - Immediate | 10 | 85 | 16 | repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric |
| Correct Hits - Delay | 12 | 105 | 63 | figures e.g. exploit or attend symbolic or spatial representations. |
| Correct Passes - Delay | 7 | 68 | 2 | "Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment. |
| Finger Tapping Test (FTT) | Score | Standard | Percentile | |
| Right Taps Average | 74 | 121 | 92 | The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand. |
| Left Taps Average | 75 | 128 | 97 | Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always. |



| CNS Vital Signs Report | | | | |
|-----------------------------------|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| CNSVS Duration: 35:24 (min:secs) | CNSVS Online Version 2.0.5 | | | |

| Symbol Digit Coding (SDC) | Score | Standard | Percentile | |
|-----------------------------------|-------|----------|------------|--|
| Correct Responses | 64 | 97 | 42 | The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual |
| Errors* | 3 | 82 | 12 | perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion. |
| Stroop Test (ST) | Score | Standard | Percentile | |
| Simple Reaction Time* | 255 | 102 | 55 | The ST measures simple and complex reaction time, inhibition / |
| Complex Reaction Time Correct* | 682 | 77 | 6 | disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and |
| Stroop Reaction Time Correct* | 709 | 91 | 27 | increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to |
| Stroop Commission Errors* | 0 | 109 | 73 | impulsive responding, misperception, or confusion. |
| Shifting Attention Test (SAT) | Score | Standard | Percentile | |
| Correct Responses | 54 | 96 | 40 | The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules, |
| Errors* | 2 | 110 | 75 | categories) and manages multiple tasks simultaneously. Subjects have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction |
| Correct Reaction Time* | 967 | 101 | 53 | time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent. |
| Continuous Performance Test (CPT) | Score | Standard | Percentile | |
| Correct Responses | 40 | 104 | 61 | The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on |
| Omission Errors* | 0 | 104 | 61 | this test. A long response time may suggest cognitive slowing |
| Commission Errors* | 0 | 108 | 70 | and/or impairment. More than 2 errors (total) may be clinically |
| Choice Reaction Time Correct* | 475 | 77 | 6 | significant. More than 4 errors (total) indicate attentional dysfunction. |
| Reasoning Test (RT) | Score | Standard | Percentile | |
| Correct Responses | 13 | 116 | 86 | The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and |
| Average Correct Reaction Time* | 4207 | 107 | 68 | recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices |
| Commission Errors* | 1 | 118 | 88 | are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving |
| Omission Errors* | 1 | 95 | 37 | issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information. |



| CNS Vital Signs Report | | | | |
|-----------------------------------|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| CNSVS Duration: 35:24 (min:secs) | CNSVS Online Version 2.0.5 | | | |

| Four Part Continuous Performance Test | Score | Standard | Percentile | |
|--|-------|----------|------------|--|
| Part 1 | | | | The FPCPT test is a four part test that measures a subject's w |
| Average Correct Reaction Time* | 288 | 105 | 63 | memory and sustained attention. The FPCPT is a four part |
| Part 2 | | • | | PART ONE - is a simple reaction time test, the subject must the space bar when any stimulus is presented; PART TWO |
| Correct Responses | 6 | 103 | 58 | variant of the continuous performance test, the subject is asl |
| Average Correct Reaction Time* | 375 | 99 | 47 | respond to one stimulus, but not to any others. Discriminal |
| Incorrect Responses* | 1 | 100 | 50 | required, so the reaction times that are generated are "o |
| Average Incorrect Reaction Time* | 346 | 75 | 5 | reaction times". PART THREE - is a "one back" CPT. The subjection |
| Omission Errors* | 0 | 103 | 58 | to respond to a figure only if the figure immediately precedin the same. PART FOUR - is a "two-back" CPT. It is a difficult tas |
| Part 3 | | | | is used to measure working memory. Parts two, three, and for |
| Correct Responses | 16 | 112 | 79 | the tests are used to calculate sustained attention domain. |
| Average Correct Reaction Time* | 489 | 100 | 50 | |
| Incorrect Responses* | 0 | 104 | 61 | |
| Average Incorrect Reaction Time* | 0 | | | |
| Omission Errors* | 0 | 112 | 79 | |
| Part 4 | | | | |
| Correct Responses | 16 | 118 | 88 | |
| Average Correct Reaction Time* | 670 | 95 | 37 | |
| Incorrect Responses* | 0 | 112 | 79 | |
| Average Incorrect Reaction Time* | 0 | | | |
| Omission Errors* | 0 | 118 | 88 | |



| Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist | | | | |
|--|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| Duration: 1:51 (min:secs) | CNSVS Online Version 2.0.5 | | | |

Some

Very

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

| Pa | rt A (questions 1-6) | Never | Rarely | Some | Often | Very Often |
|----|---|-------|--------|------|-------|---------------|
| | How often do you have trouble wrapping up the final details of a project, once the | | | | X | |
| | challenging parts have been done? | | | | | |
| 2 | How often do you have difficulty getting things in order when you have to do a task | | | | Х | |
| | that requires organization? | | | | | |
| 3 | How often do you have problems remembering appointments or obligations? | | Х | | | |
| | When you have a task that requires a lot of thought, how often do you avoid or delay getting started? | | | | | Х |
| 5 | How often do you fidget or squirm with your hands or feet when you have to sit down for a long time? | | | | | Х |
| 6 | How often do you feel overly active and compelled to do things, like you were driven by a motor? | | | Х | | |
| Pa | rt B (questions 7-18) | | | | | |
| | How often do you make careless mistakes when you have to work on a boring or difficult project? | | | Х | | |
| | How often do you have difficulty keeping your attention when you are doing boring? or repetitive work | | | | | Х |
| 9 | How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly? | | | | Х | |
| 10 | How often do you misplace or have difficulty finding things at home or at work? | | | | Х | |
| 11 | How often are you distracted by activity or noise around you? | | | | Х | |
| 12 | How often do you leave your seat in meetings or other situations in which you are expected to remain seated? | Х | | | | |
| 13 | How often do you feel restless or fidgety? | | | | Х | |
| 14 | How often do you have difficulty unwinding and relaxing when you have time to yourself? | | | Х | | |
| 15 | How often do you find yourself talking too much when you are in social situations? | | | | Х | |
| 16 | When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves? | | | | Х | |
| 17 | How often do you have difficulty waiting your turn in situations when taking turns is required? | | | Х | | |
| 18 | How often do you interrupt others when they are busy? | | | Х | | |

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.



| Epworth Sleepiness Scale (ESS) SF-8 | | | | |
|-------------------------------------|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| Duration: 0:48 (min:secs) | CNSVS Online Version 2.0.5 | | | |

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

| In | In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation? | | | | |
|----|--|-------------------------------|--|--|--|
| 1 | Sitting and reading | 1 - Slight chance of dozing | | | |
| 2 | Watching TV | 1 - Slight chance of dozing | | | |
| 3 | Sitting inactive in a public place (e.g., a theater or a meeting) | 1 - Slight chance of dozing | | | |
| | As a passenger in a car for an hour without a break | 2 - Moderate chance of dozing | | | |
| 5 | Lying down to rest in the afternoon when circumstances permit | 3 - High chance of dozing | | | |
| 6 | Sitting and talking to someone | 0 - No chance of dozing | | | |
| 7 | Sitting quietly after a lunch without alcohol | 0 - No chance of dozing | | | |
| 8 | In a car, while stopped for a few minutes in traffic | 0 - No chance of dozing | | | |
| | Epworth Score | 8 | | | |



| NeuroPsych Questionnaire (NPQ) LF-207 | | | | |
|---------------------------------------|------------------------------------|--|--|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | | | |
| Age: 29 | Administrator: Lucid Cognition | | | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | | | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | | | |

| Domain | Score | Severity | Description |
|--------------------------|-------|---------------|----------------|
| Attention | 127 | Mild | The Neurops |
| Impulsive | 100 | Mild | a series of q |
| Learning | 54 | Not a problem | the symptom |
| Memory | 68 | Not a problem | similar to th |
| Anxiety | 100 | Mild | clinical quest |
| Panic | 17 | Not a problem | scale of 0 (n |
| Agoraphobia | 33 | Not a problem | indicate a s |
| Obsessions & Compulsions | 63 | Not a problem | problem; and |
| Social Anxiety | 63 | Not a problem | Neuropsych |
| Depression | 18 | Not a problem | symptoms o |
| Mood Stability | 46 | Not a problem | patient has |
| Mania | 13 | Not a problem | parent or car |
| Aggression | 0 | Not a problem | Conversely, |
| Psychotic | 21 | Not a problem | not reporting |
| Somatic | 22 | Not a problem | during the pe |
| Fatigue | 67 | Not a problem | others tend |
| Sleep | 50 | Not a problem | Questionnair |
| Suicide | 17 | Not a problem | only meant to |
| Pain | 13 | Not a problem | clinical exam |
| Substance Abuse | 0 | Not a problem | |
| Average Symptom Score | 45 | Not a problem | |
| PTSD | 50 | Not a problem | |
| Bipolar | 55 | Not a problem | |
| Autism | 25 | Not a problem | |
| Asperger's | 13 | Not a problem | |
| ADHD | 127 | Mild | |
| MCI | 92 | Mild | |
| Concussion | 89 | Mild | |
| Anxiety/Depression | 60 | Not a problem | |

The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination.

| Atte | Attention Questions | | |
|------|--|------------------------|--|
| 1 | Difficulty concentrating | 2 - A moderate problem | |
| 2 | Difficulty paying attention | 2 - A moderate problem | |
| 3 | Easily distracted | 1 - A mild problem | |
| 4 | Feeling scattered, disorganized | 1 - A mild problem | |
| 5 | Forgetful, I need constant reminding | 0 - Not a problem | |
| 6 | Leaving things behind and having to go back to get them. | 1 - A mild problem | |
| 7 | Losing things | 2 - A moderate problem | |
| 8 | Making careless mistakes | 1 - A mild problem | |
| 9 | Not finishing chores, homework or projects | 1 - A mild problem | |
| 10 | Short attention span | 2 - A moderate problem | |
| 11 | When reading, losing track of what the story is about | 1 - A mild problem | |
| Impu | ulsive Questions | | |
| 1 | Feeling restless | 1 - A mild problem | |
| 2 | Fidgety, I can't sit still | 2 - A moderate problem | |
| 3 | High energy | 0 - Not a problem | |
| 4 | Impatient | 2 - A moderate problem | |
| 5 | Impulsive, act without thinking | 1 - A mild problem | |
| 6 | Overly active | 0 - Not a problem | |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| earni | ng Questions | |
|-------|--|------------------------|
| | ad handwriting | 1 - A mild problem |
| | aving to do things slowly to make sure it's right | 0 - Not a problem |
| | earning a foreign language | 0 - Not a problem |
| | earning a roleigh language earning math | 0 - Not a problem |
| | earning main | 1 - A mild problem |
| | don't like to read | 2 - A moderate problem |
| - | don't like to read don't work up to my potential | 2 - A moderate problem |
| | Organizing studies or projects | 0 - Not a problem |
| | aying attention to lectures | 0 - Not a problem |
| | emembering what you studied or read | 0 - Not a problem |
| | aking notes | 0 - Not a problem |
| | aking tests | 0 - Not a problem |
| | | |
| lo V | /hen reading, losing track of what the story is about | 1 - A mild problem |
| | ry Questions | O. Not a problem |
| | ailing to recognize places you have been before. | 0 - Not a problem |
| | inding a television story or a movie hard to follow. | 1 - A mild problem |
| | orgetful, I need constant reminding | 0 - Not a problem |
| | orgetting appointments or social engagements. | 0 - Not a problem |
| | orgetting if you have taken your medicine | 1 - A mild problem |
| | orgetting something cooking on the stove or in the toaster | 0 - Not a problem |
| | orgetting to do something you said you would do | 1 - A mild problem |
| | orgetting to give a message to someone | 0 - Not a problem |
| | orgetting to tell somebody something that you meant to tell them | 0 - Not a problem |
| | orgetting where things are kept; looking for them in the wrong place | 1 - A mild problem |
| | orgetting where you parked the car | 0 - Not a problem |
| | soing to the store but forgetting to get what you need | 1 - A mild problem |
| | can't remember the names of close relatives or friends. | 0 - Not a problem |
| | earning new things | 1 - A mild problem |
| | eaving things behind and having to go back to get them. | 1 - A mild problem |
| | ly mind goes blank | 0 - Not a problem |
| | roblems with memory | 1 - A mild problem |
| | utting something down and then forgetting where you put it. | 2 - A moderate problem |
| 19 R | leading something and then realizing you have read it before. | 1 - A mild problem |
| | rouble thinking of the right word | 1 - A mild problem |
| | nable to remember things as well as I used to | 2 - A moderate problem |
| 22 V | hen reading, losing track of what the story is about | 1 - A mild problem |
| | y Questions | |
| | eeling anxious | 1 - A mild problem |
| | eeling keyed up or on edge | 0 - Not a problem |
| | eeling nervous | 2 - A moderate problem |
| | eeling restless | 1 - A mild problem |
| | eeling tense | 2 - A moderate problem |
| | idgety, I can't sit still | 2 - A moderate problem |
| 7 H | aving nightmares or bad dreams | 0 - Not a problem |
| 8 H | ligh-strung or keyed up | 0 - Not a problem |
| 9 I | find it hard to relax | 0 - Not a problem |
| | Vorrying too much | 2 - A moderate problem |
| | Questions | |
| 1 A | ttacks of intense anxiety | 0 - Not a problem |
| | eeling so nervous it's hard to breathe | 0 - Not a problem |
| | Setting so nervous I feel like passing out | 0 - Not a problem |
| | Setting really scared for no reason at all | 1 - A mild problem |
| | anic attacks | 0 - Not a problem |
| | rouble catching my breath | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| Ago | raphobia Questions | |
|-------------------|---|---------------------------------------|
| 1 | Avoiding certain things or places | 1 - A mild problem |
| 2 | Feeling scared in open spaces or out in public | 0 - Not a problem |
| 3 | Feeling scared to use buses or trains | 0 - Not a problem |
| 4 | Feeling uncomfortable in crowds | 1 - A mild problem |
| 5 | Feelings of being trapped | 0 - Not a problem |
| 6 | Worrying about fainting in public | 0 - Not a problem |
| bs | essions & Compulsions Questions | · · · · · · · · · · · · · · · · · · · |
| 1 | I hate being touched or held | 0 - Not a problem |
| 2 | Checking things several times | 1 - A mild problem |
| 3 | Collecting things that you don't really need | 0 - Not a problem |
| 4 | Counting things; numbers going through your mind | 0 - Not a problem |
| 5 | Eating the same foods all the time | 0 - Not a problem |
| 6 | Feeling guilty over minor infractions | 1 - A mild problem |
| 7 | Having bad thoughts that you can't get rid of | 2 - A moderate problem |
| 8 | Having thoughts or words that go over and over in your mind | 2 - A moderate problem |
| 9 | It bothers me when someone eats off my plate | 0 - Not a problem |
| 10 | I have a special number that I count up to or do things just that number of times | 0 - Not a problem |
| 11 | I have to do things a certain number of times before I'm satisfied | 1 - A mild problem |
| 12 | Moving or talking in special ways to avoid bad luck | 0 - Not a problem |
| 13 | Putting things away, and they have to be just right | 0 - Not a problem |
| 14 | Repetitive behaviors like touching or counting | 1 - A mild problem |
| 15 | Thoughts about sex that are troubling | 0 - Not a problem |
| 6 | Trouble making up your mind | 1 - A mild problem |
| 17 | Washing your hands over and over | 0 - Not a problem |
| 18 | Worrying about being clean | 1 - A mild problem |
| 19 | Worrying about the germs that are on things | 2 - A moderate problem |
| | al Anxiety Questions | |
| 1 | I am a shy person | 1 - A mild problem |
| 2 | Difficulty developing friendships | 0 - Not a problem |
| 3 | Feeling nervous around people I don't know | 1 - A mild problem |
| 4 | Feeling nervous when I have to do something in front of people | 2 - A moderate problem |
| <u>.</u> 5 | Feeling uneasy about eating or drinking in public | 0 - Not a problem |
| 6 | Hard to go out in public | 0 - Not a problem |
| 7 | Hard to relate to other people | 0 - Not a problem |
| 8 | Starting a conversation with people I don't know | 1 - A mild problem |
| | ression Questions | 1 7 Tillia problem |
| 1 | Crying spells | 0 - Not a problem |
| 2 | Feeling depressed | 0 - Not a problem |
| 3 | Feeling discouraged about the future | 0 - Not a problem |
| <u>3</u> 4 | Feeling empty inside | 0 - Not a problem |
| 5 | Feeling hopeless | 0 - Not a problem |
| <u>5</u> | Feeling irritable | 1 - A mild problem |
| <u> 7</u> | Feeling little or no interest in things | 0 - Not a problem |
| / 8 | Feeling lonely | 0 - Not a problem |
| 9 | Feeling sad | 1 - A mild problem |
| 9 10 | Feeling sad Feeling that doing anything is a real effort | 1 - A mild problem |
| | | 0 - Not a problem |
| 11 | Feelings of guilt or remorse | |
| 2 | Having nightmares or bad dreams | 0 - Not a problem |
| 13 | I feel like a failure | 0 - Not a problem |
| 14 | I feel like I'm being punished | 0 - Not a problem |
| 15 | Loss of interest in sex | 0 - Not a problem 0 - Not a problem |
| | | I U - Not a problem |
| 16 17 | Not enjoying things as much as before Withdrawn, isolated | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| 00 | d Stability Questions | |
|-----|---|---------------------------------------|
| 1 | Anger | 0 - Not a problem |
| 2 | Angry outbursts | 0 - Not a problem |
| 3 | Crying spells | 0 - Not a problem |
| 1 | Easily agitated | 1 - A mild problem |
| 5 | Easily annoyed | 1 - A mild problem |
| 6 | Easily frustrated | 2 - A moderate problem |
| 7 | Elevated mood, euphoria | 0 - Not a problem |
| 3 | Excitable | 0 - Not a problem |
| 9 | Explosive | 0 - Not a problem |
| 0 | Feeling irritable | 1 - A mild problem |
| 1 | Feeling negative | 1 - A mild problem |
| 2 | My moods change quickly | 0 - Not a problem |
| 3 | Temper tantrums | 0 - Not a problem |
| an | ia Questions | · |
| 1 | Much more interested in sex than usual | 0 - Not a problem |
| 2 | Being much more social or outgoing than usual | 0 - Not a problem |
| 3 | Decreased need for sleep | 0 - Not a problem |
| 4 | Feeling much more confident than usual | 0 - Not a problem |
| 5 | Having much more energy than usual | 0 - Not a problem |
| 6 | Increased or inappropriate sexual interest | 0 - Not a problem |
| 7 | Pressured speech, uninterruptible and continuous | 0 - Not a problem |
| 3 | Thoughts racing | 1 - A mild problem |
| gg | ression Questions | · · · · · · · · · · · · · · · · · · · |
| 1 | Blaming other people for your own mistakes | 0 - Not a problem |
| 2 | Defiant or argumentative | 0 - Not a problem |
| 3 | Destructive to property or things | 0 - Not a problem |
| 4 | Excessive yelling or screaming | 0 - Not a problem |
| 5 | Getting into fights | 0 - Not a problem |
| 6 | Having an urge to injure or to hurt someone | 0 - Not a problem |
| 7 | Having the urge to destroy things | 0 - Not a problem |
| 8 | Hostile | 0 - Not a problem |
| 9 | In trouble with the law | 0 - Not a problem |
| 0 | Physical aggression toward others | 0 - Not a problem |
| syc | chotic Questions | |
| 1 | I feel nervous when people watch me or talk about me | 1 - A mild problem |
| 2 | Feeling paranoid | 0 - Not a problem |
| 3 | I feel that other people are watching or talking about me | 0 - Not a problem |
| 4 | I feel that someone else can control my mind | 0 - Not a problem |
| 5 | I feel that I can't trust other people | 0 - Not a problem |
| 6 | I feel I am being watched | 0 - Not a problem |
| 7 | I hear voices that no one else can hear | 0 - Not a problem |
| 3 | I can't think straight | 1 - A mild problem |
| 9 | My mind is full of terrifying thoughts or images | 1 - A mild problem |
| 0 | Other people know my private thoughts | 0 - Not a problem |
| 1 | Overly suspicious | 0 - Not a problem |
| 2 | Peculiar or bizarre behavior | 0 - Not a problem |
| 3 | Seeing things that other people don't see | 0 - Not a problem |
| | I can't feel close to another person | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| | Duration | . 9.05 (IIIII.Secs) | CN3V3 Offillite Version 2.0.3 |
|------|--|---------------------|-------------------------------|
| Som | natic Questions | | |
| 1 | Blackout spells or seizures | | 0 - Not a problem |
| 2 | Difficulty breathing | | 0 - Not a problem |
| 3 | Difficulty swallowing | | 0 - Not a problem |
| 4 | Dizzy/unsteady/lightheaded | | 0 - Not a problem |
| 5 | Feeling faint | | 0 - Not a problem |
| 6 | Heart racing | | 1 - A mild problem |
| 7 | Nausea | | 1 - A mild problem |
| 8 | Numbness/Tingling | | 0 - Not a problem |
| 9 | Worrying that something bad is wrong with your body | 1 | 0 - Not a problem |
| | gue Questions | | To the a problem |
| 1 | Fatigue | | 2 - A moderate problem |
| 2 | Feeling slower than usual | | 0 - Not a problem |
| 3 | Feeling tired | | 1 - A mild problem |
| 4 | Feeling weak | | 0 - Not a problem |
| 5 | Low energy | | 1 - A mild problem |
| 6 | Unable to exercise without getting really tired | | 0 - Not a problem |
| Slee | p Questions | | |
| 1 | Difficulty staying asleep | | 1 - A mild problem |
| 2 | Hard to fall asleep | | 0 - Not a problem |
| 3 | I wake up too early in the morning and can't get back | to sleep | 0 - Not a problem |
| 4 | Restless or disturbed sleep | • | 1 - A mild problem |
| Suic | ide Questions | | |
| 1 | I feel like giving up on life | | 0 - Not a problem |
| 2 | I feel like I would be better off dead | | 0 - Not a problem |
| 3 | I feel that I have nothing left to live for | | 0 - Not a problem |
| 4 | I feel that my family would be better off if I were gone | 9 | 0 - Not a problem |
| 5 | Thinking about death or dying | | 1 - A mild problem |
| 6 | Thoughts about ending your life | | 0 - Not a problem |
| Pain | Questions | | |
| 1 | A lot of aches and pains | | 0 - Not a problem |
| 2 | Abdominal pain or discomfort | | 0 - Not a problem |
| 3 | Back pain | | 0 - Not a problem |
| 4 | Chest pain or discomfort | | 0 - Not a problem |
| 5 | Headache | | 0 - Not a problem |
| 6 | Muscle soreness | | 1 - A mild problem |
| 7 | Unable to exercise without a lot of pain | | 0 - Not a problem |
| 8 | Unbearable pain | | 0 - Not a problem |
| Sub | stance Abuse Questions | | |
| 1 | Abusing drugs | | 0 - Not a problem |
| 2 | I drink too much | | 0 - Not a problem |
| 3 | I use too many drugs or medications | | 0 - Not a problem |
| | D Questions | | |
| | Avoiding certain things or places | | 1 - A mild problem |
| 2 | Difficulty concentrating | | 2 - A moderate problem |
| 3 | Difficulty staying asleep | | 1 - A mild problem |
| 4 | Easily startled | | 1 - A mild problem |
| 5 | Emotionally numb | | 0 - Not a problem |
| 6 | Feeling depressed | | 0 - Not a problem |
| 7 | Feeling discouraged about the future | | 0 - Not a problem |
| 8 | I feel that I can't trust other people | | 0 - Not a problem |
| 9 | Flashbacks to a traumatic event | | 1 - A mild problem |
| 10 | Hard to fall asleep | | 0 - Not a problem |
| 11 | Hard to go out in public | | 0 - Not a problem |
| 12 | Hard to relate to other people | | 0 - Not a problem |
| 13 | Having nightmares or bad dreams | . , | 0 - Not a problem |
| 14 | Having unpleasant thoughts that you can't get out of | your mind | 1 - A mild problem |
| 15 | I feel like I'm being punished | | 0 - Not a problem |
| 16 | Reliving a traumatic event | | 1 - A mild problem |
| 17 | Restless or disturbed sleep | | 1 - A mild problem |
| 18 | I can't feel close to another person | | 0 - Not a problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| Bipo | olar Questions | |
|------|---|------------------------|
| 1 | Anger | 0 - Not a problem |
| 2 | Angry outbursts | 0 - Not a problem |
| 3 | Much more interested in sex than usual | 0 - Not a problem |
| 4 | Being much more social or outgoing than usual | 0 - Not a problem |
| 5 | Crying spells | 0 - Not a problem |
| 6 | Decreased need for sleep | 0 - Not a problem |
| 7 | Difficulty concentrating | 2 - A moderate problem |
| 8 | Difficulty paying attention | 2 - A moderate problem |
| 9 | Easily agitated | 1 - A mild problem |
| 10 | Easily annoyed | 1 - A mild problem |
| 11 | Easily distracted | 1 - A mild problem |
| 12 | Easily frustrated | 2 - A moderate problem |
| 13 | Elevated mood, euphoria | 0 - Not a problem |
| 14 | Excitable | 0 - Not a problem |
| 15 | Explosive | 0 - Not a problem |
| 16 | Feeling irritable | 1 - A mild problem |
| 17 | Feeling much more confident than usual | 0 - Not a problem |
| 18 | Feeling restless | 1 - A mild problem |
| 19 | Feeling scattered, disorganized | 1 - A mild problem |
| 20 | Having much more energy than usual | 0 - Not a problem |
| 21 | High energy | 0 - Not a problem |
| 22 | Impulsive, act without thinking | 1 - A mild problem |
| 23 | Increased or inappropriate sexual interest | 0 - Not a problem |
| 24 | My moods change quickly | 0 - Not a problem |
| 25 | Overly active | 0 - Not a problem |
| 26 | Pressured speech, uninterruptible and continuous | 0 - Not a problem |
| 27 | Short attention span | 2 - A moderate problem |
| 28 | Temper tantrums | 0 - Not a problem |
| 29 | Thoughts racing | 1 - A mild problem |
| Auti | sm Questions | |
| 1 | Avoiding eye contact | 0 - Not a problem |
| 2 | I can't relate to other people, socially or emotionally | 0 - Not a problem |
| 3 | I don't attend to social signals | 1 - A mild problem |
| 4 | I don't respond to other people's expressions or body language | 0 - Not a problem |
| 5 | Not able to begin or to sustain a conversation with other people | 0 - Not a problem |
| 6 | Not responsive to other people's feelings | 0 - Not a problem |
| 7 | Odd preoccupations or interests | 0 - Not a problem |
| 8 | Peculiar or bizarre behavior | 0 - Not a problem |
| 9 | Preoccupied by a particular interest to the exclusion of other things | 0 - Not a problem |
| 10 | Repetitive behaviors like touching or counting | 1 - A mild problem |
| 11 | Rigid, inflexible, resistant to change | 0 - Not a problem |
| 12 | Strongly attached to routines or sameness in the environment | 1 - A mild problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| | rger's Questions | |
|------|---|------------------------|
| _ | Avoiding eye contact | 0 - Not a problem |
| 2 [| Difficulty developing friendships | 0 - Not a problem |
| 3 [| Difficulty understanding sarcasm, metaphors or jokes | 0 - Not a problem |
| | Hard to relate to other people | 0 - Not a problem |
| 5 I | I can't relate to other people, socially or emotionally | 0 - Not a problem |
| 6 I | I don't attend to social signals | 1 - A mild problem |
| 7 I | I don't respond to other people's expressions or body language | 0 - Not a problem |
| | Not able to begin or to sustain a conversation with other people | 0 - Not a problem |
| | Not responsive to other people's feelings | 0 - Not a problem |
| 10 (| Odd preoccupations or interests | 0 - Not a problem |
| 11 I | Preoccupied by a particular interest to the exclusion of other things | 0 - Not a problem |
| 12 I | Rigid, inflexible, resistant to change | 0 - Not a problem |
| | Strongly attached to routines or sameness in the environment | 1 - A mild problem |
| | I can't feel close to another person | 0 - Not a problem |
| | Withdrawn, isolated | 0 - Not a problem |
| | Questions | |
| | Difficulty concentrating | 2 - A moderate problem |
| | Difficulty paying attention | 2 - A moderate problem |
| | Easily distracted | 1 - A mild problem |
| | Feeling restless | 1 - A mild problem |
| _ | Feeling scattered, disorganized | 1 - A mild problem |
| | Fidgety, I can't sit still | 2 - A moderate problem |
| | Forgetful, I need constant reminding | 0 - Not a problem |
| | Impatient | 2 - A moderate problem |
| | Impulsive, act without thinking | 1 - A mild problem |
| | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| | | 2 - A moderate problem |
| | Losing things Making careless mistakes | • |
| | | 1 - A mild problem |
| | Not finishing chores, homework or projects | 1 - A mild problem |
| | Overly active | 0 - Not a problem |
| | Short attention span | 2 - A moderate problem |
| | Questions | O A mandamata muchiana |
| | Difficulty concentrating | 2 - A moderate problem |
| | Difficulty paying attention | 2 - A moderate problem |
| | Easily distracted | 1 - A mild problem |
| | Feeling scattered, disorganized | 1 - A mild problem |
| | Forgetful, I need constant reminding | 0 - Not a problem |
| | Forgetting appointments or social engagements. | 0 - Not a problem |
| | Forgetting if you have taken your medicine | 1 - A mild problem |
| | Forgetting to do something you said you would do | 1 - A mild problem |
| | Forgetting to give a message to someone | 0 - Not a problem |
| | Forgetting to tell somebody something that you meant to tell them | 0 - Not a problem |
| | Forgetting where things are kept; looking for them in the wrong place | 1 - A mild problem |
| | Going to the store but forgetting to get what you need | 1 - A mild problem |
| | Having to do things slowly to make sure it's right | 0 - Not a problem |
| 14 I | can't remember the names of close relatives or friends. | 0 - Not a problem |
| 15 I | Learning new things | 1 - A mild problem |
| 16 I | Leaving things behind and having to go back to get them. | 1 - A mild problem |
| | Losing things | 2 - A moderate problem |
| | Making careless mistakes | 1 - A mild problem |
| | My mind goes blank | 0 - Not a problem |
| | Not finishing chores, homework or projects | 1 - A mild problem |
| | Putting something down and then forgetting where you put it. | 2 - A moderate problem |
| | Reading something and then realizing you have read it before. | 1 - A mild problem |
| | Short attention span | 2 - A moderate problem |
| | onon anomion opan | Z - A moderate problem |



| NeuroPsych Questionnaire (NPQ) LF-207 | | |
|---------------------------------------|------------------------------------|--|
| Patient ID: 39394 | Test Date: April 11, 2025 11:43:18 | |
| Age: 29 | Administrator: Lucid Cognition | |
| Total Test Time: 47:52 (min:secs) | Language: English (United States) | |
| Duration: 9:05 (min:secs) | CNSVS Online Version 2.0.5 | |

| one | cussion Questions | |
|-----|---|------------------------|
| 1 | Difficulty concentrating | 2 - A moderate problem |
| 2 | Difficulty paying attention | 2 - A moderate problem |
| 3 | Dizzy/unsteady/lightheaded | 0 - Not a problem |
| 4 | Easily distracted | 1 - A mild problem |
| 5 | Easily frustrated | 2 - A moderate problem |
| ŝ | Fatigue | 2 - A moderate problem |
| 7 | Feeling irritable | 1 - A mild problem |
| 8 | Feeling scattered, disorganized | 1 - A mild problem |
| 9 | Feeling slower than usual | 0 - Not a problem |
| 0 | Hard to fall asleep | 0 - Not a problem |
| 1 | Headache | 0 - Not a problem |
| 2 | I can't think straight | 1 - A mild problem |
| | Low energy | 1 - A mild problem |
| | My mind goes blank | 0 - Not a problem |
| | My moods change quickly | 0 - Not a problem |
| | Problems with memory | 1 - A mild problem |
| 7 | Short attention span | 2 - A moderate problem |
| 8 | Unable to exercise without getting really tired | 0 - Not a problem |
| nxi | iety/Depression Questions | |
| 1 | Crying spells | 0 - Not a problem |
| 2 | Easily agitated | 1 - A mild problem |
| 3 | Fatigue | 2 - A moderate problem |
| 4 | Feeling anxious | 1 - A mild problem |
| 5 | Feeling depressed | 0 - Not a problem |
| 3 | Feeling discouraged about the future | 0 - Not a problem |
| 7 | Feeling empty inside | 0 - Not a problem |
| 8 | Feeling hopeless | 0 - Not a problem |
| 9 | Feeling irritable | 1 - A mild problem |
| 0 | Feeling keyed up or on edge | 0 - Not a problem |
| 11 | Feeling little or no interest in things | 0 - Not a problem |
| 2 | Feeling lonely | 0 - Not a problem |
| 13 | Feeling nervous | 2 - A moderate problem |
| 4 | Feeling restless | 1 - A mild problem |
| 5 | Feeling sad | 1 - A mild problem |
| 16 | Feeling scattered, disorganized | 1 - A mild problem |
| 7 | Feeling so nervous it's hard to breathe | 0 - Not a problem |
| 8 | Feeling tense | 2 - A moderate problem |
| 19 | Feeling that doing anything is a real effort | 1 - A mild problem |
| 20 | Feeling tired | 1 - A mild problem |
| 21 | Feelings of guilt or remorse | 0 - Not a problem |
| 22 | Fidgety, I can't sit still | 2 - A moderate problem |
| 23 | Hard to fall asleep | 0 - Not a problem |
| | Having nightmares or bad dreams | 0 - Not a problem |
| :5 | High-strung or keyed up | 0 - Not a problem |
| 26 | I feel like a failure | 0 - Not a problem |
| 27 | I feel like I'm being punished | 0 - Not a problem |
| 28 | I find it hard to relax | 0 - Not a problem |
| 9 | Low energy | 1 - A mild problem |
| | My mind goes blank | 0 - Not a problem |
| 31 | Not enjoying things as much as before | 0 - Not a problem |
| 32 | Restless or disturbed sleep | 1 - A mild problem |
| 33 | Thinking about death or dying | 1 - A mild problem |
| 34 | Withdrawn, isolated | 0 - Not a problem |
| 35 | Worrying too much | 2 - A moderate problem |