



CNS Vital Signs Report	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 38:40 (min:secs)	CNSVS Online Version 2.0.5

Patient Profile	Percentile Range				> 74	25 - 74	9 - 24	2 - 8	< 2
	Standard Score Range				> 109	90 - 109	80 - 89	70 - 79	< 70
Domain Scores	Patient Score	Standard Score	Percentile	VI**	Above	Average	Low Average	Low	Very Low
Neurocognition Index (NCI)	NA	84	14	Yes			X		
Composite Memory	85	73	4	Yes				X	
Verbal Memory	45	77	6	Yes				X	
Visual Memory	40	79	8	Yes				X	
Psychomotor Speed	162	89	23	Yes			X		
Reaction Time*	762	73	4	Yes				X	
Complex Attention*	7	94	34	Yes		X			
Cognitive Flexibility	42	90	25	Yes		X			
Processing Speed	50	85	16	Yes			X		
Executive Function	42	88	21	Yes			X		
Reasoning	4	87	19	Yes			X		
Working Memory	11	106	66	Yes		X			
Sustained Attention	33	110	75	Yes	X				
Simple Attention	36	44	1	Yes					X
Motor Speed	112	96	40	Yes		X			

Domain Dashboard: Above average domain scores indicate a standard score (SS) greater than 109 or a Percentile Rank (PR) greater than 74, indicating a high functioning test subject. Average is a SS 90-109 or PR 25-74, indicating normal function. Low Average is a SS 80-89 or PR 9-24 indicating a slight deficit or impairment. Below Average is a SS 70-79 or PR 2-8, indicating a moderate level of deficit or impairment. Very Low is a SS less than 70 or a PR less than 2, indicating a deficit and impairment. Reaction times are in milliseconds. An * denotes that "lower is better", otherwise higher scores are better. Subject Scores are raw scores calculations generated from data values of the individual subtests.

VI** - Validity Indicator: Denotes a guideline for representing the possibility of an invalid test or domain score. "No" means a clinician should evaluate whether or not the test subject understood the test, put forth their best effort, or has a clinical condition requiring further evaluation.

Verbal Memory Test (VBM)	Score	Standard	Percentile	
Correct Hits - Immediate	9	77	6	Verbal Memory test: Subjects have to remember 15 words and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VBM test measures how well a subject can recognize, remember, and retrieve words e.g. exploit or attend literal representations or attribute. "Correct Hits" refers to the number of target words recognized. Low scores indicate verbal memory impairment.
Correct Passes - Immediate	15	110	75	
Correct Hits - Delay	6	71	3	
Correct Passes - Delay	15	110	75	
Visual Memory Test (VSM)	Score	Standard	Percentile	
Correct Hits - Immediate	7	62	1	Visual Memory test: Subjects have to remember 15 geometric figures, and recognize them in a field of 15 distractors. The test is repeated at the end of the battery. The VSM test measures how well a subject can recognize, remember, and retrieve geometric figures e.g. exploit or attend symbolic or spatial representations. "Correct Hits" refers to the number of target figures recognized. Low scores indicate visual memory impairment.
Correct Passes - Immediate	14	117	87	
Correct Hits - Delay	8	77	6	
Correct Passes - Delay	11	98	45	
Finger Tapping Test (FTT)	Score	Standard	Percentile	
Right Taps Average	56	95	37	The FTT is a test of motor speed and fine motor control ability. There are three rounds of tapping with each hand. The FTT test measures the speed and the number of finger-taps with each hand. Low scores indicate motor slowing. Speed of manual motor activity varies with handedness. Most people are faster with their preferred hand but not always.
Left Taps Average	56	98	45	



CNS Vital Signs Report	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 38:40 (min:secs)	CNSVS Online Version 2.0.5

Symbol Digit Coding (SDC)	Score	Standard	Percentile	
Correct Responses	50	84	14	The SDC test measures speed of processing and draw upon several cognitive processes simultaneously, such as visual scanning, visual perception, visual memory, and motor functions. Errors may be due to impulsive responding, misperception, or confusion.
Errors*	0	109	73	
Stroop Test (ST)	Score	Standard	Percentile	
Simple Reaction Time*	257	104	61	The ST measures simple and complex reaction time, inhibition / disinhibition, mental flexibility or directed attention. The ST helps assess how well a subject is able to adapt to rapidly changing and increasingly complex set of directions. Prolonged reaction times indicate cognitive slowing / impairment. Errors may be due to impulsive responding, misperception, or confusion.
Complex Reaction Time Correct*	633	87	19	
Stroop Reaction Time Correct*	891	68	2	
Stroop Commission Errors*	0	109	73	
Shifting Attention Test (SAT)	Score	Standard	Percentile	
Correct Responses	45	82	12	The SAT measures executive function or how well a subject recognizes set shifting (mental flexibility) and abstraction (rules, categories) and manages multiple tasks simultaneously. Subjects have to adjust their responses to randomly changing rules. The best scores are high correct responses, few errors and a short reaction time. Normal subjects may be slow but accurate, or fast but not so accurate. Attention deficit may be apparent.
Errors*	3	106	66	
Correct Reaction Time*	1223	83	13	
Continuous Performance Test (CPT)	Score	Standard	Percentile	
Correct Responses	40	104	61	The CPT measures sustained attention or vigilance and choice reaction time. Most normal subjects obtain near-perfect scores on this test. A long response time may suggest cognitive slowing and/or impairment. More than 2 errors (total) may be clinically significant. More than 4 errors (total) indicate attentional dysfunction.
Omission Errors*	0	104	61	
Commission Errors*	4	23	1	
Choice Reaction Time Correct*	431	88	21	
Reasoning Test (RT)	Score	Standard	Percentile	
Correct Responses	9	90	25	The NVRT measures how well a subject can perceive and understand the meaning of visual or abstract information and recognizing relationships between visual-abstract concepts. The NVRT is comprised of 15 matrices, or visual analogies. The matrices are progressively more difficult. Each is presented for 14.5 seconds. Non-verbal or visual-abstract reasoning is the process of perceiving issues and reaching conclusions through the use of symbols or generalizations rather than concrete factual information.
Average Correct Reaction Time*	4741	102	55	
Commission Errors*	5	89	23	
Omission Errors*	1	102	55	



CNS Vital Signs Report	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
CNSVS Duration: 38:40 (min:secs)	CNSVS Online Version 2.0.5

Four Part Continuous Performance Test	Score	Standard	Percentile	The FPCPT test is a four part test that measures a subject's working memory and sustained attention. The FPCPT is a four part test: PART ONE - is a simple reaction time test, the subject must press the space bar when any stimulus is presented; PART TWO - is a variant of the continuous performance test, the subject is asked to respond to one stimulus, but not to any others. Discrimination is required, so the reaction times that are generated are "choice reaction times". PART THREE - is a "one back" CPT. The subject has to respond to a figure only if the figure immediately preceding was the same. PART FOUR - is a "two-back" CPT. It is a difficult task and is used to measure working memory. Parts two, three, and four of the tests are used to calculate sustained attention domain.
Part 1				
Average Correct Reaction Time*	386	92	30	
Part 2				
Correct Responses	6	102	55	
Average Correct Reaction Time*	406	92	30	
Incorrect Responses*	0	104	61	
Average Incorrect Reaction Time*	0			
Omission Errors*	0	102	55	
Part 3				
Correct Responses	16	114	82	
Average Correct Reaction Time*	708	81	10	
Incorrect Responses*	0	103	58	
Average Incorrect Reaction Time*	0			
Omission Errors*	0	114	82	
Part 4				
Correct Responses	11	100	50	
Average Correct Reaction Time*	1007	74	4	
Incorrect Responses*	0	109	73	
Average Incorrect Reaction Time*	0			
Omission Errors*	5	100	50	

Adult ADHD Self-Report Scale (ASRS-v1.1) Symptom Checklist	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 3:45 (min:secs)	CNSVS Online Version 2.0.5

The Symptom Checklist is an instrument consisting of the eighteen DSM-IV-TR criteria. Six of the eighteen questions were found to be the most predictive of symptoms consistent with ADHD. These six questions are the basis for the ASRS v1.1 Screener and are also Part A of the Symptom Checklist. Part B of the Symptom Checklist contains the remaining twelve questions.

If four or more marks appear in the darkly shaded boxes within Part A then the patient has symptoms highly consistent with ADHD in adults and further investigation is warranted. The frequency scores on Part B provide additional cues and can serve as further probes into the patient's symptoms. Pay particular attention to marks appearing in the dark shaded boxes. The frequency-based response is more sensitive with certain questions. No total score or diagnostic likelihood is utilized for the twelve questions. It has been found that the six questions in Part A are the most predictive of the disorder and are best for use as a screening instrument.

Part A (questions 1-6)		Never	Rarely	Some times	Often	Very Often
1	How often do you have trouble wrapping up the final details of a project, once the challenging parts have been done?				X	
2	How often do you have difficulty getting things in order when you have to do a task that requires organization?			X		X
3	How often do you have problems remembering appointments or obligations?					
4	When you have a task that requires a lot of thought, how often do you avoid or delay getting started?					X
5	How often do you fidget or squirm with your hands or feet when you have to sit down for a long time?					X
6	How often do you feel overly active and compelled to do things, like you were driven by a motor?		X			

Part B (questions 7-18)		Never	Rarely	Some times	Often	Very Often
7	How often do you make careless mistakes when you have to work on a boring or difficult project?				X	
8	How often do you have difficulty keeping your attention when you are doing boring or repetitive work?				X	
9	How often do you have difficulty concentrating on what people say to you, even when they are speaking to you directly?				X	
10	How often do you misplace or have difficulty finding things at home or at work?				X	X
11	How often are you distracted by activity or noise around you?					
12	How often do you leave your seat in meetings or other situations in which you are expected to remain seated?	X				
13	How often do you feel restless or fidgety?			X		
14	How often do you have difficulty unwinding and relaxing when you have time to yourself?			X		
15	How often do you find yourself talking too much when you are in social situations?			X		
16	When you're in a conversation, how often do you find yourself finishing the sentences of the people you are talking to, before they can finish them themselves?			X		
17	How often do you have difficulty waiting your turn in situations when taking turns is required?		X			
18	How often do you interrupt others when they are busy?			X		

The Adult ADHD Self-Report Scale (ASRS) Symptom Checklist and scoring system were developed in conjunction with the World Health Organization (WHO), and the Workgroup on Adult ADHD that included the following team of psychiatrists and researchers: Lenard Adler MD, Associate Professor of Psychiatry and Neurology New York University Medical School; Ronald C. Kessler PhD Professor, Department of Health Care Policy Harvard Medical School; Thomas Spencer MD, Associate Professor of Psychiatry Harvard Medical School.

For more information go to <http://www.hcp.med.harvard.edu/ncs/asrs.php>



Epworth Sleepiness Scale (ESS) SF-8	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 1:51 (min:secs)	CNSVS Online Version 2.0.5

The patient is getting enough sleep if they score 6 or less. Scores of 7 or 8 are average. If the patient's score is 9 or more they should seek the advice of a sleep specialist without delay.

In contrast to feeling just tired, how likely are you to doze off or fall asleep in the following situation?		
1	Sitting and reading	1 - Slight chance of dozing
2	Watching TV	1 - Slight chance of dozing
3	Sitting inactive in a public place (e.g., a theater or a meeting)	0 - No chance of dozing
4	As a passenger in a car for an hour without a break	1 - Slight chance of dozing
5	Lying down to rest in the afternoon when circumstances permit	1 - Slight chance of dozing
6	Sitting and talking to someone	0 - No chance of dozing
7	Sitting quietly after a lunch without alcohol	0 - No chance of dozing
8	In a car, while stopped for a few minutes in traffic	0 - No chance of dozing
Epworth Score		4



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Domain	Score	Severity	Description
Attention	164	Moderate	The Neuropsych Questionnaire asks patients (or an appropriate observer) a series of questions about their clinical state. The questions are about the symptoms of various neuropsychiatric disorders. The terminology is similar to that used in the diagnostic manuals, and in many familiar clinical questionnaires and rating scales; but it has been simplified, and all symptoms are scored on the same metric. Scores are reported on a scale of 0 (not a problem) to 300 (severe). As a rule, scores above 225 indicate a severe problem; scores from 150-224 indicate a moderate problem; and scores from 75-149, a mild problem. A high score on the Neuropsych Questionnaire means that the patient is reporting more symptoms of greater intensity. It doesn't necessarily mean that the patient has a particular condition; just that he or she (or their spouse, parent or caregiver) is saying that they have a lot of intense symptoms. Conversely, a low score simply means that the patient (or caregiver) is not reporting symptoms associated with a particular condition, at least during the period of time specified. It does not mean that the patient does not have the condition. Just as some people over-state their problems, others tend to under-state their problems. The Neuropsych Questionnaire is not a diagnostic instrument. The results it generates are only meant to be interpreted by an experienced clinician in the course of a clinical examination.
Impulsive	117	Mild	
Learning	154	Moderate	
Memory	123	Mild	
Anxiety	160	Moderate	
Panic	0	Not a problem	
Agoraphobia	100	Mild	
Obsessions & Compulsions	89	Mild	
Social Anxiety	225	Severe	
Depression	171	Moderate	
Mood Stability	77	Mild	
Mania	50	Not a problem	
Aggression	40	Not a problem	
Psychotic	86	Mild	
Somatic	44	Not a problem	
Fatigue	133	Mild	
Sleep	0	Not a problem	
Suicide	17	Not a problem	
Pain	63	Not a problem	
Substance Abuse	67	Not a problem	
Average Symptom Score	94	Mild	
PTSD	139	Mild	
Bipolar	86	Mild	
Autism	67	Not a problem	
Asperger's	113	Mild	
ADHD	153	Moderate	
MCI	133	Mild	
Concussion	161	Moderate	
Anxiety/Depression	154	Moderate	

Attention Questions		
1	Difficulty concentrating	2 - A moderate problem
2	Difficulty paying attention	2 - A moderate problem
3	Easily distracted	2 - A moderate problem
4	Feeling scattered, disorganized	1 - A mild problem
5	Forgetful, I need constant reminding	1 - A mild problem
6	Leaving things behind and having to go back to get them.	1 - A mild problem
7	Losing things	1 - A mild problem
8	Making careless mistakes	1 - A mild problem
9	Not finishing chores, homework or projects	3 - A severe problem
10	Short attention span	2 - A moderate problem
11	When reading, losing track of what the story is about	2 - A moderate problem
Impulsive Questions		
1	Feeling restless	2 - A moderate problem
2	Fidgety, I can't sit still	1 - A mild problem
3	High energy	0 - Not a problem
4	Impatient	2 - A moderate problem
5	Impulsive, act without thinking	1 - A mild problem
6	Overly active	1 - A mild problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Learning Questions		
1	Bad handwriting	0 - Not a problem
2	Having to do things slowly to make sure it's right	1 - A mild problem
3	Learning a foreign language	3 - A severe problem
4	Learning math	2 - A moderate problem
5	Learning new things	1 - A mild problem
6	I don't like to read	0 - Not a problem
7	I don't work up to my potential	2 - A moderate problem
8	Organizing studies or projects	2 - A moderate problem
9	Paying attention to lectures	2 - A moderate problem
10	Remembering what you studied or read	2 - A moderate problem
11	Taking notes	0 - Not a problem
12	Taking tests	3 - A severe problem
13	When reading, losing track of what the story is about	2 - A moderate problem
Memory Questions		
1	Failing to recognize places you have been before.	0 - Not a problem
2	Finding a television story or a movie hard to follow.	1 - A mild problem
3	Forgetful, I need constant reminding	1 - A mild problem
4	Forgetting appointments or social engagements.	0 - Not a problem
5	Forgetting if you have taken your medicine	1 - A mild problem
6	Forgetting something cooking on the stove or in the toaster	1 - A mild problem
7	Forgetting to do something you said you would do	1 - A mild problem
8	Forgetting to give a message to someone	1 - A mild problem
9	Forgetting to tell somebody something that you meant to tell them	1 - A mild problem
10	Forgetting where things are kept; looking for them in the wrong place	1 - A mild problem
11	Forgetting where you parked the car	1 - A mild problem
12	Going to the store but forgetting to get what you need	1 - A mild problem
13	I can't remember the names of close relatives or friends.	0 - Not a problem
14	Learning new things	1 - A mild problem
15	Leaving things behind and having to go back to get them.	1 - A mild problem
16	My mind goes blank	3 - A severe problem
17	Problems with memory	2 - A moderate problem
18	Putting something down and then forgetting where you put it.	3 - A severe problem
19	Reading something and then realizing you have read it before.	0 - Not a problem
20	Trouble thinking of the right word	3 - A severe problem
21	Unable to remember things as well as I used to	2 - A moderate problem
22	When reading, losing track of what the story is about	2 - A moderate problem
Anxiety Questions		
1	Feeling anxious	2 - A moderate problem
2	Feeling keyed up or on edge	2 - A moderate problem
3	Feeling nervous	2 - A moderate problem
4	Feeling restless	2 - A moderate problem
5	Feeling tense	2 - A moderate problem
6	Fidgety, I can't sit still	1 - A mild problem
7	Having nightmares or bad dreams	1 - A mild problem
8	High-strung or keyed up	1 - A mild problem
9	I find it hard to relax	1 - A mild problem
10	Worrying too much	2 - A moderate problem
Panic Questions		
1	Attacks of intense anxiety	0 - Not a problem
2	Feeling so nervous it's hard to breathe	0 - Not a problem
3	Getting so nervous I feel like passing out	0 - Not a problem
4	Getting really scared for no reason at all	0 - Not a problem
5	Panic attacks	0 - Not a problem
6	Trouble catching my breath	0 - Not a problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Agoraphobia Questions		
1	Avoiding certain things or places	2 - A moderate problem
2	Feeling scared in open spaces or out in public	0 - Not a problem
3	Feeling scared to use buses or trains	1 - A mild problem
4	Feeling uncomfortable in crowds	1 - A mild problem
5	Feelings of being trapped	2 - A moderate problem
6	Worrying about fainting in public	0 - Not a problem
Obsessions & Compulsions Questions		
1	I hate being touched or held	2 - A moderate problem
2	Checking things several times	1 - A mild problem
3	Collecting things that you don't really need	0 - Not a problem
4	Counting things; numbers going through your mind	1 - A mild problem
5	Eating the same foods all the time	0 - Not a problem
6	Feeling guilty over minor infractions	3 - A severe problem
7	Having bad thoughts that you can't get rid of	2 - A moderate problem
8	Having thoughts or words that go over and over in your mind	2 - A moderate problem
9	It bothers me when someone eats off my plate	1 - A mild problem
10	I have a special number that I count up to or do things just that number of times	0 - Not a problem
11	I have to do things a certain number of times before I'm satisfied	0 - Not a problem
12	Moving or talking in special ways to avoid bad luck	0 - Not a problem
13	Putting things away, and they have to be just right	1 - A mild problem
14	Repetitive behaviors like touching or counting	0 - Not a problem
15	Thoughts about sex that are troubling	0 - Not a problem
16	Trouble making up your mind	2 - A moderate problem
17	Washing your hands over and over	0 - Not a problem
18	Worrying about being clean	2 - A moderate problem
19	Worrying about the germs that are on things	0 - Not a problem
Social Anxiety Questions		
1	I am a shy person	3 - A severe problem
2	Difficulty developing friendships	3 - A severe problem
3	Feeling nervous around people I don't know	3 - A severe problem
4	Feeling nervous when I have to do something in front of people	3 - A severe problem
5	Feeling uneasy about eating or drinking in public	0 - Not a problem
6	Hard to go out in public	2 - A moderate problem
7	Hard to relate to other people	1 - A mild problem
8	Starting a conversation with people I don't know	3 - A severe problem
Depression Questions		
1	Crying spells	0 - Not a problem
2	Feeling depressed	2 - A moderate problem
3	Feeling discouraged about the future	3 - A severe problem
4	Feeling empty inside	2 - A moderate problem
5	Feeling hopeless	0 - Not a problem
6	Feeling irritable	2 - A moderate problem
7	Feeling little or no interest in things	2 - A moderate problem
8	Feeling lonely	2 - A moderate problem
9	Feeling sad	2 - A moderate problem
10	Feeling that doing anything is a real effort	1 - A mild problem
11	Feelings of guilt or remorse	2 - A moderate problem
12	Having nightmares or bad dreams	1 - A mild problem
13	I feel like a failure	2 - A moderate problem
14	I feel like I'm being punished	1 - A mild problem
15	Loss of interest in sex	3 - A severe problem
16	Not enjoying things as much as before	2 - A moderate problem
17	Withdrawn, isolated	2 - A moderate problem

NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Mood Stability Questions		
1	Anger	0 - Not a problem
2	Angry outbursts	0 - Not a problem
3	Crying spells	0 - Not a problem
4	Easily agitated	1 - A mild problem
5	Easily annoyed	2 - A moderate problem
6	Easily frustrated	1 - A mild problem
7	Elevated mood, euphoria	0 - Not a problem
8	Excitable	0 - Not a problem
9	Explosive	0 - Not a problem
10	Feeling irritable	2 - A moderate problem
11	Feeling negative	2 - A moderate problem
12	My moods change quickly	2 - A moderate problem
13	Temper tantrums	0 - Not a problem
Mania Questions		
1	Much more interested in sex than usual	0 - Not a problem
2	Being much more social or outgoing than usual	0 - Not a problem
3	Decreased need for sleep	0 - Not a problem
4	Feeling much more confident than usual	0 - Not a problem
5	Having much more energy than usual	0 - Not a problem
6	Increased or inappropriate sexual interest	0 - Not a problem
7	Pressured speech, uninterruptible and continuous	2 - A moderate problem
8	Thoughts racing	2 - A moderate problem
Aggression Questions		
1	Blaming other people for your own mistakes	1 - A mild problem
2	Defiant or argumentative	2 - A moderate problem
3	Destructive to property or things	0 - Not a problem
4	Excessive yelling or screaming	0 - Not a problem
5	Getting into fights	1 - A mild problem
6	Having an urge to injure or to hurt someone	0 - Not a problem
7	Having the urge to destroy things	0 - Not a problem
8	Hostile	0 - Not a problem
9	In trouble with the law	0 - Not a problem
10	Physical aggression toward others	0 - Not a problem
Psychotic Questions		
1	I feel nervous when people watch me or talk about me	3 - A severe problem
2	Feeling paranoid	0 - Not a problem
3	I feel that other people are watching or talking about me	1 - A mild problem
4	I feel that someone else can control my mind	0 - Not a problem
5	I feel that I can't trust other people	2 - A moderate problem
6	I feel I am being watched	0 - Not a problem
7	I hear voices that no one else can hear	0 - Not a problem
8	I can't think straight	3 - A severe problem
9	My mind is full of terrifying thoughts or images	0 - Not a problem
10	Other people know my private thoughts	0 - Not a problem
11	Overly suspicious	0 - Not a problem
12	Peculiar or bizarre behavior	0 - Not a problem
13	Seeing things that other people don't see	0 - Not a problem
14	I can't feel close to another person	3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Somatic Questions		
1	Blackout spells or seizures	0 - Not a problem
2	Difficulty breathing	0 - Not a problem
3	Difficulty swallowing	0 - Not a problem
4	Dizzy/unsteady/lightheaded	0 - Not a problem
5	Feeling faint	0 - Not a problem
6	Heart racing	1 - A mild problem
7	Nausea	0 - Not a problem
8	Numbness/Tingling	1 - A mild problem
9	Worrying that something bad is wrong with your body	2 - A moderate problem
Fatigue Questions		
1	Fatigue	3 - A severe problem
2	Feeling slower than usual	1 - A mild problem
3	Feeling tired	2 - A moderate problem
4	Feeling weak	0 - Not a problem
5	Low energy	2 - A moderate problem
6	Unable to exercise without getting really tired	0 - Not a problem
Sleep Questions		
1	Difficulty staying asleep	0 - Not a problem
2	Hard to fall asleep	0 - Not a problem
3	I wake up too early in the morning and can't get back to sleep	0 - Not a problem
4	Restless or disturbed sleep	0 - Not a problem
Suicide Questions		
1	I feel like giving up on life	0 - Not a problem
2	I feel like I would be better off dead	0 - Not a problem
3	I feel that I have nothing left to live for	0 - Not a problem
4	I feel that my family would be better off if I were gone	0 - Not a problem
5	Thinking about death or dying	1 - A mild problem
6	Thoughts about ending your life	0 - Not a problem
Pain Questions		
1	A lot of aches and pains	1 - A mild problem
2	Abdominal pain or discomfort	0 - Not a problem
3	Back pain	1 - A mild problem
4	Chest pain or discomfort	0 - Not a problem
5	Headache	1 - A mild problem
6	Muscle soreness	2 - A moderate problem
7	Unable to exercise without a lot of pain	0 - Not a problem
8	Unbearable pain	0 - Not a problem
Substance Abuse Questions		
1	Abusing drugs	0 - Not a problem
2	I drink too much	2 - A moderate problem
3	I use too many drugs or medications	0 - Not a problem
PTSD Questions		
1	Avoiding certain things or places	2 - A moderate problem
2	Difficulty concentrating	2 - A moderate problem
3	Difficulty staying asleep	0 - Not a problem
4	Easily startled	1 - A mild problem
5	Emotionally numb	2 - A moderate problem
6	Feeling depressed	2 - A moderate problem
7	Feeling discouraged about the future	3 - A severe problem
8	I feel that I can't trust other people	2 - A moderate problem
9	Flashbacks to a traumatic event	0 - Not a problem
10	Hard to fall asleep	0 - Not a problem
11	Hard to go out in public	2 - A moderate problem
12	Hard to relate to other people	1 - A mild problem
13	Having nightmares or bad dreams	1 - A mild problem
14	Having unpleasant thoughts that you can't get out of your mind	2 - A moderate problem
15	I feel like I'm being punished	1 - A mild problem
16	Reliving a traumatic event	1 - A mild problem
17	Restless or disturbed sleep	0 - Not a problem
18	I can't feel close to another person	3 - A severe problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Bipolar Questions		
1	Anger	0 - Not a problem
2	Angry outbursts	0 - Not a problem
3	Much more interested in sex than usual	0 - Not a problem
4	Being much more social or outgoing than usual	0 - Not a problem
5	Crying spells	0 - Not a problem
6	Decreased need for sleep	0 - Not a problem
7	Difficulty concentrating	2 - A moderate problem
8	Difficulty paying attention	2 - A moderate problem
9	Easily agitated	1 - A mild problem
10	Easily annoyed	2 - A moderate problem
11	Easily distracted	2 - A moderate problem
12	Easily frustrated	1 - A mild problem
13	Elevated mood, euphoria	0 - Not a problem
14	Excitable	0 - Not a problem
15	Explosive	0 - Not a problem
16	Feeling irritable	2 - A moderate problem
17	Feeling much more confident than usual	0 - Not a problem
18	Feeling restless	2 - A moderate problem
19	Feeling scattered, disorganized	1 - A mild problem
20	Having much more energy than usual	0 - Not a problem
21	High energy	0 - Not a problem
22	Impulsive, act without thinking	1 - A mild problem
23	Increased or inappropriate sexual interest	0 - Not a problem
24	My moods change quickly	2 - A moderate problem
25	Overly active	1 - A mild problem
26	Pressured speech, uninterruptible and continuous	2 - A moderate problem
27	Short attention span	2 - A moderate problem
28	Temper tantrums	0 - Not a problem
29	Thoughts racing	2 - A moderate problem
Autism Questions		
1	Avoiding eye contact	2 - A moderate problem
2	I can't relate to other people, socially or emotionally	1 - A mild problem
3	I don't attend to social signals	1 - A mild problem
4	I don't respond to other people's expressions or body language	0 - Not a problem
5	Not able to begin or to sustain a conversation with other people	1 - A mild problem
6	Not responsive to other people's feelings	0 - Not a problem
7	Odd preoccupations or interests	0 - Not a problem
8	Peculiar or bizarre behavior	0 - Not a problem
9	Preoccupied by a particular interest to the exclusion of other things	1 - A mild problem
10	Repetitive behaviors like touching or counting	0 - Not a problem
11	Rigid, inflexible, resistant to change	1 - A mild problem
12	Strongly attached to routines or sameness in the environment	1 - A mild problem

NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Asperger's Questions		
1	Avoiding eye contact	2 - A moderate problem
2	Difficulty developing friendships	3 - A severe problem
3	Difficulty understanding sarcasm, metaphors or jokes	0 - Not a problem
4	Hard to relate to other people	1 - A mild problem
5	I can't relate to other people, socially or emotionally	1 - A mild problem
6	I don't attend to social signals	1 - A mild problem
7	I don't respond to other people's expressions or body language	0 - Not a problem
8	Not able to begin or to sustain a conversation with other people	1 - A mild problem
9	Not responsive to other people's feelings	0 - Not a problem
10	Odd preoccupations or interests	0 - Not a problem
11	Preoccupied by a particular interest to the exclusion of other things	1 - A mild problem
12	Rigid, inflexible, resistant to change	1 - A mild problem
13	Strongly attached to routines or sameness in the environment	1 - A mild problem
14	I can't feel close to another person	3 - A severe problem
15	Withdrawn, isolated	2 - A moderate problem
ADHD Questions		
1	Difficulty concentrating	2 - A moderate problem
2	Difficulty paying attention	2 - A moderate problem
3	Easily distracted	2 - A moderate problem
4	Feeling restless	2 - A moderate problem
5	Feeling scattered, disorganized	1 - A mild problem
6	Fidgety, I can't sit still	1 - A mild problem
7	Forgetful, I need constant reminding	1 - A mild problem
8	Impatient	2 - A moderate problem
9	Impulsive, act without thinking	1 - A mild problem
10	Leaving things behind and having to go back to get them.	1 - A mild problem
11	Losing things	1 - A mild problem
12	Making careless mistakes	1 - A mild problem
13	Not finishing chores, homework or projects	3 - A severe problem
14	Overly active	1 - A mild problem
15	Short attention span	2 - A moderate problem
MCI Questions		
1	Difficulty concentrating	2 - A moderate problem
2	Difficulty paying attention	2 - A moderate problem
3	Easily distracted	2 - A moderate problem
4	Feeling scattered, disorganized	1 - A mild problem
5	Forgetful, I need constant reminding	1 - A mild problem
6	Forgetting appointments or social engagements.	0 - Not a problem
7	Forgetting if you have taken your medicine	1 - A mild problem
8	Forgetting to do something you said you would do	1 - A mild problem
9	Forgetting to give a message to someone	1 - A mild problem
10	Forgetting to tell somebody something that you meant to tell them	1 - A mild problem
11	Forgetting where things are kept; looking for them in the wrong place	1 - A mild problem
12	Going to the store but forgetting to get what you need	1 - A mild problem
13	Having to do things slowly to make sure it's right	1 - A mild problem
14	I can't remember the names of close relatives or friends.	0 - Not a problem
15	Learning new things	1 - A mild problem
16	Leaving things behind and having to go back to get them.	1 - A mild problem
17	Losing things	1 - A mild problem
18	Making careless mistakes	1 - A mild problem
19	My mind goes blank	3 - A severe problem
20	Not finishing chores, homework or projects	3 - A severe problem
21	Putting something down and then forgetting where you put it.	3 - A severe problem
22	Reading something and then realizing you have read it before.	0 - Not a problem
23	Short attention span	2 - A moderate problem
24	When reading, losing track of what the story is about	2 - A moderate problem



NeuroPsych Questionnaire (NPQ) LF-207	
Patient ID: 40241	Test Date: May 2, 2025 11:18:06
Age: 39	Administrator: Lucid Cognition
Total Test Time: 60:12 (min:secs)	Language: English (United Kingdom)
Duration: 15:22 (min:secs)	CNSVS Online Version 2.0.5

Concussion Questions		
1	Difficulty concentrating	2 - A moderate problem
2	Difficulty paying attention	2 - A moderate problem
3	Dizzy/unsteady/lightheaded	0 - Not a problem
4	Easily distracted	2 - A moderate problem
5	Easily frustrated	1 - A mild problem
6	Fatigue	3 - A severe problem
7	Feeling irritable	2 - A moderate problem
8	Feeling scattered, disorganized	1 - A mild problem
9	Feeling slower than usual	1 - A mild problem
10	Hard to fall asleep	0 - Not a problem
11	Headache	1 - A mild problem
12	I can't think straight	3 - A severe problem
13	Low energy	2 - A moderate problem
14	My mind goes blank	3 - A severe problem
15	My moods change quickly	2 - A moderate problem
16	Problems with memory	2 - A moderate problem
17	Short attention span	2 - A moderate problem
18	Unable to exercise without getting really tired	0 - Not a problem
Anxiety/Depression Questions		
1	Crying spells	0 - Not a problem
2	Easily agitated	1 - A mild problem
3	Fatigue	3 - A severe problem
4	Feeling anxious	2 - A moderate problem
5	Feeling depressed	2 - A moderate problem
6	Feeling discouraged about the future	3 - A severe problem
7	Feeling empty inside	2 - A moderate problem
8	Feeling hopeless	0 - Not a problem
9	Feeling irritable	2 - A moderate problem
10	Feeling keyed up or on edge	2 - A moderate problem
11	Feeling little or no interest in things	2 - A moderate problem
12	Feeling lonely	2 - A moderate problem
13	Feeling nervous	2 - A moderate problem
14	Feeling restless	2 - A moderate problem
15	Feeling sad	2 - A moderate problem
16	Feeling scattered, disorganized	1 - A mild problem
17	Feeling so nervous it's hard to breathe	0 - Not a problem
18	Feeling tense	2 - A moderate problem
19	Feeling that doing anything is a real effort	1 - A mild problem
20	Feeling tired	2 - A moderate problem
21	Feelings of guilt or remorse	2 - A moderate problem
22	Fidgety, I can't sit still	1 - A mild problem
23	Hard to fall asleep	0 - Not a problem
24	Having nightmares or bad dreams	1 - A mild problem
25	High-strung or keyed up	1 - A mild problem
26	I feel like a failure	2 - A moderate problem
27	I feel like I'm being punished	1 - A mild problem
28	I find it hard to relax	1 - A mild problem
29	Low energy	2 - A moderate problem
30	My mind goes blank	3 - A severe problem
31	Not enjoying things as much as before	2 - A moderate problem
32	Restless or disturbed sleep	0 - Not a problem
33	Thinking about death or dying	1 - A mild problem
34	Withdrawn, isolated	2 - A moderate problem
35	Worrying too much	2 - A moderate problem