

## **Two-Player Pong**



## **Two-Player Pong**



## **Two-Player Pong**

11 Your stage should now look like this New sprite: 💠 / 📫 👩 Sprites EndZone1 EndZone2 PaddleTwo clicked On PaddleOne sprite, place the following script go to x: (-195) y: (110) x: -195 y: -65 blocks. This will: key w ▼ pressed? > then Set a starting location every time the 12 change y by 5 game is played for this sprite Make up and down movement key 5 ▼ pressed? > then Make sure to test it before moving on!!! change y by -5 clicked Copy PaddleOne block to PaddleTwo (drag and go to x: 195 y: -110 **x**: 195 drop). key up arrow ▼ pressed? > then Change the values of the blocks: 13 change y by 5 go to x: y: key down arrow ▼ pressed? then key pressed? change y by -5 Make sure to test it before moving on!!! 

14

15

16

17

## **Two-Player Pong**

On **Ball** sprite, place the following script blocks. This will:

- Wait 1 second at the start of the game
- Forever
  - Move the ball 10 steps
  - If it touches a paddle, turn around
- If at an edge, bounce
   Make sure to test it before moving

on!!!


```
when clicked
wait 1 secs
forever
move 10 steps
if touching PaddleOne ? or touching PaddleTwo ? then
turn 90 degrees
move 10 steps
if on edge, bounce
```

Last thing we need to do is make a scoreboard

Create a variable to hold the score for PlayerOne.

Name this variable *PlayerOneScore*.

Do this again to make another variable called *PlayerTwoScore* 



Change the **Ball** sprite to have more script blocks:

- Set a starting position
- Change the score if an EndZone is touched
- Reset the ball's position when a score is made

```
hen 🖊 clicked
go to x: 0 y: 0
   PlayerTwoScore ▼ to 0
 it 1 secs
    touching PaddleOne ▼ ? or touching PaddleTwo ▼ ? then
   turn ( 90 degrees
    move 10 steps
     touching EndZone1 ▼ ? then
    change PlayerTwoScore ▼ by 1
    go to x: 0 y: 0
     ait 1 secs
     touching EndZone2 ▼ ? then
     hange PlayerOneScore v by 1
    go to x: 0 y: 0
      it 1 secs
 if on edge, bounce
```