## Exercise Solutions for Math 20

Equations in Quadratic Form and with Radicals and Absolute Values

Nile Jocson <novoseiversia@gmail.com>

November 9, 2024

# Contents

1	Solve for $x$	3
	1.1 $\sqrt{2x+3} - \sqrt{x-2} = \sqrt{x+1} \dots$	3
	1.2 $1 = x + \sqrt{2x - 3}$	4
	1.3 $\left \frac{3x-4}{2x+3}\right  = 1$	
	$1.4 -7(\frac{1}{2}-1) = 4 - 2(\frac{1}{2}-1)^2 \dots \dots$	6

#### 1 Solve for x

#### 1.1 $\sqrt{2x+3} - \sqrt{x-2} = \sqrt{x+1}$

$$\Rightarrow \left(\sqrt{2x+3} - \sqrt{x-2}\right)^2 = x+1$$

 $\Rightarrow 2x + 3 - 2\sqrt{2x + 3}\sqrt{x - 2} + x - 2 = x + 1$ 

 $\Rightarrow 2x + 3 + x - 2 - x - 1 = 2\sqrt{2x + 3}\sqrt{x - 2}$ 

 $\Rightarrow 2x = 2\sqrt{2x+3}\sqrt{x-2}$ 

 $\Rightarrow x = \sqrt{2x+3}\sqrt{x-2}$ 

 $\Rightarrow x^2 = (2x+3)(x-2)$ 

 $\Rightarrow x^2 = 2x^2 - 4x + 3x - 6$ 

 $\Rightarrow x^2 = 2x^2 - x - 6$ 

 $\Rightarrow 2x^2 - x^2 - x - 6 = 0$ 

 $\Rightarrow x^2 - x - 6 = 0$ 

 $\Rightarrow (x-3)(x+2) = 0$ 

 $\Rightarrow x \subseteq \{-2,3\}$ 

 $\Rightarrow \sqrt{2(-2)+3} - \sqrt{-2-2} = \sqrt{-2+1}$ 

 $\Rightarrow \sqrt{-4+3} - \sqrt{-2-2} = \sqrt{-2+1}$ 

 $\Rightarrow \sqrt{-1} - \sqrt{-4} = \sqrt{-1}$ 

 $\Rightarrow i - 2i = i$ 

 $\Rightarrow -i = i$ 

 $\Rightarrow x \neq -2$ 

 $\Rightarrow \sqrt{2(3) + 3} - \sqrt{3 - 2} = \sqrt{3 + 1}$ 

 $\Rightarrow \sqrt{6+3} - \sqrt{3-2} = \sqrt{3+1}$ 

 $\Rightarrow \sqrt{9} - \sqrt{1} = \sqrt{4}$ 

 $\Rightarrow 3 - 1 = 2$ 

 $\Rightarrow 2 = 2$ 

 $\Rightarrow x = 3$ 

Square both sides.

Square both sides.

Factor by grouping.

Verify x = -2

Verify x = 3

### 1.2 $1 = x + \sqrt{2x - 3}$

 $\Rightarrow 1 - x = \sqrt{2x - 3}$ 

Isolate the root.

 $\Rightarrow (1-x)^2 = 2x - 3$ 

Square both sides.

 $\Rightarrow 1 - 2x + x^2 = 2x - 3$ 

 $\Rightarrow 1 - 2x + x^2 - 2x + 3 = 0$ 

 $\Rightarrow x^2 - 4x + 4 = 0$ 

 $\Rightarrow (x-2)^2$  Factor by grouping.

 $\Rightarrow x = 2$ 

 $\Rightarrow 1 = 2 + \sqrt{2(2) - 3}$  Verify x = 2

 $\Rightarrow 1 = 2 + \sqrt{4 - 3}$ 

 $\Rightarrow 1 = 2 + \sqrt{1}$ 

 $\Rightarrow 1 = 2 + 1$ 

 $\Rightarrow 1 = 3$ 

 $\Rightarrow x \neq 2$ 

 $\Rightarrow x \in \emptyset$  Final answer.

# 1.3 $\left| \frac{3x-4}{2x+3} \right| = 1$

$$\Rightarrow \frac{3x-4}{3x+3} = -1$$

 $|a| = b \Rightarrow a = \pm b$ . Solve for a = -b

$$\Rightarrow \frac{3x-4}{2x+3} = -1$$

$$\Rightarrow \frac{3x-4}{2x+3} = -\frac{2x+3}{2x+3}$$

$$\Rightarrow 3x - 4 = -(2x + 3)$$

Eliminate denominator.  $x = -\frac{3}{2}$  is an undefined

$$\Rightarrow 3x - 4 = -2x - 3$$

$$\Rightarrow 3x - 4 = -2x - 3$$
$$\Rightarrow 3x + 2x = -3 + 4$$

$$\Rightarrow 5x = 1$$

$$\Rightarrow x = \frac{1}{5}$$

$$\Rightarrow \frac{3x-4}{2x+3} = 1$$

 $|a| = b \Rightarrow a = \pm b$ . Solve for a = +b

$$\Rightarrow \frac{3x-4}{2x+3} = 1$$

$$\Rightarrow \frac{3x-4}{2x+3} = \frac{2x+3}{2x+3}$$

$$\Rightarrow 3x - 4 = 2x + 3$$

Eliminate denominator.  $x = -\frac{3}{2}$  is an undefined

$$\Rightarrow 3x - 2x = 3 + 4$$

$$\Rightarrow x = 7$$

$$\Rightarrow x \in \{\frac{1}{5}, 7\}$$

Final answer.

**1.4**  $-7(\frac{1}{x}-1)=4-2(\frac{1}{x}-1)^2$ 

 $t = (\frac{1}{x} - 1)$ . x = 0 is an undefined point.

 $\Rightarrow 2t^2 - 7t - 4 = 0$  $\Rightarrow 2t^2 - 8t + t - 4 = 0$ 

Factor by grouping.

 $\Rightarrow 2t(t-4) + 1(t-4) = 0$ 

 $\Rightarrow (2t+1)(t-4) = 0$ 

 $\Rightarrow (2t+1)(t-4) = 0$ 

Solve for x using  $t = -\frac{1}{2}$ .

Solve for x using t = 4.

Final answer.