

Coen's AI-Page

diverse

Table of contents

1	Journey into Artificial Intelligence	1
1.1	Learning Path	1
1.2	Some background	1
2	The AI Landscape: Understanding the Big Picture	3
2.1	Navigating the World of AI Technologies	3
2.2	Key Concepts to Take Away	3
I	Perceptron Fundamentals	5
3	Understanding the Perceptron	7
3.1	The Biological Inspiration: From Brain Neurons to Artificial Intelligence	7
3.2	From Biology to Machine: Implementing a Perceptron	8
4	Practical Applications of the Perceptron	9
4.1	Building Logic Gates with Perceptrons	9
4.1.1	Creating an AND Gate	9
4.2	Beyond AND Gates	10
4.3	Network	10
5	Decision Making with Perceptrons	11
5.1	Making Decisions	11
5.2	Understanding the Decision Boundary	11
5.3	Applications	12
6	Teaching a Perceptron: The Learning Process	13
6.1	Introduction to Perceptron Learning	13
6.2	The Learning Algorithm	13
6.2.1	Mathematical Foundation	13
6.3	Implementing Learning	14
6.3.1	Training Process	14
6.4	Visualizing the Learning Process	14

6.5	Practical Considerations	14
7	Understanding Perceptron Limitations	15
7.1	The XOR Problem: A Classic Challenge	15
7.1.1	What is XOR?	15
7.1.2	Why Can't a Single Perceptron Solve XOR?	16
7.2	The Solution: Multiple Layers	17
7.3	Key Takeaways	19
II	Neural Networks	21
8	Introduction to Neural Networks	23
8.1	Beyond Single Perceptrons: Building Neural Networks	23
8.2	Understanding Network Architecture	24
8.2.1	Key Components	24
8.3	How Information Flows	24
8.4	Creating a Simple Network	25
8.5	Training the Network	25
8.6	Advantages of Neural Networks	25
9	Practical Example: Classifying Iris Flowers	27
9.1	A Real-World Machine Learning Challenge	27
9.2	The Dataset	28
9.3	Building the Neural Network	28
9.4	Preparing the Data	29
9.5	Training Process	29
9.6	Making Predictions	29
9.7	Evaluating Performance	29
9.8	Key Learning Points	29
10	The Mathematics Behind Neural Networks	31
10.1	Understanding the Magic	31
10.2	The Building Blocks	31
10.2.1	1. Neurons and Weights	31
10.2.2	2. Activation Functions	31
10.3	The Learning Process	32
10.3.1	1. Forward Propagation	32
10.3.2	2. Loss Calculation	32
10.3.3	3. Backpropagation	32
10.4	Gradient Descent Visualization	32
10.5	Practical Implementation	32
10.6	Key Insights	32
10.7	Beyond the Basics	33
11	Advanced Training Techniques	35

11.1 Beyond Basic Training	35
11.2 The Challenge of Overfitting	35
11.2.1 Understanding Overfitting	35
11.2.2 Solutions to Overfitting	35
11.3 Data Augmentation	36
11.4 Batch Processing	36
11.4.1 Mini-batch Training	36
11.5 Learning Rate Scheduling	36
11.6 Transfer Learning	37
11.7 Monitoring and Visualization	37
11.8 Best Practices	37
11.9 Next Steps	38
12 Exploring Neural Network Architectures	39
12.1 The Rich Landscape of Neural Networks	39
12.2 Feedforward Neural Networks (FNN)	39
12.3 Convolutional Neural Networks (CNN)	39
12.4 Recurrent Neural Networks (RNN)	39
12.5 Long Short-Term Memory (LSTM)	40
12.6 Autoencoders	40
12.7 Generative Adversarial Networks (GAN)	40
12.8 Choosing the Right Architecture	40
12.9 Future Directions	40
III Next Steps	41
13 Next Steps in Your AI Journey	43
13.1 Congratulations on Your Progress!	43
13.2 Expanding Your Knowledge	43
13.2.1 1. Advanced Topics	43
13.2.2 2. Practical Skills	43
13.3 Real-World Applications	44
13.3.1 1. Industry Applications	44
13.3.2 2. Research Areas	44
13.4 Building Your Portfolio	44
13.5 Community Engagement	45
13.5.1 1. Online Communities	45
13.5.2 2. Local Groups	45
13.6 Continuous Learning	45
13.6.1 1. Advanced Courses	45
13.6.2 2. Reading Materials	45
13.7 Career Paths	45
13.8 Best Practices Moving Forward	46
13.9 Final Thoughts	46

14 Python for Neural Networks	47
14.1 Why Python for Neural Networks?	47
14.2 Essential Python Libraries	47
14.2.1 1. NumPy	47
14.2.2 2. TensorFlow/Keras	47
14.2.3 3. PyTorch	48
14.3 Getting Started	48
14.4 From Pharo to Python	48
14.4.1 Key Differences	48
14.5 Resources for Learning	48
14.6 Best Practices	49
14.7 Next Steps	49
15 Finding and Preparing Data for Neural Networks	51
15.1 The Importance of Data	51
15.2 Popular Data Sources	51
15.2.1 1. Public Datasets	51
15.2.2 2. Domain-Specific Sources	51
15.3 Data Preparation Steps	52
15.4 Best Practices	52
15.4.1 1. Data Quality	52
15.4.2 2. Data Split	52
15.4.3 3. Data Augmentation	53
15.5 Common Challenges	53
15.6 Tools and Libraries	53
15.7 Next Steps	53
16 Essential Resources and References	55
16.1 Core Learning Resources	55
16.1.1 Books	55
16.2 Video Courses and Tutorials	55
16.2.1 1. Foundational Series	55
16.2.2 2. Programming Tutorials	56
16.2.3 3. Advanced Topics	56
16.3 Online Platforms	56
16.3.1 1. Interactive Learning	56
16.3.2 2. Research Papers	56
16.3.3 3. Code Repositories	56
16.4 Community Resources	56
16.4.1 1. Forums and Discussion	56
16.4.2 2. Blogs and Newsletters	57
16.4.3 3. Tools and Libraries	57
16.5 Academic Papers	57
16.5.1 1. Foundational Papers	57
16.5.2 2. Modern Breakthroughs	57
16.6 How to Use These Resources	57

Chapter 1

Journey into Artificial Intelligence

Welcome! This guide will always be a Work-in-Progress which can take you from the fundamental building blocks of AI onto neural networks.

1.1 Learning Path

1. **AI Overview.**
2. **Perceptron Fundamentals:** The basic building block of neural networks - the Perceptron.
3. **Neural Networks:** How will multiple Perceptrons combine to create neural networks capable of solving complex problems.
4. **Possible next Steps.**

1.2 Some background

1. It started out as visualizations of Perceptrons and Neural Networks in the Glamorous Toolkit, which helped me give students insights in Neural Networks.
2. Get Hands-on: start using and trying out AI-tools you encounter.
3. When using online AI tools, please keep the privacy in mind when using personal data!!
4. Please also keep the Societal impact in mind! We can use AI to help us all, but there is of course also a dark side! When concentrating on efficiency only that could mean (and often does!) people getting fired.

Chapter 2

The AI Landscape: Understanding the Big Picture

2.1 Navigating the World of AI Technologies

In today's rapidly evolving technological landscape, terms like *AI*, *Machine Learning*, *Deep Learning*, and *Generative AI* are frequently used, but how do they relate to each other? Let's explore these interconnected concepts through an engaging and informative video presentation.

The video "AI, Machine Learning, Deep Learning and Generative AI Explained" provides an excellent 10-minute overview that will help you understand how these different technologies fit together in the broader AI ecosystem. You can watch it here:

[AI, Machine Learning, Deep Learning and Generative AI Explained](#)

2.2 Key Concepts to Take Away

After watching the video, you'll understand: - Where Machine Learning and Deep Learning fit within the AI landscape.

Part I

Perceptron Fundamentals

Chapter 3

Understanding the Perceptron

3.1 The Biological Inspiration: From Brain Neurons to Artificial Intelligence

The Perceptron represents one of the most fundamental concepts in artificial intelligence, drawing its inspiration directly from the human brain's neural structure. This groundbreaking idea was first introduced in 1943 by Warren S. McCulloch and Walter Pitts in their seminal paper 'A Logical Calculus of the Ideas Immanent in Nervous Activity', where they proposed a mathematical model of biological neurons.





Figure 3.1: A typical biological neuron structure

3.2 From Biology to Machine: Implementing a Perceptron

A Perceptron's architecture elegantly mirrors its biological counterpart through three key components: **inputs**, **weights**, and a **bias**. Each input connection has an associated weight that determines its relative importance, while the bias helps adjust the Perceptron's overall sensitivity to activation.

Perceptron

A *perceptron* is a kind of *artificial neuron*



Takes several binary inputs, x_1, x_2, \dots and produces a single binary output

Figure 3.2: Perceptron's architectural diagram

Let's explore a practical example with three inputs. We'll call our input values x_1, x_2 , and x_3 , with their corresponding weights w_1, w_2 , and w_3 . The Perceptron processes these inputs in two steps:

1. First, it calculates a **weighted sum** and adds the bias: $z := w_1 \cdot x_1 + w_2 \cdot x_2 + w_3 \cdot x_3 + \text{bias}$
2. Then, it applies what we call an **activation function** to produce the final output: let's use a very simple one, called a Step function:

$$\begin{cases} \text{Output is 1 if } z > 0 \\ \text{Output is 0 if } z \leq 0 \end{cases}$$

which determines the final output.

Keep in mind that the number of inputs for a Perceptron can vary.

Chapter 4

Practical Applications of the Perceptron

4.1 Building Logic Gates with Perceptrons

Let's look at an example of how Perceptrons can be used?

4.1.1 Creating an AND Gate

You may know the concept of an AND gate: given two inputs (both can be 0 or 1) the AND gate will output a 1 if both inputs are 1, and 0 in all other cases.

Consider a Perceptron with the following configuration: - Weights: $w_1 = 1$, $w_2 = 1$ - Bias: -1.5

Here's the truth table for an AND gate:

Input 1	Input 2	Output
0	0	0
0	1	0
1	0	0
1	1	1

One example: when inputs are 1 and 1 the weighted sum is $(1*1 + 1*1)$, adding the bias gives: 0.5 , which is greater than 0, so the activation function will give 1.

4.2 Beyond AND Gates

By changing the bias to -0.5 this Perceptron turns into an OR gate (which returns 1 if at least one of the inputs is 1)

Changing the values can give you a NOR gate and a NOT gate, which would be nice to figure out yourself (or use your preferred search engine).

4.3 Network

By combining several Perceptrons (sending the output of one to the input of another) you can probably imagine that it is possible to create Networks of Perceptrons. By changing the values of weights and biases of the connected Perceptrons it is possible to build complex electronic circuits.

So far, we've only looked at binary circuits where inputs and outputs are restricted to 0 and 1. However, when we generalize this concept to allow larger positive values, negative values, floating-point numbers, and different activation functions, the Perceptron becomes an incredibly versatile tool. This generalization opens up possibilities for pattern recognition, classification tasks, regression problems, and complex decision-making systems. This is where the true power of neural networks begins to emerge, as they can learn to handle continuous data and make sophisticated decisions based on multiple inputs.

In relatively simple cases it can be used as sort of a decision machine. More complex applications of this technology can help recognizing objects in the real world.

Up until now we didn't look at how a perceptron can learn and become smarter. That will be subject of next chapter chapters. The concept of a Perceptron was generalized to what we now call an (artificial) Neuron.

When combining Artificial Perceptrons/Neurons to Networks they are referred to as **Multi Layered Perceptron (MLP)** or **(Artificial) Neural Network (ANN)**.

Chapter 5

Decision Making with Perceptrons

5.1 Making Decisions

A Perceptron can be used to make decisions based on multiple inputs. Let's look at a practical example, where we take a perceptron with weights 0.5 and -0.8 and bias 0.3

This Perceptron takes two inputs and makes a decision based on their values. The weights and bias determine how the Perceptron interprets the inputs.

For example, if we have inputs $x_1 = 1$ and $x_2 = 0.5$, the Perceptron will: 1. Calculate the weighted sum: $0.5 \cdot 1 + (-0.8) \cdot 0.5 = 0.1$ 2. Add the bias: $0.1 + 0.3 = 0.4$ 3. Apply the step function: since $0.4 > 0$, output will be 1

This means the Perceptron has decided “yes” for these input values.

5.2 Understanding the Decision Boundary

The weights and bias create a decision boundary in the input space. Any point above this boundary will result in an output of 1, while points below will result in 0.

For our example: - Weight 1 (0.5) determines how much we value the first input - Weight 2 (-0.8) determines how much we value the second input - The bias (0.3) shifts the decision boundary

This creates a line where: $0.5x_1 - 0.8x_2 + 0.3 = 0$

Points above this line will result in a “yes” decision, while points below will result in a “no” decision.

5.3 Applications

This decision-making capability can be used for:

- Classification problems
- Pattern recognition
- Simple rule-based systems
- Binary decisions based on multiple factors

The beauty of this approach is that by adjusting the weights and bias, we can create different decision boundaries for different types of problems.

Chapter 6

Teaching a Perceptron: The Learning Process

6.1 Introduction to Perceptron Learning

One of the most fascinating aspects of Perceptrons is their ability to learn from examples. Instead of manually setting weights and bias, we can train a Perceptron to discover the optimal parameters through a process called supervised learning.

6.2 The Learning Algorithm

The learning process follows these key steps:

1. Start with random weights and bias
2. Present a training example
3. Compare the Perceptron's output with the desired output
4. Adjust the weights and bias based on the error
5. Repeat with more examples until performance is satisfactory

6.2.1 Mathematical Foundation

The weight update rule is elegantly simple:

```
new_weight = current_weight + learning_rate * error * input
```

Where: - **learning_rate** is a small number (like 0.1) that controls how big each adjustment is - **error** is the difference between desired and actual output (1 or -1) - **input** is the input value for that weight

6.3 Implementing Learning

Here's how we create a learning Perceptron:

```
learningPerceptron := Neuron new
  step;
  learningRate: 0.1;
  initialize. "Sets random initial weights"
```

6.3.1 Training Process

To train the Perceptron, we present examples with their desired outputs:

```
"Training for AND gate behavior"
trainingData := #(
  ((0 0) 0)
  ((0 1) 0)
  ((1 0) 0)
  ((1 1) 1)
).

trainingData do: [:example |
  inputs := example first.
  desiredOutput := example second.
  learningPerceptron train: inputs desiredOutput: desiredOutput
].
```

6.4 Visualizing the Learning Process

As the Perceptron learns, its decision boundary gradually moves to the correct position. You can monitor this progress by:

1. Tracking the error rate over time
2. Visualizing the decision boundary's movement
3. Testing the Perceptron with new examples

6.5 Practical Considerations

For successful learning: - Ensure your training data is representative - Consider using multiple training epochs (complete passes through the data) - Monitor for convergence (when the weights stabilize) - Be aware that not all problems are linearly separable

In the next chapter, we'll explore the limitations of what a single Perceptron can learn, which will lead us naturally to the need for more complex neural networks.

Chapter 7

Understanding Perceptron Limitations

7.1 The XOR Problem: A Classic Challenge


While Perceptrons are powerful tools for many classification tasks, they face a fundamental limitation: they can only solve linearly separable problems. The classic example of this limitation is the XOR (exclusive OR) function.

7.1.1 What is XOR?

The XOR function outputs 1 only when exactly one of its inputs is 1: - Input (0,0) → Output: 0 - Input (0,1) → Output: 1 - Input (1,0) → Output: 1 - Input (1,1) → Output: 0

What we have seen so far

We have seen that the perceptron can (more or less accurately) guess the side on which a point is located



34


Figure 7.1: Visual representation of XOR problem

7.1.2 Why Can't a Single Perceptron Solve XOR?

A Perceptron creates a single straight line (or hyperplane in higher dimensions) to separate its outputs. However, the XOR problem requires two separate lines to correctly classify all points.

What we have seen so far

We can easily make our perceptron to represent the AND, OR logical operations



38

Figure 7.2: Attempted linear separation of XOR


As you can see, no single straight line can separate the points where output should be 1 (blue) from points where output should be 0 (red).

7.2 The Solution: Multiple Layers

To solve the XOR problem, we need to combine multiple Perceptrons in layers. This is our first glimpse at why we need neural networks!

What we have seen so far

We can easily make our perceptron to represent the AND, OR logical operations




This is very similar to the space & point problem.
It is all about having a line as a limit

39

Figure 7.3: Multi-layer solution

By using multiple Perceptrons, we can: 1. First create separate regions with individual Perceptrons 2. Then combine these regions to form more complex decision boundaries

Limitation of a perceptron



With the XOR operation, you cannot have one unique line that limit the range of true and false

40

Figure 7.4: Complete neural network solution

7.3 Key Takeaways

1. Single Perceptrons can only solve linearly separable problems
2. Many real-world problems (like XOR) are not linearly separable
3. Combining Perceptrons into networks overcomes this limitation
4. This limitation led to the development of multi-layer neural networks

In the next section, we'll explore how to build and train these more powerful multi-layer networks.

Part II

Neural Networks

Chapter 8


Introduction to Neural Networks

8.1 Beyond Single Perceptrons: Building Neural Networks

Having seen the limitations of single Perceptrons, we now venture into the fascinating world of neural networks. These powerful structures combine multiple Perceptrons in layers to solve complex problems that single Perceptrons cannot handle.

Network of neurons

A network has the following structure



41

Figure 8.1: Basic neural network architecture

8.2 Understanding Network Architecture

A typical neural network consists of three main components:

1. **Input Layer:** Receives the raw data
2. **Hidden Layer(s):** Processes the information through multiple Perceptrons
3. **Output Layer:** Produces the final result

8.2.1 Key Components

Each connection in the network has:

- A weight that determines its strength
- A direction of information flow (forward only)
- An associated neuron that processes the incoming signals

8.3 How Information Flows

The network processes information in these steps:

1. Input values are presented to the input layer
2. Each neuron in subsequent layers:

- Receives weighted inputs from the previous layer
 - Applies its activation function
 - Passes the result to the next layer
3. The output layer produces the final result

8.4 Creating a Simple Network

Here's how to create a basic neural network:

```
network := NeuralNetwork new
  inputSize: 2;
  addHiddenLayer: 3;
  outputSize: 1;
  initialize.
```

This creates a network with: - 2 input neurons - 3 neurons in one hidden layer
- 1 output neuron

8.5 Training the Network

Unlike single Perceptrons, neural networks use more sophisticated training algorithms:

```
"Training data for XOR problem"
trainingData := #(
  ((0 0) 0)
  ((0 1) 1)
  ((1 0) 1)
  ((1 1) 0)
).

"Train the network"
1000 timesRepeat: [
  trainingData do: [:example |
    inputs := example first.
    desiredOutput := example second.
    network trainOn: inputs expecting: desiredOutput
  ]
].
```

8.6 Advantages of Neural Networks

1. Can solve non-linearly separable problems
2. Handle complex pattern recognition
3. Learn hierarchical features automatically

4. Scale well to large problems

In the next sections, we'll explore practical applications and see how to train networks on real-world data.

Chapter 9

Practical Example: Classifying Iris Flowers

9.1 A Real-World Machine Learning Challenge

The Iris flower classification problem is a classic example in machine learning. It involves predicting the species of an Iris flower based on measurements of its physical characteristics. This problem perfectly illustrates how neural networks can solve real-world classification tasks.



Figure 9.1: Different types of Iris flowers

9.2 The Dataset

The Iris dataset includes measurements of three different Iris species: - Iris Setosa - Iris Versicolor - Iris Virginica

For each flower, we have four measurements: 1. Sepal length 2. Sepal width 3. Petal length 4. Petal width

9.3 Building the Neural Network

Let's create a network to classify Iris flowers:

```
irisNetwork := NeuralNetwork new
  inputSize: 4;           "Four measurements"
  addHiddenLayer: 5;      "Hidden layer with 5 neurons"
  outputSize: 3;          "Three possible species"
  initialize.
```

9.4 Preparing the Data

We need to format our data appropriately:

```
"Example of one flower's data"
measurements := #(5.1 3.5 1.4 0.2). "Setosa"
expectedOutput := #(1 0 0). "One-hot encoding for Setosa"
```

9.5 Training Process

```
"Training with multiple examples"
trainingData do: [:example |
    measurements := example measurements.
    species := example species.
    irisNetwork trainOn: measurements expecting: species
].
```

9.6 Making Predictions

After training, we can use the network to classify new flowers:

```
newFlower := #(6.3 2.9 5.6 1.8).
prediction := irisNetwork predict: newFlower.
```

9.7 Evaluating Performance

To assess our network's accuracy:

1. Split data into training and testing sets
2. Train on the training set
3. Evaluate on the testing set
4. Calculate accuracy metrics

9.8 Key Learning Points

1. Neural networks can handle multi-class classification
2. Real-world data often needs preprocessing
3. We can measure success with accuracy metrics
4. The same principles apply to many similar problems

This practical example demonstrates how neural networks can solve real classification problems. In the next section, we'll explore the mathematics behind how these networks learn.

Chapter 10

The Mathematics Behind Neural Networks

10.1 Understanding the Magic

While neural networks might seem magical, they're built on solid mathematical foundations. Let's demystify how they actually work under the hood.

10.2 The Building Blocks

10.2.1 1. Neurons and Weights

Each neuron performs two key operations: 1. Weighted sum of inputs: $z = \sum_{i=1}^n w_i x_i + b$ 2. Activation function: $a = f(z)$

Where: - w_i are the weights - x_i are the inputs - b is the bias - f is the activation function

10.2.2 2. Activation Functions

Common activation functions include:

1. Sigmoid: $f(x) = \frac{1}{1+e^{-x}}$
 - Outputs between 0 and 1
 - Useful for probability predictions
2. ReLU (Rectified Linear Unit): $f(x) = \max(0, x)$
 - Simple and efficient
 - Helps prevent vanishing gradients
3. Tanh: $f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}$
 - Outputs between -1 and 1

- Often better than sigmoid for hidden layers

10.3 The Learning Process

10.3.1 1. Forward Propagation

Information flows through the network:

```
"Example of forward propagation"
layer1Activation := (weights1 dot: inputs) + bias1.
layer1Output := activationFunction value: layer1Activation.
```

10.3.2 2. Loss Calculation

Measure the network's error: $E = \frac{1}{2} \sum (target - output)^2$

10.3.3 3. Backpropagation

Update weights to minimize error: $\Delta w = -\eta \frac{\partial E}{\partial w}$

Where η is the learning rate.

10.4 Gradient Descent Visualization

The network learns by descending the error surface: 1. Calculate error gradient
2. Take small steps in the opposite direction 3. Repeat until reaching a minimum

10.5 Practical Implementation

In Pharo, we can implement these concepts:

```
NeuralNetwork >> updateWeights: inputs error: error
    "Update weights using gradient descent"
    learningRate := 0.1.
    delta := error * self derivativeActivation: self lastOutput.
    weights := weights + (learningRate * (inputs * delta))
```

10.6 Key Insights

1. Neural networks learn through iterative optimization
2. The choice of activation function matters
3. Learning rate affects training stability
4. Gradient descent finds local minima

10.7 Beyond the Basics

Advanced concepts build on these foundations: - Momentum for faster convergence - Regularization to prevent overfitting - Batch normalization for stability - Advanced optimizers like Adam

Understanding these mathematical principles helps us: 1. Debug network issues 2. Choose appropriate architectures 3. Optimize performance 4. Innovate new solutions

Chapter 11

Advanced Training Techniques

11.1 Beyond Basic Training

While we've covered the fundamentals of neural network training, there are many advanced techniques that can significantly improve performance and efficiency.

11.2 The Challenge of Overfitting

11.2.1 Understanding Overfitting

Overfitting occurs when a model learns the training data too well: - Memorizes training examples instead of learning patterns - Performs poorly on new, unseen data - Shows high training accuracy but low test accuracy

11.2.2 Solutions to Overfitting

1. Regularization

```
"L2 Regularization example"  
regularizedError := error + (lambda * weights squared sum)
```

2. Dropout

- Randomly deactivate neurons during training
- Forces the network to be more robust
- Typically 20-50% dropout rate

3. Early Stopping

- Monitor validation performance

- Stop when performance starts degrading
- Save best performing model

11.3 Data Augmentation

Increase training data variety:

```
"Image augmentation example"
augmentedImage := originalImage
  rotate: (Random new nextFloat * 15);
  scale: (0.9 to: 1.1);
  addNoise: 0.05
```

Common augmentation techniques: 1. Rotation and scaling 2. Adding noise 3. Color adjustments 4. Random cropping

11.4 Batch Processing

11.4.1 Mini-batch Training

Benefits of batch processing: - Faster convergence - Better generalization - More stable gradients

```
"Mini-batch training example"
batchSize := 32.
batches := trainingData batchesOf: batchSize.
batches do: [:batch |
  gradients := self computeGradients: batch.
  self updateWeights: gradients
]
```

11.5 Learning Rate Scheduling

Adaptive learning rates improve training:

1. Step Decay

```
"Step decay example"
learningRate := initialRate * (decayFactor raisedTo: epochNumber // stepSize)
```

2. Exponential Decay

```
"Exponential decay"
learningRate := initialRate * (decayBase raisedTo: epochNumber)
```

3. Cosine Annealing

- Cyclical learning rates

- Helps escape local minima
- Enables better exploration

11.6 Transfer Learning

Leverage pre-trained models:

1. Feature Extraction
 - Use pre-trained network as feature extractor
 - Add custom layers for your task
 - Freeze pre-trained weights
2. Fine-tuning

```
"Fine-tuning example"
pretrainedNetwork
  freezeLayersUpTo: -2;
  addLayer: (Dense neurons: outputSize);
  trainOn: newData
```

11.7 Monitoring and Visualization

Track training progress:

1. Loss Curves
 - Plot training and validation loss
 - Identify overfitting early
 - Guide hyperparameter tuning
2. Confusion Matrix

```
"Generate confusion matrix"
confusionMatrix := predictions zip: actualLabels collect: [:pred :actual |
  (pred = actual) asBit
] groupedBy: #yourself
```

11.8 Best Practices

1. Data Preparation
 - Normalize inputs
 - Handle missing values
 - Balance classes
2. Model Architecture
 - Start simple
 - Gradually add complexity
 - Use proven architectures

3. Training Process

- Monitor key metrics
- Save checkpoints
- Use cross-validation

11.9 Next Steps

Advanced techniques to explore: 1. Ensemble methods 2. Hyperparameter optimization 3. Advanced architectures 4. Custom loss functions

Remember: These techniques are tools in your toolkit. Choose them based on your specific problem and requirements.

Chapter 12

Exploring Neural Network Architectures

12.1 The Rich Landscape of Neural Networks

Neural networks come in many shapes and sizes, each designed to excel at specific types of tasks. Let's explore some of the most important architectures and their applications.

12.2 Feedforward Neural Networks (FNN)

The classic architecture we've been working with so far. Information flows in one direction: - Input layer → Hidden layer(s) → Output layer - Perfect for classification and regression tasks - Examples: Our Iris classifier, handwriting recognition

12.3 Convolutional Neural Networks (CNN)

Inspired by the human visual cortex: - Specialized for processing grid-like data (images, video) - Uses convolution operations to detect patterns - Excellent at feature extraction - Applications: Image recognition, computer vision, medical imaging

12.4 Recurrent Neural Networks (RNN)

Networks with memory: - Can process sequences of data - Information cycles through the network - Great for time-series data and natural language - Applications: Language translation, speech recognition, stock prediction

12.5 Long Short-Term Memory (LSTM)

A sophisticated type of RNN: - Better at remembering long-term dependencies
- Controls information flow with gates - Solves the vanishing gradient problem -
Applications: Text generation, music composition

12.6 Autoencoders

Self-learning networks: - Learn to compress and reconstruct data - Useful for
dimensionality reduction - Can detect anomalies - Applications: Data compres-
sion, noise reduction, feature learning

12.7 Generative Adversarial Networks (GAN)

Two networks competing with each other: - Generator creates fake data - Dis-
criminator tries to spot fakes - Through competition, both improve - Applica-
tions: Creating realistic images, style transfer, data augmentation

12.8 Choosing the Right Architecture

The choice of architecture depends on: 1. Type of data (images, text, time-
series) 2. Task requirements (classification, generation, prediction) 3. Available
computational resources 4. Need for real-time processing

12.9 Future Directions

Neural network architectures continue to evolve: - Hybrid architectures com-
bining multiple types - More efficient training methods - Better handling of
uncertainty - Integration with other AI techniques

In the next section, we'll dive deeper into training these networks effectively.

Part III

Next Steps

Chapter 13

Next Steps in Your AI Journey

13.1 Congratulations on Your Progress!

You've come a long way in understanding neural networks and their applications. Now, let's explore where to go from here.

13.2 Expanding Your Knowledge

13.2.1 1. Advanced Topics

- Deep Learning architectures
- Reinforcement Learning
- Natural Language Processing
- Computer Vision
- Generative AI

13.2.2 2. Practical Skills

- Model deployment
- Cloud computing
- Version control
- Data engineering
- DevOps for AI

13.3 Real-World Applications

13.3.1 1. Industry Applications

- Healthcare diagnostics
- Financial forecasting
- Autonomous systems
- Robotics
- Smart cities

13.3.2 2. Research Areas

- Explainable AI
- Ethical AI
- Federated Learning
- Few-shot Learning
- Neural Architecture Search

13.4 Building Your Portfolio

1. Personal Projects

```
"Example project structure"
AIProject new
  title: 'Image Classification';
  description: 'Classifying plant species';
  technologies: #('CNN' 'Transfer Learning');
  dataset: 'PlantNet';
  initialize
```

2. Documentation

- Clear README files
- Architecture diagrams
- Performance metrics
- Deployment instructions

3. Code Quality

- Clean code principles
- Unit tests
- Performance optimization
- Error handling

13.5 Community Engagement

13.5.1 1. Online Communities

- AI/ML forums
- GitHub discussions
- Stack Overflow
- Research paper discussions

13.5.2 2. Local Groups

- Meetups
- Hackathons
- Workshops
- Study groups

13.6 Continuous Learning

13.6.1 1. Advanced Courses

- Deep Learning specializations
- MLOps certifications
- Domain-specific training
- Research methodologies

13.6.2 2. Reading Materials

- Research papers
- Technical blogs
- Industry reports
- Case studies

13.7 Career Paths

1. Industry Roles

- Machine Learning Engineer
- AI Researcher
- Data Scientist
- MLOps Engineer

2. Research Paths

- PhD programs
- Research labs
- Academic positions
- Industry research

13.8 Best Practices Moving Forward

1. Stay Current

- Follow AI news
- Read research papers
- Experiment with new tools
- Join discussions

2. Build Network

- Connect with experts
- Share knowledge
- Collaborate on projects
- Mentor others

3. Maintain Balance

- Theory and practice
- Breadth and depth
- Learning and applying
- Teaching and learning

13.9 Final Thoughts

Remember: 1. AI is a rapidly evolving field 2. Focus on fundamentals 3. Practice regularly 4. Share your knowledge 5. Stay curious and experimental

Your journey in AI is just beginning. Keep learning, experimenting, and growing!

Chapter 14

Python for Neural Networks

14.1 Why Python for Neural Networks?

Python has become the de facto language for machine learning and neural networks, thanks to its: - Rich ecosystem of libraries - Easy-to-read syntax - Extensive community support - Powerful numerical computing capabilities

14.2 Essential Python Libraries

14.2.1 1. NumPy

```
import numpy as np

# Create input data
X = np.array([[0, 0], [0, 1], [1, 0], [1, 1]])
y = np.array([0, 1, 1, 0]) # XOR function
```

14.2.2 2. TensorFlow/Keras

```
from tensorflow import keras

model = keras.Sequential([
    keras.layers.Dense(4, activation='relu', input_shape=(2,)),
    keras.layers.Dense(1, activation='sigmoid')
])
```

14.2.3 3. PyTorch

```
import torch
import torch.nn as nn

class XORNet(nn.Module):
    def __init__(self):
        super().__init__()
        self.layer1 = nn.Linear(2, 4)
        self.layer2 = nn.Linear(4, 1)
```

14.3 Getting Started

1. Install Python from python.org
2. Set up a virtual environment:

```
python -m venv myenv
source myenv/bin/activate # On Unix
myenv\Scripts\activate   # On Windows
```

3. Install required packages:

```
pip install numpy tensorflow torch scikit-learn
```

14.4 From Pharo to Python

14.4.1 Key Differences

1. Syntax:

```
"Pharo"
network := NNetwork new.
network configure: 4 hidden: 6 nbOfOutputs: 3.
```

```
# Python
network = NeuralNetwork()
network.configure(4, hidden=6, nb_outputs=3)
```

2. Libraries:

- Pharo: Built-in neural network implementation
- Python: Multiple mature frameworks available

14.5 Resources for Learning

1. Online Courses:

- Coursera's Deep Learning Specialization
 - Fast.ai's Practical Deep Learning
 - Google's Machine Learning Crash Course
2. Documentation:
 - [TensorFlow Docs](#)
 - [PyTorch Tutorials](#)
 - [Scikit-learn Guide](#)
 3. Practice Projects:
 - MNIST digit classification
 - Image recognition
 - Natural language processing

14.6 Best Practices

1. Code Organization:
 - Use clear variable names
 - Document your code
 - Follow PEP 8 style guide
2. Development Environment:
 - Use Jupyter notebooks for experimentation
 - Version control with Git
 - Regular code backups
3. Performance:
 - Vectorize operations with NumPy
 - Use GPU acceleration when available
 - Profile code for bottlenecks

14.7 Next Steps

1. Choose a framework (TensorFlow or PyTorch)
2. Complete online tutorials
3. Build simple projects
4. Join the Python ML community

Remember: The concepts you learned in Pharo translate well to Python - focus on understanding the principles rather than just the syntax.

Chapter 15

Finding and Preparing Data for Neural Networks

15.1 The Importance of Data

Data is the foundation of any machine learning project. The quality and quantity of your data often matter more than the sophistication of your model.

15.2 Popular Data Sources

15.2.1 1. Public Datasets

- [Kaggle](#)
 - Competitions and datasets
 - Active community
 - Detailed documentation
- [UCI Machine Learning Repository](#)
 - Academic datasets
 - Well-documented
 - Quality-controlled
- [Google Dataset Search](#)
 - Comprehensive search engine
 - Various domains
 - Multiple formats

15.2.2 2. Domain-Specific Sources

1. Images
 - ImageNet

- CIFAR-10/100
- MS COCO
- 2. **Text**
 - Wikipedia dumps
 - Project Gutenberg
 - Common Crawl
- 3. **Specialized**
 - Medical: MIMIC
 - Financial: Yahoo Finance
 - Scientific: NASA Earth Data

15.3 Data Preparation Steps

1. Collection

```
"Example: Download from URL"
data := ZnClient new
  url: 'https://example.com/dataset.csv';
  get
```

2. Cleaning

```
"Remove missing values"
cleanData := data reject: [:row |
  row includesAny: #(nil '' 'N/A')
]
```

3. Preprocessing

```
"Normalize numerical values"
normalized := data collect: [:value |
  (value - mean) / standardDeviation
]
```

15.4 Best Practices

15.4.1 1. Data Quality

- Check for missing values
- Remove duplicates
- Handle outliers
- Validate data types

15.4.2 2. Data Split

```
"Split into training and testing sets"
splitRatio := 0.8.
```

```
splitIndex := (data size * splitRatio) asInteger.  
trainingSet := data first: splitIndex.  
testingSet := data allButFirst: splitIndex.
```

15.4.3 3. Data Augmentation

- Increase dataset size
- Improve model robustness
- Balance classes

15.5 Common Challenges

1. **Insufficient Data**
 - Use data augmentation
 - Transfer learning
 - Synthetic data generation
2. **Imbalanced Classes**
 - Oversampling
 - Undersampling
 - SMOTE technique
3. **Noisy Data**
 - Data cleaning
 - Outlier detection
 - Robust preprocessing

15.6 Tools and Libraries

1. **Data Processing**
 - Pandas (Python)
 - NumPy (Python)
 - Pharo Data Frame
2. **Visualization**
 - Matplotlib
 - Seaborn
 - Roassal (Pharo)

15.7 Next Steps

1. Choose appropriate datasets
2. Implement robust preprocessing
3. Validate data quality
4. Document your process

Remember: Good data preparation is crucial for successful machine learning projects.

Chapter 16

Essential Resources and References

16.1 Core Learning Resources

16.1.1 Books

1. **Neural Networks and Deep Learning**
 - Author: Michael Nielsen
 - [Free Online Book](#)
 - Perfect for beginners and intermediate learners
 - Clear explanations with interactive examples
2. **Deep Learning**
 - Authors: Ian Goodfellow, Yoshua Bengio, Aaron Courville
 - [Available Online](#)
 - Comprehensive coverage of deep learning
 - Industry standard reference
3. **Agile AI in Pharo**
 - Author: Alexandre Bergel
 - Practical implementation in Pharo
 - Hands-on examples and exercises
 - [Book Link](#)

16.2 Video Courses and Tutorials

16.2.1 1. Foundational Series

- [3Blue1Brown Neural Networks](#)
 - Visual explanations

- Mathematical intuition
- Clear animations

16.2.2 2. Programming Tutorials

- [Fast.ai Deep Learning Course](#)
 - Practical approach
 - Top-down learning
 - Real-world applications

16.2.3 3. Advanced Topics

- [Stanford CS231n](#)
 - Computer Vision
 - Deep Learning
 - State-of-the-art techniques

16.3 Online Platforms

16.3.1 1. Interactive Learning

- [Kaggle Learn](#)
 - Hands-on exercises
 - Real datasets
 - Community support

16.3.2 2. Research Papers

- [arXiv Machine Learning](#)
 - Latest research
 - Open access
 - Preprint server

16.3.3 3. Code Repositories

- [Papers With Code](#)
 - Implementations of papers
 - Benchmarks
 - State-of-the-art tracking

16.4 Community Resources

16.4.1 1. Forums and Discussion

- [r/MachineLearning](#)
- [Cross Validated](#)

- [AI Stack Exchange](#)

16.4.2 2. Blogs and Newsletters

- [Distill.pub](#)
 - Interactive explanations
 - Visual learning
 - Deep insights

16.4.3 3. Tools and Libraries

- [TensorFlow](#)
- [PyTorch](#)
- [Scikit-learn](#)

16.5 Academic Papers

16.5.1 1. Foundational Papers

- “A Logical Calculus of Ideas Immanent in Nervous Activity” (McCulloch & Pitts, 1943)
- “Learning Internal Representations by Error Propagation” (Rumelhart et al., 1986)
- “Gradient-Based Learning Applied to Document Recognition” (LeCun et al., 1998)

16.5.2 2. Modern Breakthroughs

- “Deep Residual Learning for Image Recognition” (He et al., 2015)
- “Attention Is All You Need” (Vaswani et al., 2017)
- “Language Models are Few-Shot Learners” (Brown et al., 2020)

16.6 How to Use These Resources

1. For Beginners

- Start with Nielsen’s book
- Watch 3Blue1Brown videos
- Practice with Kaggle Learn

2. For Intermediate Learners

- Deep Learning book
- Stanford courses
- Implement papers

3. For Advanced Users

- Research papers
- Contribute to open source

- Attend conferences

Remember to: - Take notes - Implement concepts - Join discussions - Share knowledge - Stay updated

These resources will help you build a strong foundation in neural networks and AI.