
ENERGY

Office of ENERGY EFFICIENCY & RENEWABLE ENERGY




Guide to Determining Climate Zones by County: Building America and IECC 2021 Updates

September 2022









DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC05-76RL01830

Printed in the United States of America

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831-0062; ph: (865) 576-8401 fax: (865) 576-5728

email: reports@adonis.osti.gov

Available to the public from the National Technical Information Service 5301 Shawnee Rd., Alexandria, VA 22312 ph: (800) 553-NTIS (6847) email: orders@ntis.gov

Online ordering: http://www.ntis.gov

Guide to Determining Climate Zones by County: Building America and IECC 2021 Updates

September 2022

Chrissi Antonopoulos Theresa L. Gilbride Evan R. Margiotta Christian E. Kaltreider

Prepared for:

U.S. Department of Energy Building America Program Office of Energy Efficiency and Renewable Energy

Pacific Northwest National Laboratory Richland, WA, 99354

Foreword

The U.S. Department of Energy (DOE) Building America Program has spurred innovations in building efficiency, durability, and affordability for more than 25 years. Elevating a clean energy economy and skilled workforce, this world-class research program partners with industry to leverage cutting-edge science and deployment opportunities to reduce home energy use and help mitigate climate change.

In cooperation with the Building America Program, the Pacific Northwest National Laboratory is one of many <u>Building America teams</u> and national laboratories working to drive innovations that address the challenges identified in the Program's <u>Research-to-Market Plan</u>.

This report, *Guide to Determining Climate Zone by County: IECC and Building America 2021 Updates*, provides updated Building America climate zone information for all counties in the United States and compares them to the latest International Energy Conservation Code (IECC) 2021 climate designations.

As the technical monitor of Building America research, the National Renewable Energy Laboratory encourages feedback and dialogue on the research findings in this report as well as others. Send any comments and questions to building.america@ee.doe.gov.

Suggested Citation:

Antonopoulos, C., T. Gilbride, E. Margiotta, and C. Kaltreider. *Guide to Determining Climate Zone by County: IECC and Building America 2021 Updates*. Richland WA: Pacific Northwest National Laboratory. PNNL-33270.

List of Acronyms

ASHRAE American Society of Heating, Refrigerating and Air-Conditioning Engineers

DOE U.S. Department of Energy

ICC International Code Council

IECC International Energy Conservation Code

IRC International Residential Code

NOAA National Oceanic and Atmospheric Administration

PNNL Pacific Northwest National Laboratory

ZERH U.S. Department of Energy Zero Energy Ready Homes Program

Executive Summary

This report describes the climate zone designations used by the U.S. Department of Energy (DOE) Building America Program. The report aims to help residential building stakeholders identify the appropriate climate zone designation for each county in the United States, including Hawaii and Alaska. Identifying the correct climate zone is important for many activities including residential construction projects, code compliance, energy analysis and modeling, and other analytical activities where climate zones impact the energy and moisture performance of residential buildings.

This report supersedes the previous Building America publication: *Guide to Determining Climate Regions by County*, published in 2010. This report reflects climate designations used by the International Code Council (ICC) in the 2021 versions of the International Energy Conservation Code (IECC), the International Residential Code (IRC), and other codes produced by ICC. The information provided here and associated data should be used for the most up-to-date information regarding climate zone designations in the United States.

This report provides the following:

- Maps comparing pre-2021 and 2021 versions of the IECC climate zone maps.
- Maps comparing pre-2021 and 2021 versions of the Building America climate zone maps.
- Raw data embedded into GIS shapefiles with direct access to IECC and Building America map data pre- and post-2021.
- Tables organized by state identifying each county and associated IECC and Building America climate zone pre- and post-2021.

Table of Contents

1	Introduction	1
	1.1 Overview of Report	1
	1.2 A Brief History of the Development of Climate Zone Designations	1
2	IECC and Building America Climate Zone Maps	5
	2.1 ASHRAE/IECC Climate Zone Maps	5
	2.2 Building America Climate Zone Maps	7
	2.2.1 Building America Climate Zone Designation Definitions	9
3	Data Files for IECC and Building America Climate Zone Maps	12
4	Climate Zone Designations: County Tables	13
5	References	55

List of Figures

Figure 1. Hygrothermal regions of North America (Source: Lstiburek 2000).	2
Figure 2. Rain Exposure Zones (Source: Lstiburek 2000).	3
Figure 3. IECC Climate Zone Map, pre-2021 version (Source: ICC 2014).	6
Figure 4. IECC Climate Zone Map, 2021 version (Source: ICC 2021).	6
Figure 5. Counties on the ASHRAE/IECC Climate Zone Map that changed climate zone	
designations from 2018 to 2021:	7
Figure 6. Building America Climate Zone Map, Pre-2021 version	8
Figure 7. Building America Climate Zone Map, 2021 version.	8
Figure 8. Counties on the Building America Climate Zone Map that changed climate zone	
designations from pre-2021 to 2021, per IECC modifications:	9
List of Tables	
Table 1 Building America and IECC Climate Zones	5

1 Introduction

This report describes the climate zone designations used by the U.S. Department of Energy (DOE) Building America Program and correlates those designations with the climate designations by the International Code Council (ICC). The Building America climate zone map is used by the DOE Zero Energy Ready Home (ZERH) program for identifying climate zones and building performance requirements for program certification. The report aims to help residential building stakeholders identify the appropriate climate zone designation for each county in the United States, including Hawaii and Alaska. In addition to ZERH program compliance, identifying the correct climate zone is important for many activities including residential construction projects, code compliance, energy analysis and modeling, and other analytical activities where climate zones impact the energy and moisture performance of residential buildings.

1.1 Overview of Report

This report supersedes the previous Building America publication: *Guide to Determining Climate Regions by County* (Baechler et al.) published in 2010. This report reflects climate designations used by the ICC in the 2021 versions of the International Energy Conservation Code (IECC), the International Residential Code (IRC), and other codes produced by ICC. The information provided here and associated data should be used for the most up-to-date information regarding climate zone designations in the United States.

This report provides the following:

- Maps comparing pre-2021 and 2021 versions of the IECC climate zone maps.
- Maps comparing pre-2021 and 2021 versions of the Building America climate zone maps.
- Raw data embedded into GIS shapefiles with direct access to IECC and Building America map data pre- and post-2021.
- Tables organized by state identifying each county and associated IECC and Building America climate zone pre- and post-2021.

1.2 A Brief History of the Development of Climate Zone Designations

The Köppen-Geiger Climate Classification system, initially published by German-Russian climatologist Wladimir Köppen in 1884, with several later modifications by Köppen and climatologist Rudolf Geiger, divides the world's climates into five main climate groups based on seasonal precipitation and temperature patterns and tied to vegetation types found in each region (Kottek et al. 2006; Peel, Finlayson, and McMahon 2007). Internationally, the Köppen-Geiger Climate Classification system is used to establish climate zones throughout the world. In the

early 1990s, Joseph Lstiburek of Building Science Corporation proposed a climate zone map for North America based on heating degree days and consisting of three climate zones. This map appeared in the *Moisture Control Handbook* by Lstiburek and Carmody and published by Oak Ridge National Laboratory in 1991. Drawing upon the Köppen-Geiger map, Lstiburek then developed more detailed maps including a map showing eight climate regions (Figure 1) and a rainfall map that identified four rain exposure zones in North America (Figure 2). These were first formally published in the proceedings of the *Eighth Canadian Building Science, Technology Conference* in 2000 (Lstiburek 2000) and then published by the American Society of Heating, Refrigerating and Air-Conditioning Engineers (ASHRAE) in 2002 (Lstiburek 2002).




Figure 1. Hygrothermal regions of North America (Source: Lstiburek 2000).




Figure 2. Rain Exposure Zones (Source: Lstiburek 2000).

These two maps became the basis for the Building America map developed by Lstiburek for DOE and consisting of eight climate zones (Figure 6). For reporting purposes, these are often combined into six climate regions: hot-humid, hot-dry/mixed dry, mixed-humid, marine, cold/very cold, and subarctic.

The Building America map became the basis for the ICC climate region map. Researchers at Pacific Northwest National Laboratory (PNNL) used the Building America map and analysis of 4,775 U.S. weather sites identified in the National Oceanic and Atmospheric Administration's (NOAA) meteorological year datasets to develop a climate map for DOE's Building Energy Codes Program (ASHRAE 2013, Briggs et al. 2003; Athalye, Taylor, and Liu 2016, Lstiburek 2020). This map divided the United States into eight temperature-oriented climate zones. These zones were further divided into three moisture regimes, designated A, B, and C. Thus, the IECC

map allows for up to 24 potential climate designations (Figure 6). The climate zones were aligned with county boundaries, making it easier for construction stakeholders to determine what climate zone applied to a specific building.

The 2004 IECC Supplement was the first model energy code to adopt this new climate zone map. It also first appeared in ASHRAE 90.1 in the 2004 edition. The climate zone map was adopted by ENERGY STAR Certified Homes in 2006. In the United States, code-appropriate climate zone designations are maintained by ASHRAE in Standard 169 (ASHRAE 2013).

In 2010, the Building America Program prepared a report that included detailed definitions of each climate zone and a listing of all U.S. counties by state, indicating the climate region in which each county is located, *High Performance Home Technologies: Guide to Determining Climate Regions by County* (Baechler et al. 2010, revised 2015). This report is a revision of that report, updated to include 2021 ICC revisions to some county climate designations.

2 IECC and Building America Climate Zone Maps

In the 2021 code cycle, ASHRAE used updated NOAA weather data to modify the climate zones, which were published in Standard 169. These changes were adopted in the 2021 IECC model energy code. To make these changes, temperature data from over 4,000 weather stations throughout the United States were used to scrutinize the current classification, resulting in modifications to about 10% of U.S. counties (Athalye, Taylor, and Liu 2016). In most cases, counties that changed shifted to a warmer (lower number) climate zone, but some counties shifted to a cooler (higher number) climate zone. To reflect these revised climate designations, changes have also been made to the Building America map. Pre-2021 and 2021 IECC and Building America maps are presented in this section.

Table 1 presents the relationship between the Building America and IECC climate zones.

Building IECC America Subarctic Zone 8 Very Cold Zone 7 Cold Zones 5 and 6 Mixed-Humid Zones 4A and 3A Zone 4B Mixed-Dry Zones 1A, 2A, and Hot-Humid ЗА Hot-Dry Zones 2B and 3B All counties with "C" moisture Marine regime

Table 1. Building America and IECC Climate Zones

2.1 ASHRAE/IECC Climate Zone Maps

Figure 3 shows the pre-2021 version of the IECC map, followed by Figure 4, which shows the 2021 version of the IECC map. The pre-2021 map was used in the 2004 IECC supplement through the 2018 IECC code edition. Figure 5 presents a map that is color coded to show which counties on the IECC map have changed climate zone designations. Each county that changed is marked with two colors: the color in the lower left indicates the old pre-2021 climate zone designation and the color in the upper right indicates the new 2021 climate designation.




Figure 3. IECC Climate Zone Map, pre-2021 version (Source: ICC 2014).




Figure 4. IECC Climate Zone Map, 2021 version (Source: ICC 2021).




Figure 5. Counties on the ASHRAE/IECC Climate Zone Map that changed climate zone designations from 2018 to 2021: each county that changed is color coded with the lower left color indicating the pre-2021 designation and the upper right color indicating the 2021 climate designation.

2.2 Building America Climate Zone Maps

Figure 6 shows the pre-2021 version of the Building America map, followed by Figure 7, which shows the 2021 version for comparison. Figure 8 is a map that is color coded to show which counties have changed climate zone designations, per changes to the IECC map. Each county that changed is marked with two colors: the color in the lower left indicates the old pre-2021 climate zone designation and the color in the upper right indicates the new 2021 climate designation.




Figure 6. Building America Climate Zone Map, Pre-2021 version.




Figure 7. Building America Climate Zone Map, 2021 version.




Figure 8. Counties on the Building America Climate Zone Map that changed climate zone designations from pre-2021 to 2021, per IECC modifications: each county that changed is color coded with the lower left color indicating the pre-2021 designation and the upper right color indicating the 2021 climate designation.

2.2.1 Building America Climate Zone Designation Definitions

The Building America climate designations are based on heating degree days for the cold and mixed climates as well as temperature, precipitation, and in some cases wet bulb temperature for the hot climates.

2.2.1.1 Hot-Humid

A hot-humid climate is defined as a region that receives more than 20 inches (50 cm) of annual precipitation and where one or both of the following occur:

- A 67°F (19.5°C) or higher wet bulb temperature for 3,000 or more hours during the warmest six consecutive months of the year; or
- A 73°F (23°C) or higher wet bulb temperature for 1,500 or more hours during the warmest six consecutive months of the year.

The Building America hot-humid climate zone includes the portions of IECC zones 1, 2, and 3 that are in the moist category (A) below the "warm-humid" line shown on the IECC map.

2.2.1.2 Mixed-Humid

A mixed-humid climate is defined as a region that receives more than 20 inches (50 cm) of annual precipitation, has approximately 5,400 heating degree days (65°F basis) or fewer, and

where the average monthly outdoor temperature drops below 45°F (7°C) during the winter months.

The Building America mixed-humid climate zone includes the portions of IECC zones 4 and 3 in category A above the "warm-humid" line.

2.2.1.3 Hot-Dry

A hot-dry climate is defined as a region that receives less than 20 inches (50 cm) of annual precipitation and where the monthly average outdoor temperature remains above 45°F (7°C) throughout the year.

The Building America hot-dry climate zone corresponds to the portions of IECC zones 2 and 3 in the dry category.

2.2.1.4 Mixed-Dry

A mixed-dry climate is defined as a region that receives less than 20 inches (50 cm) of annual precipitation, has approximately 5,400 heating degree days (65°F basis) or less, and where the average monthly outdoor temperature drops below 45°F (7°C) during the winter months.

The Building America mixed-dry climate zone corresponds to IECC climate zone 4 B (dry).

2.2.1.5 Cold

A cold climate is defined as a region with between 5,400 and 9,000 heating degree days (65°F basis).

The Building America cold climate corresponds to the IECC climate zones 5 and 6.

2.2.1.6 Very-Cold

A very cold climate is defined as a region with between 9,000 and 12,600 heating degree days (65°F basis).

The Building America very cold climate corresponds to IECC climate zone 7.

2.2.1.7 Subarctic

A subarctic climate is defined as a region with 12,600 heating degree days (65° basis) or more. The only subarctic regions in the United States are found in Alaska. The Building America subarctic climate zone corresponds to IECC climate zone 8.

2.2.1.8 Marine

A marine climate is defined as a region that meets all of the following criteria:

- A coldest month mean temperature between 27°F (-3°C) and 65°F (18°C)
- A warmest month mean of less than 72°F (22°C)
- At least 4 months with mean temperatures higher than 50°F (10°C)

- A dry season in summer. The month with the heaviest precipitation in the cold season has at least three times as much precipitation as the month with the least precipitation in the rest of the year. The cold season is October through March in the Northern Hemisphere and April through September in the Southern Hemisphere.
- The Building America marine climate corresponds to those portions of IECC climate zones 3 and 4 located in the "C" moisture category.

3 Data Files for IECC and Building America Climate Zone Maps

Raw data files with county-level spatial data are available <u>HERE</u>. Each layer file includes the legacy climate zone (pre-2021) along with the updated 2021 data. Additionally, a separate layer file has been created showing the differences between the pre- and post-2021 data for both the IECC and the Building America maps.

4 Climate Zone Designations: County Tables

Climate zone designations are provided for each U.S. county. The counties are listed by state. Counties whose designations have changed from the 2018 IECC or Building America climate zone designation are highlighted and color coded as follows:

BASC or IECC Climate Zone got warmer
BASC or IECC Climate Zone got colder

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ALABAN				
AL	Autauga	Hot-Humid	3	А
AL	Baldwin	Hot-Humid	2	А
AL	Barbour	Hot-Humid	3	А
AL	Bibb	Mixed-Humid	3	А
AL	Blount	Mixed-Humid	3	А
AL	Bullock	Hot-Humid	3	А
AL	Butler	Hot-Humid	3	Α
AL	Calhoun	Mixed-Humid	3	Α
AL	Chambers	Mixed-Humid	3	Α
AL	Cherokee	Mixed-Humid	3	Α
AL	Chilton	Mixed-Humid	3	А
AL	Choctaw	Hot-Humid	3	А
AL	Clarke	Hot-Humid	3	Α
AL	Clay	Mixed-Humid	3	А
AL	Cleburne	Mixed-Humid	3	А
AL	Coffee	Hot-Humid	3→2	А
AL	Colbert	Mixed-Humid	3	А
AL	Conecuh	Hot-Humid	3	А
AL	Coosa	Mixed-Humid	3	Α
AL	Covington	Hot-Humid	3→2	Α
AL	Crenshaw	Hot-Humid	3	А
AL	Cullman	Mixed-Humid	3	А
AL	Dale	Hot-Humid	3→2	А
AL	Dallas	Hot-Humid	3	А
AL	DeKalb	Mixed-Humid	3	Α
AL	Elmore	Hot-Humid	3	А
AL	Escambia	Hot-Humid	3→2	А
AL	Etowah	Mixed-Humid	3	А
AL	Fayette	Mixed-Humid	3	А
AL	Franklin	Mixed-Humid	3	А
AL	Geneva	Hot-Humid	3→2	А
AL	Greene	Mixed-Humid	3	А
AL	Hale	Mixed-Humid	3	А
AL	Henry	Hot-Humid	3→2	А
AL	Houston	Hot-Humid	3→2	А
AL	Jackson	Mixed-Humid	3	А
AL	Jefferson	Mixed-Humid	3	А
AL	Lamar	Mixed-Humid	3	А
AL	Lauderdale	Mixed-Humid	3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
AL	Lawrence	Mixed-Humid	3	А
AL	Lee	Mixed-Humid	3	А
AL	Limestone	Mixed-Humid	3	А
AL	Lowndes	Hot-Humid	3	А
AL	Macon	Hot-Humid	3	Α
AL	Madison	Mixed-Humid	3	Α
AL	Marengo	Hot-Humid	3	А
AL	Marion	Mixed-Humid	3	Α
AL	Marshall	Mixed-Humid	3	Α
AL	Mobile	Hot-Humid	2	А
AL	Monroe	Hot-Humid	3	Α
AL	Montgomery	Hot-Humid	3	Α
AL	Morgan	Mixed-Humid	3	Α
AL	Perry	Hot-Humid	3	А
AL	Pickens	Mixed-Humid	3	Α
AL	Pike	Hot-Humid	3	Α
AL	Randolph	Mixed-Humid	3	Α
AL	Russell	Hot-Humid	3	Α
AL	Shelby	Mixed-Humid	3	Α
AL	St. Clair	Mixed-Humid	3	Α
AL	Sumter	Mixed-Humid	3	Α
AL	Talladega	Mixed-Humid	3	Α
AL	Tallapoosa	Mixed-Humid	3	Α
AL	Tuscaloosa	Mixed-Humid	3	Α
AL	Walker	Mixed-Humid	3	Α
AL	Washington	Hot-Humid	3	Α
AL	Wilcox	Hot-Humid	3	Α
AL	Winston	Mixed-Humid	3	Α
ALASKA			7	NONE
AK	Aleutians East	Very Cold	7	
AK	Aleutians West (CA)	Very Cold		NONE
AK	Anchorage	Very Cold	7	NONE
AK	Bethel (CA)	Subarctic→ Very Cold	8→7	NONE
AK	Bristol Bay	Very Cold	7	NONE
AK	Denali	Very Cold	7→8	NONE
AK	Dillingham (CA)	Subarctic→ Very Cold	8→7	NONE
AK	Fairbanks North Star	Subarctic	8	NONE
AK	Haines	Very Cold→Cold	7→6	NONE→A

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
AK	Juneau	Very Cold→Cold	7→6	NONE→A
AK	Kenai Peninsula	Very Cold	7	NONE
AK	Ketchikan Gateway	Very Cold→ Cold	7→5	NONE→C
AK	Kodiak Island	Very Cold→Cold	7→6	NONE→A
AK	Lake and Peninsula	Very Cold	7	NONE
AK	Matanuska- Susitna	Very Cold	7	NONE
AK	Nome (CA)	Subarctic	8	NONE
AK	North Slope	Subarctic	8	NONE
AK	Northwest Arctic	Subarctic	8	NONE
AK	Prince of Wales- Outer Ketchikan (CA)	Very Cold→Cold	7→5	NONE→C
AK	Sitka	Very Cold→ Cold	7→5	NONE→C
AK	Skagway- Hoonah-Angoon (CA)	Very Cold→Cold	7→6	NONE→A
AK	Southeast Fairbanks (CA)	Subarctic	8	NONE
AK	Valdez-Cordova (CA)	Very Cold	7	NONE
AK	Wade Hampton (CA)	Subarctic	8	NONE
AK	Wrangell- Petersburg (CA)	Very Cold→Cold	7→6	NONE→A
AK	Yakutat	Very Cold	7	NONE
AK	Yukon-Koyukuk (CA)	Subarctic	8	NONE
ARIZON	A			
AZ	Apache	Cold	5	В
AZ	Cochise	Hot-Dry	3	В
AZ	Coconino	Cold	5	В
AZ	Gila	Mixed-Dry	4	В
AZ	Graham	Hot-Dry	3	В
AZ	Greenlee	Hot-Dry	3	В
AZ	La Paz	Hot-Dry	2	В
AZ	Maricopa	Hot-Dry	2	В
AZ	Mohave	Hot-Dry	3	В
AZ	Navajo	Cold	5	В
AZ	Pima	Hot-Dry	2	В
AZ	Pinal	Hot-Dry	2	В
AZ	Santa Cruz	Hot-Dry	3	В
AZ	Yavapai	Mixed-Dry	4	В
AZ	Yuma	Hot-Dry	2	В

State ARKANS	County SAS	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
AR	Arkansas	Mixed-Humid	3	Α
AR	Ashley	Mixed-Humid	3	Α
AR	Baxter	Mixed-Humid	4	А
AR	Benton	Mixed-Humid	4	А
AR	Boone	Mixed-Humid	4	А
AR	Bradley	Mixed-Humid	3	А
AR	Calhoun	Mixed-Humid	3	Α
AR	Carroll	Mixed-Humid	4	Α
AR	Chicot	Mixed-Humid	3	Α
AR	Clark	Mixed-Humid	3	Α
AR	Clay	Mixed-Humid	3	Α
AR	Cleburne	Mixed-Humid	3	А
AR	Cleveland	Mixed-Humid	3	Α
AR	Columbia	Hot-Humid	3	Α
AR	Conway	Mixed-Humid	3	А
AR	Craighead	Mixed-Humid	3	А
AR	Crawford	Mixed-Humid	3	А
AR	Crittenden	Mixed-Humid	3	А
AR	Cross	Mixed-Humid	3	А
AR	Dallas	Mixed-Humid	3	А
AR	Desha	Mixed-Humid	3	А
AR	Drew	Mixed-Humid	3	А
AR	Faulkner	Mixed-Humid	3	Α
AR	Franklin	Mixed-Humid	3	А
AR	Fulton	Mixed-Humid	4	А
AR	Garland	Mixed-Humid	3	А
AR	Grant	Mixed-Humid	3	A
AR	Greene	Mixed-Humid	3	А
AR	Hempstead	Mixed-Humid	3	А
AR	Hot Spring	Mixed-Humid	3	A
AR	Howard	Mixed-Humid	3	А
AR	Independence	Mixed-Humid	3	A
AR	Izard	Mixed-Humid	4	А
AR	Jackson	Mixed-Humid	3	Α
AR	Jefferson	Mixed-Humid	3	А
AR	Johnson	Mixed-Humid	3	A
AR	Lafayette	Hot-Humid	3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
AR	Lincoln	Mixed-Humid	3	A
AR	Little River	Hot-Humid	3	А
AR	Logan	Mixed-Humid	3	Α
AR	Lonoke	Mixed-Humid	3	А
AR	Madison	Mixed-Humid	4	А
AR	Marion	Mixed-Humid	4	Α
AR	Miller	Hot-Humid	3	Α
AR	Mississippi	Mixed-Humid	3	А
AR	Monroe	Mixed-Humid	3	А
AR	Montgomery	Mixed-Humid	3	Α
AR	Nevada	Mixed-Humid	3	Α
AR	Newton	Mixed-Humid	4	Α
AR	Ouachita	Mixed-Humid	3	Α
AR	Perry	Mixed-Humid	3	А
AR	Phillips	Mixed-Humid	3	Α
AR	Pike	Mixed-Humid	3	Α
AR	Poinsett	Mixed-Humid	3	Α
AR	Polk	Mixed-Humid	3	Α
AR	Pope	Mixed-Humid	3	Α
AR	Prairie	Mixed-Humid	3	А
AR	Pulaski	Mixed-Humid	3	Α
AR	Randolph	Mixed-Humid	3	Α
AR	Saline	Mixed-Humid	3	Α
AR	Scott	Mixed-Humid	3	Α
AR	Searcy	Mixed-Humid	4	Α
AR	Sebastian	Mixed-Humid	3	Α
AR	Sevier	Mixed-Humid	3	Α
AR	Sharp	Mixed-Humid	3	А
AR	St. Francis	Mixed-Humid	3	А
AR	Stone	Mixed-Humid	4	А
AR	Union	Hot-Humid	3	А
AR	Van Buren	Mixed-Humid	3	Α
AR	Washington	Mixed-Humid	4	А
AR	White	Mixed-Humid	3	А
AR	Woodruff	Mixed-Humid	3	Α
AR	Yell	Mixed-Humid	3	А
CALIFO	RNIA			
CA	Alameda	Marine	3	С
CA	Alpine	Cold	6	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
CA	Amador	Mixed-Dry	4	В
CA	Butte	Hot-Dry	3	В
CA	Calaveras	Mixed-Dry	4	В
CA	Colusa	Hot-Dry	3	В
CA	Contra Costa	Hot-Dry	3	В
CA	Del Norte	Marine	4	С
CA	El Dorado	Mixed-Dry	4	В
CA	Fresno	Hot-Dry	3	В
CA	Glenn	Hot-Dry	3	В
CA	Humboldt	Marine	4	С
CA	Imperial	Hot-Dry	2	В
CA	Inyo	Mixed-Dry	4	В
CA	Kern	Hot-Dry	3	В
CA	Kings	Hot-Dry	3	В
CA	Lake	Mixed-Dry	4	В
CA	Lassen	Cold	5	В
CA	Los Angeles	Hot-Dry	3	В
CA	Madera	Hot-Dry	3	В
CA	Marin	Marine	3	С
CA	Mariposa	Mixed-Dry	4	В
CA	Mendocino	Marine	3	С
CA	Merced	Hot-Dry	3	В
CA	Modoc	Cold	5	В
CA	Mono	Cold	6	В
CA	Monterey	Marine	3	С
CA	Napa	Marine	3	С
CA	Nevada	Cold	5	В
CA	Orange	Hot-Dry	3	В
CA	Placer	Hot-Dry	3	В
CA	Plumas	Cold	5	В
CA	Riverside	Hot-Dry	3	В
CA	Sacramento	Hot-Dry	3	В
CA	San Benito	Marine	3	С
CA	San Bernardino	Hot-Dry	3	В
CA	San Diego	Hot-Dry	3	В
CA	San Francisco	Marine	3	С
CA	San Joaquin	Hot-Dry	3	В
CA	San Luis Obispo	Marine	3	С
CA	San Mateo	Marine	3	С

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
CA	Santa Barbara	Marine	3	С
CA	Santa Clara	Marine	3	С
CA	Santa Cruz	Marine	3	С
CA	Shasta	Hot-Dry	3	В
CA	Sierra	Cold	5	В
CA	Siskiyou	Cold	5	В
CA	Solano	Hot-Dry	3	В
CA	Sonoma	Marine	3	С
CA	Stanislaus	Hot-Dry	3	В
CA	Sutter	Hot-Dry	3	В
CA	Tehama	Hot-Dry	3	В
CA	Trinity	Mixed-Dry	4	В
CA	Tulare	Hot-Dry	3	В
CA	Tuolumne	Mixed-Dry	4	В
CA	Ventura	Marine	3	С
CA	Yolo	Hot-Dry	3	В
CA	Yuba	Hot-Dry	3	В
COLOR	ADO			
СО	Adams	Cold	5	В
СО	Alamosa	Cold	6	В
СО	Arapahoe	Cold	5	В
СО	Archuleta	Cold	6	В
СО	Васа	Mixed-Dry	4	В
СО	Bent	Cold→ Mixed- Dry	5→4	В
СО	Boulder	Cold	5	В
СО	Broomfield	Cold	5	В
СО	Chaffee	Cold	6	В
СО	Cheyenne	Cold	5	В
СО	Clear Creek	Very Cold	7	
СО	Conejos	Cold	6	В
СО	Costilla	Cold	6	В
СО	Crowley	Cold	5	В
СО	Custer	Cold	6→5	В
СО	Delta	Cold	5	В
СО	Denver	Cold	5	В
СО	Dolores	Cold	6	В
СО	Douglas	Cold	5	В
СО	Eagle	Cold	6	В
СО	El Paso	Cold	5	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
СО	Elbert	Cold	5	В
СО	Fremont	Cold	5	В
СО	Garfield	Cold	5	В
СО	Gilpin	Cold	5	В
СО	Grand	Very Cold	7	
СО	Gunnison	Very Cold	7	
СО	Hinsdale	Very Cold	7	
СО	Huerfano	Cold	5	В
СО	Jackson	Very Cold	7	
СО	Jefferson	Cold	5	В
СО	Kiowa	Cold	5	В
СО	Kit Carson	Cold	5	В
СО	La Plata	Cold	5	В
СО	Lake	Very Cold	7	
СО	Larimer	Cold	5	В
СО	Las Animas	Mixed-Dry	4	В
СО	Lincoln	Cold	5	В
СО	Logan	Cold	5	В
СО	Mesa	Cold	5	В
СО	Mineral	Very Cold	7	
СО	Moffat	Cold	6	В
СО	Montezuma	Cold	5	В
СО	Montrose	Cold	5	В
СО	Morgan	Cold	5	В
СО	Otero	Mixed-Dry	4	В
СО	Ouray	Cold	6	В
СО	Park	Very Cold	7	
СО	Phillips	Cold	5	В
СО	Pitkin	Very Cold	7	
СО	Prowers	Cold→ Mixed- Dry	5→4	В
СО	Pueblo	Cold	5	В
СО	Rio Blanco	Cold	6	В
СО	Rio Grande	Very Cold	7	
СО	Routt	Very Cold	7	
СО	Saguache	Cold	6	В
СО	San Juan	Very Cold	7	
СО	San Miguel	Cold	6	В
СО	Sedgwick	Cold	5	В
СО	Summit	Very Cold	7	

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
СО	Teller	Cold	5	В
СО	Washington	Cold	5	В
СО	Weld	Cold	5	В
CONNE	СТІСИТ			
СТ	Fairfield	Cold	5	Α
СТ	Hartford	Cold	5	Α
СТ	Litchfield	Cold	5	Α
СТ	Middlesex	Cold	5	А
СТ	New Haven	Cold	5	А
СТ	New London	Cold	5	Α
СТ	Tolland	Cold	5	А
СТ	Windham	Cold	5	А
DELAW	ARE			
DE	Kent	Mixed-Humid	4	Α
DE	New Castle	Mixed-Humid	4	А
DE	Kent	Mixed-Humid	4	А
DISTRIC	T OF COLUMBIA			
DC	District of	Mixed-Humid	4	Α
FLORID	Columbia			
FL	Alachua	Hot-Humid	2	А
FL	Baker	Hot-Humid	2	А
	Dakei	110t-Hullilu		
FL	Bay	Hot-Humid	2	A
FL	Bay Bradford	Hot-Humid	2	А
FL FL	Bay	Hot-Humid Hot-Humid	2	A A
FL FL	Bay Bradford Brevard	Hot-Humid Hot-Humid Hot-Humid	2 2 2	A A A
FL FL FL	Bay Bradford Brevard Broward	Hot-Humid Hot-Humid Hot-Humid	2 2 2 1	A A A
FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1	A A A A A
FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1 2 2 2	A A A A
FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1 2 2	A A A A A
FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1 2 2 2 2	A A A A A A
FL FL FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1 2 2 2 2 2	A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia	Hot-Humid	2 2 2 1 2 2 2 2 2 2	A A A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto	Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid Hot-Humid	2 2 2 1 2 2 2 2 2 2 2	A A A A A A A A A A
FL FL FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie	Hot-Humid	2 2 2 1 2 2 2 2 2 2 2 2	A A A A A A A A A A A A A A A A A A A
FL FL FL FL FL FL FL FL FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie Duval	Hot-Humid	2 2 2 1 2 2 2 2 2 2 2 2 2	A A A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie Duval Escambia Flagler	Hot-Humid	2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2	A A A A A A A A A A A A A A A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie Duval Escambia Flagler Franklin	Hot-Humid	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A A A A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie Duval Escambia Flagler Franklin Gadsden	Hot-Humid	2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A A A A A A A A A A A A A A A A A A A
FL	Bay Bradford Brevard Broward Calhoun Charlotte Citrus Clay Collier Columbia DeSoto Dixie Duval Escambia Flagler Franklin	Hot-Humid	2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	A A A A A A A A A A A A A A A A A A A

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
FL	Gulf	Hot-Humid	2	A
FL	Hamilton	Hot-Humid	2	Α
FL	Hardee	Hot-Humid	2	Α
FL	HenB	Hot-Humid	2	Α
FL	Hernando	Hot-Humid	2	Α
FL	Highlands	Hot-Humid	2	Α
FL	Hillsborough	Hot-Humid	2	Α
FL	Holmes	Hot-Humid	2	Α
FL	Indian River	Hot-Humid	2	Α
FL	Jackson	Hot-Humid	2	Α
FL	Jefferson	Hot-Humid	2	Α
FL	Lafayette	Hot-Humid	2	Α
FL	Lake	Hot-Humid	2	A
FL	Lee	Hot-Humid	2	A
FL	Leon	Hot-Humid	2	Α
FL	Levy	Hot-Humid	2	Α
FL	Liberty	Hot-Humid	2	Α
FL	Madison	Hot-Humid	2	Α
FL	Manatee	Hot-Humid	2	Α
FL	Marion	Hot-Humid	2	Α
FL	Martin	Hot-Humid	2	А
FL	Miami-Dade	Hot-Humid	1	А
FL	Monroe	Hot-Humid	1	Α
FL	Nassau	Hot-Humid	2	Α
FL	Okaloosa	Hot-Humid	2	Α
FL	Okeechobee	Hot-Humid	2	Α
FL	Orange	Hot-Humid	2	Α
FL	Osceola	Hot-Humid	2	Α
FL	Palm Beach	Hot-Humid	2→1	Α
FL	Pasco	Hot-Humid	2	А
FL	Pinellas	Hot-Humid	2	А
FL	Polk	Hot-Humid	2	А
FL	Putnam	Hot-Humid	2	А
FL	Santa Rosa	Hot-Humid	2	А
FL	Sarasota	Hot-Humid	2	А
FL	Seminole	Hot-Humid	2	Α
FL	St. Johns	Hot-Humid	2	А
FL	St. Lucie	Hot-Humid	2	А
FL	Sumter	Hot-Humid	2	А
FL	Suwannee	Hot-Humid	2	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
FL	Taylor	Hot-Humid	2	A
FL	Union	Hot-Humid	2	Α
FL	Volusia	Hot-Humid	2	Α
FL	Wakulla	Hot-Humid	2	Α
FL	Walton	Hot-Humid	2	Α
FL	Washington	Hot-Humid	2	А
GEORG	IA			
GA	Appling	Hot-Humid	2	Α
GA	Atkinson	Hot-Humid	2	Α
GA	Bacon	Hot-Humid	2	Α
GA	Baker	Hot-Humid	2	Α
GA	Baldwin	Mixed-Humid	3	Α
GA	Banks	Mixed-Humid	4→3	Α
GA	Barrow	Mixed-Humid	3	Α
GA	Bartow	Mixed-Humid	3	Α
GA	Ben Hill	Hot-Humid	3	Α
GA	Berrien	Hot-Humid	2	А
GA	Bibb	Mixed-Humid	3	А
GA	Bleckley	Hot-Humid	3	Α
GA	Brantley	Hot-Humid	2	Α
GA	Brooks	Hot-Humid	2	Α
GA	Bryan	Hot-Humid	2	Α
GA	Bulloch	Hot-Humid	3	Α
GA	Burke	Mixed-Humid	3	Α
GA	Butts	Mixed-Humid	3	А
GA	Calhoun	Hot-Humid	3→2	Α
GA	Camden	Hot-Humid	2	Α
GA	Candler	Hot-Humid	3	Α
GA	Carroll	Mixed-Humid	3	А
GA	Catoosa	Mixed-Humid	4→3	А
GA	Charlton	Hot-Humid	2	Α
GA	Chatham	Hot-Humid	2	А
GA	Chattahoochee	Hot-Humid	3	А
GA	Chattooga	Mixed-Humid	4→3	Α
GA	Cherokee	Mixed-Humid	3	А
GA	Clarke	Mixed-Humid	3	А
GA	Clay	Hot-Humid	3	А
GA	Clayton	Mixed-Humid	3	Α
GA	Clinch	Hot-Humid	2	Α
GA	Cobb	Mixed-Humid	3	А
GA	Coffee	Hot-Humid	3→2	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
GA	Colquitt	Hot-Humid	2	A
GA	Columbia	Mixed-Humid	3	Α
GA	Cook	Hot-Humid	2	Α
GA	Coweta	Mixed-Humid	3	Α
GA	Crawford	Mixed-Humid	3	Α
GA	Crisp	Hot-Humid	3	Α
GA	Dade	Mixed-Humid	4→3	Α
GA	Dawson	Mixed-Humid	4→3	Α
GA	Decatur	Hot-Humid	2	Α
GA	DeKalb	Mixed-Humid	3	А
GA	Dodge	Hot-Humid	3	А
GA	Dooly	Hot-Humid	3	Α
GA	Dougherty	Hot-Humid	3→2	Α
GA	Douglas	Mixed-Humid	3	Α
GA	Early	Hot-Humid	3→2	Α
GA	Echols	Hot-Humid	2	Α
GA	Effingham	Hot-Humid	2	Α
GA	Elbert	Mixed-Humid	3	Α
GA	Emanuel	Hot-Humid	3	Α
GA	Evans	Hot-Humid	2	Α
GA	Fannin	Mixed-Humid	4→3	Α
GA	Fayette	Mixed-Humid	3	Α
GA	Floyd	Mixed-Humid	4→3	Α
GA	Forsyth	Mixed-Humid	3	Α
GA	Franklin	Mixed-Humid	4→3	А
GA	Fulton	Mixed-Humid	3	Α
GA	Gilmer	Mixed-Humid	4→3	Α
GA	Glascock	Mixed-Humid	3	А
GA	Glynn	Hot-Humid	2	А
GA	Gordon	Mixed-Humid	4→3	А
GA	Grady	Hot-Humid	2	Α
GA	Greene	Mixed-Humid	3	А
GA	Gwinnett	Mixed-Humid	3	А
GA	Habersham	Mixed-Humid	4→3	А
GA	Hall	Mixed-Humid	4→3	Α
GA	Hancock	Mixed-Humid	3	А
GA	Haralson	Mixed-Humid	3	А
GA	Harris	Mixed-Humid	3	А
GA	Hart	Mixed-Humid	3	А
GA	Heard	Mixed-Humid	3	А
GA	Henry	Mixed-Humid	3	А

			IECC 2021	IECC 2021
State	County	BA Climate Zone	Climate Zone (1-8)	Moisture Regime
GA	Houston	Hot-Humid	3	A
GA	Irwin	Hot-Humid	3	А
GA	Jackson	Mixed-Humid	3	А
GA	Jasper	Mixed-Humid	3	А
GA	Jeff Davis	Hot-Humid	2	А
GA	Jefferson	Mixed-Humid	3	А
GA	Jenkins	Hot-Humid	3	А
GA	Johnson	Hot-Humid	3	Α
GA	Jones	Mixed-Humid	3	Α
GA	Lamar	Mixed-Humid	3	А
GA	Lanier	Hot-Humid	2	Α
GA	Laurens	Hot-Humid	3	А
GA	Lee	Hot-Humid	3	А
GA	Liberty	Hot-Humid	2	А
GA	Lincoln	Mixed-Humid	3	А
GA	Long	Hot-Humid	2	А
GA	Lowndes	Hot-Humid	2	А
GA	Lumpkin	Mixed-Humid	4→3	А
GA	Macon	Hot-humid	3	А
GA	Madison	Mixed-Humid	3	А
GA	Marion	Hot-humid	3	А
GA	McDuffie	Mixed-Humid	3	А
GA	McIntosh	Hot-Humid	2	А
GA	Meriwether	Mixed-Humid	3	А
GA	Miller	Hot-Humid	2	А
GA	Mitchell	Hot-Humid	2	А
GA	Monroe	Mixed-Humid	3	А
GA	Montgomery	Hot-humid	3	А
GA	Morgan	Mixed-Humid	3	А
GA	Murray	Mixed-Humid	4→3	А
GA	Muscogee	Mixed-Humid	3	А
GA	Newton	Mixed-Humid	3	А
GA	Oconee	Mixed-Humid	3	А
GA	Oglethorpe	Mixed-Humid	3	А
GA	Paulding	Mixed-Humid	3	А
GA	Peach	Hot-humid	3	А
GA	Pickens	Mixed-Humid	4→3	А
GA	Pierce	Hot-Humid	2	А
GA	Pike	Mixed-Humid	3	А
GA	Polk	Mixed-Humid	3	А
GA	Pulaski	Hot-humid	3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
GA	Putnam	Mixed-Humid	3	А
GA	Quitman	Hot-humid	3	Α
GA	Rabun	Mixed-Humid	4→3	Α
GA	Randolph	Hot-humid	3	А
GA	Richmond	Mixed-Humid	3	Α
GA	Rockdale	Mixed-Humid	3	Α
GA	Schley	Hot-humid	3	Α
GA	Screven	Hot-humid	3	Α
GA	Seminole	Hot-Humid	2	Α
GA	Spalding	Mixed-Humid	3	Α
GA	Stephens	Mixed-Humid	4→3	Α
GA	Stewart	Hot-humid	3	Α
GA	Sumter	Hot-humid	3	Α
GA	Talbot	Mixed-Humid	3	Α
GA	Taliaferro	Mixed-Humid	3	Α
GA	Tattnall	Hot-Humid	2	Α
GA	Taylor	Hot-humid	3	Α
GA	Telfair	Hot-humid	3	Α
GA	Terrell	Hot-humid	3	Α
GA	Thomas	Hot-Humid	2	Α
GA	Tift	Hot-humid	3→2	А
GA	Toombs	Hot-Humid	2	Α
GA	Towns	Mixed-Humid	4→3	Α
GA	Treutlen	Hot-humid	3	Α
GA	Troup	Mixed-Humid	3	Α
GA	Turner	Hot-humid	3	Α
GA	Twiggs	Hot-humid	3	Α
GA	Union	Mixed-Humid	4→3	Α
GA	Upson	Mixed-Humid	3	Α
GA	Walker	Mixed-Humid	4→3	Α
GA	Walton	Mixed-Humid	3	Α
GA	Ware	Hot-Humid	2	Α
GA	Warren	Mixed-Humid	3	Α
GA	Washington	Mixed-Humid	3	Α
GA	Wayne	Hot-Humid	2	Α
GA	Webster	Hot-humid	3	Α
GA	Wheeler	Hot-humid	3	Α
GA	White	Mixed-Humid	4→3	А
GA	Whitfield	Mixed-Humid	4→3	Α
GA	Wilcox	Hot-humid	3	Α
GA	Wilkes	Mixed-Humid	3	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
GA	Wilkinson	Mixed-Humid	3	А
GA	Worth	Hot-humid	3→2	А
HAWAI				
HI	Hawaii	Hot-Humid	1	Α
HI	Honolulu	Hot-Humid	1	Α
HI	Kalawao	Hot-Humid	1	А
НІ	Kauai	Hot-Humid	1	А
НІ	Maui	Hot-Humid	1	А
IDAHO				
ID	Adams	Cold	6	В
ID	Bannock	Cold	6	В
ID	Bear Lake	Cold	6	В
ID	Benewah	Cold	5	В
ID	Bingham	Cold	6	В
ID	Blaine	Cold	6	В
ID	Boise	Cold	6	В
ID	Bonner	Cold	6	В
ID	Bonneville	Cold	6	В
ID	Boundary	Cold	6	В
ID	Butte	Cold	6	В
ID	Camas	Cold	6	В
ID	Canyon	Cold	5	В
ID	Caribou	Cold	6	В
ID	Cassia	Cold	5	В
ID	Clark	Cold	6	В
ID	Clearwater	Cold	5	В
ID	Custer	Cold	6	В
ID	Elmore	Cold	5	В
ID	Franklin	Cold	6	В
ID	Fremont	Cold	6	В
ID	Gem	Cold	5	В
ID	Gooding	Cold	5	В
ID	Idaho	Cold	5	В
ID	Jefferson	Cold	6	В
ID	Jerome	Cold	5	В
ID	Kootenai	Cold	5	В
ID	Latah	Cold	5	В
ID	Lemhi	Cold	6	В
ID	Lewis	Cold	5	В
ID	Lincoln	Cold	5	В
ID	Madison	Cold	6	В

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County Minidoka	Zone Cold	Zone (1-8)	Regime B
ID	Nez Perce	Cold	5	В
ID	Oneida	Cold	6	В
ID	Owyhee	Cold	5	В
			5	
ID	Payette	Cold		В
ID	Power	Cold	5	В
ID	Shoshone	Cold	5	В
ID	Teton	Cold	6	В
ID	Twin Falls	Cold	5	В
ID	Valley	Cold	6	В
ID	Washington	Cold	5	В
ILLINOI	S			
IL	Adams	Cold	5	Α
IL	Alexander	Mixed-Humid	4	Α
IL	Bond	Mixed-Humid	4	Α
IL	Boone	Cold	5	Α
IL	Brown	Cold	5	Α
IL	Bureau	Cold	5	Α
IL	Calhoun	Cold→Mixed- Humid	5→4	А
IL	Carroll	Cold	5	Α
IL	Cass	Cold	5	Α
IL	Champaign	Cold	5	Α
IL	Christian	Mixed-Humid	4	Α
IL	Clark	Cold→Mixed- Humid	5→4	Α
IL	Clay	Mixed-Humid	4	Α
IL	Clinton	Mixed-Humid	4	Α
IL	Coles	Cold→Mixed- Humid	5→4	А
IL	Cook	Cold	5	Α
IL	Crawford	Mixed-Humid	4	Α
IL	Cumberland	Cold→Mixed- Humid	5→4	А
IL	De Witt	Cold	5	А
IL	DeKalb	Cold	5	А
IL	Douglas	Cold	5	Α
IL	DuPage	Cold	5	Α
IL	Edgar	Cold	5	Α
IL	Edwards	Mixed-Humid	4	Α
IL	Effingham	Mixed-Humid	4	А
IL	Fayette	Mixed-Humid	4	Α
IL	Ford	Cold	5	A
IL	Franklin	Mixed-Humid	4	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
IL	Fulton	Cold	5	A
IL	Gallatin	Mixed-Humid	4	А
IL	Greene	Cold→Mixed- Humid	5→4	А
IL	Grundy	Cold	5	А
IL	Hamilton	Mixed-Humid	4	А
IL	Hancock	Cold	5	А
IL	Hardin	Mixed-Humid	4	А
IL	Henderson	Cold	5	А
IL	Henry	Cold	5	А
IL	Iroquois	Cold	5	А
IL	Jackson	Mixed-Humid	4	А
IL	Jasper	Mixed-Humid	4	А
IL	Jefferson	Mixed-Humid	4	А
IL	Jersey	Cold→Mixed- Humid	5→4	А
IL	Jo Daviess	Cold	5	А
IL	Johnson	Mixed-Humid	4	А
IL	Kane	Cold	5	А
IL	Kankakee	Cold	5	А
IL	Kendall	Cold	5	А
IL	Knox	Cold	5	А
IL	La Salle	Cold	5	А
IL	Lake	Cold	5	Α
IL	Lawrence	Mixed-Humid	4	Α
IL	Lee	Cold	5	Α
IL	Livingston	Cold	5	Α
IL	Logan	Cold	5	Α
IL	Macon	Cold	5	Α
IL	Macoupin	Mixed-Humid	4	А
IL	Madison	Mixed-Humid	4	А
IL	Marion	Mixed-Humid	4	А
IL	Marshall	Cold	5	А
IL	Mason	Cold	5	А
IL	Massac	Mixed-Humid	4	А
IL	McDonough	Cold	5	А
IL	McHenry	Cold	5	Α
IL	McLean	Cold	5	А
IL	Menard	Cold	5	А
IL	Mercer	Cold	5	А
IL	Monroe	Mixed-Humid	4	А

Ctata	Country	BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County Morgan	Zone Cold	Zone (1-8)	Regime A
IL	Moultrie	Cold	5	A
IL	Ogle	Cold	5	Α
IL	Peoria	Cold	5	Α
IL	Perry	Mixed-Humid	4	Α
IL	Piatt	Cold	5	Α
IL	Pike	Cold	5	Α
IL	Pope	Mixed-Humid	4	Α
IL	Pulaski	Mixed-Humid	4	Α
IL	Putnam	Cold	5	А
IL	Randolph	Mixed-Humid	4	Α
IL	Richland	Mixed-Humid	4	Α
IL	Rock Island	Cold	5	Α
IL	Saline	Mixed-Humid	4	Α
IL	Sangamon	Cold	5	Α
IL	Schuyler	Cold	5	Α
IL	Scott	Cold	5	Α
IL	Shelby	Mixed-Humid	4	Α
IL	St. Clair	Mixed-Humid	4	Α
IL	Stark	Cold	5	Α
IL	Stephenson	Cold	5	Α
IL	Tazewell	Cold	5	Α
IL	Union	Mixed-Humid	4	А
IL	Vermilion	Cold	5	А
IL	Wabash	Mixed-Humid	4	А
IL	Warren	Cold	5	Α
IL	Washington	Mixed-Humid	4	Α
IL	Wayne	Mixed-Humid	4	Α
IL	White	Mixed-Humid	4	Α
IL	Whiteside	Cold	5	Α
IL	Will	Cold	5	Α
IL	Williamson	Mixed-Humid	4	Α
IL	Winnebago	Cold	5	Α
IL	Woodford	Cold	5	Α
INDIAN	IA			
IN	Adams	Cold	5	Α
IN	Allen	Cold	5	А
IN	Bartholomew	Cold→Mixed- Humid	5→4	Α
IN	Benton	Cold	5	Α
IN	Blackford	Cold	5	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
IN	Boone	Cold	5	A
IN	Brown	Mixed-Humid	4	А
IN	Carroll	Cold	5	А
IN	Cass	Cold	5	Α
IN	Clark	Mixed-Humid	4	Α
IN	Clay	Cold→Mixed- Humid	5→4	А
IN	Clinton	Cold	5	Α
IN	Crawford	Mixed-Humid	4	А
IN	Daviess	Mixed-Humid	4	Α
IN	De Kalb	Cold	5	Α
IN	Dearborn	Mixed-Humid	4	Α
IN	Decatur	Cold→Mixed- Humid	5→4	А
IN	Delaware	Cold	5	Α
IN	Dubois	Mixed-Humid	4	Α
IN	Elkhart	Cold	5	Α
IN	Fayette	Cold→Mixed- Humid	5→4	А
IN	Floyd	Mixed-Humid	4	Α
IN	Fountain	Cold	5	Α
IN	Franklin	Cold→Mixed- Humid	5→4	Α
IN	Fulton	Cold	5	Α
IN	Gibson	Mixed-Humid	4	А
IN	Grant	Cold	5	А
IN	Greene	Mixed-Humid	4	А
IN	Hamilton	Cold	5	А
IN	Hancock	Cold	5	А
IN	Harrison	Mixed-Humid	4	Α
IN	Hendricks	Cold→Mixed- Humid	5→4	А
IN	Henry	Cold	5	А
IN	Howard	Cold	5	А
IN	Huntington	Cold	5	А
IN	Jackson	Mixed-Humid	4	А
IN	Jasper	Cold	5	А
IN	Jay	Cold	5	А
IN	Jefferson	Mixed-Humid	4	Α
IN	Jennings	Mixed-Humid	4	А
IN	Johnson	Cold→Mixed- Humid	5→4	А
IN	Knox	Mixed-Humid	4	А
IN	Kosciusko	Cold	5	Α
IN	La Porte	Cold	5	А

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County Lagrange	Zone Cold	Zone (1-8) 5	Regime A
IN	Lake	Cold	5	Α
IN	Lawrence	Mixed-Humid	4	Α
IN	Madison	Cold	5	A
IN	Marion	Cold→Mixed-	5→4	Α
IN	Marshall	Humid Cold	5	A
IN	Martin	Mixed-Humid	4	A
IN	Miami	Cold	5	A
IN	Monroe	Mixed-Humid	4	A
IN	Montgomery	Cold	5	A
IN	Morgan	Cold→Mixed-	5→4	Α
181	-	Humid	-	•
IN	Newton Noble	Cold	5	A
IN	Ohio	Cold	4	A
IN		Mixed-Humid		A
IN	Orange	Mixed-Humid	4	A
IN	Owen	Cold→Mixed- Humid	5→4	Α
IN	Parke	Cold	5	Α
IN	Perry	Mixed-Humid	4	Α
IN	Pike	Mixed-Humid	4	Α
IN	Porter	Cold	5	Α
IN	Posey	Mixed-Humid	4	Α
IN	Pulaski	Cold	5	Α
IN	Putnam	Cold→Mixed- Humid	5→4	Α
IN	Randolph	Cold	5	Α
IN	Ripley	Mixed-Humid	4	Α
IN	Rush	Cold→Mixed-	5→4	Α
IN	Scott	Humid Mixed-Humid	4	Α
IN	Shelby	Cold→Mixed-	5→4	Α
IN	Spencer	Humid Mixed-Humid	4	Α
IN	St. Joseph	Cold	5	A
IN	Starke	Cold	5	Α
IN	Steuben	Cold	5	Α
IN	Sullivan	Mixed-Humid	4	A
IN	Switzerland	Mixed-Humid	4	A
IN	Tippecanoe	Cold	5	Α
IN	Tipton	Cold	5	A
IN	Union	Cold→Mixed-	5→4	Α
IN	Vanderburgh	Humid Mixed-Humid	4	Α
IN	Vermillion	Cold	5	А
1	1	1	•	•

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
IN	Vigo	Cold→Mixed- Humid	5→4	А
IN	Wabash	Cold	5	А
IN	Warren	Cold	5	A
IN	Warrick	Mixed-Humid	4	A
IN	Washington	Mixed-Humid	4	Α
IN	Wayne	Cold	5	A
IN	Wells	Cold	5	A
IN	White	Cold	5	Α
IN	Whitley	Cold	5	А
IOWA				
IA	Adair	Cold	5	А
IA	Adams	Cold	5	А
IA	Allamakee	Cold	6→5	А
IA	Appanoose	Cold	5	А
IA	Audubon	Cold	5	А
IA	Benton	Cold	5	А
IA	Black Hawk	Cold	6	А
IA	Boone	Cold	5	А
IA	Bremer	Cold	6→5	А
IA	Buchanan	Cold	6→5	А
IA	Buena Vista	Cold	6→5	А
IA	Butler	Cold	6→5	А
IA	Calhoun	Cold	6→5	А
IA	Carroll	Cold	5	А
IA	Cass	Cold	5	А
IA	Cedar	Cold	5	А
IA	Cerro Gordo	Cold	6	Α
IA	Cherokee	Cold	6→5	А
IA	Chickasaw	Cold	6→5	А
IA	Clarke	Cold	5	А
IA	Clay	Cold	6	А
IA	Clayton	Cold	6→5	А
IA	Clinton	Cold	5	А
IA	Crawford	Cold	5	А
IA	Dallas	Cold	5	А
IA	Davis	Cold	5	А
IA	Decatur	Cold	5	А
IA	Delaware	Cold	6→5	Α
IA	Des Moines	Cold	5	А
IA	Dickinson	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
IA	Dubuque	Cold	5 5	A
IA	Emmet	Cold	6	Α
IA	Fayette	Cold	6→5	Α
IA	Floyd	Cold	6→5	A
IA	Franklin	Cold	6→5	Α
IA	Fremont	Cold	5	А
IA	Greene	Cold	5	Α
IA	Grundy	Cold	6→5	Α
IA	Guthrie	Cold	5	Α
IA	Hamilton	Cold	6→5	Α
IA	Hancock	Cold	6	Α
IA	Hardin	Cold	6→5	Α
IA	Harrison	Cold	5	Α
IA	Henry	Cold	5	Α
IA	Howard	Cold	6→5	А
IA	Humboldt	Cold	6→5	Α
IA	Ida	Cold	6→5	А
IA	Iowa	Cold	5	А
IA	Jackson	Cold	5	А
IA	Jasper	Cold	5	А
IA	Jefferson	Cold	5	Α
IA	Johnson	Cold	5	Α
IA	Jones	Cold	5	Α
IA	Keokuk	Cold	5	Α
IA	Kossuth	Cold	6	Α
IA	Lee	Cold	5	Α
IA	Linn	Cold	5	Α
IA	Louisa	Cold	5	Α
IA	Lucas	Cold	5	Α
IA	Lyon	Cold	6	Α
IA	Madison	Cold	5	Α
IA	Mahaska	Cold	5	Α
IA	Marion	Cold	5	Α
IA	Marshall	Cold	5	Α
IA	Mills	Cold	5	Α
IA	Mitchell	Cold	6	Α
IA	Monona	Cold	5	Α
IA	Monroe	Cold	5	Α
IA	Montgomery	Cold	5	Α
IA	Muscatine	Cold	5	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
IN	O'Brien	Cold	6	A
IN	Osceola	Cold	6	А
IN	Page	Cold	5	А
IN	Palo Alto	Cold	6	Α
IN	Plymouth	Cold	6→5	А
IN	Pocahontas	Cold	6→5	А
IN	Polk	Cold	5	Α
IN	Pottawattamie	Cold	5	Α
IN	Poweshiek	Cold	5	Α
IA	Ringgold	Cold	5	А
IA	Sac	Cold	6→5	А
IA	Scott	Cold	5	А
IA	Shelby	Cold	5	А
IA	Sioux	Cold	6	А
IA	Story	Cold	5	А
IA	Tama	Cold	5	А
IA	Taylor	Cold	5	А
IA	Union	Cold	5	А
IA	Van Buren	Cold	5	А
IA	Wapello	Cold	5	А
IA	Warren	Cold	5	А
IA	Washington	Cold	5	А
IA	Wayne	Cold	5	А
IA	Webster	Cold	6→5	Α
IA	Winnebago	Cold	6	А
IA	Winneshiek	Cold	6→5	А
IA	Woodbury	Cold	5	А
IA	Worth	Cold	6	А
IA	Wright	Cold	6→5	А
KANSA:	S			
KS	Allen	Mixed-Humid	4	Α
KS	Anderson	Mixed-Humid	4	Α
KS	Atchison	Mixed-Humid	4	А
KS	Barber	Mixed-Humid	4	А
KS	Barton	Mixed-Humid	4	А
KS	Bourbon	Mixed-Humid	4	А
KS	Brown	Mixed-Humid	4	А
KS	Butler	Mixed-Humid	4	Α
KS	Chase	Mixed-Humid	4	Α
KS	Chautauqua	Mixed-Humid	4	А
KS	Cherokee	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
KS	Cheyenne	Cold	5	A
KS	Clark	Mixed-Humid	4	Α
KS	Clay	Mixed-Humid	4	Α
KS	Cloud	Cold→Mixed- Humid	5→4	Α
KS	Coffey	Mixed-Humid	4	Α
KS	Comanche	Mixed-Humid	4	Α
KS	Cowley	Mixed-Humid	4	Α
KS	Crawford	Mixed-Humid	4	Α
KS	Decatur	Cold	5	Α
KS	Dickinson	Mixed-Humid	4	Α
KS	Doniphan	Mixed-Humid	4	Α
KS	Douglas	Mixed-Humid	4	Α
KS	Edwards	Mixed-Humid	4	Α
KS	Elk	Mixed-Humid	4	Α
KS	Ellis	Cold→Mixed- Humid	5→4	Α
KS	Ellsworth	Mixed-Humid	4	Α
KS	Finney	Mixed-Humid	4	Α
KS	Ford	Mixed-Humid	4	Α
KS	Franklin	Mixed-Humid	4	Α
KS	Geary	Mixed-Humid	4	Α
KS	Gove	Cold	5	А
KS	Graham	Cold→Mixed- Humid	5→4	А
KS	Grant	Mixed-Humid	4	Α
KS	Gray	Mixed-Humid	4	Α
KS	Greeley	Cold	5	А
KS	Greenwood	Mixed-Humid	4	Α
KS	Hamilton	Cold→Mixed- Humid	5→4	Α
KS	Harper	Mixed-Humid	4	Α
KS	Harvey	Mixed-Humid	4	Α
KS	Haskell	Mixed-Humid	4	Α
KS	Hodgeman	Mixed-Humid	4	Α
KS	Jackson	Mixed-Humid	4	Α
KS	Jefferson	Mixed-Humid	4	Α
KS	Jewell	Cold	5	А
KS	Johnson	Mixed-Humid	4	A
KS	Kearny	Mixed-Humid	4	А
KS	Kingman	Mixed-Humid	4	А
KS	Kiowa	Mixed-Humid	4	A
KS	Labette	Mixed-Humid	4	А
KS	Lane	Cold→ Mixed- Humid	5→4	А

			IECC 2021	IECC 2021
State	County	BA Climate Zone	Climate Zone (1-8)	Moisture Regime
KS	Leavenworth	Mixed-Humid	4	A
KS	Lincoln	Mixed-Humid	4	А
KS	Linn	Mixed-Humid	4	А
KS	Logan	Cold	5	А
KS	Lyon	Mixed-Humid	4	А
KS	Marion	Mixed-Humid	4	А
KS	Marshall	Mixed-Humid	4	А
KS	McPherson	Mixed-Humid	4	А
KS	Meade	Mixed-Humid	4	А
KS	Miami	Mixed-Humid	4	А
KS	Mitchell	Cold→Mixed-	5→4	А
KS	Montgomery	Humid Mixed-Humid	4	A
KS	Morris	Mixed-Humid	4	А
KS	Morton	Mixed-Humid	4	A
KS	Nemaha	Mixed-Humid	4	A
KS	Neosho	Mixed-Humid	4	A
KS	Ness	Cold→Mixed-	5→4	A
146		Humid		
KS	Norton	Cold	5	A
KS	Osage	Mixed-Humid	4	Α
KS	Osborne	Cold→Mixed- Humid	5→4	А
KS	Ottawa	Mixed-Humid	4	А
KS	Pawnee	Mixed-Humid	4	Α
KS	Phillips	Cold	5	Α
KS	Pottawatomie	Mixed-Humid	4	Α
KS	Pratt	Mixed-Humid	4	Α
KS	Rawlins	Cold	5	Α
KS	Reno	Mixed-Humid	4	Α
KS	Republic	Cold	5	Α
KS	Rice	Mixed-Humid	4	Α
KS	Riley	Mixed-Humid	4	Α
KS	Rooks	Cold→Mixed-	5→4	А
KS	Rush	Humid Mixed-Humid	4	А
KS	Russell	Mixed-Humid	4	А
KS	Saline	Mixed-Humid	4	А
KS	Scott	Cold	5	А
KS	Sedgwick	Mixed-Humid	4	A
KS	Seward	Mixed-Humid	4	A
KS	Shawnee	Mixed-Humid	4	A
KS	Sheridan	Cold	5	A
1.0		Cold	5	A
KS	Sherman			

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
KS	Smith	Cold	5	A
KS	Stafford	Mixed-Humid	4	А
KS	Stanton	Mixed-Humid	4	Α
KS	Stevens	Mixed-Humid	4	Α
KS	Sumner	Mixed-Humid	4	Α
KS	Thomas	Cold	5	Α
KS	Trego	Cold→Mixed-	5→4	А
KS	Wabaunsee	Humid Mixed-Humid	4	Α
KS	Wallace	Cold	5	Α
KS	Washington	Mixed-Humid	4	Α
KS	Wichita	Cold	5	Α
KS	Wilson	Mixed-Humid	4	Α
KS	Woodson	Mixed-Humid	4	Α
KS	Wyandotte	Mixed-Humid	4	Α
KENTU	CKY			
KY	Adair	Mixed-Humid	4	Α
KY	Allen	Mixed-Humid	4	Α
KY	Anderson	Mixed-Humid	4	Α
KY	Ballard	Mixed-Humid	4	Α
KY	Barren	Mixed-Humid	4	Α
KY	Bath	Mixed-Humid	4	Α
KY	Bell	Mixed-Humid	4	Α
KY	Boone	Mixed-Humid	4	Α
KY	Bourbon	Mixed-Humid	4	Α
KY	Boyd	Mixed-Humid	4	Α
KY	Boyle	Mixed-Humid	4	Α
KY	Bracken	Mixed-Humid	4	А
KY	Breathitt	Mixed-Humid	4	А
KY	Breckinridge	Mixed-Humid	4	А
KY	Bullitt	Mixed-Humid	4	А
KY	Butler	Mixed-Humid	4	Α
KY	Caldwell	Mixed-Humid	4	А
KY	Calloway	Mixed-Humid	4	Α
KY	Campbell	Mixed-Humid	4	А
KY	Carlisle	Mixed-Humid	4	Α
KY	Carroll	Mixed-Humid	4	Α
KY	Carter	Mixed-Humid	4	Α
KY	Casey	Mixed-Humid	4	Α
KY	Christian	Mixed-Humid	4	Α
KY	Clark	Mixed-Humid	4	Α
KY	Clay	Mixed-Humid	4	Α

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County	Zone	Zone (1-8)	Regime
KY	Clinton	Mixed-Humid	4	Α
KY	Crittenden	Mixed-Humid	4	Α
KY	Cumberland	Mixed-Humid	4	А
KY	Daviess	Mixed-Humid	4	Α
KY	Edmonson	Mixed-Humid	4	Α
KY	Elliott	Mixed-Humid	4	Α
KY	Estill	Mixed-Humid	4	Α
KY	Fayette	Mixed-Humid	4	Α
KY	Fleming	Mixed-Humid	4	Α
KY	Floyd	Mixed-Humid	4	Α
KY	Franklin	Mixed-Humid	4	Α
KY	Fulton	Mixed-Humid	4	Α
KY	Gallatin	Mixed-Humid	4	Α
KY	Garrard	Mixed-Humid	4	Α
KY	Grant	Mixed-Humid	4	Α
KY	Graves	Mixed-Humid	4	А
KY	Grayson	Mixed-Humid	4	А
KY	Green	Mixed-Humid	4	Α
KY	Greenup	Mixed-Humid	4	А
KY	Hancock	Mixed-Humid	4	А
KY	Hardin	Mixed-Humid	4	А
KY	Harlan	Mixed-Humid	4	А
KY	Harrison	Mixed-Humid	4	А
KY	Hart	Mixed-Humid	4	А
KY	Henderson	Mixed-Humid	4	А
KY	Henry	Mixed-Humid	4	А
KY	Hickman	Mixed-Humid	4	А
KY	Hopkins	Mixed-Humid	4	А
KY	Jackson	Mixed-Humid	4	А
KY	Jefferson	Mixed-Humid	4	А
KY	Jessamine	Mixed-Humid	4	А
KY	Johnson	Mixed-Humid	4	Α
KY	Kenton	Mixed-Humid	4	А
KY	Knott	Mixed-Humid	4	Α
KY	Knox	Mixed-Humid	4	Α
KY	Larue	Mixed-Humid	4	А
KY	Laurel	Mixed-Humid	4	A
KY	Lawrence	Mixed-Humid	4	A
KY	Lee	Mixed-Humid	4	A
KY	Leslie	Mixed-Humid	4	A
KY	Letcher	Mixed-Humid	4	A

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
KY	Lewis	Mixed-Humid	4	A
KY	Lincoln	Mixed-Humid	4	Α
KY	Livingston	Mixed-Humid	4	Α
KY	Logan	Mixed-Humid	4	Α
KY	Lyon	Mixed-Humid	4	Α
KY	Madison	Mixed-Humid	4	Α
KY	Magoffin	Mixed-Humid	4	А
KY	Marion	Mixed-Humid	4	А
KY	Marshall	Mixed-Humid	4	А
KY	Martin	Mixed-Humid	4	А
KY	Mason	Mixed-Humid	4	Α
KY	McCracken	Mixed-Humid	4	Α
KY	McCreary	Mixed-Humid	4	Α
KY	McLean	Mixed-Humid	4	А
KY	Meade	Mixed-Humid	4	Α
KY	Menifee	Mixed-Humid	4	Α
KY	Mercer	Mixed-Humid	4	Α
KY	Metcalfe	Mixed-Humid	4	Α
KY	Monroe	Mixed-Humid	4	Α
KY	Montgomery	Mixed-Humid	4	Α
KY	Morgan	Mixed-Humid	4	Α
KY	Muhlenberg	Mixed-Humid	4	А
KY	Nelson	Mixed-Humid	4	Α
KY	Nicholas	Mixed-Humid	4	Α
KY	Ohio	Mixed-Humid	4	Α
KY	Oldham	Mixed-Humid	4	Α
KY	Owen	Mixed-Humid	4	Α
KY	Owsley	Mixed-Humid	4	Α
KY	Pendleton	Mixed-Humid	4	Α
KY	Perry	Mixed-Humid	4	Α
KY	Pike	Mixed-Humid	4	Α
KY	Powell	Mixed-Humid	4	А
KY	Pulaski	Mixed-Humid	4	А
KY	Robertson	Mixed-Humid	4	Α
KY	Rockcastle	Mixed-Humid	4	Α
KY	Rowan	Mixed-Humid	4	Α
KY	Russell	Mixed-Humid	4	Α
KY	Scott	Mixed-Humid	4	Α
KY	Shelby	Mixed-Humid	4	Α
KY	Simpson	Mixed-Humid	4	Α
KY	Spencer	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
KY	Taylor	Mixed-Humid	4	A
KY	Todd	Mixed-Humid	4	А
KY	Trigg	Mixed-Humid	4	А
KY	Trimble	Mixed-Humid	4	А
KY	Union	Mixed-Humid	4	Α
KY	Warren	Mixed-Humid	4	Α
KY	Washington	Mixed-Humid	4	Α
KY	Wayne	Mixed-Humid	4	Α
KY	Webster	Mixed-Humid	4	Α
KY	Whitley	Mixed-Humid	4	А
KY	Wolfe	Mixed-Humid	4	Α
KY	Woodford	Mixed-Humid	4	Α
LOUISIA	ANA			
LA	Acadia	Hot-Humid	2	А
LA	Allen	Hot-Humid	2	А
LA	Ascension	Hot-Humid	2	Α
LA	Assumption	Hot-Humid	2	Α
LA	Avoyelles	Hot-Humid	2	Α
LA	Beauregard	Hot-Humid	2	Α
LA	Bienville	Hot-humid	3	А
LA	Bossier	Hot-humid	3	А
LA	Caddo	Hot-humid	3	А
LA	Calcasieu	Hot-Humid	2	А
LA	Caldwell	Hot-humid	3	А
LA	Cameron	Hot-Humid	2	Α
LA	Catahoula	Hot-humid	3	А
LA	Claiborne	Hot-humid	3	А
LA	Concordia	Hot-humid	3	Α
LA	De Soto	Hot-humid	3	Α
LA	East Baton Rouge	Hot-Humid	2	А
LA	East Carroll	Mixed-Humid	3	Α
LA	East Feliciana	Hot-Humid	2	А
LA	Evangeline	Hot-Humid	2	А
LA	Franklin	Hot-humid	3	А
LA	Grant	Hot-humid	3	А
LA	Iberia	Hot-Humid	2	А
LA	Iberville	Hot-Humid	2	А
LA	Jackson	Hot-humid	3	А
LA	Jefferson	Hot-Humid	2	Α
LA	Jefferson Davis	Hot-Humid	2	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
LA	La Salle	Hot-humid	3	A
LA	Lafayette	Hot-Humid	2	А
LA	Lafourche	Hot-Humid	2	А
LA	Lincoln	Hot-humid	3	А
LA	Livingston	Hot-Humid	2	А
LA	Madison	Hot-humid	3	Α
LA	Morehouse	Mixed-Humid	3	А
LA	Natchitoches	Hot-humid	3	Α
LA	Orleans	Hot-Humid	2	А
LA	Ouachita	Hot-humid	3	А
LA	Plaquemines	Hot-Humid	2	А
LA	Pointe Coupee	Hot-Humid	2	Α
LA	Rapides	Hot-Humid	2	Α
LA	Red River	Hot-humid	3	Α
LA	Richland	Hot-humid	3	Α
LA	Sabine	Hot-humid	3	Α
LA	St. Bernard	Hot-Humid	2	Α
LA	St. Charles	Hot-Humid	2	Α
LA	St. Helena	Hot-Humid	2	Α
LA	St. James	Hot-Humid	2	Α
LA	St. John the Baptist	Hot-Humid	2	А
LA	St. Landry	Hot-Humid	2	Α
LA	St. Martin	Hot-Humid	2	Α
LA	St. Mary	Hot-Humid	2	Α
LA	St. Tammany	Hot-Humid	2	Α
LA	Tangipahoa	Hot-Humid	2	Α
LA	Tensas	Hot-humid	3	Α
LA	Terrebonne	Hot-Humid	2	Α
LA	Union	Hot-humid	3	Α
LA	Vermilion	Hot-Humid	2	Α
LA	Vernon	Hot-humid	3	Α
LA	Washington	Hot-Humid	2	Α
LA	Webster	Hot-humid	3	Α
LA	West Baton Rouge	Hot-Humid	2	А
LA	West Carroll	Mixed-Humid	3	Α
LA	West Feliciana	Hot-Humid	2	А
LA	Winn	Hot-humid	3	А
MAINE				
ME	Androscoggin	Cold	6	А
ME	Aroostook	Very Cold	7	

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ME	Cumberland	Cold	6	A
ME	Franklin	Cold	6	А
ME	Hancock	Cold	6	А
ME	Kennebec	Cold	6	А
ME	Knox	Cold	6	Α
ME	Lincoln	Cold	6	А
ME	Oxford	Cold	6	А
ME	Penobscot	Cold	6	А
ME	Piscataquis	Cold	6	А
ME	Sagadahoc	Cold	6	А
ME	Somerset	Cold	6	А
ME	Waldo	Cold	6	А
ME	Washington	Cold	6	А
ME	York	Cold	6	А
MARYLA	AND	!		
MD	Allegany	Mixed- Humid→Cold	4→5	Α
MD	Anne Arundel	Mixed-Humid	4	А
MD	Baltimore	Mixed-Humid	4	А
MD	Baltimore (city)	Mixed-Humid	4	А
MD	Calvert	Mixed-Humid	4	А
MD	Caroline	Mixed-Humid	4	А
MD	Carroll	Mixed-Humid	4	А
MD	Cecil	Mixed-Humid	4	А
MD	Charles	Mixed-Humid	4	А
MD	Dorchester	Mixed-Humid	4	А
MD	Frederick	Mixed-Humid	4	А
MD	Garrett	Cold	5	А
MD	Harford	Mixed-Humid	4	Α
MD	Howard	Mixed-Humid	4	А
MD	Kent	Mixed-Humid	4	А
MD	Montgomery	Mixed-Humid	4	А
MD	Prince George's	Mixed-Humid	4	А
MD	Queen Anne's	Mixed-Humid	4	А
MD	Somerset	Mixed-Humid	4	Α
MD	St. Mary's	Mixed-Humid	4	А
MD	Talbot	Mixed-Humid	4	А
MD	Washington	Mixed-Humid	4	А
MD	Wicomico	Mixed-Humid	4	А
MD	Worcester	Mixed-Humid	4	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
	CHUSETTS	20110	20110 (1 0)	повине
MA	Barnstable	Cold	5	Α
MA	Berkshire	Cold	5	Α
MA	Bristol	Cold	5	Α
MA	Dukes	Cold	5	Α
MA	Essex	Cold	5	Α
MA	Franklin	Cold	5	Α
MA	Hampden	Cold	5	А
MA	Hampshire	Cold	5	Α
MA	Middlesex	Cold	5	Α
MA	Nantucket	Cold	5	Α
MA	Norfolk	Cold	5	Α
MA	Plymouth	Cold	5	Α
MA	Suffolk	Cold	5	Α
MA	Worcester	Cold	5	Α
MICHIG	AN			
MI	Alcona	Cold	6	Α
MI	Alger	Cold	6	Α
MI	Allegan	Cold	5	Α
MI	Alpena	Cold	6	Α
MI	Antrim	Cold	6	Α
MI	Arenac	Cold	6	Α
MI	Baraga	Very Cold→Cold	7→6	NONE→A
MI	Barry	Cold	5	Α
MI	Bay	Cold	5	Α
MI	Benzie	Cold	6	Α
MI	Berrien	Cold	5	Α
MI	Branch	Cold	5	А
MI	Calhoun	Cold	5	Α
MI	Cass	Cold	5	Α
MI	Charlevoix	Cold	6	Α
MI	Cheboygan	Cold	6	Α
MI	Chippewa	Very Cold→Cold	7→6	NONE→A
MI	Clare	Cold	6	А
MI	Clinton	Cold	5	A
MI	Crawford	Cold	6	Α
MI	Delta	Cold	6	A
MI	Dickinson	Cold	6	A
		Cold	5	A

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MI	Emmet	Cold	6	A
MI	Genesee	Cold	5	А
MI	Gladwin	Cold	6	А
MI	Gogebic	Very Cold→Cold	7→6	NONE→A
MI	Grand Traverse	Cold	6	А
MI	Gratiot	Cold	5	А
MI	Hillsdale	Cold	5	А
MI	Houghton	Very Cold→Cold	7→6	NONE→A
MI	Huron	Cold	6→5	А
MI	Ingham	Cold	5	А
MI	Ionia	Cold	5	А
MI	losco	Cold	6	А
MI	Iron	Very Cold→Cold	7→6	NONE→A
MI	Isabella	Cold	6	Α
MI	Jackson	Cold	5	А
MI	Kalamazoo	Cold	5	А
MI	Kalkaska	Cold	6	А
MI	Kent	Cold	5	А
MI	Keweenaw	Very Cold	7	
MI	Lake	Cold	6	А
MI	Lapeer	Cold	5	А
MI	Leelanau	Cold	6	Α
MI	Lenawee	Cold	5	Α
MI	Livingston	Cold	5	Α
MI	Luce	Very Cold→Cold	7→6	NONE→A
MI	Mackinac	Very Cold→Cold	7→6	NONE→A
MI	Macomb	Cold	5	А
MI	Manistee	Cold	6	Α
MI	Marquette	Cold→Very Cold	6→7	A→NONE
MI	Mason	Cold	6	Α
MI	Mecosta	Cold	6	А
MI	Menominee	Cold	6	А
MI	Midland	Cold	5	Α
MI	Missaukee	Cold	6	А
MI	Monroe	Cold	5	А
MI	Montcalm	Cold	5	А
MI	Montmorency	Cold	6	А
МІ	Muskegon	Cold	5	А
MI	Newaygo	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MI	Oakland	Cold	5	A
MI	Oceana	Cold	6	Α
MI	Ogemaw	Cold	6	Α
MI	Ontonagon	Very Cold→Cold	7→6	NONE→A
MI	Osceola	Cold	6	Α
MI	Oscoda	Cold	6	Α
MI	Otsego	Cold	6	Α
MI	Ottawa	Cold	5	Α
MI	Presque Isle	Cold	6	Α
MI	Roscommon	Cold	6	Α
MI	Saginaw	Cold	5	Α
MI	Sanilac	Cold	6→5	Α
MI	Schoolcraft	Very Cold→Cold	7→6	NONE→A
MI	Shiawassee	Cold	5	А
MI	St. Clair	Cold	5	Α
MI	St. Joseph	Cold	5	А
MI	Tuscola	Cold	5	А
MI	Van Buren	Cold	5	Α
MI	Washtenaw	Cold	5	А
MI	Wayne	Cold	5	Α
MI	Wexford	Cold	6	Α
MINNE	SOTA			
MN	Aitkin	Very Cold	7	
MN	Anoka	Cold	6	Α
MN	Becker	Very Cold→Cold	7→6	NONE→A
MN	Beltrami	Very Cold	7	
MN	Benton	Cold	6	Α
MN	Big Stone	Cold	6	Α
MN	Blue Earth	Cold	6	Α
MN	Brown	Cold	6	Α
MN	Carlton	Very Cold	7	
MN	Carver	Cold	6	Α
MN	Cass	Very Cold	7	
MN	Chippewa	Cold	6	Α
MN	Chisago	Cold	6	Α
MN	Clay	Very Cold→Cold	7→6	NONE→A
MN	Clearwater	Very Cold	7	
MN	Cook	Very Cold	7	
MN	Cottonwood	Cold	6	А
MN	Crow Wing	Very Cold	7	

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MN	Dakota	Cold	6	A
MN	Dodge	Cold	6	Α
MN	Douglas	Cold	6	А
MN	Faribault	Cold	6	А
MN	Fillmore	Cold	6→5	А
MN	Freeborn	Cold	6	А
MN	Goodhue	Cold	6	А
MN	Grant	Very Cold→Cold	7→6	NONE→A
MN	Hennepin	Cold	6	А
MN	Houston	Cold	6→5	А
MN	Hubbard	Very Cold	7	
MN	Isanti	Cold	6	Α
MN	Itasca	Very Cold	7	
MN	Jackson	Cold	6	А
MN	Kanabec	Very Cold→Cold	7→6	NONE→A
MN	Kandiyohi	Cold	6	Α
MN	Kittson	Very Cold	7	
MN	Koochiching	Very Cold	7	
MN	Lac qui Parle	Cold	6	Α
MN	Lake	Very Cold	7	
MN	Lake of the Woods	Very Cold	7	
MN	Le Sueur	Cold	6	А
MN	Lincoln	Cold	6	Α
MN	Lyon	Cold	6	Α
MN	Mahnomen	Very Cold	7	
MN	Marshall	Very Cold	7	
MN	Martin	Cold	6	Α
MN	McLeod	Cold	6	Α
MN	Meeker	Cold	6	Α
MN	Mille Lacs	Very Cold→Cold	7→6	NONE→A
MN	Morrison	Cold	6	А
MN	Mower	Cold	6	А
MN	Murray	Cold	6	А
MN	Nicollet	Cold	6	А
MN	Nobles	Cold	6	А
MN	Norman	Very Cold	7	
MN	Olmsted	Cold	6	А
MN	Otter Tail	Very Cold→Cold	7→6	NONE→A
MN	Pennington	Very Cold	7	

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MN	Pine	Very Cold	7	
MN	Pipestone	Cold	6	Α
MN	Polk	Very Cold	7	
MN	Pope	Cold	6	Α
MN	Ramsey	Cold	6	Α
MN	Red Lake	Very Cold	7	
MN	Redwood	Cold	6	Α
MN	Renville	Cold	6	Α
MN	Rice	Cold	6	Α
MN	Rock	Cold	6	Α
MN	Roseau	Very Cold	7	
MN	Scott	Cold	6	А
MN	Sherburne	Cold	6	Α
MN	Sibley	Cold	6	А
MN	St. Louis	Very Cold	7	
MN	Stearns	Cold	6	Α
MN	Steele	Cold	6	Α
MN	Stevens	Cold	6	Α
MN	Swift	Cold	6	Α
MN	Todd	Cold	6	Α
MN	Traverse	Cold	6	Α
MN	Wabasha	Cold	6	Α
MN	Wadena	Very Cold	7	
MN	Waseca	Cold	6	Α
MN	Washington	Cold	6	Α
MN	Watonwan	Cold	6	Α
MN	Wilkin	Very Cold→Cold	7→6	NONE→A
MN	Winona	Cold	6→5	А
MN	Wright	Cold	6	Α
MN	Yellow Medicine	Cold	6	Α
MISSISS	SIPPI			
MS	Adams	Hot-Humid	3	Α
MS	Alcorn	Mixed-Humid	3	Α
MS	Amite	Hot-Humid	3	Α
MS	Attala	Mixed-Humid	3	Α
MS	Benton	Mixed-Humid	3	Α
MS	Bolivar	Mixed-Humid	3	Α
MS	Calhoun	Mixed-Humid	3	Α
MS	Carroll	Mixed-Humid	3	Α
MS	Chickasaw	Mixed-Humid	3	Α
MS	Choctaw	Mixed-Humid	3	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MS	Claiborne	Hot-Humid	3	A
MS	Clarke	Mixed-Humid	3	А
MS	Clay	Mixed-Humid	3	А
MS	Coahoma	Mixed-Humid	3	А
MS	Copiah	Hot-Humid	3	А
MS	Covington	Hot-Humid	3	А
MS	DeSoto	Mixed-Humid	3	А
MS	Forrest	Hot-Humid	3	А
MS	Franklin	Hot-Humid	3	А
MS	George	Hot-Humid	3→2	А
MS	Greene	Hot-Humid	3	А
MS	Grenada	Mixed-Humid	3	А
MS	Hancock	Hot-Humid	2	А
MS	Harrison	Hot-Humid	2	А
MS	Hinds	Hot-Humid	3	А
MS	Holmes	Mixed-Humid	3	А
MS	Humphreys	Mixed-Humid	3	Α
MS	Issaquena	Mixed-Humid	3	А
MS	Itawamba	Mixed-Humid	3	Α
MS	Jackson	Hot-Humid	2	Α
MS	Jasper	Mixed-Humid	3	Α
MS	Jefferson	Hot-Humid	3	Α
MS	Jefferson Davis	Hot-Humid	3	Α
MS	Jones	Hot-Humid	3	Α
MS	Kemper	Mixed-Humid	3	Α
MS	Lafayette	Mixed-Humid	3	Α
MS	Lamar	Hot-Humid	3	Α
MS	Lauderdale	Mixed-Humid	3	Α
MS	Lawrence	Hot-Humid	3	А
MS	Leake	Mixed-Humid	3	А
MS	Lee	Mixed-Humid	3	А
MS	Leflore	Mixed-Humid	3	А
MS	Lincoln	Hot-Humid	3	А
MS	Lowndes	Mixed-Humid	3	А
MS	Madison	Mixed-Humid	3	А
MS	Marion	Hot-Humid	3	А
MS	Marshall	Mixed-Humid	3	Α
MS	Monroe	Mixed-Humid	3	А
MS	Montgomery	Mixed-Humid	3	А
MS	Neshoba	Mixed-Humid	3	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MS	Noxubee	Mixed-Humid	3	A
MS	Oktibbeha	Mixed-Humid	3	Α
MS	Panola	Mixed-Humid	3	Α
MS	Pearl River	Hot-Humid	2	Α
MS	Perry	Hot-Humid	3	Α
MS	Pike	Hot-Humid	3	А
MS	Pontotoc	Mixed-Humid	3	А
MS	Prentiss	Mixed-Humid	3	А
MS	Quitman	Mixed-Humid	3	А
MS	Rankin	Hot-Humid	3	Α
MS	Scott	Mixed-Humid	3	А
MS	Sharkey	Mixed-Humid	3	А
MS	Simpson	Hot-Humid	3	Α
MS	Smith	Hot-Humid	3	А
MS	Stone	Hot-Humid	2	Α
MS	Sunflower	Mixed-Humid	3	Α
MS	Tallahatchie	Mixed-Humid	3	Α
MS	Tate	Mixed-Humid	3	А
MS	Tippah	Mixed-Humid	3	А
MS	Tishomingo	Mixed-Humid	3	А
MS	Tunica	Mixed-Humid	3	А
MS	Union	Mixed-Humid	3	Α
MS	Walthall	Hot-Humid	3	А
MS	Warren	Hot-Humid	3	Α
MS	Washington	Mixed-Humid	3	Α
MS	Wayne	Hot-Humid	3	Α
MS	Webster	Mixed-Humid	3	Α
MS	Wilkinson	Hot-Humid	3	Α
MS	Winston	Mixed-Humid	3	Α
MS	Yalobusha	Mixed-Humid	3	Α
MS	Yazoo	Mixed-Humid	3	Α
MISSO	JRI			
MO	Adair	Cold	5	Α
МО	Andrew	Cold	5	Α
МО	Atchison	Cold	5	Α
МО	Audrain	Mixed-Humid	4	Α
МО	Barry	Mixed-Humid	4	Α
МО	Barton	Mixed-Humid	4	Α
МО	Bates	Mixed-Humid	4	Α
МО	Benton	Mixed-Humid	4	Α
МО	Bollinger	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
МО	Boone	Mixed-Humid	4	Boone
МО	Buchanan	Cold→Mixed- Humid	5→4	Buchanan
МО	Butler	Mixed-Humid	4	Butler
МО	Caldwell	Cold→Mixed- Humid	5→4	А
МО	Callaway	Mixed-Humid	4	Α
МО	Camden	Mixed-Humid	4	Α
МО	Cape Girardeau	Mixed-Humid	4	Α
МО	Carroll	Mixed-Humid	4	А
МО	Carter	Mixed-Humid	4	А
МО	Cass	Mixed-Humid	4	А
МО	Cedar	Mixed-Humid	4	А
МО	Chariton	Cold→Mixed- Humid	5→4	А
МО	Christian	Mixed-Humid	4	Α
МО	Clark	Cold	5	Α
МО	Clay	Mixed-Humid	4	Α
МО	Clinton	Cold→Mixed- Humid	5→4	А
МО	Cole	Mixed-Humid	4	Α
МО	Cooper	Mixed-Humid	4	Α
МО	Crawford	Mixed-Humid	4	Α
МО	Dade	Mixed-Humid	4	Α
МО	Dallas	Mixed-Humid	4	Α
МО	Daviess	Cold	5	Α
МО	DeKalb	Cold	5	Α
МО	Dent	Mixed-Humid	4	А
МО	Douglas	Mixed-Humid	4	А
МО	Dunklin	Mixed-Humid	4→3	А
МО	Franklin	Mixed-Humid	4	А
МО	Gasconade	Mixed-Humid	4	А
МО	Gentry	Cold	5	А
МО	Greene	Mixed-Humid	4	А
МО	Grundy	Cold	5	А
МО	Harrison	Cold	5	А
МО	Henry	Mixed-Humid	4	А
МО	Hickory	Mixed-Humid	4	А
МО	Holt	Cold	5	А
МО	Howard	Mixed-Humid	4	Α
МО	Howell	Mixed-Humid	4	А
МО	Iron	Mixed-Humid	4	А
МО	Jackson	Mixed-Humid	4	А
МО	Jasper	Mixed-Humid	4	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MO	Jefferson	Mixed-Humid	4	A
МО	Johnson	Mixed-Humid	4	Α
МО	Knox	Cold	5	Α
МО	Laclede	Mixed-Humid	4	Α
МО	Lafayette	Mixed-Humid	4	Α
МО	Lawrence	Mixed-Humid	4	А
МО	Lewis	Cold	5	А
МО	Lincoln	Mixed-Humid	4	Α
МО	Linn	Cold	5	Α
МО	Livingston	Cold	5	Α
МО	Macon	Cold	5	Α
МО	Madison	Mixed-Humid	4	Α
МО	Maries	Mixed-Humid	4	Α
МО	Marion	Cold	5	Α
МО	McDonald	Mixed-Humid	4	Α
МО	Mercer	Cold	5	Α
МО	Miller	Mixed-Humid	4	Α
МО	Mississippi	Mixed-Humid	4	Α
МО	Moniteau	Mixed-Humid	4	Α
МО	Monroe	Mixed-Humid	4	Α
МО	Montgomery	Mixed-Humid	4	Α
МО	Morgan	Mixed-Humid	4	Α
МО	New Madrid	Mixed-Humid	4	Α
МО	Newton	Mixed-Humid	4	Α
МО	Nodaway	Cold	5	А
МО	Oregon	Mixed-Humid	4	А
МО	Osage	Mixed-Humid	4	Α
МО	Ozark	Mixed-Humid	4	Α
МО	Pemiscot	Mixed-Humid	4→3	Α
МО	Perry	Mixed-Humid	4	Α
МО	Pettis	Mixed-Humid	4	Α
МО	Phelps	Mixed-Humid	4	Α
МО	Pike	Cold	5	Α
МО	Platte	Mixed-Humid	4	Α
МО	Polk	Mixed-Humid	4	Α
МО	Pulaski	Mixed-Humid	4	А
МО	Putnam	Cold	5	А
МО	Ralls	Cold	5	Α
МО	Randolph	Mixed-Humid	4	Α
МО	Ray	Mixed-Humid	4	Α
МО	Reynolds	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MO	Ripley	Mixed-Humid	4	A
МО	Saline	Mixed-Humid	4	А
МО	Schuyler	Cold	5	А
МО	Scotland	Cold	5	А
МО	Scott	Mixed-Humid	4	А
МО	Shannon	Mixed-Humid	4	А
МО	Shelby	Cold	5	Α
МО	St. Charles	Mixed-Humid	4	Α
МО	St. Clair	Mixed-Humid	4	Α
МО	St. Francois	Mixed-Humid	4	А
МО	St. Louis	Mixed-Humid	4	А
МО	St. Louis (city)	Mixed-Humid	4	Α
МО	Ste. Genevieve	Mixed-Humid	4	Α
МО	Stoddard	Mixed-Humid	4	А
МО	Stone	Mixed-Humid	4	Α
МО	Sullivan	Cold	5	Α
МО	Taney	Mixed-Humid	4	Α
МО	Texas	Mixed-Humid	4	А
МО	Vernon	Mixed-Humid	4	А
МО	Warren	Mixed-Humid	4	А
МО	Washington	Mixed-Humid	4	А
МО	Wayne	Mixed-Humid	4	А
МО	Webster	Mixed-Humid	4	Α
МО	Worth	Cold	5	А
МО	Wright	Mixed-Humid	4	А
MONTA	ANA			
MT	Beaverhead	Cold	6	В
MT	Big Horn	Cold	6	В
MT	Blaine	Cold	6	В
MT	Broadwater	Cold	6	В
MT	Carbon	Cold	6	В
MT	Carter	Cold	6	В
MT	Cascade	Cold	6	В
MT	Chouteau	Cold	6	В
MT	Custer	Cold	6	В
MT	Daniels	Cold	6	В
MT	Dawson	Cold	6	В
MT	Deer Lodge	Cold	6	В
MT	Fallon	Cold	6	В
MT	Fergus	Cold	6	В
MT	Flathead	Cold	6	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
MT	Gallatin	Cold	6	В
MT	Garfield	Cold	6	В
MT	Glacier	Cold	6	В
MT	Golden Valley	Cold	6	В
MT	Granite	Cold	6	В
MT	Hill	Cold	6	В
MT	Jefferson	Cold	6	В
MT	Judith Basin	Cold	6	В
MT	Lake	Cold	6	В
MT	Lewis and Clark	Cold	6	В
MT	Liberty	Cold	6	В
MT	Lincoln	Cold	6	В
MT	Madison	Cold	6	В
MT	McCone	Cold	6	В
MT	Meagher	Cold	6	В
MT	Mineral	Cold	6	В
MT	Missoula	Cold	6	В
MT	Musselshell	Cold	6	В
MT	Park	Cold	6	В
MT	Petroleum	Cold	6	В
MT	Phillips	Cold	6	В
MT	Pondera	Cold	6	В
MT	Powder River	Cold	6	В
MT	Powell	Cold	6	В
MT	Prairie	Cold	6	В
MT	Ravalli	Cold	6	В
MT	Richland	Cold	6	В
MT	Roosevelt	Cold	6	В
MT	Rosebud	Cold	6	В
MT	Sanders	Cold	6	В
MT	Sheridan	Cold	6	В
MT	Silver Bow	Cold	6	В
MT	Stillwater	Cold	6	В
MT	Sweet Grass	Cold	6	В
MT	Teton	Cold	6	В
MT	Toole	Cold	6	В
MT	Treasure	Cold	6	В
MT	Valley	Cold	6	В
MT	Wheatland	Cold	6	В
MT	Wibaux	Cold	6	В
MT	Yellowstone	Cold	6	В

	_	BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County	Zone	Zone (1-8)	Regime
NEBRA:	Adams	Cold	5	А
NE	Antelope	Cold	5	А
NE	Arthur	Cold	5	А
NE	Banner	Cold	5	Α
NE	Blaine	Cold	5	А
NE	Boone	Cold	5	А
NE	Box Butte	Cold	5	Α
NE	Boyd	Cold	5	Α
NE	Brown	Cold	5	А
NE	Buffalo	Cold	5	А
NE	Burt	Cold	5	А
NE	Butler	Cold	5	Α
NE	Cass	Cold	5	А
NE	Cedar	Cold	5	Α
NE	Chase	Cold	5	Α
NE	Cherry	Cold	5	Α
NE	Cheyenne	Cold	5	Α
NE	Clay	Cold	5	Α
NE	Colfax	Cold	5	Α
NE	Cuming	Cold	5	А
NE	Custer	Cold	5	Α
NE	Dakota	Cold	5	А
NE	Dawes	Cold	5	А
NE	Dawson	Cold	5	А
NE	Deuel	Cold	5	А
NE	Dixon	Cold	5	А
NE	Dodge	Cold	5	А
NE	Douglas	Cold	5	Α
NE	Dundy	Cold	5	А
NE	Fillmore	Cold	5	А
NE	Franklin	Cold	5	А
NE	Frontier	Cold	5	А
NE	Furnas	Cold	5	А
NE	Gage	Cold	5	А
NE	Garden	Cold	5	Α
NE	Garfield	Cold	5	А
NE	Gosper	Cold	5	А
NE	Grant	Cold	5	А
NE	Greeley	Cold	5	А
NE	Hall	Cold	5	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NE	Hamilton	Cold	5	A
NE	Harlan	Cold	5	Α
NE	Hayes	Cold	5	A
NE	Hitchcock	Cold	5	Α
NE	Holt	Cold	5	Α
NE	Hooker	Cold	5	Α
NE	Howard	Cold	5	Α
NE	Jefferson	Cold	5	Α
NE	Johnson	Cold	5	Α
NE	Kearney	Cold	5	Α
NE	Keith	Cold	5	Α
NE	Keya Paha	Cold	5	Α
NE	Kimball	Cold	5	Α
NE	Knox	Cold	5	Α
NE	Lancaster	Cold	5	Α
NE	Lincoln	Cold	5	Α
NE	Logan	Cold	5	Α
NE	Loup	Cold	5	Α
NE	Madison	Cold	5	Α
NE	McPherson	Cold	5	Α
NE	Merrick	Cold	5	А
NE	Morrill	Cold	5	А
NE	Nance	Cold	5	А
NE	Nemaha	Cold	5	А
NE	Nuckolls	Cold	5	Α
NE	Otoe	Cold	5	Α
NE	Pawnee	Cold	5	Α
NE	Perkins	Cold	5	Α
NE	Phelps	Cold	5	Α
NE	Pierce	Cold	5	Α
NE	Platte	Cold	5	Α
NE	Polk	Cold	5	Α
NE	Red Willow	Cold	5	Α
NE	Richardson	Cold	5	Α
NE	Rock	Cold	5	Α
NE	Saline	Cold	5	Α
NE	Sarpy	Cold	5	Α
NE	Saunders	Cold	5	Α
NE	Scotts Bluff	Cold	5	Α
NE	Seward	Cold	5	Α
NE	Sheridan	Cold	5	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NE	Sherman	Cold	5	A
NE	Sioux	Cold	5	А
NE	Stanton	Cold	5	А
NE	Thayer	Cold	5	А
NE	Thomas	Cold	5	А
NE	Thurston	Cold	5	Α
NE	Valley	Cold	5	Α
NE	Washington	Cold	5	Α
NE	Wayne	Cold	5	Α
NE	Webster	Cold	5	А
NE	Wheeler	Cold	5	Α
NE	York	Cold	5	Α
NEVAD	A			
NV	Carson City (city)	Cold→Mixed- Dry	5→4	В
NV	Churchill	Cold	5	В
NV	Clark	Hot-Dry	3	В
NV	Douglas	Cold→Mixed- Dry	5→4	В
NV	Elko	Cold	5	В
NV	Esmeralda	Cold→Mixed- Dry	5→4	В
NV	Eureka	Cold	5	В
NV	Humboldt	Cold	5	В
NV	Lander	Cold	5	В
NV	Lincoln	Cold→Mixed- Dry	5→4	В
NV	Lyon	Cold→Mixed- Dry	5→4	В
NV	Mineral	Cold→Mixed- Dry	5→4	В
NV	Nye	Cold→Mixed-	5→4	В
NV	Pershing	Dry Cold	5	В
NV	Storey	Cold	5	В
NV	Washoe	Cold	5	В
NV	White Pine	Cold	5	В
NEW H	AMPSHIRE			
NH	Belknap	Cold	6	Α
NH	Carroll	Cold	6	А
NH	Cheshire	Cold	5	А
NH	Coos	Cold	6	А
NH	Grafton	Cold	6	А
NH	Hillsborough	Cold	5	А
NH	Merrimack	Cold	6→5	Α
NH	Rockingham	Cold	5	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NH	Strafford	Cold	5	A
NH	Sullivan	Cold	6	Α
NEW J	ERSEY			
NJ	Atlantic	Mixed-Humid	4	Α
NJ	Bergen	Cold	5	Α
NJ	Burlington	Mixed-Humid	4	Α
NJ	Camden	Mixed-Humid	4	Α
NJ	Cape May	Mixed-Humid	4	Α
NJ	Cumberland	Mixed-Humid	4	Α
NJ	Essex	Mixed-Humid	4	Α
NJ	Gloucester	Mixed-Humid	4	Α
NJ	Hudson	Mixed-Humid	4	Α
NJ	Hunterdon	Cold	5	Α
NJ	Mercer	Cold→ Mixed- Humid	5→4	А
NJ	Middlesex	Mixed-Humid	4	А
NJ	Monmouth	Mixed-Humid	4	А
NJ	Morris	Cold	5	А
NJ	Ocean	Mixed-Humid	4	Α
NJ	Passaic	Cold	5	А
NJ	Salem	Mixed-Humid	4	А
NJ	Somerset	Cold	5	А
NJ	Sussex	Cold	5	А
NJ	Union	Mixed-Humid	4	Α
NJ	Warren	Cold	5	Α
NEW N	/IEXICO			
NM	Bernalillo	Mixed-Dry	4	В
NM	Catron	Cold→Mixed- Dry	5→4	В
NM	Chaves	Hot-Dry	3	В
NM	Cibola	Cold	4	В
NM	Colfax	Cold	5	В
NM	Curry	Mixed-Dry	4	В
NM	DeBaca	Mixed-Dry	4	В
NM	Dona Ana	Hot-Dry	3	В
NM	Eddy	Hot-Dry	3	В
NM	Grant	Mixed-Dry	4	В
NM	Guadalupe	Mixed-Dry	4	В
NM	Harding	Cold	5	В
NM	Hidalgo	Hot-Dry	3	В
NM	Lea	Hot-Dry	3	В
NM	Lincoln	Mixed-Dry	4	В
NM	Los Alamos	Cold	5	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NM	Luna	Hot-Dry	3	В
NM	McKinley	Cold	5	В
NM	Mora	Cold	5	В
NM	Otero	Hot-Dry	3	В
NM	Quay	Mixed-Dry	4	В
NM	Rio Arriba	Cold	5	В
NM	Roosevelt	Mixed-Dry	4	В
NM	San Juan	Cold	5	В
NM	San Miguel	Cold	5	В
NM	Sandoval	Cold	5	Sandoval
NM	Santa Fe	Cold	5	Santa Fe
NM	Sierra	Mixed- Dry→Hot-Dry	4→3	Sierra
NM	Socorro	Mixed-Dry	4	Socorro
NM	Taos	Cold	5	Taos
NM	Torrance	Cold	5	Torrance
NM	Union	Mixed-Dry	4	Union
NM	Valencia	Mixed-Dry	4	Valencia
NEW YO	DRK			
NY	Albany	Cold	5	Α
NY	Allegany	Cold	6→5	Α
NY	Bronx	Mixed-Humid	4	Α
NY	Broome	Cold	6→5	Α
NY	Cattaraugus	Cold	6→5	А
NY	Cayuga	Cold	5	А
NY	Chautauqua	Cold	5	Α
NY	Chemung	Cold	5	Α
NY	Chenango	Cold	6	Α
NY	Clinton	Cold	6	А
NY	Columbia	Cold	5	Α
NY	Cortland	Cold	5	А
NY	Delaware	Cold	6	А
NY	Dutchess	Cold	5	А
NY	Erie	Cold	5	А
NY	Essex	Cold	6	А
NY	Franklin	Cold	6	А
NY	Fulton	Cold	6	Α
NY	Genesee	Cold	5	А
NY	Greene	Cold	5	А
NY	Hamilton	Cold	6	Α
NY	Herkimer	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NY	Jefferson	Cold	6	A
NY	Kings	Mixed-Humid	4	Α
NY	Lewis	Cold	6	Α
NY	Livingston	Cold	5	Α
NY	Madison	Cold	6	А
NY	Monroe	Cold	5	А
NY	Montgomery	Cold	6	А
NY	Nassau	Mixed-Humid	4	Α
NY	New York	Mixed-Humid	4	Α
NY	Niagara	Cold	5	Α
NY	Oneida	Cold	6	Α
NY	Onondaga	Cold	5	А
NY	Ontario	Cold	5	А
NY	Orange	Cold	5	Α
NY	Orleans	Cold	5	А
NY	Oswego	Cold	5	Α
NY	Otsego	Cold	6	Α
NY	Putnam	Cold	5	А
NY	Queens	Mixed-Humid	4	А
NY	Rensselaer	Cold	5	А
NY	Richmond	Mixed-Humid	4	А
NY	Rockland	Cold	5	А
NY	Saratoga	Cold	5	А
NY	Schenectady	Cold	5	А
NY	Schoharie	Cold	6→5	Α
NY	Schuyler	Cold	6→5	А
NY	Seneca	Cold	5	Α
NY	St. Lawrence	Cold	6	Α
NY	Steuben	Cold	6→5	Α
NY	Suffolk	Mixed-Humid	4	Α
NY	Sullivan	Cold	6	Α
NY	Tioga	Cold	5	А
NY	Tompkins	Cold	6→5	Α
NY	Ulster	Cold	6	Α
NY	Warren	Cold	6	Α
NY	Washington	Cold	5	Α
NY	Wayne	Cold	5	Α
NY	Westchester	Mixed-Humid	4	Α
NY	Wyoming	Cold	6→5	А
NORTH NC	CAROLINA Alamance	Mixed-Humid	4→3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NC	Alexander	Mixed-Humid	4→3	A
NC	Alleghany	Cold	5	Α
NC	Anson	Mixed-Humid	3	А
NC	Ashe	Cold	5	А
NC	Avery	Cold	5	А
NC	Beaufort	Mixed-Humid	3	Α
NC	Bertie	Mixed-Humid	4→3	А
NC	Bladen	Mixed-Humid	3	А
NC	Brunswick	Hot-Humid	3	А
NC	Buncombe	Mixed-Humid	4	Α
NC	Burke	Mixed-Humid	4	Α
NC	Cabarrus	Mixed-Humid	3	А
NC	Caldwell	Mixed-Humid	4	А
NC	Camden	Mixed-Humid	3	А
NC	Carteret	Hot-Humid	3	А
NC	Caswell	Mixed-Humid	4→3	А
NC	Catawba	Mixed-Humid	4→3	А
NC	Chatham	Mixed-Humid	4→3	А
NC	Cherokee	Mixed-Humid	4→3	А
NC	Chowan	Mixed-Humid	3	А
NC	Clay	Mixed-Humid	4→3	Α
NC	Cleveland	Mixed-Humid	4→3	Α
NC	Columbus	Hot-Humid	3	Α
NC	Craven	Mixed-Humid	3	Α
NC	Cumberland	Mixed-Humid	3	Α
NC	Currituck	Mixed-Humid	3	Α
NC	Dare	Mixed-Humid	3	Α
NC	Davidson	Mixed-Humid	3	А
NC	Davie	Mixed-Humid	4→3	А
NC	Duplin	Mixed-Humid	3	Α
NC	Durham	Mixed-Humid	4→3	Α
NC	Edgecombe	Mixed-Humid	3	Α
NC	Forsyth	Mixed-Humid	4→3	Α
NC	Franklin	Mixed-Humid	4→3	Α
NC	Gaston	Mixed-Humid	3	Α
NC	Gates	Mixed-Humid	4→3	Α
NC	Graham	Mixed-Humid	4	Α
NC	Granville	Mixed-Humid	4→3	А
NC	Greene	Mixed-Humid	3	Α
NC	Guilford	Mixed-Humid	4→3	Α
NC	Halifax	Mixed-Humid	4→3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
NC	Harnett	Mixed-Humid	4→3	Α
NC	Haywood	Mixed-Humid	4	Α
NC	Henderson	Mixed-Humid	4	А
NC	Hertford	Mixed-Humid	4→3	Α
NC	Hoke	Mixed-Humid	3	Α
NC	Hyde	Mixed-Humid	3	Α
NC	Iredell	Mixed-Humid	4→3	Α
NC	Jackson	Mixed-Humid	4	Α
NC	Johnston	Mixed-Humid	3	Α
NC	Jones	Mixed-Humid	3	Α
NC	Lee	Mixed-Humid	4→3	Α
NC	Lenoir	Mixed-Humid	3	Α
NC	Lincoln	Mixed-Humid	4→3	Α
NC	Macon	Mixed-Humid	4	Α
NC	Madison	Mixed-Humid	4	Α
NC	Martin	Mixed-Humid	3	Α
NC	McDowell	Mixed-Humid	4	Α
NC	Mecklenburg	Mixed-Humid	3	Α
NC	Mitchell	Cold→Mixed- Humid	5→4	А
NC	Montgomery	Mixed-Humid	3	Α
NC	Moore	Mixed-Humid	3	Α
NC	Nash	Mixed-Humid	4→3	А
NC	New Hanover	Hot-Humid	3	А
NC	Northampton	Mixed-Humid	4→3	А
NC	Onslow	Hot-Humid	3	А
NC	Orange	Mixed-Humid	4→3	Α
NC	Pamlico	Mixed-Humid	3	Α
NC	Pasquotank	Mixed-Humid	3	Α
NC	Pender	Hot-Humid	3	Α
NC	Perquimans	Mixed-Humid	3	Α
NC	Person	Mixed-Humid	4→3	Α
NC	Pitt	Mixed-Humid	3	А
NC	Polk	Mixed-Humid	4→3	А
NC	Randolph	Mixed-Humid	3	А
NC	Richmond	Mixed-Humid	3	А
NC	Robeson	Mixed-Humid	3	А
NC	Rockingham	Mixed-Humid	4→3	А
NC	Rowan	Mixed-Humid	3	Α
NC	Rutherford	Mixed-Humid	4→3	Rutherford
NC	Sampson	Mixed-Humid	3	Sampson
NC	Scotland	Mixed-Humid	3	Scotland

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County	Zone	Zone (1-8)	Regime
NC	Stanly	Mixed-Humid	3	Α
NC	Stokes	Mixed-Humid	4	А
NC	Surry	Mixed-Humid	4	Α
NC	Swain	Mixed-Humid	4	Α
NC	Transylvania	Mixed-Humid	4	Α
NC	Tyrrell	Mixed-Humid	3	Α
NC	Union	Mixed-Humid	3	Α
NC	Vance	Mixed-Humid	4→3	Α
NC	Wake	Mixed-Humid	4→3	Α
NC	Warren	Mixed-Humid	4→3	Α
NC	Washington	Mixed-Humid	3	Α
NC	Watauga	Cold	5	Α
NC	Wayne	Mixed-Humid	3	Α
NC	Wilkes	Mixed-Humid	4→3	Α
NC	Wilson	Mixed-Humid	3	Α
NC	Yadkin	Mixed-Humid	4	А
NC	Yancey	Cold	5	А
NC	Stanly	Mixed-Humid	3	А
NC	Stokes	Mixed-Humid	4	А
NC	Surry	Mixed-Humid	4	А
NC	Swain	Mixed-Humid	4	А
NC	Transylvania	Mixed-Humid	4	А
NC	Tyrrell	Mixed-Humid	3	А
NC	Union	Mixed-Humid	3	А
NC	Vance	Mixed-Humid	4→3	Α
NC	Wake	Mixed-Humid	4→3	А
NC	Warren	Mixed-Humid	4→3	А
NC	Washington	Mixed-Humid	3	Α
NC	Watauga	Cold	5	А
NC	Wayne	Mixed-Humid	3	А
NC	Wilkes	Mixed-Humid	4→3	Α
NC	Wilson	Mixed-Humid	3	Α
NC	Yadkin	Mixed-Humid	4	Α
NC	Yancey	Cold	5	Α
NORTH	DAKOTA			
ND	Adams	Cold	6	Α
ND	Barnes	Very Cold→Cold	7→6	NONE→A
ND	Benson	Very Cold	7	
ND	Billings	Cold	6	А
ND	Bottineau	Very Cold	7	
ND	Bowman	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ND	Burke	Very Cold	7	Kegiiile
ND	Burleigh	Cold	6	Α
ND	Cass	Very	7→6	NONE→A
ND	Cavalier	Cold→Cold Very Cold	7	
ND	Dickey	Cold	6	A
ND	Divide	Very Cold	7	
ND	Dunn	Cold	6	Α
ND	Eddy	Very	7→6	NONE→A
ND		Cold→Cold Cold	6	A
ND	Emmons Foster	Very	7→6	NONE→A
ND		Cold→Cold	7-70	NONE-7A
ND	Golden Valley	Cold	6	Α
ND	Grand Forks	Very Cold	7	
ND	Grant	Cold	6	Α
ND	Griggs	Very Cold→Cold	7→6	NONE→A
ND	Hettinger	Cold	6	А
ND	Kidder	Very Cold→Cold	7→6	NONE→A
ND	LaMoure	Cold	6	Α
ND	Logan	Cold	6	Α
ND	McHenry	Very Cold	7	
ND	McIntosh	Cold	6	Α
ND	McKenzie	Cold	6	А
ND	McLean	Very	7→6	NONE→A
ND	Mercer	Cold→Cold Cold	6	Α
ND	Morton	Cold	6	Α
ND	Mountrail	Very Cold→Cold	7→6	NONE→A
ND	Nelson	Very Cold	7	
ND	Oliver	Cold	6	Α
ND	Pembina	Very Cold	7	
ND	Pierce	Very Cold	7	
ND	Ramsey	Very Cold	7	
ND	Ransom	Cold	6	Α
ND	Renville	Very Cold	7	
ND	Richland	Cold	6	А
ND	Rolette	Very Cold	7	
ND	Sargent	Cold	6	А
ND	Sheridan	Very Cold→Cold	7→6	NONE→A
ND	Sioux	Cold	6	А
ND	Slope	Cold	6	А
ND	Stark	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ND	Steele	Very	7→6	NONE→A
ND	Stutsman	Cold→Cold Very Cold→Cold	7 → 6	NONE→A
ND	Towner	Very Cold	7	
ND	Traill	Very Cold→Cold	7→6	NONE→A
ND	Walsh	Very Cold	7	
ND	Ward	Very Cold	7	
ND	Wells	Very Cold→Cold	7→6	NONE→A
ND OHIO	Williams	Very Cold→Cold	7→6	NONE→A
ОН	Adams	Mixed-Humid	4	А
ОН	Allen	Cold	5	А
ОН	Ashland	Cold	5	А
ОН	Ashtabula	Cold	5	А
ОН	Athens	Cold→Mixed- Humid	5→4	А
ОН	Auglaize	Cold	5	А
ОН	Belmont	Cold	5	А
ОН	Brown	Mixed-Humid	4	А
ОН	Butler	Cold→Mixed- Humid	5→4	А
ОН	Carroll	Cold	5	Α
ОН	Champaign	Cold	5	Α
ОН	Clark	Cold	5	Α
ОН	Clermont	Mixed-Humid	4	Α
ОН	Clinton	Cold→Mixed- Humid	5→4	А
ОН	Columbiana	Cold	5	А
ОН	Coshocton	Cold	5	А
ОН	Crawford	Cold	5	А
ОН	Cuyahoga	Cold	5	А
ОН	Darke	Cold	5	А
ОН	Defiance	Cold	5	А
ОН	Delaware	Cold	5	Α
ОН	Erie	Cold	5	Α
ОН	Fairfield	Cold	5	А
ОН	Fayette	Cold→Mixed- Humid	5→4	А
ОН	Franklin	Cold→Mixed- Humid	5→4	А
ОН	Fulton	Cold	5	А
ОН	Gallia	Mixed-Humid	4	Α
ОН	Geauga	Cold	5	А
ОН	Greene	Cold→Mixed- Humid	5→4	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ОН	Guernsey	Cold	5	A
ОН	Hamilton	Mixed-Humid	4	Α
ОН	Hancock	Cold	5	Α
ОН	Hardin	Cold	5	А
ОН	Harrison	Cold	5	Α
ОН	Henry	Cold	5	Α
ОН	Highland	Cold→Mixed- Humid	5→4	Α
ОН	Hocking	Cold→Mixed- Humid	5→4	Α
ОН	Holmes	Cold	5	Α
ОН	Huron	Cold	5	Α
ОН	Jackson	Cold→Mixed- Humid	5→4	Α
ОН	Jefferson	Cold	5	Α
ОН	Knox	Cold	5	Α
ОН	Lake	Cold	5	Α
ОН	Lawrence	Mixed-Humid	4	Α
ОН	Licking	Cold	5	Α
ОН	Logan	Cold	5	Α
ОН	Lorain	Cold	5	Α
ОН	Lucas	Cold	5	Α
ОН	Madison	Cold→Mixed- Humid	5→4	Α
ОН	Mahoning	Cold	5	Α
ОН	Marion	Cold	5	Α
ОН	Medina	Cold	5	Α
ОН	Meigs	Cold→Mixed- Humid	5→4	А
ОН	Mercer	Cold	5	А
ОН	Miami	Cold	5	Α
ОН	Monroe	Cold	5	Α
ОН	Montgomery	Cold	5	Α
ОН	Morgan	Cold	5	А
ОН	Morrow	Cold	5	Α
ОН	Muskingum	Cold	5	Α
ОН	Noble	Cold	5	А
ОН	Ottawa	Cold	5	А
ОН	Paulding	Cold	5	А
ОН	Perry	Cold	5	А
ОН	Pickaway	Cold→Mixed- Humid	5→4	Α
ОН	Pike	Mixed-Humid	4	Α
ОН	Portage	Cold	5	А
ОН	Preble	Cold	5	А

		20.01	IECC 2021	IECC 2021
State	County	BA Climate Zone	Climate Zone (1-8)	Moisture Regime
ОН	Putnam	Cold	5	A
ОН	Richland	Cold	5	А
ОН	Ross	Cold→Mixed- Humid	5→4	А
ОН	Sandusky	Cold	5	А
ОН	Scioto	Mixed-Humid	4	А
ОН	Seneca	Cold	5	А
ОН	Shelby	Cold	5	Α
ОН	Stark	Cold	5	Α
ОН	Summit	Cold	5	Α
ОН	Trumbull	Cold	5	Α
ОН	Tuscarawas	Cold	5	А
ОН	Union	Cold	5	А
ОН	Van Wert	Cold	5	А
ОН	Vinton	Cold→Mixed- Humid	5→4	А
ОН	Warren	Cold→Mixed- Humid	5→4	А
ОН	Washington	Mixed-Humid	4	Α
ОН	Wayne	Cold	5	Α
ОН	Williams	Cold	5	А
ОН	Wood	Cold	5	Α
ОН	Wyandot	Cold	5	Α
ОН	Putnam	Cold	5	Α
ОН	Richland	Cold	5	Α
ОН	Ross	Cold→Mixed- Humid	5→4	А
ОН	Sandusky	Cold	5	Α
ОН	Scioto	Mixed-Humid	4	Α
ОН	Seneca	Cold	5	Α
ОН	Shelby	Cold	5	Α
ОН	Stark	Cold	5	Α
ОН	Summit	Cold	5	А
ОН	Trumbull	Cold	5	А
ОН	Tuscarawas	Cold	5	А
ОН	Union	Cold	5	А
ОН	Van Wert	Cold	5	Α
ОН	Vinton	Cold→Mixed- Humid	5→4	А
ОН	Warren	Cold→Mixed- Humid	5→4	А
ОН	Washington	Mixed-Humid	4	Α
ОН	Wayne	Cold	5	Α
ОН	Williams	Cold	5	А
ОН	Wood	Cold	5	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
ОН	Wyandot	Cold	5	A
OKLAH	OMA			
OK	Adair	Mixed-Humid	3	Α
OK	Alfalfa	Mixed-Humid	3→4	Α
OK	Atoka	Mixed-Humid	3	А
OK	Beaver	Mixed-Dry	4	В
OK	Beckham	Mixed-Humid	3	Α
OK	Blaine	Mixed-Humid	3	Α
OK	Bryan	Mixed-Humid	3	А
OK	Caddo	Mixed-Humid	3	Α
ОК	Canadian	Mixed-Humid	3	Α
OK	Carter	Mixed-Humid	3	Α
ОК	Cherokee	Mixed-Humid	3	Α
OK	Choctaw	Mixed-Humid	3	А
OK	Cimarron	Mixed-Dry	4	В
OK	Cleveland	Mixed-Humid	3	Α
OK	Coal	Mixed-Humid	3	А
OK	Comanche	Mixed-Humid	3	А
OK	Cotton	Mixed-Humid	3	А
OK	Craig	Mixed-Humid	3→4	Α
OK	Creek	Mixed-Humid	3	А
ОК	Custer	Mixed-Humid	3	А
OK	Delaware	Mixed-Humid	3→4	А
ОК	Dewey	Mixed-Humid	3	Α
OK	Ellis	Mixed-Humid	3→4	Α
OK	Garfield	Mixed-Humid	3→4	А
ОК	Garvin	Mixed-Humid	3	Α
OK	Grady	Mixed-Humid	3	Α
OK	Grant	Mixed-Humid	3→4	А
ОК	Greer	Mixed-Humid	3	Α
OK	Harmon	Mixed-Humid	3	А
OK	Harper	Mixed-Humid	3→4	Α
OK	Haskell	Mixed-Humid	3	Α
ОК	Hughes	Mixed-Humid	3	Α
OK	Jackson	Mixed-Humid	3	А
OK	Jefferson	Mixed-Humid	3	А
OK	Johnston	Mixed-Humid	3	А
OK	Kay	Mixed-Humid	3→4	А
OK	Kingfisher	Mixed-Humid	3	А
OK	Kiowa	Mixed-Humid	3	А
ОК	Latimer	Mixed-Humid	3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
OK	Le Flore	Mixed-Humid	3	A
ОК	Lincoln	Mixed-Humid	3	Α
OK	Logan	Mixed-Humid	3	Α
OK	Love	Mixed-Humid	3	Α
ОК	Major	Mixed-Humid	3→4	А
OK	Marshall	Mixed-Humid	3	Α
OK	Mayes	Mixed-Humid	3	Α
OK	McClain	Mixed-Humid	3	Α
OK	McCurtain	Mixed-Humid	3	Α
OK	McIntosh	Mixed-Humid	3	Α
OK	Murray	Mixed-Humid	3	Α
OK	Muskogee	Mixed-Humid	3	Α
OK	Noble	Mixed-Humid	3	Α
OK	Nowata	Mixed-Humid	3→4	Α
OK	Okfuskee	Mixed-Humid	3	Α
OK	Oklahoma	Mixed-Humid	3	Α
OK	Okmulgee	Mixed-Humid	3	Α
OK	Osage	Mixed-Humid	3→4	Α
OK	Ottawa	Mixed-Humid	3→4	Α
OK	Pawnee	Mixed-Humid	3	Α
OK	Payne	Mixed-Humid	3	Α
OK	Pittsburg	Mixed-Humid	3	Α
OK	Pontotoc	Mixed-Humid	3	Α
OK	Pottawatomie	Mixed-Humid	3	Α
OK	Pushmataha	Mixed-Humid	3	Α
OK	Roger Mills	Mixed-Humid	3	Α
OK	Rogers	Mixed-Humid	3	Α
ОК	Seminole	Mixed-Humid	3	А
OK	Sequoyah	Mixed-Humid	3	А
ОК	Stephens	Mixed-Humid	3	А
ОК	Texas	Mixed-Dry	4	В
ОК	Tillman	Mixed-Humid	3	А
OK	Tulsa	Mixed-Humid	3	А
ОК	Wagoner	Mixed-Humid	3	А
OK	Washington	Mixed-Humid	3→4	Α
OK	Washita	Mixed-Humid	3	Α
OK	Woods	Mixed-Humid	3→4	Α
OK	Woodward	Mixed-Humid	3→4	А
OREGO	N			
OR	Baker	Cold	5	В
OR	Benton	Marine	4	С

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State OR	County	Zone Marine	Zone (1-8)	Regime C
		Marine	4	С
OR	Clatsop	Marine	4	С
OR			·	_
OR	Coos	Marine	4	C
OR	Crook	Cold	5	В
OR	Curry	Marine	4	С
OR	Deschutes	Cold	5	В
OR	Douglas	Marine	4	С
OR	Gilliam	Cold	5	В
OR	Grant	Cold	5	В
OR	Harney	Cold	5	В
OR	Hood River	Cold	5	В
OR	Jackson	Marine	4	С
OR	Jefferson	Cold	5	В
OR	Josephine	Marine	4	С
OR	Klamath	Cold	5	В
OR	Lake	Cold	5	В
OR	Lane	Marine	4	С
OR	Lincoln	Marine	4	С
OR	Linn	Marine	4	С
OR	Malheur	Cold	5	В
OR	Marion	Marine	4	С
OR	Morrow	Cold	5	В
OR	Multnomah	Marine	4	С
OR	Polk	Marine	4	С
OR	Sherman	Cold	5	В
OR	Tillamook	Marine	4	С
OR	Umatilla	Cold	5	В
OR	Union	Cold	5	В
OR	Wallowa	Cold	5	В
OR	Wasco	Cold	5	В
OR	Washington	Marine	4	С
OR	Wheeler	Cold	5	В
OR	Yamhill	Marine	4	С
		c	•	ū
PENNS	YLVANIA Adams	Cold→Mixed- Humid	5→4	Α
PA	Allegheny	Cold	5	Α
PA	Armstrong	Cold	5	Α
PA	Beaver	Cold	5	A
PA	Bedford	Cold	5	A
	-		_	

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
PA	Berks	Cold→Mixed-	5→4	A
PA	Blair	Humid Cold	5	A
PA	Bradford	Cold	5	Α
PA	Bucks	Mixed-Humid	4	Α
PA	Butler	Cold	5	А
PA	Cambria	Cold	5	Α
PA	Cameron	Cold	6→5	Α
PA	Carbon	Cold	5	А
PA	Centre	Cold	5	А
PA	Chester	Mixed-Humid	4	А
PA	Clarion	Cold	5	А
PA	Clearfield	Cold	6→5	Α
PA	Clinton	Cold	5	Α
PA	Columbia	Cold	5	Α
PA	Crawford	Cold	5	Α
PA	Cumberland	Cold→Mixed- Humid	5→4	А
PA	Dauphin	Cold→Mixed- Humid	5→4	Α
PA	Delaware	Mixed-Humid	4	Α
PA	Elk	Cold	6→5	А
PA	Erie	Cold	5	Α
PA	Fayette	Cold	5	А
PA	Forest	Cold	5	Α
PA	Franklin	Cold→Mixed- Humid	5→4	Α
PA	Fulton	Cold	5	А
PA	Greene	Cold	5	А
PA	Huntingdon	Cold	5	А
PA	Indiana	Cold	5	А
PA	Jefferson	Cold	5	Α
PA	Juniata	Cold	5	Α
PA	Lackawanna	Cold	5	А
PA	Lancaster	Cold→Mixed- Humid	5→4	А
PA	Lawrence	Cold	5	А
PA	Lebanon	Cold→Mixed- Humid	5→4	Α
PA	Lehigh	Cold	5	А
PA	Luzerne	Cold	5	А
PA	Lycoming	Cold	5	А
PA	McKean	Cold	6→5	А
PA	Mercer	Cold	5	А
PA	Mifflin	Cold	5	А

		BA Climate	IECC 2021 Climate	IECC 2021 Moisture
State	County Monroe	Zone Cold	Zone (1-8)	Regime A
PA	Montgomery	Mixed-Humid	4	Α
PA	Montour	Cold	5	A
PA	Northampton	Cold	5	Α
PA	Northumberland	Cold	5	A
PA	Perry	Cold→Mixed-	5→4	A
	•	Humid		
PA	Philadelphia	Mixed-Humid	4	А
PA	Pike	Cold	5	А
PA	Potter	Cold	6→5	Α
PA	Schuylkill	Cold	5	Α
PA	Snyder	Cold	5	Α
PA	Somerset	Cold	5	Α
PA	Sullivan	Cold	5	Α
PA	Susquehanna	Cold	6→5	Α
PA	Tioga	Cold	6→5	Α
PA	Union	Cold	5	А
PA	Venango	Cold	5	Α
PA	Warren	Cold	5	Α
PA	Washington	Cold	5	Α
PA	Wayne	Cold	6→5	Α
PA	Westmoreland	Cold	5	А
PA	Wyoming	Cold	5	Α
PA	York	Mixed-Humid	4	Α
RHODE	ISLAND			
RI	Bristol	Cold	5	Α
RI	Kent	Cold	5	Α
RI	Newport	Cold	5	Α
RI	Providence	Cold	5	Α
RI	Washington	Cold	5	Α
SOUTH	CAROLINA			
SC	Abbeville	Mixed-Humid	3	Α
SC	Aiken	Mixed-Humid	3	Α
SC	Allendale	Hot-Humid	3	Α
SC	Anderson	Mixed-Humid	3	Α
SC	Bamberg	Hot-Humid	3	Α
SC	Barnwell	Hot-Humid	3	A
SC	Beaufort	Hot-Humid	3→2	A
SC	Berkeley	Hot-Humid	3	A
SC	Calhoun	Mixed-Humid	3	A
SC	Charleston	Hot-Humid	3	A
SC	Cherokee	Mixed-Humid	3	A
			1	

			IECC 2021	IECC 2021
State	County	BA Climate Zone	Climate Zone (1-8)	Moisture Regime
SC	Chester	Mixed-Humid	3	A
SC	Chesterfield	Mixed-Humid	3	А
SC	Clarendon	Mixed-Humid	3	А
SC	Colleton	Hot-Humid	3	А
SC	Darlington	Mixed-Humid	3	А
SC	Dillon	Mixed-Humid	3	А
SC	Dorchester	Hot-Humid	3	А
SC	Edgefield	Mixed-Humid	3	А
SC	Fairfield	Mixed-Humid	3	А
SC	Florence	Mixed-Humid	3	А
SC	Georgetown	Hot-Humid	3	А
SC	Greenville	Mixed-Humid	3	А
SC	Greenwood	Mixed-Humid	3	А
SC	Hampton	Hot-Humid	3	А
SC	Horry	Hot-Humid	3	А
SC	Jasper	Hot-Humid	3→2	А
SC	Kershaw	Mixed-Humid	3	Α
SC	Lancaster	Mixed-Humid	3	А
SC	Laurens	Mixed-Humid	3	А
SC	Lee	Mixed-Humid	3	А
SC	Lexington	Mixed-Humid	3	А
SC	Marion	Mixed-Humid	3	А
SC	Marlboro	Mixed-Humid	3	А
SC	McCormick	Mixed-Humid	3	А
SC	Newberry	Mixed-Humid	3	А
SC	Oconee	Mixed-Humid	3	А
SC	Orangeburg	Mixed-Humid	3	А
SC	Pickens	Mixed-Humid	3	А
SC	Richland	Mixed-Humid	3	Α
SC	Saluda	Mixed-Humid	3	А
SC	Spartanburg	Mixed-Humid	3	А
SC	Sumter	Mixed-Humid	3	А
SC	Union	Mixed-Humid	3	А
SC	Williamsburg	Mixed-Humid	3	А
SC	York	Mixed-Humid	3	Α
SOUTH	DAKOTA			
SD	Aurora	Cold	6	Α
SD	Beadle	Cold	6	Α
SD	Bennett	Cold	5	Α
SD	Bon Homme	Cold	5	А
SD	Brookings	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
SD	Brown	Cold	6	A
SD	Brule	Cold	6→5	Α
SD	Buffalo	Cold	6	Α
SD	Butte	Cold	6	Α
SD	Campbell	Cold	6	Α
SD	Charles Mix	Cold	5	Α
SD	Clark	Cold	6	Α
SD	Clay	Cold	5	А
SD	Codington	Cold	6	А
SD	Corson	Cold	6	Α
SD	Custer	Cold	6	Α
SD	Davison	Cold	6	Α
SD	Day	Cold	6	Α
SD	Deuel	Cold	6	Α
SD	Dewey	Cold	6	А
SD	Douglas	Cold	5	Α
SD	Edmunds	Cold	6	Α
SD	Fall River	Cold	6	Α
SD	Faulk	Cold	6	Α
SD	Grant	Cold	6	Α
SD	Gregory	Cold	5	Α
SD	Haakon	Cold	6→5	Α
SD	Hamlin	Cold	6	Α
SD	Hand	Cold	6	Α
SD	Hanson	Cold	6	Α
SD	Harding	Cold	6	Α
SD	Hughes	Cold	6	Α
SD	Hutchinson	Cold	5	Α
SD	Hyde	Cold	6	Α
SD	Jackson	Cold	5	Α
SD	Jerauld	Cold	6	Α
SD	Jones	Cold	6→5	Α
SD	Kingsbury	Cold	6	Α
SD	Lake	Cold	6	Α
SD	Lawrence	Cold	6	А
SD	Lincoln	Cold	6	Α
SD	Lyman	Cold	6→5	Α
SD	Marshall	Cold	6	Α
SD	McCook	Cold	6	Α
SD	McPherson	Cold	6	А
SD	Meade	Cold	6	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
SD	Mellette	Cold	5	A
SD	Miner	Cold	6	А
SD	Minnehaha	Cold	6	А
SD	Moody	Cold	6	А
SD	Pennington	Cold	6	А
SD	Perkins	Cold	6	Α
SD	Potter	Cold	6	Α
SD	Roberts	Cold	6	Α
SD	Sanborn	Cold	6	Α
SD	Shannon	Cold	6	Α
SD	Spink	Cold	6	Α
SD	Stanley	Cold	6→5	Α
SD	Sully	Cold	6	Α
SD	Todd	Cold	5	Α
SD	Tripp	Cold	5	Α
SD	Turner	Cold	6	Α
SD	Union	Cold	5	А
SD	Walworth	Cold	6	А
SD	Yankton	Cold	5	Α
SD	Ziebach	Cold	6	Α
TENNES	SSEE			
TN	Anderson	Mixed-Humid	4	Α
TN	Bedford	Mixed-Humid	4→3	А
TN	Benton	Mixed-Humid	4	А
TN	Bledsoe	Mixed-Humid	4	Α
TN	Blount	Mixed-Humid	4	А
TN	Bradley	Mixed-Humid	4	А
TN	Campbell	Mixed-Humid	4	А
TN	Cannon	Mixed-Humid	4	А
TN	Carroll	Mixed-Humid	4	А
TN	Carter	Mixed-Humid	4	А
TN	Cheatham	Mixed-Humid	4	А
TN	Chester	Mixed-Humid	3	А
TN	Claiborne	Mixed-Humid	4	Α
TN	Clay	Mixed-Humid	4	А
TN	Cocke	Mixed-Humid	4	А
TN	Coffee	Mixed-Humid	4→3	А
TN	Crockett	Mixed-Humid	3	А
TN	Cumberland	Mixed-Humid	4	А
TN	Davidson	Mixed-Humid	4→3	А
TN	Decatur	Mixed-Humid	4→3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TN	DeKalb	Mixed-Humid	4	A
TN	Dickson	Mixed-Humid	4	Α
TN	Dyer	Mixed-Humid	3	Α
TN	Fayette	Mixed-Humid	3	Α
TN	Fentress	Mixed-Humid	4	Α
TN	Franklin	Mixed-Humid	4→3	Α
TN	Gibson	Mixed-Humid	4→3	Α
TN	Giles	Mixed-Humid	4→3	Α
TN	Grainger	Mixed-Humid	4	Α
TN	Greene	Mixed-Humid	4	Α
TN	Grundy	Mixed-Humid	4→3	Α
TN	Hamblen	Mixed-Humid	4	Α
TN	Hamilton	Mixed-Humid	4→3	Α
TN	Hancock	Mixed-Humid	4	Α
TN	Hardeman	Mixed-Humid	3	Α
TN	Hardin	Mixed-Humid	3	Α
TN	Hawkins	Mixed-Humid	4	Α
TN	Haywood	Mixed-Humid	3	Α
TN	Henderson	Mixed-Humid	3	Α
TN	Henry	Mixed-Humid	4	Α
TN	Hickman	Mixed-Humid	4→3	Α
TN	Houston	Mixed-Humid	4	Α
TN	Humphreys	Mixed-Humid	4	Α
TN	Jackson	Mixed-Humid	4	Α
TN	Jefferson	Mixed-Humid	4	Α
TN	Johnson	Mixed-Humid	4	Α
TN	Knox	Mixed-Humid	4	Α
TN	Lake	Mixed-Humid	3→4	Α
TN	Lauderdale	Mixed-Humid	3	Α
TN	Lawrence	Mixed-Humid	4→3	А
TN	Lewis	Mixed-Humid	4→3	Α
TN	Lincoln	Mixed-Humid	4→3	А
TN	Loudon	Mixed-Humid	4	Α
TN	Macon	Mixed-Humid	4	Α
TN	Madison	Mixed-Humid	3	А
TN	Marion	Mixed-Humid	4→3	А
TN	Marshall	Mixed-Humid	4→3	А
TN	Maury	Mixed-Humid	4→3	А
TN	McMinn	Mixed-Humid	4	А
TN	McNairy	Mixed-Humid	3	А
TN	Meigs	Mixed-Humid	4	Α

Stato	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
State TN	Monroe	Mixed-Humid	4	A
TN	Montgomery	Mixed-Humid	4	Α
TN	Moore	Mixed-Humid	4→3	A
TN	Morgan	Mixed-Humid	4	А
TN	Obion	Mixed-Humid	4	А
TN	Overton	Mixed-Humid	4	А
TN	Perry	Mixed-Humid	4→3	А
TN	Pickett	Mixed-Humid	4	Α
TN	Polk	Mixed-Humid	4	А
TN	Putnam	Mixed-Humid	4	А
TN	Rhea	Mixed-Humid	4	А
TN	Roane	Mixed-Humid	4	А
TN	Robertson	Mixed-Humid	4	А
TN	Rutherford	Mixed-Humid	4→3	A
TN	Scott	Mixed-Humid	4	А
TN	Sequatchie	Mixed-Humid	4	А
TN	Sevier	Mixed-Humid	4	А
TN	Shelby	Mixed-Humid	3	А
TN	Smith	Mixed-Humid	4	Α
TN	Stewart	Mixed-Humid	4	Α
TN	Sullivan	Mixed-Humid	4	Α
TN	Sumner	Mixed-Humid	4	Α
TN	Tipton	Mixed-Humid	3	А
TN	Trousdale	Mixed-Humid	4	А
TN	Unicoi	Mixed-Humid	4	Α
TN	Union	Mixed-Humid	4	А
TN	Van Buren	Mixed-Humid	4	А
TN	Warren	Mixed-Humid	4	А
TN	Washington	Mixed-Humid	4	А
TN	Wayne	Mixed-Humid	4→3	А
TN	Weakley	Mixed-Humid	4	А
TN	White	Mixed-Humid	4	А
TN	Williamson	Mixed-Humid	4→3	А
TN	Wilson	Mixed-Humid	4	А
TEXAS				
TX	Anderson	Hot-Humid	2	Α
TX	Andrews	Hot-Dry	3	В
TX	Angelina	Hot-Humid	2	А
TX	Aransas	Hot-Humid	2	Α
TX	Archer	Mixed-Humid	3	Α
TX	Armstrong	Mixed-Dry	4	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Atascosa	Hot-Humid	2	A
TX	Austin	Hot-Humid	2	Α
TX	Bailey	Mixed-Dry	4	В
TX	Bandera	Hot-Humid	2	В
TX	Bastrop	Hot-Humid	2	Α
TX	Baylor	Hot-Dry	3	В
TX	Bee	Hot-Humid	2	Α
TX	Bell	Hot-Humid	2	Α
TX	Bexar	Hot-Humid	2	Α
TX	Blanco	Hot-Humid	3	Α
TX	Borden	Hot-Dry	3	В
TX	Bosque	Hot-Humid	2	Α
TX	Bowie	Hot-Humid	3	Α
TX	Brazoria	Hot-Humid	2	Α
TX	Brazos	Hot-Humid	2	Α
TX	Brewster	Hot-Dry	3	В
TX	Briscoe	Mixed-Dry	4	В
TX	Brooks	Hot-Humid	2	Α
TX	Brown	Hot-Humid	3	Α
TX	Burleson	Hot-Humid	2	Α
TX	Burnet	Hot-Humid	3	Α
TX	Caldwell	Hot-Humid	2	Α
TX	Calhoun	Hot-Humid	2	Α
TX	Callahan	Hot-Dry	3	В
TX	Cameron	Hot-Humid	2→1	Α
TX	Camp	Hot-Humid	3	Α
TX	Carson	Mixed-Dry	4	В
TX	Cass	Hot-Humid	3	Α
TX	Castro	Mixed-Dry	4	В
TX	Chambers	Hot-Humid	2	А
TX	Cherokee	Hot-Humid	2	А
TX	Childress	Hot-Dry	3	В
TX	Clay	Mixed-Humid	3	А
TX	Cochran	Mixed-Dry	4	В
TX	Coke	Hot-Dry	3	В
TX	Coleman	Hot-Dry	3	В
TX	Collin	Hot-Humid	3	А
TX	Collingsworth	Hot-Dry	3	В
TX	Colorado	Hot-Humid	2	А
TX	Comal	Hot-Humid	2	А
TX	Comanche	Hot-Humid	3	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Concho	Hot-Dry	3	В
TX	Cooke	Mixed-Humid	3	А
TX	Coryell	Hot-Humid	2	А
TX	Cottle	Hot-Dry	3	В
TX	Crane	Hot-Dry	3	В
TX	Crockett	Hot-Dry	3	В
TX	Crosby	Hot-Dry	3	В
TX	Culberson	Hot-Dry	3	В
TX	Dallam	Mixed-Dry	4	В
TX	Dallas	Hot-Humid	3→2	А
TX	Dawson	Hot-Dry	3	В
TX	Deaf Smith	Mixed-Dry	4	В
TX	Delta	Hot-Humid	3	А
TX	Denton	Hot-Humid	3	А
TX	DeWitt	Hot-Humid	2	А
TX	Dickens	Hot-Dry	3	В
TX	Dimmit	Hot-Humid	2	В
TX	Donley	Mixed-Dry	4	В
TX	Duval	Hot-Humid	2	А
TX	Eastland	Mixed-Humid	3	А
TX	Ector	Hot-Dry	3	В
TX	Edwards	Hot-Humid	2	В
TX	El Paso	Hot-Dry	3	В
TX	Ellis	Hot-Humid	3→2	А
TX	Erath	Hot-Humid	3	Α
TX	Falls	Hot-Humid	2	Α
TX	Fannin	Mixed-Humid	3	Α
TX	Fayette	Hot-Humid	2	Α
TX	Fisher	Hot-Dry	3	В
TX	Floyd	Mixed-Dry	4	В
TX	Foard	Hot-Dry	3	В
TX	Fort Bend	Hot-Humid	2	Α
TX	Franklin	Hot-Humid	3	Α
TX	Freestone	Hot-Humid	2	Α
TX	Frio	Hot-Humid	2	В
TX	Gaines	Hot-Dry	3	В
TX	Galveston	Hot-Humid	2	А
TX	Garza	Hot-Dry	3	В
TX	Gillespie	Hot-Humid	3	А
TX	Glasscock	Hot-Dry	3	В
TX	Goliad	Hot-Humid	2	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Gonzales	Hot-Humid	2	A
TX	Gray	Mixed-Dry	4	В
TX	Grayson	Mixed-Humid	3	А
TX	Gregg	Hot-Humid	3	Α
TX	Grimes	Hot-Humid	2	Α
TX	Guadalupe	Hot-Humid	2	А
TX	Hale	Mixed-Dry	4	В
TX	Hall	Hot-Dry	3	В
TX	Hamilton	Hot-Humid	3	А
TX	Hansford	Mixed-Dry	4	В
TX	Hardeman	Hot-Dry	3	В
TX	Hardin	Hot-Humid	2	А
TX	Harris	Hot-Humid	2	А
TX	Harrison	Hot-Humid	3	А
TX	Hartley	Mixed-Dry	4	В
TX	Haskell	Hot-Dry	3	В
TX	Hays	Hot-Humid	2	Α
TX	Hemphill	Hot-Dry	3	В
TX	Henderson	Hot-Humid	3	А
TX	Hidalgo	Hot-Humid	2→1	А
TX	Hill	Hot-Humid	2	А
TX	Hockley	Mixed-Dry	4	В
TX	Hood	Hot-Humid	3	А
TX	Hopkins	Hot-Humid	3	А
TX	Houston	Hot-Humid	2	А
TX	Howard	Hot-Dry	3	В
TX	Hudspeth	Hot-Dry	3	В
TX	Hunt	Hot-Humid	3	Α
TX	Hutchinson	Mixed-Dry	4	В
TX	Irion	Hot-Dry	3	В
TX	Jack	Mixed-Humid	3	А
TX	Jackson	Hot-Humid	2	А
TX	Jasper	Hot-Humid	2	Α
TX	Jeff Davis	Hot-Dry	3	В
TX	Jefferson	Hot-Humid	2	А
TX	Jim Hogg	Hot-Humid	2	Α
TX	Jim Wells	Hot-Humid	2	А
TX	Johnson	Hot-Humid	3→2	А
TX	Jones	Hot-Dry	3	В
TX	Karnes	Hot-Humid	2	А
TX	Kaufman	Hot-Humid	3	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Kendall	Hot-Humid	3	A
TX	Kenedy	Hot-Humid	2	А
TX	Kent	Hot-Dry	3	В
TX	Kerr	Hot-Dry	3	В
TX	Kimble	Hot-Dry	3	В
TX	King	Hot-Dry	3	В
TX	Kinney	Hot-Humid	2	В
TX	Kleberg	Hot-Humid	2	Α
TX	Knox	Hot-Dry	3	В
TX	La Salle	Hot-Humid	2	В
TX	Lamar	Hot-Humid	3	Α
TX	Lamb	Mixed-Dry	4	В
TX	Lampasas	Hot-Humid	3	Α
TX	Lavaca	Hot-Humid	2	Α
TX	Lee	Hot-Humid	2	Α
TX	Leon	Hot-Humid	2	Α
TX	Liberty	Hot-Humid	2	А
TX	Limestone	Hot-Humid	2	А
TX	Lipscomb	Mixed-Dry	4	В
TX	Live Oak	Hot-Humid	2	Α
TX	Llano	Hot-Humid	3	Α
TX	Loving	Hot-Dry	3	В
TX	Lubbock	Hot-Dry	3	В
TX	Lynn	Hot-Dry	3	В
TX	Madison	Hot-Humid	2	Α
TX	Marion	Hot-Humid	3	Α
TX	Martin	Hot-Dry	3	В
TX	Mason	Hot-Dry	3	В
TX	Matagorda	Hot-Humid	2	А
TX	Maverick	Hot-Humid	2	В
TX	McCulloch	Hot-Dry	3	В
TX	McLennan	Hot-Humid	2	Α
TX	McMullen	Hot-Humid	2	А
TX	Medina	Hot-Humid	2	В
TX	Menard	Hot-Dry	3	В
TX	Midland	Hot-Dry	3	В
TX	Milam	Hot-Humid	2	А
TX	Mills	Hot-Humid	3	Α
TX	Mitchell	Hot-Dry	3	В
TX	Montague	Mixed-Humid	3	А
TX	Montgomery	Hot-Humid	2	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Moore	Mixed-Dry	4	В
TX	Morris	Hot-Humid	3	А
TX	Motley	Hot-Dry	3	В
TX	Nacogdoches	Hot-Humid	3	Α
TX	Navarro	Hot-Humid	3→2	Α
TX	Newton	Hot-Humid	2	А
TX	Nolan	Hot-Dry	3	В
TX	Nueces	Hot-Humid	2	А
TX	Ochiltree	Mixed-Dry	4	В
TX	Oldham	Mixed-Dry	4	В
TX	Orange	Hot-Humid	2	А
TX	Palo Pinto	Mixed-Humid	3	А
TX	Panola	Hot-Humid	3	А
TX	Parker	Hot-Humid	3	А
TX	Parmer	Mixed-Dry	4	В
TX	Pecos	Hot-Dry	3	В
TX	Polk	Hot-Humid	2	А
TX	Potter	Mixed-Dry	4	В
TX	Presidio	Hot-Dry	3	В
TX	Rains	Hot-Humid	3	Α
TX	Randall	Mixed-Dry	4	В
TX	Reagan	Hot-Dry	3	В
TX	Real	Hot-Humid	2	В
TX	Red River	Hot-Humid	3	Α
TX	Reeves	Hot-Dry	3	В
TX	Refugio	Hot-Humid	2	Α
TX	Roberts	Mixed-Dry	4	В
TX	Robertson	Hot-Humid	2	Α
TX	Rockwall	Hot-Humid	3	Α
TX	Runnels	Hot-Dry	3	В
TX	Rusk	Hot-Humid	3	Α
TX	Sabine	Hot-Humid	3	Α
TX	San Augustine	Hot-Humid	3	Α
TX	San Jacinto	Hot-Humid	2	Α
TX	San Patricio	Hot-Humid	2	А
TX	San Saba	Hot-Humid	3	Α
TX	Schleicher	Hot-Dry	3	В
TX	Scurry	Hot-Dry	3	В
TX	Shackelford	Hot-Dry	3	В
TX	Shelby	Hot-Humid	3	А
TX	Sherman	Mixed-Dry	4	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Smith	Hot-Humid	3	A
TX	Somervell	Hot-Humid	3	А
TX	Starr	Hot-Humid	2	А
TX	Stephens	Mixed-Humid	3	А
TX	Sterling	Hot-Dry	3	В
TX	Stonewall	Hot-Dry	3	В
TX	Sutton	Hot-Dry	3	В
TX	Swisher	Mixed-Dry	4	В
TX	Tarrant	Hot-Humid	3→2	Α
TX	Taylor	Hot-Dry	3	В
TX	Terrell	Hot-Dry	3	В
TX	Terry	Hot-Dry	3	В
TX	Throckmorton	Hot-Dry	3	В
TX	Titus	Hot-Humid	3	Α
TX	Tom Green	Hot-Dry	3	В
TX	Travis	Hot-Humid	2	Α
TX	Trinity	Hot-Humid	2	А
TX	Tyler	Hot-Humid	2	А
TX	Upshur	Hot-Humid	3	Α
TX	Upton	Hot-Dry	3	В
TX	Uvalde	Hot-Humid	2	В
TX	Val Verde	Hot-Humid	2	В
TX	Van Zandt	Hot-Humid	3	Α
TX	Victoria	Hot-Humid	2	Α
TX	Walker	Hot-Humid	2	Α
TX	Waller	Hot-Humid	2	Α
TX	Ward	Hot-Dry	3	В
TX	Washington	Hot-Humid	2	Α
TX	Webb	Hot-Humid	2	В
TX	Wharton	Hot-Humid	2	Α
TX	Wheeler	Hot-Dry	3	В
TX	Wichita	Mixed-Humid	3	Α
TX	Wilbarger	Hot-Dry	3	В
TX	Willacy	Hot-Humid	2→1	Α
TX	Williamson	Hot-Humid	2	А
TX	Wilson	Hot-Humid	2	А
TX	Winkler	Hot-Dry	3	В
TX	Wise	Mixed-Humid	3	А
TX	Wood	Hot-Humid	3	А
TX	Yoakum	Mixed-Dry	4	В
TX	Young	Mixed-Humid	3	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
TX	Zapata	Hot-Humid	2	В
TX	Zavala	Hot-Humid	2	В
UTAH				
UT	Beaver	Cold	5	В
UT	Box Elder	Cold	6→5	В
UT	Cache	Cold	6→5	В
UT	Carbon	Cold	6→5	В
UT	Daggett	Cold	6	В
UT	Davis	Cold	5	В
UT	Duchesne	Cold	6	В
UT	Emery	Cold	5	В
UT	Garfield	Cold	5	В
UT	Grand	Cold	5	В
UT	Iron	Cold	5	В
UT	Juab	Cold	5	В
UT	Kane	Cold	5	В
UT	Millard	Cold	5	В
UT	Morgan	Cold	6	В
UT	Piute	Cold	5	В
UT	Rich	Cold	6	В
UT	Salt Lake	Cold	5	В
UT	San Juan	Cold	5	В
UT	Sanpete	Cold	5	В
UT	Sevier	Cold	5	В
UT	Summit	Cold	6	В
UT	Tooele	Cold	5	В
UT	Uintah	Cold	6	В
UT	Utah	Cold	5	В
UT	Wasatch	Cold	6	В
UT	Washington	Hot-Dry	3	В
UT	Wayne	Cold	5	В
UT	Weber	Cold	5	В
VERMO	NT			
VT	Addison	Cold	6	Α
VT	Bennington	Cold	6	А
VT	Caledonia	Cold	6	А
VT	Chittenden	Cold	6	А
VT	Essex	Cold	6	А
VT	Franklin	Cold	6	А
VT	Grand Isle	Cold	6	Α
VT	Lamoille	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
VT	Orange	Cold	6	A
VT	Orleans	Cold	6	А
VT	Rutland	Cold	6	А
VT	Washington	Cold	6	А
VT	Windham	Cold	6	А
VT	Windsor	Cold	6	А
VIRGIN	IA			
VA	Accomack	Mixed-Humid	4	Α
VA	Albemarle	Mixed-Humid	4	A
VA	Alexandria (city)	Mixed-Humid	4	A
VA	Alleghany	Mixed- Humid→Cold	4→5	А
VA	Amelia	Mixed-Humid	4	А
VA	Amherst	Mixed-Humid	4	Α
VA	Appomattox	Mixed-Humid	4	А
VA	Arlington	Mixed-Humid	4	А
VA	Augusta	Mixed-Humid	4	А
VA	Bath	Mixed-	4→5	А
VA	Bedford	Humid→Cold Mixed-Humid	4	Α
VA	Bedford (city)	Mixed-Humid	4	A
VA	Bland	Mixed-Humid	4	A
VA	Botetourt	Mixed-Humid	4	Α
VA	Bristol (city)	Mixed-Humid	4	Α
VA	Brunswick	Mixed-Humid	4→3	Α
VA	Buchanan	Mixed-Humid	4	Α
VA	Buckingham	Mixed-Humid	4	Α
VA	Buena Vista (city)	Mixed-Humid	4	А
VA	Campbell	Mixed-Humid	4	Α
VA	Caroline	Mixed-Humid	4	Α
VA	Carroll	Mixed-Humid	4	Α
VA	Charles City	Mixed-Humid	4	A
VA	Charlotte	Mixed-Humid	4	А
VA	Charlottesville (city)	Mixed-Humid	4	A
VA	Chesapeake (city)	Mixed-Humid	4→3	А
VA	Chesterfield	Mixed-Humid	4	А
VA	Clarke	Mixed-Humid	4	А
VA	Clifton Forge (city)	Mixed- Humid→Cold	4→5	А
VA	Colonial Heights (city)	Mixed-Humid	4	А
VA	Covington (city)	Mixed- Humid→Cold	4→5	А
VA	Craig	Mixed-Humid	4	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
VA	Culpeper	Mixed-Humid	4	A
VA	Cumberland	Mixed-Humid	4	Α
VA	Danville (city)	Mixed-Humid	4	Α
VA	Dickenson	Mixed-Humid	4	Α
VA	Dinwiddie	Mixed-Humid	4	А
VA	Emporia (city)	Mixed-Humid	4→3	Α
VA	Essex	Mixed-Humid	4	Α
VA	Fairfax	Mixed-Humid	4	Α
VA	Falls Church (city)	Mixed-Humid	4	А
VA	Fauquier	Mixed-Humid	4	Α
VA	Floyd	Mixed-Humid	4	Α
VA	Fluvanna	Mixed-Humid	4	А
VA	Franklin	Mixed-Humid	4→3	Α
VA	Franklin (city)	Mixed-Humid	4→3	Α
VA	Frederick	Mixed-Humid	4	Α
VA	Fredericksburg (city)	Mixed-Humid	4	Α
VA	Galax (city)	Mixed-Humid	4	Α
VA	Giles	Mixed-Humid	4	Α
VA	Gloucester	Mixed-Humid	4	Α
VA	Goochland	Mixed-Humid	4	Α
VA	Grayson	Mixed-Humid	4	Α
VA	Greene	Mixed-Humid	4	Α
VA	Greensville	Mixed-Humid	4→3	Α
VA	Halifax	Mixed-Humid	4→3	Α
VA	Hampton (city)	Mixed-Humid	4→3	Α
VA	Hanover	Mixed-Humid	4	Α
VA	Harrisonburg (city)	Mixed-Humid	4	Α
VA	Henrico	Mixed-Humid	4	Α
VA	Henry	Mixed-Humid	4	Α
VA	Highland	Mixed- Humid→Cold	4→5	Α
VA	Hopewell (city)	Mixed-Humid	4	Α
VA	Isle of Wight	Mixed-Humid	4→3	Α
VA	James City	Mixed-Humid	4	Α
VA	King and Queen	Mixed-Humid	4	Α
VA	King George	Mixed-Humid	4	Α
VA	King William	Mixed-Humid	4	А
VA	Lancaster	Mixed-Humid	4	Α
VA	Lee	Mixed-Humid	4	Α
VA	Lexington (city)	Mixed-Humid	4	Α
VA	Loudoun	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
VA	Louisa	Mixed-Humid	4	A
VA	Lunenburg	Mixed-Humid	4	Α
VA	Lynchburg (city)	Mixed-Humid	4	А
VA	Madison	Mixed-Humid	4	А
VA	Manassas (city)	Mixed-Humid	4	А
VA	Manassas Park (city)	Mixed-Humid	4	А
VA	Martinsville (city)	Mixed-Humid	4	А
VA	Mathews	Mixed-Humid	4	А
VA	Mecklenburg	Mixed-Humid	4→3	А
VA	Middlesex	Mixed-Humid	4	А
VA	Montgomery	Mixed-Humid	4	А
VA	Nelson	Mixed-Humid	4	А
VA	New Kent	Mixed-Humid	4	А
VA	Newport News (city)	Mixed-Humid	4→3	А
VA	Norfolk (city)	Mixed-Humid	4→3	А
VA	Northampton	Mixed-Humid	4	А
VA	Northumberland	Mixed-Humid	4	А
VA	Norton (city)	Mixed-Humid	4	А
VA	Nottoway	Mixed-Humid	4	А
VA	Orange	Mixed-Humid	4	А
VA	Page	Mixed-Humid	4	А
VA	Patrick	Mixed-Humid	4	А
VA	Petersburg (city)	Mixed-Humid	4	А
VA	Pittsylvania	Mixed-Humid	4→3	Α
VA	Poquoson (city)	Mixed-Humid	4	Α
VA	Portsmouth (city)	Mixed-Humid	4→3	А
VA	Powhatan	Mixed-Humid	4	Α
VA	Prince Edward	Mixed-Humid	4	Α
VA	Prince George	Mixed-Humid	4	Α
VA	Prince William	Mixed-Humid	4	Α
VA	Pulaski	Mixed-Humid	4	А
VA	Radford (city)	Mixed-Humid	4	А
VA	Rappahannock	Mixed-Humid	4	А
VA	Richmond	Mixed-Humid	4	А
VA	Richmond (city)	Mixed-Humid	4	Α
VA	Roanoke	Mixed-Humid	4	Α
VA	Roanoke (city)	Mixed-Humid	4	Α
VA	Rockbridge	Mixed-Humid	4	А
VA	Rockingham	Mixed-Humid	4	А
VA	Russell	Mixed-Humid	4	А

			IECC 2021	IECC 2021
State	County	BA Climate Zone	Climate Zone (1-8)	Moisture Regime
VA	Salem (city)	Mixed-Humid	4	A
VA	Scott	Mixed-Humid	4	Α
VA	Shenandoah	Mixed-Humid	4	Α
VA	Smyth	Mixed-Humid	4	Α
VA	South Boston	Mixed-Humid	3	Α
VA	Southampton	Mixed-Humid	4→3	Α
VA	Spotsylvania	Mixed-Humid	4	Α
VA	Stafford	Mixed-Humid	4	Α
VA	Staunton (city)	Mixed-Humid	4	Α
VA	Suffolk (city)	Mixed-Humid	4→3	Α
VA	Surry	Mixed-Humid	4→3	Α
VA	Sussex	Mixed-Humid	4→3	Α
VA	Tazewell	Mixed-Humid	4	Α
VA	Virginia Beach (city)	Mixed-Humid	4→3	А
VA	Warren	Mixed-Humid	4	Α
VA	Washington	Mixed-Humid	4	Α
VA	Waynesboro (city)	Mixed-Humid	4	А
VA	Westmoreland	Mixed-Humid	4	Α
VA	Williamsburg (city)	Mixed-Humid	4	Α
VA	Winchester (city)	Mixed-Humid	4	Α
VA	Wise	Mixed-Humid	4	Α
VA	Wythe	Mixed-Humid	4	Α
VA	York	Mixed-Humid	4	Α
WASHI	NGTON			
WA	Adams	Cold	5	В
WA	Asotin	Cold	5	В
WA	Benton	Cold	5	В
WA	Chelan	Cold	5	В
WA	Clallam	Marine	4→5	С
WA	Clark	Marine	4	С
WA	Columbia	Cold	5	В
WA	Cowlitz	Marine	4	С
WA	Douglas	Cold	5	В
WA	Ferry	Cold	6	В
WA	Franklin	Cold	5	В
WA	Garfield	Cold	5	В
WA	Grant	Cold	5	В
WA	Grays Harbor	Marine	4	С
WA	Island	Marine	4→5	С
WA	Jefferson	Marine	4	С
WA	King	Marine	4	С

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
WA	Kitsap	Marine	4 → 5	C
WA	Kittitas	Cold	5	В
WA	Klickitat	Cold	5	В
WA	Lewis	Marine	4	С
WA	Lincoln	Cold	5	В
WA	Mason	Marine	4	С
WA	Okanogan	Cold	6→5	В
WA	Pacific	Marine	4	С
WA	Pend Oreille	Cold	6	В
WA	Pierce	Marine	4	С
WA	San Juan	Cold	4→5	С
WA	Skagit	Marine	4	С
WA	Skamania	Cold	5	В
WA	Snohomish	Marine	4	С
WA	Spokane	Cold	5	В
WA	Stevens	Cold	6	В
WA	Thurston	Marine	4	С
WA	Wahkiakum	Marine	4	С
WA	Walla Walla	Cold	5	В
WA	Whatcom	Marine	4	С
WA	Whitman	Cold	5	В
WA	Yakima	Cold	5	В
		Colu	3	В
WEST V	/IRGINIA Barbour	Cold	5	^
WV	Berkeley	Mixed-Humid	4	A A
WV	Boone	Mixed-Humid	4	A
WV	Braxton	Mixed-Humid	4	A
WV	Brooke	Cold	5	Α
WV	Cabell	Mixed-Humid	4	Α
WV	Calhoun	Mixed-Humid	4	Α
WV	Clay	Mixed-Humid	4	Α
WV	Doddridge	Cold→Mixed- Humid	5→4	А
WV	Fayette	Cold→Mixed- Humid	5→4	А
WV	Gilmer	Mixed-Humid	4	А
WV	Grant	Cold	5	Α
WV	Greenbrier	Cold→Mixed- Humid	5→4	А
WV	Hampshire	Cold	5	А
WV	Hancock	Cold	5	А
WV	Hardy	Cold	5	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
WV	Harrison	Cold	5	A
WV	Jackson	Mixed-Humid	4	Α
WV	Jefferson	Mixed-Humid	4	Α
WV	Kanawha	Mixed-Humid	4	Α
WV	Lewis	Cold→Mixed- Humid	5→4	Α
WV	Lincoln	Mixed-Humid	4	Α
WV	Logan	Mixed-Humid	4	Α
WV	Marion	Cold	5	А
WV	Marshall	Cold	5	Α
WV	Mason	Mixed-Humid	4	А
WV	McDowell	Mixed-Humid	4	А
WV	Mercer	Mixed-Humid	4	А
WV	Mineral	Cold	5	А
WV	Mingo	Mixed-Humid	4	А
WV	Monongalia	Cold	5	А
WV	Monroe	Mixed-Humid	4	А
WV	Morgan	Mixed-Humid	4	А
WV	Nicholas	Cold→Mixed- Humid	5→4	А
WV	Ohio	Cold	5	А
WV	Pendleton	Cold	5	А
WV	Pleasants	Mixed-Humid	4	Α
WV	Pocahontas	Cold	5	А
WV	Preston	Cold	5	А
WV	Putnam	Mixed-Humid	4	А
WV	Raleigh	Cold→Mixed- Humid	5→4	Α
WV	Randolph	Cold	5	А
WV	Ritchie	Mixed-Humid	4	Α
WV	Roane	Mixed-Humid	4	А
WV	Summers	Cold→Mixed- Humid	5→4	Α
WV	Taylor	Cold	5	Α
WV	Tucker	Cold	5	Α
WV	Tyler	Mixed-Humid	4	Α
WV	Upshur	Cold→Mixed- Humid	5→4	А
WV	Wayne	Mixed-Humid	4	Α
WV	Webster	Cold→Mixed- Humid	5→4	Α
WV	Wetzel	Cold	5	Α
WV	Wirt	Mixed-Humid	4	Α
WV	Wood	Mixed-Humid	4	Α

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
WV	Wyoming	Mixed-Humid	4	А
WISCO	NSIN			
WI	Adams	Cold	6→5	Α
WI	Ashland	Very Cold→Cold	7→6	NONE→A
WI	Barron	Cold	6	Α
WI	Bayfield	Very Cold→Cold	7→6	NONE→A
WI	Brown	Cold	6	Α
WI	Buffalo	Cold	6	Α
WI	Burnett	Very Cold→Cold	7→6	NONE→A
WI	Calumet	Cold	6→5	Α
WI	Chippewa	Cold	6	Α
WI	Clark	Cold	6	Α
WI	Columbia	Cold	6→5	А
WI	Crawford	Cold	6→5	Α
WI	Dane	Cold	6→5	А
WI	Dodge	Cold	6→5	Α
WI	Door	Cold	6	Α
WI	Douglas	Very Cold→Cold	7→6	NONE→A
WI	Dunn	Cold	6	А
WI	Eau Claire	Cold	6	А
WI	Florence	Very Cold→Cold	7→6	NONE→A
WI	Fond du Lac	Cold	6→5	Α
WI	Forest	Very Cold→Cold	7→6	NONE→A
WI	Grant	Cold	6→5	А
WI	Green	Cold	6→5	А
WI	Green Lake	Cold	6→5	А
WI	lowa	Cold	6→5	Α
WI	Iron	Very Cold→Cold	7→6	NONE→A
WI	Jackson	Cold	6	А
WI	Jefferson	Cold	6→5	Α
WI	Juneau	Cold	6→5	Α
WI	Kenosha	Cold	6→5	Α
WI	Kewaunee	Cold	6	А
WI	La Crosse	Cold	6→5	А
WI	Lafayette	Cold	6→5	Α
WI	Langlade	Very Cold→Cold	7→6	NONE→A
WI	Lincoln	Very Cold→Cold	7→6	NONE→A
WI	Manitowoc	Cold	6	А

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
WI	Marathon	Cold	6	A
WI	Marinette	Cold	6	Α
WI	Marquette	Cold	6	Α
WI	Menominee	Cold	6	Α
WI	Milwaukee	Cold	6→5	Α
WI	Monroe	Cold	6→5	Α
WI	Oconto	Cold	6	Α
WI	Oneida	Very Cold→Cold	7→6	NONE→A
WI	Outagamie	Cold	6→5	А
WI	Ozaukee	Cold	6→5	А
WI	Pepin	Cold	6	А
WI	Pierce	Cold	6	А
WI	Polk	Cold	6	А
WI	Portage	Cold	6	Α
WI	Price	Very Cold→Cold	7→6	NONE→A
WI	Racine	Cold	6→5	А
WI	Richland	Cold	6→5	А
WI	Rock	Cold	6→5	А
WI	Rusk	Cold	6	А
WI	Sauk	Cold	6→5	Α
WI	Sawyer	Very Cold→Cold	7→6	NONE→A
WI	Shawano	Cold	6	Α
WI	Sheboygan	Cold	6	Α
WI	St. Croix	Cold	6	Α
WI	Taylor	Very Cold→Cold	7→6	NONE→A
WI	Trempealeau	Cold	6	Α
WI	Vernon	Cold	6→5	Α
WI	Vilas	Very Cold→Cold	7→6	NONE→A
WI	Walworth	Cold	6→5	А
WI	Washburn	Very Cold→Cold	7→6	NONE→A
WI	Washington	Cold	6→5	А
WI	Waukesha	Cold	6→5	А
WI	Waupaca	Cold	6	А
WI	Waushara	Cold	6→5	А
WI	Winnebago	Cold	6→5	А
WI	Wood	Cold	6	А
WYOM	ING	· 		
WY	Albany	Cold	6	В
WY	Big Horn	Cold	6	В

State	County	BA Climate Zone	IECC 2021 Climate Zone (1-8)	IECC 2021 Moisture Regime
WY	Campbell	Cold	6	В
WY	Carbon	Cold	6	В
WY	Converse	Cold	6	В
WY	Crook	Cold	6	В
WY	Fremont	Cold	6	В
WY	Goshen	Cold	5	В
WY	Hot Springs	Cold	6	В
WY	Johnson	Cold	6	В
WY	Laramie	Cold	6→5	В
WY	Lincoln	Very Cold	7	
WY	Natrona	Cold	6	В
WY	Niobrara	Cold	6	В
WY	Park	Cold	6	В
WY	Platte	Cold	5	В
WY	Sheridan	Cold	6	В
WY	Sublette	Very Cold	7	
WY	Sweetwater	Cold	6	В
WY	Teton	Very Cold	7	
WY	Uinta	Cold	6	В
WY	Washakie	Cold	6	В
WY	Weston	Cold	6	В

5 References

- ASHRAE. 2013. ASHRAE Standard 169-2013, Weather Data for Building Design Standards. American Society of Heating, Refrigerating and Air-Conditioning Engineers, Atlanta, GA.
- Athalye, R., T. Taylor, and B. Liu. 2016. "Impact of ASHRAE Standard 169-2013 on Building Energy Codes and Energy Efficiency." Presented at SimBuild 16: Building Performance Modeling Conference, Salt Lake City, UT.
- Baechler, Michael C, T. Gilbride, P. Cole, M. Hefty, and K. Ruiz. 2015. *High Performance Home Technologies: Guide to Determining Climate Regions by County*. Richland, WA: Pacific Northwest National Laboratory. PNNL-17211 Rev 3. https://www.energy.gov/sites/prod/files/2015/10/f27/ba climate region guide 7.3.pdf.
- Briggs, R.L, R. Lucas and Z. Taylor. 2003. "Climate Classification for Building Energy Codes and Standards: Part 1 Development Process." *ASHRAE Transations*, (1): 4610-4611.
- Briggs, R.L, R. Lucas and Z. Taylor. 2003. "Climate Classification for Building Energy Codes and Standards: Part 2 Zone Definitions, Maps and Comparisons." *ASHRAE Transactions*, 109(2).
- ICC. 2014. International Energy Conservation Code and ANSI/ASHRAE/IES Standard 90.1-2013: "Energy Standard for Buildings Except Low-Rise Residential Buildings." International Code Council, Washington, DC.
- Kottek, Markus, Jürgen Grieser, Christoph Beck, Bruno Rudolf, and Franz Rubel. 2006. "World Map of the Köppen-Geiger Climate Classification Updated." *Meteorologische Zeitschrift* 15 (3): 259–63. https://doi.org/10.1127/0941-2948/2006/0130.
- Lstiburek, J.W. February 2000. "Environmental Loads," *Proceedings of the Eighth Canadian Building Science Technology Conference*, Canadian Society for Civil Engineering (CSCE).
- Lstiburek, J.W. February 2002. "Moisture Control for Buildings," ASHRAE Journal.
- Lstiburek, Joseph. 2020. *Moisture Control for Residential Buildings*. Prepared by Building Science Corporation for Oak Ridge National Laboratory.
- Peel, M.C., B.L. Finlayson, and T.A. McMahon. 2007. "Updated World Map of the Köppen-Geiger Climate Classification." *Hydrology and Earth System Sciences* 11: 1633–44. https://doi.org/https://doi.org/10.5194/hess-11-1633-2007.





Office of ENERGY EFFICIENCY & RENEWABLE ENERGY

For more information, visit:

energy.gov/eere/xxxx

For more information, visit: buildingamerica.gov DOE/GO-000000-0000 • August 2021 DOE/PNNL-33270 • September 2022