
```
function [x_out,P_out, nis] = kalman_filter(F, Gamma, H, Q, R, xhat0, P0, z)
%KALMAN_FILTER The most basic KF ever to exist
```

```
    num_meas = size(z, 1)/size(H, 1);
```

```
    % Initialize output
```

```
    x_out = zeros(num_meas*2 + 1, length(xhat0));
```

```
    x_out(1, :) = xhat0;
```

```
    P_out = zeros([size(P0), num_meas*2 + 1]);
```

```
    P_out(:, :, 1) = P0;
```

```
    nis = 0;
```

```
    % Inititalize priors
```

```
    x_post = xhat0;
```

```
    P_post = P0;
```

```
    % Recursive Estimation
```

```
    for k=1:num_meas
```

```
        % Prediction step
```

```
        x_prior = F*x_post;
```

```
        P_prior = F*P_post*F.' + Gamma*Q*Gamma.';
```

```
        % Store the prediction
```

```
        x_out(2*k, :) = x_prior;
```

```
        P_out(:, :, 2*k) = P_prior;
```

```
        % Update step
```

```
        nu = z(k, :). - H*x_prior;
```

```
        S = H*P_prior*H.' + R;
```

```
        K = P_prior*H.'/S;
```

```
        x_post = x_prior + K*nu;
```

```
        P_post = P_prior - K*S*K.';
```

```
        % Store the correction
```

```
        x_out(2*k + 1, :) = x_post;
```

```
        P_out(:, :, 2*k + 1) = P_post;
```

```
        nis = nis + nu.*inv(S)*nu;
```

```
    end
```

```
end
```

```
Not enough input arguments.
```

```
Error in kalman_filter (line 4)
```

```
    num_meas = size(z, 1)/size(H, 1);
    ^
```