

1. Plot the following points on the same coordinate plane above.

$\mathbf{A}(0, 5)$ $\mathbf{B}(1, 300)$ $\mathbf{C}(2, 20)$ $\mathbf{D}(3,\ 150)$ $\mathbf{E}(4,\ 100)$



2. Plot the following points on the same coordinate plane above.

$\mathbf{A}(10,\ 2000)$ $\mathbf{B}(22,\ 250)$ $\mathbf{C}(30,\ 1)$ $\mathbf{D}(38,\ 17)$ $\mathbf{E}(46,\ 5000)$

x	10	20	30	40	50
$g(x)$	30	90	270	810	2430

3. The table above gives selected values for the function g. Which of the following graphs could represent these data in a semi-log plot, where the vertical axis is logarithmically scaled?

(A)



(B)



(C)



(D)





Directions: The points A, B, and C are plotted on the semi-log plot above, where the vertical axis has been logarithmically scaled. Use the semi-log plot above to answer the following questions.

4. The coordinates of point A are most likely…

(A) $(1, 2.3)$ (B) $(1, 120)$ (C) $(1, 300)$ (D) $(1, 320)$ (E) $(10, 300)$

5. The coordinates of point B are most likely…

(A) $(2, 1.5)$ (B) $(2, 14)$ (C) $(2, 50)$ (D) $(2, 54)$ (E) $(100, 50)$

6. The coordinates of point C are most likely…

(A) $(4, 10.5)$ (B) $(4, 15)$ (C) $(4, 16.6)$ (D) $(4, 66)$ (E) $(10000, 16.6)$



7. The function f is graphed on the semi-log plot above where the vertical axis has been logarithmically scaled. Which of the following functions could be a model for f?

(A) $f(x) = 2000 - 1000x$ (B) $f(x) = 2000 - \left(\frac{1}{2}\right)^x$ (C) $f(x) = 2000\left(\frac{1}{2}\right)^x$ (D) $f(x) = 2000(2)^x$



8. The function f is graphed on the semi-log plot above where the vertical axis has been logarithmically scaled. Write an equation for the linear model for the semi-log plot of the form $y = (\log_n b)x + \log_n a$.

x	10	20	30	40	50
$g(x)$	30	90	270	810	2430



9. The semi-log plot above corresponds to the data table for the function g.

a) Write an equation for the linear model for the semi-log plot of the form $y = (\log_n b)x + \log_n a$.

b) Using the linear model from part a, write the equation of the exponential model $y = ab^x$ for this data.



10. A group of students in Mr. Passwater's class graphed a set of data consisting of the six points shown on the semi-log plot above, where the vertical axis is logarithmically scaled. Then, they used the data to create an exponential regression model of the form function $y = ab^x$, where a and b are constants.

Which of the following is most likely to be the residual plot from their model?

(A)



(B)



(C)



(D)