

Android Library Release Notes

Version 6.0.0 of the Comscore library introduces public API changes. Upgrading existing implementations of older library versions will require a small amount of code changes, which are explained in an appendix of the implementation guides.

Library Version 6.7.2.210830

Release Date: September 2, 2021

Data Collection Model Version: 6.5

Supported OS Versions: 5.0 - 11.0 (Android API levels 21 - 30)

Feature changes:

- There were no feature changes in this release.

Bug fixes:

1. (TAG-7346) Ensure threads running background tasks do not crash from accessing objects that have already been deallocated.

Description: Threads that are trying to run tasks crash because their task object was already deallocated (these work as a dynamic array).

Resolution: Add a lock for this scenario, ensuring this new lock cannot result in a deadlock situation.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.7.1.210601

Release Date: June 21, 2021

Data Collection Model Version: 6.5

Supported OS Versions: 5.0 - 11.0 (Android API levels 21 - 30)

Feature changes:

1. (TAG-7131) Ensure output from `implementationValidationMode` appears completely.

Description: Console output is truncated, which can cause `COMSCORE` log lines to appear to be incomplete.

Resolution: Ensure `COMSCORE` log lines appear completely by splitting lengthy output across multiple lines, using `COMSCORE~` as the label for dangling lines.

Bug fixes:

1. (TAG-7133) Ensure transmission of `ns_ap_lastrun` adheres to its functional specification.

Description: Transmission of `ns_ap_lastrun` collects a 0 value instead of the identifier of the previous application run.

Resolution: Correct the business logic for transmitting `ns_ap_lastrun`.

- (TAG-7172) Prevent crashes from garbage collection of C++ objects which are still used when the application is being terminated.

Description: Garbage collection starts freeing up application memory and destructs the library core object while threads might still be executing their tasks. A crash occurs when the execution of these threads subsequently uses the library core object.

Resolution: Ensure all running tasks are cancelled once the library core object is being destructed.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.7.0.210212

Release Date: February 17, 2021

Data Collection Model Version: 6.5

Supported OS Versions: 5.0 - 11.0 (Android API levels 21 - 30)

Feature changes:

- (TAG-6681, TAG-6693, TAG-6825, TAG-6831) Update library source code to better support API Level 30 / Android 11 / Android X).

Description: Android Developer documentation instructs application updates to target Android 10 (API Level 29 or higher) as of November 2, 2020. The Android Developer documentation also recommends to have target and compile SDK versions match.

Resolution: Apply the necessary code changes to follow the recommendations.

Bug fixes:

- (TAG-6723, TAG-6769) Improve integrated documentation.

Description: Doxygen documentation report tool triggers warnings from inclusion of incomplete and outdated elements integrated API documentation.

Resolution: Improve the integrated documentation.

- (TAG-6744) Prevent negative application analytics metrics delta values from being collected.

Description: Session calculation business logic historically had to cover a lot of different entry points for usage time calculation. A reasonable amount of these cases are related to workaround to cover for platform inconsistencies and problematic application life cycle scenarios. Platforms have improved over the years and now some of these workarounds cause negative value calculations in edge case scenarios.

Resolution: Prevent the negative values as much as possible by collecting 0 delta values instead. When this occurs internal error codes in label `ns_ap_ie` will include value 8 to indicate the library has treated this occurrence as an internal error.

- (TAG-6752) Align automatically collected screen names on Android with other solutions.

Description: Different solutions capture different application state values in the `name` label.

Resolution: Align the solutions to capture either `foreground`, `background` or `Application` while continuing implementations to override the collected value.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.6.0.201123

Release Date: December 8, 2020

Data Collection Model Version: 6.5

Supported OS Versions: 5.0 - 11.0 (Android API levels 21 - 30)

Feature changes:

1. (TAG-6580) Collect Playback session identifier (label `ns_st_id`) as GUID.

Description: Playback session identifiers have historically been collected as timestamp values. Reporting will benefit from a Playback session identifier with a higher degree of uniqueness by using GUID values. GUID values are also timestamp-based but have added randomness.

Resolution: Change the collected Playback session identifier values from timestamp values to GUID values.

Bug fixes:

- There were no known bugs prior to this release.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.5.3.201009

Release Date: October 13, 2020

Data Collection Model Version: 6.4

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

- There were no feature changes in this release.

Bug fixes:

1. (TAG-6429) Ensure Android example projects can be used as-is in current development environment versions.

Description: With the release of Android library version 6.5.0 it was observed the DummyPlayer example project no longer builds in current Android Studio versions.

Resolution: Update all example projects.

2. (TAG-6550) Throw an error when `context.getApplicationContext()` returns `null`.

Description: If an invalid, non-null, context object — e.g., an incomplete object from a mocking framework — is provided as argument to `Analytics.start(context)` then responses from calls to methods — e.g., `context.getApplicationContext()` — on this context object are not guaranteed. The library checks if the context object itself is `null` and throws a `NullPointerException` in that case, but the library does not perform a similar check for objects returned by method calls on the context object.

Resolution: Throw a `NullPointerException` when calls to methods on the context object return `null`.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.5.2.200811

Release Date: August 12, 2020

Data Collection Model Version: 6.4

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

- There were no feature changes in this release.

Bug fixes:

1. (TAG-6462) Prevent JNI local reference table overflow.

Description: Long running streaming sessions could run into JNI local reference table overflows on devices with Android version 7 and lower due to class references being retained on repeated automated transmissions.

Resolution: Ensure class references are released when no longer needed.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.5.1.200805

Release Date: August 5, 2020

Data Collection Model Version: 6.4

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

- There were no feature changes in this release.

Bug fixes:

1. (TAG-6451) Ensure Consent Management Platform's purpose 9 consent values are correctly collected.

Description: Purpose 9 consent value is read from purpose 8.

Resolution: Read purpose 9 consent value from purpose 9.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.5.0.200720

Release Date: July 21, 2020

Data Collection Model Version: 6.4

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

1. (TAG-6280, TAG-6290, TAG-6325, TAG-6327, TAG-6380, TAG-6406) Add integration with Consent Management Platforms



which implement iAB's Transparency and Consent Framework (TCF) version 2.0 for automatic collection of user consent.

Description: When a Consent Management Platform (CMP) is present in the application and the CMP implements TCF 2.0 then the library should integrate with the CMP to automatically collect user consent values.

Resolution: Implement CMP integration following TCF 2.0 specification.

Bug fixes:

1. (TAG-6403) Ensure calls to [StreamingAnalytics](#) notification methods prior to start event transmission do not cause crashes.

Description: Calling [StreamingAnalytics](#) notification methods prior to transmission of the start event causes a crash.

Resolution: Prevent the crash from occurring.

2. (TAG-6415) Remove code potential deadlock or crash when using [persistentLabels](#) or [startLabels](#).

Description: The use of [persistentLabels](#) or [startLabels](#) configuration settings could lead to deadlock or crash in some scenarios.

Resolution: Change the code structure and behavior.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.4.1.200701

Release Date: July 6, 2020

Data Collection Model Version: 6.3

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

- There were no feature changes in this release.

Bug fixes:

1. (TAG-6395) Correct the measurement label order.

Description: A typo in code comments in the label order caused a set of labels to be ignored which means they are placed in alphabetical order at the end of the measurement URLs.

Resolution: Correct the typo.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.4.0.200626

Release Date: June 29, 2020

Data Collection Model Version: 6.3

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

1. (TAG-6353) Update label order.

Description: An issue related to the panel meter on PC and Windows desktop collecting specific dictionary values caused the label order to be updated.

Resolution: This does not affect Android, but as label order is shared amongst all solutions, Android was updated accordingly.

2. (TAG-6360) Add child-directed application configuration setting.

Description: Child-directed applications have different data collection requirements. Until now, publishers received specific instructions for this purpose which involved multiple code statements to align library data collection behavior with the different requirements. These instructions can be simplified by making this a feature of the library.

Resolution: Add a configuration setting to simplify appropriate tagging of child-directed applications.

Bug fixes:

1. (TAG-6188) Ensure calls to [StreamingAnalytics](#) notification methods prior to starting the library do not cause crashes.

Description: Calling [StreamingAnalytics](#) notification methods prior to calling [Analytics' Start](#) method causes a crash.

Resolution: Prevent the crash from occurring.

2. (TAG-6370) Ensure public API method arguments are not obfuscated or minimized.

Description: Some API methods have had their arguments unintentionally obfuscated in previously released versions.

Resolution: Correct the build settings to ensure public API method arguments are not obfuscated or minimized.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.3.1.200511

Release Date: May 14, 2020

Data Collection Model Version: 6.2

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

1. (TAG-6165) Update to Android NDK 21.0.

Description: Along with the C++ tool chain update in version 6.3.0.200311, the NDK can be updated to future-proof the solution.

Resolution: Update the Android NDK.

Bug fixes:

1. (TAG-6181) Ensure application updates are identified in the collected data.

Description: The changes from (TAG-6017) in version 6.2.0.200128 caused a problem with the application update detection.

Resolution: Resolve the problem and ensure application updates are detected.

2. (TAG-6232) Ensure Maven version numbers do not include the build number.

Description: While Maven repository version numbers use [x.y.z](#) format, version 6.3.0.200311 was pushed to the Maven repository using its full version number, including the build identifier. This causes a problem with dependency resolution when the full version number is not used in the project.

Resolution: Ensure Maven version numbers continue to use [x.y.z](#) format.

3. (TAG-6238) Ensure [ImplementationValidationMode](#) output is fully visible in console logs.

Description: Android console logs truncate lines at 1024 bytes. This prevents [ImplementationValidationMode](#) output from being



completely visible.

Resolution: Cut the *ImplementationValidationMode* output into chunks to span multiple log lines.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.3.0.200311

Release Date: March 16, 2020

Data Collection Model Version: 6.2

Supported OS Versions: 5.0 - 9.0 (Android API levels 21 - 28)

Feature changes:

1. (TAG-5680) Update minimum Android API level from 16 to 21.

Description: To be able to use System Clock Jump Detection the C++ tool chain needs to be updated to a newer version. This newer version requires the minimum Android API level to be 21 (Android 5.0.0 / Lollipop).

Resolution: Update the C++ tool chain.

2. (TAG-6115) Add event-independent re-buffer count for consistency with other metrics.

Description: Streaming Analytics metrics typically are collected as a three-part values. For re-buffering only two parts are present.

Resolution: Include the missing re-buffer count.

3. (TAG-6121) Add content media format metadata values for podcasts.

Description: Streaming Analytics content metadata does not have values for full and partial podcast content.

Resolution: Add an enum value for full podcast content and an enum value for partial podcast content.

Bug fixes:

1. (TAG-6062, TAG-6065) Ensure customized System Clock Jump Detection Interval and Precision configuration setting values are collected with the appropriate format.

Description: Values for System Clock Jump Detection Interval and Precision configuration values are not converted to multiples of 100. This causes the provided values to be incorrectly populated in the collected data.

Resolution: Ensure the System Clock Jump Detection Interval and Precision configuration values are sanitized before they are applied.

Known issues and limitations:

- There were no known issues for this release.

Library Version 6.2.0.200128

Release Date: January 30, 2020

Data Collection Model Version: 6.1

Supported OS Versions: 4.1 - 9.0 (Android API levels 16 - 28)

Feature changes:

1. (TAG-5993) Remove functionality from vCE component.

Description: Some of the reported issues with Comscore library behavior originate from the requirement for vCE component to support

a wide variety of advertisement viewability tagging use cases. Given the adoption of the Open Measurement SDK there no longer is a requirement for viewability measurement in the Comscore library.

Resolution: Disable the vCE component by default and remove its business logic. This has the following effects on the library API:

- The `vce` configuration setting is deprecated and no longer has any effect.
- All vCE-related methods are deprecated and no longer execute any business logic.
- All vCE-related getters that return a `String` value — such as `Vce.getSdkVersion()` and `Analytics.getVceVersion()` — now return an empty string.
- All vCE-related getters that return a `Boolean` value now return `false`.
- The `Vce.getSharedInstance()` and `Analytics.getSharedVceInstance()` methods return `null`, which aligns with vCE being disabled.

Bug fixes:

1. (TAG-5967) Prevent crashes caused by API calls from threads which are killed shortly after the call

Description: API calls to change the configuration could cause crashes when executed from different threads.

Resolution: This has been resolved indirectly by the changes for feature change TAG-5993.

2. (TAG-6017) Ensure explicitly specified application name, version and package are collected

Description: Any values specified explicitly on the `Analytics` configuration object were not collected as the library would override these values with the automatically retrieved ones as soon as a Context was available (which is after any code statements explicitly specifying values).

Resolution: The library will only collect any automatically retrieved values for application name, version and package if there is no value explicitly specified by the implementation.

Known issues and limitations:

- There were no known issues for this release.