

Examples for COBOL

combit List & Label



combit List & Label | **Examples for COBOL**

Inhalt

Foreword	3
Invoking the Designer	4
Printing a Label	5

Foreword

The following samples are not ready to compile or run. The function calls to open / close a List & Label job, error handling and much more is missing. The samples are only for informational purpose, they should just show how to integrate List & Label into a COBOL application.

The used List & Label constants have to be defined in COBOL syntax. The easiest way is to transfer them from the C/C++ header file "cmbtLL??.h" (?? indicates the List & Label version number, e.g. 14, 15, ...) to COBOL. The header file can be found in the Visual C++ subdirectory and can be opened with any text editor.

A sample for a C++ definition of a constant:

```
#define LL PROJECT LABEL (1)
```

This has to be translated to COBOL syntax. For instance:

```
78 LL-PROJECT-LABEL value 1.
```

There might exist a tool in the COBOL development environment that could do this job automatically (it might be called "H2CPY").

Invoking the Designer

```
This COBOL Sample starts the Designer of List & Label.
   Two fields will be defined: 'Itemnumber' and 'Description'
  Copyright (c) combit GmbH
[...]
   MOVE "LLDEMO.LBL" & X"00" TO PROJECTNAME
   MOVE LL-PROJECT-LABEL TO PROJECTTYPE
   MOVE "Label Designer" & X"00" TO WINDOWTITLE
* Define 'Itemnumber' and 'Description' and povide dummy date
   MOVE "Itemnumber" TO VARIABLE-NAME
   MOVE "SampleItemnumber" TO VARIABLE-CONTENTS
   CALL WINAPI "LIDefineVariableA"
         USING BY VALUE JOB-HANDLE
             BY REFERENCE VARIABLE-NAME
             BY REFERENCE VARIABLE-CONTENTS
         RETURNING RC-INT
   END-CALL
   MOVE "Description" TO VARIABLE-NAME
   MOVE "SampleDescription" TO VARIABLE-CONTENTS
   CALL WINAPI "LIDefineVariableA"
         USING BY VALUE JOB-HANDLE
             BY REFERENCE VARIABLE-NAME
             BY REFERENCE VARIABLE-CONTENTS
         RETURNING RC-INT
   END-CALL
* Start Designer
   CALL WINAPI "LIDefineLayoutA"
      USING BY VALUE JOB-HANDLE
         BY VALUE WINDOW-HANDLE
         BY REFERENCE WINDOWTITLE
         BY REFERENCE PROJECTNAME
         BY VALUE PROJECTTYPE
      RETURNING RC-INT
    END-CALL
[...]
```

Printing a Label

CALL WINAPI "LIPrint"

```
This COBOL sample prints 1 Label using List & Label. For demon-
   stration purposes data is being fetched from an array MYDATA
  (normally a record set access would happen there).
  Copyright (c) combit GmbH
                                **************
* Start preview print process of label "LLDEMO.LBL":
   MOVE "LLDEMO.LBL" & X"00" TO PROJECTNAME
   MOVE LL-PRINT-PREVIEW TO PRINTOPTIONS
   MOVE LL-PROJECT-LABEL TO PROJECTTYPE
   MOVE LL-BOXTYPE-BRIDGEMETER TO BOXTYPE
   MOVE "Label Printing" & X"00" TO WINDOWTITLE
   CALL WINAPI "LIPrintWithBoxStartA"
      USING BY VALUE JOB-HANDLE
         BY VALUE PROJECTTYPE
         BY REFERENCE PROJECTNAME
         BY VALUE PRINTOPTIONS
         BY VALUE BOXTYPE
         BY VALUE WINDOW-HANDLE
         BY REFERENCE WINDOWTITLE
      RETURNING RC-INT
   END-CALL
* Define all variables of the record to be printed (in this case Itemnumber + Description):
* fetch data from data source (in this case for demonstration the contents of array MYDATA)
   MOVE "Itemnumber" TO VARIABLE-NAME
   MOVE MYDATA (1) TO VARIABLE-CONTENTS
   CALL WINAPI "LIDefineVariableA"
         USING BY VALUE JOB-HANDLE
             BY REFERENCE VARIABLE-NAME
             BY REFERENCE VARIABLE-CONTENTS
         RETURNING RC-INT
   END-CALL
   MOVE "Description" TO VARIABLE-NAME
   MOVE MYDATA (2) TO VARIABLE-CONTENTS
   CALL WINAPI "LIDefineVariableA"
         USING BY VALUE JOB-HANDLE
             BY REFERENCE VARIABLE-NAME
             BY REFERENCE VARIABLE-CONTENTS
         RETURNING RC-INT
   END-CALL
* Print label
```



combit List & Label | **Examples for COBOL**

```
USING BY VALUE JOB-HANDLE
RETURNING RC-INT
END-CALL
```

* Finish print process

MOVE 0 TO PAGES

CALL WINAPI "LIPrintEnd"

USING BY VALUE JOB-HANDLE

BY VALUE PAGES

RETURNING RC-INT

END-CALL

* Show preview

MOVE "." & X"00" TO PATH.

CALL WINAPI "LIPreviewDisplayA"

USING BY VALUE JOB-HANDLE

BY REFERENCE PROJECTNAME

BY REFERENCE PATH

BY VALUE WINDOW-HANDLE

RETURNING RC-INT

END-CALL

[...]

combit GmbH Bücklestr. 3-5 78467 Konstanz Germany

© combit GmbH, combit does not make any statements about a particular suitability of the above information. Errors and omissions are expressly reserved. The information is provided without guarantee and does not contain any assurances. The information may also be an attempt to help you with a task, even if the product was not intended for this special purpose. All mentioned products and product designations as well as logos are trademarks, registered trademarks or property of the respective manufacturers.

combit.com