


Summary

Total Test Objects: 1
Successful: 1
Failed: 0
Not Executed: 0
Date: 2015-04-23
Time: 15:11:38+0530

Overall Test Object Results (including Coverage)




Selected Project Items

Test Collection "CBD_UnitTest"

Used Test Environments


TI TMS 570 PLS UDE (Default)

Test Case Results for Each Test Object (without Coverage)




The table above shows each test object on the x axis and the number of test cases of the respective test object on the y axis. Each bar is divided into passed, not executed and failed test cases. The test case results do not take into account any coverage result (i.e. if all test cases of a test object are passed in this table but the coverage is failed, the overall test object result will be failed).

Statement (C0) Coverage: Total Statements for Each Test Object




The table above shows each test object on the x axis and the number of statements of the respective test object on the y axis. Each bar is divided into reached statements (i.e. statements that have been executed during the test) and unreached statements.

Branch (C1) Coverage: Total Branches for Each Test Object



The table above shows each test object on the x axis and the number of branches of the respective test object on the y axis. Each bar is divided into reached branches (i.e. branches that have been executed during the test) and unreached branches.


Decision Coverage: Total Decision Outcomes for Each Test Object



The table above shows test objects on the x axis and the number of possible outcomes of all decisions of the respective test object on the y axis. To achieve full DC coverage, each decision must evaluate to both true and false.

Each bar is divided into reached and unreached decision outcomes.


MC/DC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MC/DC coverage, each decision requires all contained atomic conditions to evaluate to both true and false independently of all other conditions. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

MCC Coverage: Total Condition Combinations for Each Test Object



The table above shows test objects on the x axis and the number of condition combinations of all decisions of the respective test object on the y axis. The number of condition combinations is based on the number of boolean conditions within each decision of the test object. To achieve full MCC coverage, each decision requires all contained atomic conditions to evaluate to all possible combinations of true and false values. The cumulated number of rows within such tables of condition combinations is what is displayed in this table.

Each bar is divided into reached condition combinations (i.e. combinations of boolean condition values that have been executed during the test) and unreached condition combinations.

TEST OVERVIEW REPORT

2015-04-23, 15:11:38+0530

Project DfltConfiData



Test Object List

The following table lists all test objects with their test case and coverage results. The cumulated results for modules, folders and test collections are also displayed, the indentation within the name column indicates the parent relationship of the elements.

Please note that only test objects are numbered within the first column. This number is referenced on the x axis within the overview charts for test case and coverage results available on previous pages (if included into the report).

No.	Name	C0	C1	DC	MC/DC	MCC	Test Cases	Result
	DfltConfiData	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	✓
	CBD_UnitTest	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	✓
	DfltConfigData	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	✓
1	DfltConfigData_Init1	100 %	100 %	100 %	100 %	100 %	3 of 3 passed	✓

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530

DfltConfigData_Init1



Project	DfltConfigData
Module	DfltConfigData
Test Object	DfltConfigData_Init1

Instrumentation: Test Object Only

Statement (C0) Coverage	100 %
Decision Coverage	100 %
Branch (C1) Coverage	100 %
MCC Coverage	100 %
MC/DC Coverage	100 %

Statistics

Total Testcases	3
Successful	3 ✓
Failed	0
Not Executed	0

Module Properties

Project Root Directory	D:\Synergy_Work_Area\DfltConfigData_PSA
Configuration File	D:\Synergy_Work_Area\DfltConfigData_PSA\UnitTestEnv\config\TMS570_GCC_UDE_CCS4_Config.xml
Target Environment	TI TMS 570 PLS UDE (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\DfltConfigData\src\Ap_DfltConfigData.c
Compiler Options	-D_DATA_ACCESS= -Dconst= -I\$(PROJECTROOT)\DfltConfigData\utpl\contract -I\$(PROJECTROOT)\DfltConfigData\include -I\$(PROJECTROOT)\NxtrLib\include -I\$(PROJECTROOT)\StdDef\include -I\$(Compiler Install Path)\include

Comments/Description/Specification

Name	Text
Module 'DfltConfigData'	*****Unit Test Description***** Name of Tester:Imran Desai Code File(s) Under Test:Ap_DfltConfigData.c Code File(s) Version:22 Module Design Document:NA Module Design Document Version:NA Data Dictionary Version:1 Unit Test Plan Version:1 Optimization Level:Level 2 Compiler (CodeGen) Version:TMS470_4.9.5 Model Type:Excel Macro Model Version:Nexteer EPS Unit Test Tool 2.7d/EPS Library 1.31 Total FLASH Used (Bytes):1448 Total RAM Used (Bytes):172 Total CALS Used (Bytes):0 Special Test Requirements: Test Date:4/23/2015 Comments: NOTE1: ""CBD_Sandbox_dbg.map"" map file is embedded for refrence. *****

Attributes

Name	Value
Compiler Install Path	\$(ProgramFiles)\Texas Instruments\ccsv4\tools\compiler\tms470_4.9.5
Float Precision	9
InitObjDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\obj
InitSrcDir	\$(PROJECTROOT)\UnitTestEnv\static_build_files\src
Linker File	\$(PROJECTROOT)\UnitTestEnv\static_build_files\sys_link.cmd
Makefile Template	\$(PROJECTROOT)\UnitTestEnv\config\Nexteer_ts_make_ude_ti_tms570.tpl
Target Install Path	\$(ProgramFiles)\pls\UDE 3.2
Time Unit	Cycles

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530

DfltConfigData_Init1



Attributes	
Name	Value
Timer Enabled	false
Timer Prescale	0
Timer Resolution	1
UDE Config File	\$(PROJECTROOT)\UnitTestEnv\config\TMS570_UDE_12PIN_JTAG.cfg
Workspace File	D:\Synergy_Work_Area\DfltConfigData_PSA\UnitTestEnv\config\UDE_TMS570_DEBUG.WSP

Test Case 1: Metrics Test

Specification	Performance Metrics: (With "None" Instrumentation and "WithPS" Environment) CPU Cycles:
	TS1.1 1186 Cycles TS1.2 3209 Cycles
Description	Vector Description: TS1.1 "Shortest Execution Path=> (BlockStatus != NVM_REQ_OK)=>FALSE (NxtrMEC_Uls_T_enum == ManufacturingMode)=>FALSE" TS1.2 "Longest Execution Path=> (BlockStatus != NVM_REQ_OK)=>TRUE (BlockStatus != NVM_REQ_OK)=>TRUE (BlockStatus != NVM_REQ_OK)=>TRUE (BlockStatus != NVM_REQ_OK)=>TRUE "

Test Step 1.1 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	0		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	0		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	0		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	0		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	0		
Nvm_NMEC_Cnt_u8	0		
NxtrMEC_Uls_G_enum	0		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	0	0	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	0	0	✓
Nvm_NMEC_Cnt_u8	0	0	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Step 1.2 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	50		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	50		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	70		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	80		
Nvm_NMEC_Cnt_u8	85		
NxtrMEC_Uls_G_enum	1		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	48	48	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	1	1	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	60	60	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	70	70	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	80	80	✓
Nvm_NMEC_Cnt_u8	254	254	✓

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530

DfltConfigData_Init1



Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓

Test Case 2: Boundary test

Specification Performance Metrics:
(With "None" Instrumentation and "WithPS"
Environment)
CPU Cycles:

TS2.1 1149 Cycles
TS2.2 1154 Cycles
TS2.3 2800 Cycles
TS2.4 2296 Cycles
TS2.5 3158 Cycles
TS2.6 3122 Cycles
TS2.7 1069 Cycles
TS2.8 1104 Cycles

Description Vector Description:

TS2.1 NxtrMEC_Uls_G_enum = Min
TS2.2 NxtrMEC_Uls_G_enum = Max
TS2.3 NxtrMEC_Uls_G_enum = Pos
TS2.4 NvM_GetErrorStatus[3] = Min
TS2.5 NvM_GetErrorStatus[3] = Max
TS2.6 NvM_GetErrorStatus[3] = Pos
TS2.7 All Min
TS2.8 All Max

Test Step 2.1 (Repeat Count = 1)

Name	Input Value
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	10
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	20
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	10
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	20
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	30
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	40
Nvm_NMEC_Cnt_u8	100
NxtrMEC_Uls_G_enum	0
T_InitNMEC_Cnt_u8	254
T_InitSystemPolarity_Cnt_b08[0]	48
T_InitSystemPolarity_Cnt_b08[1]	0
T_InitTorqueCmdSF_Uls_f32	1

Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	10	10	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	20	20	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	10	10	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	20	20	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	30	30	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	40	40	✓
Nvm_NMEC_Cnt_u8	254	254	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Step 2.2 (Repeat Count = 1)

Name	Input Value
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	20
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	30
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	20
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	30
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	40
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	50
Nvm_NMEC_Cnt_u8	225

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530



DfltConfigData_Init1

Name	Input Value
NxtrMEC_Uls_G_enum	2
T_InitNMEC_Cnt_u8	254
T_InitSystemPolarity_Cnt_b08[0]	48
T_InitSystemPolarity_Cnt_b08[1]	0
T_InitTorqueCmdSF_Uls_f32	1

Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	20	20	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	30	30	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	20	20	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	30	30	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	40	40	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	50	50	✓
Nvm_NMEC_Cnt_u8	254	254	✓

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Step 2.3 (Repeat Count = 1)				✔
Name	Input Value			
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	30			
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	40			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	30			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	40			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	50			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	60			
Nvm_NMEC_Cnt_u8	15			
NxtrMEC_Uls_G_enum	1			
T_InitNMEC_Cnt_u8	254			
T_InitSystemPolarity_Cnt_b08[0]	48			
T_InitSystemPolarity_Cnt_b08[1]	0			
T_InitTorqueCmdSF_Uls_f32	1			
Name	Actual Value	Expected Value	Result	
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	30	30		✔
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	40	40		✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	1	1		✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	40	40		✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	50	50		✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	60	60		✔
Nvm_NMEC_Cnt_u8	254	254		✔

Test Step Call Trace				
Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	2	NvM_GetErrorStatus	2	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓

Test Step 2.4 (Repeat Count = 1)				✔
Name		Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]		40		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]		50		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]		40		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]		50		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]		60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]		70		
Nvm_NMEC_Cnt_u8		50		
NxtrMEC_Uls_G_enum		1		
T_InitNMEC_Cnt_u8		254		
T_InitSystemPolarity_Cnt_b08[0]		48		
T_InitSystemPolarity_Cnt_b08[1]		0		
T_InitTorqueCmdSF_Uls_f32		1		
Name		Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]		40	40	✔
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]		50	50	✔

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530



DfltConfigData_Init1

Name	Actual Value	Expected Value	Result
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	40	40	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	50	50	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	60	60	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	70	70	✓
Nvm_NMEC_Cnt_u8	50	50	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	2	NvM_GetErrorStatus	2	✓

Test Step 2.5 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	50		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	50		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	70		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	80		
Nvm_NMEC_Cnt_u8	85		
NxtrMEC_Uls_G_enum	1		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	48	48	✔
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	1	1	✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	60	60	✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	70	70	✔
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	80	80	✔
Nvm_NMEC_Cnt_u8	254	254	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓

Test Step 2.6 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	60		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	70		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	60		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	70		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	80		
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	90		
Nvm_NMEC_Cnt_u8	120		
NxtrMEC_Uls_G_enum	1		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	48	48	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	1	1	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	70	70	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	80	80	✓
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	90	90	✓
Nvm_NMEC_Cnt_u8	254	254	✓

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530

DfltConfigData_Init1



Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓

Test Step 2.7 (Repeat Count = 1)

Name	Input Value
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	0
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	0
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	0
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	0
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	0
Nvm_NMEC_Cnt_u8	0
NxtrMEC_Uls_G_enum	0
T_InitNMEC_Cnt_u8	254
T_InitSystemPolarity_Cnt_b08[0]	48
T_InitSystemPolarity_Cnt_b08[1]	0
T_InitTorqueCmdSF_Uls_f32	1

Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	0	0	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	0	0	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	0	0	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	0	0	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	0	0	✓
Nvm_NMEC_Cnt_u8	0	0	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Step 2.8 (Repeat Count = 1)

Name	Input Value
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	255
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	255
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	255
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	255
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	255
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	255
Nvm_NMEC_Cnt_u8	255
NxtrMEC_Uls_G_enum	2
T_InitNMEC_Cnt_u8	254
T_InitSystemPolarity_Cnt_b08[0]	48
T_InitSystemPolarity_Cnt_b08[1]	0
T_InitTorqueCmdSF_Uls_f32	1

Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	255	255	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	255	255	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	255	255	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	255	255	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	255	255	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	255	255	✓
Nvm_NMEC_Cnt_u8	254	254	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Case 3: Path test

Specification

Performance Metrics:
(With "None" Instrumentation and "WithPS"
Environment)
CPU Cycles:

TS3.1 1149 Cycles
TS3.2 2816 Cycles
TS3.3 2273 Cycles
TS3.4 3206 Cycles

Description

Vector Description:

TS3.1 "(BlockStatus != NVM_REQ_OK)=>FALSE
(NxtrMEC_Uls_T_enum == ManufacturingMode)=>TRUE"
TS3.2 "(BlockStatus != NVM_REQ_OK)=TRUE
(BlockStatus != NVM_REQ_OK)=>TRUE
(BlockStatus != NVM_REQ_OK)=TRUE

TS3.3 "(BlockStatus != NVM_REQ_OK)=>TRUE
(BlockStatus != NVM_REQ_OK)=>TRUE
(BlockStatus != NVM_REQ_OK)=>FALSE

TS3.4 "(BlockStatus != NVM_REQ_OK)=>TRUE
(BlockStatus != NVM_REQ_OK)=>TRUE
(BlockStatus != NVM_REQ_OK)=>FALSE
(BlockStatus != NVM_REQ_OK)=>FALSE

Test Step 3.1 (Repeat Count = 1)

Name	Input Value			
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	10			
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	20			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	10			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	20			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	30			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	40			
Nvm_NMEC_Cnt_u8	100			
NxtrMEC_Uls_G_enum	0			
T_InitNMEC_Cnt_u8	254			
T_InitSystemPolarity_Cnt_b08[0]	48			
T_InitSystemPolarity_Cnt_b08[1]	0			
T_InitTorqueCmdSF_Uls_f32	1			
Name	Actual Value	Expected Value	Result	
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	10	10	✓	
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	20	20	✓	
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	10	10	✓	
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	20	20	✓	
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	30	30	✓	
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	40	40	✓	
Nvm_NMEC_Cnt_u8	254	254	✓	

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓

Test Step 3.2 (Repeat Count = 1)

Name	Input Value			
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	30			
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	40			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[0]	30			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[1]	40			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[2]	50			
NvMP_Rte_TrqCmdScI_TorqueCmdSF_Uls_f32[3]	60			
Nvm_NMEC_Cnt_u8	15			
NxtrMEC_Uls_G_enum	1			
T_InitNMEC_Cnt_u8	254			
T_InitSystemPolarity_Cnt_b08[0]	48			
T_InitSystemPolarity_Cnt_b08[1]	0			
T_InitTorqueCmdSF_Uls_f32	1			
Name	Actual Value	Expected Value	Result	
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	30	30	✓	
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	40	40	✓	

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530



DfltConfigData_Init1

Name	Actual Value	Expected Value	Result
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	1	1	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	40	40	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	50	50	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	60	60	✓
Nvm_NMEC_Cnt_u8	254	254	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	2	NvM_GetErrorStatus	2	✓
NvM_WriteBlock	1	NvM_WriteBlock	1	✓

Test Step 3.3 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	40		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	50		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	40		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	50		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	60		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	70		
Nvm_NMEC_Cnt_u8	50		
NxtrMEC_Uls_G_enum	1		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	40	40	✔
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	50	50	✔
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	40	40	✔
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	50	50	✔
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	60	60	✔
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	70	70	✔
Nvm_NMEC_Cnt_u8	50	50	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1	✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1	✓
NvM_GetErrorStatus	2	NvM_GetErrorStatus	2	✓

Test Step 3.4 (Repeat Count = 1)

Name	Input Value		
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	50		
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	60		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	50		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	60		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	70		
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	80		
Nvm_NMEC_Cnt_u8	85		
NxtrMEC_Uls_G_enum	1		
T_InitNMEC_Cnt_u8	254		
T_InitSystemPolarity_Cnt_b08[0]	48		
T_InitSystemPolarity_Cnt_b08[1]	0		
T_InitTorqueCmdSF_Uls_f32	1		
Name	Actual Value	Expected Value	Result
NvMP_Rte_Polarity_Polarity_Cnt_Str[0]	48	48	✓
NvMP_Rte_Polarity_Polarity_Cnt_Str[1]	0	0	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[0]	1	1	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[1]	60	60	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[2]	70	70	✓
NvMP_Rte_TrqCmdScl_TorqueCmdSF_Uls_f32[3]	80	80	✓
Nvm_NMEC_Cnt_u8	254	254	✓

TEST DETAILS REPORT

2015-04-23, 15:11:05+0530

DfltConfigData_Init1



Test Step Call Trace					✓
Actual Function	Count	Expected Function	Count	Result	
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1		✓
EPS_DiagSrvcs_Init	1	EPS_DiagSrvcs_Init	1		✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1		✓
NvM_WriteBlock	1	NvM_WriteBlock	1		✓
NvM_GetErrorStatus	1	NvM_GetErrorStatus	1		✓
NvM_WriteBlock	1	NvM_WriteBlock	1		✓