

Max. score: 30



03:13:15 HRS MIN SEC VE EVENTS

# **Shopee Programming Contest #2**

LIVE INVITE ONLY ACCESS

Jul 25, 2020, 01:00 PM WIB - Jul 25, 2020, 04:15 PM WIB


INSTRUCTIONS	PROBLEMS	SUBMISSIONS	LEADERBOARD	ANALYTICS	JUDGE
← Problems / Number T	ree				
Number Tr	ee				

Your colleague Alice came up with an interesting puzzle, and discussed with you to find out the solution together.

The puzzle is in the form of an undirected tree graph with N nodes, with the following characteristics:

- Each nodes are given a number from 1 to N
- Each edges have a single digit integer written in it

An example of this trree would be the following picture:



The value of a path was defined as the concatenation of the number written in the edges of the path, starting from the node with lower number. For example, in the example above, the value from node 2 to node 3 is 35, and value from node 2 to node 4 is 356. Then, the puzzle is calcuating the sum of value from each possible path in the tree.

Can you write a program to solve this puzzle?


## Input

The first line contains 1 integer N (1  $\leq$  N  $\leq$  100,000), denoting the number of nodes.

The next N-1 line contains  $U_i V_i C_i$  (1  $\leq U_i$ ,  $V_i \leq N$ , 0  $\leq C_i \leq 9$ ), denoting an edge between node  $U_i$  and node  $V_i$  which has number  $C_i$  written in it. It is guaranteed that the given graph is a tree graph.

Output

One line containing a single integer, the answer of this puzzle. Since this number can be very large, output its value modulo 10<sup>9</sup>+7.



#### **Explanation**

The tree corresponds to the tree given in the description.

Below are all the possible values:

- 1. From node 1 to node 2 = 3
- 2. From node 1 to node 3 = 5
- 3. From node 1 to node 4 = 56
- 4. From node 2 to node 3 = 35
- 5. From node 2 to node 4 = 356
- 6. From node 3 to node 4 = 6

The sum of all of them is 461.

Time Limit:	5.0 sec(s) for each input file.					
Memory Limit:	256 MB					
Source Limit:	1024 KB					
Marking Scheme:	Score is assigned when all the testcases pass.					
Allowed Languages:	Bash, C, C++, C++14, C++17, Clojure, C#, D, Erlang, F#, Go, Groovy, Haskell, Java, Java 8, Java 14, JavaScript(Rhino),					
	JavaScript(Node.js), Julia, Kotlin, Lisp, Lisp (SBCL), Lua, Objective-C, OCaml, Octave, Pascal, Perl, PHP, Python,					
	Python 3 Python 3.8 R(RScript) Racket Ruby Rust Scala Swift-4.1 Swift TypeScript Visual Basic					

#### **CODE EDITOR**

```
C++14 (g++ 5.4.0)
                                                       Save
1
    // Sample code to perform I/O:
2
3
4
    cin >> name;
                                                  // Reading input from STDIN
5
    cout << "Hi, " << name << ".\n";</pre>
                                              // Writing output to STDOUT
6
    // Warning: Printing unwanted or ill-formatted data to output will cause the test
```

cases to fail 8 \*/ 9 10 // Write your code here 11

1:1 vscode

■ Provide custom input

**COMPILE & TEST** 

SUBMIT

Tip: You can submit any number of times you want. Your best submission is considered for computing total score.

### Your Rating:

View all comments

	Resources	Solutions	CompanyService & Support About Us	
	Tech Recruitment Blog	Assess Developers		
	Product Guides	Conduct Remote	Press	Technical Support
+1-650-461-4192	Developer hiring guide Engineering Blog	Assess University Talent	Careers	Contact Us
contact@hackerearth.co	Developers Blog	Organize Hackathons		
	Developers Wiki			
f <b>y</b> in	Competitive Programming			
	Start a Programming Club			
	Practice Machine Learning			

2