

Ph.D. Candidate · Tsinghua University

Room S814, Meng Minwei Science Building, Tsinghua University, Haidian, Beijing, China
□ (+86) 153-1177-5057 | ☑ heconghui@gmail.com | ♣ http://conghui.github.io/ | □ conghui

Education

Stanford University California, USA

VISITING STUDENT RESEARCHER IN STANFORD EXPLORATION PROJECT (SEP)

Jul. 2016 - PRESENT

• Approximating Q propagation in 3D elastic modeling on HPC platforms, under the supervision of Bob Clapp

Tsinghua University

Beijing, China

Ph.D. Candidate in Department of Computer Science and Technology

Aug. 2013 - PRESENT

- I am a member of High Performance Geoscience Computing Group (HPGC) in Tsinghua University (http://thuhpgc.org)
- My research mainly focus on computational geophysics and parallel algorithms

Sun Yat-sen University

Guangdong, China

B.S. IN SOFTWARE ENGINEERING Sep. 2009 - Jul. 2013

Skills____

Programming C/C++, Python, Java, Matlab, Linux scripting

IPC Profiling, Optimization, Pthread, OpenMP, MPI, GPU, FPGA

Geophysics Modeling, RTM, FWI, Beam

Honors & Awards _____

2014	Scholarship , Schlumberger Scholarship for Computing Earth Science	Schlumberger
2013	1st place, IEEE/IBM International Smarter Planet Challenge	IEEE/IBM
2012	4th place, International Supercomputing Challenge	ISC12
2011	Scholarship, Sun Yat-sen's First Prize Student Scholarship	Sun Yat-sen
2010	Scholarship, IBM Outstanding Student Scholarship	IBM
2009	Scholarship, National Scholarship	China

Work Experience __

National Supercomputing Center in Wuxi

Wuxi, China

SOFTWARE ENGINEER & HPC RESEARCHER

Feb. 2016 - PRESENT

- Optimize geophysics applications on the new Sunway manycore supercomputer
- Refactor and optimize the Community Atmosphere Model (CAM) on the new Sunway manycore supercomputer

Statoil (Beijing) Technology Service Co, Ltd

Beijing, China

INTERN IN SEISMIC IMAGING R&D GROUP

Jul. 2014 - Sep. 2014

- Design and implement a CPU-GPU hybrid parallel strategy for beam migration

IEEE Tsinghua Student Branch

Beijing, China

STUDENT CHAIR Sep. 2013 - Jul. 2014

Research/Projects

My interests include computational geophysics and parallel algorithms. I'm experienced in parallel algorithm designs on modern computer architectures like GPU, multi-core CPU, and FPGA processors to solve computational challenges raised from geoscience applications. Participated projects include:

A CPU-GPU Hybrid Parallel Design for Beam Migration

Project

PROJECT LEADER Sep. 2013 - Dec. 2014

• The Kirchhoff beam-stack migration is quite popular in production with both better image quality and faster speed compared to Kirchhoff migration. However, the beam forming step and beam mapping step are still expensive. Meanwhile, continuous High Performance Computing (HPC) developments offer new opportunities for the industry to further enhance the efficiency of beam migration methods. We present a design of a highly efficient CPU-GPU hybrid beam migration. By parallelizing both the beam forming and the beam mapping routines with millions of GPU threads and using an asynchronous IO scheme, we derive a parallel beam migration design that fits current CPU-GPU hybrid clusters. Then, we test our GPU-based beam migration on the SEG/EAGE salt model and the SEAM salt model for different generations of GPU architectures, presenting accurate imaging results with 4-12 times speedup compared to a parallel 16-core CPU design. The significant performance improvement would further close the gap to an interactive migration engine.

• Related work is published in EAGE2015

Ensemble Full Waveform Inversion with Source Encoding

Research

TOPIC LEADER

Sep. 2014 - Jun. 2015

- Full waveform inversion (FWI) suffers from convergence toward local minima because of the inaccuracy of the initial model and the lack of low frequency data. Noises in seismograms further deteriorate the imaging quality. To relax the dependency on high-quality low-frequency data, we present an ensemble full waveform inversion method with source encoding (EnFWI), which is an ensemble approximation of the total inversion proposed by Tarantola. The method refines the velocity model iteratively by incorporating the observation, while the nonlinear evolution of the covariance is approximated by ensemble covariance. Encoded simultaneous-source FWI (ESSFWI) is applied to improve the representation for the low rank ensemble approximation, and to increase the rate of convergence. Experiments show that EnFWI achieves larger convergence range and better tolerance to data noise with less computational costs than traditional FWI methods.
- Related work is published in SEG2016

Refactoring and Optimizing the Community Atmosphere Model (CAM) on the New Sunway Manycore Supercomputer

Project

CORE MEMBER

Jul. 2015 - Apr. 2016

• We refactor and optimize the Community Atmosphere Model (CAM) on the new Sunway many-core supercomputer of China, which is the rank 1 supercomputer in the latest Top 500 announcement. It uses a many-core processor that consists of management processing elements (MPEs) and clusters of computing processing elements (CPEs). To tackle the major challenges of mapping the large code base of CAM to the millions of cores on the Sunway system, we take OpenACC-based refactorization as the major tool, and apply source-to-source translator tools to generate the most suitable parallelism for the CPE cluster, and to fit the intermediate variable into the limited on-chip fast buffer. For single kernels, when comparing the originally ported version using only MPEs and the refactorized version using both the MPE and CPE clusters, we achieve up to 22x speedup for the compute-intensive kernels. For the 25km resolution CAM global model, we manage to scale to 24,000 MPEs, and 1,536,000 CPEs and achieve a simulation speed of 2.81 model years per day.

An Extremely Low-latency Market Server on Reconfigurable Platforms

Project

Project leader, cooperated with China Financial Future Exchange (CFFEX) $\,$

May. 2015 - Jun. 2016

• We design an FPGA-based accelerated approach to market data processing, with an FPGA connected directly to the network to parse, split, filter the financial packets, and then push the market data feeds directly to the network after reconstructions of order books. Such a solution offers flexibility, as the FPGA can be reconfigured for different protocols and market processing logic, and high throughput with extremely low latency by eliminating the operating system's interrupts and network stacks. This paper also presents a novel CPU-FPGA hybrid database design which supports fast add/delete/update/query operations with minimal resource costs. Our system demonstrates its functionalities using the latest Maxeler ISCA data flow engine in the data center of China Financial Futures Exchange (CFFEX). Tested with over 70 millions of packets from CFFEX and compared with its existing software platform, our system supports over 200 instruments in an FPGA, with a constant latency, irrespective of throughputs, of 3µs, archiving a speedup of 33x.

A Fully-Pipelined Hardware Design for Gaussian Mixture Models

Research

TOPIC LEADER

Apr. 2014 - Nov. 2015

• Gaussian Mixture Models (GMMs) are widely used in many applications such as data mining, signal processing and computer vision, for probability density modeling and soft clustering. However, the parameters of a GMM need to be estimated from data by, for example, the Expectation-Maximization algorithm for Gaussian Mixture Models (EM-GMM), which is computationally demanding. This paper presents a novel solution to the EM-GMM algorithm targeting reconfigurable platforms, with five main contributions. First, a pipeline-friendly EM-GMM algorithm that can easily be mapped to a fully pipelined hardware architecture. Second, a function evaluation unit for Gaussian probability density based on fixed-point arithmetic. Third, to cover a broad range of configurations from real applications, our approach is extended to support large scales of dimensions or/and components by fitting multiple pieces of smaller dimensions onto an FPGA chip. Fourth, we derive a cost and performance model that estimates possible logic resources, given a set of configurations. Fifth, experiments that need more than 20 minutes on a single core CPU, only take seconds to finish in our data flow engine. Our design provides a practical solution to applications for training and explores better parameters for GMMs with hundreds of millions of high dimensional input instances, for low-latency and high-performance applications.

Accelerating the Global Vegetation-Precipitation Correlation Algorithm

Research

IMPROVE THE PERFORMANCE OF THE CODE

Sep. 2013 - Nov. 2013

- Startup Project for Ph.D. candidate cooperated with a Professor in Remote Sensing field, aiming to accelerate the algorithm taking months to finish. Optimization strategies for it include modifying the algorithm to reduce I/O accessing by utilizing local buffer, adding a memory pool to reduce frequent memory allocation/destruction, overlapping I/O transferring and computing. It gained 20x speedup in the end.
- · Related work is published in the journal of Remote Sensing

International Conference & Visit

Jun, 2016 **Exibitor**, International Supercomputing (ISC) High Performance 2016

Oct, 2015 Speaker, Society of Exploration Geophysicists (SEG) Annual Meeting 2015

Jul, 2015 Student, OpenSPL Summer School Symposium

Jun, 2015 **Speaker**, European Association of Geoscientists and Engineers (EAGE) 2015

Frankfurt, Germany New Orleans, USA London, UK Madrid, Spain

Publications

[1]. He, C., Y. Chen, H. Fu, and G. Yang. "Ensemble Full Wave Inversion with Source Encoding." In 77th EAGE Conference and Exhibition 2015. 2015.

[2]. He, Conghui, Haohuan Fu, Bangtian Liu, Huabin Ruan, Guangwen Yang, Hui Yang, and Are Osen. "A GPU-based Parallel Beam Migration Design." In 2015 SEG Annual Meeting. Society of Exploration Geophysicists, 2015.

[3]. Chen, Bingwei, Conghui He, Yushu Chen, Haohuan Fu. "Full Wave Inversion Based on EnKF and Source Encoding" In 2016 SEG Annual Meeting. Society of Exploration Geophysicists, 2016.

[4]. Clinton, Nicholas, Le Yu, Haohuan Fu, Conghui He, and Peng Gong. "Global-Scale Associations of Vegetation Phenology with Rainfall and Temperature at a High Spatio-Temporal Resolution." Remote Sensing 6, no. 8 (2014): 7320-7338.