

# ST3009: Week 4 Assignment

Conor McCauley - 17323203

February 23, 2020

## Question 1

(a) The only way that two dice rolls can sum to 2 is if both of the rolls are 1.

$$\{(1, 1)\}$$

(b) The only ways that two dice rolls can sum to 3 is if one roll is 2 and the other is 1 (these rolls can be in either order).

$$\{(2, 1), (1, 2)\}$$

(c) The only ways that two dice rolls can sum to 4 is if one roll is 3 and the other is 1 (in either order), or if both rolls are 2.

$$\{(3, 1), (1, 3), (2, 2)\}$$

(d) The given event contains 3 elements and there are  $6^2$  elements in the sample space.

$$P(X = 1) = \frac{3}{6^2} = 0.08\bar{3}$$

## Question 2

(a) The following distinct amounts of heads and tails are possible:

$$(3H, 0T) \Rightarrow 3 - 0 = +3$$

$$(2H, 1T) \Rightarrow 2 - 1 = +1$$

$$(1H, 2T) \Rightarrow 1 - 2 = -1$$

$$(0H, 3T) \Rightarrow 0 - 3 = -3$$


(b) There are  $\binom{3}{0}$  ways to order 0 heads and 3 tails and  $2^3$  total outcomes.


$$\frac{\binom{3}{0}}{2^3} = 0.125$$

(c) There are  $\binom{3}{1}$  ways to order 1 head and 2 tails and  $2^3$  total outcomes.

$$\frac{\binom{3}{1}}{2^3} = 0.375$$

(d)





### Question 3

(a) It's not possible for any die roll to be less than 1.

$$P(X \geq 1) = 1.0$$

(b) The probability that every die rolls is greater than or equal to 2 is the probability that none of the dice rolls are 1. Thus, for each roll there are 5 valid results.

$$P(X \geq 2) = \left(\frac{5}{6}\right)^4 = 0.48225$$

(c) The probability that  $P(X \leq 1)$  is the inverse of the probability that none of the dice rolls are 1.

$$P(X \leq 1) = 1 - \left(\frac{5}{6}\right)^4 = 0.51774$$

The probability that  $P(X \leq 2)$  is the inverse of the probability that none of the dice rolls are 1 or 2 - this is the cumulative probability of  $P(X \leq 1) + P(X \leq 2)$ .

$$P(X \leq 2) = 1 - \left(\frac{4}{6}\right)^4 = 0.80246$$

There is an obvious formula here:

$$P(X \leq k) = 1 - \left(\frac{6-k}{6}\right)^4, 1 \leq k \leq 6$$

Replacing  $k$  with the remaining values from 3 to 6 gives us the following probabilities:

$$P(X \leq 3) = 1 - \left(\frac{3}{6}\right)^4 = 0.9375$$

$$P(X \leq 4) = 1 - \left(\frac{2}{6}\right)^4 = 0.98765$$

$$P(X \leq 5) = 1 - \left(\frac{1}{6}\right)^4 = 0.99922$$

$$P(X \leq 6) = 1 - \left(\frac{0}{6}\right)^4 = 1.0$$

This can be graphed like so:

