ConTrXt comandi

ConTEXt comandi

language : it / italiano

version : 29 ottobre 2019

maintainer: Wolfgang Schuster

comments : ntg-context@ntg.nl

AfterPar	\AfterPar {}
-	\Alphabeticnumerals {}
	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
5	\abjadnumerals {}
· ·	•
•	\activatespacehandler {}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
•	\acute {}
	\adaptcollector [] [=]
	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
	\adattalayout [] [=]
	\addfeature []
	\addfeature {}
	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
-	\addvalue {} {}
	\aftersplitstring \at \to \
	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
	\alignedbox [] \ {}
	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
	\allineadestra {}
	\allineasinistra {}
	\allinputpaths
	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
	\alwayscitation [] []
	\alwayscitation [=] [=]
-	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
	\ambiente
	\ampersand
	\anchor [] [=] {}
ap	\ap {}
apagina	\apagina []
	\appendetoks \to \
	\appendgvalue {} {}
	\appendtocommalist {} \
	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
	\appendvalue {} {}
	\apply {} {}
	\applyalternativestyle {}
	\applyprocessor {} {}
applytocharacters	\applytocharacters \ {}
applytofirstcharacter	\applytofirstcharacter \ {}
	\applytosplitstringchar \ \{}
	\applytosplitstringcharspaced \ \{\}
	\applytosplitstringline \ \{\}
	\applytosplitstringlinespaced \ {}
applytosplitstringword	\applytosplitstringword \ {}
	\applytosplitstringwordspaced \ {}
	\applytowords \ \{\}
·	
•	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}

arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\}$ \ $\{\}$ $\{\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
	\Big
Big	
Bigg	\Bigg \Biggl
Biggl	•
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm Bigr	\Bigm
backgroundimage	\Bigr \backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underbars \(\cdot\)
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrike \(\(\cdot\)
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselinebottom \baselineleftbox {}
baselinemiddlebox	\baselinerertbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
baselinerightbox	\baselinerightbox \{\daggerightarrow\}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginRLOCK \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
beginblock:example beginhbox	\beginBLOCK [] [=.] \endBLOCK
	\beginhbox \endhbox
beginofshapebox beginvbox	\beginofshapebox \endofshapebox \beginvbox \endvbox
	/PERTITADOY ''' /GIICIADOY

beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight bleedwidth	\bleedheight \bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxderall	\btxdirect {}
btxdoif	
	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
${\tt btxdoifsame} as {\tt previouscheckedelse}$	\btxdoifsameaspreviouscheckedelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse $\{\ldots\}$ $\{\ldots\}$
btxdoifuservariableelse	\btxdoifuservariableelse {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}

btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation btxlistcitation:alternative	\btxlistcitation [=] [] \btxlistcitation [] []
btxlistcitation:alternative btxlistcitation:userdata	\btxlistcitation [] [] \btxlistcitation [=] [=]
	\btxloadjournalist []
btxloadjournalist	\btxoneorrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxoneorrange btxremapauthor	
btxsavejournalist	\btxremapauthor [] [] \btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	$\verb \ConvertConstantAfter {} {}$
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {} \.
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject capoverso:instance:ownnumber:subsection	\subject [] {} \subsection [] { } { }

capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [] {} {}
	•
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	$\subsubject [] {}$
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubsubject [] {}
capoverso:instance:title	\title [] {}
	\catcodetablename
catcodetablename	•
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
	\CHARACTERKERNING [] {}
characterkerning:example	
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}

cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}

convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
copysetups	\copysetups [] []
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\cramped \(\cramped \)
	\crampedclap {}
crampedlap crampedrlap	
• •	\crampedrlap {}
crlf	\crlf
crlfplaceholder	\crlfplaceholder
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproduct \currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregime \currentregisterpageuserdata {}
currentresponses	\currentresponses

currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable {} {}
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
	·
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
-	\definebreakpoints []
definebrakpoints definebtx	
	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [] [=]
definechemicalsymbol	\definechemicalsymbol []
definecollector	\definecollector [] [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [] \definecombination [] [] []
definecombination	
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [=]
definedfont	\definedfont []
defineeffect	\definedfect [] [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
9	
definefallhackforily	\definefacingfloat [] [] []
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []

	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
definefieldcategory definefileconstant	\definefieldcategory [] [] [=] \definefileconstant {} {}
definefileconstant definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily $[]$ $[]$ $[=]$
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] []
definefontfile definefontsize	\definefontfile [] [=] \definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] []
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] []
definehigh definehighlight	\definehigh [] [=] \definehighlight [] [=]
definehspace	\definehspace [] [] \definehspace []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement defineinterfacevariable	\defineinterfaceelement \{\ldots\} \{\ldots\} \defineinterfacevariable \{\ldots\} \{\ldots\}
defineinterlinespace	\defineinterlacevariable \(\lambda \define \) \defineinterlinespace \([\ldots \] \] \([\ldots \] \]
defineintermediatecolor	\defineinterinespace [] [] [=] \defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [] []
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset []
definelinefiller	\definelinefiller [] [=]
definelinenote definelinenumbering	\definelinenote [] [] [] \definelinenumbering [] [] []
definelines	\definelines [] [] [] \definelines [] []
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment definemathcases	\definemathalignment [] [] [=] \definemathcases [] [] [=]
definemathcommand	\definemathcases [] [] [] \definemathcommand [] [] [] \{}
definemathdouble	\definemathdouble [] [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [] [=]

definemathfraction	\definemathfraction [] [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible definemathradical	\definemathovertextextensible [] [] \definemathradical [] [] [=]
definemathstackers	\definemathfadicar [] [] [] \definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace definenarrower	\definenamespace [] [=] \definenarrower [] [] [=]
definenatiower	\definenatiower [] [] [=] \definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [] [=]
definepagecolumns	\definepagecolumns [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative definepageshift	\definepageinjectionalternative [] [] \definepageshift [] []
definepagestate	\definepagestate [] [] \definepagestate [] []
definepairedbox	\definepairedbox [] [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [=]
defineplacement	\defineplacement [] []
definepositioning	\definepositioning [] [] [=]
defineprefixset defineprocesscolor	\defineprefixset [] [] \defineprocesscolor [] [] [=]
defineprocessor	\defineprocessor [] [] [] \defineprocessor [] [] []
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol [] []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels []
defineselector	\defineselector [] [=]
defineseparatorset defineshift	\defineseparatorset [] [] [] \defineshift [] [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [] [=]
definetextbackground definetextflow	\definetextbackground [] [] [=] \definetextflow [] [] [=]
definetextitow definetextnote	\definetextifow [] [] [=] \definetextnote [] [] [=]

definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting defineunit	\definetypesetting [] [=] \defineunit [] [=]
defineuserdata	\defineuserdata [] [] [=]
defineuserdataalternative	\defineuserdataalternative [] [=]
defineviewerlayer	\defineviewerlayer [] [] []
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [=]
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibuffer [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list definiscidescrizione	\definisciconversione [] [] \definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidescrizione [] [] [] \definiscidimensionicarta [] []
definiscidimensionicarta:name	\definiscidimensionicarta [] [] \definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [] []
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [] []
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] []
definiscigruppocolonne	\definiscigruppocolonne [] [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] []
definisciiniziatermina	\definisciiniziatermina [] [] []
definiscilayout	\definiscilayout [] [=.] \definiscimakeup [] [=.]
definiscimakeup definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimal catura definiscimenuinterazione	\definiscimarcatura [] [] [=] \definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [] []
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] []
definiscistile	\definiscistile [] [] [=]
definiscistilefont definiscitabulato	\definiscistilefont [] [] \definiscitabulato [] [] [//]
ACT THIR CI CADMITATO	\deriniscitabulato [] [] [] OPT

definiscitavolozza	\definiscitavolozza [] [=]
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] $\{\}$
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored directcolored:name	\directcolored [=] \directcolored []
directconvertedcounter	\directcolored [] \directconvertedcounter {} {}
directcopyboxfromcache	\directconvertedcounter \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate {} {} {} {} {} {} {}
docheckedpair documentvariable	\docheckedpair {} \documentvariable {}
dodoubleargument	\documentvariable \{\document\}\\dodoubleargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dodoubleargumentwithset	\dodoubleargument \ [] [] \dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleampty \ [] []
· · · · · J	,

dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse {} {} {} {}
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\ \{\ldots\}
doifallmodes	\doifallmodes {} {} {}
doifallmodeselse	\doifallmodeselse {} {} {}
doifassignmentelse	\doifassignmentelse {} {}
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse {} {} {}
doifbothsides	\doifbothsides {} {} {}
doifbothsidesoverruled	\doifbothsidesoverruled {} {} {}
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse {} {} {}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse \{\ldots\} \\\ \ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse \{\} \{\}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifdefined	\doifdefined \{\ldots\} \\ \}
doifdefinedcounter	\doifdefinedcounter \{\ldots\}
doitdetinedcounterelse	\doifdefinedcounterelse \doifdefinedcounterelse
doifdefinedcounterelse doifdefinedelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse $\{\}$ $\{\}$
doifdefinedelse doifdimensionelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilename	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable	\doifdefinedelse \{\doifdimensionelse \{\doifdimensionelse \{\doifdimensionelse \{\doifdimenstringelse \{\doifdime
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentvariable {} {} \doifdocumentvariable {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable	\doifdefinedelse \{\doifdimensionelse \{\doifdimensionelse \{\doifdimenstringelse \{\doifdi
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentvariable {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse	\doifdefinedelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentvariable {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseallmodes	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignment	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifdelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseblack	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdacumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {} \doifelseblack {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseblack doifelsebox	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifdelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseallmodes {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseblack doifelsebox doifelsebox doifelsebox	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignment {} {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsebuffer {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelseboxincache doifelsebuffer	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsebuffer {} {} {} \doifelsebuffer {} {} {} \doifelsebuffer {} {} {} \doifelsecolor {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseallmodes doifelseassignment doifelseback doifelsebox doifelsebox doifelsebox doifelsebuffer doifelsecolor	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelse {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignment {} {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsebuffer {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxfer doifelsecolor doifelsecolor	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseassignmentcs {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelseboxincache {} {} {} \doifelsecolor {} {} {} \doifelsecolor {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxfer doifelsecolor doifelsecommon	\doifdefinedelse \{\} \\\\} \doifdimensionelse \{\} \\\\} \doifdimenstringelse \{\} \\\\} \doifdocumentargument \{\} \\\\\} \doifdocumentargumentelse \{\} \\\\\} \doifdocumentfilename \{\} \\\\\\} \doifdocumentriable \{\} \\\\\\\} \doifdocumentvariable \{\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon doifelsecommon doifelsecommon	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseassignmentcs {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsecolor {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversiondefined {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon doifelseconversiondefined doifelseconversionnumber	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsecommon {} {} {} \doifelsecommon {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsebox {} {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelsecommon {} {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon doifelsecommon doifelsecommon	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecourrentfonthasfeature	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {} \doifelsebox {} {} {} {} \doifelseboxincache {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {}
doifdefinedelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelsecommon doifelseconversiondefined doifelsecounter doifelsecourrentsortingused	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseassignmentcs {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelseback doifelsebox doifelsebox doifelseboxincache doifelseborifer doifelsecolor doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentsortingused doifelsecurrentsynonymshown	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} {} \doifelseassignmentcs {} {} \doifelsebox {} {} {} {} \doifelseboxincache {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelse doifelseallcommon doifelsealldefined doifelseassignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecolor doifelseconmon doifelseconwersiondefined doifelseconversionnumber doifelsecounter doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymsed	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignmentcs {} {} \doifelseback {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommandhandler \ {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentargumentelse doifdocumentfilename doifdocumentfilenameelse doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelse doifelseallcommon doifelsealldefined doifelseasignment doifelseassignmentcs doifelsebox doifelsebox doifelsebox doifelseboxincache doifelsecommandhandler doifelseconversiondefined doifelseconversionnumber doifelsecurrentsortingused doifelsecurrentsynonymused doifelsedefined	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseblack {} {} {} \doifelsebox {} {} {} \doifelsebox {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelsebox {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {}
doifdefinedelse doifdimensionelse doifdimenstringelse doifdocumentargument doifdocumentfilename doifdocumentfilename doifdocumentvariable doifdocumentvariable doifdocumentvariableelse doifdrawingblackelse doifelseallcommon doifelsealldefined doifelseallmodes doifelseassignment doifelseback doifelsebox doifelsebox doifelseboxincache doifelsecommon doifelsecommon doifelsecommon doifelsecommon doifelseboxincache doifelseboxincache doifelseconter doifelseconversiondefined doifelseconversionnumber doifelsecurrentsortingused doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefined doifelsedefined doifelsedefined	\doifdefinedelse {} {} {} \doifdimensionelse {} {} {} \doifdimenstringelse {} {} {} \doifdocumentargument {} {} \doifdocumentargumentelse {} {} \doifdocumentfilename {} {} \doifdocumentfilenameelse {} {} \doifdocumentvariable {} {} \doifdocumentvariableelse {} {} \doifdrawingblackelse {} {} \doifelseallcommon {} {} {} \doifelsealldefined {} {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseassignment {} {} \doifelseblack {} {} {} \doifelseboxincache {} {} {} \doifelsecommandhandler \ {} {} \doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelsebox {} {} {} \doifelseboxincache {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {}

doifelsedocumentargument	\doifelsedocumentargument $\{\ldots\}$ $\{\ldots\}$
doifelsedocumentfilename	\doifelsedocumentfilename $\{\}$ $\{\}$
doifelsedocumentvariable	\doifelsedocumentvariable {} {} {}
doifelsedrawingblack	\doifelsedrawingblack {} {}
doifelseempty	\doifelseempty \{\ldots\} \\\.\\
doifelseemptyvalue	\doifelseemptyvalue {} {} {}
doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseenv \{\} \\doifelseenv \{\} \
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\ldots\} \{\ldots\}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory $\{\}$ $\{\}$
doifelsefigure	\doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefile	\doifelsefile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefiledefined	\doifelsefiledefined $\{\}$ $\{\}$
doifelsefileexists	\doifelsefileexists {} {}
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged {} {} {}
doifelsefontchar	\doifelsefontchar {} {} {} {}
doifelsefontfeature	\doifelsefontfeature \{\doifelsefontfeature \
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-	\doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	· · · · · · · · · · · · · · · · · · ·
doifelseframed	\doifelseframed \ \{\}
doifelsehasspace	\doifelsehasspace \{\ldots\} \{\ldots\} \\
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname $\{\}$ $\{\}$ $\{\}$
doifelseinelement	\doifelseinelement \{\ldots\} \{\ldots\}
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\.\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \{\ldots\}
doifelseinset	\doifelseinset $\{\}$ $\{\}$ $\{\}$
doifelseinstring	\doifelseinstring $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseinsymbolset	$\doing \doing $
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	$\doint doifelseint words s data {} {} {} {}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage {} {}
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined $\{\ldots\}$ $\{\ldots\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \{\ldots\}
doifelseleapyear	\doifelseleapyear {} {}
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile \{\ldots\} \\\
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ {} {}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\.\\
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \\\\\\
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \\\.\}
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing	\doifelsenothing \{\ldots\} \\\.\\
doifelsenumber	\doifelsenumber \{\} \\.\.\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
<u> </u>	
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat \{\doingle \} \\\ \doingle \}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseolderversion	\doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseparallel	\doifelseparallel \{\} \{\} \{\}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath	\doifelsepath \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifelsepathexists	\doifelsepathexists \{\ldots\} \{\ldots\}
doifelsepatterns	\doifelsepatterns $\{\ldots\}$ $\{\ldots\}$
doifelseposition	\doifelseposition $\{\ldots\}$ $\{\ldots\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage $\{\}$ $\{\}$
doifelsepositionsonthispage	\doifelsepositionsonthispage $\{\}$ $\{\}$
doifelsepositionsused	\doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$
doifelsereferencefound	\doifelsereferencefound $\{\ldots\}$ $\{\ldots\}$
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference $\{\ldots\}$ $\{\ldots\}$
doifelsesamestring	\doifelsesamestring $\{\}$ $\{\}$ $\{\}$
doifelsesetups	\doifelsesetups $\{\}$ $\{\}$
doifelsesomebackground	$\doing 1 $
doifelsesomespace	\doifelsesomespace $\{\ldots\}$ $\{\ldots\}$
doifelsesomething	\doifelsesomething {} {} {}
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring $\{\}$ $\{\}$ $\{\}$
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber {} {}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage {} {}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \{\ldots\}
doifelsesymbolset	\doifelsesymbolset {} {} {}
doifelsetext	\doifelsetext {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \{\ldots\}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined {} {} {}
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\\.\}
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse $\{\ldots\}$ $\{\ldots\}$
doiffieldbodyelse	\doiffieldbodyelse $\{\}$ $\{\}$
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse	\doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse {} {}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse $\{\}$ $\{\}$ $\{\}$
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse \{\ldots\}
doifincsnameelse	\doifincsnameelse \{\} \{\} \{\}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring \{\} \\\
doifinstringelse	\doifinstringelse \{\} \{\} \{\}
doifinsymbolset	\doifinsymbolset \{\} \{\} \{\}
doifinsymbolsetelse	\doifinsymbolsetelse \{\} \{\} \{\}
doifintokselse	\doifintokselse \{\} \{\} \{\}
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \{\ldots\} \{\ldots\} \\

doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {}
doiflayerdataelse	\doiflayerdataelse {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\
doiflayoutsomelineelse	\doiflayoutsomelineelse {} {} {}
doiflayouttextlineelse	\doiflayouttextlineelse \{\doiflayouttextlineelse \{\doiflayouttextlin
doifleapyearelse	\doifleapyearelse \{\} \{\}
doiflistelse	\doiflistelse \{\} \{\}
doiflocationelse	\doiflocationelse \{\doiflocationelse \{\doifl
doiflocfileelse	\doiflocfileelse \{\} \{\}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmeaningelse \ \ \} \{}
doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse $\{\}$ $\{\}$
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse {} {}
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\\.\}
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\doifnonzeropositiveelse \{\doifnonzeropositivee
doifnot	\doifnot \{\ldots\} \\\.\\
doifnotallcommon	
	\doifnotallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcounter	\doifnotcounter \{\ldots\\}
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \{\ldots\}
doifnotdocumentfilename	\doifnotdocumentfilename $\{\ldots\}$ $\{\ldots\}$
doifnotdocumentvariable	\doifnotdocumentvariable {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse {} {} {}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged \{\ldots\} \\\
doifnothing	\doifnothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode \{\ldots\} \\ \\.\\
doifnotnumber	\doifnotnumber \{\}
doifnotsamestring	\doifnotsamestring {} {}
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {}
doifnotvariable	\doifnotvariable {} {}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse {} {} {} {}
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse \{\ldots\}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlappingelse	\doifoverlappingelse $\{\}$ $\{\}$ $\{\}$
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse {} {}
doifpathelse	\doifpathelse {} {}
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse \{\} \{\}
doifposition	\doifposition \{\} \{\}
doifpositionaction	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionaction doifpositionactionelse	\doifpositionaction \(\lambda \cdots \forall \cdots \\lambda \cdots \cdots \cdots \cdot \cdots \\lambda \cdots \cdot \cd
-	
doifpositionelse	\doifpositionelse \{\ldots\} \\\\.\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \{\ldots\} \{\ldots\} \\

doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\doifpositionsonthispageelse \{
doifpositionsusedelse	\doifpositionsusedelse \{\ldots\} \\\\
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse {} {} {}
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse {} {}
doifsometoks	\doifsometoks \ {}
doifsometokselse	$\doingsometokselse \ \ldots \ \{\ldots\} \ \{\ldots\}$
doifstringinstringelse	\doifstringinstringelse $\{\}$ $\{\}$ $\{\}$
doifstructurelisthasnumberelse	$\verb \doifstructurelist has numberelse {} {}$
doifstructurelisthaspageelse	$\verb \doifstructurelist has pageelse {} {}$
doifsymboldefinedelse	$\label{local_doing} $$ \doifsymboldefinedelse {} {} {}$
doifsymbolsetelse	$\label{local_doifsymbolsetelse} $$ \{\ldots\} \ \{\ldots\} $$$
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	$\label{locality} $$ \doiftextflowcollectorelse {} {} {}$
doiftextflowelse	\doiftextflowelse $\{\}$ $\{\}$
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined {} {}
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse $\{\}$ $\{\}$
doifunknownfontfeature	$\verb \doifunknownfontfeature {} {} {}$
doifurldefinedelse	\doifurldefinedelse $\{\}$ $\{\}$
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing $\{\ldots\}$ $\{\ldots\}$
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse \{\} \{\} \{\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction \{\}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldosetattribute \{\ldosetattribu
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
doseventupleargument	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] [] \doseventupleargument \ [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []

dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ \{\}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse \{\} \{\} \{\}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ {} {}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent {} \ \ \
dowithmextboxcontents	
	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
-	\env {}
env	
envvar	\envar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ {} {}
expanded	\expanded {}
expandeddoif	\expandeddoif \{\} \{\}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
-	-
expandfontsynonym	\expandfontsynonym \ {}

expdoif	\expdoif {} {} {}
expdoifcommonelse	\expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset $\{\}$ $\{\}$ $\{\}$
expdoifinsetelse	\expdoifinsetelse $\{\}$ $\{\}$ $\{\}$
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter $\{\ldots\}$ $\{\ldots\}$
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filler	\filledhboxy {}
filler	\filler []
fillupto filterfromnext	\fillupto [] {}
	\filterfromnext $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ \filterfromvalue $\{\}$ $\{\}$ $\{0.$
filterfromvalue filterpages	\filteriromvalue \(\(\therefore\) \(\therefore\) \(
filterreference	\filterpages [] [] \filterreference {}
findtwopassdata	\findtwopassdata \{\ldots\} \\
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter\(\firstcharacter\)
firstcounter	\firstcharacter \firstcounter [] []
firstcountervalue	\firstcounter [] \firstcountervalue []
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments \{\ldots\}
$oldsymbol{\cup}$	

firstoffourarguments	\firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
<u>.</u>	\firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofsixarguments	
firstofthreearguments	\firstofthreearguments \{\ldots\} \{\ldots\}
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
-	
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
	\floatuserdataparameter {}
floatuserdataparameter	
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
<u> </u>	
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
•	· · · · · · · · · · · · · · · · · · ·
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
0 11	
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
fourthofsixarguments	\fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
frameddimension	\frameddimension {}
	\framedparameter {}
framedparameter	•
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac \{\} \{\}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
a . D	\II uic \Iciax
GetPar	\GetPar
	\GetPar
GIORNOSETTIMANA GotoPar	

	\ ~
Greeknumerals	\Greeknumerals {}
gdefconvertedargument gdefconvertedcommand	\gdefconvertedargument \ {}
getboxfromcache	\gdefconvertedcommand \ \ \getboxfromcache \{\} \{\} \
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	$\getdayoftheweek {} {} {}$
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters getemptyparameters	\getdummyparameters [=] \getemptyparameters [] [=]
geteparameters	\getemptyparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage getnamedglyphdirect	\getmessage \{\ldots\} \{\ldots\} \getnamedglyphdirect \{\ldots\} \{\ldots\}
getnamedglyphstyled	\getnamedglyphdffect \{\dots\} \{\dots\}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getprivateslot getrandomcount	\getprivateslot {} \getrandomcount \ {} {}
getprivateslot getrandomcount getrandomdimen	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat	\getrandomcount \ \{\} \(\) \getrandomdimen \ \{\} \{\} \getrandomfloat \ \{\} \{\}
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed	<pre>\getrandomcount \ {} {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters	<pre>\getrainterinterinterinterinterinterinterinter</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters getrawparameters getrawparameters	<pre>\getrainterinterinterinterinterinterinterinter</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters	<pre>\getravateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] []</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreferenceentry	<pre>\getravateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferenceentry getroundednoflines	<pre>\getrandomcount \ \{ \} \getrandomcount \ \{ \} \getrandomdimen \ \{ \} \getrandomfloat \ \{ \} \getrandomnumber \ \{ \} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines \{ \} \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry \{ \} \getroundednoflines \{ \} \getsubstring \{ \} \{ \} \gettokenlist []</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getroundednoflines getsubstring gettokenlist gettwopassdata	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getsubstring {} {} {} \gettokenlist [] \gettwopassdata {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata \getuvalue {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvalue {} \getvalue {} \</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvariable {} {} </pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} {} \gettokenlist [] \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \left</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault getxparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \getvariabledefault {} {} \getxparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdata gettwopassdata gettvalue getvalue getvalue getvariable getvariabledefault getxparameters giornosettimana	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getsubstring {} {} {} \gettwopassdata {} \gettwopassdata {} \gettwopassdata {} \geturalue {} \getvalue {} \getvariable {} {} \getvariabledefault {} {} \getxparameters [] [=] \getxparameters [] [=] \getyparameters [] [] \getyp</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault getxparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreference entry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \getvariabledefault {} {} \getxparameters [] [=]</pre>

globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {} {}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\ldots\} \
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobblethreearguments {} {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
grayvarue greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
greekhumerais griglia	\griglia [=]
grigila grossofontdeltesto	\grossofontdeltesto
	<u> </u>
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxB0X {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance

 \headtextwidth

 ${\tt headtextwidth}$

headvbox	\headvbox {}
headwidth heightanddepthofstring	\headwidth \heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue hiddencitation	\hglue \hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo himilo	\hilo [] {} \himilo {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
hphantom hpos	\hphantom {} \hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace htdpofstring	\hspace [] [] \htdpofstring {}
htofstring	\httofstring \{\ldots\}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox hyphenatedpar	\hyphenatedhbox {} \hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment iff	\ifassignment \else \fi \iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces ignoretagsinexport	\ignoreimplicitspaces \ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\ightharpoonup \innediatesavetwopassdata $\{\}$ $\{\}$
impliedby	\impliedby
implies imposta	\implies \imposta []
impostaallineamento	\impostallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
<pre>impostabloccosezione impostabuffer</pre>	\impostabloccosezione [] [=] \impostabuffer [] [=]
impostacampi	\impostabuller [] [=] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions impostacima	\impostacaptions [] [=] \impostacima [] [=]
impostacima impostaclippling	\impostaclima [] \impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
<pre>impostacommento impostacommentopagina</pre>	\impostacommento [] [=] \impostacommentopagina [=]
-mp-00 accomment or bag in a	/rmbopogoommonpohagrng []

impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule impostagruppocolonne	\impostaformule [] [=] \impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
<pre>impostalayout:name</pre>	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura impostamenuinterazione	\impostamarcatura [] [=] \impostamenuinterazione [] [=]
impostamentinterazione	\impostamentinterazione [] []
impostanotepdp	\impostanotepdp [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=] \impostaposizionamento [] [=]
impostaposizionamento	\impostaposizionamento [] [] \impostaposizionamentoopposti [=]
impostaposizionamentoopposti impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
	\impostaREGISTER [] [=]
impostaregistro:instance	
<pre>impostaregistro:instance impostaregistro:instance:index</pre>	
<pre>impostaregistro:instance impostaregistro:instance:index impostarientro</pre>	\impostation [] [=] \impostarientro []
impostaregistro:instance:index	\impostaindex [] [=]
<pre>impostaregistro:instance:index impostarientro</pre>	\impostaindex [] [=] \impostarientro []
<pre>impostaregistro:instance:index impostarientro impostariferimento</pre>	\impostaindex [] [=] \impostarientro [] \impostariferimento [=]
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarighe [] [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [] [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi:page</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura impostaspaziobianco	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura [] \impostaspaziobianco []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=]</pre>

importate bullete	\importatehulata [] [] []]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=]
impostatestoetichette:instance:operator	\impostaoperatortesto [] [=]
impostatestoetichette:instance:prefix	\impostaprefixtesto [] [=]
impostatestoetichette:instance:suffix	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
impostatyping	\impostatyping [] [=]
impostaurl	\impostaurl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa:argument	\incrementa ()
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
	\inizia [] \termina
inizia	• • • • • • • • • • • • • • • • • • • •
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	$\verb \color= 1 terminabt x rendering definitions 1 terminable x rendering definitions$
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart

```
iniziacapoverso:instance:section
                                                                                               \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject
                                                                                               \iniziasubject [..=..] [..=..] ... \terminasubject
                                                                                               \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsection
                                                                                               \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubject
                                                                                              iniziacapoverso:instance:subsubsection
iniziacapoverso:instance:subsubsubject
                                                                                               \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsection
                                                                                               \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubject
                                                                                               \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection
iniziacapoverso:instance:subsubsubsubsection
iniziacapoverso:instance:subsubsubsubsubject
                                                                                               \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:title
                                                                                               \iniziatitle [..=..] [..=..] ... \terminatitle
                                                                                              \iniziacatcodetable \... \terminacatcodetable \iniziacenteraligned ... \terminacenteraligned
iniziacatcodetable
iniziacenteraligned
                                                                                              \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
                                                                                              \iniziacharacteralign [...] ... \terminacharacteralign
iniziacharacteralign:argument
iniziacheckedfences
                                                                                              \iniziacheckedfences ... \terminacheckedfences
                                                                                              \iniziachemical [...] [..=..] ... \terminachemical
iniziachemical
iniziacodatabella
                                                                                              \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato
                                                                                              \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect
                                                                                              \iniziacollect ... \terminacollect
                                                                                              \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                                              \iniziacolore [...] ... \terminacolore
iniziacolore
                                                                                              \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                                                              \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset
                                                                                              \iniziacolorset [...] ... \terminacolorset
iniziacolumnset
                                                                                              \verb|\iniziacolumnset| [...] [..=..] ... \verb|\terminacolumnset|
iniziacolumnsetspan
                                                                                              \verb|\iniziacolumnsetspan[...][..=..]... \verb|\terminacolumnsetspan||
                                                                                              \verb|\iniziaCOLUMNSET [..=..] ... \verb|\terminaCOLUMNSET||
iniziacolumnset:example
                                                                                              \verb|\coloredge | 1... | 1... | terminacombination| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... 
iniziacombination
                                                                                              \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                                              \iniziacommentopagina ... \terminacommentopagina
                                                                                              \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance
                                                                                               \iniziacomment [...] [..=..] ... \terminacomment
iniziacommento:instance:comment
iniziacomponenet
                                                                                              \iniziacomponenet [...] ... \terminacomponenet
                                                                                              \iniziacomponenet .....\terminacomponenet \iniziacontextcode ...\terminacontextcode
iniziacomponenet:string
\verb"iniziacontextcode"
                                                                                              \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziacontextdefinitioncode
iniziactxfunction
                                                                                              \iniziactxfunction ... \terminactxfunction
\verb"iniziactxfunction" definition"
                                                                                              \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
                                                                                              \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
                                                                                              \verb|\label{limit}| \end{tikzpick} 
iniziacurrentlistentrywrapper
                                                                                              \iniziadelimited [...] [...] ... \terminadelimited
iniziadelimited
                                                                                              \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext
                                                                                               \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance
                                                                                               \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:aside
                                                                                              \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:blockquote
\verb"inizia delimited text: \verb"instance: quotation""
                                                                                               \verb|\ \ | inizia quotation [...] [...] ... \ | termina quotation |
iniziadelimitedtext:instance:quote
                                                                                               \iniziaquote [...] [...] ... \terminaquote
                                                                                               \iniziaspeech [...] [...] ... \terminaspeech
iniziadelimitedtext:instance:speech
                                                                                               \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example
                                                                                               \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
iniziadisplaymath
                                                                                              \iniziadisplaymath ... \terminadisplaymath
iniziadmath
                                                                                              \iniziadmath ... \terminadmath
                                                                                              \iniziadocument [..=..] ... \terminadocument
iniziadocument
                                                                                              \iniziaeffect [...] ... \terminaeffect
iniziaeffect
                                                                                               \iniziaEFFECT ... \terminaEFFECT
iniziaeffect:example
                                                                                              \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                                              \iniziaelemento [...] ... \terminaelemento
iniziaelemento
                                                                                              \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable
iniziaembeddedxtable:name
                                                                                              \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                                              \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example
                                                                                               \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                                                              \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                                                              \iniziaexpanded ... \terminaexpanded
                                                                                              \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaexpandedcollect
                                                                                              \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
iniziaextendedcatcodetable
iniziaexternalfigurecollection
                                                                                              \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt iniziafacingfloat}
                                                                                              \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura
                                                                                              \iniziafigura [...] [..=..] ... \terminafigura
iniziafisso
                                                                                              \iniziafisso [...] ... \terminafisso
                                                                                              iniziafittingpage
                                                                                              \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
```

 $\verb"inizia fitting page: \verb"instance"$

iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] { \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] {} \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
V-1	· · · · · · · · · · · · · · · · · · ·
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
	\iniziainterface \terminainterface
iniziainterface	,
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode\terminaJScode
iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	\inizialineamargine [=] \terminalineamargine
5 5	
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
5 5	\inizialinetable \terminalinetable
inizialinetable	
inizialinetablebody	\inizialinetablebody \terminalinetablebody
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialingua	\inizialingua [] \terminalingua
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	
	\inizialocalsetups \terminalocalsetups
	\inizialocalsetups\terminalocalsetups
inizialua	\inizialua \terminalua
inizialua inizialuacode	\inizialua \terminalua \inizialuacode \terminaluacode
inizialua	\inizialua \terminalua
inizialua inizialuacode	\inizialua \terminalua \inizialuacode \terminaluacode

iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	$\verb \displays 1 1 termina MP position graphic 1 1 termina MP position graphic 1$
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamarkpages	\iniziamarkpages [] \terminamarkpages
iniziamathalignment:instance	\iniziamATHALIGNMENT [=] \terminamATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminacases
iniziamathmatrix:instance	
	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
iniziamathstyle	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:columns	\iniziacolumns [=] \terminacolumns
iniziamixedcolumns:instance:itemgroupcolumns	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniziamode	\iniziamode [] \terminamode
iniziamodeset	\iniziamodeset [] {} \terminamodeset
iniziamodule	\iniziamodule [] \terminamodule
iniziamoduletestsection	\iniziamoduletestsection \terminamoduletestsection
iniziamodule:string	\iniziamodule \terminamodule
inizianamedsection	\inizianamedsection [] [=] \terminanamedsection
inizianamedsubformulas	\inizianamedsubformulas [] {} \terminanamedsubformulas
inizianarrower	\inizianarrower [] \terminanarrower
inizianarrower:example	\iniziaNARROWER [] \terminaNARROWER
inizianegativo	\inizianegativo \terminanegativo
inizianicelyfilledbox	\inizianicelyfilledbox [=] \terminanicelyfilledbox
inizianointerference	\inizianointerference \terminanointerference
inizianotallmodes	\inizianotallmodes [] \terminanotallmodes
inizianota:instance	\iniziaNOTE [] \terminaNOTE
inizianota:instance:assignment	\iniziaNOTE [=] \terminaNOTE
inizianota:instance:assignment:endnote	\iniziaendnote [=] \terminaendnote
inizianota:instance:assignment:footnote	\iniziafootnote [=] \terminafootnote
inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote	\iniziafootnote [] \terminafootnote
inizianotext	\inizianotext \terminanotext
	\inizianotmode [] \terminanotmode
inizianotmode	\iniziaopposto \terminaopposto
inizianotmode	\iniziaoutputstream [] \terminaoutputstream
iniziaopposto	\iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint
iniziaopposto iniziaoutputstream	\iniziapagecolumns [=] \terminapagecolumns
iniziaopposto iniziaoutputstream iniziaoverprint	\iniziaPAGECOLUMNS \terminaPAGECOLUMNS
<pre>iniziaopposto iniziaoutputstream iniziaoverprint iniziapagecolumns</pre>	ATHTETAL NODOUDOTIND VOETHITHAL NADOUDOLING
<pre>iniziaopposto iniziaoutputstream iniziaoverprint iniziapagecolumns iniziapagecolumns:instance</pre>	
<pre>iniziaopposto iniziaoutputstream iniziaoverprint iniziapagecolumns iniziapagecolumns:instance iniziapagecolumns:name</pre>	\iniziapagecolumns [] \terminapagecolumns
<pre>iniziaopposto iniziaoutputstream iniziaoverprint iniziapagecolumns iniziapagecolumns:instance iniziapagecolumns:name iniziapagefigure</pre>	\iniziapagecolumns [] \terminapagecolumns \iniziapagefigure [] [=] \terminapagefigure
<pre>iniziaopposto iniziaoutputstream iniziaoverprint iniziapagecolumns iniziapagecolumns:instance iniziapagecolumns:name</pre>	\iniziapagecolumns [] \terminapagecolumns

iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] [=] \terminaplacefloat
•	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance	
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
-	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {} {} \terminareusableMPgraphic
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines
iniziaruby	\iniziaruby [] \terminaruby
iniziascript	\iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionlevel	\iniziasectionlevel [] [=] \terminasectionlevel
iniziasetups	\iniziasetups [] [] \terminasetups
iniziasetups:string	\iniziasetups \terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo
iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasimplecolumns	/
	\iniziagimplecolumne [=] \terminagimplecolumne
-	\iniziasimplecolumns [=] \terminasimplecolumns
iniziasospeso	\iniziasospeso [=] {} \terminasospeso
iniziasospeso iniziasospeso:argument	\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso
iniziasospeso iniziasospeso:argument iniziasovrapponi	\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi
iniziasospeso iniziasospeso:argument	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi	\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem</pre>
<pre>iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol</pre>	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem</pre>
<pre>iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol</pre>	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplitformula	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspelitformula iniziasplittext iniziaspread	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread</pre>
<pre>iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspelitformula iniziasplittext iniziaspread iniziastartstop:example</pre>	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziaSTARTSTOP \terminaSTARTSTOP</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialiteormula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziaSTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziasplitformula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziaSTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} {} \terminastaticMPgraphic</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplitformula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziaSTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} {} \terminastaticMPgraphic \iniziastretto [] [=] \terminastretto</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziasplitformula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto iniziastretto:assignment	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziasTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} {} \terminastretto \iniziastretto [] [=] \terminastretto \iniziastretto [=] [] \terminastretto</pre>
<pre>iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspelitformula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto iniziastretto:assignment iniziastretto:name</pre>	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziasTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} {} \terminastretto \iniziastretto [] [=] \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto</pre>
iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziasplitformula iniziasplittext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto iniziastretto:assignment	<pre>\iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziasTARTSTOP \terminaSTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} {} \terminastretto \iniziastretto [] [=] \terminastretto \iniziastretto [=] [] \terminastretto</pre>

```
iniziastyle:argument
                                                                                                  \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                                                  \iniziaSTYLE ... \terminaSTYLE
                                                                                                  \iniziasubformulas [...] ... \terminasubformulas
iniziasubformulas
                                                                                                  \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
                                                                                                  \iniziasubsentence ... \terminasubsentence
iniziasubsentence
                                                                                                  \iniziasubstack ... \terminasubstack
iniziasubstack
                                                                                                  \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziasymbolset
iniziaTABLE
                                                                                                  \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody
                                                                                                  \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot
                                                                                                  \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead
                                                                                                  \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                  \iniziaTABLEnext [..=..] ... \terminaTABLEnext
                                                                                                  \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
iniziatabella:name
                                                                                                  \iniziatabella [...] [..=..] ... \terminatabella
                                                                                                  \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
iniziatabelle:name
                                                                                                  \iniziatabelle [...] ... \terminatabelle
                                                                                                  \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
iniziatabulato
                                                                                                  \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato:instance
                                                                                                   \iniziaTABULATE [..ºPT] [..=..] ... \terminaTABULATE
                                                                                                  \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                                                  \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                                                  \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                                                                  \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
iniziatestatabulato
                                                                                                  \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto
                                                                                                  \iniziatesto ... \terminatesto
iniziatestoaiuto
                                                                                                  \iniziatestoaiuto [...] ... \terminatestoaiuto
                                                                                                  \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                  \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
iniziatestoetichetta:instance:label
                                                                                                  \inizialabeltesto [...] [...] ... \terminalabeltesto
                                                                                                  \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                                                                  iniziatestoetichetta:instance:operator
                                                                                                   \iniziaprefixtesto [...] [...] \terminaprefixtesto
iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                                                   \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                                                                   \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                                                                   \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
iniziatestoincorniciato:instance:framedtext
                                                                                                   \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode
                                                                                                  \iniziatexcode ... \terminatexcode
                                                                                                  \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
                                                                                                  \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackground
iniziatextbackgroundmanual
                                                                                                  \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
                                                                                                   \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
                                                                                                  \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                  \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
iniziatextflow
                                                                                                  \iniziatextflow [...] ... \terminatextflow
iniziatokenlist
                                                                                                  \iniziatokenlist [...] ... \terminatokenlist
iniziatokens
                                                                                                  \iniziatokens [...] ... \terminatokens
                                                                                                  \iniziatransparent [...] ... \terminatransparent
iniziatransparent
                                                                                                  \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
                                                                                                  \verb|\iniziatypescriptcollection| [\dots] \dots \verb|\terminatypescriptcollection|
iniziatypescriptcollection
iniziatyping:instance
                                                                                                  \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument
                                                                                                  \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                                                                   \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                                                                   \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML
                                                                                                   \iniziaPARSEDXML [...] ... \terminaPARSEDXML
                                                                                                   \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
                                                                                                   \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
iniziatyping:instance:argument:XML
                                                                                                  \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA
                                                                                                   \iniziaLUA [..=..] ... \terminaLUA
                                                                                                   \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                                                                   \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                                                                   \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
                                                                                                  \label{linear_constraint} $$ \lim zia XML [..=..] \dots $$ termina XML $$
iniziatyping:instance:typing
iniziatyping:instance:XML
                                                                                                  \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
\verb"iniziauniqueMPgraphic"
                                                                                                  \verb|\coloredge MPpage graphic {...} {...} ... \verb|\coloredge MPpage graphic | ...} | termina unique MPpage graphic | ... | ... | termina unique MPpage graphic | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
\verb"iniziauniqueMPpagegraphic"
iniziaunpacked
                                                                                                  \mbox{\colored} \iniziaunpacked ... \mbox{\colored}
\verb"iniziausableMPgraphic"
                                                                                                  \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic | ...} |
iniziauseMPgraphic
                                                                                                  \verb|\coloredge | 1... | 1... | terminauseMPgraphic| | 1... | 1... | terminauseMPgraphic| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1.
                                                                                                  iniziausemathstyleparameter
iniziauserdata
```

iniziausingbtxspecification	$\verb \line iniziaus ingbtx specification [] \verb \line terminaus ingbtx specification $
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
S .	\iniziavboxtohbox \terminavboxtohbox
•	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
	\iniziaxcell [] [=] \terminaxcell
	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
- •	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
	\iniziaxmlsetups \terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
•	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
	\inlinerange []
•	<u> </u>
•	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
	\inputfilerealsuffix
•	•
<u>-</u>	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
	\inriga {} []
-	=
	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
-	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \{\} \
	\installautosetuphandler \ {}
-	
-	\installbasicautosetuphandler \ \{\} \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ {} \
	\installcorenamespace {}
-	
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	$\$ \installdefinitionsetmember $\$ \ \{\}
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
	\installdirectparameterhandler \ \{\}
-	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ \} \

 $\verb|installframedcommand| handler|\\$

 $\verb|\label{limit}| \verb|\labella | limits | limits$

installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ {}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
- •	
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{\} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \{} \
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \} \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective {} {}
installtextracker	\installtextracker {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
lean	\kap {}
kap	
-	-
keeplinestogether	\keeplinestogether {}
keeplinestogether keepunwantedspaces	\keeplinestogether {} \keepunwantedspaces
keeplinestogether keepunwantedspaces kerncharacters	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LateX Lettera Lettere	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \Latex \Latex \Latex \Latera {} \Lettera {} \Lettera {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \Latex \Latex \Latex \Latex \Latex \Latex {} \Latera {} \Luanteral {} \Luanteral {} \Luanteral {} \Lateral {} \Luanteral {} \Lua</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \Luanittex \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LamSTeX \Latex \Latex \Latex \Latex \Latex \Luayittex \Luayittex \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \Luanittex \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LamSTeX \Latex \Latex \Latex \Latex \Latex \Luayittex \Luayittex \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \L</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaTeX LuaMetaTeX LuaMetaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latex \Latex \Latex \Luayittex \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMetateX \Lua \Luayittex \LuaMetateX \LuaMetate</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX LuaTeX LaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUA</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX Lua	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsc {} \koreannumeralsc {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX LuaTeX LaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUA</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX Lua	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsc {} \koreannumeralsc {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LETEX LETEX LUATEX LUAJITTEX LUAJITTEX LUAMETATEX LUATEX LUATEX LUATEX LUATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaTeX luaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:label labellanguage:instance:mathlabel	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaTeX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LETEX LETEX LUATEX LETER LUAJITTEX LUAMETATEX LUAMETATEX LUATEX LUATEX Lua LuajitTeX Lua LuajitTeX luaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:operator labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaTeX \LuaTeX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuadetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:operator labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaTeX \LuaTeX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuadetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUADES LUA	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \Latex \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAHETATEX \Lua \LuajitTeX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaHetaIingua \btxlabellingua \headlingua \headlingua \headlingua \prefixlingua \prefixlingua \suffixlingua \suffixlingua \taglabellingua \unitlingua \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LATEX LETER LETER LETER LETER LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMetaTeX Lua LuajitTeX LuaMetaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:chead labellanguage:instance:cprefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:cunit labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \Lua \LuajitTeX \Lua \LuajitTeX \LuadetaTeX \LuaHbellingua \btxlabellingua \headlingua \headlingua \labellingua \mathlabellingua \prefixlingua \suffixlingua \suffixlingua \taglabellingua \unitlingua \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUABellanguage:instance labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Latetera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAHEX Lua luajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:coperator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance:label	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LamSTeX \Latera {} \Luttera {} \Luttera {} \LUAJITTEX \LUAJITTEX \LUAHETATEX \LUAHETATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaHeallingua \btxlabellingua \headlingua \headlingua \labellingua \mathlabellingua \mathlabellingua \coperatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \headtexts {} {} \labeltexts {} {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUABellanguage:instance labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>

languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
	\lastnewidth \lastnaturalboxdp
lastnaturalboxdp	· · · · · · · · · · · · · · · · · · ·
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
1 0	
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
-	
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsname \csname \\endcsname \\endcsname \\endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}
letterampersand	\letterampersand
letterat	\letterat
	·
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless

lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbracket	\letterrightbrace
letterrightbracket letterrightparenthesis	\letterrightbracket \letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {} {}
limitatelines	\limitatelines {} {} {}
limitatetext	\limitatetext {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera lineasottile	\lineanera [=] \lineasottile
lineatesto	\lineasottile \lineatesto [] {}
linebox	\linearesto [] \linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite listcite:alternative	\listcite [=] []
listcite:alternative	\listcite [] [] \listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\landluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist loadtexfile	\loadspellchecklist [] [] \loadtexfile []
loadtexfile	\loadtexfile []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\logilename {}
lomihi lowerbox	\lomihi {} {} {} \lowerbox {} \ {}
lowercased	\lowerbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lowercasestring	\lowercased \(\tau\)
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
O Trans	• • • • • • • • • • • • • • • • • • •

lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox \{\} \\\\} \\\\} \\\\}
ltop	\ltop {}
ltrhbox	\ltrhbox {}
ltrybox	\ltrvbox {} \ltrvtop {}
ltrvtop luacode	\luacode {}
luaconditional	\laconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX \luaminorversion
luaminorversion luaparameterset	\langle \langl
luasetup	\lasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	METAPOST
MetaFont	\MetaFont
MetaFun MetaPost	\MetaFun \MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor MPcoloronly	\MPcolor {} \MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape $\{\ldots\}$ $\{\ldots\}$
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions MPleftskip	\MPinclusions [] {} {} \MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {} \MPpos {}
MPpos MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots=\ldots\}
MPposset	\MPposset \{\dots\}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}

MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	
	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
МРу	\MPy {}
m	\m [] {}
maiuscoletto	\maiuscoletto {}
maiuscolo	\maiuscolo {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat \{\}
matematica	\matematica [] {}
matematica:assignment	\matematica [] {}
math	\math [] {}
mathbf	
mathbi	\mathbf \mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND \{\ldots\}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\}
mathdoubleextensible:instance:doublebar	\doublebar \{\}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\\
mathdoubleextensible:instance:doublebracket	\doublebracket \{\ldots\} \\\
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \{\ldots\}
mathextensible:instance	\MATHEXTENSIBLE {} {}

mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
$\verb mathextensible:instance:elefthar poon down fill \\$	$\left\{\right\} $
mathextensible:instance:eleftharpoonupfill	$\left\{ eleftharpoonupfill\ \left\{ \ldots\right\}\ \left\{ \ldots\right\}$
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\ldots\} \\\
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill mathextensible:instance:etwoheadrightarrowfill	\erightharpoonupfill {} {} \etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill \{\ldots\}
mathextensible:instance:eunderbracefill	\eunderbracefill \{\ldots\} \\ \cdots\}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal \{\} \{\}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	$\mbox{\em Mleftharpoondown } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow \{\dots\} \{\dots\}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\ldots\} \\\
mathextensible:instance:mrightharpoondown mathextensible:instance:mrightharpoonup	\mrightharpoondown \{\ldots\} \\\ \mrightharpoonup \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons \{\ldots\} \\\
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel \{\ldots\} \\
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown \\\} \\\
mathextensible:instance:tleftharpoonup mathextensible:instance:tleftrightarrow	\tleftharpoonup {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightarrow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:tmapsto	\tmapsto \{\dots\}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal \{\}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow mathextensible:instance:xleftarrow	\xLeftrightarrow {} {} \xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown \\\} \\\}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}

mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	$\MATHFRAMED [=] {}$
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {} \MATHOVEREXTENSIBLE {}
<pre>mathoverextensible:example mathovertextextensible:instance</pre>	
mathrovertextextensible:Instance mathradical:example	\MATHOVERTEXTEXTENSIBLE {} {} \MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi mathwordbs	\mathwordbi {}
mathwordit	\mathwordbs {} \mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
math:assignment	\math [=] {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	<pre>\message {}</pre>
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula [] {}
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	
	\mettinotepdp [=]
mettinotepdplocali	<pre>\mettinotepdp [=] \mettinotepdplocali [=]</pre>

mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
3	\mettiREGISTER [=]
mettiregistro:instance	
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [=]
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\moduleparameter \(\therefore\) \molecule \{\therefore\}
mono	\mono
monograssetto	monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
-	\mostralyout []
mostralyout	
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
m:assignment	\m [=] {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable \{\ldots\} \\ \ldots\
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalytop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	<u> </u>
nopaooa	\negated { }
-	\negated {}
negemspace	\negemspace
negemspace negenspace	\negemspace \negenspace
negemspace negenspace negthinspace	<pre>\negemspace \negehinspace</pre>
negemspace negenspace negthinspace newattribute	<pre>\negemspace \negenspace \negthinspace \newattribute \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \</pre>
negemspace negenspace negthinspace newattribute	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable newcounter	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre>

newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign	\nocharacteralign
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextheight	\normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth {} {} {}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
-	

objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
	\pagearea [] []
pagearea	
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\} \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\} \\\
pdfbackendsetextgstate	\pdfbackendsetextgstate \{\dots\} \{\dots\}
pdfbackendsetinfo	\pdfbackendsetinfo \{\dots\} \{\dots\}
•	
pdfbackendsetname	\pdfbackendsetname \{\dots\} \{\dots\}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource \{\dots\} \{\dots\}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}

pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	- \pdfTeX
ped	\ped {}
pedap	\pedap [] {} {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen {} {}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand \{\ldots\} \{\ldots\}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
-	_ -
placecomments	\placecomments \placecurrentformulanumber
placecurrentformulanumber	\placedbox {}
placedbox placefloat	\placefloat [] [] {} {}
•	\placefloat [] [] \placefloatwithsetups [] [] [] \{}
placefloatwithsetups	\mettiFLOAT [] [] {} {}
placefloat:instance	
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placement	\placehocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenates	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
<pre>placepairedbox:instance placepairedbox:instance:legend</pre>	\mettiPAIREDBOX [=] {} {} \mettilegend [=] {} {}
placeparallel	\mettilegend [=] \\\f\.
Langeharator	'Lbararror [] [] []

	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
placerawheaddata	\placerawheaddata []
placerawheadnumber	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay \{\ldots\}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist \{\dots\} \\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
	\prependucksonce \to \\
prependvalue	
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
	\procent
procent	\processaction [] [,=>,]
processaction	
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]

processisolatedchars	\processisolatedchars \\\} \\
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
-	\processlist {} {} \
processlist	
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
•	•
processtokens	\processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
-	
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
-	
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
-	\punti []
punti	-
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
-	
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
•	-
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix \{\dots\} \dots \popreferenceprefix
pushsfondo	
1	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} \ \ \
qquad	\qquad
quad	
quads	s []
-	-
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}

randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {}
rawdoifinset	\rawdoifinset \{\} \{\}
rawdoifinsetelse	\rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	$\readsysfile {} {}$
readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped \{\}
realSmallcapped	\realSmallcapped \{\dots\}
	==
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] []
registerexternalfigure registerfontclass	<pre>\registerexternalfigure [] [] [=] \registerfontclass {}</pre>
-	
registerfontclass	\registerfontclass {}
registerfontclass registerhyphenationexception	\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] []
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons	\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] []
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=]</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \REGISTER [] {++}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \REGISTER [] {++}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reginare</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reginarearcatura [] \relatemarking [] []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginare \reimpostamarcatura [] \relatemarking [] [] {} {} {} {} \relatemarking [] []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \kindex [] {} {++} \regolare \reginaresimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relatevalueifundefined {}</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [=] \REGISTER [] {++} \index [] {++} \kindex [] {} {++} \regolare \reginaresimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reginaterimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginaterimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removedepth \removefromcommalist {} \</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reginaterimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removedepth \removefromcommalist {} \</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \regolare [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \regolare [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removesubstring	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removesubstring removetoks	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removesubstring removetoks removeunwantedspaces	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removetoks \from \ \removeunwantedspaces</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registerviit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removeunwantedspaces \repeathead [] \replacefeature []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registerviit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \from \ \removebottoms \from \ \removeunwantedspaces \repeathead [] \replacefeature []</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \ \removebottoms \removebottoms \removebottoms \removelastspace \removemovebottoms \removelastspace \removenovebottoms \removelastspace \removenovebottoms \removebottoms \removelastspace \removenovebottoms \removelastspace \removelastspace \removenovebottoms \removelastspace \removelastspace</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removelastskip removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature:direct replaceincommalist	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removelastskip \removelastskip \removelastspace \removemarkedcontent [] \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removelastspace \removenovebottoms \removelastspace \removenovebottoms \removebottoms \removebot</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removeunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removelastspace \removemovebottoms \removelastspace \removemovebottoms \removebottoms \re</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registermenubuttons registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registersort [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemovebottomthing \from \to \ \removebottoms \removebottom \ \removebottoms \removebottom \ \removebottom \ \removelastspace \removemovebottom \ \removebottom \ \re</pre>
registerfontclass registerhyphenationexception registerhyphenationpattern registersort registersort registersynonym registerunit registro:instance registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastspace removemarkedcontent removeunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan	<pre>\registerfontclass {} \registerhyphenationexception [] [] \registerhyphenationpattern [] [] \registermenubuttons [] [] \registersort [] [] \registersynonym [] [] \registerunit [] [] \REGISTER [] {++} \index [] {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removebottoms \removelastspace \removemovebottoms \removelastspace \removemovebottoms \removebottoms \re</pre>

resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation resetdirection	\resetdigitsmanipulation \resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment resetMPinstance	\resetMPenvironment \resetMPinstance []
resetmarker	\resetmrinstance []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript resetsetups	\resetscript \resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [] \resetusedsynonyms []
resetusedsynonyms resetuserpagenumber	\resetusedsynonyms [] \resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont reusableMPgraphic	\restoreglobalbodyfont \reusableMPgraphic \{\} \{=\}
reuseMPgraphic	\reuseMPgraphic \{\dots\} \\\\.\\\\
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox {}
reversehpack	\reversehpack {}
reversetpack	\reversetpack {}
reversevbox	\reversevbox {}
reversevpack	\reversevpack {}
reversevtop	\reversevtop {}

revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
	\rif [] []
	\riferimento [] {}
riferimentopagina	\riferimentopagina []
riferimentotesto	\riferimentotesto [] {}
riflessione	\riflessione {}
	\riga {}
riga	•
	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
9	
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
9	•
	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
-	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist \{\dots\} \\dots\
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \\
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtlhbox	\rtlhbox {}
rtlybox	\rtlvbox {}
	\rtlvtop {}
-	-
rtop	\rtop {}
•	\rtop {} \ruby [] {}
ruby	\ruby [] {}
ruby	\ruby [] {} \ruledhbox {}
ruby ruledhbox ruledhpack	\ruby [] {} \ruledhbox {} \ruledhpack {}
ruby ruledhbox ruledhpack ruledmbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {}
ruby ruledhbox ruledhpack ruledmbox	\ruby [] {} \ruledhbox {} \ruledhpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledtpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \runMPbuffer [] \runninghbox {} \ruota [=] {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [] {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToWholeBigPoints {} \ \Smallcapped {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \rundPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {}</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvfack {} \rundformal \frac{1} \rundformal \frac{1} \runninghbox {} \ruota [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \samplefile {} \samplefile {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \rundPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {}</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvfack {} \rundformal \frac{1} \rundformal \frac{1} \runninghbox {} \ruota [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \rundpbuffer [] \runninghbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \samplefile {}</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sans \sansgrassetto \sansnormal
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvtop {} \runningbox {} \runningbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif \savebox {} {} {} </pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvtop {} \runningbox {} \runningbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif \savebox {} {} {} </pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \rundedvtop {} \rundfier [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer:list	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundevtop {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runinghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer:list	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundevtop {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runinghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore savecounter savecurrentattributes	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvpack {} \rundedvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [=] \savebuffer [] [] \savecolore \restorecolore \savecounter [] \savecurrentattributes {}
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer savecolore savecounter savecurrentattributes savenormalmeaning	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [=] \savebuffer [] [] \savecolore \restorecolore \savecounter [] \savecounter [] \savecormalmeaning \
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore savecounter savecurrentattributes	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [] \savebuffer [] \savebuffer [] [] \savecolore \restorecolore \savecounter [] \savecurrentattributes {}

sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	ackslash thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofsixarguments	\secondofsixarguments {} {} {} {} {}
secondofthreearguments	\secondofthreearguments $\{\ldots\}$ $\{\ldots\}$
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] {+} {}
seeregister:instance:index	\vediindex [] {+} {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocc Π^{PT} [Π^{TT} [Π^{TT} [Π^{PT}] Π^{OPT}
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail {} {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag setfont	\setflag {} \setfont
setiont setfontcolorsheme	\setfont \setfontcolorsheme []
setfontfeature	\setfontcolorsneme [] \setfontfeature {}
setfontsolution	\setfontsolution []

setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
setMPpositiongraphicrange	\setMPpositiongraphicrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
Secmanibodylone	·
setmainparbuilder	\setmainparbuilder []
-	
setmainparbuilder	\setmainparbuilder []
setmainparbuilder setmarker	\setmainparbuilder [] \setmarker []
setmainparbuilder setmarker setmarking	\setmainparbuilder [] \setmarker [] [] \setmarking [] {}
setmainparbuilder setmarker setmarking setmathstyle	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeode {} \setmode {} \setnote [] [] {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmostrut</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoteriut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotet [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setobject {} {} \ {} \setoldstyle \setpagereference {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotet [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setpagereference {} {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpagetatore [] {} \setpagetatore {} {} \setpagestatore alpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox setpositiondata	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {} \setpositiondata {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondataplus	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositiononly {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagetato [] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setposition {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionplus {} {} {} \setpositionplus {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionplus setpositionstrut	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionstrut setpositionstrut setprofile	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetrut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpode to [] {} \setplact {} {} {} \setplact setpagereference {} {} \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setprofile setrandomseed	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmathstyle {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpodistly {} {} {} \setpagestate [] [] \setpagestate [] [] \setpagestatereal pageno {} {} \setpercent dimen {} {} \setperiod kerning [] \setposition box {} {} {} \setposition data plus {} {} {} \setposition setposition plus {} {} {} \setposition strut {} \setposition setposition strut {} \setposition set profile []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionolly setpositionstrut setprofile setrandomseed setreference	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetxt \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpode t {} {} \ {} \setpagestale [] [] \setpagestate [] [] \setpagestate ealpageno {} {} \setperiodkerning [] \setposition t {} \setposition t {} {} {} {} \setposition t {} \setposition t {} {} {} {} {} {} {} {} \setposition t {} {} {} {} {} {} {} {} {} \setposition t {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionally setpositionstrut setpofile setrandomseed setreferencedobject	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmotetut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreferencedobject {} {} \ {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionoly setpositionstrut setprofile setrandomseed setreference setregisterentry	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmotetut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreferencedobject {} {} \ {} \setreferencedobject {} {} \ {} \setregisterentry [] [=]
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setpofile setrandomseed setreference setregisterentry setreplacement	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreficion [] \setreficion [] \setreficion [] \setreficion [] \setreficion [] [] \setreficion [] \setreficion [] [] [] \setreficion [] \setreficion [] [] [] \setreficion []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositionally setpositionolly setpositionstrut setpofile setardomseed setreference setregisterentry setreplacement setrigidcolumnbalance	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperciodkerning [] \setposition data {} {} {} {} \setpositiondata {} {} {} {} \setposition fundata {} {
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setpofile setrandomseed setreference setregisterentry setreplacement	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreficion [] \setreficion [] \setreficion [] \setreficion [] \setreficion [] [] \setreficion [] \setreficion [] [] [] \setreficion [] \setreficion [] [] [] \setreficion []

setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnshsize	\setsimplecolumnshsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
settext	\settext [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} \ \ \
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ \ \
settokenlist	\settokenlist [] {}
	\settrialtypesetting
settrialtypesetting	·- •
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	
	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] []
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]

setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [] [=]
setuplabel	\setuplabel [] [=]
-	\setuplayer [] [=]
setuplayer	
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
gotunlocalintorlinognaco	
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:argument setuplocalinterlinespace:name	\setuplocalinterlinespace [] \setuplocalinterlinespace []
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=]</pre>
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	<pre>\setuplocalinterlinespace [] \setuplowalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=]</pre>
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=]</pre>
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance setupMPpage setupMPvariables setupmarginblock	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginfamed [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginfamed [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjrnstance setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathcases	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfaction [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfence	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfence [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuppMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfraction	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfaction [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuppMPgraphics setupMPjinstance setupMPpage setupmPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=]</pre>
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions setupmathframed	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathfractions [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuppMPgraphics setupMPpnage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathframed setupmathframed setupmathframed	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplomidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathornament	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathornament [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuppMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions setupmathradical	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions setupmathradical setupmathradical setupmathradical setupmathradical setupmathradical setupmathradical setupmathradical	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPjraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathradical [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathradical setupmathstackers setupmathstackers	<pre>\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathstackers [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setupMPgraphics setupMPpraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmatheatics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathradical setupmathstackers setupmathstyle setupmathstyle setupmathstackers	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginrule setupmathalignment setupmatheatics setupmathfraction setupmathfractions setupmathframed setupmathramed setupmathstackers setupmathstyle setupmathstolumns setupmathstolumns setupmathstolumns setupmathstolumns setupmathracions	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstupmathstyle [] \setupmodule [] [=] \setupmodule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmatheacies setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmathston setupmathston setupmathston setupmathstolumns setupmodule setupmodule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupmodule [] [=] \setupmodule [] [=] \setupmodule [] [=] \setupnotation [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathramed setupmathramed setupmathornament setupmathradical setupmathstyle setupmixedcolumns setupmodule setupnotations	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setupMPgraphics [=] \setupMPpage [] \setupMPpage [] \setupMPpage [] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfraction setupmathframed setupmathmatrix setupmathradical setupmathstackers setupmathstyle setupmixedcolumns setupmodule setupnotations setupnotations setupnotations setupnotations setupmodule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstyle [] \setupmathendule [] [=] \setupmodule [] [=] \setupnotations [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjraphics setupMPpage setupMPvariables setupmarginblock setupmarginlock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathence setupmathfraction setupmathfraction setupmathradical setupmathradical setupmathstyle setupmathstyle setupmodule setupnote setupnote setupnote setupnote	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotations [] [=] \setupnotes [] [=]
setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmatheraction setupmathfractions setupmathframed setupmathmatrix setupmathnarix setupmathstock setupmathstock setupmathronament setupmathstoclumns setupmathstoclumns setupmathstoclumns setupmodule setupnote setupnote setupnote setupnote setupnote setupnote setupnotes	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginramed setupmathalignment setupmathalignment setupmathraction setupmathfraction setupmathfractions setupmathractions setupmathraction setupmathractical setupmathstackers setupmathstyle setupmathstyle setupnotation setupnotation setupnote setupnote setupnote setupnote setupnote setupnote setupnote setupnote setupnote setupoffset setupoffset	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupoffset [=] \setupoffset [=] \setupoffset [=]

setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
	\setuppageshift [] []
setuppageshift	-
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
	
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
-	\setupregisters [] [=]
setupregisters	
setupregisters:argument	\setupregisters [] [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
-	\setupsidebar [] [=]
setupsidebar	
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsymbols	\setupsymbols [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
-	
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptextnote	\setuptextnote [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
	\setupuserpagenumber [=]
setupuserpagenumber	
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped $\{\ldots\}$ $\{\ldots\}$
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setuavalue	\setuxvalue \(\cdot\) \(\cdot\)
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
actui queli comfont	
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvisualizerfont [] \setvtopregister {}

setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics showfontkerns	\showfontitalics \showfontkerns
showfontparameters showfontstrip	\showfontparameters
1	\showfontstrip []
showfortstyle	\showfontstyle [] [] [] \showglyphdata
showglyphdata showglyphs	\showglyphdata \showglyphs
showgridsnapping	\showgridsnapping
showelp	\showhelp {} []
showhyphenationtrace	\showherp \(\text{\cdots}\) \showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
shownessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition {} {} {}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}

simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace {} {} {} {} []
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitateolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitateonma	
splitdfrac	\splitatperiod \ \splitdfrac {} {}
splitfilename	\splitfilename {}
-	\splitfrac {}
splitfrac splitoffbase	
-	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
stackscripts	\stackscripts
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] {++} \stopregister [
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [=] [=] \stopstruct
stirato	\stirato [=] {}

stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {} {}
synonym:instance:abbreviation	\abbreviation [] $\{\}$
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaB1E
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring testcolumn	\testandsplitstring \at \to \ \and \
res regitation	\testcolumn [] []

testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	$\FRAMEDTEXT [=] {}$
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnote	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments \{\} \{\} \{\} \{\}
thirdoffourarguments	\thirdoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
thirdofsixarguments	\thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofthreearguments	\thirdofthreearguments \{\ldots\} \{\ldots\}
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip	\tooltip [=] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}

traceoutputroutines	\traceoutputroutines
tracepositions	$\operatorname{ hinspace}$
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond truefilename	<pre>\triplebond \truefilename {}</pre>
truefontname truefontname	\truefintname \\\\}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix typescriptthree	<pre>\typescriptprefix {} \typescriptthree</pre>
typescripttmee typescripttwo	\typescripttmee \typescripttwo
typesetliptuwo	\typesetletwo
typesetfile	\typesetfile [] [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ \ \{}
ultimasottopagina	$\operatorname{acktrians}$
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable unhhbox	\unexpandeddocumentvariable {} \unhhbox \with {}
unihex	\uninbox \with \tau.}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
unstackscripts	\unstackscripts
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring upperleftdoubleninequote	\uppercasestring \to \ \upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts	\usaJSscripts [] []
usamodulo	\usamodulo [] [=]

usasimboli	\usasimboli []		
usaURL	\usaURL [] [] []		
usaurl	\usaurl [] [] []		
usealignparameter	\usealignparameter \		
useblankparameter	\useblankparameter \		
usebodyfont	\usebodyfont []		
usebodyfontparameter	\usebodyfontparameter \		
usebtxdataset	\usebtxdataset [] [] [=]		
usebtxdefinitions	\usebtxdefinitions []		
usecitation	\usecitation []		
usecitation:direct	\usecitation {}		
usecolors	\usecolors []		
usecomponent	\usecomponent []		
usedummycolorparameter	\usedummycolorparameter {}		
usedummystyleandcolor	\usedummystyleandcolor {} {}		
usedummystyleparameter	\usedummystyleparameter {}		
useenvironment	\useenvironment []		
useexternalrendering	\useexternalrendering [] [] []		
usefigurebase	\usefigurebase []		
usefile	\usefile [] []		
usegridparameter	\usegridparameter \		
useindentingparameter	\useindentingparameter \		
useindentnextparameter	\useindentnextparameter \		
useinterlinespaceparameter	\useinterlinespaceparameter \		
uselanguageparameter	\uselanguageparameter \		
useluamodule	\useluamodule []		
useMPenvironmentbuffer	\useMPenvironmentbuffer []		
useMPgraphic	\useMPgraphic {} {=}		
useMPlibrary	\useMPlibrary []		
useMPrun	\useMPrun {} {}		
useMPvariables	\useMPvariables [] []		
usemathstyleparameter	\usemathstyleparameter \		
	\useproduct []		
useproduct useprofileparameter	\useprofileparameter \		
useproject	\useproject []		
usereferenceparameter	\userforect [] \usereferenceparameter \		
_	\userpagenumber		
userpagenumber usesetupsparameter	\usesetupsparameter \		
• •			
usestaticMPfigure	\usestaticMPfigure [=] [] \usesubpath []		
usesubpath			
usetexmodule	\usetexmodule [] [] []		
usetypescript	\usetypescript [] []		
usetypescriptfile	\usetypescriptfile []		
usezipfile	\usezipfile [] []		
utfchar	\utfchar {}		
utflower	\utflower {}		
utfupper	\utfupper {}		
utilityregisterlength	\utilityregisterlength		
VerboseNumber	\VerboseNumber {}		
vaia	\vaia {} []		
vaiabox	\vaiabox {} []		
vaiapagina	\vaiapagina {} []		
vaigiu	\vaigiu []		
valorecolore	\valorecolore {}		
vboxreference	\vboxreference [] {}		
vec	\vec {}		
verbatim	\verbatim {}		
verbatimstring	\verbatimstring {}		
verbosenumber	\verbosenumber {}		
versione	\versione []		
verticalgrowingbar	\verticalgrowingbar [=]		
verticalpositionbar	\verticalpositionbar [=]		
veryraggedcenter	\veryraggedcenter		
veryraggedleft	\veryraggedleft		
veryraggedright	\veryraggedright		
vglue	\vglue		
viewerlayer	\vert		
vl	\v1 []		
vpackbox	\vpackbox		
vpackedbox	\vpackedbox		
vphantom	\vphantom {}		
vpos	\vpos {} {}		

vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	$\xmlapplyselectors {}$
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
xmlbeforesetup	\xmlbeforesetup {} {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \ \{\}$
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange {} {} {} {} {}
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectives	\xmldirectives ()
xmldirectivesdatel	
YMITGILECCIVESDEIOLE	\wmldiroctivochoforo J
wmldianlawwarha+im	\xmldirectivesbefore {}
xmldisplayverbatim	\xspace
xmldoif	\xmldisplayverbatim {} \xmldoif {} {}
xmldoif xmldoifatt	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {}
xmldoif xmldoifatt xmldoifelse	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetxt {} {} {} \xmldoifelsetxt {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfolfolfolfolfolfolfolfolfolfolfolfolf
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnotselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifnotselfempty {} {} \xmldoifnotselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifnottext xmldoifselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifnottext {} {} \xmldoifnottext {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnott {} {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftert {} {} \xmldoiftert {} {} \xmldoiftert {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfoltett {} {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifiltext {} {} \xmldoifiltext {} {} \xmldoifiltext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflush {} \xmlflush {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush xmlflushcontext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflush {} \xmlflush {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfirst xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilushcontext {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xmlflushpure {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushspacewise</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushpure {} \xmlflushpure {} \xmlflushspacewise {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushspacewise xmlflushtext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushtext {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnottext xmldoifnottext xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure xmlflushpure xmlflushtext xmlinclude</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfelsevalue {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushtext {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushtext xmlinclude xmlinclude</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfelsevalue {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xmlflushpure {} \xmlflushtext {} \xmlflushinclude {} {} \xmlflushinclude {} {} \xmlinclude {} {} \xmlinclusion {}

xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint \{\ldots\} \{\ldots\}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective \{\ldots\} \{\ldots\}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {} {} {}
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {} {}
xmlloadonly	\xmlloadonly {} {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace \{\ldots\}
•	\xmlpar {} {}
xmlpar	
xmlparam	\xmlparam {} {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint \{\ldots\}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	$\mbox{xmlprocessdata } \{\} \{\}$
xmlprocessfile	$\mbox{xmlprocessfile } \{\} \ \{\}$
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname {} {} {}
xmlremapnamespace	\xmlremapnamespace {} {} {}
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}
xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsave \(\cdot\) \(\cdot\) \(\cdot\)
xmlsetattribute	\xmlsetatt () () () \xmlsetattribute () () ()
xmlsetentity	\xmlsetattiibute \(\(\cdot\) \(\cdot\) \(\cdot\)
•	
xmlsetfunction	\xmlsetfunction {} {} {}
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar	\xmlsetpar {} {}
xmlsetparam	\xmlsetparam {} {} {} {}
xmlsetsetup	\xmlsetsetup {} {} {}
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
xmlstripnolines	$\xim xmlstripnolines {} {}$
xmlstripped	$\mbox{xmlstripped } \{\}$
xmlstrippednolines	\xmlstrippednolines {} {}
	(
xmltag	\xmltag {}
xmltag xmltexentity	= =
<u> </u>	\xmltag {}
xmltexentity	\xmltag {} \xmltexentity {} {}
xmltexentity xmltext	<pre>\xmltag {} \xmltexentity {} {} \xmltext {} {}</pre>
<pre>xmltexentity xmltext xmltobuffer</pre>	\xmltag \{\} \xmltexentity \{\} \xmltext \{\} \xmltobuffer \{\} \{\}
xmltexentity xmltext xmltobuffer xmltobufferverbose	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {}
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {}
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim xsplitstring</pre>	<pre>\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {} \xmlverbatim {} \xsplitstring \ {}</pre>
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}

