Context comandi



ConTEXt comandi

it / italiano 21 febbraio 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
ambiente:string	\ambiente
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
••	
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ {}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{}
applytosplitstringword	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ {}
applytowords	\applytowords \ {}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension {} \ {} {} {}
	·

assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth $\{\ldots\}$ \ $\{\ldots\}$
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral automathematics	\autointegral {} {} {} \automathematics {}
autosetups	\automathematics \langle \lang
autosetups	\autosetups () \autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage $\{\}$ $\{\}$ $\{\}$
backgroundimagefill	\backgroundimagefill \{\} \{\} \{\}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar bar:instance:nobar	\hiddenbar {} \nobar {}
bar:instance:nobar	\novar \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
bar:instance:overbar	\overbar \(\cdot\)
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix bbox	\bbordermatrix {} \bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginblox	\beginbbox \endbbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
higskin	\bigskip

bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
•	·
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
•	
boxcursor	boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ \ \{\}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
-	
breakhere	breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
	\bTABLEnext [=] \eTABLEnext
bTABLEnext	
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
	·
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked $\{\}$ $\{\}$ $\{\}$
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<u>-</u>	
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
V-	
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
•	
btxhybridcite:direct	\btxhybridcite {}

btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsiect [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {}
capoverso:instance:ownnumber:chapter	\chapter [] {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {}
capoverso:instance:ownnumber:subject	\subject [] {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [] {} {}
<pre>capoverso:instance:ownnumber:title capoverso:instance:part</pre>	\title [] {} \part [] {}
	\part [] \\section [] \\.
capoverso:instance:section	
<pre>capoverso:instance:subject capoverso:instance:subsection</pre>	\subject [] {} \subsection [] {}
capoverso:instance:subsection	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsection capoverso:instance:subsubsubject	
capoverso:instance:subsubsubsection	\subsubsubject [] {} \subsubsubsection [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] \\subsubsubsubject [] \\
capoverso:instance:subsubsubsubsection	\subsubsubsubsection [] {}
capoverso. Instance. subsubsubsubsection	/rarsansansansection [] []

capoverso:instance:subsubsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemical [] [] \chemicalbottext {}
chemicalmidtext	\chemicalbottext \{\dots\}
chemical symbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
	-

comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
-	
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
-	-
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
	_
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
-	
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\} \\
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero \{\ldots\} \{\ldots\}
convertmenth	\convertmonth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
- ·	
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
- ·	
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
counterguls	\countergular [] []
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}

ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
	•
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	$\verb \currentlistentrydestinationattribute $
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
•	<u>=</u>
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable {} {} {}
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrement	\decrement \ \decrement counter [] []
decrementedcounter	\decrementcounter [] \decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \ \{}
defconvertedargument	\defconvertedargument \ {}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \}
defineactivecharacter	\defineactivecharacter {}
defineactivecharacter definealternativestyle	\defineattivecharacter \definealternativestyle [] [] []
•	
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []

definebackground	\definebackground [] [=]
definebar	<u> </u>
	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	
<u>.</u>	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecombination	\definecombination [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	<u> </u>
	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
· ·	
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [] [=]
definefontalternative	
	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
* <u>*</u>	
definefontfeature	\definefontfeature [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	
	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
0 11 0	
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] [] []
•	-
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]

defineinterfaceconstant defineinterfaceelement	\defineinterfaceconstant \{\delta\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
defineinterfacevariable	\defineinterfaceerement \(\lambda \ \) \\defineinterfacevariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
defineinterlinespace	\defineinterlacevariable \(\cdot\)\\defineinterlinespace \[\cdot\] \[\cdot\] \[\cdot\]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [] [] \defineitemgroup [] []
defineitems	\defineitems [] [] []
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble definemathdoubleextensible	\definemathdouble [] [] [] \definemathdoubleextensible [] [] [] []
definemathematics	\definemathdoubleextensible [] [] [] \definemathematics [] [] [=]
definemathematics definemathextensible	\definemathematics [] [] [] \definemathextensible [] []
definemathertensible	\definemathfence [] [] []
definemathfraction	\definemathfraction [] [] [=]
definemathframed	\definemathframed [] [] [] \definemathframed [] []
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemultitonecolor definenamedcolor	\definemultitonecolor [] [=] [=] \definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [] []
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [=]
definepagegrid	\definepagegrid [] [=]
definepagegridarea	\definepagegridarea [] [=]
definepagegridspan	\definepagegridspan [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel []

defineparbuilder	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [] [=]
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=] \defineunit [] [=]
defineunit definevieverlever	
defineviewerlayer	\defineviewerlayer [] [] [] \definevspace [] []
definevspace definevspacing	\definevspacing [] []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [] []
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] []
definiscibloccosezione	\definiscibloccosezione [] [] [=]
definiscibuffer	\definiscibuffer [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [] [=]
definiscietichetta	\definiscietichetta [] [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]

definiscilayout	\definiscilayout [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] [] []
	\definiscistackcampi [] [] [] \
definiscistackcampi definiscistile	
	\definiscistile [] [] []
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] [] [//]
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [=]
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\ldots\} \\\.\}
depthstrut	
-	\depthstrut \DESCRIZIONE [] {} \par
descrizione:example	· ·
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight \{\} \directhighlight \{\}
directlocalframed	\directnightight \(\ldots\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\right\rightarrou\right\right\right\right\right\right\right\right\right\right
directluacode	
	\directluacode {}
directselect	\directselect \{\directselect
directsetbar	(directsetbar ()
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime

disabletrackers	\disabletrackers []
displaymath	\displaymath \{\}
- ·	
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext \{\\} \\\\.\}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif \{\} \\\}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes \{\} \{\}
doifallmodeselse	\doifallmodeselse {} {}
doifassignmentelse	\doifassignmentelse {} {}
doifblackelse	\doifblackelse {} {} {}
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse \{\} \{\} \{\}
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor \{\ldots\}
doifcolorelse	\doifcolorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcommandhandler	\doifcommandhandler \ \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse {} {} {}
doifcontent	\doifcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversiondefinedelse	\doifconversiondefinedelse $\{\ldots\}$ $\{\ldots\}$
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined \{\ldots\} \\\
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse {} {} {}
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument \{\ldots\} \\\
doifdocumentargumentelse	\doifdocumentargumentelse {} {}
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	$\doint \{\} \{\}$
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {}
doifelsebuffer	\doifelsebuffer {} {}
doifelsecolor	\doifelsecolor \{\} \\\.\}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doll-elbecommunation and let	/AOTIGIBECOMMUNICATION (f f f f

doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined $\{\ldots\}$ $\{\ldots\}$
doifelseconversionnumber	\doifelseconversionnumber $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsecounter	\doifelsecounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\}$ $\{\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined $\{\}$ $\{\}$
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\
doifelsedimension	\doifelsedimension $\{\ldots\}$ $\{\ldots\}$
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \{\ldots\}
doifelsedocumentargument	\doifelsedocumentargument $\{\ldots\}$ $\{\ldots\}$
doifelsedocumentfilename	\doifelsedocumentfilename $\{\ldots\}$ $\{\ldots\}$
doifelsedrawingblack	\doifelsedrawingblack {} {}
doifelseempty	\doifelseempty $\{\}$ $\{\}$
doifelseemptyvalue	\doifelseemptyvalue $\{\}$ $\{\}$
doifelseemptyvariable	\doifelseemptyvariable $\{\}$ $\{\}$ $\{\}$
doifelseenv	\doifelseenv {} {}
doifelsefastoptionalcheck	$\doing \doing $
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \{\ldots\}
doifelsefigure	\doifelsefigure {} {}
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \{\ldots\} \\
doifelsefileexists	\doifelsefileexists \{\ldots\} \{\ldots\} \\
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged {} {} {}
doifelsefontchar	\doifelsefontchar \{\} \{\} \{\}
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	\doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehasspace	\doifelsehasspace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname \{\} \{\} \{\}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks doifelseintwopassdata	\doifelseintoks \{\doifelseintwopassdata \{\do
doifelseitalic	\doifelseitalic \{\ldots\} \\\.\}
doifelselanguage	\doifelselanguage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\.\\\
doifelseleapyear	\doifelseleapyear \{\} \{\}
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \\\.\}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking \{\ldots\} \{\ldots\}
doifelsemeaning	\doifelsemeaning \ \ {} {}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive {} {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage $\{\ldots\}$ $\{\ldots\}$
doifelsenothing	\doifelsenothing $\{\ldots\}$ $\{\ldots\}$
doifelsenumber	\doifelsenumber $\{\ldots\}$ $\{\ldots\}$
doifelseobjectfound	\doifelseobjectfound $\{\}$ $\{\}$ $\{\}$
doifelseobjectreferencefound	\doifelseobjectreferencefound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \{\ldots\}

doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlapping	\doifelseoverlapping $\{\}$ $\{\}$ $\{\}$
doifelseoverlay	\doifelseoverlay {} {} {}
doifelseparallel	\doifelseparallel {} {} {} {}
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns $\{\}$ $\{\}$
doifelseposition	\doifelseposition $\{\}$ $\{\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage $\{\}$ $\{\}$ $\{\}$
doifelsepositionsonsamepage	$\verb \doifelsepositionsonsamepage {} {} {}$
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \{\ldots\} \\
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \{\ldots\}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\} \\
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring	\doifelsesamestring {} {} {}
doifelsesetups	\doifelsesetups \{\ldots\} \\doifelsesetups \{\ldots\} \\doifelsesetup\} \\doifelsesetups \{\ldots\} \\doifelsesetup\} \
doifelsesomebackground	\doifelsesomebackground \{\doifelsesomebackground \{\doifelsesomebackg
doifelsesomespace	\doifelsesomespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsesometoks	\doifelsesomething \{\ldots\} \{\ldots\} \\doifelsesometoks \\ldots\ \{\ldots\} \\doifelsesometoks \\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\doifelsesometoks\\d
doifelsestringinstring	\doifelsestringinstring \{\} \{\} \{\}
doifelsestructurelisthasnumber	\doifelsestringinstring \(\ldots\) \(\ldots\) \doifelsestructurelisthasnumber \(\ldots\) \(\ldots\)
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \{\ldots\}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\.\\\
doifelsesymbolset	\doifelsesymbolset \{\doifelsesymbolset \{\doifelse
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow {} {}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\ \{\ldots\}
doifelseurldefined	\doifelseurldefined \{\ldots\} \\ \{\ldots\}
doifelsevalue	\doifelsevalue {} {} {}
doifelsevaluenothing	\doifelsevaluenothing $\{\}$ $\{\}$
doifelsevariable	\doifelsevariable {} {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse doiffile	\doiffigureelse {} {} {} \doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\.\}
doiffileelse	\doiffileelse \{\ldots\} \\\ \ldots\}
doiffileexistselse	\doiffileexistselse \{\} \{\}
doiffirstcharelse	\doiffirstcharelse {} {} {} {}
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse {} {} {}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse {} {} {}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse {} {} {} {}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse {} {} {}
doifinsertionelse	\doifinsertionelse {} {} {}
doifinset	\doifinset {} {} {}
doifinsetelse	\doifinsetelse $\{\}$ $\{\}$ $\{\}$
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintokselse	\doifintokselse $\{\}$ $\{\}$ $\{\}$

doifintwopassdataelse	$\doise {\ldots} {\ldots} {\ldots} {\ldots}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {} {}
doiflayerdataelse	\doiflayerdataelse {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
3	•
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{} \{}
doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\} \{\}
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\
doifnonzeropositiveelse	\doifnonzeropositiveelse $\{\ldots\}$ $\{\ldots\}$
doifnot	\doifnot {} {}
doifnotallcommon	\doifnotallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcounter	\doifnotcounter \{\ldots\}
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \{\ldots\}
doifnotdocumentfilename	\doifnotdocumentfilename \{\ldots\} \\ \\.\\
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \{\ldots\}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \\\.\}
doifnotescollected	\doifnotescollected \{\ldots\}\\\
doifnotfile	\doifnotfile \{\ldots\}
doifnotflagged	\doifnotflagged \{\ldots\}
doifnothing	\doifnothing \{\ldots\}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\} \{\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvariable	\doifnotvariable {} {}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	
1 0	\doifoddpageelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse {} {} {}
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	
-	\doifpathexistselse \{\ldots\}\{\ldots\}\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition \{\} \{\}
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\ 1. * C * 1 *
	\doifpositionactionelse $\{\}$ $\{\}$
doifpositionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse doifpositiononpageelse	\doifpositionelse $\{\ldots\}$ $\{\ldots\}$
doifpositiononpageelse	\doifpositionelse $\{\}$ $\{\}$ \doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositiononpageelse doifpositionsonsamepageelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositionelse $\{\}$ $\{\}$ \doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$

doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifsamestring	\doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {}
doifsomething	\doifsomething \{\ldots\} \\\.\}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	
	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\ldots\} \\\
doifstructurelisthaspageelse	\doifstructurelisthaspageelse \{\} \{\}
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \\\
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse {} {}
	\doiftopofpageelse {} {}
doiftopofpageelse	
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\\
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing \{\ldots\} \\\
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\
doifvaluesomething	\doifvaluesomething \{\ldots\} \\\
doifvariable	\doifvariable \{\} \\ \\}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	
	\doquadruplegroupempty \ \{\} \\\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetrightskipadaption dosetupcheckedinterlinespace	\dosetingntskipadaption () \dosetupcheckedinterlinespace {=}
<u>.</u>	<u> </u>
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {}

dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ $\{\}$ $\{\}$
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent $\{\}$ $\{\}$ \ $\{\}$
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ {}
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
•	\dowithwargument \
	=
	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
·	\EveryPar {}
	=
	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
-	
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
	\em
em	·
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
-	\env {}
env	
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
-	·
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expanded	\expanded {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
	\expdoifcommonelse {} {} {}
expdoifelse	
- ·	\expdoifelse \{\} \\\.\.\\\\.\.\\\\\\\\\\\\\\\\\\
expdoifelsecommon	\expdoifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
	•
	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox

fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature \{\} \{\}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE \{\ldots\}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] [] \fetchmarking [] []
fetchmarking fetchonemark	\fetchmarking [] [] \fetchonemark []
fetchonemarking	\fetchonemark [] [] \fetchonemarking [] []
fetchruntinecommand	\fetchronemarking [] [] \fetchronemarking [] []
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fifthofsixarguments	\fifthofsixarguments {} {} {} {} {}
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfrommalue { \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
filterfromvalue	(Tilletilomvalue () ()
filterpages	\filterpages [] [=]
filterreference findtwopassdata	\filterreference \{\ldots\} \findtwopassdata \{\ldots\} \{\ldots\}
finishregisterentry	\finishregisterentry [] [=] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstoffivearguments	\firstoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoffourarguments	\firstoffourarguments {} {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments \{\} \{\} \{\} \{\} \{\}
firstofthreearguments	\firstofthreearguments {} {}
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}

flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens flushtoks	\flushtokens [] \flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\ \\ \}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	ackslashforcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox \{\}
fourthoffivearguments	\fourthoffivearguments \{\dots\} \{\dots\} \{\dots\} \{\dots\} \\\
fourthoffourarguments fourthofsixarguments	\fourthoffourarguments \{\dots\} \{\dots\} \{\dots\} \\fourthofsixarguments \{\dots\} \{\dots\} \{\dots\} \{\dots\} \\dots\} \dots\} \\dots\} \dots\} \\dots\} \\dots
frameddimension	\frameddimension \{\ldots\}
framedparameter	\framedqarameter {}
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac {} {}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] [] \frenchspacing
frenchspacing fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize getdayoftheweek	\getcommalistsize [] \getdayoftheweek {} {}
getdayspermonth	\getdayspermonth {} {}
getdayspermonth getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}

<u> </u>	\getfromcommacommand [] [] \getfromcommalist [] []
	\getfromtwopassdata {} {}
	\getglyphdirect {} {}
	\getglyphstyled {} {}
	\getgparameters [] [=]
	\getlasttwopassdata {}
<u> </u>	\getlocalfloat {}
	\getlocalfloats
	\getMPdrawing \getMPlayer [] [=] {}
	\getmessage {} {}
	\getnamedglyphdirect {} {}
	\getnamedglyphstyled {} {}
	\getnamedtwopassdatalist \ \{\}
	\getnaturaldimensions
	\getnoflines {}
	\getobject {} {}
	\getobjectdimensions {} {}
	\getpaletsize [] \getparameters [] [=]
· .	\getprivatechar {}
	\getprivateslot {}
	\getrandomcount \ {} {}
	\getrandomdimen \ \{\} \{\}
	\getrandomfloat \ \{} \{}
	\getrandomnumber \ \{} \{}
getrandomseed	\getrandomseed \
	\getraweparameters [] [=]
	\getrawgparameters [] [=]
<u> </u>	\getrawnoflines {}
	\getrawparameters [] [=]
•	\getrawxparameters [] [=] \getreference [] []
	\getreferenceentry {}
	\getroundednoflines {}
	\getsubstring {} {}
	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
	\getuvalue {}
	\getvalue {}
	\getvariable {} {}
•	\getvariabledefault {} {}
	\getxparameters [] [=] \giornosettimana {}
	\globaldisablemode []
	\globalenablemode []
<u> </u>	\globalletempty \
	\globalpopbox
globalpopmacro	\globalpopmacro \
O 1	\globalpreventmode []
	\globalprocesscommalist [] \
	\globalpushbox
O 1	\globalpushmacro \
• •	\globalpushreferenceprefix {} \globalpopreferenceprefix \globalswapcounts \ \
	\globalswapcounts \ \ \globalswapdimens \ \
	\globalswapmacros \ \
•	\globalundefine {}
	\glyphfontfile {}
	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {}
	\gobblefivearguments {} {} {} {}
	\gobblefiveoptionals [] [] [] []
	\gobblefourarguments {} {} {}
	\gobblefouroptionals [] [] []
	\gobbleninearguments {} {} {} {} {} {} {} {} {} {}
	\gobbleoneargument {} \gobbleoneoptional []
	\gobblesevenarguments \{\ldots\}
	\gobblesingleempty []
9 . 1	\gobblesixarguments {} {} {} {} {}
	\gobblespacetokens
	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobblethreearguments {} {}

gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\h1 []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
htdpofetring	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\https://https://html.
hyphen hyphenatedcoloredword	\hyphen \hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedtoloredword \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
hyphenatedfilename	\hyphenatedfile \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
nyphengegrifengme	ull bueng regittename ()

hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
	- -
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
	\impostacima [] [=]
impostacima	-
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
	\impostainterlinea [] \impostainterlinea []
impostainterlinea:name	-
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
=	=

impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
<pre>impostaregistro:instance:index</pre>	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiintostazioni	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] [] \impostatesto [] [-]
impostatesto	\impostatesto [] [=]
<pre>impostatesto impostatestoetichette:instance</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel</pre>	<pre>\impostatesto [] [=] \impostatABELtesto [] [=] \impostabtxlabeltesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampost</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampostampos</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostapperatortesto [] [=] \impostapperatortesto [] [=] \impostappostasuffixtesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostatimpostasuffixtesto [] [=] \impostatimpostataglabeltesto [] [=] \impostaunittesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] []</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostatimpostasuffixtesto [] [=] \impostatimpostataglabeltesto [] [=] \impostaunittesto [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatelleranza</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] [] [] \impostatolleranza []</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [=] \impostatunittesto [] [] [] [] \impostatolleranza [] \impostatransizionepagina []</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [=] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype impostatyping</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostataglabeltesto [] [=] \impostatupostataglabeltesto [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype impostatyping impostaurl</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype impostatype impostatyping impostaurl imposta:direct</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostatunostatyping [] [] \impostatunostatyping [] [=] \impostatunostatyping [] [=]</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostatesto [] [=] \impostatesto [] [=] \impostatesto [] [=] \impostatesto [] [] [] [] [] \impostatesto [] [] [] [] \impostatesto [] [] [] [] \impostatesto [] [] \impostatype [] [] \impostatyping [] [] \impostatesto [] [] [] \impostatesto [] [] [] \impostatesto [] [] [] \i</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostatesto [] [=] \impostatesto [] [=] \impostatestatesto [] [=] \impostatestatesto [] [] [] [] \impostatestotesti [] [] [] [] \impostatestotesti [] [] [] \impostatype [] [=] \impostatyping [] [=] \impostatyping statesto [] [] \impostatestotesti [] [] \impostatestotesti [] [] \impostatyping [] [=] \impostatyping statestotesti [] \impostatestotesti [] [] \impostatestotesti [] [] \impostatestotesti [] \impostatestotesti [] \impostatestotesti [] [] \impostatestotesti [] \impostatesti [] \impos</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatestotesti [] [] [] [] \impostatype [] [=] \impostatyping [] [=] \impostatyping statyping [] [] \impostatyping statyping staty</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestoleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostalabeltesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [] [] [] \impostatestotesti [] [] [] [] \impostatestotesti [] [] [] \impostatestotesti [] \impostatesti [] \impostatesti [] \impostatesti [] \impostatesti [] \impostatesti [] \impostat</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostalabeltesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [] \impostampostatesto [] [] [] [] \impostampostatesto [] [] [] [] \impostatestotesti [] [] [] [] \impostatestotesti [] [] \impostatestotesti [] [] \impostatestotesti [] [] \impostatestotesti [] [] \impostatyping [] [] \impostatyping [] [] \impostatyping [] [] \inclinato \inclinatograssetto \inclinatograssetto \inclinatodeversioninfo {} \incorniciato [] {} \FRAMED [] {} \FRAMED [] {} \</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatype impostatyping impostaurl impostacdirect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostalabeltesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostaperatortesto [] [=] \impostapostaperatortesto [] [=] \impostatesto [] [=] \impostatesto [] [] \impostatesto [] [] [] [] [] \impostatesto [] [] [] [] \impostatesto [] [] \impostatesto [] [] \impostatesto [] [] \impostatyping [] [] \impostatyping [] [] \impostate [] \in {} {} [] \in {} {} [] \inclinato \inclinatograssetto \includemenu [] \incorniciato [] {} \fitfieldframed [] {} \fitfieldframed [] {} \fitfieldframed [] {}</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostalabeltesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaperfixtesto [] [=] \impostatipostatifixtesto [] [=] \impostatipostatifixtesto [] [] \impostatipostatifixtesto [] [] [] [] \impostatipostatesto [] [] [] [] \impostatipostatesto [] [] [] [] \impostatipostatifixtesto [] [] \intolimpostatifixtesto [] [] \intolimpostatifixtest</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatype impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaperfixtesto [] [=] \impostaupostauffixtesto [] [=] \impostataglabeltesto [] [=] \impostatupostatesto [] [] [] [] [] \impostatupostatesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatyping [] [=] \impostatyping [] [=] \impostatyping startyping [] [] \impostatupostatyping [] [] \infolinato \inclinatograssetto \inclinatograssetto \inclinatograssetto \inclinatodudemenu [] \incorniciato [=] {} \fitfieldframed [=] {} \inframed [=] {} \inframed [=] {} \incornementa \</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestoleranza impostatransizionepagina impostatype impostatyping impostaurl impostacidirect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incrementa incrementa:argument</pre>	<pre>\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaperfixtesto [] [=] \impostaufostaglabeltesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostat [=] \in {} {} [] \inclinato \inclinatograssetto \inclinatograssetto \includemenu [] \incorniciato [=] {} \iffifieldframed [=] {} \inframed [=] {} \incrementa \ \incrementa cd:parentheses-s</pre>
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:daglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatolleranza impostatype impostatyping impostaurl impostactinect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument incrementcounter</pre>	\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaperfixtesto [] [=] \impostatufpostatuffixtesto [] [=] \impostatufpostatuftesto [] [=] \impostatufpostatuftesto [] [] [] [] [] \impostatufpostatuftesto [] [] [] [] [] \impostatufpostatuftesto [] [] [] [] \impostatufpostatuftesto [] [] \inclinatograssetto \inclinatograssetto \inclinatograssetto [] [] \includeversioninfo {} \incorniciato [=] {} \iffitfieldframed [=] {} \inframed [=] {} \inframed [=] {} \incrementa dciparentheses-s \incrementcounter [] []
<pre>impostatesto impostatestoetichette:instance:btxlabel impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatolleranza impostatoransizionepagina impostatype impostatyping impostaurl impostactichette:instance:instance inclinato inclinato inclinato inclinatocininato inclinatoraniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa incrementacounter incrementedcounter</pre>	\impostatesto [] [=] \impostatABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostaperatortesto [] [=] \impostapostaperatortesto [] [] \impostatestofixtesto [] [] \impostatestatesto [] [] \impostatestatesto [] [] \impostatestatesto [] [] \impostatestatesto [] [] [] \impostatestatesto [] [] \impostatestatesto [] [] \impostatestatesto [] [] \impostatestatesto [] [] \impostatestatesti [] [] [] [] \impostatestatesti [] [] [] [] [] \impostatestatesti [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] [] []
<pre>impostatesto impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:daglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatolleranza impostatype impostatyping impostaurl impostactinect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument incrementcounter</pre>	\impostatesto [] [=] \impostaLABELtesto [] [=] \impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaperfixtesto [] [=] \impostatufpostatuffixtesto [] [=] \impostatufpostatuftesto [] [=] \impostatufpostatuftesto [] [] [] [] [] \impostatufpostatuftesto [] [] [] [] [] \impostatufpostatuftesto [] [] [] [] \impostatufpostatuftesto [] [] \inclinatograssetto \inclinatograssetto \inclinatograssetto [] [] \includeversioninfo {} \incorniciato [=] {} \iffitfieldframed [=] {} \inframed [=] {} \inframed [=] {} \incrementa dciparentheses-s \incrementcounter [] []

```
incrementvalue
                                                      \incrementvalue {...}
indentation
                                                      \indentation
infofont
                                                      \infofont
{\tt infofontbold}
                                                      \infofontbold
                                                      \inheritparameter [...] [...]
inheritparameter
inhibitblank
                                                      \inhibitblank
initializeboxstack
                                                      \initializeboxstack {...}
iniziaalignment
                                                      \iniziaalignment [...] ... \terminaalignment
                                                      \iniziaallineacentro ... \terminaallineacentro
iniziaallineacentro
                                                      \iniziaallineadestra ... \terminaallineadestra
iniziaallineadestra
                                                      \iniziaallineasinistra ... \terminaallineasinistra
iniziaallineasinistra
iniziaallmodes
                                                      iniziaambiente
                                                      \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambientebloccosezione
                                                      \iniziaambiente ... \terminaambiente
iniziaambiente:string
                                                      \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance
                                                      \iniziaattachment [...] [..=..] ... \terminaattachment
iniziaattachment:instance:attachment
                                                      \iniziabar [...] ... \terminabar
iniziabar
                                                      \iniziabbordermatrix ... \terminabbordermatrix
iniziabbordermatrix
iniziabitmapimage
                                                      \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix
                                                      \iniziabordermatrix ... \terminabordermatrix
{\tt iniziabtxrendering definitions}
                                                      \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions
                                                      \iniziabuffer [...] ... \terminabuffer
iniziabuffer
                                                      \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance
iniziabuffer:instance:hiding
                                                      \iniziahiding ... \terminahiding
                                                      \iniziacapoverso [...] [..=..] ... \terminacapoverso \iniziaSECTION [..=..] [..=..] ... \terminaSECTION \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso
iniziacapoverso:instance
iniziacapoverso:instance:chapter
                                                      \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:part
                                                      \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:section
                                                      \iniziasubject [..=..] [..=..] ... \terminasubject \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subject
iniziacapoverso:instance:subsection
                                                      \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubject
iniziacapoverso:instance:subsubsection
                                                      \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
                                                      iniziacapoverso:instance:subsubsubject
iniziacapoverso:instance:subsubsubsection
                                                      \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubject
                                                      \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsect
iniziacapoverso:instance:subsubsubsubsection
                                                      iniziacapoverso:instance:subsubsubsubsubject
                                                      \iniziatitle [..=..] [..=..] ... \terminatitle \iniziacatcodetable \... \terminacatcodetable
iniziacapoverso:instance:title
iniziacatcodetable
                                                      \iniziacenteraligned ... \terminacenteraligned
iniziacenteraligned
iniziacharacteralign
                                                      \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences
                                                      \iniziacheckedfences ... \terminacheckedfences
iniziachemical
                                                      \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella
                                                      \iniziacodatabella [...] ... \terminacodatabella
                                                      \iniziacodatabulato [...] ... \terminacodatabulato
iniziacodatabulato
                                                      \iniziacollect ... \terminacollect
iniziacollect
iniziacollecting
                                                      \iniziacollecting ... \terminacollecting
                                                      \iniziacolonne [..=..] ... \terminacolonne \iniziacolore [...] ... \terminacolore
iniziacolonne
iniziacolore
                                                      \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                      \iniziacoloronly [...] ... \terminacoloronly
                                                      \iniziacolorset [...] ... \terminacolorset \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacolorset
iniziacolumnspan
iniziacombination
                                                      \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix
                                                      \iniziacombination [...] [...] ... \terminacombination
                                                      \iniziacommentopagina ... \terminacommentopagina
iniziacommentopagina
iniziacommento:instance
                                                      \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
                                                      \iniziacomment [...] [..=..] ... \terminacomment
iniziacommento:instance:comment
                                                      \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet
iniziacomponenet:string
                                                      \iniziacomponenet ... \terminacomponenet
                                                      \iniziacontextcode ... \terminacontextcode
iniziacontextcode
iniziacontextdefinitioncode
                                                      \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
                                                      \iniziactxfunction ... \terminactxfunction
iniziactxfunction
iniziactxfunctiondefinition
                                                      \iniziactxfunctiondefinition ... \terminactxfunctiondefinition
iniziacurrentcolor
                                                      \iniziacurrentcolor ... \terminacurrentcolor
                                                      iniziacurrentlistentrywrapper
iniziadelimited
iniziadelimitedtext
                                                      \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance
                                                      \iniziaDELIMITEDTEXT [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside
                                                      \iniziaaside [...] [...] ... \terminaaside
                                                      iniziadelimitedtext:instance:blockquote
iniziadelimitedtext:instance:quotation
                                                      \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:quote
```

iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
iniziadescrizione:example	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
	\iniziadmath \terminadmath
	\iniziadocument [=] \terminadocument
	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
	\iniziaelement {} [=] \terminaelement
	\iniziaelemento [] \terminaelemento \iniziaembeddedxtable [=] \terminaembeddedxtable
	\iniziaembeddedxtable [] \terminaembeddedxtable \iniziaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
<u>.</u>	\iniziaexceptions [] \terminaexceptions
	\iniziaexpanded \terminaexpanded
	\iniziaexpandedcollect \terminaexpandedcollect
	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollect
iniziafigura	\iniziafigura [] [=] \terminafigura
	\iniziafisso [] \terminafisso
	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
	\iniziafloatcombination [=] \terminafloatcombination
	\iniziafloatcombination [] \terminafloatcombination \iniziaFLOATtesto [] [] \terminaFLOATtesto
<pre>iniziafloattext:instance iniziafloattext:instance:chemical</pre>	
iniziafloattext:instance:figure	\iniziachemicaltesto [] [] {} \terminachemicaltesto \iniziafiguretesto [] [] {} \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminal guretesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] \terminajraphicoesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
	\iniziafont [] \terminafont
	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
	\iniziaformule [] \terminaformule
	\iniziaframedcell [=] \terminaframedcell \iniziaframedcontent [] \terminaframedcontent
	\iniziaframedrow [=] \terminaframedrow
	\iniziaframedtable [] [=] \terminaframedtable
	\iniziagridsnapping [] \terminagridsnapping
	\iniziagridsnapping [] \terminagridsnapping
	\iniziahboxestohbox \terminahboxestohbox
	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
	\iniziahyphenation [] \terminahyphenation
	\iniziaimath \terminaimath
	\iniziaimpaccato [] \terminaimpaccato
	\iniziaincorniciato [] [=] \terminaincorniciato
	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
	\iniziainterazione [] \terminainterazione
	\iniziainterface \terminainterface \iniziaintertext \terminaintertext
	\iniziaintercext \terminaintercext \iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
	\iniziaJScode \terminaJScode
	\iniziaJSpreamble \terminaJSpreamble
•	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
	\inizialineamargine [=] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto

	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	
0 0	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
inizialinetablebody	\inizialinetablebody \terminalinetablebody
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [\terminalocalsetups
inizialocalsetups:string	\inizialocalsetups\terminalocalsetups
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
inizialuasetups	\inizialuasetups [] [] \terminaluasetups
inizialuasetups:string	\inizialuasetups \terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
•	
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	\iniziaMPpositiongraphic \{\docs\docs\docs\docs\docs\docs\docs\docs
1 0 1	
iniziaMPpositionmethod	\iniziaMPpositionmethod \{\dagger_{\dagger}\} \tag{\tag{\tag{\tag{\tag{\tag{\tag{
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
<u>-</u>	
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
iniziamathmatrix:instance	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
<pre>iniziamathmatrix:instance:mathmatrix iniziamathmatrix:instance:matrix</pre>	\iniziamatrix [=] \terminamatrix
<pre>iniziamathmatrix:instance:matrix iniziamathmode</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziamixedcolumns [] \terminamixedcolumns \iniziamixedcolumns [] \terminamixedcolumns
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziamixedcolumns [] \terminamixedcolumns \iniziamixedcolumns [] \terminamixedcolumns \iniziaboxedcolumns [] \terminaboxedcolumns
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamixedcolumns:instance:itemgroupcolumns</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziamixedcolumns [] \terminamixedcolumns \iniziaboxedcolumns [] \terminaboxedcolumns \iniziaitemgroupcolumns [] \terminaitemgroupcolumns
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaimode [] \terminamodeset \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [=] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaimode [] \terminamodeset \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection</pre>	\iniziamatrix [=] \terminamatrix \ iniziamathmode \terminamathmode \ iniziamathstyle [] \terminamathstyle \ iniziamatrices [=] \terminamatrices \ iniziamaxaligned \terminamaxaligned \ iniziamenuinterattivo [] \terminamenuinterattivo \ iniziamettiformula [=] \terminamettiformula \ iniziamettiformula [] \terminamettiformula \ iniziamiddlealigned \terminamiddlealigned \ iniziamixedcolumns [] [=] \terminamixedcolumns \ iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \ iniziaboxedcolumns [=] \terminaboxedcolumns \ iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ iniziamode [] \terminamode \ iniziamodule [] \ iniziamodule [] \terminamodule \ iniziamodule [] \terminamodule \ iniziamodule testsection \terminamodule \ iniziamodule \terminamodule \\ iniziamodule \\ iniziamodule \terminamodule \\ iniziamodule \\
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string</pre>	\iniziamatrix [=] \terminamatrix \iniziamathmode \terminamathmode \iniziamathmode \terminamathmode \iniziamathstyle [] \terminamathstyle \iniziamatrices [=] \terminamatrices \iniziamaxaligned \terminamaxaligned \iniziamenuinterattivo [] \terminamenuinterattivo \iniziamettiformula [] \terminamettiformula \iniziamettiformula [] \terminamettiformula \iniziamiddlealigned \terminamiddlealigned \iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \iniziaboxedcolumns [=] \terminaboxedcolumns \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \iniziaimode [] \terminamode \iniziamodeset [] \langle \terminamodule \iniziamodule [] \terminamodule \iniziamodule testsection \terminamodule \iniziamodule testsection \terminamodule \iniziamodule testsection \terminamodule \iniziamodule testsection \terminamodule \iniziamodule \iniziamodule testsection \terminamodule \iniziamodule \iniziamodule \iniziamodule \text{terminamodule}
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas</pre>	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixeDCOLUMNS [=] \terminaMIXEDCOLUMNS \ \iniziaboxedcolumns [=] \terminaboxedcolumns \ \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ \iniziamode [] \terminamode \ \iniziamodule [] \ \iniziamodule [] \ \iniziamodule \ \iniziamodule [] \ \iniziamodule \ \inizianamedsection \terminamodule \ \inizianamedsection [] [=] [] \terminanamedsection \ \inizianamedsubformulas [] \ \inizianamedsubformulas \ \inizianamedsubformulas \ \inizianamedsubformulas \ \inizianamedsubformulas \\ \inizianamedsubformulas
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixeDCOLUMNS [=] \terminaMIXEDCOLUMNS \ \iniziaboxedcolumns [=] \terminaboxedcolumns \ \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ \iniziamode [] \ \iniziamodeset [] \ \iniziamodule [] \ \iniziamodule \ \iniziamodule [] \ \iniziamodule \ \iniziamodule \ \inizianamedsection [] \ \inizianamedsection \ \inizianamedsection [] \ \inizianamedsubformulas \ \inizianamedsubformulas \ \inizianamedsubformulas \ \inizianamarrower [] \ \terminanarrower \ \inizianarrower \ \inizianarrower [] \\ \terminanarrower \\ \inizianarrower \\
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example</pre>	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixeDCOLUMNS [=] \terminaMIXEDCOLUMNS \ \iniziaboxedcolumns [=] \terminaboxedcolumns \ \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ \iniziamode [] \ \iniziamodeset [] \ \iniziamodule [] \ \iniziamodule \ \iniziamodule [] \ \iniziamodule \ \inizianamedsection [] \ \inizianamedsection \ \inizianamedsubformulas [] [=] \ \inizianamedsubformulas \ \inizianarrower [] \ \inizianarrower [] \ \iniziananarrower \ \iniziananarrower [] \ \iniziananananananananananananananananana
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamoduletestsection inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo</pre>	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixeDCOLUMNS [=] \terminaMIXEDCOLUMNS \ \iniziaboxedcolumns [=] \terminaboxedcolumns \ \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ \iniziamode [] \ \iniziamode \ \iniziamodule [] \ \iniziamodule \ \iniziamodule [] \ \iniziamodule \ \inizianamedsection \terminamodule \ \inizianamedsection [] [=] [=] \terminanamedsection \ \inizianamedsubformulas [] \ \inizianamedsubformulas \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianagativo \terminanarrower \ \inizianagativo \terminanarrower \ \inizianagativo \terminanagativo
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsection inizianarrower inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox</pre>	\iniziamatrix [=] \terminamatrix \ iniziamathmode \terminamathmode \ iniziamathstyle [] \terminamathstyle \ iniziamatrices [=] \terminamatrices \ iniziamaxaligned \terminamaxaligned \ iniziamenuinterattivo [] \terminamenuinterattivo \ iniziamettiformula [=] \terminamettiformula \ iniziamettiformula [] \terminamettiformula \ iniziamiddlealigned \terminamiddlealigned \ iniziamixedcolumns [] [=] \terminamixedcolumns \ iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \ iniziaboxedcolumns [=] \terminaboxedcolumns \ iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ iniziamode [] \terminamode \ iniziamodule [] \ iniziamodule [] \ iniziamodule [] \ iniziamodule \ inizianamedsection [] [=] [=] \terminanamedsection \ inizianamedsubformulas [] \ inizianamedsubformulas \ inizianarrower [] \ i
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixedcolumns [=] \terminamixedcolumns \ \iniziahixiaboxedcolumns [=] \terminaboxedcolumns \ \iniziatemgroupcolumns [=] \terminatemgroupcolumns \ \iniziaitemgroupcolumns [=] \terminamode \ \iniziamodule [] \terminamodule \ \iniziamodule [] \terminamodule \ \iniziamodule testsection \terminamodule \ \inizianamedsection [] [=] [=] \terminanamedsection \ \inizianamedsubformulas [] {} \terminanamedsubformulas \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianizianagativo \terminanarrower \ \inizianizianizianicelyfilledbox [=] \terminanicelyfilledbox \ \inizianointerference \terminanointerference
<pre>iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsection inizianarrower inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox</pre>	\iniziamatrix [=] \terminamatrix \ iniziamathmode \terminamathmode \ iniziamathstyle [] \terminamathstyle \ iniziamatrices [=] \terminamatrices \ iniziamaxaligned \terminamaxaligned \ iniziamenuinterattivo [] \terminamenuinterattivo \ iniziamettiformula [=] \terminamettiformula \ iniziamettiformula [] \terminamettiformula \ iniziamiddlealigned \terminamiddlealigned \ iniziamixedcolumns [] [=] \terminamixedcolumns \ iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS \ iniziaboxedcolumns [=] \terminaboxedcolumns \ iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ iniziamode [] \terminamode \ iniziamodule [] \ iniziamodule [] \ iniziamodule [] \ iniziamodule \ inizianamedsection [] [=] [=] \terminanamedsection \ inizianamedsubformulas [] \ inizianamedsubformulas \ inizianarrower [] \ i
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamoduletestsection iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamitdlealigned \terminamiddlealigned \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixedcolumns [=] \terminamixedcolumns \ \iniziahixiaboxedcolumns [=] \terminaboxedcolumns \ \iniziatemgroupcolumns [=] \terminatemgroupcolumns \ \iniziaitemgroupcolumns [=] \terminamode \ \iniziamodule [] \terminamodule \ \iniziamodule [] \terminamodule \ \iniziamodule testsection \terminamodule \ \inizianamedsection [] [=] [=] \terminanamedsection \ \inizianamedsubformulas [] {} \terminanamedsubformulas \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianarrower [] \terminanarrower \ \inizianizianagativo \terminanarrower \ \inizianizianizianicelyfilledbox [=] \terminanicelyfilledbox \ \inizianointerference \terminanointerference
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns:instance iniziamixedcolumns:instance:boxedcolumns iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule:string iniziamodule:string inizianamedsection inizianamedsection inizianarrower inizianarrower inizianarrower inizianarrower:example inizianicelyfilledbox inizianointerference inizianotallmodes	\iniziamatrix [=] \terminamatrix \ \iniziamathmode \terminamathmode \ \iniziamathstyle [] \terminamathstyle \ \iniziamatrices [=] \terminamatrices \ \iniziamaxaligned \terminamaxaligned \ \iniziamenuinterattivo [] \terminamenuinterattivo \ \iniziamettiformula [=] \terminamettiformula \ \iniziamettiformula [] \terminamettiformula \ \iniziamixedcolumns [] [=] \terminamixedcolumns \ \iniziamixedcolumns [] \terminamixedcolumns \ \iniziamixedcolumns [=] \terminamixedcolumns \ \iniziaboxedcolumns [=] \terminaboxedcolumns \ \iniziaitemgroupcolumns [=] \terminaitemgroupcolumns \ \iniziamode [] \terminamode \ \iniziamodeset [] {} \terminamodule \ \iniziamoduletestsection \terminamodule \ \inizianamedsection [] [=] [=] \terminamedsection \ \inizianamedsubformulas [] {} \terminanamedsubformulas \ \inizianarrower [] \terminanarrower \ \inizianizianoduledbox [] \terminanarrower \ \inizianizianoduledbox [] \terminanarrower \ \inizianizianoduledbox [] \terminanoduledbox \ \inizianoduledbox [] \terminanoduled
iniziamathmatrix:instance:matrix iniziamathmode iniziamathstyle iniziamatrices iniziamaxaligned iniziamenuinterattivo iniziamettiformula iniziamettiformula:argument iniziamiddlealigned iniziamixedcolumns iniziamixedcolumns:instance iniziamixedcolumns:instance:itemgroupcolumns iniziamode iniziamodeset iniziamodule:string iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianicelyfilledbox inizianotallmodes inizianotallmodes inizianotallmodes inizianotalinodes inizianota:instance	\iniziamatrix []\terminamatrix \iniziamathmode\terminamathmode \iniziamathstyle []\terminamathstyle \iniziamatrices []\terminamatrices \iniziamatrices []\terminamatrices \iniziamaxaligned\terminamaxaligned \iniziamenuinterattivo []\terminamenuinterattivo \iniziamettiformula []\terminamettiformula \iniziamettiformula []\terminamettiformula \iniziamitdlealigned\terminamiddlealigned \iniziamiziamixedcolumns []\terminamixeDCOLUMNS \iniziaMIXEDCOLUMNS []\terminaMIXEDCOLUMNS \iniziahoxedcolumns []\terminaboxedcolumns \iniziaitemgroupcolumns []\terminamodecolumns \iniziaitemgroupcolumns []\terminamodeset \iniziamodule []\terminamodule \iniziamodule []\terminamodule \iniziamoduletestsection\terminamodule \inizianamedsection [] [] []\terminanamedsection \inizianamedsubformulas [] {}\terminanarrower \inizianamedsubformulas [] {}\terminanarrower \inizianamedsubformulas []\terminanarrower \inizianamedsubformulas []\terminanarrower \inizianamedsubformulas []\terminanarrower \inizianogativo\terminanarrower \inizianogativo\terminanarrower \inizianicelyfilledbox []\terminanicelyfilledbox \inizianicianointerference\terminanointerference \inizianotallmodes []\terminanotallmodes \inizianotallmodes []\terminanotallmodes \inizianotallmodes []\terminanotallmodes \inizianotallmodes []\terminanotallmodes

```
inizianota:instance:assignment:footnote
                                                           \iniziafootnote [..=..] ... \terminafootnote
                                                           \iniziaendnote [...] ... \terminaendnote
inizianota:instance:endnote
                                                           \iniziafootnote [...] ... \terminafootnote
inizianota:instance:footnote
inizianotext
                                                           \inizianotext ... \terminanotext
                                                           \inizianotmode [...] ... \terminanotmode
inizianotmode
iniziaopposto
                                                           \iniziaopposto ... \terminaopposto
                                                           \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputstream
                                                           \iniziaoverprint ... \terminaoverprint \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziaoverprint
iniziapagefigure
                                                           \iniziapagegrid [...] [..=..] ... \terminapagegrid
iniziapagegrid
                                                           \iniziapagegridspan [...] [..=..] ... \terminapagegridspan
{\tt iniziapagegridspan}
iniziapagegrid:example
                                                           \iniziaPAGEGRID [..=..] ... \terminaPAGEGRID \iniziapagelayout [...] ... \terminapagelayout
iniziapagelayout
                                                           \iniziapar [...] [..=..] ... \terminapar
iniziapar
                                                           \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphs
iniziaparagraphscell
                                                           \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example
                                                           \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example
                                                           \iniziaPARALLEL ... \terminaPARALLEL
                                                           \iniziaparbuilder [...] ... \terminaparbuilder
iniziaparbuilder
                                                           \iniziaplacefloat [...] [..=..] ... \terminaplacefloat
{\tt iniziaplacefloat}
iniziaplacefloat:instance
                                                           \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical
                                                           \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
                                                           \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:figure
iniziaplacefloat:instance:graphic
                                                           \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo
                                                           \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
                                                           \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacefloat:instance:table
                                                           \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
\verb"inizia place paired box"
iniziaplacepairedbox:instance
                                                           \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend
                                                           \iniziamettilegend [..=..] ... \terminamettilegend
                                                           \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositioning
iniziapositionoverlay
                                                           \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo
                                                           \iniziapositivo ... \terminapositivo
                                                           \iniziaposporre [...] ... \terminaposporre
iniziaposporre
{\tt inizia} process assign {\tt mentcommand}
                                                           \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcom
iniziaprocessassignmentlist
                                                           \verb|\inizia process assignment list [..=..] ... \verb|\termina process assignment list|
{\tt inizia} process {\tt commacommand}
                                                           \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprocesscommalist
iniziaprodotto
                                                           \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string
                                                           \iniziaprodotto ... \terminaprodotto
                                                           \iniziaprogetto [...] ... \terminaprogetto \iniziaprogetto ... ... \terminaprogetto
iniziaprogetto
iniziaprogetto:string
                                                           \iniziaprotectedcolors ... \terminaprotectedcolors
iniziaprotectedcolors
iniziapubblicazione
                                                           \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized
                                                           \iniziarandomized ... \terminarandomized
iniziarawsetups
                                                           \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string
                                                           \iniziarawsetups ... \terminarawsetups
                                                           \iniziareadingfile ... \terminareadingfile
iniziareadingfile
iniziaregime
                                                           \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic
                                                           \verb|\iniziareusableMPgraphic {...} {...} ... \verb|\terminareusableMPgraphic {...} |
iniziariga
                                                           \iniziariga [...]
                                                           \verb|\iniziaLINES| [..=..] ... \verb|\terminaLINES| |
iniziarighe:instance
iniziarighe:instance:lines
                                                           \inizialines [..=..] ... \terminalines
iniziascript
                                                           \iniziascript [...] ... \terminascript
                                                           \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock
                                                           \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance
iniziasectionblock:instance:appendices
                                                           \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:backmatter
iniziasectionblock:instance:bodymatter
                                                           \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter
                                                           \iniziafrontmatter [..=..] ... \terminafrontmatter
                                                           \iniziasectionlevel [...] [..=..] ... \terminasectionlevel
iniziasectionlevel
                                                           \iniziasetups [...] [...] \terminasetups
iniziasetups
iniziasetups:string
                                                           \iniziasetups ... \terminasetups
                                                           \iniziasfondo [..=..] ... \terminasfondo \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziasfondo
iniziasfondo:example
                                                           \iniziashift [...] ... \terminashift
iniziashift
iniziasidebar
                                                           \iniziasidebar [...] [..=..] ... \terminasidebar
                                                           \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasimplecolumns
                                                           \iniziasospeso [..=..] {...} ... \terminasospeso \iniziasospeso [...] {...} ... \terminasospeso
iniziasospeso
iniziasospeso:argument
iniziasovrapponi
                                                           \iniziasovrapponi ... \terminasovrapponi
                                                           \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:item
                                                           \iniziaspecialitem [...] ... \terminaspecialitem \iniziaspecialitem [...] \{...\} ... \terminaspecialitem
iniziaspecialitem:none
iniziaspecialitem:symbol
iniziasplitformula
                                                           \iniziasplitformula ... \terminasplitformula
                                                           \iniziaspread ... \terminaspread
iniziaspread
```

```
iniziastartstop
                                                                                                       \inizia [...] ... \termina
\verb"iniziastartstop:example"
                                                                                                       \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure
                                                                                                       \mbox{\colored} \mbox{\color
iniziastaticMPgraphic
                                                                                                       \verb|\iniziastaticMPgraphic {...} {...} ... \verb|\terminastaticMPgraphic||
                                                                                                       \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto
iniziastretto:assignment
                                                                                                       \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name
                                                                                                       \iniziastretto [...] [...] ... \terminastretto
                                                                                                       \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastrictinspectnextcharacter
                                                                                                       \iniziastyle [..=..] ... \terminastyle
iniziastyle
                                                                                                       \iniziastyle [...] ... \terminastyle
iniziastyle:argument
                                                                                                       \iniziaSTYLE ... \terminaSTYLE
iniziastyle:instance
iniziasubformulas
                                                                                                       \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel
                                                                                                       \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
                                                                                                       \iniziasubsentence ... \terminasubsentence
iniziasubsentence
iniziasubstack
                                                                                                       \iniziasubstack ... \terminasubstack
iniziasymbolset
                                                                                                       \iniziasymbolset [...] ... \terminasymbolset
                                                                                                      \iniziaTABLE [..=..] ... \terminaTABLE \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLE
iniziaTABLEbody
                                                                                                       \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEfoot
iniziaTABLEhead
                                                                                                       \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                       \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella
                                                                                                       \iniziatabella [|...|] [..=..] ... \terminatabella
                                                                                                       \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
                                                                                                       \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
iniziatabelle:name
                                                                                                       \iniziatabelle [...] ... \terminatabelle
                                                                                                       \iniziaTABULATION [...] [..=..] ... \terminaTABULATION \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulation:example
iniziatabulato
                                                                                                       \iniziaTABULATE [...] ... \terminaTABULATE
iniziatabulato:instance
                                                                                                       \iniziafact [...] [..=..] ... \terminafact \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:fact
iniziatabulato:instance:legend
iniziatesta
                                                                                                       \mbox{\colored} \mbox{\color
                                                                                                       \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
                                                                                                       \iniziatestatabulato [...] ... \terminatestatabulato
iniziatestatabulato
iniziatesto
                                                                                                       \iniziatesto ... \terminatesto
                                                                                                       \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoaiuto
                                                                                                       \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                       \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
                                                                                                       \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
                                                                                                       iniziatestoetichetta:instance:mathlabel
                                                                                                       \iniziaoperatortesto [...] [...] ... \terminaoperatortesto \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:operator
iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                                                       \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel
                                                                                                       \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
                                                                                                       \iniziaunittesto [...] [...] ... \terminaunittesto \iniziaFRAMEDTEXT [...] [..=.] ... \terminaFRAMEDTEXT
iniziatestoetichetta:instance:unit
iniziatestoincorniciato:instance
                                                                                                       \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
                                                                                                       \iniziatexcode ... \terminatexcode
iniziatexcode
                                                                                                       \iniziatexdefinition ... ... ... ... \terminatexdefiniti
{\tt iniziatex} definition
                                                                                                       \verb|\colored| iniziatextbackground| [...] [..=..] ... \verb|\colored| terminatextbackground|
{\tt iniziatextbackground}
                                                                                                       \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
\verb"iniziatextbackgroundmanual"
iniziatextbackground:example
                                                                                                       \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
                                                                                                       \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                       \iniziatextcolorintent ... \terminatextcolorintent \iniziatextflow [...] ... \terminatextflow
iniziatextcolorintent
iniziatextflow
                                                                                                       \iniziatokens [...] ... \terminatokens
iniziatokens
iniziatransparent
                                                                                                       \iniziatransparent [...] ... \terminatransparent
                                                                                                       \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
                                                                                                       \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatypescriptcollection
                                                                                                       \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance
                                                                                                       \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument
iniziatyping:instance:argument:LUA
                                                                                                       \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                                                                       \iniziaMP [...] ... \terminaMP
                                                                                                       \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:PARSEDXML
                                                                                                       \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
                                                                                                       \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                                                                       \iniziaXML [...] ... \terminaXML
iniziatyping:instance:argument:XML
                                                                                                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:LUA
                                                                                                       \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                                                                       \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX
                                                                                                       \iniziaTEX [..=..] ... \terminaTEX
                                                                                                       \iniziatyping [..=..] ... \terminatyping \iniziaXML [..=..] ... \terminaXML
iniziatyping:instance:typing
iniziatyping:instance:XML
\verb"iniziauniqueMPgraphic"
                                                                                                       \verb|\iniziauniqueMPgraphic {...} {...} ... \verb|\terminauniqueMPgraphic | ...} |
iniziauniqueMPpagegraphic
```

iniziaunpacked	\iniziaunpacked \terminaunpacked
iniziausableMPgraphic	\iniziausableMPgraphic \{\} \terminausableMPgraphic
iniziauseMPgraphic	\iniziauseMPgraphic {} {} \terminauseMPgraphic
iniziausemathstyleparameter	\iniziausemathstyleparameter \\terminausemathstyleparameter
• •	
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification \iniziavaia [] \terminavaia
iniziavaia	
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
iniziaxmlsetups:string	\iniziaxmlsetups \terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=.] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:example	
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
installalingua:name	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \{\} \
installautosetuphandler	\installautosetuphandler \ \{\}
installbasicautosetuphandler	\installbasicautosetuphandler \ \{\} \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \{\} \
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	$\verb \label{localization} $$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ \\ \
installframedcommandhandler	\installframedcommandhandler \ \\\ \\\
installleftframerenderer	\installleftframerenderer {} {}

	\
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ {}
installparameterhashhandler	\installparameterhashhandler \ {}
installparametersethandler	\installparametersethandler \ \{\}
<u>.</u>	
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
- · · · · · · · · · · · · · · · · · · ·	
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \ \
installsimpleframedcommandhandler	$\mbox{\commandhandler }\mbox{\commandhandler }\commandhandle$
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \{} \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
	• * * * * * * * * * * * * * * * * * * *
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
	. ~
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
	\koreannumerals {}
koreannumerals	
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
<u> </u>	\lastlinewidth

lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata $\{\}$ $\{\}$ $\{\}$
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined \{\ldots\}
letcatcodecommand	\letcatcodecommand \ \
_	
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \ \endcsname \
letcsnamecs letcsnamecsname	\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname
letcsnamecs letcsnamecsname letdummyparameter	\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \ \endcsname \ \letdummyparameter \{\} \ \letempty \ \letgvalue \{\} \
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbaroup</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterat letterbackslash letterbar letterbgroup letterclosebrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbarcoup \letterclosebrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbarcoup \letterclosebrace \lettercolon</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbarcoup \letterclosebrace \lettercolon \letterdollar</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbaroup letterclosebrace lettercolon letterdoublequote	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbarcoup \letterclosebrace \lettercolon \letterdollar \letterdoublequote</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbaroup letterclosebrace lettercolon letterdoublequote lettere	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbarcoup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letteregroup \letterescape</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterescape letterexclamationmark	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhash	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhash letterhat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterexclamationmark \letterhash \letterhash \letterhat</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterhat lettereleftbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterhat \letterleftbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracee	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborclosebrace \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbracket</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterat {} \letterat \letterbar \letterbar \letterbar \letterbar \letterbor \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis \letterless</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis letterless lettermore	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterat {} \letterat \letterbackslash \letterbar \letterbar \letterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterexclamationmark \letterhash \letterhash \letterhash \letterleftbrace \letterleftbracket \letterleftbracket \letterleftprenthesis \letterless \letternore</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterlatbrace letterleftbrace letterleftparenthesis letterless lettermore lettermore	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterlatterlat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftsprenthesis \letterless \letternore \letteropenbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterlat letterleftbrace letterleftbrace letterleftparenthesis letterless lettermore letteropenbrace letterpercent	<pre>letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \lettercolon \letterdoullar \letterdoullar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterescape \letterhash \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterpercent</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letterpercent letterquestionmark	<pre>\letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterborclosebrace \letterclosebrace \letterclosebrace \letterclosebrace \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterleftbrace \letterleftbracket \letterleftprenthesis \letterless \letternore \letterpopenbrace \letterpercent \letterpercent \letterquestionmark</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterboroup letterclosebrace letterdollar letterdoublequote lettere letterescape letterexclamationmark letterhat letterhatbrace letterleftbrace letterleftbracket letterleftsprone	<pre>\letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterad {} \letterad {} \letterad {} \letterad {} \letterad {} \letterbar \letterbackslash \letterbar \letterboup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterrore \letterpercent \letterpercent \letterquestionmark \letterrightbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterboroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhath letterlatbrace letterleftbrace letterleftbracket letterleftsparenthesis letternore letteropenbrace letterquestionmark letterquestionmark letterquestionmark letterrightbrace	<pre>letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand \letterbar \letterbar \letterbgroup \letterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhash \letterleftbrace \letterleftbrace \letterleftbracesis \letterleftbrace \letterleftbracesis \letterless \letterpercent \letterpercent \letterpercent \letterpercent \letterrightbrace \letterrightbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterboroup letterclosebrace letterdollar letterdoublequote lettere letterescape letterexclamationmark letterhat letterhatbrace letterleftbrace letterleftbracket letterleftsprone	<pre>\letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \ \letdummyparameter {} \ \letdummyparameter {} \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarclosebrace \letterclosebrace \letterclosebrace \letterdoublequote \letter {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterrore \letteropenbrace \letterpercent \letterquestionmark \letterrightbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterat letterat letterbackslash letterbor letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterless letterless letterenore letteropenbrace letterproent letterquestionmark letterrightbracket letterrightbracket letterrightbracket letterrightbracket letterrightbracket letterrightbracket	letcsnamecs \csname \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalue \(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
letvaluerelax	\letvalueempty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatelines	\limitatelines \{\} \{\}
limitatetext	\limitatetext \{\} \{\}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [] [] \listcitation [=] [=]
listcite	
	\listcite [=] []
listcite:alternative	\listcite []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lrtbbox	\lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltop luacode	\ltop {}
luaconditional	\luacode {}
	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr luafunction	\luaexpr {} \luafunction {}
luajitTeX	\luajitTeX

luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	luaversion
lunghezzaelenco	lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	
	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape \{\ldots\} \{\ldots\}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MP1r {}
MPls	\MP1s {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots=\ldots\}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
МРу	\MPy {}

m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {} \inother [=] [=] {}
margindata:instance:inother margindata:instance:inouter	\inother [] [] {}
margindata:instance:inouteredge	\inouteredge [=] [] {}
margindata:instance:inoutereage margindata:instance:inoutermargin	\inoutereage [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematica	\matematica [] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND \{\ldots\} \{\ldots\}
mathdefault	\mathdefault
mathdouble	\mathdouble [] \{\} \{\}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\} \\\d\\\d\\\d\\\d\\\\\\\\\\\\\\\\\\\\
<pre>mathdoubleextensible:instance:doublebar mathdoubleextensible:instance:doublebrace</pre>	\doublebar {} {} \doublebrace {} {}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\doublebracket \}\}\}\}}\}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\ \.\\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\} \\
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \\\
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\ldots\}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
<pre>mathextensible:instance:erightharpoondownfill mathextensible:instance:erightharpoonupfill</pre>	\erightharpoondownfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\erightharpoonupfill \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:eunderbarfill	\eunderbarfill \{\ldots\} \\ \.\\
mathextensible:instance:eunderbarriri mathextensible:instance:eunderbracefill	\eunderbracefill \{\dots\}
mathextensible:instance:eunderbracketfill	\eunderbracketfill \{\dots\} \\
mathextensible:instance:eunderparentfill	\eunderparentfill \{\ldots\} \\
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}

mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
- ·	
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
9 -	
mathextensible:instance:mrightharpoonup	\mrightharpoonup \{\ldots\} \{\ldots\}
mathextensible:instance:mrightleftharpoons	$\mbox{\mbox{$\mbox{mrightleftharpoons} $\{\dots\}$} \{\dots\}$
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	$\t Leftrightarrow {} {}$
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
-	
mathextensible:instance:tleftharpoonup	$\time {tleftharpoonup {} {}}$
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
9 -	
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	$\trightleftharpoons {} {}$
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
•	
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\t ttwoheadrightarrow $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	$\xLeftarrow {} {}$
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
<u> •</u>	
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
	\xrel {} {}
mathextensible:instance:xRightarrow	
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow</pre>	\xrel {} {} \xrightarrow {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \mcframed [=] {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \mcframed [=] {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed</pre>	\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathit</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathitalic \mathop {} \MATHORNAMENT {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover</pre>	<pre>\xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathitalic \mathop {} \MATHORNAMENT {}</pre>
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mfr</pre>	\xrel \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [] \{\} \mathframed [] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHORNAMENT \{\} \mathover [] \{\} \mathover [] \{\}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathoution mathit mathitalic mathop mathornament:example mathoverextensible:example mathovertextextensible:instance</pre>	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \inmframed [=] \{\} \inframed [=] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHOVEREXTENSIBLE \{\} \MATHOVEREXTEXTENSIBLE \{\}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathoverextensible:example mathovertextextensible:instance mathradical:example</pre>	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \inmframed [=] \{\} \inframed [=] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHOVEREXTENSIBLE \{\} \MATHOVERTEXTEXTENSIBLE \{\} \MATHRADICAL [] \{\}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathoution mathit mathitalic mathop mathornament:example mathoverextensible:example mathovertextextensible:instance</pre>	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \inmframed [=] \{\} \inframed [=] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHOVEREXTENSIBLE \{\} \MATHOVEREXTEXTENSIBLE \{\}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathoverextensible:example mathovertextextensible:instance mathradical:example</pre>	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \inmframed [=] \{\} \inframed [=] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHOVEREXTENSIBLE \{\} \MATHOVERTEXTEXTENSIBLE \{\} \MATHRADICAL [] \{\}
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathit mathit mathitalic mathop mathornament:example mathovertextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript</pre>	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \inmframed [=] \{\} \inframed [=] \{\} \mathfunction \{\} \mathfunction \{\} \mathit \mathitalic \mathop \{\} \MATHONENAMENT \{\} \MATHOVEREXTENSIBLE \{\} \MATHOVERTEXTEXTENSIBLE \{\} \mathrm \mathrm \mathscript
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathovertextextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	\xrel \{\} \\xrightarrow \{\} \\xrightarrow \{\} \\xrightarrow \{\} \\xrightharpoondown \{\} \\xrightharpoonup \{\} \\xrightharpoonup \{\} \\xrightleftharpoons \{\} \\xrightleftharpoons \{\} \\xrightoverleftarrow \{\} \\xtriplerel \{\} \\xtwoheadleftarrow \{\} \\xtwoheadleftarrow \{\} \\xtwoheadrightarrow \{\} \\mathfraktur \\MATHFRAMED \[] \{\} \\mathframed \[] \\xmathframed \[] \{\} \\mathframed \[] \\xmathframed \[] \\
mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathovertextensible:example mathovertextextensible:instance mathradical:example mathradical:example mathscript mathsl mathss	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoonus \{\} \xrightleftharpoonus \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \mathframed [=] \{\} \mframed [=] \{\} \mframed [=] \{\} \mathfunction \{\} \mathit \mathit \mathitalic \mathop \{\} \MATHONNAMENT \{\} \mathover [] \{\} \mathrm \mathscript \mathsl \mathss
<pre>mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss mathtext</pre>	\xrel \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightharpoonup \{\} \xrightleftharpoons \{\} \xrightleftharpoons \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \mathfraktur \mathfraktur \{\} \minframed \[] \{\} \minframed \[] \{\} \mathfunction \{\} \mathit \mathit \mathit \mathit \mathitalic \mathop \{\} \mathover \[] \{\} \mathrm \mathscript \mathss \mathtext \[\}
mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathovertextensible:example mathovertextextensible:instance mathradical:example mathradical:example mathscript mathsl mathss	\xrel \{\} \xrightarrow \{\} \xrightarrow \{\} \xrightharpoondown \{\} \xrightharpoonup \{\} \xrightleftharpoonup \{\} \xrightleftharpoonup \{\} \xrightleftharpoonup \{\} \xrightoverleftarrow \{\} \xtriplerel \{\} \xtwoheadleftarrow \{\} \xtwoheadleftarrow \{\} \xtwoheadrightarrow \{\} \mathfraktur \MATHFRAMED [=] \{\} \mathframed [=] \{\} \mathframed [=] \{\} \mathframed [=] \{\} \mathfunction \{\} \mathit \mathit \mathit \mathitalic \mathover [] \{\} \mathrm \mathscript \mathsl \mathss

mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
	• • • • • • •
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \\ \{\ldots\}
mathunstacked:example	\MATHUNSTACKED
mathupright	$\mbox{\tt mathupright}$
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf \ldots \{\ldots\}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
metaTeX	\metaTeX
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\metticOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula []
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=]
mettisottoformula	\mettisottoformula []
mettiunosullaltro	\mettisottoformula [] \mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostranakeup	\mostramakeup []
mos or amanoap	/mosoramanoup []

mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
	·
nextboxdp	\nextboxdp \nextboxht
nextboxht	\nextboxhtdp
nextboxhtdp	
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics \{\dots\}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedodylontsize	\normalizebodylontsize \ \ \
TOT TOT TO CAT ON 19 17 2	/TTOT TOT TOT OT TOT OT TOT OT TOT OT TOT OT

normalizefontdepth	\normalizefontdepth \ $\{\}$ $\{\}$
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight {} {} {}
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth {} {} {}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
	\numeroragina
numeropagina	
numeropaginacompleto numerotesta	\numeropaginacompleto \numerotesta [] []
numerotesta	\numerotesta [] [] \numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth obox	\objectwidth \obox \{\}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding ordinaldaynumber	\onedigitrounding {} \ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
	\ornamenttext [] [] {} {}
ornamenttext:layer	\ORNAMENT {} {}
ornament:example outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaybutton ()
overlaydepth	\overlaycolor \overlaydepth
overlayfigure	\overlaydepth \overlayfigure {}
overlayheight	\overlaylight \(\text{()}\)
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayolibutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
· · · · - ·	

DDAITE - V	\ DDGITT - V
PPCHTeX PRAGMA	\PPCHTeX \PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\} \{\ldots\}
pdfbackendsetextgstate	\pdfbackendsetextgstate \{\ldots\}\ \{\ldots\}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource \{\ldots\} \{\ldots\}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute \{\ldots\} \{\ldots\}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade \{\ldots\} \{\ldots\}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {} \LOW {}
ped:instance	\unitslow {}
ped:instance:unitslow	\mirtsiow \(\lambda \\rangle \)
percent percentdimen	\percentdimen \{\ldots\} \\\
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand \{\ldots\} \{\ldots\}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placedbox { }
placedbox placefloat	\placedbox {} \placefloat [] [] {} {}
-	
placefloatwithsetups placefloat:instance	\placefloatwithsetups [] [] {} {} \mettiFLOAT [] [] {} {}
placefloat:instance placefloat:instance:chemical	\mettirLUAI [] [] {} {} \mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {} {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettigraphic [] [] {} \mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	·
placeinitial	\placehelp
piacoiniciai	\placeinitial []
placelayer	
-	\placeinitial []

placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {} \PLACEMENT [=] {}
<pre>placement:example placenamedfloat</pre>	\placenamedfloat [] []
placenamedformula	\placenamedfloat [] [] \placenamedformula [] {}
placenotes	\placenotes [] [=]
placenores placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks prependgvalue	\prependetoks \to \ \prependgvalue {} {}
prependtocommalist	\prependgvarue \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
pretocommalist	\prettyprinthyffor \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
prettyprintbuffer prevcounter	\prettyprintbuffer \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
preventmode	\prevealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]

processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \ \processfile {}
processfile	\processfile \\f
processfilemany processfilenone	\processfilemany \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processisolatedwords	\processisolatedwords \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu: button	\pulsantemenu [=] {} {}
	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=.] {} []
pulsantinterazione punti	\pulsantinterazione [=] [] \punti []
punti:assignment	\punti [] \punti [=]
	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} \ {}
qquad	\qquad
quad	
quads	s []

qual cheri ga	\auglebories []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse {} {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
	
readfile	\readfile {} {}
readfixfile	\readfixfile \{\} \{\} \{\}
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {}
readtexfile	\readtexfile {} {} {}
readxmlfile	\readxmlfile \{\\} \{\\}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT \{\ldots\} \[\ldots\]
referenceprefix	\referenceprefix
referring	\referring (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
• • • • • • • • • • • • • • • • • • • •	=
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] [++]
registro:instance:index	\index [] [++]
registro:instance:ownnumber	\REGISTER [] {} [++]
registro:instance:ownnumber:index	\index [] {} [++]
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removedepth	\removedepth \removefromcommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \

removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes resetandaddfeature	\resetallattributes \resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection resetfeature	\resetdirection \resetfeature
	\resetteature \resetflag {}
resetflag resetfontcolorsheme	\resettiag \(\cdot\)\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] [] \resetpath
resetpath resetpenalties	\resetpath \resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting resetusedsortings	\resettrialtypesetting \resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed revivefeature	\reuserandomseed \revivefeature
revivereature	\revivereature \rfence {}
110000	(1101100 ()

rhbox	\rhbox {}
rif	\rif [] []
riferimento riferimentopagina	\riferimento [] \{\} \riferimentopagina []
riferimentotesto	\riferimentotesto [] \\riferimentotesto []
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
rightlabeltartingtance	\right\APFI\tests\
rightlabeltext:instance rightlabeltext:instance:head	\rightLABELtesto {} \rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft righttolefthbox	\righttoleft \righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist robustdoifelseinset	\robustaddtocommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustdoifinsetelse	\robustdoifinsetelse \{\\} \{\\} \{\\}
robustpretocommalist	\robustpretocommalist \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtop	\rtop {}
ruledhbox	\ruledhbox {}
ruledhpack ruledmbox	\ruledhpack {} \ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox ruota	\runninghbox {} \ruota [=.] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto sansnormal	\sansgrassetto \sansnormal
sansserif	\sansserif
savebox	\savebox {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecurrentattributes	\savecunter [] \savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
<pre>script:instance:ethiopic script:instance:hangul</pre>	\ethiopic \hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test

script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments {} {} {} {}
secondofsixarguments	\secondofsixarguments {} {} {} {} {} {
secondofthreearguments	\secondofthreearguments {} {}
5	
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] [++] {}
seeregister:instance:index	\vediindex [] [++] {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocchit [] [] [] [] [] OPT
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign \{\ldots\}_\{\ldots\}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	
	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
5	<u> </u>
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
<u> </u>	<u> </u>
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}

setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setJayer [] [] {}
setlayerframed	\setlayerframed [] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
	\setMPlayer [] [=] {}
setMPlayer setMPpositiongraphic	
	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	\setMPpositiongraphicrange {} {} {}
setMPremishle	\setMPtext {} {}
setMPvariable setMPvariables	\setMPvariable [] [=]
	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure \{\ldots\} \\
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} \ {}
setoldstyle	\setoldstyle
setpagegrid	\setpagegrid [=] {}
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{}
setpercentdimen	\setpercentdimen {} {}
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata {} {} {}
setpositiondataplus	\setpositiondataplus $\{\}$ $\{\}$ $\{\}$ $\{\}$
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus {} \ {}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ {}
setregisterentry	\setregisterentry [] [=] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {}
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settabular\settaggedmetadata [=]
settext	\settext [] [] []
settightobject	\settightobject {} {} \ {}
settightreferencedobject	
settightunreferencedobject settightunreferencedobject	\settightreferencedobject \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\settrialtypesetting
settrialtypesetting	\settrialtypesetting \setuevalue {} {}
setuevalue	\setugvalue \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
seturreferencedobject	<u> </u>
setunreferencedobject	\setunreferencedobject {} \ {}
setupattachment	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]

setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
-	\setupbtxregister [] [=]
setupbtxregister	
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
-	\setupedocument [] \setupeffect [] []
setupeffect	=
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupionts	\setupfontsolution [] [=]
-	
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [=]
setupframedtablerow	\setupframedtablerow [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]

setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics setupmathfence	\setupmathematics [] [=] \setupmathfence [] [=]
-	\setupmathfence [] [=] \setupmathfraction [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathriamed [] [=] \setupmathmatrix [] [=]
setupmathornament	\setupmathmatrix [] [=] \setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] []
setupregisters	\setupregisters [] [=]
setupregisters: argument	\setupregisters [] [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]

setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
1 1 0	
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
-	-
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
	\SFONDO {}
sfondo:example	
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
9	
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	
	\showcolorset []
showcolorstruts	\showcolorset [] \showcolorstruts
showcolorstruts showcounter	
	\showcolorstruts
showcounter showdirectives	\showcolorstruts \showcounter [] \showdirectives
showcounter showdirectives showdirsinmargin	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin
showcounter showdirectives showdirsinmargin showedebuginfo	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontitalics	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontitalics
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontitalics showfontkerns	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontitalics \showfontkerns
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontitalics showfontkerns showfontparameters	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontitalics \showfontkerns \showfontparameters
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontitalics showfontkerns showfontparameters showfontstrip	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontitalics \showfontkerns \showfontparameters \showfontstrip []
showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontitalics showfontkerns showfontparameters	\showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontitalics \showfontkerns \showfontparameters

	\ -b1b -
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
5	
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
_	
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition \{\ldots\} \{\ldots\}
showparentchain	\showparentchain \ \{\}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox \{\ldots\} \{\ldots\}
simplealignedboxplus	\simplealignedboxplus $\{\}$ $\{\}$ $\{\}$
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
	\simplegroupedcommand {} {}
simplegroupedcommand	
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
	\amallaannadaharaa+ara J
smallcappedcharacters	\smallcappedcharacters {}
	\smallcappedromannumerals {}
smallcappedcharacters	
smallcappedcharacters smallcappedromannumerals smaller	\smallcappedromannumerals {}
smallcappedcharacters smallcappedromannumerals smaller smallskip	\smallcappedromannumerals {} \smaller \smallskip
smallcappedcharacters smallcappedromannumerals smaller smallskip smash	\smallcappedromannumerals {} \smaller \smallskip \smash [] {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {}</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \smashedvbox {}</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid snaptogrid:list	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox ed \smashedhbox {} \smashedvbox {} \smashedvbox {} \snaptogrid [] \ {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] []
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smaptogrid snaptogrid:list someheadnumber somekindoftab	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehindoftab []</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] []
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smaptogrid snaptogrid:list someheadnumber somekindoftab	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehindoftab []</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber [] {}</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehocalfloat \somenamedheadnumber {} {} \someplace {} {} {} {} []
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} []
<pre>smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo</pre>	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \someplace {} {} {} {} \logo [] {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehoadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} []
<pre>smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo</pre>	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \someplace {} {} {} {} \logo [] {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} {} [] \soRTING [] {} \sottopaginasuccessiva \spanishNumerals {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spanishnumerals	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \logo [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {}
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \logo [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi \spazio
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} \logo [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi \spazio
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} {} \logo [] {} \sottopaginasuccessiva \spanishnumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spessoreriga</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \someheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} [] \sometring [] {} \logo [] {} \sottopaginasuccessiva \spanishnumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spessoreriga \spezzaoggettomobile [=] {} {}</pre>
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk	<pre>\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [] {} {} \splitatasterisk \ \</pre>
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolon	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somehocalfloat \somenamedheadnumber {} {} {} {} \someplace {} {} {} {} {} [] \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [] {} {} \splitatasterisk \ \ \splitattcolon \ \
smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somehocalfloat \somenamedheadnumber {} {} {} [] \SORTING [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [] {} {} \splitatasterisk \ \ \splitattcolon \ \
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolon	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somehocalfloat \somenamedheadnumber {} {} {} [] \SORTING [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [] {} {} \splitatasterisk \ \ \splitattcolon \ \
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolons splitatcomma	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehindoftab [] \somehindoftab [] \somehocalfloat \somenamedheadnumber {} {} {} {} [] \SORTING [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [] {} {} \splitatasterisk \ \ \splitatcolon \ \splitatcolons \ \ \splitatcomma \ \
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashednbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishnumerals spanishnumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolons splitatcomma splitatperiod	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehindoftab [=] \somehocalfloat \somenamedheadnumber {} {} \someplace {} {} {} {} [] \SORTING [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [=] {} {} \splitatasterisk \ \ \splitatcolons \ \splitatcoma \ \ \splitattoma \ \splitattoma \ \splitattopriod \
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals spanishnumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolons splitatcomma splitatperiod splitdfrac	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somenamedheadnumber {} {} \somenamedheadnumber {} {} \someplace {} {} {} {} {} [] \sometrung [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spanishnumerals {} \spanishozio \spaziofisso \spaziofisso \spaziofisso \spaziofisso \spaziofistatolon \ \splitatcolons \ \splitatcolons \ \splitattopriod \ \splitatfrac {} {}
smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashednbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishnumerals spanishnumerals spazifissi spazio spaziofisso spessoreriga spezzaoggettomobile splitatasterisk splitatcolons splitatcomma splitatperiod	\smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedbox {} \smashedvbox {} \snaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] [] \somehindoftab [=] \somehocalfloat \somenamedheadnumber {} {} \someplace {} {} {} {} [] \SORTING [] {} \logo [] {} \sottopaginasuccessiva \spanishNumerals {} \spanishnumerals {} \spazifissi \spazio \spaziofisso \spezzaoggettomobile [=] {} {} \splitatasterisk \ \ \splitatcolons \ \splitatcoma \ \splitatcoma \ \splitattoma \ \splitattopriod \

splitoffbase	\splitoffbase
splitofffull	\splitofffull
-	\splitoffkind
-	\splitoffname
-	. -
-	\splitoffpath
-	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
-	\spreadhbox
•	<u>-</u>
	\sqrt [] {}
	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
	\startstructurepageregister [] [=] [=]
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
-	
	\stopregister [] []
	\stopstructurepageregister [] []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
-	\strippedcsname \
••	
	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
	\structureuservariable {}
	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
<u> </u>	\strutht
-	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
•	\styleinstance []
•	
•	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} \
	\subtractfeature []
	\subtractfeature {}
	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
-	\swapmacros \ \
	\swaptypeface
	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
-	\switchtointerlinespace []
<u>-</u>	\switchtointerlinespace []
-	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
	\synchronizeoutputstreams []
· ·	
·	\synchronizestrut {}
•	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
-	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {}

systemloglast	\systemloglast \\\\} \\\\}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce \{\ldots\}\{\ldots\}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	
	\unittesto {}
testoincorniciato:instance	\FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
-	
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
	\texsetup {}
texsetup	\ meymp \ avaparation (
textbackground:example	\TEXTBACKGROUND {}
•	\textcitation [=] []
textbackground:example	
textbackground:example textcitation	<pre>\textcitation [=] [] \textcitation [] []</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=]
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] []
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] []
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=]
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] []
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=]
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus	<pre>\textcitation [=] [] \textcitation [=] [] \textcite [=] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textcontrolspace {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textcommathchar {} \textplus \textvisiblespace</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textcommathchar {} \textplus \textvisiblespace</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textcommathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textcommathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \thenormalizedbodyfontsize {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \thenormalizedbodyfontsize {} \theremainingcharacters {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace</pre>
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thinspace	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [=] \textcite [] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [=] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffivearguments {} {} {}</pre>
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thinspace	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [=] \textcite [] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thinspace thirdoffivearguments	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffourarguments thirdofsixarguments	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofsixarguments {} {} {} {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirspace thirspace thirdoffourarguments thirdofsixarguments thirdofthreearguments	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [=] [=] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdoffthreearguments {} {} {} {}</pre>
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirspace thirspace thirdoffourarguments thirdofsixarguments thirdofthreearguments thirdofthreeunexpanded	<pre>\textcitation [=] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} \thirdofsixarguments {} {} {} {} \thirdofthreearguments {} {} {}</pre>
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffivearguments thirdofsixarguments thirdofthreearguments thirdofthreeunexpanded threedigitrounding	\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreeunexpanded {} {} {} \thirdofthreedigitrounding {}
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffivearguments thirdoffourarguments thirdofthreearguments thirdofthreeunexpanded threedigitrounding tibetannumerals	\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreedigitrounding {} \tibetannumerals {}
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffivearguments thirdofsixarguments thirdofthreearguments thirdofthreeunexpanded threedigitrounding	\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreeunexpanded {} {} {} \thirdofthreedigitrounding {}
textbackground:example textcitation textcitation:alternative textcitetion:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffivearguments thirdoffourarguments thirdofthreearguments thirdofthreeunexpanded threedigitrounding tibetannumerals	\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreedigitrounding {} \tibetannumerals {}
textbackground:example textcitation textcitation:alternative textcite textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirdoffivearguments thirdoffourarguments thirdofthreearguments thirdofthreeunexpanded threedigitrounding tibetannumerals tieniblocchi	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [=] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdoffivearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreedigitrounding {} \tibetannumerals {} \tibetannumerals {} \tieniblocchi [] []
textbackground:example textcitation textcitation:alternative textcite textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirspace thirdoffivearguments thirdoffthreeunexpanded threedigitrounding tibetannumerals tieniblocchi tightlayer tilde	\textcitation [=] [] \textcitation [] [] \textcitation [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textmath {} \textminus \textcommathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thinspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreedigitrounding {} \tibetannumerals {} \tieniblocchi [] [] \tightlayer [] \tilde {}
textbackground:example textcitation textcitation:alternative textcitation:userdata textcite textcite:alternative textcite:userdata textcontrolspace textflowcollector textmath textminus textormathchar textplus textvisiblespace thainumerals thefirstcharacter thenormalizedbodyfontsize theremainingcharacters thickspace thirspace thirdoffivearguments thirdoffthreeunexpanded threedigitrounding tibetannumerals tieniblocchi tightlayer	\textcitation [=] [] \textcitation [=] [=] \textcite [=] [=] \textcite [] [] \textcite [] [] \textcite [] [] \textcontrolspace \textflowcollector {} \textmath {} \textminus \textormathchar {} \textplus \textvisiblespace \thainumerals {} \thefirstcharacter {} \theremainingcharacters {} \thickspace \thirdoffivearguments {} {} {} {} \thirdoffourarguments {} {} {} {} \thirdoffivearguments {} {} {} {} \thirdofthreearguments {} {} {} {} \thirdofthreedigitrounding {} \tibetannumerals {} \tieniblocchi [] [] \tightlayer []

tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip topbox	\tooltip [=] {} {} \topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents transparent	\transparencycomponents \{\ldots\} \transparent [\ldots\] \{\ldots\}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=.] {}
typebuffer	\typebuffer [] [=]
<pre>typebuffer:instance typedefinedbuffer</pre>	\typeBUFFER [=] \typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	<pre>\typescriptprefix {}</pre>
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
<pre>type:angles type:example</pre>	\type [=.] <<>> \TYPE [=.] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ultimasottopagina	$\operatorname{\mathbb{L}}$ ultimasottopagina
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign unexpandeddocumentvariable	\undoassign [] [=] \unexpandeddocumentvariable {}
unhhbox	\unhhbox \with \{\}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter unspaceargument	\unspaceafter \ \{\} \unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote upperleftsinglesixquote	\upperleftsingleninequote \upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
· ·	J J .

upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts	\usaJSscripts [] []
usamodulo	\usamodulo [] [] [=]
usasimboli	\usasimboli []
usaURL	\usaURL [] [] []
usaurl	\usaurl [] [] []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont [] \usebodyfontparameter \
usebodyfontparameter usebtxdataset	\usebtxdataset [] [=]
usebtxdataset usebtxdefinitions	\usebtxdataset [] [] [] \usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation \(\ldots \)
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereierenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber \
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath [] \usetexmodule [] [] [=]
usetexmodule	
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile utfchar	\usezipfile [] [] \utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {}
vaia	\vaia {} []
vaiabox	\vaiabox {} []
vaiapagina	\vaiapagina {} []
vaigiu	\vaigiu []
valorecolore	\valorecolore {}
vboxreference	\vboxreference [] {}
Vec	\vec {}
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
versione	\versione []
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vølne	\volue

viscorlayer		
vpbantom Vpbantom vpcs Vpcs {} vessash Vpcsash {} vessashbox Vpcsashbox vestashbox Vpcsashbox vestashb	viewerlayer	\viewerlayer [] {}
Vpos	vl	\vl []
vemach \vemach vemached \vemached vemached \vemached vepace \venace [] vepace \venace [] \venace [] \venace [vphantom	\vphantom {}
vemach \vemach vemached \vemached vemached \vemached vepace \venace [] vepace \venace [] \venace [] \venace [vpos	\vpos {} {}
variable	-	-
vspace vspace		
vspace vspace		
Vepacing Vepacing Vepacing Vepacing VehicthpanningText () {} {} VedfathpanningText (] {} VedfathpanningText (.		
WidthSpanningText		
wdofatring widthopanningtext	. •	_
widtheparmingtext \vidtheparmingtext () widthupt \vithoutpt words \vords () words () \vords () writedatatolist \vittedatatolist (] [] [] [] writestatus \vittestatus () {} XETEX \VETEX XETEX \VETEX XefeX \VETEX Xmladdindex \valididindex () {} xmladdindex \valididindex () {} xmlafterGocumentsetup \valididindex () {} xmlafterGocumentsetup \valididindex () {} xmlappenddocumentsetup \valididindex () {} xmlappenddocumentsetup \valididindex () {} xmlappenddocumentsetup \valididindex () {} xmlappenddocumentsetup {} {} \valididindex {} {} xmlappyspelectors \valididindex {} {} xmlappenddocumentsetup {} {} \valididingex {} {} xmlappyspelectors \valididiff {} {} xmlattribute \valididiff {} {} xmlattribute \valididiff {} {} xmlattribute <td></td> <td></td>		
witchoutpt \vitchoutpt	•	<u> </u>
Withoutpt Withoutpt Words Writedatatolist Writedat	9	
vords vord		
vortdonumber	-	-
vritedatatolist vritedatatolist [] [] vritedatatus (vritedatatus (vritedatatus (words	
Writestatus	wordtonumber	
MATEX MATEX Maries Mar	writedatatolist	\writedatatolist [] [=] [=]
Verex	writestatus	\writestatus {} {}
xdefconvertedargument	XETEX	\XETEX
Malddindex	XeTeX	\XeTeX
Maladdindex	xdefconvertedargument	\xdefconvertedargument \ {}
malafterdocumentsetup	xmladdindex	_
	xmlafterdocumentsetup	
malar	-	
malappendstup	•	<u>-</u>
malappendsetup malappyselectors malappyselectors malappyselectors malappyselectors malattef malattef malattef malattef malattef malattef malattribute malattribute malattributed malattributed malattributedef malat		
malaphyselectors		
<pre>mlatt xmlattdef xmlattribute xmlattribute xmlattribute xmlattributedef xmlatificeripe xmlatinattdef xmlatinat</pre>	••	
<pre>mlattdef mlattribute mlattribute mlattribute mlattribute mlattributedef mlat</pre>	11 0	
malattribute		
xmlattributedef \xmlattributedef () {} {} xmlbadinclusions \xmlbadinclusions () xmlbeforedocumentsetup \xmlbeforedocumentsetup {} {} xmlbeforesetup \xmlbeforesetup {} {} xmlchainatt \xmlchainattdef xmlchainattdef \xmlchainattdef {} {} xmlcommand \xmlcomand {} {} {} xmlconcat \xmlcomand {} {} {} xmlcoment \xmlcommand {} {} {} xmlcoment \xmlcount {} {} xmldcount \xmldirectivesafter \xmldirectivesa		
xmlbadinclusions \xmlbeforedocumentsetup xmlbeforesetup \xmlbeforedocumentsetup {} {} xmlbeforesetup \xmlchainatt xmlchainatt \xmlchainattdef {} {} xmlchainattdef \xmlchainattdef {} {} xmlcomand \xmlcomand xmlcomand \xmlcomand xmlcomand \xmlcomand xmlconcatrange \xmlcomeat {} {} xmlconcatrange \xmlcomeat {} {} xmlconcatrange \xmlcomeat {} {} xmlcorett \xmlcomeat {} {} xmlcorett \xmlcomeat {} {} xmlcorett \xmlcomeat {} {} xmlcorett \xmlcomeat {} {} xmldcorett \xmldirectivesafter xmldirectivesafter \xmldirectivesafter {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesefore \xmldirectivesafter {} <td>xmlattribute</td> <td></td>	xmlattribute	
xmlbeforedocumentsetup \xmlbeforesetup {} {} xmlchainatt \xmlchainatt {} {} xmlchainattdef \xmlchainattdef {} {} xmlchainattdef \xmlchainattdef {} {} xmlchainattdef \xmlchainattdef {} {} xmlchainattdef {} {} \xmlchainattdef {} {} xmlchainattdef {} {} {} \xmlchainattdef {} {} xmlchainattdef {} {} {} \xmlchainattdef {} {} {} xmlchainattdef {} {} {} {} \xmlchainattdef {} {} {} xmlchainattdef {} {} {} {} \xmlchainattalef {} {} {} xmldiferefutves \xmldirectives.feref {} {} xmldifefaulttotatt {} {} {} \xmldifectives.feref {} xmldoifelseepty \xmldoifelseempty {} {} {} xmldoifelseempty \xmldoifelseepty {} {} xmldoifelseepty	xmlattributedef	$\xr = \xr $
xmlbeforesetup \xmlchainatt \xmlchainatt xmlchainattdef \xmlchainattdef \} xmlchecknamespace \xmlchecknamespace \} \} xmlconcat \xmlconcat \xmlconcat \xmlconcat xmlconcat \xmlconcat \} \} \} xmlconcat \xmlcontat \} \xmlcontat \} \} \} \ \ \ \	xmlbadinclusions	\xmlbadinclusions {}
xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlconmand \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlcontext {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmldirectives {} xmldifeaulttotext {} xmldifeaulttotext {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldirectivesbefore \xmldirectivesbefore {} xmldoifelsee \xmldoifelsee xmldoifelse \xmldoifelsee xmldoifelse \xmldoifelsee xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseeselfempty \xmldoifelseetext {} {} {} xmldoifelseesalleempty \xmldoifelseetext {} {} {} xmldoifelseevalue \xmldoifelseetext {} {} {} xmldoifolseevalue \xmldoifelseetext {} {} {} xmldoifelseevalue \xmldoifelseetex	xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlchecknamespace {} {} xmlconmand \xmlcommand {} {} {} xmlconcat \xmlconcat {} {} {} xmlconcat \xmlcontext {} {} {} xmlcontext \xmlcontext {} {} xmlcount \xmldirectives {} xmldifeaulttotext {} xmldifeaulttotext {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldirectivesbefore \xmldirectivesbefore {} xmldoifelsee \xmldoifelsee xmldoifelse \xmldoifelsee xmldoifelse \xmldoifelsee xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseeselfempty \xmldoifelseetext {} {} {} xmldoifelseesalleempty \xmldoifelseetext {} {} {} xmldoifelseevalue \xmldoifelseetext {} {} {} xmldoifolseevalue \xmldoifelseetext {} {} {} xmldoifelseevalue \xmldoifelseetex	xmlbeforesetup	
xmlchainattdef \xmlchainattdef {} {} xmlchecknamespace \xmlcommand xmlconcat \xmlcommand {} {} xmlconcat \xmlconcat {} {} xmlconcatrange \xmlcontext {} {} xmlcontext \xmlcount {} xmldefaulttotext \xmldafaulttotext {} xmldirectives \xmldirectives {} xmldirectivesefore \xmldirectivesefore {} xmldirectivesbefore \xmldirectivesefore {} xmldisplayverbatim \xmldoif {} {} {} xmldoifelse \xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} xmldoifelsevalue {} {} {} \xmldoifnot {} {} xmldoifotelfempty \xmldoifnot {} {} xmldoifnotselfempty \xmldoifnot {} {} xmldoifnottexl \xmldoifnottexl {} {} xmldoifielempty \xmldoifnottexl {} {} xmlflush <t< td=""><td>xmlchainatt</td><td></td></t<>	xmlchainatt	
xmlchecknamespace \xmlcommand \{\} \{\} xmlcommand \xmlcommand \{\} \{\} xmlconcat \xmlconcat \{\} \{\} xmlcontext \xmlcontext \{\} xmlcontext \xmlcount \{\} xmldefaulttotext \xmldirectives \{\} xmldirectivesafter \xmldirectivesbefore \{\} xmldirectivesbefore \xmldirectivesbefore \{\} xmldoif \xmldoifelseventum \{\} xmldoifelseentum \xmldoifelse \{\} \{\} \{\} xmldoifelseentum \xmldoifelseentum xmldoifelseentum \xmldoifelseentum xmldoifelseentum \xmldoifelseentum xmldoifelseetext \xmldoifelseetext \{\} \{\} \{\} xmldoifelsevalue \xmldoifelseetext \{\} \{\} \{\} xmldoifnotelfempty \xmldoifnotelfempty \{\} \{\} xmldoifnotelfempty \xmldoifnottext \{\} \{\} \{\} xmldoifnotestempty \xmldoifnottext \{\} \{\} xmldoifnotelfempty \xmldoifnottext \{\} \{\} xmldoifelsevalue \xmldoifnottext \{\} \{\} xmldoifelsevalue \xmldoifnottext \{\} \{\}<	xmlchainattdef	
xmlcomand \xmlcomat \ \xmlconcat \ \\ \ \\ \ xmlconcat \ \xmlconcat \ \\ \ \\ \ \\ \ \xmlconcat \ \\ \ \\ \ \\ \ \\ \ \\ \ \\ \ xmlcontext \xmlcontext \ \\ \ \\ \ \\ \ \\ \ \\ \ \xmldirectives xmldefaulttotext \xmldirectives \ \\ \ \\ \ \xmldirectives \ \\ \ \xmldirectives \ \\ \xmldisplayverbatim \ \\ \xmldisplayverbatim \ \\ \xmldificulty \xmldoif \ \\ \\ \xmldoif \ \\ \\ \xmldoifelse \ \xmldifielse \ \xmldifi		
xmlconcat \xmlconcatrange \xmlconcatrange \	-	
xmlconctrange \xmlcontext \\xmlcontext \\xm		
xmlcontext \xmlcount {} xmldefaulttotext \xmldefaulttotext {} xmldirectives \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldoiflayeverbatim {} xmldoif \xmldoif {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} xmldoifnot \xmldoifnot {} {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifnottext \xmldoifnotselfempty {} {} xmldoifnottext \xmldoifnotselfempty {} {} xmldoifnottext \xmldoifnottext {} {} xmldoifnottext \xmldoifnottext {} {} xmldoiftext \xmldoifnottext {} {} xmldoiftext \xmldoiftext {} {} xmliliter \xmldoiftext {} {} xmlflush \xmlflush xmlflush		
xmlcount \xmldefaulttotext xmldefaulttotext \xmldirectives {} xmldirectives {} \xmldirectives {} xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldoif \xmldoifelsevefore {} xmldoif \xmldoifelsevefore {} xmldoif \xmldoifelsevefore {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseselfempty \xmldoifelseempty {} {} {} xmldoiflotestext \xmldoifelsevalue {} {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifnotselfempty \xmldoifnottext {} {} xmldoifetext \xmldoifetext {} {} xmldoifetext \xmldoifetext {} {} xmlelement \xmloifitext {} {} xmlflush \xmliflush xmlflush \xmliflush xmlflush \xmliflush		
xmldefaulttotext xmldirectives xmldirectives \xmldirectives () xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesafter {} xmldisplayverbatim \xmldoif \xmldisplayverbatim {} xmldoif \xmldoif \xmldoifelsevalutim {} {} xmldoifelse \xmldoifelsee {} {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelseeselfempty \xmldoifelseselfempty {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} xmldoifontelsevalue {} {} {} {} xmldoifontelsempty \xmldoifnottelfempty {} {} xmldoifontetext \xmldoifnottext {} {} xmldoifontetext \xmldoifnottext {} {} xmldoifelsempty {} {} \xmldoifnottext {} {} xmldoifontetext \xmldoifnottext {} {} xmldoifelsevalue {} {} \xmldoifnottext {} {} xmldoifelsevalue {} {} \xmldoifelsevalue {} {} xmldoifelsevalue {} {} \xmldoifelsevalue {} {} xmldoifelsevalue {} {} \xmldoifelsevalue		
xmldirectives \xmldirectivesafter xmldirectivesafter \xmldirectivesafter xmldirectivesbefore \xmldirectivesbefore xmldisplayverbatim \xmldoifelseventer xmldoif \xmldoifelseventer xmldoifelse \xmldoifelselseter xmldoifelseempty \xmldoifelseempty xmldoifelseselfempty \xmldoifelsester xmldoifelsetext \xmldoifelsetext xmldoifelsetext \xmldoifelseventer xmldoifelsevalue \xmldoifelseventer xmldoifelsevalue \xmldoifelseventer xmldoifnot \xmldoifelseventer xmldoifnotselfempty \xmldoifnotselfempty xmldoifnotselfempty \xmldoifnotselfempty xmldoifnottext \xmldoifnottext xmldoifnottext \xmldoifelsetx xmldoifelsety \xmldoifelsety xmldoifelsety \xmldoifelsety xmldoifelsety \xmldoifelsety xmldoifelsety \xmldoifelsety xmldoifelsety \xmldoifelsety xmldoifelsety \xmldoifelsety xmldoifelsety \xm		
xmldirectivesafter \xmldirectivesafter {} xmldirectivesbefore \xmldirectivesbefore {} xmldisplayverbatim \xmldisplayverbatim {} xmldoif \xmldoifsplayverbatim {} xmldoifelse \xmldoifelse {} {} {} xmldoifelse \xmldoifelse {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsestext \xmldoifelsetext {} {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} {} xmldoifnot \xmldoiffolselsevalue {} {} {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifiest \xmldoifnottext {} {} xmldoifselfempty {} {} \xmldoifieselfempty {} {} xmldoifselfempty {} {} \xmldoifieselfempty {} {} xmldoifselfempty {} {} \xmldoifieselfempty {} {} xmldoifiestex \xmldoifieselfempty {} {} xmldoifiestex \xmldoifieselfempty {} {} xmldoifiestex \xmldoifieselfempty {} {} xmldoifiestex \xmldoifiese		
xmldirectivesbefore \xmldirectivesbefore {} xmldoif \xmldisplayverbatim {} xmldoif {} {} {} \xmldoif {} {} {} xmldoif else \xmldoif else {} {} {} {} xmldoif else empty \xmldoif else empty {} {} {} {} xmldoif else eself empty \xmldoif else eself empty {} {} {} {} xmldoif else eself empty \xmldoif else eself empty {} {} {} xmldoif else eself empty \xmldoif else eself empty {} {} {} xmldoif else eself empty \xmldoif else eself empty {} {} {} xmldoif else eself empty \xmldoif else eself empty {} {} xmldoif else eself empty \xmldoif else eself empty {} {} xmldoif else eself empty \xmldoif else empty {} {} xmldoif else empty \xmldoif else empty		
xmldisplayverbatim \xmldoif \xmldoif \xmldoif \xmldoif \xmldoif \xmldoif \{} \{} \{} \xmldoifelse \xmldoifelse \xmldoifelse \xmldoifelse \xmldoifelseempty \xmldoifelseempty \xmldoifelseempty \xmldoifelseempty \xmldoifelseempty \xmldoifelseeselfempty \xmldoifelseevalue \xmldoifelsevalue \{} \{} \{} \{} \{} \{} \{} \{xmldoifnotselfempty \xmldoifnottevaldintotevalue \xmldoifnottevaldintotevalue \xmldoifnottevalue \xmldoifnottevalue <t< td=""><td></td><td>• • • • • • • • • • • • • • • • • • • •</td></t<>		• • • • • • • • • • • • • • • • • • • •
xmldoifelse \xmldoifelse {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} {} xmldoifnot \xmldoifnot {} {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifnottext \xmldoifnottext {} {} {} xmldoifselfempty \xmldoifselfempty \xmldoifselfempty {} {} xmlloilement \xmldoifselfempty \xmld		•
xmldoifelse \xmldoifelseempty {} {} {} xmldoifelseempty \xmldoifelseempty {} {} {} xmldoifelsetempty \xmldoifelseselfempty {} {} {} xmldoifelsetext \xmldoifelsetext {} {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} xmldoifnot \xmldoifnot {} {} {} xmldoifnotselfempty \xmldoifnottext {} {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoifselfempty {} {} xmldoiftext \xmldoifselfempty {} {} xmldoifselfempty {} {} \xmldoifselfempty {} {} xmldoifselfempty {} {} \xmldoifnottext {} {} xmldoifselfempty {} {} \xmldoifselfempty {} {} xmldoifselfempty {} {} \xmldoifselfempty {} {} xmldoifnottext {} {} \xmldoifselfempty {} {} xmlfilter \xmlfilter {} {} {} xmlflush \xmlflush {} {} xmlflush \xmlflush {} {} xmlflush \xmlflush {} {} xmlflushocumentsetups \xmlflush {} {} xmlflushpacewise \xmlflush {} <	xmldisplayverbatim	
xmldoifelseempty \xmldoifelseelfempty {} {} {} xmldoifelseselfempty \xmldoifelseselfempty {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} xmldoifnot \xmldoifnotelfempty {} {} xmldoifnotselfempty \xmldoifnottext {} {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoifsetxt \xmldoifsetfempty {} {} xmldoiftext \xmldoiftext {} {} {} xmlfilter \xmlfilter {} {} xmlfilter \xmlfilter {} {} xmlflush \xmlflush {} xmlflush {} \xmlflush {} xmlflushcontext \xmlflush {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushpure \xmlflushpure {} xmlflushpacewise \xmlflushpacewise {} xmlflushtext \xmlinclude {} {} xmlinclusion \xmlinclusions {} xmlinclusions \xmlinfo {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}	xmldoif	\xmldoif {} {}
xmldoifelseselfempty \xmldoifelsetext \(\) \\ \\ \\ \) \\ \\ \\ \\ \\ \\ \\ \\	xmldoifelse	\xmldoifelse {} {} {}
xmldoifelsetext \xmldoifelsetext {} {} {} {} xmldoifelsevalue \xmldoifelsevalue {} {} {} xmldoifnot \xmldoifnotselfevalue {} {} xmldoifnotselfempty \xmldoifnotselfempty {} {} xmldoifnottext \xmldoifselfempty {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoiftext {} {} {} xmldoiftext \xmldoifselfempty {} {} xmldoifselfempty {} {} xmlflushtert {} {} xmlflush {} xmlflush {} xmlflush {} xmlflush {} xmlflushocontext {} xmlflushocoumentsetups {} xmlflushpure {} xmlflushpacewise {} xm	xmldoifelseempty	\xmldoifelseempty {} {} {}
xmldoifelsevalue \xmldoifnot \xmldoifnot \xmldoifnot \xmldoifnot \{} \{} \{} xmldoifnottselfempty \xmldoifnottselfempty \{} \{} \xmldoifnottext \{} \{} \{} xmldoifselfempty \xmldoifselfempty \{} \{} \xmldoifselfempty \{} \{} xmldoiftext \xmldoifselfempty \{} \{} \xmldoifselfempty \{} \{} xmldoiftext \xmldoifselfempty \{} \{} \xmldoifselfempty \{} \{} xmldoifnottext \xmldoifselfempty \{} \{} \xmlfilempty \{} \{} xmldoifnottext \xmlfilter \{} \{} \xmlfilter \xmlfilter \{} \{} xmlfiltext \xmlflushcontext \{} \xmlflushcontext \{} \xmlflushcontext \{} xmlflushcontext \xmlflushcontext \{} \xmlflushcontext \{} \xmlflushcontext \{} xmlflushinewise \xmlflushdocumentsetups \{} \xmlflushdocumentsetups \{} \xmlflushpure \{} xmlflushpure \xmlflushpure \{} \xmlflushpure \{} \xmlflushtext \{} xmlinclude \xmlinclude \{} \xmlinclude \{} \xmlinclusions \{} xmlinfo \xmlinfo \{} \xmlinfo \{} \xmlinfo \{}	xmldoifelseselfempty	\xmldoifelseselfempty {} {}
xmldoifnot \xmldoifnot {} {} {} xmldoifnotselfempty \xmldoifnottext {} {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoiftext {} {} {} xmldoiftext \xmldoiftext {} {} xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfilter \xmlfilter {} {} xmlflush \xmlflush {} xmlflush \xmlflushcontext {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushpure \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushext \xmlflushcontext {} xmlinclude \xmlinclude {} {} xmlinclusion \xmlinclusion {} xmlinclusions \xmlinclusions {} xmlinfo \xmlinjector {}	xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifnot \xmldoifnot {} {} {} xmldoifnotselfempty \xmldoifnottext {} {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoiftext {} {} {} xmldoiftext \xmldoiftext {} {} xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfilter \xmlfilter {} {} xmlflush \xmlflush {} xmlflush \xmlflushcontext {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushpure \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushext \xmlflushcontext {} xmlinclude \xmlinclude {} {} xmlinclusion \xmlinclusion {} xmlinclusions \xmlinclusions {} xmlinfo \xmlinjector {}	xmldoifelsevalue	\xmldoifelsevalue {} {} {} {}
xmldoifnotteslfempty \xmldoifnottext {} {} xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoiftext {} {} {} xmlelement \xmlfilement {} {} xmlfilter \xmlfilter {} {} xmlfirst \xmlfilter {} {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushpure \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushext \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusion {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}	xmldoifnot	
xmldoifnottext \xmldoifselfempty {} {} xmldoifselfempty \xmldoiftext {} {} xmldoiftext \xmldoiftext {} {} xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfilter \xmlfilter {} {} xmlfilter \xmlfilter {} {} xmlflush \xmlflush {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushpacewise \xmlflushpure {} xmlflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}	xmldoifnotselfemptv	
xmldoifselfempty \xmldoifselfempty {} {} xmldoiftext \xmldoiftext {} {} xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfirst \xmlfilter {} {} xmlflush \xmlflush {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise {} \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}	* *	
xmldoiftext \xmldoiftext {} {} {} xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfirst \xmlfirst {} {} xmlflush \xmlflush {} xmlflush {} \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise {} \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}		
xmlelement \xmlelement {} {} xmlfilter \xmlfilter {} {} xmlfirst \xmlfirst {} {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise {} \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}	- v	- *
xmlfilter \xmlfilter {} {} xmlfirst \xmlfirst {} {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}		
xmlfirst \xmlfirst {} {} xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusion \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}		
xmlflush \xmlflush {} xmlflushcontext \xmlflushcontext {} xmlflushdocumentsetups \xmlflushdocumentsetups {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise \xmlflushspacewise {} xmliflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusions \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}		
xmlflushcontext\xmlflushcontext {}xmlflushdocumentsetups\xmlflushdocumentsetups {}xmlflushlinewise\xmlflushlinewise {}xmlflushpure\xmlflushpure {}xmlflushspacewise\xmlflushspacewise {}xmliflushtext\xmliflushtext {}xmlinclude\xmlinclude {} {} {}xmlinclusion\xmlinclusion {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}		
xmlflushdocumentsetups \xmlflushdocumentsetups {} xmlflushlinewise \xmlflushlinewise {} xmlflushpure \xmlflushpure {} xmlflushspacewise \xmlflushspacewise {} xmliflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} {} xmlinclusions \xmlinclusions {} xmlinfo \xmlinfo {} xmlinjector \xmlinjector {}		
xmlflushlinewise\xmlflushlinewise {}xmlflushpure\xmlflushpure {}xmlflushspacewise\xmlflushspacewise {}xmlflushtext\xmlflushtext {}xmlinclude\xmlinclude {} {} {}xmlinclusion\xmlinclusion {}xmlinclusions\xmlinclusions {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}		
xmlflushpure\xmlflushpure {}xmlflushspacewise\xmlflushspacewise {}xmlflushtext\xmlflushtext {}xmlinclude\xmlinclude {} {} {}xmlinclusion\xmlinclusion {}xmlinclusions\xmlinclusions {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}	•	
xmlflushspacewise \xmlflushspacewise {} xmlflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} xmlinclusion \xmlinclusion {} xmlinclusions \xmlinfo {} xmlinjector \xmlinjector {}		
xmlflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} xmlinclusion \xmlinclusion {} xmlinclusions \xmlinfo {} xmlinfo \xmlinjector {}	xmlflushpure	
xmlflushtext \xmlflushtext {} xmlinclude \xmlinclude {} {} xmlinclusion \xmlinclusion {} xmlinclusions \xmlinfo {} xmlinfo \xmlinjector {}	xmlflushspacewise	\xmlflushspacewise {}
xmlinclusion\xmlinclusion {}xmlinclusions\xmlinclusions {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}	xmlflushtext	
xmlinclusions\xmlinclusions {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}	xmlinclude	\xmlinclude {} {} {}
xmlinclusions\xmlinclusions {}xmlinfo\xmlinfo {}xmlinjector\xmlinjector {}	xmlinclusion	
<pre>xmlinfo xmlinjector xmlinjector \xmlinjector \\\}</pre>		
<pre>xmlinjector \xmlinjector {}</pre>		
/wmrininghigon/hring ()		

xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {} {} {}
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {} {}
xmlloadonly xmlmain	\xmlloadonly {} {} \xmlmain {}
xmlmapvalue	\xmlmapvalue {} {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	$\mbox{xmlposition } \{\} \{\}$
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile \{\dots\} \\\xmlpure \{\dots\} \\\.
xmlpure xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname {} {} {}
xmlremapnamespace	\xmlremapnamespace {} {} {}
xmlremovedocumentsetup	$\xrack \xrack $
xmlremovedocumentsetup xmlremovesetup	\xmlremovedocumentsetup {} {} \xmlremovesetup {}
-	
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors</pre>
xmlresetdocumentsetups xmlresetinjectors xmlresetsetups	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {}</pre>
xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsatatt xmlsetatttribute xmlsetentity	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsattt xmlsetattt xmlsetattribute xmlsetentity xmlsetfunction	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {}</pre> \xmlsetfunction {} {}
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsatatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors []</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpar {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetparam {} {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpar {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup	\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetontity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetsetup {} {} {}
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetsetup	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlsetsetup {} {} {} \xmlsetsetup {} {} {} \xmlsetup {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlsetsetup {} {} {} \xmlsetup {} {} {} \xmlsetup {} {}</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetsinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \x</pre>
xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} {} \xmlsetup {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} {} \xmlstripped {} {} {} \xmlstripped {} {} {</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstrippednolines</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstrip</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstrippednolines xmltag</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetparat {} {} {} \xmlsetparat {} {} {} \xmlsetparat {} {} {} \xmlsetup {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstripped {} {} {} \xmlstripped {</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsijectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmlt</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmltag xmltexentity xmltext</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetfunction {} {} {} \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetpet {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltexet {} {} {} \xmltexet {} {} \xmltexet {} {} \xmltexet {} {} {} \xmltexet {} {} {} \xmltexet {} {.</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmltag xmltexet xmltobuffer</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltatripped {} {} \xmltatr</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsijectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmltag xmltexet xmltobuffer xmltobufferverbose</pre>	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetntity {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltatripped {}</pre>
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstripped xmltag xmltexet xmltobuffer xmltobuffer xmltofile</pre>	\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetup {} {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {}
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstrippedocumentsetup xmltag xmltexet xmltobuffer xmltobuffer xmltofile xmlvalue</pre>	\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetup {} {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltofile {} {}
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstripped xmltag xmltexentity xmltobuffer xmltobuffer xmltobuffer xmltoline</pre>	\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltoplaule {} {} \xmlvalue {} {}
<pre>xmlremovesetup xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstrippedocumentsetup xmltag xmltexet xmltobuffer xmltobuffer xmltofile xmlvalue</pre>	\xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlsetup {} {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltofile {} {}

