## Confext

commandes





## ConTEXt commandes

fr / français 21 mars 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
a	\a {} {} []
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptedisposition	\adaptedisposition [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
ajustechamp	\ajustechamp [] [=]
alaligne	\alaligne {} []
alapage	\alapage []
alignbottom	\alignbottom
aligneadroite	\aligneadroite {}
aligneagauche	\aligneagauche {}
aligneaumilieu	\aligneaumilieu {}
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist \{\dots\} \\\
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
	\apply \{\} \\\}
apply	·
applyalternativestyle	\applyalternativestyle \{\dots\} \applyprocessor \{\dots\} \\\\
applyprocessor	\applytocharacters \ \{\}
applytocharacters	== *
applytofirstcharacter	\applytofirstcharacter \ {}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
arriereplan	\arriereplan {}
arriereplan:example	\ARRIEREPLAN {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension {} \ {} {} {}
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \

assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttexte	\autostarttexte \autostoptexte
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg D:1	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage \{\} \{\} \{\}
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
baha	\baha [] {}
bar	\bar {}
barrecouleur	\barrecouleur []
barreinteraction	\barreinteraction [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes \{\dots\}
bar:instance:underbar	\underbar {}
bar:instance:underbar	\underbar \(\cdot\)
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
bas	\bas {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bas:instance	\LOW {}
bas:instance:unitslow	\unitslow {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm

him	\him
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix \{\dots\}
	• • • • • • • • • • • • • • • • • • • •
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
bouton	\bouton [=] {} []
boutonmenu:button	\boutonmenu [=] {} {}
boutonmenu:interactionmenu	\boutonmenu [] [=] {} {}
boutonsinteraction	\boutonsinteraction [=] []
bouton:example	\BUTTON [=] {} []
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse $\{\}$ $\{\}$ $\{\}$
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist $\{\}$ $\{\}$ $\{\}$
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\}$ $\{\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked {} {} {}
btxdoifelseuservariable	\btxdoifelseuservariable {} {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<del>-</del>	
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}

otxflushsuffix	\btxflushsuffix
otxfoundname	\btxfoundname {}
otxfoundtype	\btxfoundtype {}
otxhiddencitation	\btxhiddencitation []
ptxhybridcite	\btxhybridcite [=] []
ptxhybridcite:alternative	\btxhybridcite [] []
otxhybridcite:direct	\btxhybridcite {}
ptxhybridcite:userdata	\btxhybridcite [=] [=]
ptxlistcitation	\btxlistcitation [=] []
otxlistcitation:alternative	\btxlistcitation [] []
ptxlistcitation:userdata	\btxlistcitation [=] [=]
otxloadjournalist	\btxloadjournalist []
otxoneorrange	\btxoneorrange {} {} {}
•	
ptxremapauthor	\btxremapauthor [] []
ptxsavejournalist	\btxsavejournalist []
ptxsetup	\btxsetup {}
ptxsingularorplural	\btxsingularorplural \{\ldots\} \{\ldots\}
otxsingularplural	\btxsingularplural {} {} {}
otxtextcitation	\btxtextcitation [=] []
otxtextcitation:alternative	\btxtextcitation [] []
ptxtextcitation:userdata	\btxtextcitation [=] [=]
puildmathaccent	\buildmathaccent {} {}
puildtextaccent	\buildtextaccent {} {}
ouildtextbottomcomma	\buildtextbottomcomma {}
puildtextbottomdot	\buildtextbottomdot {}
puildtextcedilla	\buildtextcedilla {}
puildtextgrave	\buildtextgrave {}
puildtextmacron	\buildtextmacron {}
puildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
Caractere	\Caractere {}
Caracteres	\Caracteres {}
Chiffresromains	\Chiffresromains {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
cacheblocs	\cacheblocs [] []
calligraphique	\calligraphique
camel	\camel {}
cap	\cap {}
caractere	\caractere {}
caracteres	\caracteres {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned \{\dots\}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
	\centerline \{\ldots\}
centerline	
cfrac	\cfrac [] {} {}
champ	\champ [] []
changepolicecorps	\changepolicecorps []
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checkingector checknextindentation	\checkinjector []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
<u>-</u>	
checkvariables	\checkvariables [] [=]
chem	\chem {} {}

chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
	\chemicaltoptext {}
chemicaltoptext	
chiffresromains	\chiffresromains {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
citation	\citation [=] []
citation:alternative	\citation []
citation:direct	\citation {}
citation:userdata	\citation [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
-	
clonechamp	\clonechamp [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonne	\colonne []
colorcomponents	\colorcomponents {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
. •	
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commentaire	\commentaire (,) (,) [=] {]
commentaire:instance	\COMMENT [] [=] {}
commentaire:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
comparegroupecouleur	\comparegroupecouleur []
comparepalette	\comparepalette []
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completeCOMBINEDLIST [=]
completecombinedlist:instance:content	\completecontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
	-
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
	=
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completenumeropage	\completenumeropage
completeregistre	\completeregistre [] [=]
completeregistre:instance	\completeREGISTER [=]
completeregistre:instance:index	\completeindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
composant	\composant []
composant:string	\composant
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}

compresult	\compresult
concernant	\concernant []
	\constantdimen \
constantdimen	
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
convertedsubcounter	\convertedsubcounter [] [] [=]
convertitnumero	\convertitnumero {} {}
convertmonth	\convertmonth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copitchamp	\copitchamp [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtexte [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltexte [] [=]
<del></del>	
copylabeltext:instance:head	\copyheadtexte [] [=]
copylabeltext:instance:label	\copylabeltexte [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltexte [] [=]
copylabeltext:instance:operator	\copyoperatortexte [] [=]
-	
copylabeltext:instance:prefix	\copyprefixtexte [] [=]
copylabeltext:instance:suffix	\copysuffixtexte [] [=]
copylabeltext:instance:taglabel	\copytaglabeltexte [] [=]
copylabeltext:instance:unit	\copyunittexte [] [=]
copypages	\copypages [] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition \{\ldots\} \{\ldots\}
corrigeespaceblanc	\corrigeespaceblanc {}
couleur	\couleur [] {}
couleurgrise	\couleurgrise [] {}
9	
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
	••••
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	
	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
<u> </u>	<u> </u>
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
	•••
currentinterface	\currentinterface
currentlabel:example	\currentETIQUETTE [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
-	. · · · · · · · · · · · · · · · · · · ·
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
Out 1 On 0 1 10 10 10 10 10 10 10 10 10 10 10 10	10077 2007 10 000001 % 01 07 6

currentlistentrytitlerendered	$\c \c \$
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime currentvalue	\currenttime [] \currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
dactylographier	\dactylographier [=] {}
dactylographier:angles	\dactylographier [=] <<>>
dactylographier:example	\TYPE [=] {}
dactylographier:example:angles	\TYPE [=] <<>>
dans	\dans {} {} []
datasetvariable	\datasetvariable {} {} {}
date	\date [=] []
datecourante	\datecourante []
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
de	\de []
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter definealternativestyle	\defineactivecharacter {}
defineanthor	\definealternativestyle [] [] \defineanchor [] [] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattachment [] [] \defineattribute [] []
definebackground	\definedctiffdte [] [] \definebackground [] [] [=]
definebar	\definebar [] [] [] \
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [] [=]
definecapitals	\definecapitals [] [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [=]
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] []
definedelimitedtext	\definedelimitedtext [] [] [=]

definedfont	\definedfont []
lefineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant \{\ldots\} \\
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
definefontfamily	\definefontfamily [] [] [] [=]
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframed	\defineframed [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
defineframedtext	\defineframedtext [] [] [=]
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
lefineinterfacevariable	\defineinterfacevariable \{\ldots\} \\ \ldots\}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
	\definelabelclass [] []
	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [=]
definelistextra	\definelistextra [] [] [=]
definelow	\definelow [] [] []
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] []
defineMountaingn defineMountaince	\defineMPinstance [] [] []
definemarginblock	\definemarginblock [] [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [ ] [ ] [ = ]

definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	definemathematics [] [] []
definemathematics	\definemathematics [] [] [] \definemathextensible [] []
definematheened	\definemathextensible [] [] \definemathfence [] [] []
definemathfraction	\definemathfraction [] []
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
	\definemeasure [] []
definemeasure	
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemultitonecolor	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
	\defineornament [] [=] [=]
defineornament:layer	
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagechecker	\definepagechecker [] [=]
definepagegrid	\definepagegrid [] [=]
definepagegridarea	\definepagegridarea [] [=]
definepagegridspan	\definepagegridspan [] [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] []
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox	\definepagestate [] [] \.
<del>-</del>	
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel []
defineparbuilder	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [] [=]
definescript	\definescript [] [] [=]
-	
definesectionlevels	\definesectionlevels [] []
defineselector	
defineseparatorset	\defineselector [] [=]
<del>-</del>	\defineseparatorset [] []
defineshift	\defineseparatorset [] [] [] \defineshift [] [] [=]
<del>-</del>	\defineseparatorset [] [] [] \defineshift [] [] [=] \definesidebar [] [] [=]
defineshift	\defineseparatorset [] [] [] \defineshift [] [] [=] \definesort [] [] [] \definesort [] [] \definesort [] [] \definesort []
defineshift definesidebar	\defineseparatorset [] [] [] \defineshift [] [] [=] \definesidebar [] [] [=]
defineshift definesidebar definesort	\defineseparatorset [] [] [] \defineshift [] [] [=] \definesort [] [] [] \definesort [] [] \definesort [] [] \definesort []
defineshift definesidebar definesort definespotcolor	\defineseparatorset [] [] [] \defineshift [] [] [] \definesidebar [] [] [] \definesort [] [] {} \definespotcolor [] [] []
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula	\defineseparatorset [] [] [] \defineshift [] [] [] \definesidebar [] [] [] \definesort [] [] [] \definespotcolor [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] []
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym	\defineseparatorset [] [] [] \defineshift [] [] [] \definesidebar [] [] [] \definesort [] [] [] \definespotcolor [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] \definesynonym [] \definesynonym [] [] \definesynonym [] \definesynonym [] [] \definesynonym [] \def
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym definesystemattribute	\defineseparatorset [] [] [] \defineshift [] [] [] [] \definesidebar [] [] [] \definesort [] [] [] \definespotcolor [] [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] \definesynonym [] [] [] \definesystemattribute [] []
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym definesystemattribute definesystemconstant	\defineseparatorset [] [] [] \defineshift [] [] []. \definesidebar [] [] [] \definesort [] [] [] \definespotcolor [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] \definesynonym [] [] \definesystemattribute [] [] \definesystemconstant \{\}
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym definesystemattribute definesystemconstant definesystemvariable	\defineseparatorset [] [] [] \defineshift [] [] []. \definesidebar [] [] [] \definesort [] [] {} \definespotcolor [] [] [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] \definesynonym [] [] {} \definesystemattribute [] [] \definesystemconstant {} \definesystemvariable {}
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym definesystemattribute definesystemconstant definesystemvariable defineTABLEsetup	\defineseparatorset [] [] [] \defineshift [] [] []. \definesidebar [] [] [] \definesort [] [] {} \definespotcolor [] [] [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] [] \definesynonym [] [] {} \definesystemattribute [] [] \definesystemconstant {} \definesystemvariable {} \defineTABLEsetup [] []
defineshift definesidebar definesort definespotcolor definestyleinstance definesubformula definesynonym definesystemattribute definesystemconstant definesystemvariable	\defineseparatorset [] [] [] \defineshift [] [] []. \definesidebar [] [] [] \definesort [] [] {} \definespotcolor [] [] [] [] [] \definestyleinstance [] [] [] [] \definesubformula [] [] [] \definesynonym [] [] {} \definesystemattribute [] [] \definesystemconstant {} \definesystemvariable {}

definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
	\definetransparency [] [=]
definetransparency:3	\definetransparency []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
	\definetypesetting [] [=]
	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
<u>•</u>	\definevspace [] []
	\definevspacing [] []
	\definevspacingamount [] []
	\definextable [] [=]
	\definicaractere
definit	\definit [] \ {}
	\definitaccent
	\definitbloc [] [=]
	\definitblocsection [] [=]
	\definitbuffer [] [] []
	\definitcalque [] [] [=]
	\definitchamp [] [] [] []
•	
definitcommande	\definitcommande
	\definitconversion [] []
	\definitconversion [] []
definitcouleur	\definitcouleur [] [=]
	\definitcouleur []
definitdactylo	\definitdactylo [] [=]
	\definitdemarrestoppe [] [=]
	\definitdescription [] [=]
	\definitdisposition [] [] [=]
	\definitenumeration [] [=]
	\definitenvironnementpolicecorps [] [=]
	\definitetiquette [] [=]
	\definitflottant [] [=]
	\definitflottant [] []
definitformatreference	\definitformatreference [] [=]
definitgroupecouleur	\definitgroupecouleur [] [x:y:z,]
definithbox	\definithbox [] []
definitliste	\definitliste [] [=]
	\definitlisteimbriquee [] [] [=]
definitmakeup	\definitmakeup [] [=]
definitmarquage	\definitmarquage [] [=]
definitmenuinteraction	\definitmenuinteraction [] [] [=]
	\definitpalette [] [=]
	\definitpalette [] []
	\definitparagraphes [] [] [=]
	\definitpilechamp [] [] []
	\definitpolice [] [] []
	\definitpolicecorps [] [] [] [] \definitpolicecorps [] [] []
1 0	\definitpolicecorps [] [] [] \definitpolice [] []
1 0	•
	\definitprofil [] [] []
	\definitprogramme [] []
definitreference	\definitreference [] []
	\definitregistre [] [=]
	\definitrevetement [] []
definitsautdecolonne	\definitsautdecolonne [] []
	\definitsautdepage [] []
definitsection	\definitsection []
definitsouschamp	\definitsouschamp [] []
	\definitstyle [] [=]
definitstylepolice	\definitstylepolice [] []
definitsymbole	\definitsymbole [] []
	\definitsymbolefigure [] [=]
definitsynonymepolice	\definitsynonymepolice [] [] [=]
definitsynonymes	\definitsynonymes [] [] []
definittabulation	\definittabulation [] []
	\definittaillepapier [] [=]PPT
definittaillepapier:name	\definittaillepapier [] []
definittete	\definittete [] [=]
definittexte	\definittexte [] [] [] [] []
definittrametableau	\definittrametableau [] [  ] []

definittri	\definittri [] []
definittype	\definittype [] [=]
	\definitvide []
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
<u>•</u>	\demarrealigneadroite \stoppealigneadroite
<u> </u>	\demarrealigneagauche \stoppealigneagauche
	\demarrealigneagauche \stoppealigneagauche \demarrealigneaumilieu \stoppealigneaumilieu
	\demarrealignment [] \stoppealignment
	\demarreallmodes [] \stoppeallmodes
	\demarrearriereplan [=] \stoppearriereplan
demarrearriereplan:example	\demarreARRIEREPLAN [=.] \stoppeARRIEREPLAN
demarreattachment:instance	\demarreATTACHMENT [] [=] \stoppeATTACHMENT
demarreattachment:instance:attachment	\demarreattachment [] [=] \stoppeattachment
	\demarrebar [] \stoppebar
	\demarrebbordermatrix \stoppebbordermatrix
	\demarrebitmapimage [=] \stoppebitmapimage
demarrebordermatrix	\demarrebordermatrix \stoppebordermatrix
demarrebtxrenderingdefinitions	\demarrebtxrenderingdefinitions [] \stoppebtxrenderingdefinitions
demarrebuffer	\demarrebuffer [] \stoppebuffer
demarrebuffer:instance	\demarreBUFFER \stoppeBUFFER
demarrebuffer:instance:hiding	\demarrehiding \stoppehiding
<u> </u>	\demarrecatcodetable \ \stoppecatcodetable
	\demarrecenteraligned \stoppecenteraligned
	\demarrecharacteralign [] \stoppecharacteralign
	\demarrecheckedfences \stoppecheckedfences
	\demarrechemical [] [=] \stoppechemical
	\demarreciter [] [] \Stoppechemical
	\demarrecollect \stoppecollect
	\demarrecollecting \stoppecollecting
	\demarrecolonnes [=] \stoppecolonnes
	\demarrecolorintent [] \stoppecolorintent
	\demarrecoloronly [] \stoppecoloronly
	\demarrecolorset [] \stoppecolorset
	\demarrecolumnspan [=] \stoppecolumnspan
demarrecombination	\demarrecombination [] [=] \stoppecombination
demarrecombination:matrix	\demarrecombination [] [ \stoppecombination
demarrecommentairepage	\demarrecommentairepage \stoppecommentairepage
demarrecommentaire:instance	\demarreCOMMENT [] [=] \stoppeCOMMENT
demarrecommentaire:instance:comment	\demarrecomment [] [=] \stoppecomment
demarrecomposant	\demarrecomposant [] \stoppecomposant
	\demarrecomposant \stoppecomposant
	\demarrecontextcode \stoppecontextcode
	\demarrecontextdefinitioncode \stoppecontextdefinitioncode
	\demarrecouleur [] \stoppecouleur
	\demarrectxfunction \stoppecodieur
	\demarrectxfunctiondefinition \stoppectxfunction
	\demarrecurrentcolor \stoppecurrentcolor
	\demarrecurrentlistentrywrapper \stoppecurrentlistentrywrapper
	\demarredegroupe \stoppedegroupe
	\demarredelimited [] [] \stoppedelimited
	\demarredelimitedtext [] [] \stoppedelimitedtext
demarredelimitedtext:instance	\demarreDELIMITEDTEXT [] [ \stoppeDELIMITEDTEXT
demarredelimitedtext:instance:aside	\demarreaside [] [] \stoppeaside
demarredelimitedtext:instance:blockquote	\demarreblockquote [] [] \stoppeblockquote
demarredelimitedtext:instance:quotation	\demarrequotation [] [ \stoppequotation
demarredelimitedtext:instance:quote	\demarrequote [] [] \stoppequote
demarredelimitedtext:instance:speech	\demarrespeech [] [] \stoppespeech
demarredescription:example	\demarreDESCRIPTION [=] \stoppeDESCRIPTION
demarredescription:example:title	\demarreDESCRIPTION [] {} \stoppeDESCRIPTION
	\demarredisplaymath \stoppedisplaymath
	\demarredmath \stoppedmath
	\demarredocument [=] \stoppedocument
	\demarreeffect [] \stoppeeffect
demarreeffect:example	\demarreEFFECT\stoppeEFFECT
•	
	\demarreelement [] \stoppeelement
	\demarreembeddedxtable [=] \stoppeembeddedxtable
	\demarreembeddedxtable [] \stoppeembeddedxtable
demarreenumeration:example	\demarreENUMERATION [=] \stoppeENUMERATION

	\ ,
demarreenumeration:example:title	\demarreENUMERATION [] {} \stoppeENUMERATION
demarreenvironement	\demarreenvironement [] \stoppeenvironement
demarreenvironementblocsection	\demarreenvironementblocsection [] \stoppeenvironementblocsection
demarreenvironement:string	\demarreenvironement \stoppeenvironement
demarreetroit	\demarreetroit [] [=] \stoppeetroit
demarreetroit:assignment	\demarreetroit [=] [] \stoppeetroit
demarreetroit:name	\demarreetroit [] [] \.\stoppeetroit
demarreexceptions	\demarreexceptions [] \stoppeexceptions
demarreexpanded	\demarreexpanded \stoppeexpanded
demarreexpandedcollect	\demarreexpandedcollect \stoppeexpandedcollect
demarreextendedcatcodetable	\demarreextendedcatcodetable \ \stoppeextendedcatcodetable
demarreexternalfigurecollection	\demarreexternalfigurecollection [] \stoppeexternalfigurecollect:
demarrefigure	\demarrefigure [] [=.] \stoppefigure
demarrefittingpage	\demarrefittingpage [] [=] \stoppefittingpage
demarrefittingpage:instance	\demarreFITTINGPAGE [=] \stoppeFITTINGPAGE
demarrefittingpage:instance:MPpage	\demarreMPpage [=] \stoppeMPpage
demarrefittingpage:instance:TEXpage	\demarreTEXpage [=] \stoppeTEXpage
demarrefixe	\demarrefixe [] \stoppefixe
demarrefloatcombination	\demarrefloatcombination [=] \stoppefloatcombination
demarrefloatcombination:matrix	\demarrefloatcombination [] \stoppefloatcombination
demarrefloattext:instance	\demarreFLOATtexte [] [] \stoppeFLOATtexte
demarrefloattext:instance:chemical	\demarrechemicaltexte [] [] \\stoppechemicaltexte
demarrefloattext:instance:figure	\demarrefiguretexte [] [] \stoppefiguretexte
demarrefloattext:instance:graphic	\demarregraphictexte [] [] \\stoppegraphictexte
demarrefloattext:instance:intermezzo	\demarreintermezzotexte [] [] \ \stoppeintermezzotexte
demarrefloattext:instance:table	\demarretabletexte [] [] \stoppetabletexte
demarrefont	\demarrefont [] \stoppefont
demarrefontclass	\demarrefontclass [] \stoppefontclass
demarrefontsolution	\demarrefontsolution [] \stoppefontsolution
demarreformule	\demarreformule [] \stoppeformule
demarreformules	\demarreformules [] \stoppeformules
demarreformule:assignment	\demarreformule [=] \stoppeformule
demarreformule:instance	\demarreFORMULAformula [] \stoppeFORMULAformula
demarreformule:instance:md	\demarremdformula [] \stoppemdformula
demarreformule:instance:mp	\demarrempformula [] \stoppempformula
demarreformule:instance:sd	\demarresdformula [] \stoppesdformula
demarreformule:instance:sp	\demarrespformula [] \stoppespformula
demarreframed	\demarreframed [] [=] \stoppeframed
demarreframedcell	\demarreframedcell [=] \stoppeframedcell
demarreframedcontent	\demarreframedcontent [] \stoppeframedcontent
lemarreframedrow	\demarreframedrow [=] \stoppeframedrow
demarreframedtable	$\def Marreframed table [] [=] \stoppe framed table$
lemarregridsnapping	\demarregridsnapping [] \stoppegridsnapping
demarregridsnapping:list	\demarregridsnapping [] \stoppegridsnapping
lemarregroupe	\demarregroupe [] \stoppegroupe
lemarrehboxestohbox	\demarrehboxestohbox \stoppehboxestohbox
lemarrehboxregister	\demarrehboxregister \stoppehboxregister
demarrehelp:instance	\demarreHELP [] \stoppeHELP
demarrehelp:instance:helptext	\demarrehelptext [] \stoppehelptext
lemarrehighlight	\demarrehighlight [] \stoppehighlight
lemarrehyphenation	\demarrehyphenation [] \stoppehyphenation
lemarreimath	\demarreimath \stoppeimath
lemarreindentedtext	\demarreindentedtext [] \stoppeindentedtext
demarreindentedtext:example	\demarreINDENTEDTEXT \stoppeINDENTEDTEXT
demarreinteraction	\demarreinteraction [] \stoppeinteraction
lemarreinterface	\demarreinterface \stoppeinterface
lemarreintertext	\demarreintertext \stoppeintertext
lemarreitemgroup	\demarreitemgroup [] [=] \stoppeitemgroup
demarreitemgroup:instance	\demarreITEMGROUP [] [=] \stoppeITEMGROUP
lemarreitemgroup:instance:itemize	\demarreitemize [] [=] \stoppeitemize
lemarreJScode	\demarreJScode \stoppeJScode
lemarreJSpreamble	\demarreJSpreamble \stoppeJSpreamble
lemarreknockout	\demarreknockout \stoppeknockout
demarrelabeltexte:instance	\demarreLABELtexte [] [] \stoppeLABELtexte
demarrelabeltexte:instance:btxlabel	\demarrebtxlabeltexte [] [] \stoppebtxlabeltexte
demarrelabeltexte:instance:head	\demarreheadtexte [] [] \stoppeheadtexte
demarrelabeltexte:instance:label	\demarrelabeltexte [] [] \stoppelabeltexte
demarrelabeltexte:instance:mathlabel	\demarremathlabeltexte [] [] \stoppemathlabeltexte
demarrelabeltexte:instance:operator	\demarreoperatortexte [] [] \stoppeoperatortexte
demarrelabeltexte:instance:prefix	\demarreprefixtexte [] [] \stoppeprefixtexte
demarrelabeltexte:instance:suffix	\demarresuffixtexte [] [] \stoppesuffixtexte
demarrelabeltexte:instance:taglabel	\demarretaglabeltexte [] [] \stoppetaglabeltexte
demarrelabeltexte:instance:unit	\demarreunittexte [] [] \stoppeunittexte
demarrelayout	\demarrelayout [] \stoppelayout
demarreligne	\demarreligne []

demarreligneregleetexte	\demarreligneregleetexte \{\ldots\} \ldots \stoppeligneregleetexte
demarrelignes:instance	\demarreLINES [=] \stoppeLINES
demarrelignes:instance:lines	\demarrelines [=] \stoppelines
•	
demarrelinealignment	\demarrelinealignment [] \stoppelinealignment
demarrelinecorrection	\demarrelinecorrection [] \stoppelinecorrection
demarrelinefiller	\demarrelinefiller [] [=] \stoppelinefiller
demarrelinenumbering	\demarrelinenumbering [] [=] \stoppelinenumbering
•	
demarrelinenumbering:argument	\demarrelinenumbering [] \stoppelinenumbering
demarrelinetable	\demarrelinetable \stoppelinetable
demarrelinetablebody	\demarrelinetablebody \stoppelinetablebody
demarrelinetablecell	\demarrelinetablecell [=] \stoppelinetablecell
demarrelinetablehead	\demarrelinetablehead \stoppelinetablehead
demarrelocalfootnotes	\demarrelocalfootnotes \stoppelocalfootnotes
demarrelocalheadsetup	\demarrelocalheadsetup \stoppelocalheadsetup
-	
demarrelocallinecorrection	\demarrelocallinecorrection [] \stoppelocallinecorrection
demarrelocalnotes	\demarrelocalnotes [] \stoppelocalnotes
demarrelocalsetups	\demarrelocalsetups [] [ \stoppelocalsetups
demarrelocalsetups:string	\demarrelocalsetups \stoppelocalsetups
demarrelua	\demarrelua \stoppelua
demarreluacode	\demarreluacode \stoppeluacode
demarreluaparameterset	\demarreluaparameterset [] \stoppeluaparameterset
-	
demarreluasetups	\demarreluasetups [] [] \stoppeluasetups
demarreluasetups:string	\demarreluasetups \stoppeluasetups
demarreMPclip	\demarreMPclip {} \stoppeMPclip
demarreMPcode	\demarreMPcode {} \stoppeMPcode
	= -
demarreMPdefinitions	\demarreMPdefinitions \{\ldots\}\ldots\\\\stoppeMPdefinitions
demarreMPdrawing	\demarreMPdrawing [] \stoppeMPdrawing
demarreMPenvironment	\demarreMPenvironment [] \stoppeMPenvironment
demarreMPextensions	\demarreMPextensions \{\ldots\} \ldots \\stoppeMPextensions
demarreMPinclusions	\demarreMPinclusions [] \{\stoppeMPinclusions
demarreMPinitializations	\demarreMPinitializations \stoppeMPinitializations
demarreMPpositiongraphic	\demarreMPpositiongraphic \{\ldots\} \ldots\\ \stoppeMPpositiongraphic
demarreMPpositionmethod	$\verb \demarreMPpositionmethod  \{\ldots\} \ldots \verb \stoppeMPpositionmethod $
demarreMPrun	\demarreMPrun {} \stoppeMPrun
demarremakeup	\demarremakeup [] [=] \stoppemakeup
<u> -</u>	
demarremakeup:instance	\demarreMAKEUPmakeup [=] \stoppeMAKEUPmakeup
demarremakeup:instance:middle	\demarremiddlemakeup [=] \stoppemiddlemakeup
demarremakeup:instance:page	\demarrepagemakeup [=] \stoppepagemakeup
demarremakeup:instance:standard	\demarrestandardmakeup [=] \stoppestandardmakeup
•	
demarremakeup:instance:text	\demarretextmakeup [=] \stoppetextmakeup
demarremargereglee	\demarremargereglee [] \stoppemargereglee
demarremargereglee:assignment	\demarremargereglee [=] \stoppemargereglee
demarremarginblock	\demarremarginblock [] \stoppemarginblock
•	
demarremarkedcontent	\demarremarkedcontent [] \stoppemarkedcontent
demarremathalignment:instance	\demarreMATHALIGNMENT [=] \stoppeMATHALIGNMENT
demarremathalignment:instance:align	\demarrealign [=] \stoppealign
	\demarremathalignment [=] \stoppemathalignment
demarremathalignment:instance:mathalignment	
demarremathcases:instance	\demarreMATHCASES [=] \stoppeMATHCASES
demarremathcases:instance:cases	
	\demarrecases [=] \stoppecases
	\demarrecases [=] \stoppecases
demarremathcases:instance:mathcases	\demarremathcases [=] \stoppemathcases
demarremathcases:instance:mathcases demarremathmatrix:instance	\demarremathcases [=] \stoppemathcases \demarreMATHMATRIX [=] \stoppeMATHMATRIX
demarremathcases:instance:mathcases	\demarremathcases [=] \stoppemathcases \demarremathmatrix [=] \stoppemathmatrix \demarremathmatrix [=] \stoppemathmatrix
demarremathcases:instance:mathcases demarremathmatrix:instance	\demarremathcases [=] \stoppemathcases \demarreMATHMATRIX [=] \stoppeMATHMATRIX
<pre>demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix</pre>	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix
<pre>demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode</pre>	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode</pre>
<pre>demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle</pre>	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle</pre>
<pre>demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode</pre>	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices
demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices \define \de
demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremenuinteraction	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppeMATHMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices [] \define \demarrematrices [] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \define \demarrematrices [] \define \demarrematrices [] \define \demarrematrices [] \demarrematrices [] \define \demarrematrices [] \demarrematrices [] \define \d
demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \defallow \defallow \demarrematrices \defallow \defa
demarremathcases:instance:mathcases demarremathmatrix:instance demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremenuinteraction	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppematrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \defallow \defallow \demarrematrices \defallow \defa
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremenuinteraction demarremiddlealigned	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatriX \demarremathmatrix [] \stoppemathmatrix \demarrematrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices [] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarremathmatrices [] \stoppemiddlealigned \demarremixedcolumns [] [] \stoppemixedcolumns
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremenuinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatriX \demarremathmatrix [] \stoppemathmatrix \demarrematrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices [] \defautrices \defautrices \defautrices [] \defautrices \defautrices \defautrices \defautrices [] \defautrices \de
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremouinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatriX \demarremathmatrix [] \stoppemathmatrix \demarrematrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \def \def \def \def \def \def \def \def
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremenuinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance	\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarremathmatrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminteraction [] \stoppeminteraction \demarreminteraction \demarreminteraction [] \stoppemixedcolumns \demarremIXEDCOLUMNS [=] \stoppeMIXEDCOLUMNS \demarreboxedcolumns [=] \stoppeboxedcolumns \demarreitemgroupcolumns [=] \stoppeitemgroupcolumns \demarreitemgroupcolumns [=] \stoppeitemgroupcolumns
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremouinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatriX \demarremathmatrix [] \stoppemathmatrix \demarrematrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \demarrematrices [] \stoppematrices \demarrematrices \def \def \def \def \def \def \def \def
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremouinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatriX \demarremathmatrix [] \stoppemathmatrix \demarremathmatrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices [] \stoppeminteraction \demarreminteraction [] \stoppeminteraction \demarreminteraction \demarreminteraction [] \stoppemixedcolumns \demarreminteraction \demarreminteraction [] \stoppemixedcolumns \demarreminteraction \demarreminter
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremouinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremodeset	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatrix \demarremathmatrix [] \stoppemathmatrix \demarremathmatrix [\stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [\stoppemathstyle \demarrematrices [\stoppematrices \demarrematrices [\stoppematrices \demarremaxaligned\stoppematrices \demarremaxaligned\stoppemenuinteraction \demarremiddlealigned\stoppemiddlealigned \demarremixedcolumns [
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremodeset demarremodule	\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathmatrix \demarremathmatrix [] \stoppemathmatrix \demarremathmatrix [] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarremaxaligned \stoppemiddlealigned \demarremixedcolumns [] \stoppemixedcolumns \demarremixedcolumns [] \stoppemixedcolumns \demarremixedcolumns [] \stoppemixedcolumns \demarremixedcolumns [] \stoppeboxedcolumns \demarremixedcolumns [] \stoppeitemgroupcolumns \demarremode [] \stoppemodeset \demarremodeset [] {} \stoppemodeset \demarremodule [] \stoppemodule
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremouinteraction demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremodeset	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatrix \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminteraction [] \stoppeminteraction \demarreminteraction [] \stoppemixedcolumns \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppeboxedcolumns \demarremixedcolumns [=] \stoppeitemgroupcolumns \demarremode [] \stoppemodeset \demarremodule [] \stoppemodule \demarremodule [] \stoppemodule \demarremoduletestsection \stoppemoduletestsection</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremodeset demarremodule	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatrix \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminteraction [] \stoppeminteraction \demarreminteraction [] \stoppemixedcolumns \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppeboxedcolumns \demarremixedcolumns [=] \stoppeitemgroupcolumns \demarremode [] \stoppemodeset \demarremodule [] \stoppemodule \demarremodule [] \stoppemodule \demarremoduletestsection \stoppemoduletestsection</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremode demarremodule demarremodule demarremodule:string	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatrix \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminteraction [] \stoppemouninteraction \demarremintedcolumns [] [=] \stoppemixedcolumns \demarremIXEDCOLUMNS [=] \stoppemixedcolumns \demarremintedcolumns [=] \stoppeboxedcolumns \demarremintedcolumns [=] \stoppeboxedcolumns \demarremode [] \stoppemode \demarremodeset [] {} \stoppemodeset \demarremodule [] \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection \stoppemodule \demarremodule \stoppemodu</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremode demarremodule:string demarremodule:string demarrenamedsection	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppemounteraction \demarremidelaligned \stoppemiddlealigned \demarremidelaligned \stoppemiddlealigned \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremixedcolumns [] \stoppemixedcolumns \demarremixedcolumns [] \stoppeboxedcolumns \demarremitemgroupcolumns [] \stoppeitemgroupcolumns \demarremode [] \stoppemode \demarremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] [] \stoppenamedsection</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremindelealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremode demarremodule:string demarremodule:string demarrenamedsubformulas	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminteraction [] \stoppeminteraction \demarreminteraction [] \stoppemixedcolumns \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppemixedcolumns \demarremixedcolumns [=] \stoppeboxedcolumns \demarremixedcolumns [=] \stoppeitemgroupcolumns \demarremode [] \stoppemode \demarremode arremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] \stoppenamedsection \demarremodule arremodule \demarremodule \stoppemodule \demarremodule arremodule [] [=] [=] \stoppenamedsection \demarremamedsection [] [] \stoppenamedsection \demarremamedsection [] [] [] \stoppenamedsection \demarrema</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremiddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremode demarremodule:string demarremodule:string demarrenamedsection	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarremaxaligned \stoppemiddlealigned \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremIXEDCOLUMNS [=] \stoppemiXEDCOLUMNS \demarreboxedcolumns [=] \stoppeboxedcolumns \demarreitemgroupcolumns [=] \stoppeitemgroupcolumns \demarremode [] \stoppemode \demarremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] [ \stoppenamedsection \demarrenamedsection [] [=] [] \stoppenamedsection \demarrenamedsamrenamedsection [] [=] [=] \stoppenamedsection \demarrenamedsamrenamedsubformulas [] {} \stoppenamedsubformulas \demarrenamedsamplemamedsubformulas [] {} \stoppenamed</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarrematrices demarremaxaligned demarremindelealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremixedcolumns:instance:itemgroupcolumns demarremode demarremode demarremodule:string demarremodule:string demarrenamedsubformulas	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathMATRIX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarremaxaligned \stoppemaxaligned \demarreminidelaligned \stoppemiddlealigned \demarremixedcolumns [] [=] \stoppemixedcolumns \demarremIXEDCOLUMNS [=] \stoppeMIXEDCOLUMNS \demarreboxedcolumns [=] \stoppeboxedcolumns \demarremitemgroupcolumns [=] \stoppeitemgroupcolumns \demarremode [] \stoppemode \demarremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] [ \stoppenamedsection \demarrenamedsection [] [=] [] \stoppenamedsection \demarrenamedsamarremodule \stoppenamedsubformulas \demarrenamedsamarrenamedsubformulas [] {} \stoppenamedsubformulas [] {} \stoppenamedsubformulas [] {} \</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarrematrices demarremaxaligned demarreminddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremode demarremode demarremode demarremode demarremode demarremodule:string demarrenamedsubformulas demarrenarrower demarrenarrower:example	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppeminteraction \demarreminteraction [] \stoppeminteraction \demarreminteraction [] [=] \stoppemixedcolumns \demarreminteraction [] \stoppemixedcolumns \demarreminteraction [] \stoppemixedcolumns \demarreminteraction [] \stoppemodelumns \demarremoderitemgroupcolumns [=] \stoppemodeset \demarremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] [=] \stoppenamedsection \demarremamedsection [] [] \stoppenamedsection \demarremamedsection [] \stoppenamedsection \demarremamedsection</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarremaxaligned demarremouinteraction demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremode demarremode demarremode demarremode demarremode demarremodule:string demarrenamedsubformulas demarrenarrower demarrenarrower:example demarrenarromes	<pre>\demarremathcases [] \stoppemathcases \demarremATHMATRIX [] \stoppemathMATRIX \demarremathmatrix [] \stoppemathmatrix \demarremathmatrix [] \stoppemathmatrix \demarrematrix [] \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppeminteraction \demarremidelaligned \stoppemiddlealigned \demarremidelaligned \stoppemiddlealigned \demarremixedcolumns [] \stoppemixedcolumns \demarremixedcolumns [] \stoppemixedcolumns \demarremodemarreboxedcolumns [] \stoppeboxedcolumns \demarreitemgroupcolumns [] \stoppeitemgroupcolumns \demarremode [] \stoppemode \demarremodeset [] {} \stoppemodeset \demarremodule [] \stoppemodule \demarremodule [] \stoppemodule \demarremodule \stoppemodule \demarremod</pre>
demarremathcases:instance:mathcases demarremathmatrix:instance:mathmatrix demarremathmatrix:instance:matrix demarremathmode demarremathmode demarremathstyle demarrematrices demarremaxaligned demarreminddlealigned demarremixedcolumns demarremixedcolumns:instance demarremixedcolumns:instance:boxedcolumns demarremode demarremode demarremode demarremode demarremode demarremodule:string demarrenamedsubformulas demarrenarrower demarrenarrower:example	<pre>\demarremathcases [=] \stoppemathcases \demarremATHMATRIX [=] \stoppemathmatriX \demarremathmatrix [=] \stoppemathmatrix \demarrematrix [=] \stoppemathmatrix \demarremathmode \stoppemathmode \demarremathmode \stoppemathmode \demarremathstyle [] \stoppemathstyle \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices [=] \stoppematrices \demarrematrices [] \stoppematrices \demarrematrices [] \stoppeminteraction \demarreminteraction [] \stoppeminteraction \demarreminteraction [] [=] \stoppemixedcolumns \demarreminteraction [] \stoppemixedcolumns \demarreminteraction [] \stoppemixedcolumns \demarreminteraction [] \stoppemodelumns \demarremoderitemgroupcolumns [=] \stoppemodeset \demarremodeset [] {} \stoppemodule \demarremodule testsection \stoppemodule \demarremodule testsection [] [=] [=] \stoppenamedsection \demarremamedsection [] [] \stoppenamedsection \demarremamedsection [] \stoppenamedsection \demarremamedsection</pre>

	\demarrenotallmodes [] \stoppenotallmodes
	\demarrenotext \stoppenotext
demarrenote:instance	\demarreNOTE [] \stoppeNOTE
demarrenote:instance:assignment	\demarreNOTE [=] \stoppeNOTE
demarrenote:instance:assignment:endnote	\demarreendnote [=] \stoppeendnote
demarrenote:instance:assignment:footnote	\demarrefootnote [=] \stoppefootnote
demarrenote:instance:endnote	\demarreendnote [] \stoppeendnote
demarrenote:instance:footnote	\demarrefootnote [] \stoppefootnote
	\demarrenotmode [] \stoppenotmode
	\demarreopposition \stoppeopposition
	\demarreoutputstream [] \stoppeoutputstream
	\demarreoverprint \stoppeoverprint
	\demarrepagefigure [] [=.] \stoppepagefigure
	\demarrepagegrid [] [=] \stoppepagegrid
	\demarrepagegridspan [] [=.] \stoppepagegridspan
demarrepagegrid:example	\demarrePAGEGRID [=] \stoppePAGEGRID
	\demarrepagelayout [] \stoppepagelayout
	\demarrepar [] [=.] \stoppepar
	\demarreparagraphe [] [=.] \stoppeparagraphe
	\demarreparagraphs [] \stoppeparagraphs
	\demarreparagraphscell \stoppeparagraphscell
demarreparagraphs:example	\demarrePARAGRAPHS \stoppePARAGRAPHS
demarreparallel:example	\demarrePARALLEL \stoppePARALLEL
	\demarreparbuilder [] \stoppeparbuilder
	\demarreplaceflottant [] [=] \stoppeplaceflottant
demarreplaceflottant:instance	\demarreplaceFLOAT [=] [=] \stoppeplaceFLOAT
	\demarreplacechemical [=] [=] \stoppeplacechemical
demarreplaceflottant:instance:figure	\demarreplacefigure [=] [\stoppeplacefigure
demarreplaceflottant:instance:graphic	\demarreplacegraphic [=] [\stoppeplacegraphic
demarreplaceflottant:instance:intermezzo	\demarreplaceintermezzo [=] [=] \stoppeplaceintermezzo
demarreplaceflottant:instance:table	\demarreplacetable [=] [=] \stoppeplacetable
	\demarreplaceformule [=] \stoppeplaceformule
	\demarreplaceformule [] \stoppeplaceformule
	\demarreplacepairedbox [] [=] \stoppeplacepairedbox
demarreplacepairedbox:instance	\demarreplacePAIREDBOX [=] \stoppeplacePAIREDBOX
	\demarreplacelegend [=] \stoppeplacelegend
•	\demarrepositif \stoppepositif
	\demarrepositioning [] [=] \stoppepositioning
	\demarrepositionoverlay \\stoppepositionoverlay
	\demarrepostponing [] \stoppepostponing
	\demarreprocessassignmentcommand [=] \stoppeprocessassignmentcommand
	\demarreprocessassignmentlist [=] \stoppeprocessassignmentlist
	\demarreprocesscommacommand [] \stoppeprocesscommacommand
	\demarreprocesscommalist [] \stoppeprocesscommalist
	\demarreproduit [] \stoppeproduit
	\demarreproduit \stoppeproduit
	\demarreprojet [] \stoppeprojet
	\demarreprojet \stoppeprojet
•	\demarreprotectedcolors \stoppeprotectedcolors
	\demarrepublication [] [=] \stoppepublication
	\demarrequeuetableau [] \stoppequeuetableau
	\demarrequeuetabule [] \stoppequeuetabule
	\demarrerandomized \stopperandomized
	\demarrerawsetups [] [] \stopperawsetups
	\demarrerawsetups \stopperawsetups \demarrereadingfile \stoppereadingfile
	\demarreregime [] \stopperegime
	\demarrereusableMPgraphic \\ \stoppereusableMPgraphic
	\demarrerevetement \stopperevetement
	\demarrescript [] \stoppescript
demarresectionblock demarresectionblock:instance	\demarresectionblock [] [=.] \stoppesectionblock
	\demarreSECTIONBLOCK [=] \stoppeSECTIONBLOCK
<pre>demarresectionblock:instance:appendices demarresectionblock:instance:backmatter</pre>	\demarreappendices [=] \stoppeappendices
	\demarrebackmatter [=] \stoppebackmatter
<pre>demarresectionblock:instance:bodymatter demarresectionblock:instance:frontmatter</pre>	\demarrebodymatter [=] \stoppebodymatter \demarrefrontmatter [=] \stoppefrontmatter
	\demarresectionlevel [] [=] [=] \stoppesectionlevel
demarrasection:instance	\demarreSECTION [=] [=] \stoppeSECTION \demarrechapter [=] [=] \stoppechapter
demarresection:instance:chapter	
<pre>demarresection:instance:part demarresection:instance:section</pre>	\demarrepart [=] [=] \stoppepart
	\demarresection [=] [=] \stoppesection
demarresection:instance:subject demarresection:instance:subsection	\demarresubject [=] [=] \stoppesubject \demarresubsection [=] [=] \stoppesubsection
demarresection:instance:subsection demarresection:instance:subsubject	\demarresubsection [] \stoppesubsection \demarresubsubject [=] [] \stoppesubsubject
demarresection:instance:subsubject demarresection:instance:subsubsection	\demarresubsubject [] [] \stoppesubsubject \demarresubsubsection
domail obcorton. inbounce. bubbubbection	facuation appropries for the formal f

```
\verb|\demarresubsubsubject| [..=..] [..=..] ... \verb|\stoppesubsubsubject|
demarresection:instance:subsubsubject
                                                                 demarresection:instance:subsubsubsection
                                                                demarresection:instance:subsubsubsubject
demarresection:instance:subsubsubsubsection
demarresection:instance:subsubsubsubsubject
                                                                 \demarretitle [..=..] [..=..] ... \stoppetitle \demarresetups [...] [...] \stoppesetups
demarresection:instance:title
demarresetups
                                                                \demarresetups ... \stoppesetups \demarreshift [...] ... \stoppeshift
demarresetups:string
demarreshift
                                                                 \demarresidebar [...] [..=..] ... \stoppesidebar
demarresidebar
demarresimplecolumns
                                                                 \demarresimplecolumns [..=..] ... \stoppesimplecolumns
demarrespecialitem:item
                                                                 \demarrespecialitem [...] [...] ... \stoppespecialitem
                                                                \demarrespecialitem [...] ... \stoppespecialitem \demarrespecialitem [...] {...} ... \stoppespecialitem
demarrespecialitem:none
demarrespecialitem:symbol
demarresplitformula
                                                                 \demarresplitformula ... \stoppesplitformula
demarrespread
                                                                 \demarrespread ... \stoppespread
                                                                 \demarre [...] ... \stoppe \demarreSTARTSTOP ... \stoppeSTARTSTOP
demarrestartstop
demarrestartstop:example
                                                                 \demarrestaticMPfigure \{\docsime{\definition} \definition \text{\text{stoppestaticMPfigure}}
demarrestaticMPfigure
                                                                 \demarrestaticMPgraphic \{\ldots\} \ldots\\ \stoppestaticMPgraphic
demarrestaticMPgraphic
                                                                 \demarrestrictinspectnextcharacter ... \stoppestrictinspectnextcharacter
demarrestrictinspectnextcharacter
                                                                \demarrestyle [...=..] ... \stoppestyle \demarrestyle [...] ... \stoppestyle
demarrestyle
demarrestyle:argument
demarrestyle:instance
                                                                 \demarreSTYLE ... \stoppeSTYLE
demarresubformulas
                                                                 \verb|\demarresubformulas| [...] ... \verb|\stoppesubformulas|
                                                                 \demarresubjectlevel [...] [..=..] [..=..] ... \stoppesubjectlevel
demarresubjectlevel
                                                                \demarresubsentence ... \stoppesubsentence \demarresubstack ... \stoppesubstack
demarresubsentence
demarresubstack
                                                                \demarresuspend [..=..] {...} ... \stoppesuspend \demarresuspend [...] {...} ... \stoppesuspend
demarresuspend
demarresuspend:argument
                                                                \demarresymbolset [...] ... \stoppesymbolset \demarreTABLE [..=..] ... \stoppeTABLE \demarreTABLEbody [..=..] ... \stoppeTABLEbody
demarresymbolset
demarreTABLE
demarreTABLEbody
demarreTABLEfoot
                                                                \demarreTABLEfoot [..=..] ... \stoppeTABLEfoot
demarreTABLEhead
                                                                 \demarreTABLEhead [..=..] ... \stoppeTABLEhead
                                                                \demarreTABLEnext [..=..] ... \stoppeTABLEnext \demarretableau [|...|] [..=..] ... \stoppetableau
demarreTABLEnext
demarretableau
demarretableau:name
                                                                 \demarretableau [...] [..=..] ... \stoppetableau
                                                                 \demarretables [|...|] ... \stoppetables
demarretables
                                                                 \demarretables [...] ... \stoppetables \demarreTABULATION [...] [..=..] ... \stoppeTABULATION
demarretables:name
demarretabulation:example
                                                                 \demarretabule [/.../] [..=..] ... \stoppetabule
demarretabule
demarretabule:instance
                                                                 \demarreTABULATE [PT..] [..=..] ... \stoppeTABULATE
                                                                 \demarrefact [...] [..=..] ... \stoppefact
demarretabule:instance:fact
demarretabule:instance:legend
                                                                 \demarrelegend [...] [..=..] ... \stoppelegend
                                                                 \demarretete [...] {...} ... \stoppetete
demarretete
                                                                \demarretetetableau [...] ... \stoppetetetableau \demarretetetabule [...] ... \stoppetetetabule
demarretetetableau
demarretetetabule
demarretexcode
                                                                 \demarretexcode ... \stoppetexcode
                                                                \demarretexdefinition ... ... ... \stoppetexdefiniti\demarretextbackground [...] [..=..] ... \stoppetextbackground
demarretexdefinition
{\tt demarretextbackground}
demarretextbackgroundmanual
                                                                 \demarretextbackgroundmanual ... \stoppetextbackgroundmanual
                                                                 \demarreTEXTBACKGROUND [..=..] ... \stoppeTEXTBACKGROUND
demarretextbackground:example
                                                                \demarretextcolor [...] ... \stoppetextcolor \demarretextcolorintent ... \stoppetextcolorintent
demarretextcolor
demarretextcolorintent
demarretexte
                                                                \demarretexte ... \stoppetexte
                                                                \demarretexteaide [...] ... \stoppetexteaide \demarreFRAMEDTEXT [...] [..=..] ... \stoppeFRAMEDTEXT
demarretexteaide
demarretexteencadre:instance
demarretexteencadre:instance:framedtext
                                                                 \demarreframedtext [...] [..=..] ... \stoppeframedtext
                                                                 \demarretextflow [...] ... \stoppetextflow
demarretextflow
                                                                 \demarretokens [...] ... \stoppetokens
demarretokens
demarretransparent
                                                                 \demarretransparent [...] ... \stoppetransparent
                                                                 \demarretypescript [...] [...] ... \stoppetypescript \demarretypescriptcollection [...] ... \stoppetypescriptcollection
demarretypescript
demarretypescriptcollection
                                                                 \demarreTYPING [..=..] ... \stoppeTYPING
demarretyping:instance
                                                                 \demarreTYPING [...] ... \stoppeTYPING \demarreLUA [...] ... \stoppeLUA
demarretyping:instance:argument
demarretyping:instance:argument:LUA
                                                                 \demarreMP [...] ... \stoppeMP \demarrePARSEDXML [...] ... \stoppePARSEDXML
demarretyping:instance:argument:MP
demarretyping:instance:argument:PARSEDXML
demarretyping:instance:argument:TEX
                                                                 \demarreTEX [...] ... \stoppeTEX
                                                                 \demarretyping [...] ... \stoppetyping
demarretyping:instance:argument:typing
                                                                 \demarreXML [...] ... \stoppeXML
demarretyping:instance:argument:XML
                                                                 \demarreLUA [..=..] ... \stoppeLUA \demarreMP [..=..] ... \stoppeMP
demarretyping:instance:LUA
demarretyping:instance:MP
                                                                 \demarrePARSEDXML [..=..] ... \stoppePARSEDXML
demarretyping:instance:PARSEDXML
```

n e e e e e e e e e e e e e e e e e e e	A mary 5 3 A mary
demarretyping:instance:TEX	\demarreTEX [=] \stoppeTEX
demarretyping:instance:typing	\demarretyping [=] \stoppetyping
demarretyping:instance:XML	\demarreXML [=] \stoppeXML
demarreuniqueMPgraphic	\demarreuniqueMPgraphic {} {} \stoppeuniqueMPgraphic
demarreuniqueMPpagegraphic	\demarreuniqueMPpagegraphic \{\ldots\} \ldots\\ \stoppeuniqueMPpagegraphic
demarreusableMPgraphic	\demarreusableMPgraphic \{\} \stoppeusableMPgraphic
demarreuseMPgraphic	\demarreuseMPgraphic \{\ldots\} \ldots\\ \stoppeuseMPgraphic
demarreusemathstyleparameter	\demarreusemathstyleparameter \ \stoppeusemathstyleparameter
demarreusingbtxspecification	\demarreusingbtxspecification [] \stoppeusingbtxspecification
demarreva	\demarreva [] \stoppeva
demarrevboxregister	\demarrevboxregister \stoppevboxregister
demarrevboxtohbox	\demarrevboxtohbox \stoppevboxtohbox
demarrevboxtohboxseparator	\demarrevboxtohboxseparator \stoppevboxtohboxseparator
demarreviewerlayer	\demarreviewerlayer [] \stoppeviewerlayer
demarreviewerlayer:example	\demarreVIEWERLAYER \stoppeVIEWERLAYER
•	
demarrevtopregister	\demarrevtopregister \stoppevtopregister
demarrexcell	\demarrexcell [] [=] \stoppexcell
demarrexcellgroup	\demarrexcellgroup [] [=] \stoppexcellgroup
demarrexgroup	\demarrexgroup [] [=] \stoppexgroup
demarrexmldisplayverbatim	\demarrexmldisplayverbatim [] \stoppexmldisplayverbatim
1 0	
demarrexmlinlineverbatim	\demarrexmlinlineverbatim [] \stoppexmlinlineverbatim
demarrexmlraw	\demarrexmlraw \stoppexmlraw
demarrexmlsetups	\demarrexmlsetups [] [ \stoppexmlsetups
demarrexmlsetups:string	\demarrexmlsetups \stoppexmlsetups
demarrexrow	\demarrexrow [] [=] \stoppexrow
demarrexrowgroup	\demarrexrowgroup [] [=] \stoppexrowgroup
demarrextable	\demarrextable [=] \stoppextable
demarrextablebody	\demarrextablebody [=] \stoppextablebody
demarrextablebody:name	\demarrextablebody [] \stoppextablebody
demarrextablefoot	\demarrextablefoot [=] \stoppextablefoot
demarrextablefoot:name	\demarrextablefoot [] \stoppextablefoot
demarrextablehead	\demarrextablehead [=] \stoppextablehead
demarrextablehead:name	\demarrextablehead [] \stoppextablehead
demarrextablenext	\demarrextablenext [=] \stoppextablenext
demarrextablenext:name	\demarrextablenext [] \stoppextablenext
demarrextable:example	\demarreXTABLE [=] \stoppeXTABLE
demarrextable:name	\demarrextable [] \stoppextable
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
depthstrut	\depthstrut
dernieresouspage	\dernieresouspage
description:example	\DESCRIPTION [] {} \par
determinecaracteristiqueliste	\determinecaracteristiqueliste [] [=]
determinecaracteristiquesregistre	\determinecaracteristiquesregistre [] [=]
determinenoflines	
	\determinenoflines {}
determinenumerotete	\determinenumerotete []
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directboxfromcache	\directboxfromcache \{\ldots\}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter \{\}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
·	
directvspacing	\directvspacing \{\}
dis	
	\dis {}
disabledirectives	\dis \\\fractives []
disabledirectives disableexperiments	
disableexperiments	\disabledirectives [] \disableexperiments []
disableexperiments disablemode	\disabledirectives [] \disableexperiments [] \disablemode []
disableexperiments disablemode disableoutputstream	\disabledirectives [] \disableexperiments [] \disablemode [] \disableoutputstream
disableexperiments disablemode	\disabledirectives [] \disableexperiments [] \disablemode []

disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymassage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	$\label{local-dochecked-page-state} $$ \cdots = \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} $
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif \{\} \\ \\}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	
	\doifallommonelse {} {} {}
doifalldefinedelse	\doifalledelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifblackelse	\doifblackelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \{\ldots\} \{\ldots\}
doifboxelse	\doifboxelse \{\} \{\} \{\}
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	$\label{localization} $$ \doifcommandhandlerelse \\ \ldots \\ \{\ldots\} \\ \{\ldots\} $
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse {} {} {}
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined \{\ldots\} \\\
doifdefinedcounter	\doifdefined \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifdefinedcountererse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse {} {}
doifdocumentargument	\doifdocumentargument \{\ldots\} \\\
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename \{\ldots\} \\\
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse \{\ldots\} \\\
doifelse	\doifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallcommon	\doifelseallcommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsealldefined	\doifelsealldefined $\{\ldots\}$ $\{\ldots\}$
doifelseallmodes	$$$ \doifelse all modes {} {} {}$
doifelseassignment	\doifelseassignment $\{\}$ $\{\}$
doifelseblack	\doifelseblack {} {} {}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {}
doifelsebuffer	\doifelsebuffer \{\ldots\} \\\.\}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
· · · · · · · · · · · · · · · · · · ·	

doifelsecommon	\doifelsecommon {} {} {}
doifelseconversiondefined	\doifelseconversiondefined $\{\ldots\}$ $\{\ldots\}$
doifelseconversionnumber	\doifelseconversionnumber $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsecounter	\doifelsecounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\ldots\}$ $\{\ldots\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	$\doint doifelse current synonym shown {} {}$
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined $\{\}$ $\{\}$
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedimension	\doifelsedimension $\{\}$ $\{\}$
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \{\ldots\} \\
doifelsedocumentargument	\doifelsedocumentargument {} {} {}
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \{\ldots\} \{\ldots\}
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \{\ldots\}
doifelseempty	\doifelseempty \{\} \{\}
doifelseemptyvalue	\doifelseemptyvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseemptyvariable	\doifelseemptyvariable {} {} {}
doifelseenv	\doifelseenv {} {}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\doifelsefastoptionalcheck \{\doifelsefastopt
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory {} {} {}
doifelsefigure	\doifelsefigure \{\ldots\} \\\.\\
doifelsefile doifelsefiledefined	\doifelsefile \{\ldots\} \\\.\\
doifelsefileexists	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefirstchar	\doifelsefirstchar \{\} \\doifelsefirstchar
doifelseflagged	\doifelseflagged \{\doifelseflagged \{\doifelseflag
doifelsefontchar	\doifelsefontchar \{\} \\\\} \\\\}
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	\doifelsefontsynonym \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehasspace	\doifelselasspace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehelp	\doifelsehelp \{\ldots\\}
doifelseincsname	\doifelseincsname {} {} {} {}
doifelseinelement	\doifelseinelement {} {} {}
doifelseinputfile	\doifelseinputfile {} {} {}
doifelseinsertion	\doifelseinsertion {} {} {}
doifelseinset	\doifelseinset \{\} \{\} \\ \{\}
doifelseinstring	\doifelseinstring {} {} {}
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	\doifelseintwopassdata {} {} {} {}
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage $\{\}$ $\{\}$
doifelselayerdata	\doifelselayerdata {} {} {}
doifelselayoutdefined	\doifelselayoutdefined $\{\}$ $\{\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline $\{\ldots\}$ $\{\ldots\}$
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation \{\}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \\\
doifelsemainfloatbody	\doifelsemainfloatbody \{\ldots\}
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \{\}
doifelsemessage	\doifelsemessage \{\} \{\} \{\}
doifelsemode	\doifelsemode \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextbgroup	\doifelsenextbgroup \{\ldots\}
doifelsenextbgroupcs doifelsenextchar	\doifelsenextbgroupcs \ \
	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional \{\ldots\} \\doifelsenextoptionalcs \\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptionalcs doifelsenextparenthesis	\doifelsenextoptionarcs \ \ \doifelsenextparenthesis \{\} \{\}
doifelsenonzeropositive	\doifelsenextparenthesis \(\ldots\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing	\doifelsenoteonsamepage \(\cdot\) \(\cdot\) \\doifelsenothing \(\cdot\) \\\doifelsenothing \(\cdot\) \(\cdot\)
doifelsenumber	\doifelsenumber \{\} \\\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectround	\doifelseobjectrofand \(\ldots\right) \tag{\ldots\right} \doifelseobjectreferencefound \{\ldots\right} \dag{\ldots\right} \doifelseobjectrofand \(\ldots\right) \doifelseobjectrofand \(\ldots\right) \doifelseobjectrofand \(\ldots\right) \doifelseobjectrofand \(\ldots\right) \doifelseobjectrofand \doifelseobj
doifelseoddpage	\doifelseoddpage \{\ldots\} \\\.\\
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext {} {}

doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlapping	\doifelseoverlapping $\{\}$ $\{\}$ $\{\}$
doifelseoverlay	\doifelseoverlay {} {} {}
doifelseparallel	\doifelseparallel {} {} {} {}
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns $\{\}$ $\{\}$
doifelseposition	\doifelseposition $\{\ldots\}$ $\{\ldots\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage $\{\}$ $\{\}$ $\{\}$
doifelsepositionsonsamepage	$\verb \doifelsepositionsonsamepage {} {} {}$
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \{\ldots\} \\
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \{\ldots\}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\} \\
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring	\doifelsesamestring {} {} {}
doifelsesetups	\doifelsesetups \{\ldots\} \\doifelsesetups \{\ldots\} \\doifelsesetup\} \\doifelsesetups \{\ldots\} \\doifelsesetup\} \
doifelsesomebackground	\doifelsesomebackground \{\doifelsesomebackground \{\doifelsesomebackg
doifelsesomespace	\doifelsesomespace \{\doifelsesomespace \{\doifelse
doifelsesomething doifelsesometoks	\doifelsesomething \{\ldots\} \{\ldots\} \\doifelsesometoks \\ldots\ \\\doifelsesometoks\\\\\doifelsesometoks\\\\\\doifelsesometoks\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestringinstring	\doifelsestringinstring \{\} \{\} \{\}
doifelsestructurelisthasnumber	\doifelsestringinstring \(\ldots\) \(\ldots\) \doifelsestructurelisthasnumber \(\ldots\) \(\ldots\)
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \{\ldots\}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\.\\\
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow {} {}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\ \{\ldots\}
doifelseurldefined	\doifelseurldefined \{\ldots\} \\ \{\ldots\}
doifelsevalue	\doifelsevalue {} {} {}
doifelsevaluenothing	\doifelsevaluenothing $\{\}$ $\{\}$
doifelsevariable	\doifelsevariable {} {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse {} {}
doiffigureelse doiffile	\doiffigureelse {} {} {} \doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\.\}
doiffileelse	\doiffileelse \{\ldots\} \\\ \ldots\}
doiffileexistselse	\doiffileexistselse \{\} \{\}
doiffirstcharelse	\doiffirstcharelse {} {} {} {}
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse {} {} {}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse {} {} {}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse {} {} {} {}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse {} {} {}
doifinsertionelse	\doifinsertionelse {} {} {}
doifinset	\doifinset {} {} {}
doifinsetelse	\doifinsetelse $\{\}$ $\{\}$ $\{\}$
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse $\{\}$ $\{\}$ $\{\}$
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintokselse	\doifintokselse $\{\}$ $\{\}$ $\{\}$

doifintwopassdataelse	$\doise {\ldots} {\ldots} {\ldots} {\ldots}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {} {}
doiflayerdataelse	\doiflayerdataelse {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
3	•
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{} \{}
doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\} \{\}
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\
doifnonzeropositiveelse	\doifnonzeropositiveelse $\{\ldots\}$ $\{\ldots\}$
doifnot	\doifnot {} {}
doifnotallcommon	\doifnotallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotallmodes	\doifnotallmodes {} {} {}
doifnotcommandhandler	\doifnotcommandhandler \ \{\}
doifnotcommon	\doifnotcommon \{\} \\\\}
doifnotcounter	\doifnotcounter \{\ldots\}
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \{\ldots\}
doifnotdocumentfilename	\doifnotdocumentfilename \{\ldots\} \\ \\.\\
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \{\ldots\}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \\\.\}
doifnotescollected	\doifnotescollected \{\ldots\}\\\
doifnotfile	\doifnotfile \{\ldots\}
doifnotflagged	\doifnotflagged \{\ldots\}
doifnothing	\doifnothing \{\ldots\}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\} \{\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvariable	\doifnotvariable {} {}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	
1 0	\doifoddpageelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse {} {} {}
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	
<del>-</del>	\doifpathexistselse \{\ldots\} \\\.\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition \{\} \{\}
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\ 1. * C * 1 *
	\doifpositionactionelse $\{\}$ $\{\}$
doifpositionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse doifpositiononpageelse	\doifpositionelse $\{\ldots\}$ $\{\ldots\}$
doifpositiononpageelse	\doifpositionelse $\{\}$ $\{\}$ \doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositiononpageelse doifpositionsonsamepageelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositionelse $\{\}$ $\{\}$ \doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$

1.16.6	\1.10\0,0\0,0\0,0\0,0\0,0\0,0\0,0\0,0\0,0\0
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse \{\}
doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\}$ $\{\}$
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse {} {} {}
doifsetups	\doifsetups {} {}
•	\doifsetupselse {} {} {}
doifsetupselse	
doifsomebackground	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	$\doing backgroundelse {} {}$
doifsomespaceelse	\doifsomespaceelse $\{\}$ $\{\}$
doifsomething	\doifsomething \{\ldots\} \\\
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\} \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsymbolsetelse	\doifsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftext	\doiftext {} {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {}
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\\.\}
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse \{\} \{\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
-	
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse \{\} \{\}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldots\} \\\
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
. •	
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse \{\} \{\} \{\}

losubtractfeature	\dosubtractfeature {}
lotfskip	\dotfskip {}
lotoks	\dotoks \
lotripleargument	\dotripleargument \ [] []
lotripleargumentwithset	\dotripleargumentwithset \ [] []
lotripleempty	\dotripleempty \ [] [] []
lotripleemptywithset	\dotripleemptywithset \ [] []
lotriplegroupempty	\dotriplegroupempty \ {} {} {}
loublebond	\doublebond
lowith	\dowith {} {}
lowithnextbox	\dowithnextbox {} \ {}
lowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
lowithnextboxcs	\dowithnextboxcs \ \ \ \
lowithpargument	\downwithpargument \
lowithrange	\dowithrange {} \
lowithwargument	\dowithwargument \
pofstring	\dpofstring {}
roite	\droite
lummydigit	\dummydigit
lummyparameter	\dummyparameter {}
TEX	\ETEX
veryLine	\EveryLine {}
:veryPar	\EveryPar {}
chelle	\echelle [] [=] {}
ecran	\ecran []
critdansliste	\ecritdansliste [] [=] {} {}
critentreliste	\ecritentreliste [] [=] {}
defconvertedargument	\edefconvertedargument \ {}
fcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
fcminheight	\efcminheight {}
fcminwidth	\efcminwidth {}
fcparameter	\efcparameter {} {}
effect	\effect [] {}
lapsedseconds	\elapsedseconds
Plapsedtime	\elapsedtime
element	\element []
elements	\elements [=] {}
em	\em
mphasisboldface	\emphasisboldface
mphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
nableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
nableparpositions	\enableparpositions
nableregime	\enableregime []
enabletrackers	
	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumeration: example	\ENUMERATION [] {} \par
env	\env {}
environement	\environement []
environement:string	\environement
envvar	\envvar {} {}
ppos	\epos {}
qualdigits	\equaldigits {}
space	\espace
spacefixe	\espacefixe
espacesfixes	\espacesfixes
TeX	\eTeX
tiquette:example	\ETIQUETTE [] {}
tire	\etire [=] {}
executeifdefined	\executeifdefined \{\ldots\right\}
xxitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expanded	\expanded {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelse	\expdoifelse {} {} {} {}

expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset $\{\}$ $\{\}$ $\{\}$
expdoifinsetelse	\expdoifinsetelse $\{\}$ $\{\}$ $\{\}$
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter faitreference	\externalfigurecollectionparameter {} {}
fakebox	\faitreference (,) (,) [] \fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument \{\ldots\}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct fence	\feature {} {} \feature
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fichierdactylo	\fichierdactylo [] [=] {}
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fifthofsixarguments figureexterne	\figureexterne [] [] () () \figureexterne [] []
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc filledhboxg	\filledhboxc {} \filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfromnext $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
filterfromvalue	\filterfromvalue \{\ldots\} \{\ldots\} \text{PPT}  \text{OPT}  \
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=] [=]
firstcharacter firstcounter	\firstcharacter \firstcounter [] []
firstcountervalue	\firstcounter [] \firstcountervalue []
firstoffivearguments	\firstoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoffourarguments	\firstoffourarguments \{\\} \{\\} \{\\}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreearguments	\firstofthreearguments {} {} {}
firstofthreeunexpanded	\firstofthreeunexpanded {} {} {}

firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded \{\dots\} \\\
- · · · · · · · · · · · · · · · · · · ·	
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
<del>-</del>	•
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
	v
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
Torgeteverypar	9 1.
£ + +	
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetparameters [] [] \forgetragged
forgetragged	\forgetragged
forgetragged formule foundbox	\formule [] {} \foundbox {} {}
forgetragged formule foundbox fourthoffivearguments	\formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {}
forgetragged formule foundbox fourthoffivearguments fourthoffourarguments	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {}
forgetragged formule foundbox fourthoffivearguments fourthoffourarguments	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \FRACTION {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \FRACTION {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \binom {} {} \dbinom {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} {} \fourthofsixarguments {} {} {} {} \dbinom {} {} \dfrac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \sfrac {} {} \sfrac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:tbinom	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \frac {} {} \frac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \sfrac {} {} \sfrac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:tbinom	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \thinom {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:tbinom fraction:instance:tbinom	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \sfrac {} {} \thinom {} {} \xfrac {} {} \xfrac {} {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac fraction:instance:xxfrac fraction:instance:xxfrac	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \framed [] {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \framed [] {} \frameddimension {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \fracTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \framed [] {} \frameddimension {} \framedparameter {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \framed [] {} \frameddimension {} \framedparameter {} \framedparameter {} \framedparameter {} \framedparameter {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddimension {} \frameddiffication {} \frameddiffication {} \frameddiffication {} \frameddiffication {} \frameddimension {} \fram
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \xfrac {} {} \xfrac {} {} \xfrac {} {} \framed [] {} \frameddimension {} \framedparameter {} \framedparameter {} \framedparameter {} \framedparameter {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \framed [] {} \frameddimension {} \framedparameter {} \framedparamed [] {} \fitfieldframed [] {} \unframed [] {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddimension {} \frameddiffication {} \frameddiffication {} \frameddimension {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezemeasure	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \framed [] {} \freezedimenmacro \ \ \freezemeasure [] []
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed freezedimenmacro freezemeasure frenchspacing	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddiffication {} \framed [] {} \freezedimenmacro \ \ \freezemeasure [] []
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddimension {} \framed [] {} \freezedimenmacro \ \ \freezemeasure [] [] \frenchspacing \fromlinenote [] {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed freezedimenmacro freezemeasure frenchspacing	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddiffication {} \framed [] {} \freezedimenmacro \ \ \freezemeasure [] []
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dbinom {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddimension {} \framed [] {} \freezedimenmacro \ \ \freezemeasure [] [] \frenchspacing \fromlinenote [] {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:strac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance framed:instance:ififieldframed framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \frameddimension {} \frameddimension {} \frameddimension {} \framed [] {} \freezedimenmacro \\ \freezemeasure [] [] \freezenhbox {}
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:tbinom fraction:instance:xfrac fraction:instance:tfrac fraction:instance:tfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:xfrac fraction:instance:xfrac framed framed frameddimension framedparameter framed:instance framed:instance framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \FRACTION {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \sfrac {} {} \thinom {} {} \framed [] {} \framed [] {} \frameddimension {} \framedparameter {} \framedparameter {} \fracedimension {} \freezedimension {} \freezenbox {}
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:tbinom fraction:instance:xfrac fraction:instance:xfrac fraction:instance:tfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:xfrac fraction:instance:xfrac framed framed framed framed instance framed:instance framed:instance framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fracTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \framed [] {} \frameddimension {} \framedparameter {} \framedparameter {} \freezedimensacro \ \ \freezedimensacro \ \ \freezemeasure [] {} \freezedimentote [] {} \frozenhbox {} \frozenhbox {} \frule \relax \GetPar \GotoPar
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fraction {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \thinom {} {} \thinom {} {} \framed [] {} \frameddimension {} \frameddimension {} \framedparameter {} \framedD [] {} \freezedimenmacro \ \ \freezemeasure [] [] \freezemeasure [] [] \freozenhbox {} \frule \relax \GetPar \GotoPar \Greeknumerals {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsivarguments fourthofsivarguments fraction:instance fraction:instance:binom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac framed framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals gardeblocs	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffivearguments {} {} {} \fourthoffivearguments {} {} {} \fourthoffivearguments {} {} {} \fourthoffixarguments {} {} {} \fourthoffixarguments {} {} {} \fourthoffixarguments {} {} {} \fracTION {} {} \dinom {} {} \dinom {} {} \dinom {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \framed [] {} \framed [] {} \framed [] {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezemeasure [] [] \frozenhbox {} \frule \relax \GetPar \GotoPar \Greeknumerals {} \gardeblocs [] []
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fraction {} {} \binom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \thinom {} {} \thinom {} {} \thinom {} {} \framed [] {} \frameddimension {} \frameddimension {} \framedparameter {} \framedD [] {} \freezedimenmacro \ \ \freezemeasure [] [] \freezemeasure [] [] \freozenhbox {} \frule \relax \GetPar \GotoPar \Greeknumerals {}
forgetragged formule foundbox fourthoffivearguments fourthofsivarguments fourthofsivarguments fourthofsivarguments fraction:instance fraction:instance:binom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac framed framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed framed:instance:unframed freezedimenmacro freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals gardeblocs	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffivearguments {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fracTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \framed [] {} \frameddimension {} \frameddimension {} \framedparameter {} \framed [] {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezemeasure [] {} \frozenhbox {} \frozenhbox {} \fracePar \GotoPar \Greeknumerals {} \gardeblocs [] []
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals gardeblocs gauche gdefconvertedargument	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fracTION {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \frifiteld framed [] {} \freezed imen macro \ \ \freezed imen macro \ \ \freezed from line note [] {} \frozen hos {} \frace from line note [] {} \frozen hos {} \free knumerals {} \gardeblocs [] [] \gardefconverted argument \ {}
forgetragged formule foundbox fourthoffivearguments fourthoffivearguments fourthoffivearguments fourthofsixarguments fraction:instance:binom fraction:instance:dbinom fraction:instance:frac fraction:instance:frac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xxfrac fraction:instance:xxfrac framed frameddimension framedparameter framed:instance:fitfieldframed framed:instance:giftfieldframed framed:instance:unframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals gardeblocs gauche gdefconvertedargument gdefconvertedcommand	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} \fourthofsixarguments {} {} {} \fracTION {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \framed [] {} \framed [] {} \framed framed [] {} \framed framed [] {} \freezedimentacro \\ \freezedimentacro \\ \freezedimentacro \\ \freezenhox {} \frozenhox {} \freezenhox {} \freezenhox {} \gardeblocs [] [] \gardeblocs [] [] \gardeblocs [] [] \gardefconvertedargument \ {} \gdefconvertedcommand \\ \gdefconvertedcommand \\ \freezentacless \fre
forgetragged formule foundbox fourthoffivearguments fourthofsixarguments fourthofsixarguments fraction:instance fraction:instance:binom fraction:instance:dfrac fraction:instance:frac fraction:instance:sfrac fraction:instance:sfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:xfrac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac fraction:instance:frac framed framed frameddimension framedparameter framed:instance framed:instance:fitfieldframed freezedimenmacro freezemeasure frenchspacing fromlinenote frozenhbox frule GetPar GotoPar Greeknumerals gardeblocs gauche gdefconvertedargument	\forgetragged \formule [] {} \foundbox {} {} \fourthoffivearguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthoffourarguments {} {} {} {} \fourthofsixarguments {} {} {} {} {} \fraction {} {} \dbinom {} {} \dbinom {} {} \dfrac {} {} \frac {} {} \frac {} {} \frac {} {} \framed [] {} \framed [] {} \framed [] {} \framedparameter {} \framedparameter {} \framedparameter [] {} \frifiteldframed [] {} \freezedimenmacro \ \ \freezedimenmacro \ \ \freezedimentacing \fromlinenote [] {} \frozenbox {} \fracethar \GetPar \GotoPar \Greeknumerals {} \gardeblocs [] [] \gardeblocs [] [] \gardeblocs [] [] \gardeblocs [] [] \gardefconvertedargument \ {}

getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\ldots\} \{\ldots\}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions \{\ldots\} \{\ldots\}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ \{\}
getrandomfloat	\getrandomfloat \ \{\} \{\}
getrandomnumber	\getrandomnumber \ \{\} \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {} {}
	\getxparameters [] [=]
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts globalswapdimens	\globalswapcounts \ \ \globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalswapmacros \ \ \globalundefine \{\}
0	10

glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblefivearguments	\gobblefivearguments \{\} \{\} \{\} \{\}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\ldots\} \
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments \{\\} \{\\} \{\\} \{\\}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblethreearguments	\gobblethreearguments \{\ldots\} \{\ldots\} \\\
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect \{\ldots\} \{\ldots\}
grabuntil	\grabuntil {} \
grand	\grand
grandepolicecorp	\grandepolicecorp
gras	\gras
grasincline	\grasincline
<u> </u>	<u> </u>
grasinclinepetit	\grasinclinepetit
grasitalique	\grasitalique
grasitaliquepetit	\grasitaliquepetit
graspetit	\graspetit
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
	<u> </u>
grille	\grille [=]
groupedcommand	\groupedcommand \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
haut	\haut {}
haut:instance	\HIGH {}
haut:instance:unitshigh	\unitshigh {}
<u> </u>	
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
	•
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
	· · · · · · · · · · · · · · · · · · ·
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
1114401101 00	/######################################

highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {} {}
himilo	\himilo {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
-	\hphantom {}
hphantom	=
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\} \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
V-	¥ =
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
9	\iff
iff	•
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
- · · · · ·	= · · · · ·
implies	\implies
incline	\incline
inclinegras	\inclinegras
inclinegraspetit	\inclinegraspetit
inclinepetit	\inclinepetit
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
inconnu	\inconnu
incrementcounter	\incrementcounter [] []
incremente	\incremente \
	•
incrementedcounter	\incrementedcounter []
incremente:argument	\incremente cd:parentheses-s
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
	\infofont \infofontbold
infofontbold	\infofontbold
infofontbold inframed	\infofontbold \inframed [=] {}
<pre>infofontbold inframed infull</pre>	<pre>\infofontbold \inframed [=] {} \infull {}</pre>
<pre>infofontbold inframed infull inheritparameter</pre>	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] []</pre>
<pre>infofontbold inframed infull inheritparameter inhibitblank</pre>	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] []</pre>
<pre>infofontbold inframed infull inheritparameter</pre>	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] []</pre>
<pre>infofontbold inframed infull inheritparameter inhibitblank</pre>	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] []</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer []</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics	<pre>\infofontbold \inframed [=.] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage	<pre>\infofontbold \inframed [=.] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange []</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange []</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {}</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlinerange [] \inlinerallushshapebox \input {} \inputfilebarename \inputfilename</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilerealsuffix	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlinerange [] \inlinerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix</pre>
infofontbold inframed infull inheritparameter inhibitblank initializeboxstack inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename	<pre>\infofontbold \inframed [=] {} \infull {} \inheritparameter [] [] [] \inhibitblank \initializeboxstack {} \inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlinerange [] \inlinerallushshapebox \input {} \inputfilebarename \inputfilename</pre>

input:string	\input
insertpages	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \{} \
installautosetuphandler	\installautosetuphandler \ \{\}
installbasicautosetuphandler	\installbasicautosetuphandler \ \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \ \
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{} \
installdefinitionset	\installdefinitionset \ {}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installelangue	\installelangue [] [=]
installelangue:name	\installelangue [] []
installframedautocommandhandler	\installframedautocommandhandler \ \} \
installframedcommandhandler	\installframedcommandhandler \ {} \
installleftframerenderer	\installleftframerenderer {} {}
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ {}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ \{\}
<u>-</u>	<u> </u>
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	$\verb \installsimpleframedcommandhandler \ {} \$
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \ \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective {} {} {}
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\dots\} \\\
*	
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
italique	\italique
-	•
italiquegras	\italiquegras
italiquegraspetit	\italiquegraspetit
itemtag	\itemtag []
JOURSEMAINE	\JOURSEMAINE {}
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
joursemaine	\joursemaine {}
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
•	
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
I.ATEX	\I.ATEX

LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELlangue
labellanguage:instance:btxlabel	\btxlabellangue
labellanguage:instance:head	\headlangue
labellanguage:instance:label	\labellangue
labellanguage:instance:mathlabel	\mathlabellangue
labellanguage:instance:operator	\operatorlangue
labellanguage:instance:prefix	\prefixlangue
labellanguage:instance:suffix	\suffixlangue
labellanguage:instance:taglabel	\taglabellangue
labellanguage:instance:unit	\unitlangue
labeltexte:instance	\LABELtexte {}
labeltexte:instance:btxlabel	\btxlabeltexte {}
labeltexte:instance:head	\headtexte {}
labeltexte:instance:label	\labeltexte {}
labeltexte:instance:mathlabel	\mathlabeltexte {}
labeltexte:instance:operator	\operatortexte {}
labeltexte:instance:prefix	\prefixtexte {}
labeltexte:instance:suffix	\suffixtexte {}
labeltexte:instance:taglabel	\taglabeltexte {}
labeltexte:instance:unit	\unittexte {}
labeltexts:instance	\LABELtexts \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
langue	\langue []
langueprincipale	\langueprincipale []
langue:example	\LANGUAGE
largeurligne	\largeurligne
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage \lastrealpagenumber
lastrealpagenumber lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
1 0	\lasttwodigits {}
lasttwodigits lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpage \lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtexte {}
leftlabeltext:instance:head	\leftheadtexte {}
leftlabeltext:instance:label	\leftlabeltexte {}
leftlabeltext:instance:mathlabel	\leftmathlabeltexte {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright

lof++origh+hbox	\lof++origh+bbox
lefttorightvbox	\lefttorighthbox {} \lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letheundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \ \endcsname \csname \ \endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace lettercolon	\letterclosebrace \lettercolon
letterdollar	\lettercolon \letterdollar
letterdoublequote	\letterdoublequote
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {} \lhbox {}
lime	\ligne {}
ligne	\lightarrow \light
ligneh lignenoire	\lignenoire [=]
ligneregleetexte	\ligneregleetexte [] {}
lignesnoires	\lightarrogreeses []
limitatefirstline	\limitatefirstline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
limitatelines	\limitatelines {} {}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
linespanningtext	\linespanningtext {} {}
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\llap {}
llongueurliste	\llongueurliste
loadanyfile	\loadanyfile []
loadanyfileonce	\landanyfileonce []
loadbtxdefinitionfile	\landblacktrian \landblacktria
loadbtxreplacementfile	\landsize []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfortgoodies	\loadfontgoodies []
loadluafile	\loadluafile []

loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
	•
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
1	
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
3	
lowmidhigh:instance	\LOWMIDHIGH \{\} \{\}
lrtbbox	\lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\laconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
	•
luaminorversion	\luaminorversion
luaparameterset	$\left\{ \ldots \right\}$
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	luaversion
METAFONT	\METAFONT
METAFUN	METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	/MKIX
MKVI	\MKVI
MKXI	\MKXI
MOIS	\MOIS {}
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MOT	\MOT {}
MOTS	\MOTS {}
Mot	\Mot {}
Mots	\Mots {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPbetex MPc	\MPc {}
MPbetex	
MPbetex MPc	\MPc {}
MPbetex MPc MPcode MPcolor	\MPc {} \MPcode {} {} \MPcolor {}
MPbetex MPc MPcode MPcolor MPcoloronly	\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn	\MPc {} {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd	\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn	\MPc {} {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd	\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip	\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {}
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {}</pre>
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetmultishape	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {} {} \MPgetmultishape {}</pre>
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetmultishape MPgetposboxes	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {} {} \MPgetposboxes {} {}</pre>
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetmultishape MPgetposboxes MPh	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {} {} \MPgetmultishape {} {} \MPgetposboxes {} {} \MPh {}</pre>
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetmultishape MPgetposboxes	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {} {} \MPgetposboxes {} {}</pre>
MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetmultishape MPgetposboxes MPh	<pre>\MPc {} \MPcode {} {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPfontsizehskip {} \MPgetmultipars {} {} \MPgetposboxes {} {} \MPgetposboxes {} {}</pre>

MPinclusions	\MPinclusions [] $\{\}$
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons \{\ldots\}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots = \ldots\}
MPposset	\MPposset {}
MPr	<del>-</del>
	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
100	
MPy	\MPy {}
MPy m	\MPy {} \m [] {}
•	
m m	\m [] {}
m makecharacteractive	<pre>\m [] {} \makecharacteractive</pre>
m makecharacteractive makerawcommalist makestrutofbox	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] []</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \atleftmargin [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {}</pre>
m makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atlightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {}</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:ininfet	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininneredge [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \ininleft [] [] {}</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininerdge margindata:instance:inieft margindata:instance:inleft	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \inleft [] [] [] [] {} \inleft [] [] [] [] [] \inleft [] [] [] [] [] \inleft [] [] [] [] \inleft [] [] [] [] [] [] \inleft [] [] [] [] [] [] \inleft [] [] [] [] [] [] [] \inleft [] [] [] [] [] [] [] [] \inleft [] [] [] [] [] [] [] [] \inleft []</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininerdge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftedge margindata:instance:inleftmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintertallow [] [] [] [] {} \inintertallow [] [] [] [] {} \inintertallow [] [] [] [] [] \inintertallow [] [] [] [] [] \inintertallow [] [] [] [] [] \inintertallow [] [] [] [] \inintertallow [] [] [] [] [] [] \inintertallow [] [] [] [] [] [] \inintertallow [] [] [] [] [] [] \inintertallow</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininerdge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintertable [] [] [] {} \inintertable [] [] [] {} \inintertable [] [] [] [] {} \inintertable [] [] [] [] [] \inintertable</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \inintertall ft [] [] {} \intertall ft [] [] {</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininerdge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] {} \ininter [] [] {} \inother [] [] [] [] [] [] \inother [] [] [] [] []</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininterdge [] [] {} \inother [] [] [] [] {} \inother [] [] [] [] {} \inother [] [] [] [] [] \inother [] [] [] [] \inother [] [] [</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \matheramcommath{tateftmargin} [] [] [] [] {} \matheramcommath{tateftmargin} [] [] [] [] {} \matheramcommath{tateftmargin} [] [] [] [] [] \matheramcommath{tateftmargin} [] [] [] [] \mathera</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininterdge [] [] {} \inother [] [] [] [] {} \inother [] [] [] [] {} \inother [] [] [] [] [] \inother [</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \matheramcommath{tateftmargin} [] [] [] [] {} \matheramcommath{tateftmargin} [] [] [] [] {} \matheramcommath{tateftmargin} [] [] [] [] [] \matheramcommath{tateftmargin} [] [] [] [] \mathera</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintert [] [] [] [] {} \inintert [] [] [] [] [] \inintert [] [] []</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininfet margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] [] [] [] {} \ininter [] [] [] [] [] [] \ininter [] [] [] [] [] [] \ininter [] [] []</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininteft [] [] {} \ininfettedge [] [] {} \ininfettmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] [] [] {} \inouter [] [] [] [] {} \inouter [] [] [] [] [] \inouter [] [] [] [] \inouter [] [] [] [] [</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] [] [] [] {} \ininter [] [] [] [] [] [] \ininter [] [] [] [</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inouterdge margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] {} \ininter [] [] {} \inouter [] [] [] [] [] \inouter [] [</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \matheramcargin [] [] {} \matheramcargin [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minouter [] [] {} \minouter [] [] {} \minouter [] [] {} \minouter [] [] {} \mininght [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \markontent [] [] {} \markontent [] [] {} \markinjector [] \markpage [] []
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquage	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininnermargin [] [] {} \inileft [] [] {} \inileft [] [] {} \inileftmargin [] [] {} \inintermargin [] [] {} \intermargin [] [] {} \intermargin [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \imarkinjector [] \markinjector [] \markage [] [] \markage [] [] \markage [] []
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inight margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquepage marquepage	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \inintertage [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inintertage [] [] {} \ininght [] [] {} \ininght [] [] {} \inargintext [] [] {} \markinjector [] \markage [] [] \marquage (,) (,) [] \marquage [] [] \marquage [] {}
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:ininght margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquage marquepage mat	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] {} \inouter [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \imargintext [] [] {} \imargintext [] [] {} \imarkontent [] {} \imarkinjector [] \markage [] [] \marquage (,) (,) [] \marquage [] {} \m</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inight margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquepage marquepage	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \inintertage [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter [] [] {} \inintertage [] [] {} \ininght [] [] {} \ininght [] [] {} \inargintext [] [] {} \markinjector [] \markage [] [] \marquage (,) (,) [] \marquage [] [] \marquage [] {}
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:ininght margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquage marquepage mat	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininteft [] [] {} \ininter [] [] {} \inouter [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \imargintext [] [] {} \imargintext [] [] {} \imarkontent [] {} \imarkinjector [] \markage [] [] \marquage (,) (,) [] \marquage [] {} \m</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquepage mat math	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \inintertage [] [] {} \inintertage [] [] {} \inintertage [] [] {} \inintertage [] [] {} \intertage [] [] \intertage [] [
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquage marquage marquage marquage marquapage mat math mathbf	\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininnerdge [] [] {} \ininnermargin [] [] {} \ininfettedge [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inouter [] [] {} \inother [] [] {} \inouterdge [] [] {} \inouterdge [] [] {} \inouterdge [] [] {} \inother [] [] [] [] [] {} \inother [] [] [] [] [] [] \inother [] [] [] [] [] [] \inother [
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquepage mat math mathbf mathbi	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \matheftmargin [] [] {} \matheftmargin [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minouter [] [] {} \minouter [] [] {} \minouter [] [] {} \minouter [] [] {} \mininght [] [] {} \mininght [] [] {} \margin [] [] {} \markin [] [] \markin [] {} \markin [] {} \mark [] {} \mathef [] {} \math</pre>
makecharacteractive makerawcommalist makestrutofbox manuscript mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage marquepage marquepage mat math mathbf mathbi mathblackboard	<pre>\m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \manuscript \mapfontsize [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \matheftmargin [] [] {} \matheftmargin [] [] {} \minner [] [] {} \margintext [] [] {} \margintext [] [] {} \markinjector [] \markinject</pre>

mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\ \frac{\ldots}{\ldots}
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\ \ldots\}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	
	\overbraceunderbrace \{\dots\} \{\dots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \{\ldots\}
	\mathematique [] {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill \{\ldots\} \\
mathextensible:instance:erightharpoondownfill	
	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill \{\dots\}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mhookrightarrow	\mhookrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mrightharpoondown	\mrightharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	$\trightleftharpoons {} {}$
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	$\ttwo headleftarrow {\ldots} {\ldots}$
mathextensible:instance:ttwoheadrightarrow	$\ttwo head right arrow {} {}$
mathextensible:instance:xequal	\xegual {} {}

mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	$\xleftrightarrow {} {}$
mathextensible:instance:xleftrightharpoons	$\xleftrightharpoons {} {}$
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
<u> </u>	<del>-</del>
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	$\xrightleftharpoons {} {}$
mathextensible:instance:xrightoverleftarrow	$\xrightoverleftarrow {} {}$
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
<del>-</del>	\mathover [] {}
mathover	
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	mathss
mathtext	\mathtext {}
mathtexthf	\mathtextbf {}
ma 011 0 011 0 0 1	
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbi mathwordbs	<pre>\mathwordbi {} \mathwordbs {}</pre>
mathwordbi mathwordbs mathwordit	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl	\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {}
mathwordbi mathwordbs mathwordit	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl	\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {}
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf	\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordtf {}
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordtf {} \maxaligned {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordtf {} \maxaligned {} \mbox {} \measure {}</pre>
mathwordbi mathwordit mathwordsl mathwordtf maxaligned mbox measure measured	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measured medskip	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measured medskip medspace	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measured medskip medspace menuinteraction	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=]</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measured medskip medspace menuinteraction message	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measure measured medskip medspace menuinteraction message metaTeX	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {} \metaTeX</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measured medskip medspace menuinteraction message	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {}</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measure measured medskip medspace menuinteraction message metaTeX	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {} \metaTeX</pre>
mathwordbi mathwordbs mathwordit mathwordsl mathwordtf maxaligned mbox measure measure measured medskip medspace menuinteraction message metaTeX mfence	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {} \metaTeX \mfence {}</pre>
mathwordbi mathwords mathwordit mathwords1 mathwordtf maxaligned mbox measure measure measured medskip medspace menuinteraction message metaTeX mfence mfunction	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwords1 {} \mathwords1 {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {} \metaTeX \mfence {} \mfunction {} \mfunctionlabeltext {}</pre>
mathwordbi mathwords mathwordst mathwordsf mathwordtf maxaligned mbox measure measure measured medskip medspace menuinteraction message metaTeX mfence mfunctionlabeltext	<pre>\mathwordbi {} \mathwordbs {} \mathwordit {} \mathwordsl {} \mathwordff {} \maxaligned {} \mbox {} \measure {} \measured {} \medskip \medspace \menuinteraction [] [=] \message {} \metaTeX \mfence {} \mfunction {}</pre>

middlebox	<pre>\middlebox {}</pre>
midhbox	\midhbox {}
midsubsentence	\midsubsentence
milieu	\milieu
minimalhbox	\minimalhbox {}
mixedcaps mkvibuffer	<pre>\mixedcaps {} \mkvibuffer []</pre>
moduleparameter	\moduleparameter {} {}
mois	\mois {}
molecule	\molecule {}
mono	\mono
monogras	\monogras
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
montrecadre	\montrecadre [] []
montrecouleur	\montrecouleur []
montredisposition montreedition	\montredisposition [] \montreedition [] [=]
montreequironnementpolicecorps	\montreedition [] [] [] \montreenvironnementpolicecorps []
montregrille	\montregrille []
montregroupecouleur	\montregroupecouleur [] []
montrejeusymboles	\montrejeusymboles []
montremakeup	\montremakeup []
montrepalette	\montrepalette [] []
montrepolicecorps	\montrepolicecorps []
montrereglages	\montrereglages []
montrestruts	\montrestruts
mot	\mot {}
motdroit	\motdroit [] {}
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight NormalizeFontWidth	\NormalizeFontHeight \ \{\} \\\} \\NormalizeFontWidth \\ \{\} \{\} \\\}
NormalizeTextHeight	\NormalizeTextHeight \\\\} \\\}
NormalizeTextWidth	\NormalizeTextWidth \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Numeros	\Numeros {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	$\new \new \new \new \new \new \new \new $
namedtaggedlabeltexts	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalybox	\naturalvbox {}
naturalyzack	\naturalvcenter {} \naturalvpack {}
naturalvpack naturalvtop	\naturalvpack {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal newsystemmode	<pre>\newsignal \ \newsystemmode {}</pre>
nextbox	
nextboxdp	
	\nextbox
nextboxht	
-	\nextbox \nextboxdp
nextboxht	\nextbox \nextboxdp \nextboxht
nextboxhtdp	\nextbox \nextboxdp \nextboxht \nextboxhtdp
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue []</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs \suivantPARAGRAPHS</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs \suivantPARAGRAPHS \nextrealpage</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage nextrealpagenumber	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs \suivantPARAGRAPHS \nextrealpage \nextrealpagenumber</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage nextrealpagenumber nextsubcountervalue	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs \suivantPARAGRAPHS \nextrealpage \nextrealpage \nextrealpagenumber \nextsubcountervalue [] []</pre>
nextboxht nextboxhtdp nextboxwd nextcounter nextcountervalue nextdepth nextparagraphs nextparagraphs:example nextrealpage nextrealpagenumber	<pre>\nextbox \nextboxdp \nextboxht \nextboxhtdp \nextboxwd \nextcounter [] [] \nextcountervalue [] \nextdepth \nextparagraphs \suivantPARAGRAPHS \nextrealpage \nextrealpagenumber</pre>

nextuserpagenumber	\nextuserpagenumber
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	nonfrenchspacing
nonmathematics	\nonmathematics {}
normal	\normal
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	<pre>\normalitalicface \normalizebodyfontsize \ {}</pre>
normalizebodyfontsize	
normalizedfontsize	\normalizedfontsize
normalizefontdepth	$\label{local-problem} $$\operatorname{normalize} fontdepth \ \ldots \ \{\ldots\} \ \{\ldots\} \ \ \\ \operatorname{normalize} fontheight \ \ldots \ \{\ldots\} \ \{\ldots\} \ \ \ \\ $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
normalizefontheight normalizefontline	\normalizefontline \ \{\} \\\} \\\}
normalizefontwidth	\normalizefontwidth \ \{\} \\\}
normalizetextdepth	\normalizetontwitth \ \\(\text{\cdots}\) \(\text{\cdots}\) \\(\text{\cdots}\) \\(\text{\cdots}\) \\(\text{\cdots}\) \\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\(\text{\cdots}\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextdepth normalizetextheight	\normalizetextdepth \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextwidth	\normalizetextwidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalpetit	\normalpetit
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
note	\note [] []
noteligne:instance	\LINENOTE {}
noteligne:instance:linenote	\linenote {}
notesymbol	\notesymbol []
note:instance	\NOTE [] {}
note:instance:assignment	\NOTE [=]
note:instance:assignment:endnote	\endnote [=]
note:instance:assignment:footnote	\footnote [=]
note:instance:endnote	\endnote [] {}
note:instance:footnote	\footnote [] {}
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeroformule	\numeroformule [] \numeropage
numeropage numeros	\numeropage \numeros \{\dots\}
numerotete	\numeros ()
numerotetecourant	\numerotetecourant
beydepth	\obeydepth
bjectdepth	\objectdepth
bjectheight	\objectheight
bjectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
obtientmarquage	\obtientmarquage [] []
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
priente	\oriente [=] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example outputfilename	\ORNAMENT {} {}
outputilename outputstreambox	\outputfilename \outputstreambox []
putputstreamcopy	\outputstreamcopy []
putputstreamunvbox	\outputstreamunvbox []
putputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}

overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
page	\page []
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
•	<u></u>
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\} \{\ldots\}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
•	\pdfTeX
pdfTeX	-
percent	\percent
percentdimen	\percentdimen {} {}
periodes	\periodes []
periodes:assignment	\periodes [=]
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
petit	\petit
petitepolicecorps	\petitepolicecorps
petittype	\petittype
phantom	\phantom {}
phantombox	\phantombox [=]
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
pilechamp	\pilechamp [] [=]
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecoteacote	\placecoteacote {} {}
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloatwithsetups	\placefloatwithsetups [] [] [] {} {}
placeflottant	\placeflottant [] [] {} {}
placeflottant:instance	\placeFLOAT [] [] {}
· · · · · · · · · · · · · · · · · · ·	The second second second

placeflottant:instance:chemical	\placechemical [] {} {}
-	
placeflottant:instance:figure	\placefigure [] [] {}
placeflottant:instance:graphic	\placegraphic [] [] {}
placeflottant:instance:intermezzo	\placeintermezzo [] [] {}
placeflottant:instance:table	\placetable [] [] {}
•	\placeformule []
	<del>-</del>
-	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
	\placelayer []
	\placelayeredtext [] [=] [=] {} {}
placelesunsaudessusdesautres	\placelesunsaudessusdesautres $\{\ldots\}$ $\{\ldots\}$
placeliste	\placeliste [] [=]
	\placelisteinmbriquee [] [=]
<u>-</u>	\placeCOMBINEDLIST [=]
placelisteinmbriquee:instance	•
placelisteinmbriquee:instance:content	\placecontent [=]
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
<del>-</del>	
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
•	\placelistofpublications [] [=]
	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
. •	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
	\placemarquespages [] [] [=]
	\placement [] [=] {}
-	-
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
	\placenotes [] [=]
-	
placenotespdp	\placenotespdp [=]
placenotespdplocales	\placenotespdplocales [=]
placenumeropage	\placenumeropage
	\placenumerotete []
•	-
	\placepairedbox [] [=] {}
placepairedbox:instance	\placePAIREDBOX [=] {} {}
placepairedbox:instance:legend	\placelegend [=] {}
placeparallel	\placeparallel [] [=]
	\placerawlist [] [=]
placeregistre	\placeregistre [] [=]
placeregistre:instance	\placeREGISTER [=]
placeregistre:instance:index	\placeindex [=]
	\placerenderingwindow [] []
-	
placesousformule	\placesousformule []
placesurgrille	\placesurgrille [] {}
placesurgrille:list	\placesurgrille [] {}
	\placetextetete []
•	
point	\point {}
popattribute	\popattribute \
popmacro	\popmacro \
= =	\popmode []
= =	
- · ·	\popsystemmode {}
position	\position [=] (,) {}
positionoverlay	\positionoverlay {}
=	\positionregionoverlay \{\ldots\} \\ \{\ldots\}
-	
postponenotes	\postponenotes
=	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
premieresouspage	\premieresouspage
prendbuffer	\prendbuffer []
prendbuffer:instance	\obtientBUFFER
-	
	\prependetoks \to \
	\prependgvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtocommalist	\prependtocommalist \{\dots\} \\\
= =	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
	\nrenendvalue { } { }

presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	\presetLABELtexte [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltexte [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtexte [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltexte [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltexte [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortexte [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtexte [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtexte [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltexte [] [=]
presetlabeltext:instance:unit	\presetunittexte [] [=]
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processbodyfontenvironmentlist	\processbetween \(\tau\) \\\
processcolorcomponents	\processcolorcomponents {}
-	\processconmacommand [] \
processcommacommand	= =
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars \\\} \\
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist $[]$ $[]$ $\{\}$
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens {} {} {} {} {}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
produit	\produit []
produit:string	\produit
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
programme	\programme []
projet	\projet []
projet:string	\projet
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pusharriereplan	\pusharriereplan [] \poparriereplan
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
L	'L

pushcouleur	\pushcouleur [] \popcouleur
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle \pushmode []
pushmode pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix $\{\ldots\}$ \popreferenceprefix
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} {} \ {}
qqpart	\qqpart {} {} []
qquad	\qquad
quad	s []
quads quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber \{\dots\}
rawcounter rawcountervalue	\rawcounter [] [] \rawcountervalue []
rawdate	\rawcountervalue [] \rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rawdoifinsetelse	\rawdoifinsetelse {} {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue []
razmarquage	\razmarquage []
rbox readfile	\rbox {} \readfile {} {}
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readlocfile	\readlocfile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile {} {}
readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth recurselevel	\recursedepth \recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
reference	\reference [] {}
referenceformat:example	\REFERENCEFORMAT {} {} []
referencepage	\referencepage []
referenceprefix	\referenceprefix
referencetexte	\referencetexte [] {}
reflete	\reflete {}
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
registerexternalfigure	\registerexternalfigure [] [] []
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] [] \registerhyphenationpattern [] []
registerhyphenationpattern	

registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registre:instance	\REGISTER [] [++]
registre:instance:index	\index [] [++]
registre:instance:ownnumber	\REGISTER [] {} [++]
registre:instance:ownnumber:index	\index [] {} [++]
regle	\regle []
reglealignement	\reglealignement []
reglearrangement	\reglearrangement []
reglearriereplan	\reglearriereplan [] [=]
reglearriereplans	\reglearriereplans [] [] [=]
reglearriereplans:page	\reglearriereplans [] [=]
reglebarreinteraction	\reglebarreinteraction [] [=]
reglebloc	\reglebloc [] [=]
regleblocsection	\regleblocsection [] [=]
reglebuffer	\reglebuffer [] [=]
reglecapitales	\reglecapitales [] [=]
reglechamp	\reglechamp [] [=] [=] [=]
reglechamps	\reglechamps [] [=] [=]
regleclipping	\regleclipping [=]
reglecolonnes	\reglecolonnes [=]
reglecommentaire	\reglecommentaire [] [=]
reglecommentairepage	\reglecommentairepage [=]
reglecompoetroite	\reglecompoetroite [] [=]
reglecomposeenalinea	\reglecomposeenalinea []
reglecouleur	\reglecouleur []
reglecouleurs	\reglecouleurs [=]
regledactylo	\regledactylo [] [=]
regledemarrestoppe	\regledemarrestoppe [] [=]
regledisposition	\regledisposition [] [=]
regledisposition:name	\regledisposition []
regleecraninteraction	\reglectraninteraction [=]
	=
regleelements	\regleelements [] [=]
regleencadre	\regleencadre [] [=]
regleentete	\regleentete [] [=]
regleenumerations	\regleenumerations [] [=]
regleepaisseurligne	\regleepaisseurligne []
regleespaceblanc	\regleespaceblanc []
regleespacement	\regleespacement []
regleespacementinterligne	\regleespacementinterligne [] [=]
regleespacementinterligne:argument	\regleespacementinterligne []
regleespacementinterligne:name	\regleespacementinterligne []
regleflottant	\regleflottant [] [=]
regleflottants	\regleflottants [] [=]
regleformulaires	\regleformulaires [=]
regleformules	\regleformules [] [=]
reglegroupeselements	\reglegroupeselements [] [=]
regleinf	\regleinf [] [=]
regleinteraction	\regleinteraction [] [=]
regleinteraction:	\regleinteraction []
regleintitule	=
<u>o</u>	\regleintitule [] [=]
regleintitules	\regleintitules [] [=]
reglejeusymboles	\reglejeusymboles []
reglelabeltexte:instance	\regleLABELtexte [] [=]
reglelabeltexte:instance:btxlabel	\reglebtxlabeltexte [] [=]
reglelabeltexte:instance:head	\regleheadtexte [] [=]
reglelabeltexte:instance:label	\reglelabeltexte [] [=]
reglelabeltexte:instance:mathlabel	\reglemathlabeltexte [] [=]
reglelabeltexte:instance:operator	\regleoperatortexte [] [=]
reglelabeltexte:instance:prefix	\regleprefixtexte [] [=]
reglelabeltexte:instance:suffix	\mamlaguffiretarta [ ] [ = ]
	(regresuritxtexte [] [=]
reglelabeltexte:instance:taglabel	\reglesuffixtexte [] [=] \regletaglabeltexte [] [=]
reglelabeltexte:instance:taglabel reglelabeltexte:instance:unit	
	\regletaglabeltexte [] [=] \regleunittexte [] [=]
reglelabeltexte:instance:unit reglelangue	\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelangue [] [=]
reglelabeltexte:instance:unit reglelangue reglelignes	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelangue [] [=] \reglelignes [] [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelignes [] [=] \reglelignesnoires [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelignes [] [=] \reglelignesnoires [=] \reglelignesreglestexte [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte regleliste	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelignes [] [=] \reglelignesnoires [=] \reglelignesreglestexte [=] \regleliste [] [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte regleliste regleliste	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelignes [] [=] \reglelignesnoires [=] \reglelignesreglestexte [=] \regleliste [] [=] \reglelisteimbriquee [] [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte regleliste regleliste reglelisteimbriquee reglelisteimbriquee:instance	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelangue [] [=] \reglelignes [] [=] \reglelignesreglestexte [=] \regleliste [] [=] \reglelisteimbriquee [] [=] \regleCOMBINEDLIST [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte regleliste regleliste reglelisteimbriquee reglelisteimbriquee:instance reglelisteimbriquee:instance:content	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelangue [] [=] \regleligness [] [=] \reglelignesreglestexte [=] \regleliste [] [=] \reglelisteimbriquee [] [=] \regleCOMBINEDLIST [=] \reglecontent [=]</pre>
reglelabeltexte:instance:unit reglelangue reglelignes reglelignesnoires reglelignesreglestexte regleliste regleliste reglelisteimbriquee reglelisteimbriquee:instance	<pre>\regletaglabeltexte [] [=] \regleunittexte [] [=] \reglelangue [] [=] \reglelignes [] [=] \reglelignesreglestexte [=] \regleliste [] [=] \reglelisteimbriquee [] [=] \regleCOMBINEDLIST [=]</pre>

reglemarquage	\reglemarquage [] [=]
reglemarquagehyphenation	\reglemarquagehyphenation [=]
reglemenuinteraction	\reglemenuinteraction [] [=]
reglenumeropage	\reglenumeropage [=]
reglenumerotationligne	\reglenumerotationligne [] [=]
reglenumerotationpage	\reglenumerotationpage [=]
reglenumerotationparagraphe	\reglenumerotationparagraphe [=]
reglenumerotete	\reglenumerotete [] []
regleoriente	\regleoriente [=]
reglepalette	\reglepalette []
reglepapier	\reglepapier [=]
regleparagraphes	\regleparagraphes [] [] [=]
regleparagraphes:assignment	\regleparagraphes [] [=]
reglepdp	\reglepdp [] [=]
regleplacementopposition	\regleplacementopposition [=]
reglepolicecorps	\reglepolicecorps []
reglepositionnement	\reglepositionnement [] [=]
regleprogrammes	\regleprogrammes [=]
reglereferencage	\reglereferencage [=]
regleregistre	\regleregistre [] [=]
regleregistre:argument	\regleregistre [] [=]
regleregistre:instance	\regleREGISTER [] [=]
regleregistre:instance:index	\regleindex [] [=]
regleremplitligne	\regleremplitligne [=]
regleremplitlignesreglees	\regleremplitlignesreglees [=]
regleseparationflottant	\regleseparationflottant [=]
reglesousnumeropage	\reglesousnumeropage [=]
reglesup	\reglesup [] [=]
reglesynonymes	\reglesynonymes [] [=]
regletableaux	\regletableaux [=]
regletabulation	\regletabulation [] [=]
regletaillepapier	\regletaillepapier [] [=]
regletaillepapier:name	\regletaillepapier [] []
regletete	\regletete [] [=]
regletetes	\regletetes [] [=]
regletexte	\regletexte [] [=]
regletextesentete	\regletextesentete [] [] [] []
regletextesinf	\regletextesinf [] [] [] []
regletextespdp	\regletextespdp [] [] [] []
regletextessup	\regletextessup [] [] [] []
regletextestexte	\regletextestexte [] [] [] []
regletolerance	\regletolerance []
regletraitsfins	\regletraitsfins [=]
regletransitionspage	\regletransitionspage []
regletri	\regletri [] [=]
regletype	\regletype [] [=]
regleurl	\regleurl [=]
regle:direct	\regle {}
regulier	\regulier
relatemarking	\relatemarking []
relateparameterhandlers	\relateparameterhandlers $\{\}$ $\{\}$ $\{\}$
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\dots\} \\dots\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
remplitligne	\remplitligne [=]
remplitlignesreglees	\remplitlignesreglees [=] {} {}
remplittexte	\remplittexte [=] {} {}
	<pre>\remplittexte [=] {} {} \replacefeature []</pre>
remplittexte	<del>-</del>
remplittexte replacefeature	\replacefeature []
remplittexte replacefeature replacefeature:direct	\replacefeature [] \replacefeature {}
remplittexte replacefeature replacefeature:direct replaceincommalist	\replacefeature [] \replacefeature {} \replaceincommalist \ {}
remplittexte replacefeature replacefeature:direct replaceincommalist replaceword	\replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] []
remplittexte replacefeature replacefeature:direct replaceincommalist replaceword rescan	<pre>\replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {}</pre>
remplittexte replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup	<pre>\replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {}</pre>
remplittexte replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup resetallattributes	<pre>\replacefeature [] \replacefeature {} \replaceincommalist \ {} \replaceword [] [] \rescan {} \rescanwithsetup {} {} \resetallattributes</pre>

resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	$\r$ esetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetingector []
resetitaliccorrection	\resettitelactionment []
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic \{\dots\} \{\dots\}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
revivereature	\revivereature \rfence {}
rience	
	\rhbox {}
rightbottombox	\righthor \( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	
	\rightLABELtexte {}
rightlabeltext:instance:head	\rightLABELtexte {} \rightheadtexte {}
rightlabeltext:instance:label	<pre>\rightLABELtexte {} \rightheadtexte {} \rightlabeltexte {}</pre>
rightlabeltext:instance:label rightlabeltext:instance:mathlabel	<pre>\rightLABELtexte {} \rightheadtexte {} \rightlabeltexte {} \rightmathlabeltexte {}</pre>
rightlabeltext:instance:label rightlabeltext:instance:mathlabel rightline	<pre>\rightLABELtexte {} \rightheadtexte {} \rightlabeltexte {} \rightmathlabeltexte {} \rightline {}</pre>
rightlabeltext:instance:label rightlabeltext:instance:mathlabel	<pre>\rightLABELtexte {} \rightheadtexte {} \rightlabeltexte {} \rightmathlabeltexte {}</pre>

rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustdoifinsetelse	\robustdoifinsetelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
robustpretocommalist	\robustpretocommalist \{\dots\}\\\
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	roman
rtop	\rtop {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
•	
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansespace	\sansespace
sansgras	\sansgras
sanslignesenteteetpdp	\sanslignesenteteetpdp
sanslignessupetinf	\sanslignessupetinf
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecouleur	\savecouleur \restorecouleur
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
	\SCRIPT
script:instance	
script:instance:ethiopic	\ethiopic
script:instance:hangul	hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
- · · · · · · · · · · · · · · · · · · ·	·
secondoffivearguments	\secondoffivearguments {} {} {} {}
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	\secondofsixarguments {} {} {} {} {} {}
secondofthreearguments	\secondofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded {} {}
section:instance	\SECTION [] {}
section:instance:assignment	\SECTION [=]
section:instance:assignment:chapter	\chapter [=]
section:instance:assignment:part	\part [=]
section:instance:assignment:section	\section [=]
section:instance:assignment:subject	\subject [=]
section:instance:assignment:subsection	\subsection [=]
section:instance:assignment:subsubject	\subsubject [=]
section:instance:assignment:subsubsection	\subsubsection [=]
•	
section:instance:assignment:subsubsubject	\subsubsubject [=]

section:instance:assignment:subsubsubsection	\subsubsubsection [=]
section:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
section:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
section:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
section:instance:assignment:title	\title [=]
section:instance:chapter	\chapter [] {}
section:instance:ownnumber	
	\SECTION [] {}
section:instance:ownnumber:chapter	\chapter [] {}
section:instance:ownnumber:part	\part [] {}
section:instance:ownnumber:section	\section [] {}
section:instance:ownnumber:subject	\subject [] $\{\}$
section:instance:ownnumber:subsection	\subsection [] {} {}
section:instance:ownnumber:subsubject	\subsubject [] {} {}
section:instance:ownnumber:subsubsection	\subsubsection [] {} {}
section:instance:ownnumber:subsubsubject	\subsubsubject [] {} {}
· ·	\subsubsubsection [] {} {}
section:instance:ownnumber:subsubsubsection	
section:instance:ownnumber:subsubsubject	\subsubsubsubject [] {} {}
section:instance:ownnumber:subsubsubsubsection	\subsubsubsection [] {}
section:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] $\{\}$
section:instance:ownnumber:title	\title [] {} {}
section:instance:part	\part [] {}
section:instance:section	\section [] {}
section:instance:subject	\subject [] {}
section:instance:subsection	\subsection [] {}
section:instance:subsubject	\subsubject [] {}
section:instance:subsubsection	\subsubsection [] {}
section:instance:subsubsubject	\subsubsubject [] {}
section:instance:subsubsubsection	\subsubsubsection [] {}
section:instance:subsubsubject	\subsubsubject [] {}
section:instance:subsubsubsubsection	\subsubsubsection [] {}
section:instance:subsubsubsubject	\subsubsubsubject [] {}
section:instance:title	\title [] {}
seeregister:instance	\voitREGISTER [] [++] {}
<u> </u>	\voitindex [] [++] {}
seeregister:instance:index	
select	\select {} {} {} {} {}
selectionneblocs	\selectionnebloc $\mathbb{S}^{T}$ [ $\mathbb{S}^{T}$ [ $\mathbb{S}^{T}$ [ $\mathbb{S}^{PT}$ .] $\mathbb{S}^{PT}$
separeflottant	\separeflottant [=] {} {}
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serializedcommalist serif	\serif
serializedcommalist serif serifbold	\serif \serifbold
serializedcommalist serif serifbold serifnormal	\serif \serifbold \serifnormal
serializedcommalist serif serifbold serifnormal setbar	\serif \serifbold \serifnormal \setbar []
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont
serializedcommalist serif serifbold serifnormal setbar	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {}
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {}
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints []
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer	\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercasing	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints settuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterspacing setcharacterspring	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrut {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharstrut {} \setcollector [] [=] {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharactercleaning setcharacterspacing setcharacterspring setcharacterstripping setcharstrut setcollector setcolormodell	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharstrut {} \setcollector [] [=] {} \setcolormodell []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharstrut {} \setcollector [] [] {} \setcolormodell [] \setcounter [] [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrut {} \setcollector [] [] {} \setcounter [] [] \setcounter [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrut {} \setcollector [] [=] {} \setcounter [] [] \setcounterown [] [] \setcounterown [] [] \setcurrentfontclass {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharactercleaning setcharacterspacing setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrip {} \setcollector [] [] {} \setcounter [] [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrut {} \setcollector [] [=] {} \setcounter [] [] \setcounterown [] [] \setcounterown [] [] \setcurrentfontclass {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharactercleaning setcharacterspacing setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcharacterstrip {} \setcollector [] [] {} \setcounter [] [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcounter [] [] \setcounter [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcolnector [] [] \setcounter [] [] \setcounterown [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdirection []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcounter [] [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} </pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument setdocumentargument	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstrut {} \setcollector [] [=] {} \setcounter [] [] \setcounter [] [] \setcurrentfontclass {} \setdataset [] [] [=] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdfaultpenalties setdjitsmanipulation setdocumentargument setdocumentfilename	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [=] {} \setcounter [] [] \setcounter [] [] \setcounterown [] [] \setdataset [] [] [] \setdirection [] \setdirection [] \setdocumentargument {} {} \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentfilename {} {} \setdocumentfilename {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentargumentdefault {} {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument setdocumentargumentdefault setdocumentfilename setdummyparameter	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterkerning [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstrut {} \setcollector [] [=] {} \setcounter [] [] \setcounter [] [] [] \setcounterown [] [] \setdataset [] [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdocumentfilename {} {} \setdocumparameter {} {} \setdocu</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentfilename setdummyparameter setelementexporttag	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcollector [] [] {} \setcounter [] [] \setcounterown [] [] \setdataset [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {} \setdocumentargumenter {} {} \setdocumentercorttag [] [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdocumentargument setdocumentargumentdefault setdocumentfilename setdummyparameter	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercterleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcollector [] [] [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdigitsmanipulation [] \setdigitstaction [] \setdocumentargument {} {} \setdocumentargument {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharacterstripping setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentfilename setdummyparameter setelementexporttag	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcollector [] [] {} \setcounter [] [] \setcounterown [] [] \setdataset [] [] \setdefaultpenalties \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {} \setdocumentargumentdefault {} {} \setdocumentargumenter {} {} \setdocumentercorttag [] [] []</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercasing setcharactercleaning setcharacterkerning setcharacterspacing setcharacterstripping setcharstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdijtsmanipulation setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setbreakpoints [] \setbuffer [] \endbuffer \setcapstrut \setcatcodetable \ \setcharacteralign {} {} \setcharactercasing [] \setcharactercterleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcollector [] [] [] \setcounter [] [] [] \setcurrentfontclass {} \setdataset [] [] [] \setdigitsmanipulation [] \setdigitstaction [] \setdocumentargument {} {} \setdocumentargument {}</pre>
serializedcommalist serif serifbold serifnormal setbar setbigbodyfont setboxllx setboxlly setbreakpoints setbuffer setcapstrut setcatcodetable setcharacteralign setcharactercleaning setcharacterkerning setcharacterspacing setcharacterspacing setcharacterstripping setcharacterstripping setcharacterstrut setcollector setcolormodell setcounter setcounterown setcurrentfontclass setdataset setdefaultpenalties setdigitsmanipulation setdirection setdocumentargument setdocumentargument setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue	<pre>\serif \serifbold \serifnormal \setbar [] \setbigbodyfont \setboxllx {} \setboxlly {} \setburer [] \endbuffer \setcapstrut \setcapstrut \setcapstrut \setcharacteralign {} {} \setcharactercleaning [] \setcharactercleaning [] \setcharacterspacing [] \setcharacterspacing [] \setcharacterstripping [] \setcharacterstripping [] \setcollector [] [] {} \setcounter [] [] [] \setcounterown [] [] \setcounterown [] [] \setdataset [] [] [] \setdataset [] [] [] \setdigitsmanipulation [] \setdocumentargument {} {} \setdocumentargumentarg [] [] [] \setdocumentargumentarg [] [] \setelementexporttag [] []</pre>

setfirstline	\setfirstline []
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature setfontsolution	\setfontfeature {}
setfontstrut	\setfontsolution [] \setfontstrut
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector setinteraction	\setinjector [] [] \setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage $\{\ldots\}$ $\{\ldots\}$
setinterfacevariable	\setinterfacevariable $\{\ldots\}$ $\{\ldots\}$
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setlayer	\setlayer [] [=] {}
setlayerframed setlayerframed:combination	\setlayerframed [] [=] {} \setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
setMPpositiongraphicrange	\setMPpositiongraphicrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
setMPtext	\setMPtext {} {}
setMPvariable setMPvariables	\setMPvariable [] [=] \setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure \{\ldots\} \\
setmessagetext	\setmessagetext {} {} \setmode {}
setmode setnostrut	\setmode \(\(\cdot\) \setmode \(\cdot\)
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} \ {}
setoldstyle	\setoldstyle
setpagegrid	\setpagegrid [=] {}
setpagereference	\setpagereference {} {} \setpagestate [] []
setpagestate setpagestaterealpageno	\setpagestate [] [] \setpagestaterealpageno {} {}
setpagestaterearpageno	\setpagestatelearpageno \(\cdot\cdot\cdot\cdot\cdot\cdot\cdot\cdot
setpercentdimen	\setpercentdimen {} {}
setposition	\setposition {}
setpositionbox	$\operatorname{setpositionbox} \{\ldots\} \ldots \{\ldots\}$
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {}
setpositionally	\setpositiononly {}
setpositionplus setpositionstrut	\setpositionplus {} \ {} \setpositionstrut {}
setpositionstrut	\setpositionstitt ()
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ \ \
setregisterentry	\setregisterentry [] [=] [=]
setrigidcolumnbalance	\setreplacement []
setrigidcolumnbalance setrigidcolumnhsize	\setrigidcolumnbalance \setrigidcolumnbsize {} {} {}
	·

	\
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settext	\settext [] [] [] []
settightobject	\settightobject {} \ \ \
settightreferencedobject	\settightreferencedobject {} \ {}
settightunreferencedobject	\settightunreferencedobject {} {} \ {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupformularramed	\setupframedcontent [] [=]
setupframedtable	\setupframedcontent [] [=] \setupframedtable [] [=]
setupframedtablecolumn	\setupframedtable [] [] [] \setupframedtablecolumn [] []
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtablelow [] [] [] \setupframedtext [] [=]
setupframedtexts	\setupframedtexts [] [=]
200472141104001100	"brramogoogop [] []

setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] []
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\regleITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\regleitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalinterlinespace	\setuplocalfloats [=] \setuplocalinterlinespace [] [=]
setuplocalinterlinespace:setuplocalinterlinespace:argument	\setuplocalinterlinespace [] []
setuplocalinterlinespace: name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegriddines	\setuppagegridlines [] [] []
setuppagegridstart	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection setuppageinjectionalternative	\setuppageinjection [] [=]
setuppageinjectionalternative setuppageshift	\setuppageinjectionalternative [] [=] \setuppageshift [] []
setuppagestate	\setuppagesniit [] [] \setuppagestate [] [=]
setuppagestate setuppairedbox	\setuppagestate [] [=] \setuppairedbox [] [=]
setuppairedbox:instance	\reglePAIREDBOX [=]
setuppairedbox:instance:legend	\regierantebbox []

• .	\setupparagraph [] [=]
1. 0 1	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
	\setupperiods [=]
	\setupplacement [] [=]
	\setuppositionbar [=]
<del></del>	\setupprocessor [] [=]
==	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
	\setupreferenceprefix []
· ·	\setupreferencestructureprefix [] [] [=]
· ·	\setupregisters [] [=]
	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
	\setupscript [] [=]
	\setupscripts [] [=]
	\setupselector [] [=]
	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
	\setupstretched [=]
•	\setupstruts []
•	-
	\setupstyle [] [=]
	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
<del></del> -	\setups {}
	\setupTABLE [] [] [=]
	\setupTEXpage [=]
<del>-</del>	\setuptabulation [] [=]
	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
	\setuptextflow [] [=]
	\setuptooltip [] [=]
	\setupunit [] [=]
<del>-</del>	
	\setupuserpagenumber [=]
<del>-</del>	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
	\setupwithargumentswapped {} {}
	\setupxml [=]
	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
	\setvariables [] [=]
	\setvboxregister {}
<del>-</del>	
	\setvisualizerfont []
1 0	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
	\setxvariable {} {}
	\setxvariables [] [=]
	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
	\showattributes
	\showboxes
	\showboxes \showbtxdatasetauthors [=]
e e e e e e e e e e e e e e e e e e e	\showbtxdatasetauthors []
	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
	\showbtxdatasetfields []
	\showbtxfields [=]
	\showbtxfields []

showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
-	\showfont [] []
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
	\showfontstrip []
	\showfontstyle [] [] []
•	
showglyphs	\showglyphs
	\showgridsnapping
<del>-</del>	\showhelp {} []
* <del>-</del>	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
	\showkerning {}
	\showlayoutcomponents
	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition $\{\ldots\}$ $\{\ldots\}$
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showarning	\showwarning \{\} \{\}
	\simplealignedbox {} {}
	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
	\simplegroupedcommand {} {}
	\simplereversealignedbox \{\ldots\} \{\ldots\}
	\simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \\
	\singalcharacteralign {} {}
8	\singlebond
	\sixthofsixarguments {} {} {} {} {} {}
slantedface	\slantedface
	\slicepages [] [=]
	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
<del></del>	\smallcappedcharacters {}
<del></del>	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
<pre>snaptogrid:list</pre>	\snaptogrid [] \ {}
someheadnumber	\someheadnumber []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace {} {} {} {} []
	\SORTING [] {}

8	\logo [] {}
= =	\sousnumeropage
	\souspagesuivante
-	\spanishNumerals {}
-	\spanishnumerals {}
•	\splitatasterisk \ \
	\splitatcolon \
=	\splitatcolons \ \
splitatcomma	\splitatcomma \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
	\splitoffroot
-	\splitofftokens \from \to \
	\splitofftype
	\splitstring \at \to \ \and \
	\spreadhbox
	\sqrt [] {}
	\stackrel {} {}
startlinenote:instance	\demarreLINENOTE [] {}
startlinenote:instance:linenote	\demarrelinenote [] \{\}
	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
	\startstructurepageregister [] [] [] []
stoplinenote:instance	\stoppeLINENOTE []
stoplinenote:instance:linenote	\stoppelinenote []
	\stoppeligne []
	\stopregister [] []
	\stopstructurepageregister [] []
	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
<del>-</del>	\stripcharacter \from \to \
11	\strippedcsname \
	\strippedcsname
	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
	\structurenumber
structuretitle	\structuretitle
	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {}
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
suggestion:instance	\TOOLTIP [=] {} {}
suggestion:instance:argument	\TOOLTIP [] {} {}
5	\tooltip [] {} {}
	\tooltip [=] {} {}
	\swapcounts \ \
<del>-</del>	\swapdimens \ \
<del>-</del>	\swaptamens \ \ \swaptace
•	\swapmacros \ \
<del>-</del>	\swaptypeface
= *=	\switchstyleonly []
· ·	\switchstyleonly \
· ·	\switchtocolor []
<u>•</u>	\switchtointerlinespace [] [=]
SWILLCOLD FOLLER FOR SOACE ACTION MEDIL	ASWITEGING THE STATE OF THE STA

switchtointerlinespace:name	\switchtointerlinespace []
symbole	\symbole [] []
symbole:direct	\symbole {}
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename \synctexsetfilename {}
synctexsetfilename	\SYNONYM [] {}
<pre>synonym:instance synonym:instance:abbreviation</pre>	\abbreviation [] \{\}
systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tapebuffer	\tapebuffer [] [=]
tapebuffer:instance	\dactylographierBUFFER [=]
tbox	\tbox {}
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens [] \tex {}
tex texdefinition	\
texsetup	\texterinition \(\cdot\)
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
texteaide	\texteaide [] {}
texteencadre:instance	\FRAMEDTEXT [=] {}
texteencadre:instance:framedtext	\framedtext [=] {}
textenotepdp	\textenotepdp [] {}
textenotepdp:assignment	\textenotepdp [=]
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar	\textormathchar {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {} {} {} {}
thirdoffourarguments	\thirdoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
thirdofsixarguments	\thirdofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
thirdofthreearguments	\thirdofthreearguments {} {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$

threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tightlayer	\tightlayer []
tilde tinyfont	\tilde {} \tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions traduire	\tracepositions \traduire [=]
traiteblocs	\traiteblocs [] [] [=]
traitfin	\traitfin
traitsfins	\traitsfins [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface typeinlinebuffer	\typeface \typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ \ \{\}
undefinevalue	\undefinevalue {}
underset	\underset {} \underset {}
undoassign	\undoassign [] [=]
uneligne	\uneligne []
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unite:instance	\UNIT {}
unite:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ \{\} \unspaceargument \to \
unspaced unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightsingleninguete	\upperrightsingleningquote
upperrightsingleninequote upperrightsinglesixquote	\upperrightsingleninequote \upperrightsinglesixquote
url	\url []
u	/mrr []

usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utiliseblocs	\utiliseblocs [] [] [=]
utilisechemin	\utilisechemin []
utilisedocumentexterne	\utilisedocumentexterne [] []
utilisefigureexterne	\utilisefigureexterne [] [] [=]
utiliseJSscripts	\utiliseJSscripts [] []
<u>-</u>	
utilisemodule	\utilisemodule [] [=]
utilisepsiteaudioexterne	\utilisepsiteaudioexterne [] []
utilisesymboles	\utilisesymboles []
utiliseURL	\utiliseURL [] [] []
utiliseurl	\utiliseurl [] [] []
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {}
va	\va {} []
vaalaboite	\vaalaboite {} []
vaalapage	\vaalapage {} []
vaenbas	\vaenbas []
valeurcouleur	\valeurcouleur {}
vboxreference	\vboxreference [] {}
vec	\vec {}
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
version	\version []
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
<del>_</del>	
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue
vide	\vide []
viewerlaver	\viewerlayer [ ] { }

vl	\vl []
vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext withoutpt	\widthspanningtext {} {} {} \withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {} {}
xmlattribute	\xmlattribute {} {}
xmlattributedef	\xmlattributedef {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup xmlbeforesetup	\xmlbeforedocumentsetup \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	\xmlchainattdef {} {} {}
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange {} {} {} {}
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {} {}
xmldoifelse	\xmldoifelse {} {} {}
xmldoifelseempty	\xmldoifelseempty {} {} {}
xmldoifelseselfempty xmldoifelsetext	\xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} {}
xmldoifelsevalue	\xmldoifelsevalue {} {} {} {}
xmldoifnot	\xmldoifnot {} {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise xmlflushtext	\xmlflushspacewise {} \xmlflushtext {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion \{\ldots\}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext { . } { . }

\xmlinstalldirective {} {} \xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlnain {} \xmlname {} \xmlnamespace {} {} \xmlparam {} {} \xmlparam {} {} \xmlpart {} {} \xmlprependdocumentsetup {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpred {} {} \xmlprefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlremapname {} {} {} {} \xmlremapnamespace {} {} {}
\xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlnamevalue {} {} {} \xmlnamespace {} \xmlnamespace {} {} \xmlpar {} {} \xmlparam {} {} {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {} {} \xmlprefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups
\xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlnamevalue {} {} {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} {} \xmlparam {} {} {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlpure {} {} \xmlprefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisterens {} {} {} \xmlremapname {} {} {}
\xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpartlyprint {} {} \xmlprocessdata {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlprefatt {} {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisterens {} {} \xmlremapname {} {} {}
\xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmain {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlparam {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {} \xmlprame {} {} \xmlprefatt {} {} \xmlredistall
\xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprecessbuffer {} {} \xmlprocessdata {} {} {} \xmlpure {} {} \xmlpure {} {} \xmlprefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups {} \xmlregisteredsetups \xmlregisteredsetups {} {} \xmlremapname {} {} {}
\xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprecessbuffer {} {} \xmlprocessdata {} {} {} \xmlpure {} {} \xmlpure {} {} \xmlprefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups {} \xmlregisteredsetups \xmlregisteredsetups {} {} \xmlremapname {} {} {}
<pre>\xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlpure {} {} \xmlpram {} {} \xmlprecessfile {} {} \xmlprediction {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlrediction {} {} \xmlrediction {} {} \xmlrediction {} {} \xmlprocessfile {} {} \xmlrediction {} {} \x</pre>
<pre>\xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlpram {} {} \xmlprocessfile {} {} {} \xmlpram {} {} \xmlraw {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlremapname {} {} {} \xmlremapnamespace {} {} \xmlremapnamespace {} {} {} \xmlremapnamespace {}</pre>
\xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessfile {} {} {} \xmlpraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups {} {} \xmlremapname {} {} {}
\xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlpath {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprecessbuffer {} {} \xmlprocessfile {} {} {} \xmlpraw {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlremapname {} {} {}
\xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlpath {} \xmlpos {} \xmlprependdocumentsetup {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlpred {} \xmlprettyprint {} {} \xmlprocessfile {} {} \xmlprettyprint {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlraw {} \xmlred {} {}
<pre>\xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {} {} \xmlprame {} {} \xmlred {} \xmlred {} {} \xmlred {} {} \xmlred {} \xmlred {} {} \xmlred {} \xmlr</pre>
\xmlnamespace {} \xmlnonspace {} {} \xmlpar {} {} \xmlparam {} {} {} \xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprettyprint {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessfile {} {} {} \xmlpraw {} \xmlredistereddocumentsetups {}
\xmlnonspace {} {} \xmlpar {} {} \xmlparam {} {} \xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlprattyprint {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}
<pre>\xmlpar {} {} \xmlparam {} {} {} \xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlprattyprint {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapnamespace {} {} {</pre>
<pre>\xmlparam {} {} {} \xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprattyprint {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapnamespace {} {} {} </pre>
<pre>\xmlpath {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapnamespace {} {} {} </pre>
<pre>\xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprafatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlprependdocumentsetup {} { \xmlprependsetup {} {} \xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlpraw {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} \xmlremapnamespace {} {} \xmlremapnamespace {} {} {} \xmlremapnamespace {} \xmlremapnamespace {</pre>
<pre>\xmlprependsetup {} \xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlprettyprinttext {} {} \xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlprocessbuffer {} {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {}</pre>
<pre>\xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlpure {} {} \xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlraw {} \xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlrefatt {} {} \xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlregistereddocumentsetups {} \xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
<pre>\xmlregisteredsetups \xmlregisterns {} {} \xmlremapname {} {} {} {}</pre>
\xmlregisterns {} {} \xmlremapname {} {} {} {} {} {}
lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
$\mbox{\em xmlremap names pace } \{\ldots\} \{\ldots\} \{\ldots\}$
\xmlremovedocumentsetup \{\ldots\} \{\ldots\}
\xmlremovesetup {}
\xmlresetdocumentsetups {}
\xmlresetinjectors
\xmlresettinjectors \xmlresetsetups {}
\xmlsave \{\ldots\}
\xmlsetatt {} {} {}
\xmlsetattribute {} {} -
\xmlsetentity {} {}
\xmlsetfunction {} {} {}
\xmlsetinjectors []
\xmlsetpar {} {} {}
$\mbox{xmlsetparam } \{\} \{\} \{\}$
$\mbox{xmlsetsetup } \{\} \ \{\}$
\xmlsetup {} {}
\xmlshow {}
\xmlsnippet {} {}
\xmlstrip {} {}
\xmlstripnolines {} {}
\xmlstripped {} {}
\xmlstrippednolines {} {}
\xmltag {}
\xmltexentity {} {}
\xmltext {} {}
\xmltobuffer {} {} {}
\xmltobufferverbose \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
\xmltofile {} {} {}
\xmltofile {} {} {} \xmlvalue {} {} {}
\xmltofile {} {} {}

