## ConTrXt comandi

## ConTEXt comandi

AfterPar	\AfterPar {}
	\Alphabeticnumerals {}
Alphabeticnumerals AMSTEX	\AMSTEX
Amstex	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
-	<del>-</del>
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=.] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=] \ambiente []
ambiente ambiente:string	\ambiente []
5	\ampersand
ampersand	\anchor [] [=] {}
	\anchor [] [] [] \an {}
ap apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appenderons \to \\appenderons e} \}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}

assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ \{\}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox autodirybox	\autodirhbox {} \autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage $\{\}$ $\{\}$ $\{\}$
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar bar:instance:overbar	\nobar {} \overbar {}
bar:instance:overbar bar:instance:overbars	\overbar \(\ldots\)
bar:instance:overbars bar:instance:overstrike	\overstrike \{\ldots\}
bar:instance:overstrikes	\overstrike \(\(\cdot\)
bar:instance:underbar	\underbar \{\}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginplock [ ] \andPlock
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhox \endhox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox beginvtop	\beginvbox \endvbox \beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
55	. 55

biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	bTRs [] \eTRs
bTX	\bTX [=.] \eTX
bTY	\bTY [=.] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation: alternative	\btxalwayscitation [] []
btxalwayscitation: userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif \{\dots\} \\\
btxdoifcombiinlistelse	\btxdoif(\cdots) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse \{\\} \\\.\}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\} \{\} \{\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious \\ \dagger \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
btxdoifelsesameaspreviouschecked btxdoifelseuservariable	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \\ \btxdoifelseuservariable \{\ldots\} \{\ldots\} \\\
btxdoifnot	
	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}

btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \{\ldots\}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	CONTEXT
ConTeXt	ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
-	\subsubject [=]
capoverso:instance:assignment:subsubject	-
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [ ] { } { }

capoverso:instance:ownnumber:subsubsubsubject	$\subsubsubsubsubject [] {} {}$
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsection	\subsubsubject [] {}
<del>-</del>	
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
	\check {}
check	
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
	\checkpage [] [=]
checkpage	
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
	\cldprocessfile {}
clip	-
clip	\clip [=] {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}

colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\} \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
component	\component []
component:string	\component
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult confrontagruppocolori	\compresult \confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimen \
constantemptyargument	\constantumenargument \
constantnumber	\constantnumber \
constantnumber	\constantnumber \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continuedfinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\} \\\
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
convlabeltext:instance:mathlabel	\copymathlabeltesto [ ] [ = ]

7.7.7.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	\
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
-	
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	$\CTXFUNCTIONDEFINITION$
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
	• • • • • • • • • • • • • • • • • • • •
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
-	
ctxsprint	\ctxsprint {}
currentassignmentlistkey	$\verb \currentassignmentlistkey $
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	$\currentETICHETTA [] {}$
currentlanguage	\currentlanguage
	\currentlistentrydestinationattribute
currentlistentrydestinationattribute	
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	· · · · · · · · · · · · · · · · · · ·
•	\currentlistsymbol
currentmainlanguage	$\c \c \$
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
-	-
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
•	<u> </u>
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	$\daqualcheparte {} {} []$
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable $\{\ldots\}$ $\{\ldots\}$
dayoftheweek	\dayoftheweek $\{\ldots\}$ $\{\ldots\}$
•	\dayspermonth {} {}
dayspermonth	/παλολετποπρη ζλ ζλ

dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference defcatcodecommand	\defaultobjectreference \defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [] []
definecharacterkerning	\definecharacterkerning [] [] []
definecharacterspacing definechemical	\definecharacterspacing []
definechemicals	\definechemical [] {} \definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] []
definecolumnbreak	\definecolumnbreak [] []
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [] []
definedfont defineeffect	<pre>\definedfont [] \defineeffect [] [] [=]</pre>
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexpandable [] \ [] \defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] []
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] []
define fort family	\definefontfamily [] [] [] \definefontfamily []
definefontfamilypreset	\definefontfamilypreset [] [=]
<pre>definefontfamilypreset:name definefontfamily:preset</pre>	\definefontfamilypreset [] [] \definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [] \definefontfeature [] [] []
definefontfile	\definefontfile [] [] []
	the state of the s

definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []

dofinamonguma	\definemengume [ ] [ ]
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [=]
definepagegrid	\definepagegrid [] [=]
definepagegridarea	\definepagegridarea [] [=]
definepagegridspan	\definepagegridspan [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
1 0 3	
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] []
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [] [] \definesidebar [] [] []
definesidebar	
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [] [=]
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] [] []
definetypescriptprefix	\definetyperace [] [] [] \definetypescriptprefix [] []
definetypescriptprerix definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [] []
defineviewerlayer	\defineunit [] [=.]
defineviewerlayer	\defineviewerlayer [] []
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]

definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione definiscibuffer	\definiscibloccosezione [] [] [] \definiscibuffer [] [] []
definiscicampo	\definiscicampo [] [] [] [] []
definiscicapoversi	\definiscicapoversi [] [] []
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione definisciconversione:list	\definisciconversione [] [] \definisciconversione [] []
definiscidescrizione	\definisciconversione [] [] \definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [=]
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont definiscifontdeltesto	\definiscifont [] [] [] \definiscifontdeltesto [] [] [] []
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] [] [] \definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [] []
definiscimakeup definiscimarcatura	\definiscimakeup [] [=] \definiscimarcatura [] [=]
definiscimenuinterazione	\definiscimarcatura [] [] [=] \definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [  ] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro definisciriferimento	\definisciregistro [] [] [] \definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [] []
definiscistile definiscistilefont	\definiscistile [] [=] \definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [=]
definiscitype	\definiscitype [] [=]
definiscityping delimited	\definiscityping [] [=] \delimited [] [] \{}
delimited	\delimited [] [] \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	<pre>\depthofstring {} \depthonlybox {}</pre>
depthonlybox depthspanningtext	\depthoniybox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
depthstrut	\depthstrut
•	•

descrizione:example	\DESCRIZIUNE [] {} \par
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directilacode \(\(\cdot\) \\ \directselect \{\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetect	\directselect \(\ldots\) \(\ldots
	/directsethar ()
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing \{\ldots\}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize {} {}
dividedsize	\dividedsize {} {} {}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate {} {} {} {} {} {} {}
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ [] []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ [] []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
<del>-</del>	\dogetattribute {}
dogetattribute	\dogetattribute \{\dogetattribute \{\dogetattributeid \{\dogetattr
dogetattributeid	
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif \{\} \\\}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse	\doifalldefinedelse {} {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse \{\ldots\} \{\ldots\} \\
doifassignmentelse	\doifassignmentelse \{\ldots\} \{\ldots\}
doifblackelse	\doifblackelse $\{\}$ $\{\}$
doifbothsides	\doifbothsides \{\ldots\} \\\.\\

doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse {} {}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	$\doint {\dots} {\dots} {\dots}$
doifcommandhandlerelse	$\doint Command Comma$
doifcommon	\doifcommon {} {}
doifcommonelse	\doifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse $\{\}$ $\{\}$
doifconversionnumberelse	\doifconversionnumberelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse $\{\}$ $\{\}$
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse $\{\ldots\}$ $\{\ldots\}$
doifdefined	\doifdefined {} {}
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse $\{\}$ $\{\}$
doifdefinedelse	\doifdefinedelse {} {}
doifdimensionelse	\doifdimensionelse $\{\ldots\}$ $\{\ldots\}$
doifdimenstringelse	\doifdimenstringelse {} {} {}
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse $\{\ldots\}$ $\{\ldots\}$
doifdocumentfilename	$\doint doint document file name {} {}$
doifdocumentfilenameelse	\doifdocumentfilenameelse $\{\ldots\}$ $\{\ldots\}$
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon $\{\}$ $\{\}$ $\{\}$
doifelsealldefined	\doifelsealldefined $\{\}$ $\{\}$
doifelseallmodes	\doifelseallmodes \{\ldots\} \{\ldots\} \\
doifelseassignment	\doifelseassignment \{\ldots\} \{\ldots\}
doifelseblack	\doifelseblack {} {}
doifelsebox	\doifelsebox {} {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {} {}
doifelsebuffer doifelsecolor	\doifelsebuffer \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelsecolor \{\ldots\} \\doifelsecolor \{\ldots\} \doifelsecolor \{\ldots\} \\doifelsecolor \{\ldots\} \\doifelsecolor \{\ldots\} \\doifelsecolor \{\ldots\} \\doifelsecolor \{\ldo\
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsecommon doifelseconversiondefined	\doifelsecommon \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseconversiondefined \{\ldots\} \{\ldots\} \\\
doifelsecommon doifelseconversiondefined doifelseconversionnumber	\doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecommon doifelseconversiondefined	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} {} \doifelsecounter {} {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimension {} {} {}</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentfil</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimenstring {} {} \doifelsedimenstring {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseempty {</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} {} \doifelsee</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} {} \doifelsee</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedeimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedimension {} {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedeimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedimension {} {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastopti</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalchecks \ \ \</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedeimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedielsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalchecks \ \ \doifelsefieldbody {} {} {} \doifelsefieldbody {} {} {} \</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {</pre>
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefigure	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseenptyvariable {} {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcategory {</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelseentyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefisefieldbody doifelsefieldcategory doifelsefigure doifelsefile	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseententfilename {} {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldefieldcategory {} {} {} \doifelsefieldefieldefieldcategory {} {} {} \doifelsefieldef</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefisefieldbody doifelsefieldcategory doifelsefigure doifelsefile	\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseententfilename {} {} {} \doifelsefisetoptionalcheck {} {} \doifelsefisetoptionalcheck {} {} \doifelsefieldody {} {} {} \doifelsefieldotategory {} {} {} \doifelsefieldefined {} {} {} \doifelsefiledefined {} {} {}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefijure doifelsefijure doifelsefiledefined doifelsefileexists	<pre>\doifelsecommon {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefined counter {} {} \doifelsedimension {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseententy {} {} {} \doifelsefisetotionalcheck {} {} \doifelsefisetotionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcategory {} {} {} \doifelsefiledefined {} {} {} \doifelsefiledefiledefined {} {} {} \doifelsefiledefi</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefijure doifelsefiledefined doifelsefiledefined doifelsefilesefileexists doifelsefirstchar	\doifelsecommon {} {} {} {} \ \doifelseconversiondefined {} {} {} \ \doifelseconversionnumber {} {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefined counter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedorentering {} {} {} \ \doifelseempty {} {} {} \ \doifelseempty {} {} {} {} \ \doifelseemptyvalue {} {} {} {} \ \doifelsefisetotionalcheck {} {} {} \ \doifelsefisetotionalcheck {} {} {} \ \doifelsefieldody {} {} {} {} \ \doifelsefieldeterionalchecks \ \ \ \doifelsefieldeterionalchecks \ \\ \ \doifelsefieldeterionalchecks \ \\
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsyningused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefieldcategory doifelsefileefined doifelsefileexists doifelsefirstchar doifelseflagged	\doifelsecommon {} {} {} {} \ \doifelseconversiondefined {} {} {} \ \doifelseconversionnumber {} {} {} {} \ \doifelsecounter {} {} {} {} \ \doifelsecurrentfonthasfeature {} {} {} \ \doifelsecurrentsortingused {} {} \ \doifelsecurrentsynonymshown {} {} \ \doifelsecurrentsynonymused {} {} \ \doifelsedefined {} {} {} \ \doifelsedefinedcounter {} {} {} \ \doifelsedimension {} {} {} \ \doifelsedimenstring {} {} {} \ \doifelsedocumentargument {} {} {} \ \doifelsedocumentfilename {} {} {} \ \doifelsedorelsempty {} {} {} \ \doifelseempty {} {} {} {} \ \doifelseemptyvalue {} {} {} {} \ \doifelseenv {} {} {} {} \ \doifelsefisetostoptionalcheck {} {} {} \ \doifelsefieldody {} {} {} {} \ \doifelsefieldetined {} {} {} \ \doifelsefiledefined {} {} {
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefijure doifelsefiledefined doifelsefiledefined doifelsefilesefileexists doifelsefirstchar	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymused \{\} \{\} \doifelsedefined \{\} \{\} \{\} \doifelsedefined counter \{\} \{\} \doifelsedimension \{\} \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseempty \{\} \{\} \{\} \doifelseemptyvalue \{\} \{\} \{\} \doifelseenv \{\} \{\} \{\} \doifelsefieldody \{\} \{\} \{\} \doifelsefieldody \{\} \{\} \{\} \doifelsefieldetined \{\} \{\} \{\} \doifelsefieldetined \{\} \{\} \{\} \doifelsefieldefined \{\} \{\} \{\} \doifelse
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefigure doifelsefile doifelsefiledefined doifelsefile	\doifelseconworsiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} \doifelsedocumentfilename {} {} \doifelsedefisempty {} {} \doifelsemptyvariable {} {} \doifelsemptyvariable {} {} {} \doifelsefisefisedoty {} {} \doifelsefisefisedefined {} {} {} \doifelsefisefisedefined {} {} {} \doifelsefisefisefisedefined {} {} {}
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsynonymshown doifelsecurrentsynonymshown doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefile doifelsefilesefilesefined doifelsefilesefilesefileseflagged doifelseflagged doifelseflagged doifelsefontfeature	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymused \{\} \{\} \doifelsedefined \{\} \{\} \{\} \doifelsedefined counter \{\} \{\} \doifelsedimension \{\} \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseempty \{\} \{\} \{\} \doifelseemptyvalue \{\} \{\} \{\} \doifelseenv \{\} \{\} \{\} \doifelsefieldody \{\} \{\} \{\} \doifelsefieldody \{\} \{\} \{\} \doifelsefieldetined \{\} \{\} \{\} \doifelsefieldetined \{\} \{\} \{\} \doifelsefieldefined \{\} \{\} \{\} \doifelse
doifelsecommon doifelseconversiondefined doifelseconversionnumber doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedcounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelsesentorielsenstorielseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefileexists doifelsefileseflagged doifelseflagged doifelseflontfeature doifelsefontpresent	\doifelseconworsiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedefinedcounter {} {} \doifelseempty {} {} {} \doifelsedocumentfilename {} {} {} \doifelseemptyvariable {} {} {} \doifelseemptyvariable {} {} {} \doifelsefisetastoptionalcheck {} {} \doifelsefisetastoptionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefiledefined {} {} {} \doifelsefiledefined {} {} {} \doifelsefilesefiledefined {} {} {} \doifelsefilesefiledefile
doifelsecommon doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymsed doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefileddody doifelsefiledefined doifelsefiledesites doifelsefiledesites doifelsefiledesites doifelsefiledesites doifelsefiledesites doifelsefileserites doifelsefileserites doifelsefileserites doifelsefileserites doifelsefilesefontchar doifelseflontpresent doifelsefontsynonym	\doifelseconworsiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecounter {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymshown {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedefinededededededededededededededededededed

doifelseincsname	\doifelseincsname \{\} \{\} \{\}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile doifelseinsertion	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseintoks	\doifelseintoks \{\} \{\} \{\}
doifelseintwopassdata	\doifelseintwopassdata \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseitalic	\doifelseitalic \{\} \\\}
doifelselanguage	\doifelselanguage {} {} {}
doifelselayerdata	\doifelselayerdata \{\ldots\} \{\ldots\}
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\ \{\ldots\}
doifelselayoutsomeline	\doifelselayoutsomeline {} {} {}
doifelselayouttextline	\doifelselayouttextline {} {} {}
doifelseleapyear	\doifelseleapyear {} {}
doifelselist	\doifelselist {} {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody \{\ldots\} \\
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemeaning	\doifelsemeaning \ \ \{\} \{\}
doifelsemessage	\doifelsemessage \{\} \{\} \{\}
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup \{\ldots\}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\doifelsenextchar \{\doife
doifelsenextoptional	\doifelsenextoptional \{\doifelsenextoptional \{\doife
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \ \doifelsenextparenthesis \{\}
doifelsenextparenthesis doifelsenonzeropositive	\doifelsenextparenthesis \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\.\\\
doifelsenothing	\doifelsenoteonsamepage \(\therefore\) \(\therefore
doifelsenumber	\doifelsenumber \{\} \\(\.\.\)
doifelseobjectfound	\doifelseobjectfound {} {} {} {}
<u>.                                    </u>	
doifelseobjectreferencefound	\doifelseobjectreferencefound \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound doifelseoddpage	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseoddpage \{\ldots\} \{\ldots\}
•	\doifelseoddpage {} {}
doifelseoddpage	
doifelseoddpage doifelseoddpagefloat	\doifelseoddpage {} {} \doifelseoddpagefloat {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} {} \doifelseoverlay {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepath {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} \doifelseposition {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositiononpage	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositiononpage doifelsepositionsonsamepage	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound doifelserightpagefloat	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelsereferencefound	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelsereferencefound {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelserighttoleftinbox	\doifelseoddpage {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonshispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelserighttoleftinbox doifelsesamelinereference	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepatterns {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelsesamelinereference doifelsesamestring	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelsesamelinereference doifelsesamestring doifelsesestups	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelsesamelinereference doifelsesamestring doifelsesetups doifelsesomebackground	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomespace {} {} {} \doifelsesomespace {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelserightpagefloat doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelserighttoleftinbox {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsued doifelserightpagefloat doifelserightpagefloat doifelserighttoleftinbox doifelsesamestring doifelsesetups doifelsesomebackground doifelsesomespace doifelsesometoks doifelsestringinstring	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} \doifelsereferencefound {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamestring {} {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparentfile doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelserighttoleftinbox doifelsesamestring doifelsesomebackground doifelsesomebackground doifelsesometoks doifelsestringinstring doifelsestringinstring doifelsestructurelisthasnumber	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepath {} {} {} \doifelsepathexists {} {} {} \doifelsepationaction {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {} \doifelsestructurelisthasnumber {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparallel doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelsesamestring doifelsesamestring doifelsesomebackground doifelsesomebackground doifelsesometoks doifelsestructurelisthasnumber doifelsestructurelisthaspage	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsereferencefound {} {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparallel doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsonthispage doifelsereferencefound doifelserightpagefloat doifelserightpoteftinbox doifelsesamestring doifelsesamestring doifelsesomebackground doifelsesometoks doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparallel {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} {} \doifelsestructurelisthaspage {} {} {} \doifelsestructurelisthaspage {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparallel doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositiononpage doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsused doifelserightpagefloat doifelserightpagefloat doifelsesamestring doifelsesetups doifelsesomebackground doifelsesometoks doifelsesometoks doifelsestructurelisthaspage doifelsestymbolset	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparentfile {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositiononpage {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesamestring {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesomething {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthasnumber {} {} \doifelsesymboldefined {} {} {} \doifelsesymboldefined {} {} {} \doifelsesymboldefined {} {} {}
doifelseoddpage doifelseoddpagefloat doifelseoldercontext doifelseolderversion doifelseoverlapping doifelseoverlay doifelseparallel doifelseparallel doifelsepath doifelsepathexists doifelsepatterns doifelseposition doifelsepositionaction doifelsepositionsonsamepage doifelsepositionsonthispage doifelsepositionsonthispage doifelsereferencefound doifelserightpagefloat doifelserightpoteftinbox doifelsesamestring doifelsesamestring doifelsesomebackground doifelsesometoks doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined	\doifelseoddpagefloat {} {} \doifelseoddpagefloat {} {} \doifelseoldercontext {} {} {} \doifelseolderversion {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlapping {} {} {} \doifelseoverlay {} {} {} \doifelseparallel {} {} {} \doifelseparallel {} {} {} \doifelsepathexists {} {} {} \doifelsepathexists {} {} {} \doifelseposition {} {} {} \doifelsepositionaction {} {} {} \doifelsepositionsonsamepage {} {} {} \doifelsepositionsonthispage {} {} {} \doifelsepositionsused {} {} \doifelserightpagefloat {} {} \doifelserightpagefloat {} {} \doifelsesamelinereference {} {} {} \doifelsesomebackground {} {} {} \doifelsesomebackground {} {} {} \doifelsesometoks \ {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} {} \doifelsestructurelisthaspage {} {} {} \doifelsestructurelisthaspage {} {} {}

doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\ \\.\\
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue {} {} {}
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \{\ldots\}
doifelsevariable	\doifelsevariable {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {} {}
doifemptytoks	\doifemptytoks \ \{\}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\.\}
doifemptyvariable	\doifemptyvariable \{\} \{\}
doifemptyvariableelse	\doifemptyvariableelse \{\} \{\} \{\} \{\}
doifenv	\doifenv \{\}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
-	<del>_</del>
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse \{\} \{\}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontcharelse	\doiffontcharelse \{\ldots\} \{\ldots\} \{\ldots\}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \{\ldots\}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\}
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse $\{\}$ $\{\}$
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse $\{\}$ $\{\}$ $\{\}$
doifinelementelse	\doifinelementelse \{\ldots\} \{\ldots\}
doifinputfileelse	\doifinputfileelse {} {} {}
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\.\}
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse {} {} {} {}
doifinstring	\doifinstring {} {} {}
doifinstringelse	\doifinstringelse {} {} {}
doifinsymbolset	\doifinsymbolset {} {} {} {}
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifintokselse	\doifintokselse {} {} {} {}
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {} {}
doiflayerdataelse	\doiflayerdataelse {} {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doiflayouttextlineelse	\doiflayouttextlineelse \{\doiflayouttextlineelse \{\doiflayouttextlin
doifleapyearelse	\doifleapyearelse {} {} {}
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse \{\} \{\}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{} \{}
doifmessageelse	
doifmode	\doifmessageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmodeelse	\doifmodeelse \{\} \{\}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
<u> </u>	
doifnextbgroupelse doifnextcharelse	\doifnextbgroupelse \{\} \{\}
	\doifnextcharelse \{\ldots\} \\\.\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\} \{\}
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\doifnextparenthesiselse \{\ldots\} \\doifnextpa
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot \{\ldots\} \\doifnot \ldots\\
doifnotallcommon	\doifnotallcommon \{\ldots\} \{\ldots\} \\

doifnotallmodes	\doifnotallmodes {} {} {}
doifnotcommandhandler	\doifnotcommandhandler \ \{\}
doifnotcommon	\doifnotcommon \{\} \\.\.\}
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotenv	\doifnotenv \{\ldots\} \\\
doifnoteonsamepageelse	\doifnoteonsamepageelse {} {} {}
doifnotescollected doifnotfile	\doifnotescollected \{\ldots\}\\doifnotfile \{\ldots\}\\\.
doifnotflagged	\doifnotflagged \{\ldots\} \\\.\}
doifnothing	\doifnothing \{\ldots\} \\\
doifnothingelse	\doifnothingelse \{\ldots\} \\\.\}
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\}
doifnotsamestring	\doifnotsamestring $\{\ldots\}$ $\{\ldots\}$
doifnotsetups	\doifnotsetups \{\ldots\} \\\
doifnotvalue	\doifnotvalue \{\} \{\}
doifnotvariable	\doifnotvariable \{\ldots\} \\doifnotvariable \(\ldots\)
doifnumber doifnumberelse	\doifnumber \{\} \\doifnumberelse \{\} \\\}
doifnumbereise doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectroundelse \(\ldots\right) \\ \doifobjectreferencefoundelse \(\ldots\right) \\ \ldots\right) \\ \l
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse {} {} {}
doifolderversionelse	\doifolderversionelse \{\ldots\} \{\ldots\} \{\ldots\}
doifoverlappingelse	\doifoverlappingelse $\{\}$ $\{\}$ $\{\}$
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifparallelelse	\doifparallelelse {} {} {}
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	\doifpathexistselse \{\dots\} \\doiffacttown and a \land \\doiffacttown and a \land \\doiffacttown and \doiffacttown and
doifpatternselse doifposition	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionaction	\doifposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionactionelse	\doifpositionactionelse \{\doifpositionactionelse \{\doifpositionactio
doifpositionelse	\doifpositionelse {} {} {}
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {} {}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse \{\ldots\} \\
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring doifsamestringelse	\doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups \{\ldots\} \\\\
doifsetupselse	\doifsetupselse \{\} \{\}
doifsomebackground	\doifsomebackground \{\ldots\} \\\\
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\} \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\} \{\}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse doifsymbolsetelse	\doifsymboldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftext	\doiftext {} {} {}
doiftextelse	\doiftextelse \{\\} \\\\}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse {} {} {}

doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\ \ldots\}
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse {} {}
doifunknownfontfeature	$\label{localization} $$ \doifunknownfontfeature {} {} {}$
doifurldefinedelse	\doifurldefinedelse {} {}
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse $\{\}$ $\{\}$ $\{\}$
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse $\{\}$ $\{\}$
doifvaluesomething	\doifvaluesomething $\{\ldots\}$ $\{\ldots\}$
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse \{\} \{\} \{\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
dogradruplesrgurent	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] [] \doquadruplegroupempty \ {} {} {} {}
doquadruplegroupempty doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleampty \ [] [] [] [] \doquintupleampty \ [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorective \ \\} \ \\}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	$$\doseven tuple argument \normalfont [] [] [] [] [] []$
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
detriplementy	\dotripleemptywithset \ [] []
dotriplegroupempty doublebond	\dotriplegroupempty \ \{\} \{\} \\doublebond
dowith	\dowith \{\} \{\}
dowith	\dowithnextbox \{\} \ \{\}
dowithmextbox dowithnextboxcontent	\dowithmextbox \(\theta\tau\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithmextboxcontentcs	
dowithmextboxcontentes	\dowithnextboxcontentcs \ \ \ \ \
	<pre>\dowithnextboxcontentcs \ \ \ \ \ \ \ \.</pre>
	\dowithnextboxcs \ \ {}
dowithpargument dowithrange	<pre>\dowithnextboxcs \ \ {} \dowithpargument \</pre>
dowithpargument	\dowithnextboxcs \ \ {}
dowithpargument dowithrange	<pre>\dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \</pre>
dowithpargument dowithrange dowithwargument	<pre>\dowithnextboxcs \ \ {} \dowithpargument \ \dowithrange {} \ \dowithwargument \</pre>

ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {} \efcminheight {}
efcminheight efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface emphasistypeface	\emphasisboldface \emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace enumerazione:example	\enspace \\ ENUMERAZIONE [] \{\} \ \\ \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expanded	\expandcheckedcsname \ \{\} \{\} \expanded \{\}
expanded expandfontsynonym	\expanded \(\cdot\) \expandfontsynonym \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {} {}
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset $\{\}$ $\{\}$ $\{\}$
expdoifinsetelse	\expdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
expdoifnot	\expdoifnot \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth externalfigurecollectionminheight	\externalfigurecollectionmaxwidth {} \externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\
fastsetup fastsetupwithargument	\fastsetup {} \fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped \{\ldots\} \\\
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE \{\ldots\}
fetchallmarkings	\fetchallmarkings [] []

fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
fifthofsixarguments	\fifthofsixarguments \{\\} \{\\} \{\\} \{\\} \{\\}
figuraesterna	\figuraesterna [] [] [=]
figurefilename figurefilepath	\figurefilename \figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromext	\filterfromnext \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterpages	
filterpages filterreference	\filterpages [] [=] \filterreference {}
findtwopassdata	\findtwopassdata \{\ldots\} \\\
finishregisterentry	\finishregisterentry [] [=] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstoffivearguments	\firstoffivearguments {} {} {} {}
firstoffourarguments	\firstoffourarguments {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments {} {} {} {} {}
firstofthreearguments	\firstofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwoarguments	\firstoftwoarguments \{\ldots\}
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstrealpage	\firstrealpage
firstrealpagenumber firstsubcountervalue	\firstrealpagenumber \firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlager []
flushmouthou	\flushlocalfloats
flushnextbox flushnotes	\flushnextbox \flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative

fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
•	
forcecharacterstripping forcelessificate	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
fourthofsixarguments	\fourthofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
frameddimension	\frameddimension \{\}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac {} {}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
	9
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphatrect \(\ldots\right)\\ \getglyphstyled \{\ldots\right\right\right\}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}

getmessage	\getmessage {} {}
	\getnamedglyphdirect {} {}
0 011	\getnamedglyphstyled {} {}
	\getnamedgryphstyled \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\getnaturaldimensions
	\getnoflines {}
	\getobject {} {}
	\getobject () ()
	\getpaletsize []
	\getparameters [] [=]
9 1	\getprivatechar {}
0 1	\getprivateshar \(\cdot\)
· .	\getrandomcount \ \{\}
	\getrandomcount \ \(\cdots\) \getrandomdimen \ \(\cdots\) \(\cdots\)
	\getrandomfloat \ \{\}
	\getrandomnumber \ \{\}
	\getrandomseed \
	\getraweparameters [] [=]
	\getrawgparameters [] [=]
	\getrawnoflines {}
	\getrawparameters [] [=]
	\getrawxparameters [] [=]
	\getreference [] []
	\getreferenceentry {}
·	\getroundednoflines {}
	\getsubstring {} {} {}
	\gettwopassdata {}
9 1	\gettwopassdatalist {}
•	\getuvalue {}
	\getvalue {}
	\getvariable {} {}
	\getvariabledefault {} {} {}
	\getxparameters [] [=]
	\giornosettimana {}
	\globaldisablemode []
	\globalenablemode []
-	\globalletempty \
	\globalpopbox
	\globalpopmacro \
	\globalpreventmode []
	\globalprocesscommalist [] \
	\globalpushbox
	\globalpushmacro \
	\globalpushreferenceprefix {} \globalpopreferenceprefix
• •	\globalswapcounts \ \
9 -	\globalswapdimens \ \
	\globalswapmacros \ \
	\globalundefine {}
	\glyphfontfile {}
	\gobbledoubleempty [] []
	\gobbleeightarguments \{\ldots\}
	\gobblefivearguments \{\\} \{\\} \{\\} \{\\}
	\gobblefiveoptionals [] [] [] []
	\gobblefourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\gobblefouroptionals [] [] []
	\gobbleninearguments \{\ldots\} \
	\gobbleonearguments \{\ldots\}
	\gobbleoneoptional []
	\gobblesevenarguments \{\ldots\}
	\gobblesingleempty []
9	\gobblesixarguments \{\} \{\} \{\} \{\}
	\gobblespacetokens
	\gobbletenarguments \{\ldots\} \{
	\gobblethreearguments \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\gobblethreearguments \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\gobbletmreeoptionars [] [] [] \gobbletwoarguments {} {}
	\gobbletwooptionals [] []
•	\gobbleuntil \
	\gobbleuntilr \ \relax
	\grabbufferdata [] [] []
	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \

grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {} \gsetboxllx {}
gsetboxllx gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
headwidth heightanddepthofstring	<pre>\headwidth \heightanddepthofstring {}</pre>
headwidth heightanddepthofstring heightofstring	<pre>\headwidth \heightanddepthofstring {} \heightofstring {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \HELP [] {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \HELP [] {} \helptext [] {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \HELP [] {} {} \helptext [] {} \hglue</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \HELP [] {} {} \helptext [] {} {} \hiddencitation []</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \HELP [] {} {} \helptext [] {} {} \hiddencitation [] \hiddencite []</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \HELP [] {} {} \helptext [] {} {} \hiddencitation [] \hiddencite [] \highlight [] {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \hELP [] {} {} \helptext [] {} {} \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \highlight [] {} \highordinalstr {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \HELP [] {} {} \helptext [] {} {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \highordinalstr {} \hilo [] {} {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \hELP [] {} {} \helptext [] {} \higlue \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {} \highordinalstr {} \hillo [] {} {} \himilo {} {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \hELP [] {} {} \helptext [] {} \higlue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \hiphino [] {} {} \hillo [] {} {} \himilo {} {} \himilo {} {} \hillo [] {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \hELP [] {} {} \helptext [] {} \higlue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \hiphordinalstr {} \hillo [] {} {} \himilo {} {} {} \hillo [] {} \himilo {} {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {} \highordinalstr {} \hino [] {} {} \hill [] \horizontalgrowingbar [=] \horizontalpositionbar [=]</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {} \hiphordinalstr {} \hino [] {} {} \hill [] \horizontalgrowingbar [=] \horizontalpositionbar [=]</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \highue \hiddencitation [] \hiddencitation [] \hiddencitation [] \highlight [] {} \highlight [] {} \hillo [] {} {} \hinilo {} {} {} \hillo [] {} \hinilo {} {} {} \horizontalgrowingbar [] \horizontalpositionbar [] \hops {} {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {} \hiphordinalstr {} \hino [] {} {} \hill [] \horizontalgrowingbar [=] \horizontalpositionbar [=]</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightspanningtext {} {} \helptext [] {} {} \hglue \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hillo [] {} {} \hinilo {} {} {} \hill [] \horizontalgrowingbar [=] \horizontalpositionbar [=] \hpos {} {} \hisizefraction {} {}</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash	\headwidth \heightanddepthofstring {} \heightofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \hglue \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hillo [] {} {} \hinilo {} {} \hill [] \horizontalgrowingbar [=] \horizontalpositionbar [=] \hpantom {} \hsizefraction {} {} \hsizefraction {} {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \HELP [] {} {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \hiphordinalstr {} \hinio [] {} {} \himilo {} {} {} \hiphorizontalgrowingbar [=] \horizontalpositionbar [=] \hphantom {} \hsmash {} \hsmashbox \hsmashbox \hsmashed {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hino [] {} {} \hinilo {} {} {} \hinilo {} {} \hiphantom {} \hiszefraction {} {} \hsmash {} \hsmashbox
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \HELP [] {} {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \hiphordinalstr {} \hinlo [] {} {} \hinlo [] {} {} \hiphorizontalgrowingbar [=] \horizontalpositionbar [=] \hphantom {} \hsmash {} \hsmashbox \hsmashed {} \hspace [] []
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \HELP [] {} {} \helptext [] {} \highue \hiddencitation [] \hiddencite [] \highlight [] {} \HIGHLIGHT {} \highordinalstr {} \hinlo [] {} {} \hinlo [] {} {} \hiphinton [] \horizontalgrowingbar [] \horizontalpositionbar [] \hosash {} \hsmashbox \hsmashed {} \hsmashed {} \hspace [] [] \htdpofstring {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \hightague \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hillo [] {} {} \hillo [] {} \hillo [] {} \hillo [] {} \hillo [] \horizontalgrowingbar [] \horizontalpositionbar [] \horizontalpositionbar [] \hsmash {} \hsmashbox \hsmashed {} \hsmashed {} \hspace [] [] \htdpofstring {} \htdofstring {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring hyphen	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \hglue \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hilo [] {} {} \hinilo {} {} \hill [] \horizontalgrowingbar [] \horizontalpositionbar [] \hpantom {} \hpas {} {} \hsmashbox \hsmashed {} \hsmashed {} \htofstring {} \htofstring {} \hyphen
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring hyphen hyphenatedcoloredword	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \hglue \hiddencitation [] \hiddencite [] \highlight [] {} \hIGHLIGHT {} \highordinalstr {} \hilo [] {} {} \hilo [] {} {} \hilo [] {} \hilo [] \horizontalgrowingbar [] \horizontalpositionbar [] \horizontalpositionbar [] \hsmash {} \hsmashbox \hsmashed {} \hsmashed {} \hspace [] [] \htdpofstring {} \htdpofstring {} \hyphen \hyphenatedcoloredword {}
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring hyphen hyphenatedcoloredword hyphenatedfile	\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \hightague \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \hillo [] {} {} \hillo [] {} {} \hillo [] {} {} \hillo [] {} {} \hillo [] \horizontalgrowingbar [] \horizontalpositionbar [] \horizontalpositionbar [] \hhsmash {} \hsmash {} \hsmash {} \hsmashed {} \hsmashed {} \hsmashed {} \httpsace [] []
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring hyphen hyphenatedcoloredword hyphenatedfile hyphenatedfile hyphenatedfile hyphenatedfilename	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} \hglue \hiddencitation [] \highlight [] {} \highlight [] {} \highordinalstr {} \hino [] {} {} \hilo [] {} \hilo [] {} \himilo {} {} \hisizefraction {} {} \hsmash {} \hsmash {} \hsmashed {} \hsmashed {} \httpsace [] [] [] [] \httpsa</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring hyphen hyphenatedcoloredword hyphenatedfile hyphenatedfile hyphenatedfilename hyphenateddbox	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \highue \hiddencitation [] \highlight [] {} \highlight [] {} \highordinalstr {} \hino [] {} {} \hilo [] {} {} \himilo {} {} \hiphantom {} \horizontalgrowingbar [=] \horizontalpositionbar [=] \hphantom {} \hsmash {} \hsmash {} \hsmash {} \hsmashed {} \hsmashed {} \hyphen \hyphenatedcoloredword {} \hyphenatedfile {} \hyphenatedfile {} \hyphenateddpar {} \hyphenateddurl {} \hyphenatedurl {} \hyphenated</pre>
headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring htofstring hyphen hyphenatedcoloredword hyphenatedfile hyphenatedfile hyphenateddbox hyphenateddbox hyphenateddbox hyphenateddbox	<pre>\headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} \hglue \hiddencitation [] \highlight [] {} \highlight [] {} \highordinalstr {} \hino [] {} {} \hilo [] {} \hilo [] {} \himilo {} {} \hisizefraction {} {} \hsmash {} \hsmash {} \hsmashed {} \hsmashed {} \httpsace [] [] [] [] \httpsa</pre>

ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces ignorevalue	\ignoreimplicitspaces \ignorevalue {}
ignoto	\ignote \(\)
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablecco	\impostablocco [] [=] \impostabloccosezione [] [=]
impostabloccosezione impostabuffer	\impostablecosezione [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolorne impostacolore	\impostacolorne [=] \impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
<pre>impostaelencocombinato:instance impostaelencocombinato:instance:content</pre>	\impostaCOMBINEDLIST [=] \impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
<pre>impostainterazione impostainterazione:name</pre>	\impostainterazione [] [=] \impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili impostalineetesto	\impostalineesottili [=] \impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=] \impostanumeropagina [=]
impostanumeropagina impostanumerosottopagina	\impostanumeropagina [=]
1	· · · · · · · · · · · · · · · · · · ·

impostanumerotesta	\impostanumerotesta [] []
	\impostaoggettimobili [] [=]
	\impostaoggettomobile [] [=]
<del>-</del>	\impostaordinamento [] [=]
	\impostaparranging []
	\impostapdp [] [=] \impostapiustretto [] [=]
	\impostapiustietto [] [=] \impostaposizionamento [] [=]
	\impostaposizionamentoopposti [=]
	\impostaprogrammi [=]
	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
<del>-</del>	\impostarientro []
<del>-</del>	\impostariferimento [=]
-	\impostarighe [] [=] \impostarigheriempimento [=]
	\impostarigovuoto []
-	\impostarotazione [=]
<del>-</del>	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
<del>-</del>	\impostasfondi [] [=]
	\impostasfondi [] [=]
	\impostasfondo [] [=]
<del>-</del>	\impostasinonimi [] [=]
	\impostaspaziatura [] \impostaspaziobianco []
	\impostaspezzamentooggettomobile [=]
	\impostatabelle [=]
-	\impostatabulato [] [=]
<del>-</del>	\impostatavolozza []
impostatesta	\impostatesta [] [=]
	\impostateste [] [=]
	\impostatesticima [] [] [] []
	\impostatestifondo [] [] [] []
•	\impostatestiincorniciati [] [] \impostatestiintestazioni [] [] [] [] []
	\impostatestipdp [] [] [] []
	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
<pre>impostatestoetichette:instance:head</pre>	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
<pre>impostatestoetichette:instance:mathlabel</pre>	\impostamathlabeltesto [] [=]
impostatestoetichette:instance:operator	\impostaoperatortesto [] [=]
impostatestoetichette:instance:prefix	\impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel</pre>	\impostasuffixtesto [] [=] \impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
<del>-</del>	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
	\impostatyping [] [=]
<del>-</del>	\impostaurl [=]
<del>-</del>	\imposta {}
in inclinato	\in {} {} [] \inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa: argument increment counter	\incrementa cd:parentheses-s \incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
	- <del>-</del>

incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente\terminaambiente
<pre>iniziaattachment:instance iniziaattachment:instance:attachment</pre>	\iniziaATTACHMENT [] [=] \terminaATTACHMENT \iniziaattachment [] [=] \terminaattachment
	\iniziaattacnment [] [=] \terminaattacnment \iniziabar [] \terminabar
iniziabar iniziabbordermatrix	, , , , , , , , , , , , , , , , , , , ,
	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinition
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart \iniziasection
iniziacapoverso:instance:section	
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject \iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsection	
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject \iniziasubsubsection [=] [=] \terminasubsubsection
<pre>iniziacapoverso:instance:subsubsection iniziacapoverso:instance:subsubsubject</pre>	\iniziasubsubsection [=] [=] \terminasubsubsection \iniziasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject	\iniziasubsubsubsubsection [] [] \terminasubsubsubsubsection \iniziasubsubsubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection	\iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsect.
iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubsubsubsubsubsubsubsubsubs
iniziacapoverso:instance:title	\iniziatitle [=] [] \terminatitle
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [] \terminacharacteralign
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziacheckediences \terminacheckediences \iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolonne	\iniziacolonne [=] \terminacolonne
iniziacolore	\iniziacolore [] \terminacolore
iniziacolorintent	\iniziacolorie [] \terminacolorie \iniziacolorintent
iniziacoloronly	\iniziacoloronly [] \terminacoloronly
iniziacolorset	\iniziacolorset [] \terminacolorset
iniziacolumnspan	\iniziacolumnspan [=] \terminacolumnspan
iniziacombination	\iniziacontumnspan [] \terminacontumnspan \iniziacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination
iniziacommentopagina	\iniziacommentopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
iniziacommenet	\iniziacomponenet [] \terminacomponenet
iniziacomponenet:string	\iniziacomponenet \terminacomponenet
iniziacomponenet.string	\iniziacomponenet \terminacomponenet \iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextcode \terminacontextcode \iniziacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction \\ \iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	\iniziactxfunction \terminactxfunction \iniziactxfunctiondefinition
iniziacurrentcolor	\iniziactxiunctionderinition \terminactxiunctionderinition \iniziacurrentcolor
iniziacurrentlistentrywrapper	\iniziacurrentlistentrywrapper \terminacurrentlistentrywrapper
iniziadelimited	\iniziacurrentristentrywrapper \terminacurrentristentrywrapper \iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimited [] [] \terminadelimited \iniziadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] [] \terminaDELIMITEDTEXT
THE COUNTY OF TH	/

iniziadelimitedtext:instance:aside	\iniziaaside [] [] \terminaaside
iniziadelimitedtext:instance:blockquote	\iniziablockquote [] [] \terminablockquote
iniziadelimitedtext:instance:quotation	\iniziaquotation [] [] \terminaquotation
iniziadelimitedtext:instance:quote	\iniziaquote [] [] \terminaquote
iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
iniziadescrizione:example	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] \ \terminaDESCRIZIONE \iniziaDESCRIZIONE
iniziadescrizione.example.title iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
iniziadispiaymath iniziadmath	\iniziadmath \terminadmath
	•
iniziadocument	\iniziadocument [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
iniziaelement	\iniziaelement {} [=] \terminaelement
iniziaelemento	\iniziaelemento [] \terminaelemento
iniziaembeddedxtable	\iniziaembeddedxtable [=] \terminaembeddedxtable
iniziaembeddedxtable:name	\iniziaembeddedxtable [] \terminaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [=] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions
iniziaexpanded	\iniziaexpanded \terminaexpanded
iniziaexpandedcollect	\iniziaexpandedcollect \terminaexpandedcollect
iniziaextendedcatcodetable	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollect:
•	
iniziafigura	\iniziafigura [] [=.] \terminafigura
iniziafisso	\iniziafisso [] \terminafisso
iniziafittingpage	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	$\mbox{\continuous}$ \text{\continuous} iniziafloatcombination [] $\mbox{\continuous}$
iniziafloattext:instance	\iniziaFLOATtesto [] [] {} \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] {} \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] {} \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziafonusolution iniziaformula	\iniziaformula [] \terminaformula
	\iniziaformula [] \terminaformula \iniziaformula [=] \terminaformula
iniziaformula:assignment	• • • • • • • • • • • • • • • • • • • •
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize

 $\verb|\iniziaJScode| \dots \dots \dots \\| \texttt{terminaJScode}|$ 

 $\verb"iniziaJScode"$ 

iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
	\inizialinealignment [] \terminalinealignment
	\inizialineamargine [] \terminalineamargine
	\inizialineamargine [=] \terminalineamargine
	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
	\inizialinetablebody \terminalinetablebody
	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
	\inizialocalheadsetup \terminalocalheadsetup
<del>_</del>	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
	\inizialocalsetups [] [] \terminalocalsetups
	\inizialocalsetups\terminalocalsetups
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
	\inizialuasetups [] [] \terminaluasetups
	\inizialuasetups\terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	$\verb \iniziaMPpositiongraphic {} {} \verb \terminaMPpositiongraphic  }  $
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
iniziamathmatrix:instance	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=.] \terminamettiformula
iniziamettiformula:	\iniziamettiformula [] \terminamettiformula
<u> </u>	
iniziamiddlealigned iniziamixedcolumns	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns:instance	\iniziamixedcolumns [] [=] \terminamixedcolumns \iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns	
iniziamode	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniaismedeast	\iniziamode [] \terminamode
iniziamodeset	\iniziamode [] \terminamode \iniziamodeset [] \{\} \terminamodeset
iniziamodule	<pre>\iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule</pre>
iniziamodule iniziamoduletestsection	\iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection
iniziamodule	\iniziamode [] \terminamode \iniziamodeset [] {} \terminamodeset \iniziamodule [] \terminamodule

```
inizianamedsubformulas
                                                                                                      \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
                                                                                                      \inizianarrower [...] ... \terminanarrower
inizianarrower
                                                                                                      \mbox{\colored} \mbox{\color
inizianarrower:example
                                                                                                      \inizianegativo ... \terminanegativo
inizianegativo
inizianicelyfilledbox
                                                                                                      \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianointerference
                                                                                                      \inizianointerference ... \terminanointerference
                                                                                                      \inizianotallmodes [...] ... \terminanotallmodes
inizianotallmodes
inizianota:instance
                                                                                                       \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment
                                                                                                       \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment:endnote
                                                                                                       \iniziaendnote [..=..] ... \terminaendnote
                                                                                                       \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:assignment:footnote
                                                                                                       \iniziaendnote [...] ... \terminaendnote
inizianota:instance:endnote
                                                                                                       \iniziafootnote [...] ... \terminafootnote
inizianota:instance:footnote
                                                                                                      \inizianotext ... \terminanotext
inizianotext
                                                                                                      \inizianotmode [...] ... \terminanotmode
inizianotmode
                                                                                                      \iniziaopposto ... \terminaopposto
iniziaopposto
                                                                                                      \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputstream
                                                                                                      \iniziaoverprint ... \terminaoverprint
iniziaoverprint
iniziapagefigure
                                                                                                      \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagegrid
                                                                                                      \verb|\iniziapagegrid| [...] [..=..] ... \verb|\terminapagegrid|
                                                                                                      \iniziapagegridspan [...] [..=..] ... \terminapagegridspan
{\tt iniziapagegridspan}
                                                                                                      \iniziaPAGEGRID [..=..] ... \terminaPAGEGRID
iniziapagegrid:example
                                                                                                      \iniziapagelayout [...] ... \terminapagelayout
iniziapagelayout
iniziapar
                                                                                                      \iniziapar [...] [..=..] ... \terminapar
{\tt iniziaparagraphs}
                                                                                                      \verb|\inizia paragraphs| [\dots] \dots \verb|\termina paragraphs|
iniziaparagraphscell
                                                                                                      \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example
                                                                                                       \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
                                                                                                       \iniziaPARALLEL ... \terminaPARALLEL
iniziaparallel:example
iniziaparbuilder
                                                                                                      \iniziaparbuilder [...] ... \terminaparbuilder
                                                                                                      \iniziaplacefloat [...] [..=..] ... \terminaplacefloat
iniziaplacefloat
iniziaplacefloat:instance
                                                                                                       \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
                                                                                                       \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:chemical
iniziaplacefloat:instance:figure
                                                                                                       \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
                                                                                                      \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:graphic
iniziaplacefloat:instance:intermezzo
                                                                                                       \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacefloat:instance:table
                                                                                                      \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox
iniziaplacepairedbox:instance
                                                                                                       \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend
                                                                                                      \iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning
                                                                                                      \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay
                                                                                                      \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo
                                                                                                      \iniziapositivo ... \terminapositivo
                                                                                                      \iniziaposporre [...] ... \terminaposporre
iniziaposporre
                                                                                                      \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcom
\verb"inizia process assignment command"
                                                                                                      \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocessassignmentlist
iniziaprocesscommacommand
                                                                                                      \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
\verb"inizia process commalist"
                                                                                                      \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto
                                                                                                      \verb|\inizia prodotto| [...] ... \verb|\termina prodotto|
iniziaprodotto:string
                                                                                                      \iniziaprodotto ... \terminaprodotto
                                                                                                      \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto
                                                                                                      \iniziaprogetto ... \terminaprogetto
\verb"inizia progetto:string"
                                                                                                      \iniziaprotectedcolors ... \terminaprotectedcolors
iniziaprotectedcolors
iniziapubblicazione
                                                                                                      \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
{\tt iniziar} {\tt andomized}
                                                                                                      \iniziarandomized ... \terminarandomized
                                                                                                      \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups
iniziarawsetups:string
                                                                                                      \verb|\coloredge| 1... ... \verb|\coloredge| terminar awsetups | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | | ... | ... | | ... | | ... | | ... | | ... | | ... | | ... | ... | | ... | | ... | ... | ... | | ... | ... | ... | ... | ... | ... | | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ...
iniziareadingfile
                                                                                                      \mbox{\colored} \iniziareadingfile ... \mbox{\colored}
                                                                                                      \iniziaregime [...] ... \terminaregime
iniziaregime
\verb"iniziare usable MPg raphic"
                                                                                                      \verb|\iniziareusableMPgraphic {...} {...} ... \verb|\terminareusableMPgraphic | ...} |
                                                                                                      \iniziariga [...]
iniziariga
                                                                                                      \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance
iniziarighe:instance:lines
                                                                                                       \inizialines [..=..] ... \terminalines
iniziaruby
                                                                                                      \iniziaruby [...] ... \terminaruby
iniziascript
                                                                                                      \iniziascript [...] ... \terminascript
                                                                                                      \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock
iniziasectionblock:instance
                                                                                                      \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices
                                                                                                      \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter
                                                                                                      \verb|\  | inizia backmatter [..=..] ... \ | termina backmatter | \\
                                                                                                       \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:bodymatter
iniziasectionblock:instance:frontmatter
                                                                                                       \verb|\  \  | inizia front matter [..=..] ... \  \  | termina front matter \\
iniziasectionlevel
                                                                                                      \verb|\iniziasectionlevel| [...] [..=..] [..=..] ... \verb|\terminasectionlevel|
                                                                                                      \iniziasetups [...] [...] \terminasetups
iniziasetups
```

```
iniziasetups:string
                                                                               \iniziasetups ... \terminasetups
iniziasfondo
                                                                               \iniziasfondo [..=..] ... \terminasfondo
                                                                                \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziasfondo:example
                                                                               \iniziashift [...] ... \terminashift
iniziashift
iniziasidebar
                                                                               \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns
                                                                               \verb|\iniziasimplecolumns| [..=..] ... \verb|\terminasimplecolumns|
                                                                               \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso
                                                                               \iniziasospeso [...] {...} ... \terminasospeso
iniziasospeso:argument
                                                                               \iniziasovrapponi ... \terminasovrapponi
iniziasovrapponi
iniziaspecialitem:item
                                                                               \iniziaspecialitem [...] ... \terminaspecialitem \iniziaspecialitem [...] {...} \terminaspecialitem
iniziaspecialitem:none
iniziaspecialitem:symbol
iniziasplitformula
                                                                               \iniziasplitformula ... \terminasplitformula
iniziaspread
                                                                               \iniziaspread ... \terminaspread
                                                                               \inizia [...] ... \termina
iniziastartstop
iniziastartstop:example
                                                                               \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure
                                                                               \iniziastaticMPfigure {...} ... \terminastaticMPfigure
                                                                               \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastaticMPgraphic
                                                                               \iniziastretto [...] [..=..] ... \terminastretto \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto
iniziastretto:assignment
                                                                               \iniziastretto [...] [...] ... \terminastretto
iniziastretto:name
                                                                               \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
{\tt iniziastrictinspectnextcharacter}
                                                                               \iniziastyle [..=..] ... \terminastyle
iniziastyle
iniziastyle:argument
                                                                               \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                                \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas
                                                                               \verb|\iniziasubformulas| [\dots] \dots \verb|\terminasubformulas|
iniziasubjectlevel
                                                                               \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
                                                                               \iniziasubsentence ... \terminasubsentence
iniziasubsentence
iniziasubstack
                                                                               \iniziasubstack ... \terminasubstack
                                                                               \iniziasymbolset [...] ... \terminasymbolset
iniziasymbolset
iniziaTABLE
                                                                               \iniziaTABLE [..=..] ... \terminaTABLE
                                                                               \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEbody
iniziaTABLEfoot
                                                                               \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
                                                                               \iniziaTABLEhead [..=..] ... \terminaTABLEhead \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziaTABLEhead
iniziaTABLEnext
                                                                               \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
                                                                               \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
iniziatabelle
                                                                               \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name
                                                                               \iniziatabelle [...] ... \terminatabelle
                                                                                \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
                                                                               \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato
                                                                                \iniziaTABULATE [..ºPT] [..=..] ... \terminaTABULATE
iniziatabulato:instance
                                                                                \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                               \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                               \iniziatesta [...] {...} ... \terminatesta
iniziatesta
iniziatestatabella
                                                                               \iniziatestatabella [...] ... \terminatestatabella
                                                                               \iniziatestatabulato [...] ... \terminatestatabulato
iniziatestatabulato
iniziatesto
                                                                               \iniziatesto ... \terminatesto
iniziatestoaiuto
                                                                               \iniziatestoaiuto [...] ... \terminatestoaiuto
                                                                               \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance
                                                                               \verb|\line| iniziabtx | label testo [...] [...] ... \verb|\line| testo | label testo | labe
iniziatestoetichetta:instance:btxlabel
                                                                               \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
                                                                               \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
iniziatestoetichetta:instance:mathlabel
                                                                                \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
                                                                                \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:operator
                                                                               iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                                \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                                                \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
iniziatestoincorniciato:instance
                                                                                \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
                                                                                \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatestoincorniciato:instance:framedtext
                                                                               \iniziatexcode ... \terminatexcode
iniziatexcode
iniziatexdefinition
                                                                               \iniziatexdefinition ... ... ... ... \terminatexdefiniti
                                                                               \verb|\colored| \verb|\colored| [...] [..=..] ... \verb|\colored| \verb|\colored| terminatextbackground|
iniziatextbackground
iniziatextbackgroundmanual
                                                                               \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
                                                                               \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
iniziatextcolor
                                                                               \iniziatextcolor [...] ... \terminatextcolor
                                                                               \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
                                                                               \iniziatextflow [...] ... \terminatextflow
iniziatextflow
iniziatokens
                                                                               \iniziatokens [...] ... \terminatokens
iniziatransparent
                                                                               \verb|\iniziatransparent| [\dots] \dots \verb|\terminatransparent|
                                                                               \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
```

iniziatypescriptcollection	\iniziatypescriptcollection [] \terminatypescriptcollection
iniziatyping:instance	\iniziaTYPING [=] \terminaTYPING
iniziatyping:instance:argument	\iniziaTYPING [] \terminaTYPING
iniziatyping:instance:argument:LUA	\iniziaLUA [] \terminaLUA
iniziatyping:instance:argument:MP	\iniziaMP [] \terminaMP
iniziatyping:instance:argument:PARSEDXML	\iniziaPARSEDXML [] \terminaPARSEDXML
iniziatyping:instance:argument:TEX	\iniziaTEX [] \terminaTEX
iniziatyping:instance:argument:typing	
	\iniziatyping [] \terminatyping
iniziatyping:instance:argument:XML	\iniziaXML [] \terminaXML
iniziatyping:instance:LUA	\iniziaLUA [=] \terminaLUA
iniziatyping:instance:MP	\iniziaMP [=] \terminaMP
iniziatyping:instance:PARSEDXML	\iniziaPARSEDXML [=] \terminaPARSEDXML
iniziatyping:instance:TEX	\iniziaTEX [=] \terminaTEX
iniziatyping:instance:typing	\iniziatyping [=] \terminatyping
iniziatyping:instance:XML	\iniziaXML [=] \terminaXML
iniziauniqueMPgraphic	\iniziauniqueMPgraphic {} {} \terminauniqueMPgraphic
iniziauniqueMPpagegraphic	\iniziauniqueMPpagegraphic {} {} \terminauniqueMPpagegraphic
iniziaunpacked	\iniziaunpacked \terminaunpacked
iniziausableMPgraphic	\iniziausableMPgraphic {} {} \terminausableMPgraphic
iniziauseMPgraphic	\iniziauseMPgraphic {} {} \terminauseMPgraphic
iniziausemathstyleparameter	\iniziausemathstyleparameter \\terminausemathstyleparameter
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmldisplayverbatim	
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
iniziaxmlsetups:string	\iniziaxmlsetups \terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablehead:name	
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
-	-
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
installalingua:name	\installalingua [] []
IND GAITATING GA . NAME	/

installanddefineactivecharacter	$\verb \noindefine active character {} $
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \ \
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	\installbasicautosetuphandler \ \{} \
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \{\} \
installcorenamespace	\installcorenamespace {}
installdefinehandler	-
	\installdefinehandler \ \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	$\verb \label{limit}  install frame dauto command handler   {}    $
installframedcommandhandler	\installframedcommandhandler \ \ \
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
•	=
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \{}
installswitchcommandhandler	
	\installswitchcommandhandler \ \\
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtextracker	\installtextracker $\{\ldots\}$ $\{\ldots\}$
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator $\{\ldots\}$ $\{\ldots\}$
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
-	<del>-</del>
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX

LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABEL1ingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua \operatorlingua
<pre>labellanguage:instance:operator labellanguage:instance:prefix</pre>	\prefixlingua
labellanguage:instance:suffix	\suffixlingua \suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit lastlinewidth	<pre>\lastdigit {} \lastlinewidth</pre>
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber lateluacode	\lastuserpagenumber \lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {} \leftheadtesto {}
<pre>leftlabeltext:instance:head leftlabeltext:instance:label</pre>	\leftlabeltesto \{\dots\}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop letbeundefined	\lefttorightvtop {} \letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcatcodecommand \ \ \ \ \letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \ \endcsname \
letcsnamecsname	\letcsnamecsname \csname \\endcsname \csname \\endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}

letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
<del>-</del>	· · · · · · · · ·
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \{\ldots\} \\
limitatelines	\limitatelines $\{\}$ $\{\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
lineenere	\linearer [=]
	\lineeriempimento [=] {} {}
lineeriempimento	
lineesottili	\linesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \{\ldots\} \\
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
	\listcite [=] [=]
listcite:userdata	
listnamespaces	\listnamespaces
llap	\llap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	
	\loadluatileonce ! !
	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []

loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {}
lowerbox	\lowerbox \{\} \ \{\}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	lowerleftdoubleninequote
lowerleftsingleninequote	lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\} \\ \\}
lrtbbox	\lrtbbox \{\} \\\\} \\\\}
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luminorversion
luaparameterset	\luaparameterset {} {}
luasetup luaTeX	\luasetup {}
	\luaTeX
	\lunumaion
luaversion	\lunghampalance
luaversion lunghezzaelenco	\lunghezzaelenco
luaversion lunghezzaelenco MESE	\lunghezzaelenco \MESE {}
luaversion lunghezzaelenco MESE METAFONT	\lunghezzaelenco \MESE {} \METAFONT
luaversion lunghezzaelenco MESE METAFONT METAFUN	\lunghezzaelenco \MESE {} \METAFONT \METAFUN
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaFun MetaPost	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII \MKIV
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX \MKVI
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXI	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX \MKVI \MKXI
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXI MONTHLONG	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIX \MKVI \MKXI \MKNI \MKNI \MONTHLONG {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUST MetaFont MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXI MONTHLONG MONTHSHORT	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUST MetaFont MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXI MONTHLONG MONTHSHORT MPANCHOR	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFun \MetaPost \MKII \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaFun MetaPost MKII MKIV MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXIX MONTHLONG MONTHSHORT MPanchor MPbetex MPC	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFost \MKII \MKIV \MKIX \MKVI \MKXI \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPbetex {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MKII \MKIV \MKII \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPocde {} {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPcode MPcolor	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MKII \MKIV \MKIX \MKVI \MKXIX \MKVI \MKXII \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPocde {} {} \MPcolor {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcoloronly	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFost \MKII \MKIV \MKIX \MKVI \MKXIX \MKVI \MKNIT \MONTHLONG {} \MONTHSHORT {} \MPetex {} \MPecolor {} \MPcolor {} \MPcolor {} \MPcolor {} \MPcoloronly {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcoloronly MPcolumn	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIX \MKVI \MKXIX \MKVI \MKNTHLONG {} \MONTHLONG {} \MPanchor {} \MPocle {} \MPcoloronly {} \MPcolumn {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKNIX MKVI MKONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MKII \MKIV \MKII \MKIV \MKIX \MKVI \MKNIX \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPoclor {} \MPcolor {} \MPcolor {} \MPcolor {} \MPcolornny {} \MPd {} \MPdrawing {} \MPfontsizehskip {}
luayersion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIX \MKVI \MKXIX \MKVI \MKONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPecoloronly {} \MPcoloronly {} \MPcolumn {} \MPdarawing {}
luayersion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPcolor {} \MPcolor {} \MPcoloronly {} \MPd {} \MPdrawing {} \MPgetmultipars {} \MPgetmultishape {}
lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPcolor {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPdrawing {} \MPgetmultipars {}
lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFont MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPgetmultipars MPgetmultishape	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPcolor {} \MPcolor {} \MPcoloronly {} \MPd {} \MPdrawing {} \MPgetmultipars {} \MPgetmultishape {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcode MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetposboxes	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIV \MKIX \MKVI \MKXI \MONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPcolor {} \MPcolor {} \MPcoloronly {} \MPd {} \MPd {} \MPdetmultipars {} {} \MPgetmultishape {} \MPgetposboxes {}
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaFun MetaPost MKII MKIV MKIX MKVI MKIX MKVI MKONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetposboxes MPh MPII MPIV	\lunghezzaelenco \MESE {} \METAFONT \METAFUN \METAPOST \MetaFont \MetaFont \MetaFont \MetaPost \MKII \MKIV \MKIV \MKIX \MKVI \MKVI \MKVI \MNONTHLONG {} \MONTHSHORT {} \MPanchor {} \MPetex {} \MPcolor {} \MPcoloronly {} \MPcolumn {} \MPd {} \MPdrawing {} \MPgetmultipars {} {} \MPgetposboxes {} \MPII \MPII \MPII \MPII
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaPost MKII MKIV MKII MKIV MKII MKIV MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcolor MPcoloronly MPcolumn MPd MPdrawing MPdrawing MPgetmultipars MPgetmultishape MPgetposboxes MPh MPII MPIV MPinclusions	\\museraperselenco \\mese \{\ldots\} \\metafont \\metaf
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaPost MKII MKIV MKII MKIV MKIX MKVI MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcolor MPcoloronly MPcolumn MPd MPdrawing MPfontsizehskip MPgetmultipars MPgetposboxes MPh MPII MPIV MPinclusions MPleftskip	\\muserance \\muserance \\muserance \\muserance \\\muserance \\muserance \\mus
luaversion lunghezzaelenco MESE METAFONT METAFUN METAPOST MetaFont MetaPost MKII MKIV MKII MKIV MKII MKIV MKXI MONTHLONG MONTHSHORT MPanchor MPbetex MPc MPcolor MPcoloronly MPcolumn MPd MPdrawing MPdrawing MPgetmultipars MPgetmultishape MPgetposboxes MPh MPII MPIV MPinclusions	\\museraperselenco \\mese \{\ldots\} \\metafont \\metaf

MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makecharacteractive makerawcommalist	\makecharacteractive \makerawcommalist [] \
makerawcommalist	\makerawcommalist [] \
makerawcommalist makestrutofbox	<pre>\makerawcommalist [] \ \makestrutofbox</pre>
makerawcommalist	<pre>\makerawcommalist [] \ \makestrutofbox \mapfontsize [] []</pre>
makerawcommalist makestrutofbox mapfontsize marcatura	<pre>\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) []</pre>
makerawcommalist makestrutofbox mapfontsize marcatura margindata	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \ininleft [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininner margin [=] [=] {} \ininleft [=] [=] {} \inleft [=] [=] {} \inleftedge [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininter [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininneradge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner dge [] [] {} \ininnermargin [] [] {} \inleft [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \innmargin [=] [=] {} \innmargin [=] [=] {} \inother [=] [=] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \margindata [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inouteredge margindata:instance:inoutermargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \margindata [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inouteredge margindata:instance:inoutermargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \markcontent [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \markcontent [] [] {} \markinjector []
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \mathermargin [] [] {} \mathermargin [] [] {} \minner [] [] {} \minner [] [] {} \minnerdge [] [] {} \minnerdge [] [] {} \minleft [] [] {} \margin [] [] {} \markcontent [] {} \markcontent [] {} \marknjector [] \markpage [] []
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \markontent [] {} \markontent [] {} \markinjector [] \markinjector [] \markinjector [] \markinjector [] \markinjector [] \markinjector []
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inouteredge margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \matightmargin [] [] {} \minner [] [] {} \minner [] [] {} \minner dge [] [] {} \minner dge [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft dge [] [] {} \minder [] [] {} \minuter [] [] {} \mininght [] [] {} \mininght [] [] {} \margintext [] [] {} \markcontent [] {} \markcontent [] {} \markpage [] [] \markpage [] [] \matematica [] {} \matematica [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \mathermargin [] [] {} \mathermargin [] [] {} \minner [] [] {} \minnerdge [] [] {} \minnerdge [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \margintedge [] [] {} \margintext [] [] {} \markontent [] {} \markontent [] {} \markinjector [] \markinjector [] \mathematica [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:ininight margindata:instance:inright margindata:instance:inrightdge margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf	\makerawcommalist [] \ \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \markontent [] {} \markontent [] {} \markontent [] {} \math [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightdge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi	\makerawcommalist [] \ \makestrutofbox \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \mathermargin [] [] {} \mathermargin [] [] {} \minner [] [] {} \minnerdge [] [] {} \minnerdge [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \margintedge [] [] {} \margintext [] [] {} \markontent [] {} \markontent [] {} \markinjector [] \markinjector [] \markingate [] [] {} \mather [] {}
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inouteredge margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard	\makerawcommalist [] \ \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \mathermargin [] [] {} \mathermargin [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minder [] [] {} \minouter [] [] {} \minouter [] [] {} \minouter [] [] {} \mininght [] [] {} \mininght [] [] {} \margin [] [] {} \margin [] [] {} \markontent [] {} \markontent [] {} \markontent [] {} \mather []
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard mathbs	\makerawcommalist [] \ \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \mathermargin [] [] {} \mathermargin [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minder [] [] {} \minuter [] [] {} \minuter [] [] {} \minuter [] [] {} \mininght [] [] {} \mininght [] [] {} \margin [] [] {} \margin [] [] {} \markontent [] {} \markontent [] {} \markontent [] {} \markinjector [] \markinjector [] \mather [] {} \mather [] {
makerawcommalist makestrutofbox mapfontsize marcatura margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example	\makerawcommalist [] \ \mapfontsize [] [] \marcatura (,) (,) [] \margindata [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \margin [] [] {} \markin [] [] {} \markin [] {} \markin [] {} \mathbi

	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\} \\ \dots\\ \d
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\doublebrace \{\ldots\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\doublebracket \{\doublebracket \}\}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\
mathdoubleextensible:instance:overbarunderbar mathdoubleextensible:instance:overbraceunderbrace	\overbarunderbar \{\ldots\} \\ \overbraceunderbrace \{\ldots\} \\ \\ \overbraceunderbrace \{\ldots\} \\ \\ \overbraceunderbrace \{\ldots\} \\ \\ \\ \overbraceunderbrace \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
	\overbracketunderbracket \{\dots\} \{\dots\}
mathdoubleextensible:instance:overbracketunderbracket	
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \{\ldots\}
mathextensible:instance	\MATHEXTENSIBLE \{\ldots\}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill mathextensible:instance:eoverbracefill	\eoverbarfill {} {}
mathextensible:instance:eoverbracketfill mathextensible:instance:eoverbracketfill	\eoverbracefill \{\dots\} \\eoverbracketfill \{\dots\} \\\.\}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\ldots\} \\
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {} \eunderbarfill {} {}
mathextensible:instance:eunderbarfill mathextensible:instance:eunderbracefill	\eunderbarrirr \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:eunderbracketfill mathextensible:instance:eunderbracketfill	\eunderbracketfill \{\ldots\} \\\
mathextensible:instance:eunderparentfill	\eunderparentfill \{\ldots\} \\\
mathextensible:instance:mequal mathextensible:instance:mhookleftarrow	\mequal {} {} \mhookleftarrow {} {}
mathextensible:instance:mhookrentarrow mathextensible:instance:mhookrightarrow	\mhookrightarrow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:mLeftarrow	\mLeftarrow \{\ldots\} \\ \ldots\}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow \{\ldots\} \\ \ldots\}
mathextensible:instance:mleftarrow	\mleftarrow \{\ldots\} \\\ \ldots\}
mathextensible:instance:mleftharpoondown	\mleftharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	$\t$ leftharpoondown $\{\}$ $\{\}$
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow \{\ldots\} \\
mathextensible:instance:ttriplerel	\ttriplerel {} {}
<pre>mathextensible:instance:ttwoheadleftarrow mathextensible:instance:ttwoheadrightarrow</pre>	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoneadrightarrow mathextensible:instance:xequal	\ttwoheadrightarrow \{\} \\xequal \{\} \\\}
magney neugrote: Inputitioe: vedicat	γνογιατ () ()

mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \\\
	\MATHRADICAL [] {}
mathradical:example	
mathrm	\mathrm
mathscript	\mathscript
mathsl	\maths1
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathunderextensible:example mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \\\
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	<pre>\message {} \metaTeX</pre>
metaTeX	-
mettielenco	\mettielenco [] [=]

mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula []
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
	\mettinotepdplocali [=]
mettinotepdplocali	
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [=]
5	
mettisottoformula	\mettisottoformula []
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	
	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
-	-
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
9	
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
	· ·
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
-	
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
<del>-</del>	<del>-</del>
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts $\{\}$ $\{\}$ $\{\}$ $\{\}$
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
-	
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalytop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negemspace	\negemspace
negenspace	\negenspace
<b>○ 1</b>	<u> </u>

negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {}
normalizetextheight	\normalizetextheight {} {} {}
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth {} {} {}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	
	\numeriromani {}
numeroformula	\numeriromani \{\dots\}\numeroformula \[\dots\]

numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin \objectwidth
objectwidth obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct ornamenttext:layer	\ornamenttext [] {} {} \ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT \{\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton [] \overlaybutton {}
overlaybutton:direct overlaycolor	\overlaybutton \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth overloaderror	\overlaywidth \overloaderror
overset	\overloaderror \overset \{\}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX PICTEX	\PDFTEX \PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm pagearea	\PtToCm {} \pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagina	\pagina []
paletsize paragraphs:example	\paletsize \PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}

pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	$\pdf$ backendsetpagesattribute $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetpattern	$\pdf$ backendsetpattern $\{\}$
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent percentdimen	\percent \percentdimen \{\ldots\} \\\.\}
perlungo	\perlungo \{\dots\}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber placedbox	\placecurrentformulanumber \placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {}
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {} {}
placefloat:instance:graphic	\mettigraphic [] [] {} {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications placelistofsorts	\placelistofpublications [] [=] \placelistofsorts [] [=]
placelistofsorts: placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=.] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}

placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	<pre>\popsystemmode {} \positionoverlay {}</pre>
positionoverlay positionregionoverlay	\positionoverlay \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue prependtocommalist	<pre>\prependgvalue {} {} \prependtocommalist {} \</pre>
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
presetlabeltext:instance:operator	\presetoperatortesto [] [=]
presetlabeltext:instance:prefix	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel presetlabeltext:instance:unit</pre>	\presettaglabeltesto [] [=] \presetunittesto [] [=]
pretocommalist	\pretocommalist \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent processaction	\procent \processaction [] [,=>,]
processallactionsinset	\processaltactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilence	\processfilence {}
processfileonce	\processfileonce {}

processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
-	
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
•	
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens {} {} {} {}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
•	-
processyear	\processyear {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
	. •
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
-	\pulsantinterazione [=] []
pulsantinterazione	-
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
•	\pushendofline \popendofline
pushendofline	
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
•	-
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
•	
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} \ \ \
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
•	<u></u>
quitprevcommalist	
	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
quittypescriptscanning ReadFile	
	\quittypescriptscanning
ReadFile raggedbottom	\quittypescriptscanning \ReadFile {} \raggedbottom
ReadFile raggedbottom raggedcenter	\quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter
ReadFile raggedbottom raggedcenter raggedleft	\quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft
ReadFile raggedbottom raggedcenter raggedleft raggedright	<pre>\quittypescriptscanning \ReadFile {} \raggedbottom \raggedleft \raggedright</pre>
ReadFile raggedbottom raggedcenter raggedleft	\quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft

randomizetext	\randomizetext {}
randomnumber	\randomnumber \{\ldots\}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset rawdoifinset	\rawdoifelseinset \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rawdoiiinset rawdoifinsetelse	
rawgetparameters	\rawdoifinsetelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rawprocessaction	\rawgetparameters [] [] \rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile $\{\}$ $\{\}$
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile {} {} {}
readtexfile	\readtexfile {} {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
cealSmallCapped	\realSmallCapped {}
realSmallcapped realsmallcapped	\realSmallcapped {} \realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=] \REGISTER [] [++]
registro:instance registro:instance:index	\index [] [++]
registro:instance:ownnumber	\REGISTER [] {} [++]
registro:instance:ownnumber:index	\index [] {} [++]
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking []
relateparameterhandlers	\relateparameterhandlers {} {} {}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces replacefeature	\removeunwantedspaces \replacefeature []
replaceleature replacefeature:direct	\replacefeature [] \replacefeature {}
replacementure.drect	\replacereature \(\tau\)
replacement	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature [ ]

resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	$\r$ esetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	$\verb \resetcharacteralign $
resetcharacterkerning	$\$ resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation resetdirection	\resetdigitsmanipulation \resetdirection
resetfeature	\resetdirection \resetfeature
resetflag	\resettlag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	$\r$ esetlocalfloats
resetMPdrawing	$\verb \resetMPdrawing $
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \ \resetprofile
resetprofile resetrecurselevel	\resetpiolile \resetrecurselevel
resetreference	\resettectifselevel
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue resetvisualizers	\resetvalue {} \resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled \{\ldots\} \{\ldots\}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	$\rdots$
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento	\riferimento [] {}
riferimentopagina riferimentotesto	\riferimentopagina [] \riferimentotesto [] {}
riferimentotesto	\riflessione \{\ldots\riflessione \{\ldots\riflessione \}
111100010110	/111168810116 []

	١ ١ ٦
riga	\riga {}
rigariempimento rightbottombox	<pre>\rigariempimento [=] \rightbottombox {}</pre>
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {} \rlap {}
rlap robustaddtocommalist	\robustaddtocommalist \{\ldots\}\\\\\
robustdoifelseinset	\robustdoifelseinset \{\} \{\} \{\}
robustdoifinsetelse	\robustdoifinsetelse {} {} {} {}
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtop	\rtop {}
ruby	\ruby [] {} {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledybox	\ruledvbox {}
ruledvpack ruledvtop	\ruledvpack {} \ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
${\tt ScaledPointsToWholeBigPoints}$	$\S$ caledPointsToWholeBigPoints $\{\ldots\}$ $\\ldots$
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans \sansgrassetto
sansgrassetto sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox scala	\sbox {} \scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}

scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
secondofsixarguments	\secondofsixarguments \{\ldots\}
secondofthreearguments	\secondofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
secondofthreeunexpanded	\secondofthreeunexpanded \{\ldots\} \{\ldots\} \{\ldots\}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] [++] {}
seeregister:instance:index	\vediindex [] [++] {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	$\sline \sline $
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcapstiut	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure \{\dots\} \\\
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand \{\ldots\} \{\ldots\}
setinterfaceconstant	\setinterfaceconstant {} {}

	\aatimtamfaaaalamamt [ ] [ ]
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage \{\ldots\} \{\ldots\} \{\ldots\}
setinterfacevariable	\setinterfacevariable \{\ldots\} \{\ldots\}
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
	\setMPlayer [] [=] {}
setMPlayer	
setMPpositiongraphic	\setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
setMPpositiongraphicrange	$\st MP position graphic family {} {} {}$
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
•	\setmeasure {} {}
setmeasure	
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
setoldstyle	\setoldstyle
setpagegrid	\setpagegrid [=] {}
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ {} {}
setpercentdimen	\setpercentdimen {} {}
_	\setmosition { }
setposition	\setposition {}
setposition setpositionbox	\setpositionbox {} \ {}
setposition	\setpositionbox {} \ {} \setpositiondata {} {} {} {}
setposition setpositionbox	\setpositionbox {} \ {}
setposition setpositionbox setpositiondata setpositiondataplus	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {} \setpositionstrut {} \setprofile []
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setprofile [] \setrandomseed {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} {} \setpositiononly {} \setpositionstrut {} \setprofile []
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ \setpositionstrut {} \setpositionstrut {} \setrandomseed {} \setreference [] [=]
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {}
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setreferencedobject setregisterentry	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=]
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setreferencedobject setregisterentry setreplacement	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositioned {} \setreference [] [=] \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement []
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setreferencedobject setregisterentry	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setreferencedobject setregisterentry setreplacement	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositioned {} \setreference [] [=] \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement []
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreficial {} \setreficial {} \setreficial {} {} \ {} \setreficial {} {} \ {} \setreficial {} {} \ {} \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript []
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript [] \setsectionblock [] [=]</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setprofile [] \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setregiaterentry [] {} \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=]</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setprofile [] \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setregisterentry [] {} \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setprofile [] \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setprofile [] \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setregisterentry [] {} \setrigidcolumnbalance \setrigidcolumnbalance {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setprofile [] \setrandomseed {} \setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbaize setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbaize setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstrut	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setstripidcolumnbalance
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbalance setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidcolumnbalance \setrigidcolumnbalance {} \setsetrigidcolumnbalance {} \setsetrigidcolumnbal
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstystemmode	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbalance {} \setsetrigidcolumnbalance {} \setsetrigidco
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbalance setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidcolumnbalance \setrigidcolumnbalance {} \setsetrigidcolumnbalance {} \setsetrigidcolumnbal
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstystemmode	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbalance {} \setsetrigidcolumnbalance {} \setsetrigidco
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnhsize setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular	<pre>\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidcolumnbalance \setrigidcolumnbalance \setrigidcolumnbalance {} \setsetsimplecolumnbalance {} \setsimplecolumnbalance {} \set</pre>
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreference setreferenty setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidosumnistionstrut {} \setsetrigidosumnistionstrut {} \setsetsimplecolumnistionstrut {} \setsetsimplecolumnistionstrut {} \setsimplecolumnistionstrut {} \s
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbaize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidosumnistionstrut {} \setsetrigidosumnistionstrut {} \setsetrigidosumnistionstrut {} \setsetsimplecolumnistionstrut {} \setsetsimp
setposition setpositionbox setpositiondata setpositionally setpositiononly setpositionstrut setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbalance setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidositionstrut
setposition setpositionbox setpositiondata setpositiondataplus setpositiononly setpositionplus setpositionstrut setprofile setrandomseed setreference setreferences setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbaize setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidosumnistionstrut {} \setsetrigidosumnistionstrut {} \setsetrigidosumnistionstrut {} \setsetsimplecolumnistionstrut {} \setsetsimp
setposition setpositionbox setpositiondata setpositionally setpositiononly setpositionstrut setpositionstrut setprofile setrandomseed setreference setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbalance setscript setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settext settightobject settightreferencedobject	\setpositionbox {} \ {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {} {} \setpositiononly {} \setpositionplus {} {} \ {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setrefositionstrut {} \setsetrigidositionstrut

setugvalue	\setugvalue {} {}
setunreferencedobject	$\verb \setunreferencedobject {} {} {}  $
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setuphtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=] \setupbtxlist [] [=]
setupbtxlist setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion setupfontprotrusion	\setupfontexpansion [] [=] \setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]

setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=] \setupnotation [] [=]
setupnotation setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=] \setupquotation [=]
setupquotation setuprealpagenumber	\setupquotation [=] \setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
1	The state of the s

setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=] \setupsubformula [] [=]
setupsubformula setupsubformulas	
setupsynctex	\setupsubformulas [] [=] \setupsynctex [=]
1 0	\setupsylictex [] \setups {}
setups:direct setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setupinkpage [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptagging [] \setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptextilow [] [=]
	\setupuoitip [] [=] \setupunit [] [=]
setupunit	\setupumit [] [=] \setupuserpagenumber [=]
setupuserpagenumber	\setupuserpagenumber []
setupversion	\setupversion [] \setupviewerlayer [=]
setupviewerlayer	\setupviewerlayer [] \setupvspacing []
setupvspacing setupwithargument	\setupvspacing [] \setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []

showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
	\show\factorial \}
showkerning	
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition $\{\ldots\}$ $\{\ldots\}$
showparentchain	\showparentchain \ \{\}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
	\singlebond
singlebond	\sinistra
sinistra	
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}

someplace	\someplace {} {} {} {} []
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \
splitateolon	\splitatcolon \
splitateolons	\splitatcolons \ \
splitatcomma splitatperiod	\splitatcomma \ \ \splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [] [=] [=]
stirato	\stirato [=.] {}
gtonlinenetaringtonce	
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
stoplinenote:instance:linenote stopregister	\terminalinenote [] \stopregister []
stoplinenote:instance:linenote stopregister stopstructurepageregister	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] []
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {}
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {}
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {}
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string	\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \strippaces \from \to \ \structurelistuservariable {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippadcsname \strippadcsna</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippadcsname \</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippadcsname \strippadcsna</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable	<pre>\terminalinenote [] \stopregister [] [] \stopregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable strut strutdp strutdp	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strut \strutdp \strutdp \strutdap</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable structurevariable structurevariable structurevariable strutdp strutdp strutdp	<pre>\terminalinenote [] \stopregister [] [] \stopregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structuretitle \structuretitle \structurevariable {} \strut \strut \strut \strut \strut \strut \strutdp \strutdap \strutht</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable structurevariable struttstrutdp strutdp strutdp	<pre>\terminalinenote [] \stopregister [] [] \stopregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strip</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable structurevariable structurevariable strut strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp	<pre>\terminalinenote [] \stopregister [] [] \stopregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strip</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable strutt strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdp struttdbox struttd	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsna</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable strut strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttd	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsna</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttdbox strutdd style styleinstance	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \structurelistuservariable {} \structureturetitle \structureturetureuservariable {} \structureturevariable {} \structureturetureturetureturetureturetureture</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strutt strutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttdd style styleinstance style:argument	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strutt \strutdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddox {} \strutwd \strutddox {} \strutwd \struttedbox {} \strutwd \style [=] {} \styleinstance [] \style [] {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdbox struttd struttde struttde struttde struttde struttde struttde struttde struttdp struttedbox struttd style styleinstance style:argument style:instance	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strutt \strutdp \struttdp \struttdp \struttddp \struttddp \struttddp \struttddox {} \strutwd \strutdel [] {} \style [] {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strutt strutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttdd style styleinstance style:argument	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddox {} \struttdd \struttddox {} \struttdelistuservariable {} \struttdelistuservariable {} \struttdp \struttedbox {} \struttdelistuservariable {} \struttenumber {} \struttenumbe</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strut strutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttdbox strutwd style styleinstance style:argument style:instance subpagenumber	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strutt \strutdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddox {} \strutwd \style [=] {} \styleinstance [] \style [] {} \style [] {} \subpagenumber \subsentence {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutop strutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttdp struttedbox strutwd style styleinstance style:argument style:instance subpagenumber subsentence	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddox {} \struttdd \struttddox {} \struttdelistuservariable {} \struttdelistuservariable {} \struttdp \struttedbox {} \struttdelistuservariable {} \struttenumber {} \struttenumbe</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutop strutdp strutdp strutdp struttdp struttdp struttdp struttdp struttedbox struttwd style styleinstance style:argument style:instance subpagenumber subsentence substituteincommalist	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strutt \strutdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddp \struttddox {} \struttdd \struttdlox \frac{1}{1} \struttdlox \frac{1}{1} \struttel [] {} \structure [] \style [] {} \style [] {} \subspagenumber \subsentence {} \substituteincommalist {} {} \ \substituteincommalist {} {} \substituteincommalist {}</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strut strutdp strutdp strutdp struttdp struttdbox struttdbox struttdb struttedbox strutwd style styleinstance style:argument style:instance subpagenumber subsentence substituteincommalist subtractfeature	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttedbox {} \struttdd \struttedbox {} \strutted [] \style [] {} \style [] {} \style [] {} \subpagenumber \subsentence {} \substituteincommalist {} {} \ \subtractfeature []</pre>
stoplinenote:instance:linenote stopregister stopstructurepageregister strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutuservariable struttstrutdp strutdp strutdp struttdp struttdbox struttwd style styleinstance style:argument style:instance subpagenumber subtractfeature subtractfeature:direct	<pre>\terminalinenote [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structuretitle \structurevariable {} \structurevariable {} \strutdp \strutdp \struttdp \struttdp \struttddp \struttddp \struttedbox {} \strutwd \style [=.] {} \styleinstance [] \style [] {} \style [] {} \subpagenumber \subsentence {} \substituteincommalist {} {} \ \subtractfeature [] \subtractfeature [] \subtractfeature {} \end{array}</pre>

swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast \{\} \{\}
systemsetups	\systemsetups {}
ГABLE	\TABLE
Table	\Table
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	
tabulateautoline	\TransparencyHack \tabulateautoline
	\tabulateautorine \tabulateautorule
tabulateautorule tabulateline	\tabulateautorure \tabulateline
tabulaterule	\tabulaterile
	\taggedctxcommand {}
taggedctxcommand taggedlabeltexts	\taggedlabeltexts \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto \( \ldots \)
testoetichetta:instance:prefix	\prefixtesto \{\cdot\cdot\}
testoetichetta:instance:suffix	\suffixtesto \(\cdot\)
	\Sullixtesto ()
testoetichetta:instance:taglabel	\+aglabal+ag+a
testoetichetta:instance:unit	\taglabeltesto {}
togtoingornigistoringtongo	\unittesto {}
testoincorniciato:instance	\unittesto {} \FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {}
testoincorniciato:instance:framedtext testonotapdp	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {}
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=]
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} {}
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {} \testpage [] []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} {} \testpage [] [] \testpageonly [] []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] \testoriempimento [=] {} \testpage [] [] \testpagesync [] []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] \testoriempimento [=] {} \testpage [] [] \testpagesync [] [] \testtokens []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} \testpage [] [] \testpagesync [] [] \testbokens [] \tex {}
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {} \testpage [] [] \testpagesync [] [] \testbokens []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex texdefinition texsetup	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {} \testpage [] [] \testpagespace [] [] \testpagespace [] [] \textokens [] \text{c} \textofinition {} \texsetup {}
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testpagesync testtokens tex tex texdefinition texsetup textbackground:example	<pre>\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {} \testpage [] [] \testpageonly [] [] \testpagesync [] [] \testtokens [] \text{6} \text{6} \text{1} \tex</pre>
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex tex texdefinition texsetup textbackground:example textcitation	\unittesto {} \FRAMEDTEXT [=] {} \framedtext [=] {} \testonotapdp [] {} \testoriempimento [=] {} {} \testpage [] [] \testpageonly [] [] \testpagesync [] [] \testbokens [] \text() \text() \textestup {} \TEXTBACKGROUND {} \textcitation [=] []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex texdefinition texsetup textbackground:example textcitation textcitation:alternative	\unittesto {} \FRAMEDTEXT [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} \testpage [] [] \testpageonly [] [] \testpagesync [] [] \testtokens [] \text() \textdefinition {} \textestup {} \textcitation [] []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex texdefinition texsetup textbackground:example textcitation textcitation:alternative textcitation:userdata	\unittesto {} \FRAMEDTEXT [] {} \framedtext [] {} \testonotapdp [] \testoriempimento [] {} \testpage [] [] \testpagesync [] [] \testpagesync [] [] \testtokens [] \text() \textdefinition {} \textetype {} \textend{text} \textin []
testoincorniciato:instance:framedtext testonotapdp testonotapdp:assignment testoriempimento testpage testpageonly testpagesync testtokens tex texdefinition texsetup textbackground:example textcitation textcitation:alternative	\unittesto {} \FRAMEDTEXT [=] {} \testonotapdp [] {} \testonotapdp [=] \testoriempimento [=] {} \testpage [] [] \testpageonly [] [] \testpagesync [] [] \testtokens [] \text() \textdefinition {} \textestup {} \textcitation [] []

All the standard and a standard and
\textcontrolspace
\textflowcollector {}
\textmath {}
\textminus
\textormathchar {}
\textplus
\textvisiblespace
\thainumerals {}
\thefirstcharacter {}
\thenormalizedbodyfontsize {}
\theremainingcharacters {}
\thickspace
\thinspace
\thirdoffivearguments \{\ldots\}
\thirdoffourarguments {} {} {}
\thirdofsixarguments {} {} {} {} {}
\thirdofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
\thirdofthreeunexpanded {} {} {}
\threedigitrounding {}
\tibetannumerals {}
\tieniblocchi [] []
\tightlayer [] \tilde {}
\tinyfont
\tlap {} \tochar {}
\tolinenote []
\TOOLTIP [=] {} {}
\TOOLTIP [] {} {}
\tooltip [] {} {}
\tooltip [=.] {} {}
\topbox {}
\topleftbox {}
\toplinebox {}
\toprightbox {}
\topskippedbox {}
\tracecatcodetables
\tracedfontname {}
\traceoutputroutines
\tracepositions
\traduci [=]
\transparencycomponents {}
\transparent [] {}
\triplebond
\truefilename {}
\truefontname {}
\ttraggedright
\twodigitrounding {}
\tx
\txx
\typ [=] {}
\type [=] {}
\typebuffer [] [=]
\typeBUFFER [=]
\typedefinedbuffer [] [=]
\typeface
\typefile [] [=] {}
\typeinlinebuffer [] [=]
\typescriptone
\typescriptprefix {}
\typescriptthree
\typescripttwo
\typesetbuffer [] [=]
\typesetfile [] [=]
\type [=] <<>>
\TYPE [=] {}
\TYPE [=] <<>>
\+rm   =   // \>
\typ [=] <<>>
\uconvertnumber {} {}
*-

1. (1.1	\ . 1 (1 . 1 f 1
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts	\usaJSscripts [] []
usamodulo	\usamodulo [] [=]
usasimboli	\usasimboli []
usaURL	\usaURL [] [] []
usaurl	\usaurl [] [] []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useHuamodule [] \useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []

usereferenceparameter	\usereferenceparameter \		
userpagenumber	\userpagenumber		
usesetupsparameter	\usesetupsparameter \		
usestaticMPfigure	\usestaticMPfigure [=] []		
usesubpath	\usesubpath []		
usetexmodule	\usetexmodule [] [] [] \usetypescript [] [] []		
usetypescript usetypescriptfile	\usetypescript [] \usetypescriptfile []		
usezipfile	\usezipfile []		
utfchar	\utfchar {}		
utflower	\utflower {}		
utfupper	\utfupper {}		
utilityregisterlength	\utilityregisterlength		
VerboseNumber	\VerboseNumber {}		
vaia	\vaia {} []		
vaiabox	\vaiabox {} []		
vaiapagina	\vaiapagina {} []		
vaigiu	\vaigiu []		
valorecolore	\valorecolore {}		
vboxreference	\vboxreference [] {}		
Vec	\vec {}		
verbatim	\verbatim {}		
verbatimstring verbosenumber	<pre>\verbatimstring {} \verbosenumber {}</pre>		
versione	\versione []		
verticalgrowingbar	\verticalgrowingbar [=]		
verticalpositionbar	\verticalpositionbar [=]		
veryraggedcenter	\veryraggedcenter		
veryraggedleft	\veryraggedleft		
veryraggedright	\veryraggedright		
vglue	\vglue		
viewerlayer	\viewerlayer [] {}		
vl	\vl []		
vphantom	\vphantom {}		
vpos	\vpos {} {}		
vsmash	\vsmash {}		
vsmashbox	\vsmashbox		
vsmashed	\vsmashed {}		
vspace	\vspace [] []		
vspacing WidthSpanningText	\vspacing [] \WidthSpanningText {} {} {}		
wdofstring	\wdofstring {}		
widthofstring	\widthofstring {}		
widthspanningtext	\widthspanningtext {} {} {}		
withoutpt	\withoutpt {}		
words	\words {}		
wordtonumber	\wordtonumber {} {}		
writedatatolist	\writedatatolist [] [=] [=]		
writestatus	\writestatus {} {}		
XETEX	\XETEX		
XeTeX	\XeTeX		
xdefconvertedargument	\xdefconvertedargument \ {}		
xmladdindex	\xmladdindex {}		
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}		
xmlaftersetup	\xmlaftersetup {} {}		
xmlall	\xmlall {} {}		
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}		
xmlappendsetup xmlapplyselectors	\xmlappendsetup {} \xmlapplyselectors {}		
xmlatt	\xmlatt {} {}		
xmlattdef	\xmlattdef \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlattribute	\xmlattribute {} {} {}		
xmlattributedef	\xmlattribute \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlbadinclusions	\xmlbadinclusions {}		
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}		
xmlbeforesetup	\xmlbeforesetup {} {}		
xmlchainatt	\xmlchainatt {} {}		
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \ \{\}$		
xmlchecknamespace	$\mbox{xmlchecknamespace } \{\ldots\} \ \{\ldots\}$		
xmlcommand	$\mbox{xmlcommand} \{\} \{\}$		
xmlconcat	\xmlconcat {} {} {}		
xmlconcatrange	\xmlconcatrange {} {} {} {} {}		

mldefaultrotext		
midirectives () midirectivesbefore midirectivesbefore midirectivesbefore midirectivesbefore midisplayersbatin () midioffatt midioffatt midioffatt midioffatt midioffatt midioffatt midioffatt midioffalee mi		
Muldirectivesafter		
Muldirectivesbefore   Muldirectivesbefore   Muldiplayerbatim   Muldiplayerbatim   Muldiplayerbatim   Muldifatt   Muldifatesett   Muldifatesett   Muldifatesett   Muldifatesett   Muldifatesett   Muldifatesetty   Muldifa		
Muldisplaywerbutim		
maldoif		
		- · ·
	xmldoifatt	
midoifeleempty	xmldoifelse	\xmldoifelse {} {} {} {}
mldoifelseesifempty	xmldoifelseatt	$\xr \$
mildoifelsetext	xmldoifelseempty	\xmldoifelseempty $\{\}$ $\{\}$ $\{\}$
midoifelsevalue	xmldoifelseselfempty	
mldoifnott		
midoifnotatt		
mldoifnoteelfempty		
milodificitext		
mldoifeelfempty	- ·	
miloiftext		
milelement	1 0	
mlfilter		
mnifirst		
xmlflush         \xmlflushcontext           xmlflushcontext         \xmlflushcontext {}           xmlflushlinevise         \xmlflushlinevise {}           xmlflushlinevise         \xmlflushpure           xmlflushpure         \xmlflushpacevise {}           xmlflushpacevise         \xmlflushpacevise {}           xmlincluse         \xmlincluse           xmlinclusion         \xmlinclusion {}           xmlinfo         \xmlinclusions {}           xmlinfo         \xmlinjector {}           xmlinjector         \xmlinjector           xmlinjector         \xmlinjector           xmlinjector         \xmlinjector           xmlinjector         \xmlinjector           xmlinjector <td></td> <td></td>		
xmlflushdocumentsetups         xmlflushinevise           xmlflushinevise         \xmlflushinevise           xmlflushpure         \xmlflushinevise           xmlflushpacevise         \xmlflushpacevise           xmlflushext         \xmlflushext           xmlinclusion         \xmlinclusions           xmlinclusions         \xmlinclusions           xmlinfo         \xmlinclusions           xmlinfo         \xmlinjector           xmlinjector         \xmlinjector           xmlinjector         \xmlinjector           xmlinineprettyprint         \xmlinlineprettyprint           xmlinineprettyprint         \xmlinlineprettyprint           xmlinineprettyprint         \xmlinineprettyprint           xmlinineprettyprint         \xmlinineprettyprint           xmlinineprettyprint         \xmlinineprettyprint           xmlinineprettyprint         \xmlinineprettyprint           xmllastatt         \xmlinineprettyprint           xmllastatt         \xmlinineprettyprint           xmllastatt         \xmlininettyprint           xmllastatt         \xmlininettyprint           xmllastatt         \xmlininettyprint           xmllastatt         \xmlininettyprint           xmllastund         \xmlininettyprint	xmlflush	
xmlflushlinevise         \mlflushpure {}           xmlflushpure         \mlflushpure {}           xmlflushpacevise         \mlflushpacevise {}           xmlflushext         \mlflushext {}           xmlinclude         \mlinclushext {}           xmlinclusion         \mlinclusions {}           xmlinclusions         \mlinclusions {}           xmlinfo {}         \mlinfo {}           xmlinfo {}         \mlinfo {}           xmlinjector {}         \mlinfo {}           xmlinjector {}         \mliniperctyprint           xmlinilineprettyprint {} {}         \mlinineprettyprinttext {} {}           xmlinineprettyprintext {} {}         \mlinineprettyprinttext {} {}           xmlinineprettyprintext {} {}         \mlinineprettyprintext {} {}           xmlinineprettyprintext {} {}         \mlinineprettyprintext {} {}           xmllastar         \xmllastininevrbatim {}           xmllastat         \xmllastat           xmllastat         \xmllastat           xmllastat         \xmllastat   xmllastyp         \xmllastat   xmllastyp         \xmlloaddirective   xmlloaddiref         \xmlloaddirective   xmlloaddirectives         \xmlloaddirectives	xmlflushcontext	\xmlflushcontext {}
xmlflushpure         \xmlflushpacewise           xmlflushext         \xmlflushpacewise           xmlflushext         \xmlflushext           xmlinclude         \xmlinclude {} {}           xmlinclusion         \xmlinclusions {}           xmlinclusions         \xmlinclusions {}           xmlinfo         \xmlinjector {}           xmlinjector         \xmlinjector {}           xmlinlineprettyprint         \xmlinlineprettyprint {} {}           xmlinlineprettyprintext         \xmlinlineprettyprintext {} {}           xmlinlineprettyprintext         \xmlinlineprettyprintext {} {}           xmlinlineprettyprintext         \xmlinlineprettyprintext {} {}           xmlinlineprettyprintext         \xmlinlineprettyprintext {} {}           xmlinlineprettyprintext {} {}         \xmllast           xmllast         \xmllast	xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushpacewise         \mmIflushpacewise {}           xmlinclude         \mmInclusion {}           xmlinclusion         \mminclusions {}           xmlinfo         \mminclusions {}           xmlinfo         \mminclusions {}           xmlinfo         \mminclusions {}           xmlinfo         \mminifo {}           xmllast         \mminifo {}           xmllast         \mminifo {}           xmllast         \mmilinfo {}	xmlflushlinewise	\xmlflushlinewise {}
xmlflushtext         \xmlinclude         \xmlinclude         \xmlinclude         \xmlinclude         \xmlinclude         \xmlinclusion         \xmlinclusions         \xmlinclusions         \xmlinclusions         \xmlinfo         \xmli	xmlflushpure	\xmlflushpure {}
xmlinclusion         \xmlinclusion \	xmlflushspacewise	
xmlinclusion         \xmlinclusions {}           xmlinfo         \xmlinfo {}           xmlinjector         \xmlinjector {}           xmlinjector {}         \xmlinlineprettyprint {} {}           xmlinlineprettyprint {}         \xmlinlineprettyprint {} {}           xmlinlineprettyprinttext         \xmlinineprettyprinttext {} {}           xmlinineprettyprinttext         \xmlinineprettyprinttext {} {}           xmlinineprettyprinttext {}         \xmlinineprettyprinttext {}           xmllast         \xmllast           xmllast         \xmlloaddifective           xmlloaduffer         \xmlloaddifective           xmlloaddifectives         \xmlloaddifectives           xmlloaddifle         \xmllastypr		
xmlinclusions         \xmlinfo \\xmlinfo \\x		
xmlinfo         \xmlinfo {}           xmlinjector         \xmlinjector {}           xmlinlineprettyprint         \xmlinlineprettyprint {} {}           xmlinlineprettyprinttext         \xmlinlineprettyprinttext {} {}           xmlintalldirective         \xmlinstalldirective {} {}           xmllast         \xmllast {} {}           xmllastatt         \xmllastatt           xmllastpar         \xmllastpar           xmlloadbuffer         \xmlloadduffer {} {} {}           xmlloaddirectives         \xmlloaddirectives {}           xmlloadfile         \xmlloadfile {} {} {}           xmlloadfile         \xmlloadonly {} {} {}           xmlnampvalue         \xmlnampvalue {} {} {}           xmlname         \xmlnampvalue {} {} {}           xmlnamespace         \xmlnampvalue {} {} {}           xmlpar         \xmlnonspace {} {}           xmlparam         \xmlparam {} {}           xmlparam         \xmlparam {} {}           xmlpos         \xmlparam {} {}           xmlposition         \xmlpath {}           xmlprependdocumentsetup         \xmlprependdocumentsetup {} {}           xmlprettyprint         \xmlprettyprinttext {} {}		
xmlinjector         \xmlinjector {}           xmlinlineprettyprint         \xmlinlineprettyprintext {} {}           xmlinlineprettyprinttext         \xmlinlineprettyprintext {} {}           xmlinistalldirective         \xmlinstalldirective {} {}           xmllast         \xmllast {} {}           xmllastatt         \xmllastatt           xmllastatch         \xmllastpar           xmlloadbuffer         \xmlloaddatextives           xmlloaddata         \xmlloaddatextives {}           xmlloaddirectives         \xmlloaddifle {} {} {}           xmlloadfile         \xmlloadfile {} {} {}           xmlloadfile         \xmlloadfile {} {} {}           xmlname         \xmlname {}           xmlname         \xmlname {}           xmlname         \xmlname {}           xmlname {}         \xmlpar           xmlpar         \xmlpar <t< td=""><td></td><td></td></t<>		
xmlinlineprettyprint         \xmlinlineprettyprinttext         \xmlinlineprettyprinttext         \xmlinlineprettyprinttext         \xmlinlineprettyprinttext         \xmlinlineprettyprinttext         \xmlinlineprettyprinttext         \xmlintertineprettyprinttext         \xmlintertineprettyprintext         \xmlintertineprettyprintext         \xmlintertineprettyprintext         \xmlintertineprettyprintext         \xmlintertineprettyprintext         \xmlintertineprettyprintext         \xmlintertineprettyprintext <td></td> <td></td>		
xmlinlineprettyprinttext         \xmlinlineprettyprinttext {}           xmlinlineverbatim {}         \xmlinlineverbatim {}           xmlinst         \xmlinstalldirective {}           xmllast         \xmllast {} {}           xmllastatt         \xmllastmatch           xmllastpar         \xmllastpar           xmlloadbuffer         \xmlloadbuffer {} {}           xmlloaddata         \xmlloaddata {} {}           xmlloaddirectives         \xmlloaddirectives {}           xmlloadonly         \xmlloadonly {} {} {}           xmlloadonly         \xmlloadonly {} {} {}           xmlname         \xmlname {} {}           xmlname         \xmlname {} {}           xmlnamespace         \xmlnamespace {} {}           xmlpar         \xmlparam {} {}           xmlpar         \xmlparam {} {}           xmlpar         \xmlparam {} {}           xmlpath         \xmlpath {}           xmlpos         \xmlpath {}           xmlprependocumentsetup         \xmlprependocumentsetup {} {}           xmlprependocumentsetup         \xmlprependocumentsetup {} {}           xmlprocessbuffer         \xmlprependocumentsetup {} {}           xmlprocessbuffer <t< td=""><td>· ·</td><td>•</td></t<>	· ·	•
xmlinlineverbatim         \xmlinstalldirective {\} {\}           xmllast         \xmllast {\} {\}           xmllast         \xmllastatt           xmllastmatch         \xmllastmatch           xmllastpar         \xmllastpar           xmlloadbuffer         \xmlloadduffer {\} {\} {\}           xmlloadduffer         \xmlloadduffer           xmlloaddirectives         \xmlloaddirectives {\} {\}           xmlloadfile         \xmlloadfile {\} {\} {\}           xmlloadonly         \xmlloadonly {\} {\} {\}           xmlnain         \xmlloadonly {\} {\} {\}           xmlname         \xmlnameyalue {\} {\} {\}           xmlname         \xmlnameyalue {\} {\} {\}           xmlnamespace         \xmlnameyalue {\} {\} {\}           xmlnamespace         \xmlnamespace {\} {\}           xmlnospace         \xmlnamespace {\} {\}           xmlpar         \xmlparam {\} {\} {\}           xmlpar         \xmlparam {\} {\}           xmlpar         \xmlparam {\} {\}           xmlpar         \xmlparam {\} {\}           xmlpostion         \xmlparam {\} {\}           xmlpostion         \xmlpostion           xmlprependsetup         \xm		
xmllast         \xmllastatt           xmllastatt         \xmllastatt           xmllastpar         \xmllastpar           xmlloadbuffer         \xmlloaddate {} {} {}           xmlloaddirectives         \xmlloaddirectives {}           xmlloadfile         \xmlloadfile {} {} {}           xmlloadonly         \xmlloadonly {} {} {}           xmlnain         \xmlmain {}           xmlname         \xmlname {}           xmlname         \xmlname {}           xmlnamespace         \xmlnamespace {} {}           xmlpar         \xmlpar {} {}           xmlparam         \xmlpar {} {}           xmlpos         \xmlpar {} {}           xmlpos         \xmlpos {}           xmlpostition         \xmlpos {}           xmlprependdocumentsetup         \xmlprependdocumentsetup {} {}           xmlprependsetup         \xmlprettyprint {} {}           xmlprettyprint         \xmlprettyprint {} {}           xmlprocessbuffer         \xmlprocessbuffer {} {} {}           xmlprocessfile         \xmlprocessfile         \xmlprocessfile {} {} {}           xmlpure         \xmlpricessbuffer {} {}           xmlprefatt         \xmlrefatt {} {}		1 01
xmllastatt         \xmllastmatch           xmllastpar         \xmllastpar           xmlloadbuffer         \xmlloaddirectives {} {} {}           xmlloaddirectives         \xmlloaddirectives {} {}           xmlloadfile         \xmlloadonly {} {} {}           xmlloadonly         \xmlloadonly {} {} {}           xmlmain         \xmlmain {}           xmlmapvalue         \xmlmapvalue {} {} {}           xmlname         \xmlname {}           xmlnamespace         \xmlnamespace {} {}           xmlpar         \xmlpar {} {}           xmlpos         \xmlpos           xmlpos         \xmlpos           xmlpostion         \xmlposition           xmlprependsetup         \xmlposition           xmlprependsetup         \xmlprettyprint           xmlprettyprint         \xmlprettyprint           xmlprettyprintext         \xmlprettyprintext {} {}           xmlprocessbuffer         \xmlprocessbuffer {} {} {}           xmlprocessfile         \xmlprocessfile	xmlinstalldirective	\xmlinstalldirective {} {}
xmllastmatch         \xmllastpar           xmlloadbuffer         \xmlloadbuffer {} {} {}           xmlloaddata         \xmlloaddirectives {}           xmlloaddirectives         \xmlloadfile {} {} {}           xmlloadfile         \xmlloadfile {} {} {}           xmlloadonly         \xmlloadonly {} {} {}           xmlmain         \xmlloadonly {} {} {}           xmlmapvalue         \xmlmapvalue {} {} {}           xmlname         \xmlnamevalue {} {}           xmlnamespace         \xmlnamespace {} {}           xmlpar         \xmlparam {} {} {}           xmlpar         \xmlparam {} {} {}           xmlpos         \xmlpath {}           xmlpos         \xmlpos {}           xmlposition         \xmlposition {} {} {}           xmlprependdcumentsetup         \xmlposition {} {} {}           xmlprependdscumentsetup {} {}         \xmlprettyprint {} {}           xmlprettyprint {} {}         \xmlprettyprint {} {}           xmlprocessdata         \xmlprocessdata {} {} {}           xmlpure         \xmlprocessdata {} {} {}           xmlraw         \xmlprefatt {} {}           xmlregistereddocumentsetups         \xmlregisteredo	xmllast	\xmllast {} {}
xmlloadbuffer         \xmlloadbuffer {} {}           xmlloaddata         \xmlloaddata {} {} {}           xmlloaddirectives         \xmlloaddirectives {}           xmlloadfile         \xmlloadfile {} {} {}           xmlloadonly         \xmlloadonly {} {} {}           xmlmain         \xmlnain {}           xmlmapvalue         \xmlmapvalue {} {} {}           xmlname         \xmlname {}           xmlnamespace         \xmlnamespace {} {}           xmlpar         \xmlpar {} {}           xmlparam         \xmlparam {} {} {}           xmlposs         \xmlpos {}           xmlposition         \xmlpos {}           xmlprependsctup         \xmlprependsctup {} {}           xmlprependsctup         \xmlprependsctup {} {}           xmlprettyprint         \xmlprettyprint {} {}           xmlprocessbuffer         \xmlprocessbuffer {} {} {}           xmlprocessdata         \xmlprocessbuffer {} {} {}           xmlpure         \xmlprocessfile {} {} {}           xmlraw         \xmlregistereddocumentsetups {} {}           xmlregistereddocumentsetups         \xmlregistereddocumentsetups {} {}	xmllastatt	\xmllastatt
xmlloadduter       \xmlloadduter       \xmlloaddata \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlloaddata       \xmlloaddata {} {} {}         xmlloadfile       \xmlloadfile {} {}         xmlloadonly       \xmlloadonly {} {}         xmlmain       \xmlmain {}         xmlmapvalue       \xmlmapvalue {} {} {}         xmlname       \xmlname {}         xmlnamespace       \xmlnamespace {} {}         xmlnospace       \xmlnamespace {} {}         xmlpar       \xmlpar {} {}         xmlpath       \xmlpath {}         xmlpos       \xmlpos {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependdocumentsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {}         xmlprocessdata       \xmlprocessdata {} {} {}         xmlprocessfile       \xmlprocessfile {} {}         xmlraw       \xmlprefatt {} {}         xmlrefatt       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}	<del>-</del>	-
xmlloaddirectives       \xmlloadfile {} {} {}         xmlloadfile       \xmlloadfile {} {} {}         xmlloadonly       \xmlnadonly {} {} {}         xmlmain       \xmlmain {}         xmlmapvalue       \xmlmapvalue {} {} {}         xmlname       \xmlnamequalue {} {} {}         xmlname       \xmlnamequalue {} {} {}         xmlname       \xmlnamequalue {} {}         xmlname {}       \xmlparequalue {} {}         xmlpare       \xmlparequalue {} {}         xmlpare       \xmlparequalue {} {}         xmlpare       \xmlparequalue {} {}         xmlpostion       \xmlparequalue {} {}         xmlpreenddocumentsetup       \xmlpreenddocumentsetup {} {}         xmlpreenddocumentsetup       \xmlpreenddocumentsetup {} {}         xmlpreenddocumentsetup       \xmlpreenddocumentsetup {} {}         xmlpreenddocumentsetup       \xmlpreenddocumentsetup {} {}         xmlprocessbuffer       \xmlprocessdata {} {} {}		
xmlloadfile       \xmlloadfile {} {} {}         xmlloadonly       \xmlloadonly {} {} {}         xmlmain       \xmlmain {}         xmlname       \xmlname {} {} {}         xmlname       \xmlnamespace {} {}         xmlnonspace       \xmlnonspace {} {}         xmlpar       \xmlpar {} {} {}         xmlparam       \xmlparam {} {} {}         xmlpth       \xmlpos {} {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlprocessfile       \xmlprocessfile {} {}         xmlraw       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}		
xmlloadonly       \xmlloadonly       \		
xmlmain       \xmlmain {}         xmlname       \xmlname {} {} {}         xmlname space       \xmlnonspace {} {}         xmlnonspace       \xmlnonspace {} {}         xmlpar       \xmlpar {} {} {}         xmlparam       \xmlparam {} {} {}         xmlpost       \xmlpas {}         xmlposition       \xmlpos {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup {}       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlprettyprint {} {}         xmlraw       \xmlraw {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlrefatt {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}		
xmlname       \xmlname {}         xmlnamespace       \xmlnamespace {}         xmlpar       \xmlpar {} {}         xmlparam       \xmlparam {} {} {}         xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlprocessfile {} {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlrefatt {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups	•	
xmlnamespace         \xmlnamespace {}           xmlpar         \xmlpar {} {}           xmlparam         \xmlparam {} {} {}           xmlpos         \xmlpos {}           xmlposition         \xmlposition {} {} {}           xmlprependdocumentsetup         \xmlprependdocumentsetup {} {}           xmlprependsetup         \xmlprependsetup {} {}           xmlprettyprint         \xmlprettyprint {} {}           xmlprocessbuffer         \xmlprocessbuffer {} {} {}           xmlprocessdata         \xmlprocessdata {} {} {}           xmlprocessfile         \xmlprocessfile {} {} {}           xmlpure         \xmlpure {} {}           xmlraw         \xmlraw {}           xmlrefatt         \xmlregistereddocumentsetups {} {}           xmlregisteredsetups         \xmlregisteredsetups	xmlmapvalue	\xmlmapvalue {} {} {}
xmlnonspace       \xmlpar {} {}         xmlpar       \xmlpar {} {}         xmlparam       \xmlparam {} {} {}         xmlpath       \xmlpath {}         xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessdata       \xmlprocessdata {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlprettyprint {} {}         xmlraw       \xmlprocessfile {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}	xmlname	\xmlname {}
xmlpar       \xmlparam {} {}         xmlpath       \xmlpath {}         xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprettyprint {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessdata       \xmlprocessdata {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlrefatt {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups	xmlnamespace	\xmlnamespace {}
xmlparam       \xmlparam {} {} {}         xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlpure {} {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlregistereddocumentsetups {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups	xmlnonspace	
xmlpath       \xmlpath {}         xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessdata       \xmlprocessdata {} {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlpure {} {}         xmlraw       \xmlraw {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups	xmlpar	
xmlpos       \xmlpos {}         xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {} {}         xmlprependsetup       \xmlprependsetup {} {}         xmlprettyprint       \xmlprettyprint {} {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessdata       \xmlprocessdata {} {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlpure {} {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlrefatt {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups	<del>-</del>	
xmlposition       \xmlposition {} {} {}         xmlprependdocumentsetup       \xmlprependdocumentsetup {}         xmlprependsetup       \xmlprependsetup {}         xmlprettyprint       \xmlprettyprint {} {}         xmlprettyprinttext       \xmlprettyprinttext {} {}         xmlprocessbuffer       \xmlprocessbuffer {} {} {}         xmlprocessdata       \xmlprocessdata {} {} {}         xmlprocessfile       \xmlprocessfile {} {} {}         xmlpure       \xmlpure {} {}         xmlraw       \xmlraw {}         xmlrefatt       \xmlrefatt {} {}         xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups	<del>-</del>	<del>-</del>
xmlprependdocumentsetup\xmlprependdocumentsetup {}xmlprependsetup\xmlprependsetup {}xmlprettyprint\xmlprettyprint {} {}xmlprettyprinttext\xmlprettyprinttext {} {}xmlprocessbuffer\xmlprocessbuffer {} {} {}xmlprocessdata\xmlprocessdata {} {} {}xmlprocessfile\xmlprocessfile {} {} {}xmlpure\xmlpure {} {}xmlraw\xmlraw {}xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups	<del>-</del>	
xmlprependsetup\xmlprependsetup {}xmlprettyprint\xmlprettyprint {} {}xmlprettyprinttext\xmlprettyprinttext {} {}xmlprocessbuffer\xmlprocessbuffer {} {} {}xmlprocessdata\xmlprocessdata {} {} {}xmlprocessfile\xmlprocessfile {} {} {}xmlpure\xmlpure {} {}xmlraw\xmlraw {}xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups	-	
xmlprettyprint\xmlprettyprint {} {}xmlprettyprinttext\xmlprettyprinttext {} {}xmlprocessbuffer\xmlprocessbuffer {} {} {}xmlprocessdata\xmlprocessdata {} {} {}xmlprocessfile\xmlprocessfile {} {} {}xmlpure\xmlpure {} {}xmlraw\xmlraw {}xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups		
xmlprettyprinttext         \xmlprocessbuffer {} {}           xmlprocessbuffer         \xmlprocessbuffer {} {}           xmlprocessdata         \xmlprocessdata {} {} {}           xmlprocessfile         \xmlprocessfile {} {}           xmlpure         \xmlpure {} {}           xmlraw         \xmlraw {}           xmlrefatt         \xmlrefatt {} {}           xmlregistereddocumentsetups         \xmlregistereddocumentsetups {} {}           xmlregisteredsetups         \xmlregisteredsetups		
xmlprocessbuffer         \xmlprocessbuffer {} {} {}           xmlprocessdata         \xmlprocessdata {} {} {}           xmlprocessfile         \xmlprocessfile {} {}           xmlpure         \xmlpure {} {}           xmlraw         \xmlraw {}           xmlrefatt         \xmlrefatt {} {}           xmlregistereddocumentsetups         \xmlregistereddocumentsetups {} {}           xmlregisteredsetups         \xmlregisteredsetups		
xmlprocessdata         \xmlprocessdata {} {} {}           xmlprocessfile         \xmlprocessfile {} {}           xmlpure         \xmlpure {} {}           xmlraw         \xmlraw {}           xmlrefatt         \xmlrefatt {} {}           xmlregistereddocumentsetups         \xmlregistereddocumentsetups {} {}           xmlregisteredsetups         \xmlregisteredsetups		
xmlprocessfile\xmlprocessfile {} {}xmlpure\xmlpure {} {}xmlraw\xmlraw {}xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups	-	
xmlpure\xmlpure {} {}xmlraw\xmlraw {}xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups	-	\xmlprocessfile $\{\}$ $\{\}$
xmlrefatt\xmlrefatt {} {}xmlregistereddocumentsetups\xmlregistereddocumentsetups {} {}xmlregisteredsetups\xmlregisteredsetups	xmlpure	
xmlregistereddocumentsetups       \xmlregistereddocumentsetups {} {}         xmlregisteredsetups       \xmlregisteredsetups		
xmlregisteredsetups \xmlregisteredsetups		
xmiteRipoeths () ()	-	-
	VIIITI ERIPOETIID	/vmrreRrocerno () []

xmlremapname
xmlremapnamespace
xmlremovedocumentsetup
xmlremovesetup
xmlresetdocumentsetups
xmlresetinjectors
xmlresetsetups
xmlsave
xmlsetatt
xmlsetattribute
xmlsetentity
xmlsetfunction
xmlsetinjectors
xmlsetpar
xmlsetparam
xmlsetsetup
xmlsetup
xmlshow
xmlsnippet
xmlstrip
xmlstripnolines
xmlstripped
xmlstrippednolines
xmltag
xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos

```
\verb|\xmlremapnamespace {...} {...} {...}
\xmlremovedocumentsetup {...} {...}
\xmlremovesetup {...}
\xmlresetdocumentsetups {...}
\verb|\xmlresetinjectors||
\mbox{\em xmlresetsetups } \{\ldots\}
\xmlsave {...} {...}
\verb|\xmlsetatt {...} {...} {...} {...}
\verb|\xmlsetattribute {...} {...} {...} {...} {...}
\verb|\xmlsetentity {...} {...}|
\xmlsetfunction \{\ldots\} \{\ldots\}
\xmlsetinjectors [...]
\xmlsetpar {...} {...}
\verb|\xmlsetparam {...} {...} {...} {...} {...}
\mbox{xmlsetsetup } \{...\} \{...\}
\xmlsetup {...} {...}
\mbox{xmlshow } \{\ldots\}
\mbox{xmlsnippet } \{...\}
\xmlstrip {...} {...}
\verb|\xmlstripnolines {...} {...}|
\verb|\xmlstripped {...} {...}|
\mbox{xmlstrippednolines } \{...\}
\mbox{xmltag } \{...\}
\verb|\xmltexentity {...} {...}|
\xmltext {...} {...}
\xmltobuffer \{...\} \{...\}
\verb|\xmltobufferverbose {...} {...} {...}|
\xmltofile \{\ldots\} \{\ldots\}
\xmlvalue \{...\} \{...\}
\xmlverbatim {...}
\xsplitstring \... \{...\}
\xypos {...}
```

