

## ConTEXt comandi

it / italiano 18 agosto 2019

AfterPar	\AfterPar {}
<del>-</del>	\Alphabeticnumerals {}
	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
5	\abjadnumerals {}
· ·	<u> </u>
•	\activatespacehandler {}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
•	\acute {}
	\adaptcollector [] [=]
	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
	\adattalayout [] [=]
	\addfeature []
	\addfeature {}
	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
-	\addvalue {} {}
	\aftersplitstring \at \to \
	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
	\alignedbox [] \ {}
	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
	\allineadestra {}
	\allineasinistra {}
	\allinputpaths
	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
	\alwayscitation [] []
	\alwayscitation [=] [=]
-	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
	\ambiente
	\ampersand
	\anchor [] [=] {}
ap	\ap {}
apagina	\apagina []
	\appendetoks \to \
	\appendgvalue {} {}
	\appendtocommalist {} \
	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
	\appendvalue {} {}
<del></del>	\apply {} {}
	\applyalternativestyle {}
	\applyprocessor {} {}
applytocharacters	\applytocharacters \ {}
applytofirstcharacter	\applytofirstcharacter \ {}
	\applytosplitstringchar \ \{}
	\applytosplitstringcharspaced \ \{\}
	\applytosplitstringline \ \{\}
	\applytosplitstringlinespaced \ {}
applytosplitstringword	\applytosplitstringword \ {}
	\applytosplitstringwordspaced \ {}
	\applytowords \ \{\}
·	
•	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}

arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
	Big
Big	
Bigg	\Bigg \Biggl
Biggl	•
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm Bigr	\Bigm
backgroundimage	\Bigr \backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underbars \(\cdot\)
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrike \(\(\cdot\)
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselinebottom \baselineleftbox {}
baselinemiddlebox	\baselinerertbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
baselinerightbox	\baselinerightbox \{\daggerightarrow\}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginRLOCK \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
beginblock:example beginhbox	\beginBLOCK [] [=.] \endBLOCK
	\beginhbox \endhbox
beginofshapebox beginvbox	\beginofshapebox \endofshapebox \beginvbox \endvbox
	/PERTITADOY ''' /GIICIADOY

beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight bleedwidth	\bleedheight \bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxderall	\btxdirect {}
btxdoif	
	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
${\tt btxdoifsame as previous checkedelse}$	\btxdoifsameaspreviouscheckedelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse $\{\ldots\}$ $\{\ldots\}$
btxdoifuservariableelse	\btxdoifuservariableelse {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}

btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation btxlistcitation:alternative	\btxlistcitation [=] [] \btxlistcitation [] []
btxlistcitation:alternative btxlistcitation:userdata	\btxlistcitation [] [] \btxlistcitation [=] [=]
	\btxloadjournalist []
btxloadjournalist	\btxoneorrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxoneorrange btxremapauthor	
btxsavejournalist	\btxremapauthor [] [] \btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	$\verb \ConvertConstantAfter   {} {}$
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {} \.
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject capoverso:instance:ownnumber:subsection	\subject [] {} \subsection [ ] { } { }

capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubject [] {} {}
	•
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	$\subsubject [] {}$
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubsubject [] {}
capoverso:instance:title	\title [] {}
	\catcodetablename
catcodetablename	•
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
	\CHARACTERKERNING [] {}
characterkerning:example	
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}

cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}

convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
copysetups	\copysetups [] []
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\cramped \(\cramped \)
	\crampedClap {}
crampedlap crampedrlap	
• •	\crampedrlap {}
crlf	\crlf
crlfplaceholder	\crlfplaceholder
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproduct \currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregime \currentregisterpageuserdata {}
currentresponses	\currentresponses

currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	\daqualcheparte {} {} []
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable {} {}
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
	·
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] []
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
-	\definebreakpoints []
definebrakpoints definebtx	
	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [] [=]
definechemicalsymbol	\definechemicalsymbol []
definecollector	\definecollector [] [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [] \definecombination [] [] []
definecombination	
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [=]
definedfont	\definedfont []
defineeffect	\definedfect [] [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
9	
definefallhackforily	\definefacingfloat [] [] []
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []

	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
definefieldcategory definefileconstant	\definefieldcategory [] [] [=] \definefileconstant {} {}
definefileconstant definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily $[]$ $[]$ $[=]$
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] []
definefontfile definefontsize	\definefontfile [] [=] \definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] []
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] []
definehigh definehighlight	\definehigh [] [=] \definehighlight [] [=]
definehspace	\definehspace [] [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement defineinterfacevariable	\defineinterfaceelement \{\ldots\} \{\ldots\} \defineinterfacevariable \{\ldots\} \{\ldots\}
defineinterlinespace	\defineinterlacevariable \(\lambda \define \) \defineinterlinespace \([\ldots \] \] \([\ldots \] \]
defineintermediatecolor	\defineinterinespace [] [] [=] \defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [] []
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset []
definelinefiller	\definelinefiller [] [=]
definelinenote definelinenumbering	\definelinenote [] [] [] \definelinenumbering [] [] []
definelines	\definelines [] [] [] \definelines [] []
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment definemathcases	\definemathalignment [] [] [=] \definemathcases [] [] [=]
definemathcommand	\definemathcases [] [] [] \definemathcommand [] [] [] \{}
definemathdouble	\definemathdouble [] [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [] [=]

definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked definemeasure	\definemathunstacked [] [] \definemeasure [] []
definemessageconstant	\definemeasure [] \.\definemeassageconstant {}
definemixedcolumns	\definemizedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [] [=]
definepagecolumns	\definepagecolumns [] [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] []
definepageshift	\definepageshift [] []
definenciados	\definepagestate [] [] []
definepairedbox defineparagraph	\definepairedbox [] [] [] \defineparagraph [] [] []
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [] [=]
defineplacement	\defineplacement [] [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] [=]
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector defineseparatorset	\defineselector [] [=] \defineseparatorset [] []
defineshift	\defineseparatorset [] [] \\defineshift [] []
definesidebar	\definesidebar [] [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [] [=]
definetextnote	\definetextnote [] [=]

definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting defineunit	\definetypesetting [] [=] \defineunit [] [=]
defineuserdata	\defineuserdata [] [] [=]
defineuserdataalternative	\defineuserdataalternative [] [=]
defineviewerlayer	\defineviewerlayer [] [] []
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibuffer [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list definiscidescrizione	\definisciconversione [] [] \definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidescrizione [] [] [] \definiscidimensionicarta [] []
definiscidimensionicarta:name	\definiscidimensionicarta [] [] \definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [] []
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [] []
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] []
definiscigruppocolonne	\definiscigruppocolonne [] [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] []
definisciiniziatermina	\definisciiniziatermina [] [] []
definiscilayout	\definiscilayout [] [=.] \definiscimakeup [] [=.]
definiscimakeup definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimal catura definiscimenuinterazione	\definiscimarcatura [] [] [=] \definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [  ] []
definiscioggettomobile	\definiscioggettomobile [] [] []
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] []
definiscistile	\definiscistile [] [] [=]
definiscistilefont definiscitabulato	\definiscistilefont [] [] \definiscitabulato [] [] [//]
ACT THIR CI CADMITATO	\deriniscitabulato [] [] [  ] OPT

definiscitavolozza	\definiscitavolozza [] [=]
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] $\{\}$
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored directcolored:name	\directcolored [=] \directcolored []
directconvertedcounter	\directcolored [] \directconvertedcounter {} {}
directcopyboxfromcache	\directconvertedcounter \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate {} {} {} {} {} {} {}
docheckedpair documentvariable	\docheckedpair {} \documentvariable {}
dodoubleargument	\documentvariable \{\document\}\\dodoubleargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dodoubleargumentwithset	\dodoubleargument \ [] [] \dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleampty \ [] []
· · · · · <del></del> J	,

dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse {} {} {}
doifalldefinedelse	\doifalldefinedelse {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse {} {} {}
doifassignmentelse	\doifassignmentelse {} {} {}
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse {} {}
doifbothsides	\doifbothsides {} {} {}
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \{\ldots\}
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse \{\ldots\} \\ \ldots\}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \{\ldots\}
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse {} {} {}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\ \ldots\}
doifdefined	\doifdefined {} {}
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse {} {} {}
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdocumentvariable	\doifdocumentvariable \{\ldots\} \{\ldots\}
doifdocumentvariableelse	\doifdocumentvariableelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsealldefined	\doifelsealldefined $\{\}$ $\{\}$
doifelseallmodes	\doifelseallmodes {} {} {}
doifelseassignment	\doifelseassignment {} {} {}
doifelseassignmentcs	\doifelseassignmentcs {} \ \
doifelseblack	\doifelseblack {} {}
doifelsebox	\doifelsebox {} {} {} {}
doifelseboxincache	\doifelseboxincache $\{\}$ $\{\}$ $\{\}$
doifelsebuffer	\doifelsebuffer \{\ldots\} \\\\
doifelsecolor	\doifelsecolor \{\ldots\} \\\.\}
doifelsecommandhandler	\doifelsecommandhandler \ $\{\}$ $\{\}$
doifelsecommon	\doifelsecommon $\{\}$ $\{\}$ $\{\}$
doifelseconversiondefined	\doifelseconversiondefined $\{\}$ $\{\}$
doifelseconversionnumber	$\verb \doifelseconversionnumber {} {} {} {}$
doifelsecounter	\doifelsecounter {} {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\ldots\}$ $\{\ldots\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
4-:	(dollolboodilonobyhonymbhowh ()
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	
· ·	$\verb \doifelsecurrentsynonymused {} {} $
doifelsedefined	\doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {}
doifelsedefined doifelsedefinedcounter	\doifelsecurrentsynonymused \{\ldots\} \\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifelsedocumentargument	\doifelsedocumentargument \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentvariable	\doifelsedocumentvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \{\ldots\}
doifelseempty	\doifelseempty \{\} \{\}
doifelseemptyvalue	\doifelseemptyvalue {} {}
doifelseemptyvariable	\doifelseemptyvariable \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseenv	\doifelseenv \{\} \{\}
doifelsefastoptionalcheck	$\doing 1 = \doing 2 $
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \{\ldots\}
doifelsefigure	\doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefile	\doifelsefile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \{\ldots\}
doifelsefileexists	\doifelsefileexists \{\ldots\} \{\ldots\}
doifelsefirstchar	\doifelsefirstchar $\{\}$ $\{\}$ $\{\}$
doifelseflagged	\doifelseflagged {} {}
doifelsefontchar	\doifelsefontchar $\{\}$ $\{\}$ $\{\}$
doifelsefontfeature	\doifelsefontfeature $\{\}$ $\{\}$
doifelsefontpresent	\doifelsefontpresent $\{\}$ $\{\}$
doifelsefontsynonym	$\dointsynonym {} {} {}$
doifelseframed	\doifelseframed \ \{} \{}
doifelsehasspace	\doifelsehasspace $\{\}$ $\{\}$
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname $\{\}$ $\{\}$ $\{\}$
doifelseinelement	\doifelseinelement $\{\}$ $\{\}$
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion $\{\}$ $\{\}$
doifelseinset	\doifelseinset {} {} {}
doifelseinstring	\doifelseinstring {} {} {}
doifelseinsymbolset	\doifelseinsymbolset $\{\}$ $\{\}$ $\{\}$
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	\doifelseintwopassdata $\{\}$ $\{\}$ $\{\}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage $\{\}$ $\{\}$
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined $\{\ldots\}$ $\{\ldots\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline $\{\}$ $\{\}$
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselocation	\doifelselocation \{\ldots\}
doifelselocfile	\doifelselocfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \{\ldots\}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \{\}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional \{\ldots\} \\
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \{\ldots\} \\
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \{\ldots\} \\
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing	\doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenumber	\doifelsenumber \{\} \{\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\\
doifelseoddpage	\doifelseoddpage \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpagefloat	\doifelseoddpagefloat \{\doingle \} \\ \doingle \}
doifelseoldercontext	\doifelseoldercontext \{\doingle \} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseolderversion	\doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlay	\doifelseoverlay \{\} \{\}
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\.\\
doifelsepath	\doifelsepath \{\} \{\}

doifelsepathexists	\doifelsepathexists \{\ldots\} \{\ldots\}
doifelsepatterns	\doifelsepatterns $\{\}$ $\{\}$
doifelseposition	\doifelseposition $\{\ldots\}$ $\{\ldots\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage $\{\}$ $\{\}$
doifelsepositionsonthispage	\doifelsepositionsonthispage $\{\}$ $\{\}$
doifelsepositionsused	\doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$
doifelsereferencefound	\doifelsereferencefound $\{\ldots\}$ $\{\ldots\}$
doifelserightpage	\doifelserightpage {} {}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference $\{\ldots\}$ $\{\ldots\}$
doifelsesamestring	\doifelsesamestring $\{\}$ $\{\}$ $\{\}$
doifelsesetups	\doifelsesetups $\{\}$ $\{\}$
doifelsesomebackground	$\doing 1 $
doifelsesomespace	\doifelsesomespace $\{\ldots\}$ $\{\ldots\}$
doifelsesomething	\doifelsesomething {} {} {}
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring $\{\}$ $\{\}$ $\{\}$
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber {} {}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage {} {}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \{\ldots\}
doifelsesymbolset	\doifelsesymbolset {} {} {}
doifelsetext	\doifelsetext {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \{\ldots\}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined {} {} {}
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\\.\}
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse $\{\ldots\}$ $\{\ldots\}$
doiffieldbodyelse	\doiffieldbodyelse $\{\}$ $\{\}$
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffigureelse	\doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse {} {}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse $\{\}$ $\{\}$ $\{\}$
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\ \{\ldots\}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse \{\ldots\}
doifincsnameelse	\doifincsnameelse \{\} \{\} \{\}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring \{\} \\\
doifinstringelse	\doifinstringelse \{\} \{\} \{\}
doifinsymbolset	\doifinsymbolset \{\} \{\} \{\}
doifinsymbolsetelse	\doifinsymbolsetelse \{\} \{\} \{\}
doifintokselse	\doifintokselse \{\} \{\} \{\}
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \{\ldots\} \{\ldots\} \\

doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {}
doiflayerdataelse	\doiflayerdataelse {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse $\{\}$ $\{\}$
doiflayouttextlineelse	\doiflayouttextlineelse {} {} {}
doifleapyearelse	\doifleapyearelse {} {}
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse {} {} {}
doifmeaningelse	\doifmeaningelse \ \ \{\}
doifmessageelse	\doifmessageelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse \{\} \{\}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextcharelse	\doifnextbgrouperse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \\.\.\
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnot	\doifnot \{\} \{\}
doifnotallcommon	\doifnotallcommon \{\ldots\} \{\ldots\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcounter	\doifnotcounter \{\ldots\\} \\\
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \{\ldots\}
doifnotdocumentfilename	\doifnotdocumentfilename \{\ldots\}
doifnotdocumentvariable	\doifnotdocumentvariable $\{\ldots\}$ $\{\ldots\}$
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue $\{\ldots\}$ $\{\ldots\}$
doifnotemptyvariable	\doifnotemptyvariable $\{\ldots\}$ $\{\ldots\}$
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse {} {}
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\}
doifnotsamestring	\doifnotsamestring {} {}
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {}
doifnotvariable	\doifnotvariable {} {}
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse {} {}
doifobjectfoundelse	\doifobjectfoundelse {} {} {}
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\doifoldercontextelse \{\doifo
doifolderversionelse	\doifolderversionelse \{\doifolderversionelse \{\doifo
doifoverlappingelse	\doifoverlappingelse \{\\} \{\\} \{\\}
doifoverlayelse	\doifoverlayelse \\\} \\\}
doifparallelelse	\doifparallelelse {} {} {} {}
doifparentfileelse	\doifparentfileelse {} {}
doifpathelse	\doifpathelse \{\ldots\} \\doifpathelse \{\l
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\.\\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\.\\
doifposition	\doifposition \{\ldots\} \\\.\\
doifpositionaction	\doifpositionaction \{\doifpositionaction \{\doifpositionactionaction \{\doifpositionact
doifpositionactionelse	\doifpositionactionelse \{\dots\} \\\.\\
doifpositionelse	\doifpositionelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \{\ldots\} \{\ldots\} \\

doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\doifpositionsonthispageelse \{
doifpositionsusedelse	\doifpositionsusedelse \{\ldots\} \\\\
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse {} {} {}
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse {} {}
doifsometoks	\doifsometoks \ {}
doifsometokselse	$\doingsometokselse \ \ldots \ \{\ldots\} \ \{\ldots\}$
doifstringinstringelse	\doifstringinstringelse $\{\}$ $\{\}$ $\{\}$
doifstructurelisthasnumberelse	$\verb \doifstructurelist has numberelse {} {}$
doifstructurelisthaspageelse	$\verb \doifstructurelist has pageelse {} {}$
doifsymboldefinedelse	$\label{local_doing} $$ \doifsymboldefinedelse {} {} {}$
doifsymbolsetelse	$\label{local_doifsymbolsetelse} $$ \{\ldots\} \ \{\ldots\} $$$
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	$\label{locality} $$ \doiftextflowcollectorelse {} {} {}$
doiftextflowelse	\doiftextflowelse $\{\}$ $\{\}$
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined {} {}
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse $\{\}$ $\{\}$
doifunknownfontfeature	$\verb \doifunknownfontfeature {} {} {}$
doifurldefinedelse	\doifurldefinedelse $\{\}$ $\{\}$
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing $\{\ldots\}$ $\{\ldots\}$
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse \{\} \{\} \{\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldosetattribute \{\ldosetattribu
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
doseventupleargument	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] \doseventupleargument \ [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []

	N
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	$\label{local_dosixtupleargument} $$ \colon [] [] [] [] [] [] [] $$$
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithmextbox	\dowithmextbox \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
<del>-</del>	\env {}
env	
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expanded	\expanded \lambda \lam
•	<del>-</del>
expandeddoif	\expandeddoif \{\} \{\}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}

expdoif	\expdoif {} {} {}
expdoifcommonelse	\expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset $\{\}$ $\{\}$ $\{\}$
expdoifinsetelse	\expdoifinsetelse $\{\}$ $\{\}$ $\{\}$
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter $\{\ldots\}$ $\{\ldots\}$
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filler	\filledhboxy {}
filler	\filler []
fillupto filterfromnext	\fillupto [] \{\}
	\filterfromnext $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$ \filterfromvalue $\{\}$ $\{\}$ $\{0.$
filterfromvalue filterpages	\filteriromvalue \(\(\therefore\) \(\therefore\) \(
filterreference	\filterpages [] [] \filterreference {}
findtwopassdata	\findtwopassdata \{\ldots\} \\
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter\(\firstcharacter\)
firstcounter	\firstcharacter \firstcounter [] []
firstcountervalue	\firstcounter [] \firstcountervalue []
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments \{\ldots\}
$oldsymbol{\cup}$	

firstoffourarguments	\firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
<u>.</u>	\firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofsixarguments	
firstofthreearguments	\firstofthreearguments \{\ldots\} \{\ldots\}
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
-	
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
	\floatuserdataparameter {}
floatuserdataparameter	
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
<u> </u>	
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
•	· · · · · · · · · · · · · · · · · · ·
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
0 11	
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\
fourthofsixarguments	\fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
frameddimension	\frameddimension {}
	\framedparameter {}
framedparameter	•
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac \{\} \{\}
frazione:instance:sfrac	\sfrac {} {}
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
a . D	VIIdio Violax
GetPar	\GetPar
	\GetPar
GIORNOSETTIMANA GotoPar	

	\ ~
Greeknumerals	\Greeknumerals {}
gdefconvertedargument gdefconvertedcommand	\gdefconvertedargument \ {}
getboxfromcache	\gdefconvertedcommand \ \ \getboxfromcache \{\} \{\} \
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	$\getdayoftheweek {} {} {}$
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters getemptyparameters	\getdummyparameters [=] \getemptyparameters [] [=]
geteparameters	\getemptyparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage getnamedglyphdirect	\getmessage \{\ldots\} \{\ldots\} \getnamedglyphdirect \{\ldots\} \{\ldots\}
getnamedglyphstyled	\getnamedglyphdffect \{\dots\} \{\dots\}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getprivateslot getrandomcount	\getprivateslot {} \getrandomcount \ {} {}
getprivateslot getrandomcount getrandomdimen	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat	\getrandomcount \ \{\} \(\) \getrandomdimen \ \{\} \{\} \getrandomfloat \ \{\} \{\}
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed	<pre>\getrandomcount \ {} {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters	<pre>\getrainterinterinterinterinterinterinterinter</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters getrawparameters getrawparameters	<pre>\getrainterinterinterinterinterinterinterinter</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomnumber getrandomseed getraweparameters getrawgparameters getrawnoflines getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters	<pre>\getravateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] []</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreferenceentry	<pre>\getravateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferenceentry getroundednoflines	<pre>\getrandomcount \ \{ \} \getrandomcount \ \{ \} \getrandomdimen \ \{ \} \getrandomfloat \ \{ \} \getrandomnumber \ \{ \} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawnoflines \{ \} \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry \{ \} \getroundednoflines \{ \} \getsubstring \{ \} \{ \} \gettokenlist []</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferences getroundednoflines getsubstring gettokenlist gettwopassdata	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawgparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getsubstring {} {} {} \gettokenlist [] \gettwopassdata {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} {} \gettwopassdata {} \gettwopassdatalist {} \gettwopassdata \getuvalue {}</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencestry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvalue {} \getvalue {} \</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvalue	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} {} \gettwopassdata {} \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvariable {} {} </pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault getxparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \getvariabledefault {} {} \getxparameters [] [=]</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdata gettwopassdata gettvalue getvalue getvalue getvariable getvariabledefault getxparameters giornosettimana	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomseed \ \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreferenceentry {} \getroundednoflines {} \getsubstring {} {} {} \gettwopassdata {} \gettwopassdata {} \gettwopassdata {} \geturalue {} \getvalue {} \getvariable {} {} \getvariabledefault {} {} \getxparameters [] [=] \getxparameters [] [=] \getyparameters [] [] \getyp</pre>
getprivateslot getrandomcount getrandomdimen getrandomfloat getrandomseed getraweparameters getrawgparameters getrawparameters getrawparameters getrawparameters getrawparameters getrawparameters getreference getreference getreferencentry getroundednoflines getsubstring gettokenlist gettwopassdata gettwopassdatalist getuserdata getuvalue getvalue getvariable getvariabledefault getxparameters	<pre>\getprivateslot {} \getrandomcount \ {} {} \getrandomdimen \ {} {} \getrandomfloat \ {} {} \getrandomnumber \ {} {} \getrandomseed \ \getraweparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getrawparameters [] [=] \getreference [] [] \getreference entry {} \getroundednoflines {} \getroundednoflines {} \gettokenlist [] \gettwopassdata {} \gettwopassdatalist {} \getuserdata \getuvalue {} \getvariable {} {} \getvariable {} {} \getvariabledefault {} {} \getvariabledefault {} {} \getxparameters [] [=]</pre>

globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {} {}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\ldots\} \
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments {} {} {} {} {} {} {} {}
gobblethreearguments	\gobblethreearguments {} {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
grayvarue greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
greekhumerais griglia	\griglia [=]
grigila grossofontdeltesto	\grossofontdeltesto
	<u> </u>
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxB0X {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance

 $\headtextwidth$ 

 ${\tt headtextwidth}$ 

headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {}
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {} {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox	\hpackbox
hpackedbox	\hpackedbox
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
hyphenatedword INRSTEX	\hyphenatedword {} \INRSTEX
71	\INRSTEX \ibox {}
INRSTEX	\INRSTEX
INRSTEX ibox	\INRSTEX \ibox {} \ifassignment \else \fi \iff
INRSTEX ibox ifassignment iff ifinobject	\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi
INRSTEX ibox ifassignment iff	\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters	\INRSTEX \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting	\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces	\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport	\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifprightarrow \fi \ignoreimplicitspaces \ignoretagsinexport []
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue	\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {}
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters in the lambda else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {}</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iffinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta []</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento []</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostaallineamento [] \impostaampiezzariga []</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostaallineamento [] \impostabarrainterazione [] [=]</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco	\inkstex \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostaallineamento [] \impostabarrainterazione [] [=]
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostablocco impostabloccoezione	\inkstex \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostaallineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=]
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabloccosezione impostabuffer	\inkstex \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignorevalue {} \importo \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostablineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=] \impostabuffer [] [=]
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampi	\innstall \innstall \innstall \iff \iff \iff \iff \iff \iff \iff \i
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampi impostacampo	\innstall \innstall \innstall \ifassignment \else \fi \iff \iff \iff \iffinobject \else \fi \iffinoutputstream \else \fi \ifparameters \frac{1}{1} \text{inportangento} \frac{1}{1} \text{inpostallineamento} \frac{1}{1} \text{impostallineamento} \frac{1}{1} \text{impostablocco} \frac{1}{1} \text{impostabloccosezione} \frac{1}{1} \text{impostabuffer} \frac{1}{1} \text{impostacampi} \frac{1} \text{impostacampi} \frac{1}{1} \text{impostacampi} \frac{1}{1}
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampo impostacampo impostacampo impostacapoversi	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iffarameters \fi \iffaramet</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabuffer impostacampo impostacampo impostacapoversi impostacapoversi:assignment	\indexistrian \ibox \{\} \ifassignment \else \fi \iff \iff \iffinobject \else \fi \iffinoutputstream \else \fi \ifparameters \frac{1}{1} \text{ingnorealist} \text{ingnorealist} \text{ingnorealist} \text{ingnorealist} \text{ingnorealist} \text{ingnorealist} \text{inmposta} \ifparameters \frac{1}{1} \text{impostadampiezzariga} \text{i} \ifparameters \frac{1}{1} \text{impostadampiezzariga} \text{i} \ifparameters \frac{1}{1} \text{impostadampi} impost
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostablocco impostabuffer impostacampo impostacapoversi impostacapoversi:assignment impostacaption	\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iffarameters \fi \if
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostablocco impostabuffer impostacampo impostacapoversi impostacapoversi:assignment impostacaptions	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifparameters \else \fi \iffarameters \fi \iffaram</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostablocco impostabuffer impostacampi impostacampo impostacapoversi impostacaption impostacaptions impostacaptions impostacaptions impostacampi impostacaptions impostacaptions	<pre>\INRSTEX \ibox {} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \ifip</pre>
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacapoversi impostacapoversi impostacaption impostacaptions impostacima impostacima impostacima impostacima impostaclippling	\indexistrian \ibox \{\} \ifassignment \else \fi \iff \iff \iff \iffinobject \else \fi \iffinoutputstream \else \fi \iffinoreimplicitspaces \ignoretagsinexport [] \ignorevalue \{\} \ignorevalue \{\} \ignorevalue \{\} \importagnorevalue \{\} \importag
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaabarrainterazione impostablocco impostabloccosezione impostabuffer impostacampo impostacampo impostacapoversi:assignment impostacaption impostacation	\inkstex \ibox \{\} \ifassignment \else \fi \iff \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifiparameters \fi \ifiparameters \fi \ifiparameters \else \fi \ifiparameters \fi \ifiparameters \fi \ifiparameters \fi \ifiparameters \fiparameters
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacampo impostacapoversi impostacaption impostacaption impostacaptions impostacima impostacilippling impostacolore	\inkstex \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostablineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=] \impostacampi [] [=] \impostacampo [] [=] [=] \impostacapoversi [] [=] [=] \impostacapoversi [] [=] \impostacapotions [] [=] \impostacimpostacina [] [=] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone []
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostablocco impostablocco impostabloccosezione impostacampi impostacampo impostacampo impostacapoversi impostacapoversi impostacaption impostaccima impostacclippling impostacclore impostacclore impostacclore impostacclore impostaccolore impostaccolore impostaccolore impostaccolore impostaccolore impostaccolore	\inkstex \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostablineamento [] \impostablocto [] [=] \impostablocco [] [=] \impostablocco [] [=] \impostabuffer [] [=] \impostacampi [] [=] [=] \impostacapoversi [] [=] [=] \impostacapoversi [] [=] \impostacapotions [] [=] \impostacapotions [] [=] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore [] \impostacolore []
INRSTEX ibox ifassignment iff ifinobject ifinoutputstream ifparameters iftrialtypesetting ignoreimplicitspaces ignoretagsinexport ignorevalue ignoto immediatesavetwopassdata impliedby implies imposta impostaallineamento impostaampiezzariga impostabarrainterazione impostablocco impostabloccosezione impostacampi impostacampo impostacampo impostacapoversi impostacaption impostacaption impostacaptions impostacima impostacilippling impostacolore	\inkstex \ibox {} \ifassignment \else \fi \iff \ifinobject \else \fi \ifinoutputstream \else \fi \ifinoutputstream \else \fi \ifiparameters \else \fi \iftrialtypesetting \else \fi \ignoreimplicitspaces \ignoretagsinexport [] \ignorevalue {} \ignoto \immediatesavetwopassdata {} {} {} \impliedby \implies \imposta [] \impostablineamento [] \impostabarrainterazione [] [=] \impostablocco [] [=] \impostabloccosezione [] [=] \impostacampi [] [=] \impostacampo [] [=] [=] \impostacapoversi [] [=] [=] \impostacapoversi [] [=] \impostacapotions [] [=] \impostacimpostacina [] [=] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone [] \impostacolone []

impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule impostagruppocolonne	\impostaformule [] [=] \impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
<pre>impostalayout:name</pre>	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura impostamenuinterazione	\impostamarcatura [] [=] \impostamenuinterazione [] [=]
impostamentinterazione	\impostamenzione [=]
impostanotepdp	\impostanotepdp [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]
impostanumerosottopagina	\impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=] \impostaposizionamento [] [=]
impostaposizionamento	\impostaposizionamento [] [] \impostaposizionamentoopposti [=]
impostaposizionamentoopposti impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
	\impostaREGISTER [] [=]
impostaregistro:instance	
<pre>impostaregistro:instance impostaregistro:instance:index</pre>	
<pre>impostaregistro:instance impostaregistro:instance:index impostarientro</pre>	\impostation [] [=] \impostarientro []
impostaregistro:instance:index	\impostaindex [] [=]
<pre>impostaregistro:instance:index impostarientro</pre>	\impostaindex [] [=] \impostarientro []
<pre>impostaregistro:instance:index impostarientro impostariferimento</pre>	\impostaindex [] [=] \impostarientro [] \impostariferimento [=]
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarighe [] [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [] [=]</pre>
<pre>impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi:page</pre>	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigher [] [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=]</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura impostaspaziobianco	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=] \impostasfondo [] [=] \impostaspaziatura [] \impostaspaziobianco []</pre>
impostaregistro:instance:index impostarientro impostariferimento impostarighe impostarigheriempimento impostarigovuoto impostarotazione impostaschermointerazione impostasegnosillabazione impostasetsimboli impostasfondi impostasfondo impostasfondo impostasinonimi impostaspaziatura	<pre>\impostaindex [] [=] \impostarientro [] \impostariferimento [=] \impostarigheriempimento [=] \impostarigovuoto [] \impostarotazione [=] \impostaschermointerazione [=] \impostasegnosillabazione [=] \impostasetsimboli [] \impostasfondi [] [=] \impostasfondi [] [=] \impostasfondo [] [=]</pre>

importate bullete	\importatehulata [ ] [ ] [ ] ]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=]
impostatestoetichette:instance:operator	\impostaoperatortesto [] [=]
impostatestoetichette:instance:prefix	\impostaprefixtesto [] [=]
impostatestoetichette:instance:suffix	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
impostatyping	\impostatyping [] [=]
impostaurl	\impostaurl [=]
imposta:direct	\imposta {}
in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed	\fitfieldframed [=] {}
incorniciato:instance:unframed	\unframed [=] {}
incrementa	\incrementa \
incrementa:argument	\incrementa ()
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
	\inizia [] \termina
inizia	• • • • • • • • • • • • • • • • • • • •
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	$\verb \color=   1   terminabt x rendering definitions   1   terminable x rendering definitions   1   1   terminable x rendering definitions   1   terminable x rendering def$
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart

```
iniziacapoverso:instance:section
                                                                                               \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject
                                                                                               \iniziasubject [..=..] [..=..] ... \terminasubject
                                                                                               \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsection
                                                                                               \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubject
                                                                                              iniziacapoverso:instance:subsubsection
iniziacapoverso:instance:subsubsubject
                                                                                               \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsection
                                                                                               \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubject
                                                                                               \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection
iniziacapoverso:instance:subsubsubsubsection
iniziacapoverso:instance:subsubsubsubsubject
                                                                                               \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:title
                                                                                               \iniziatitle [..=..] [..=..] ... \terminatitle
                                                                                              \iniziacatcodetable \... \terminacatcodetable \iniziacenteraligned ... \terminacenteraligned
iniziacatcodetable
iniziacenteraligned
                                                                                              \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign
                                                                                              \iniziacharacteralign [...] ... \terminacharacteralign
iniziacharacteralign:argument
iniziacheckedfences
                                                                                              \iniziacheckedfences ... \terminacheckedfences
                                                                                              \iniziachemical [...] [..=..] ... \terminachemical
iniziachemical
iniziacodatabella
                                                                                              \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato
                                                                                              \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect
                                                                                              \iniziacollect ... \terminacollect
                                                                                              \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                                              \iniziacolore [...] ... \terminacolore
iniziacolore
                                                                                              \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
iniziacoloronly
                                                                                              \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset
                                                                                              \iniziacolorset [...] ... \terminacolorset
iniziacolumnset
                                                                                              \verb|\iniziacolumnset| [...] [..=..] ... \verb|\terminacolumnset|
iniziacolumnsetspan
                                                                                              \verb|\iniziacolumnsetspan[...][..=..]... \verb|\terminacolumnsetspan||
                                                                                              \verb|\iniziaCOLUMNSET [..=..] ... \verb|\terminaCOLUMNSET||
iniziacolumnset:example
                                                                                              \verb|\coloredge | 1... | 1... | terminacombination| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... 
iniziacombination
                                                                                              \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                                              \iniziacommentopagina ... \terminacommentopagina
                                                                                              \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance
                                                                                               \iniziacomment [...] [..=..] ... \terminacomment
iniziacommento:instance:comment
iniziacomponenet
                                                                                              \iniziacomponenet [...] ... \terminacomponenet
                                                                                              \iniziacomponenet .....\terminacomponenet \iniziacontextcode ...\terminacontextcode
iniziacomponenet:string
\verb"iniziacontextcode"
                                                                                              \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziacontextdefinitioncode
iniziactxfunction
                                                                                              \iniziactxfunction ... \terminactxfunction
\verb"iniziactxfunction" definition"
                                                                                              \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
                                                                                              \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
                                                                                              \verb|\label{limit}| \end{tikzpick} 
iniziacurrentlistentrywrapper
                                                                                              \iniziadelimited [...] [...] ... \terminadelimited
iniziadelimited
                                                                                              \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimitedtext
                                                                                               \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance
                                                                                               \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:aside
                                                                                              \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:blockquote
\verb"inizia delimited text: \verb"instance: quotation""
                                                                                               \verb|\ \ | inizia quotation [...] [...] ... \ | termina quotation |
iniziadelimitedtext:instance:quote
                                                                                               \iniziaquote [...] [...] ... \terminaquote
                                                                                               \iniziaspeech [...] [...] ... \terminaspeech
iniziadelimitedtext:instance:speech
                                                                                               \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example
                                                                                               \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
                                                                                              \iniziadisplaymath ... \terminadisplaymath
iniziadisplaymath
iniziadmath
                                                                                              \iniziadmath ... \terminadmath
                                                                                              \iniziadocument [..=..] ... \terminadocument
iniziadocument
                                                                                              \iniziaeffect [...] ... \terminaeffect
iniziaeffect
                                                                                               \iniziaEFFECT ... \terminaEFFECT
iniziaeffect:example
                                                                                              \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                                                              \iniziaelemento [...] ... \terminaelemento
iniziaelemento
                                                                                              \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable
iniziaembeddedxtable:name
                                                                                              \iniziaembeddedxtable [...] ... \terminaembeddedxtable
                                                                                              \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example
                                                                                               \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                                                              \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                                                              \iniziaexpanded ... \terminaexpanded
                                                                                              \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaexpandedcollect
                                                                                              \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
iniziaextendedcatcodetable
iniziaexternalfigurecollection
                                                                                              \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt iniziafacingfloat}
                                                                                              \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura
                                                                                              \iniziafigura [...] [..=..] ... \terminafigura
iniziafisso
                                                                                              \iniziafisso [...] ... \terminafisso
                                                                                              iniziafittingpage
                                                                                              \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
```

 $\verb"inizia fitting page: \verb"instance"$ 

iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] { \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] {} \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
V-1	· · · · · · · · · · · · · · · · · · ·
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
	\iniziainterface \terminainterface
iniziainterface	,
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [=] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode\terminaJScode
iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	\inizialineamargine [=] \terminalineamargine
5 5	
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
5 5	\inizialinetable \terminalinetable
inizialinetable	
inizialinetablebody	\inizialinetablebody \terminalinetablebody
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialingua	\inizialingua [] \terminalingua
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	
	\inizialocalsetups \terminalocalsetups
	\inizialocalsetups\terminalocalsetups
inizialua	\inizialua \terminalua
inizialua inizialuacode	\inizialua \terminalua \inizialuacode \terminaluacode
inizialua	\inizialua \terminalua
inizialua inizialuacode	\inizialua \terminalua \inizialuacode \terminaluacode

iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	$\verb \displays   1   1   termina MP position graphic   1   1   termina MP position graphic   1$
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamarkpages	\iniziamarkpages [] \terminamarkpages
iniziamathalignment:instance	\iniziamATHALIGNMENT [=] \terminamATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases iniziamathmatrix:instance	\iniziamathcases [=] \terminamathcases \iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
iniziamathstyle	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:columns	\iniziacolumns [=] \terminacolumns
iniziamixedcolumns:instance:itemgroupcolumns	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniziamode	\iniziamode [] \terminamode
iniziamodeset	\iniziamodeset [] {} \terminamodeset
iniziamodule	
	\iniziamodule [] \terminamodule
iniziamoduletestsection	\iniziamodule [] \terminamodule \iniziamoduletestsection \terminamoduletestsection
iniziamoduletestsection iniziamodule:string inizianamedsection	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule
iniziamodule:string	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas</pre>	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower</pre>	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example</pre>	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER \inizianegativo \terminanegativo
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianOTE [] \terminaNOTE
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote</pre>	\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [=] \terminaNOTE \inizianendnote [=] \terminanotalloote
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote</pre>	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \iniziaNARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminafootnote</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote</pre>	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [=] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziaendnote [=] \terminafootnote \iniziaendnote [] \terminaendnote</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminafootnote</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote inizianotext</pre>	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \termin</pre>
<pre>iniziamodule:string inizianamedsection inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotmode</pre>	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotmode [] \terminanotmode</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianotext inizianotext inizianotmode inizianoposto	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianicianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminafootnote \inizianotanotext \terminanotxt \inizianotmode [] \terminanotmode \inizianotmode [] \terminano</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotmode iniziaopposto iniziaoutputstream	<pre>\iniziamoduletestsection \terminamoduletestsection \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotmode [] \terminanotmode \iniziaoutputstream [] \terminaoutputstream</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotmode [] \terminaotmode \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \inizianOTE [] \terminaNOTE \iniziaNOTE [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotanotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotext \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [=] \terminapagecolumns</pre>
iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns iniziapagecolumns:instance	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminaNARROWER \inizianegativo \terminanegativo \inizianizianegativo \terminanointerference \inizianointerference \terminanointerference \inizianoitallmodes [] \terminanotallmodes \inizianOTE [] \terminaNOTE \inizianOTE [] \terminaNOTE \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminaendnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotext \inizianotyposto \terminaopposto \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [=.] \terminapagecolumns \iniziaPAGECOLUMNS \terminaPAGECOLUMNS</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns:instance iniziapagecolumns:instance iniziapagecolumns:name</pre>	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \inizianOTE [] \terminaNOTE \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotexd \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [] \terminapagecolumns \iniziaPAGECOLUMNS \terminaPAGECOLUMNS \iniziapagecolumns [] \terminapage</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns:instance iniziapagecolumns:name iniziapagefigure</pre>	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \inizianotallmodes [] \terminaNOTE \iniziaendnote [=] \terminaendnote \iniziafootnote [=] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotext \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [=.] \terminapagecolumns \iniziapagecolumns [=.] \terminapagecolumns \iniziapagefigure [] [ \terminapagefigure</pre>
<pre>iniziamodule:string inizianamedsection inizianamedsubformulas inizianarrower inizianarrower:example inizianegativo inizianicelyfilledbox inizianointerference inizianotallmodes inizianota:instance inizianota:instance:assignment inizianota:instance:assignment:endnote inizianota:instance:assignment:footnote inizianota:instance:endnote inizianota:instance:footnote inizianota:instance:footnote inizianotext inizianotext inizianotmode iniziaoutputstream iniziaoverprint iniziapagecolumns:instance iniziapagecolumns:instance iniziapagecolumns:name</pre>	<pre>\iniziamoduletestsection \terminamodule \iniziamodule \terminamodule \inizianamedsection [] [=] [=] \terminanamedsection \inizianamedsubformulas [] {} \terminanamedsubformulas \inizianarrower [] \terminanarrower \inizianARROWER [] \terminanARROWER \inizianegativo \terminanegativo \inizianicelyfilledbox [=] \terminanicelyfilledbox \inizianointerference \terminanointerference \inizianotallmodes [] \terminanotallmodes \iniziaNOTE [] \terminaNOTE \inizianOTE [] \terminaNOTE \iniziaendnote [] \terminaendnote \iniziafootnote [] \terminafootnote \iniziafootnote [] \terminafootnote \inizianotext \terminanotext \inizianotext \terminanotext \inizianotext \terminanotexd \iniziaoutputstream [] \terminaoutputstream \iniziaoverprint \terminaoverprint \iniziapagecolumns [] \terminapagecolumns \iniziaPAGECOLUMNS \terminaPAGECOLUMNS \iniziapagecolumns [] \terminapage</pre>

iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
•	
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziapostponingnotes	\iniziapostponingnotes \terminapostponingnotes
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
•	
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
	\iniziareadingfile \terminareadingfile
iniziareadingfile	
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic \{\dots\} \dots\\ \terminareusableMPgraphic
iniziariga	\iniziariga []
	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES</pre>
iniziariga	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines</pre>
iniziariga iniziarighe:instance	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasectionlevel</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasefondo</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziasidebar</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso iniziasospeso:argument</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminaappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasospeso</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso iniziasospeso:argument iniziasovrapponi</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasctionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasfONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminasECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [] {} \terminasospeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminappendices \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasfondo [=] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplitformula</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziappendices [=] \terminabeckmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminabodymatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups \terminasetups \iniziasetups [] [] \terminasfondo \iniziasfondo [=] \terminasfonDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasimplecolumns [=] \terminasimplecolumns \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialiten [] {} \terminaspecialiten \iniziaspecialiten []</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:one iniziasplitformula iniziasplittormula iniziasplittext</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziappendices [=] \terminabeckmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminabrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasfondo \iniziaSFONDO [=] \terminasFONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziasift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziasplitformula iniziaspread iniziaspread iniziastartstop:example</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziasfondo [=] \terminasfonDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasiospeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialiter [] {} \terminaspecialitem \iniziaspeciali</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso iniziasospeso:argument iniziaspecialitem:item iniziaspecialitem:none iniziaspecialitem:symbol iniziasplitformula iniziaspread iniziastartstop:example iniziastartstop:example iniziastartstop:example iniziastartstop:example iniziastartstop:example iniziastartstop:example iniziastartstop:example</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [=] \terminalines \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaSECTIONBLOCK [] \terminasECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminabodymatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups \terminasetups \iniziasfondo [=] \terminasfondo \iniziasFONDO [=] \terminasfondo \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasidebar \iniziasiopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminasopeso \iniziasopeso [] {} \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplittext \terminasplittext \iniziaspread \terminaspread \iniziasTARTSTOP \terminasTARTSTOP \iniziastaticMPfigure {} \terminastaticMPfigure</pre>
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasopeso iniziasopeso:argument iniziasopeso:argument iniziaspecialitem:item iniziaspecialitem:item iniziaspecialitem:none iniziasplitformula iniziaspread iniziastattstop:example iniziastaticMPfigure iniziastaticMPgraphic</pre>	\iniziating [] \iniziatines [] \terminatines \iniziatines [] \terminatines \iniziatines [] \terminatines \iniziaruby [] \terminascript \iniziasectionblock [] [] \terminasectionblock \iniziasectionblock [] \terminabackmatter \iniziabackmatter [] \terminabackmatter \iniziabackmatter [] \terminabodymatter \iniziafondodymatter [] \terminabodymatter \iniziafontmatter [] \terminafrontmatter \iniziasectionlevel [] [] \terminasetups \iniziasetups [] [] \terminasetups \iniziasetups [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasfondo [] \terminasfondo \iniziasifit [] \terminasfondo \iniziasifit [] \terminasfondo \iniziasiniziasimplecolumns [] \terminasimplecolumns \iniziasimplecolumns [] \terminasopeso \iniziasospeso [] {} \terminasopeso \iniziasospeso [] {} \terminasopeso \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziasplitformula \terminasplitformula \iniziasplitaziasticMpfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastaticMPgraphic
<pre>iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups:string iniziasfondo iniziasfondo:example iniziasidebar iniziasimplecolumns iniziasospeso:argument iniziasospeso:argument iniziaspecialitem:item iniziaspecialitem:item iniziaspecialitem:symbol iniziasplitformula iniziaspread iniziastattstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto</pre>	<pre>\iniziariga [] \iniziaLINES [=] \terminaLINES \inizialines [] \terminalines \iniziariuby [] \terminascript \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaseCTIONBLOCK [=] \terminasECTIONBLOCK \iniziaappendices [=] \terminabackmatter \iniziabackmatter [=] \terminabackmatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminabodymatter \iniziafrontmatter [=] \terminabodymatter \iniziasectionlevel [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasfondo \iniziasfondo [=] \terminasfondo \iniziasfondo [=] \terminasfondo \iniziasfondo [=] \terminasfondo \iniziasidebar [] \terminasfondo \iniziasidebar [] \terminasimplecolumns \iniziasidebar [] [] \terminasimplecolumns \iniziasospeso [=] {} \terminasospeso \iniziasospeso [] {} \terminasospeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] () \terminastaticMPfigure \iniziastaticMPfigure {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastaticMPgraphic \iniziastretto [] [=.] \terminastretto</pre>
iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziaspetialitext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto iniziastretto:assignment	<pre>\iniziariga [] \inizialINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaseCTIONBLOCK [=] \terminaseCTIONBLOCK \iniziappendices [=] \terminappendices \iniziabackmatter [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziafrontmatter [=] \terminasetups \iniziasetups [] [=] [=] \terminasetups \iniziasetups \terminastups \iniziasfondo [=] \terminasfondo \iniziasfONDO [=] \terminasfONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [] {} \terminasopeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziasplitiziasplittex \terminasplittormula \iniziasplitasplittex \terminasplittext \iniziaspread \terminaspread \iniziastaticMPfraphic {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto</pre>
iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasetups iniziasetups iniziasetups iniziasetups iniziasfondo iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitext iniziasperad iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto:assignment iniziastretto:name	<pre>\iniziariga [] \inizialINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminaruby \iniziarutpy [] \terminascript \iniziasctionblock [] [=] \terminasectionblock \iniziasectionblock [] [=] \terminasectionblock \iniziasettonblock [] \terminasectIONBLOCK \iniziappendices [=] \terminappendices \iniziabackmatter [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziasfontmatter [=] \terminafrontmatter \iniziasetups [] [] [=] [=] \terminasectionlevel \iniziasetups [] [] \terminasetups \iniziasetups [] [] \terminasfondo \iniziasfondo [=.] \terminasfondo \iniziasfondo [=.] \terminasfondo \iniziasfondo [=.] \terminasfondo \iniziassimplecolumns [=.] \terminasimplecolumns \iniziasiaisiapplecolumns [=.] \terminasimplecolumns \iniziasopeso [] {} \terminasospeso \iniziasovrapponi \terminasoryapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] {} \terminaspecialitem \iniziaspecialiter [] () \terminastetiompicate \iniziaspecialiter [] () \terminastetiompicate \iniziaspecialiten [] () \terminastetiompicate \iniziaspecialiten [] () \terminastetiompicate \iniziaspecialiten [] () \terminasteticMPfigure \iniziastaticMPfigure {} \terminastretto \iniziastretto [] [] \terminastretto \iniziastre</pre>
iniziariga iniziarighe:instance iniziarighe:instance:lines iniziaruby iniziascript iniziasectionblock iniziasectionblock:instance iniziasectionblock:instance:appendices iniziasectionblock:instance:backmatter iniziasectionblock:instance:bodymatter iniziasectionblock:instance:frontmatter iniziasectionblock:instance:frontmatter iniziasectionlevel iniziasetups iniziasetups iniziasetups iniziasfondo iniziasfondo:example iniziashift iniziasidebar iniziasimplecolumns iniziasospeso:argument iniziasovrapponi iniziaspecialitem:item iniziaspecialitem:symbol iniziaspecialitem:symbol iniziaspetialitext iniziaspread iniziastartstop:example iniziastaticMPfigure iniziastaticMPgraphic iniziastretto iniziastretto:assignment	<pre>\iniziariga [] \inizialINES [=] \terminaLINES \inizialines [=] \terminaruby \iniziaruby [] \terminaruby \iniziascript [] \terminascript \iniziasectionblock [] [=] \terminasectionblock \iniziaseCTIONBLOCK [=] \terminaseCTIONBLOCK \iniziappendices [=] \terminappendices \iniziabackmatter [=] \terminabodymatter \iniziabodymatter [=] \terminabodymatter \iniziafrontmatter [=] \terminafrontmatter \iniziafrontmatter [=] \terminasetups \iniziasetups [] [=] [=] \terminasetups \iniziasetups \terminastups \iniziasfondo [=] \terminasfondo \iniziasfONDO [=] \terminasfONDO \iniziashift [] \terminashift \iniziasidebar [] [=] \terminasimplecolumns \iniziasospeso [] {} \terminasopeso \iniziasospeso [] {} \terminasopeso \iniziasovrapponi \terminasovrapponi \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziaspecialitem [] [] \terminaspecialitem \iniziasplitiziasplittex \terminasplittormula \iniziasplitasplittex \terminasplittext \iniziaspread \terminaspread \iniziastaticMPfraphic {} \terminastaticMPfigure \iniziastaticMPgraphic {} \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto \iniziastretto [] [] \terminastretto</pre>

```
iniziastyle:argument
                                                                                                  \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                                                  \iniziaSTYLE ... \terminaSTYLE
                                                                                                  \iniziasubformulas [...] ... \terminasubformulas
iniziasubformulas
                                                                                                  \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
                                                                                                  \iniziasubsentence ... \terminasubsentence
iniziasubsentence
                                                                                                  \iniziasubstack ... \terminasubstack
iniziasubstack
                                                                                                  \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziasymbolset
iniziaTABLE
                                                                                                  \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody
                                                                                                  \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot
                                                                                                  \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead
                                                                                                  \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                                  \iniziaTABLEnext [..=..] ... \terminaTABLEnext
                                                                                                  \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
iniziatabella:name
                                                                                                  \iniziatabella [...] [..=..] ... \terminatabella
                                                                                                  \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
iniziatabelle:name
                                                                                                  \iniziatabelle [...] ... \terminatabelle
                                                                                                  \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
iniziatabulato
                                                                                                  \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato:instance
                                                                                                   \iniziaTABULATE [..ºPT] [..=..] ... \terminaTABULATE
                                                                                                  \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:fact
                                                                                                  \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                                                  \iniziatesta [...] {...} ... \terminatesta
iniziatesta
                                                                                                  \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabella
iniziatestatabulato
                                                                                                  \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto
                                                                                                  \iniziatesto ... \terminatesto
iniziatestoaiuto
                                                                                                  \iniziatestoaiuto [...] ... \terminatestoaiuto
                                                                                                  \iniziaLABELtesto [...] [...] ... \terminaLABELtesto \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance
iniziatestoetichetta:instance:btxlabel
                                                                                                  \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:head
iniziatestoetichetta:instance:label
                                                                                                  \inizialabeltesto [...] [...] ... \terminalabeltesto
                                                                                                  \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                                                                  iniziatestoetichetta:instance:operator
                                                                                                   \iniziaprefixtesto [...] [...] \terminaprefixtesto
iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                                                   \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
                                                                                                   \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoetichetta:instance:unit
                                                                                                   \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
iniziatestoincorniciato:instance:framedtext
                                                                                                   \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode
                                                                                                  \iniziatexcode ... \terminatexcode
                                                                                                  \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
                                                                                                  \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackground
iniziatextbackgroundmanual
                                                                                                  \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
                                                                                                   \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextbackground:example
                                                                                                  \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
                                                                                                  \iniziatextcolorintent ... \terminatextcolorintent
iniziatextcolorintent
iniziatextflow
                                                                                                  \iniziatextflow [...] ... \terminatextflow
iniziatokenlist
                                                                                                  \iniziatokenlist [...] ... \terminatokenlist
iniziatokens
                                                                                                  \iniziatokens [...] ... \terminatokens
                                                                                                  \iniziatransparent [...] ... \terminatransparent
iniziatransparent
                                                                                                  \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
                                                                                                  \verb|\iniziatypescriptcollection| [\dots] \dots \verb|\terminatypescriptcollection|
iniziatypescriptcollection
iniziatyping:instance
                                                                                                  \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument
                                                                                                  \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                                                                   \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                                                                   \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML
                                                                                                   \iniziaPARSEDXML [...] ... \terminaPARSEDXML
                                                                                                   \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:TEX
                                                                                                   \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:typing
                                                                                                  \iniziaXML [...] ... \terminaXML
iniziatyping:instance:argument:XML
iniziatyping:instance:LUA
                                                                                                   \iniziaLUA [..=..] ... \terminaLUA
                                                                                                   \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:MP
iniziatyping:instance:PARSEDXML
                                                                                                   \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                                                                   \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
                                                                                                  \label{linear_constraint} $$ \lim zia XML [..=..] \dots $$ termina XML $$
iniziatyping:instance:typing
iniziatyping:instance:XML
                                                                                                  \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
\verb"iniziauniqueMPgraphic"
                                                                                                  \verb|\coloredge MPpage graphic {...} {...} ... \verb|\coloredge MPpage graphic | ...} | termina unique MPpage graphic | ... | ... | termina unique MPpage graphic | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
\verb"iniziauniqueMPpagegraphic"
iniziaunpacked
                                                                                                  \mbox{\colored} \iniziaunpacked ... \mbox{\colored}
\verb"iniziausableMPgraphic"
                                                                                                  \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic | ...} |
iniziauseMPgraphic
                                                                                                  \verb|\coloredge | 1... | 1... | terminauseMPgraphic| | 1... | 1... | terminauseMPgraphic| | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1... | 1.
                                                                                                  iniziausemathstyleparameter
iniziauserdata
```

iniziausingbtxspecification	$\verb \iniziausingbtxspecification  [] \verb \terminausingbtxspecification   $
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
S .	\iniziavboxtohbox \terminavboxtohbox
<u>•</u>	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
	\iniziaxcell [] [=] \terminaxcell
	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmlraw \terminaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
	\iniziaxmlsetups \terminaxmlsetups
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablehead:name	
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
•	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
1 71	\inlinerange []
<del>-</del>	
•	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
•	-
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
•	\inriga {} []
	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \{\} \
	\installautosetuphandler \ {}
<del>-</del>	<del>-</del>
installbasicautosetuphandler	\installbasicautosetuphandler \ \{\} \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \{\} \
installcorenamespace	\installcorenamespace {}
-	-
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \{\} \ \{\}
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installframedautocommandhandler	\installframedautocommandhandler \ \ \

 $\verb|installframedcommand| handler|\\$ 

 $\verb|\label{limit}| \verb|\label{limit}| \verb|\labellim| limit} \verb|\labellim| \verb|\labellim| limit| limit| \verb|\labellim| limit| limit$ 

installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ {}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
- •	
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{\} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \{} \
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \ \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective {} {}
installtextracker	\installtextracker {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
lean	\kap {}
kap	
-	-
keeplinestogether	\keeplinestogether {}
keeplinestogether keepunwantedspaces	\keeplinestogether {} \keepunwantedspaces
keeplinestogether keepunwantedspaces kerncharacters	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals	\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {}
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LaTeX	<pre>\keeplinestogether {} \keeplinestogether {} \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \LATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTeX LateX Lettera Lettere	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreanparentnumerals {} \LAMSTEX \LATEX \LATEX \Latex \Latex \Latex \Latera {} \Lettera {} \Lettera {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \Latex \Latex \Latex \Latex \Latex \Latex {} \Latera {} \Luanteral {} \Luanteral {} \Luanteral {} \Lateral {} \Luanteral {} \Lua</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \Luanumeralsp {} \Luanumeralsp \Latex \Latex \Latex \Latex \Latex \Latex \Latex \Luanumeralsp \Luanumer</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LamSTeX \Latex \Latex \Latex \Latex \Latex \Luayittex \Luayittex \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \Luanumeralsp {} \Luanumeralsp \Latex \Latex \Latex \Latex \Latex \Latex \Latex \Luanumeralsp \Luanumer</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LamSTeX \Latex \Latex \Latex \Latex \Latex \Luayittex \Luayittex \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \L</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LaTEX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaMetaTeX LuaTeX LuaMetaTeX LuaMetaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latex \Latex \Latex \Luayittex \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUAMetatex \Lua \Luayittex \LuaMetatex \Luametate</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX LuaTeX LaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUA</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX Lua	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsc {} \koreannumeralsc {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX LuaTeX LaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX LuaTeX	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUA</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaMetaTeX LuaTeX Lua	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsc {} \koreannumeralsc {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX Lua LuajitTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LETEX LETEX LUATEX LUAJITTEX LUAJITTEX LUAMETATEX LUATEX LUATEX LUATEX LUATEX Lua LuajitTeX LuaMetaTeX LuaMetaTeX LuaTeX luaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:label labellanguage:instance:mathlabel	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaTeX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LETEX LETEX LUATEX LETER LUAJITTEX LUAMETATEX LUAMETATEX LUATEX LUATEX Lua LuajitTeX Lua LuajitTeX luaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \LUATEX \Lua \LuajitTeX \LuaMetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:operator labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaTeX \LuaTeX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuadetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LateX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX Lua LuajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:operator labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LLATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuaTeX \LuaTeX</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX Latex Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX Lua LuajitTeX LuaMetaTeX LuaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:prefix	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsp {} \koreannumeralsp {} \koreannameralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LLATEX \LATEX \LLATEX \LLATEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \LUATEX \Lua \LuajitTeX \LuadetaTeX \LuaTeX \Lu</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUADES LUA	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \Latex \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAHETATEX \Lua \LuajitTeX \Lua \LuajitTeX \LuaMetaTeX \LuaHetaTeX \LuaHetaIingua \btxlabellingua \headlingua \headlingua \headlingua \prefixlingua \prefixlingua \suffixlingua \suffixlingua \taglabellingua \unitlingua \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LATEX LETER LETER LETER LETER LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMETATEX LUAMetaTeX Lua LuajitTeX LuaMetaTeX luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:chead labellanguage:instance:cprefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:cunit labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \Latera {} \Lettera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \LUAMETATEX \LUAMETATEX \Lua \LuajitTeX \Lua \LuajitTeX \LuadetaTeX \LuaHbellingua \btxlabellingua \headlingua \headlingua \labellingua \mathlabellingua \prefixlingua \suffixlingua \suffixlingua \taglabellingua \unitlingua \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUABellanguage:instance labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Latetera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUAHEX Lua luajitTeX Luabellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:label labellanguage:instance:coperator labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance:label	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LamSTeX \Latera {} \Luttera {} \Luttera {} \LUAJITTEX \LUAJITTEX \LUAHETATEX \LUAHETATEX \Lua \LuajitTeX \LuaMetaTeX \LuaMetaTeX \LuaHeallingua \btxlabellingua \headlingua \headlingua \labellingua \mathlabellingua \mathlabellingua \coperatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \headtexts {} {} \labeltexts {} {}</pre>
keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LamSTeX Lettera Lettere LUAJITTEX LUAMETATEX LUAMETATEX LUAMETATEX LUABellanguage:instance labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:prefix labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:cunit labeltexts:instance labeltexts:instance	<pre>\keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \koreancirclenumerals {} \koreannumerals {} \koreannumeralsc {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \koreannumeralsp {} \LAMSTEX \LAMSTEX \LATEX \LATEX \LATEX \Latera {} \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUAMETATEX \</pre>

	17
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
1 0	
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	
•	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
<del></del>	
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
9 -	<u> </u>
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
•	
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \\endcsname \csname \\endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
lettera	\lettera {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
	•
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless

lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark letterrightbrace	\letterquestionmark \letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline $\{\}$ $\{\}$
limitatelines	\limitatelines $\{\ldots\}$ $\{\ldots\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
linebox	\linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext lingua	<pre>\linespanningtext {} {} \lingua []</pre>
linguaprincipale	\linguarincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\llap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	<pre>\loadtexfileonce [] \loadtypescriptfile []</pre>
loadtypescriptfile localframed	\localframed [] [=] {}
localframedwithsettings	\localframed [] [] \localframedwithsettings [] [] \{}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote

lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox \{\} \\\\} \\\\} \\\\}
ltop	\ltop {}
ltrhbox	\ltrhbox {}
ltrybox	\ltrvbox {} \ltrvtop {}
ltrvtop luacode	\luacode {}
luaconditional	\laconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX \luaminorversion
luaminorversion luaparameterset	\langle \langl
luasetup	\lasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	METAPOST
MetaFont	\MetaFont
MetaFun MetaPost	\MetaFun \MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor MPcoloronly	\MPcolor {} \MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape $\{\ldots\}$ $\{\ldots\}$
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions MPleftskip	\MPinclusions [] {} {} \MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {} \MPpos {}
MPpos MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots=\ldots\}
MPposset	\MPposset \{\dots\}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}

MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
МРу	\MPy {}
m	\m [] {}
maiuscoletto	\maiuscoletto {}
maiuscolo	\maiuscolo {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematica	\matematica [] {}
matematica:assignment	\matematica [=] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar \{\ldots\}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \{\ldots\}
mathextensible:instance	\MATHEXTENSIBLE {} {}

mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	$\left\{ elefthar poon down fill \left\{ \ldots \right\} \left\{ \ldots \right\} \right\}$
mathextensible:instance:eleftharpoonupfill	$\left\{ elefthar poon up fill \left\{ \ldots \right\} \left\{ \ldots \right\}$
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\ldots\} \\\
mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill	\erightarrowfill {} {} \erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow \{\} \{\}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {} \mleftarrow {} {}
mathextensible:instance:mleftarrow mathextensible:instance:mleftharpoondown	\mleftharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mleftharpoonup	\mleftharpoonup \{\ldots\}
mathextensible:instance:mleftrightarrow	\mleftrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
$\verb mathextensible:instance:mrightharpoondown $	$\mbox{\em Mrightham poondown } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightharpoonup	\mrightharpoonup \{\ldots\} \{\ldots\}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtriplerel	\mtriplerel \{\ldots\}
mathextensible:instance:mtwoheadleftarrow mathextensible:instance:mtwoheadrightarrow	\mtwoheadleftarrow \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:mtwoneadrightarrow mathextensible:instance:tequal	\tequal \{\ldots\} \\tequal \{\ldots\}
mathextensible:instance:tequal mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	$\t$ leftharpoondown $\{\}$ $\{\}$
mathextensible:instance:tleftharpoonup	$\time \{\ldots\}\ \{\ldots\}$
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow mathextensible:instance:trightharpoondown	\trightarrow {} {} \trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup \\\}
mathextensible:instance:trightleftharpoons	\trightleftharpoons \{\ldots\} \\.\}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow \{\ldots\}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup \{\ldots\} \\xleftrightarrow \{\ldots\} \\\.
mathextensible:instance:xleftrightarrow mathextensible:instance:xleftrightharpoons	\xleftrightarrow \\\\\frac{\ca\curc\frac{\\circ\frac{\\\frac{\\\frac{\\\frac{\\\frac{\\\frac{\\\frac{\\circ\circ\frac{\curc\circ\circ\frac{\circ\circ\circ\frac{\circ\circ\circ\circ\circ\circ\circ\ci
mathextensible:instance:xmapsto	\xmapsto {} {}
	· · · · · · · · · · · · · · · · · · ·

mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] \\ \mcframed [=] \\ \\}
mathframed:instance:mframed mathframed:instance:mframed	\mframed [=] \langle \}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
	\
mathtf	\mathtf
	• • • •
mathtriplet	\mathtriplet [] {} {} {}
<pre>mathtriplet mathtriplet:example</pre>	\mathtriplet [] {} {} {} \\MATHTRIPLET [] {} {} {}
<pre>mathtriplet mathtriplet:example mathtt</pre>	\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt
<pre>mathtriplet mathtriplet:example mathtt mathunder</pre>	\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {}
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example</pre>	\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {}
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance</pre>	\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {}
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example</pre>	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {}</pre>
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright</pre>	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathtunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright</pre>
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword</pre>	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {}</pre>
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf</pre>	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathupright \\ \mathword {} \\ \mathwordbf {}
<pre>mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi</pre>	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathupright \\ \mathword {} \\ \mathwordbf {} \\ \mathwordbi {}
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbi mathwordbs	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \\ \mathword {} \\ \mathwordbf {} \\ \mathwordbf {} \\ \mathwordbs {} \\
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordbs mathwordit	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \mathupright \mathword {} \\ \mathwordbf {} \\ \mathwordbf {} \\ \mathwordbs {} \\ \mathwordbs {} \\ \mathwordit {} \\
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordit mathwordsl	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \mathupright \mathword {} \\ \mathwordbf {} \\ \mathwordbs {} \\ \mathwordbs {} \\ \mathwordbs {} \\ \mathwordit {} \\ \mathwords1 {} \\
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \mathupright \mathword {} \\ \mathwordbf {} \\ \mathwordbs {} \\ \mathwordbs {} \\ \mathwordbs {} \\ \mathwords1 {} \\ \mathwords1 {} \\ \mathwords1 {} \\ \mathwords1 {} \\ \mathwordtf {} \\
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordst mathwordst mathwordst mathwordtf math:assignment	\mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \math
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordst mathwordst mathwordst mathwordff math:assignment maxaligned	\mathtriplet [] {} {} {} \\ \MATHTRIPLET [] {} {} {} \\ \mathtt \mathunder [] {} {} \\ \MATHUNDEREXTENSIBLE {} {} \\ \MATHUNDERTEXTEXTENSIBLE {} {} \\ \MATHUNSTACKED \mathupright \mathword {} \\ \mathwordbf {} \\ \mathwordbi {} \\ \mathwordbordbi {} \\ \mathwordbi {} \\ \mathwordbi {} \\ \mathwordtf {} \\ \mathwordtf {} \\ \mathwordtf {} \\ \mathunder \left {} \\ \maxaligned {}
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordst mathwordst mathwordst mathwordff mathiassignment maxaligned mbox	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordf {} \mathword</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordst mathwordst mathwordst mathwordst mathwordst mathwordff math:assignment maxaligned mbox measure	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {}  \MATHUNDEREXTENSIBLE {} {}  \MATHUNSTACKED  \mathword {}  \mathwordbf {}  \mathwordbi {}  \mathwordbi {}  \mathwordit {}  \mathwordsl {}  \mathwordsl {}  \mathwordtf {}  \mathwordtf {}  \mathwordtf {}  \mathwordtf {}  \mathword {}  \maxaligned {}  \mbox {}  \measure {}</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordff math:assignment maxaligned mbox measure measured	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {}  \MATHUNDEREXTEXTENSIBLE {} {}  \MATHUNSTACKED  \mathupright \mathwordbi {}  \mathwordsl {}  \mathwordbi {}  \</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl mathwordff math:assignment maxaligned mbox measure measured medskip	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathtut  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {}  \MATHUNDEREXTEXTENSIBLE {} {}  \MATHUNSTACKED  \mathword {}  \mathword {}  \mathwordbi {}  \mathwordbi {}  \mathword {}  \mathword}  \mathword {}  \mathword}  \mat</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordff math:assignment maxaligned mbox measure measured medskip medspace	<pre>\mathtriplet [] {} {} {} \mathtripleT [] {} {} \mathtt  \mathunder [] {} {} \mathunDEREXTENSIBLE {} \mathunDEREXTENSIBLE {} {} \mathunDEREXTENSIBLE {} {} \mathunDEREXTENSIBLE {} {} \mathword {} \mathword} \mathword {} \mathword} \mathword {} \mathword {</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordf mathi-assignment maxaligned mbox measure measured medskip medspace menuinterattivo	<pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathunder [] {} {} \mathunder [] {} \mathword [] \mathwo</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordff math:assignment maxaligned mbox measure measured medskip medspace	<pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathtunder [] {} {} \mathunder [] \mathword [.</pre>
mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordst mathwordst mathwordst mathwordsf mathwordsf mathwordst mathwordst mathwordst mathwordst mathwordst mathwordst mathwordst mathicassignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message	<pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathtunder [] {} {} \mathunder [] \mathword [.</pre>
mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbi mathwordst mathwordtf mathwordst mathwordtf matherativorde maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielenco	<pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathunder [] {} {} \mathunder [] \mathunder [] \mathword [.</pre>
mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordst mathwordst mathwordst mathwordsf mathwordsf mathwordst mathwordst mathwordst mathwordst mathwordst mathwordst mathwordst mathicassignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message	<pre>\mathtriplet [] {} {} {} \mathtr \mathtt \mathunder [] {} {} \mathtunder [] {} {} \mathunder [] \mathunder [] \mathword [</pre>
mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordst mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwords {} \mathwordbi {} \mathwordbi {} \mathwords {} \mathwords {} \mathwords {} \mathwordf {} \mathin [] {} \maxaligned {} \mbox {} \measure {} \measured {} \measured {} \message {} \message {} \metticlencocombinato [] [] \metticOMBINEDLIST []</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettielencocombinato:instance:content	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwordst {} \mathwordbi {} \mathwordbi {} \mathwordst {} \mathinal measure {} \massured {} \measured {} \measured {} \measured {} \message {} \message {} \metticlenco [] [=] \metticOMBINEDLIST [=] \metticontent [=]</pre>
mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordst mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwords {} \mathwordbi {} \mathwordbi {} \mathwords {} \mathwords {} \mathwords {} \mathwordf {} \mathin [] {} \maxaligned {} \mbox {} \measure {} \measured {} \measured {} \message {} \message {} \metticlencocombinato [] [] \metticOMBINEDLIST []</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettielencocombinato:instance:content	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwordst {} \mathwordbi {} \mathwordbi {} \mathwordst {} \mathinal measure {} \massured {} \measured {} \measured {} \measured {} \message {} \message {} \metticlenco [] [=] \metticOMBINEDLIST [=] \metticontent [=]</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordst mathwordst mathwordst mathwordff math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettifiancoafianco	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwords {} \mathwordb {} \mathwords {} \mathin [] {} \maxaligned {} \massure {} \measure {} \measured {} \message {} \metticlencocombinato [] [] \metticontent [] \metticinetticonfinatooof} {} \end{arrangement \text{metticontent []} \metticonfinatooof} {} \end{arrangement \text{metticontent []} \metticonfinatooof} {} \end{arrangement \text{metticontent []} \methiconfinatooof} {} \end{arrangement \text{metticontent []} \methiconfinatooof} \end{arrangement \text{metticontent []} \methiconfinatooof} {} \end{arrangement \text{metticontent []} \methiconfinatooof} {} \end{arrangement \text{metticontent []} \methiconfinatooof} \end{arrangement \text{methiconfinatooof} {} \end{arrangement \text{methiconfinatoof} {} arran</pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato mettielencocombinato:instance mettifiancoafianco mettiformula	<pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} \mathtt  \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTENSIBLE {} {} \MATHUNSTACKED  \mathwords {} \mathwordb {} \mathwords {} \mathwords {} \mathwords {} \mathwordf {} \mathwordf {} \mathwords {} \mathwords {} \mathwords {} \mathwords {} \mathin [] {} \maxaligned {} \masure {} \measure {} \measured {} \message {} \message {} \metticlencocombinato [] [] \metticontent [] \metticontent [] \mettifiancoafianco {} {} \mettiformula [] {} \mettiformula [] {} \end{array} </pre>
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettifiancoafianco mettiformula mettiingriglia	\mathtriplet [] {} {} {} \ \mathunder [] {} {} {} \ \mathunderEXTENSIBLE {} {} {} \ \mathunder [] {} {} \ \mathword [] {} {} \ \maxaligned {} {} {} \ \masure {} {} {} \ \medskip {} {} {} \ \medsage {} {} {} \ \metticlencocombinato [] [] {} \ \metticontent [] {} {} \ \mettifiancoafianco {} {} {} \ \mettiformula [] {} {} \ \mettingriglia [] {} {} \ \mettingriglia [] {} {} \ \mettingriglia [] {}
mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordsl mathwordsl mathwordtf math:assignment maxaligned mbox measure measured medskip medspace menuinterattivo mese message mettielencocombinato:instance mettifiancoafianco mettiformula mettiingriglia:list	\mathtriplet [] {} {} {} \\ \mathtripleT [] {} {} {} \\ \mathtripleT [] {} {} {} \\ \mathtripleT [] {} {} \\ \mathtripleT [] {} {} \\ \mathunder [] {} {} \\ \mathunder [] {} {} \\ \mathunder [] {} \\ \mathunder [] {} \\ \mathword [] {} \\ \maxaligned {} \\ \masured {} {\\ \medskip \\ \medskip \\ \medspace {} {\\ \medship \\ \metticlenco [] [] {\\ \metticontent [] {\\ \metticontent [] {\\ \metticontent [] {\\ \mettifiancoafianco {} {} {\\ \mettingriglia [] {} {\\ \methingriglia [] {\\ \methingriglia [

mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
3	\mettiREGISTER [=]
mettiregistro:instance	
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [=]
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\moduleparameter \(\therefore\) \molecule \{\therefore\}
mono	\mono
monograssetto	monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
-	\mostralyout []
mostralyout	
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=]
mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
m:assignment	\m [=] {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ {} {} {}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable \{\ldots\} \\ \ldots\
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalytop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	<u> </u>
nopaooa	\negated { }
-	\negated {}
negemspace	\negemspace
negemspace negenspace	\negemspace \negenspace
negemspace negenspace negthinspace	<pre>\negemspace \negehinspace</pre>
negemspace negenspace negthinspace newattribute	<pre>\negemspace \negenspace \negthinspace \newattribute \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \</pre>
negemspace negenspace negthinspace newattribute	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \</pre>
negemspace negenspace negthinspace newattribute newcatcodetable newcounter	<pre>\negemspace \negenspace \negthinspace \newattribute \ \newcatcodetable \ \newcounter \</pre>

newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd \nextcounter [] []
nextcounter nextcountervalue	\nextcounter [] \nextcountervalue []
nextdepth	\nextdepth
nextparagraphs nextparagraphs:example	\nextparagraphs \successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpage nextrealpagenumber	\nextrealpage \nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign	\nocharacteralign
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normarborarace	(HOI MAIDOLAI ACC
normale	\normale
	• 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
normale	\normale
normale normalframedwithsettings	\normale \normalframedwithsettings [=] {}
normale normalframedwithsettings normalitalicface	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttline \ {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextline {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonttine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextdeface</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetexttine	<pre>\normale \normalframedwithsettings [=] {} \normalizatioface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetexttine normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota	<pre>\normale \normalframedwithsettings [=] {} \normalizaticface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextvidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance	<pre>\normale \normalframedwithsettings [=] {} \normalizaticface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextheight {} {} {} \normalizetexthine {} {} {} \normalizetextwidth {} {} {} {} \normalizetextwidth {} {} {} {} \normalizetextwidth {}</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetexthine normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \nor</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextheight {} {} \normalizetextline {} {} {} \n</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextvidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextudface \normalizetextline {} {} {} \normalizetextline {} {} \normali</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextvidth normalizetextwidth normalizetextwidth normalizetextoen normalizetextwidth normalizetextheight normalize	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextline {} {</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextdepth normalizetextline normalizetextwidth normalizetexturine	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \n</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwine nota:instance nota:instance nota:instance:assignment nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \</pre>
normale normalitramedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextheight normalizetextheight normalizetextheight normalizetextheight normalizefontwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontline \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \notatesymbol [] [] \notatesymbol [] []</pre>
normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextwidth normalizetextheight normalizetextheight normalizetextheight normalizefontwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \notation {} {} \notation</pre>
normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:gged ntimes numberofpoints	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextuine {} {} \normalizetextuine {} {} \normalizetextwidth {</pre>
normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextwidth normalizetextheight nor	\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextline {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {}
normale normalitanedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetexthine normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwidth normalizetextwine nota:instance nota:instance:assignment nota:instance:assignment:endnote nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notesymbol notragged ntimes numberofpoints numeri numeriromani	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre>
normale normalitramedwithsettings normalitalicface normalizebodyfontsize normalizefontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwid	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numberofpoints {} \numerifonani {} \nu</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface normaltypeface nota nota:instance:assignment nota:instance:assignment:endnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote nota:instance:footnote notacymbol notragged ntimes numeri numeriromani numeroformula numeroformula numeropagina	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numberofpoints {} \numerifonami {} \numerifonami {} \numeroformula [] \numeroformula [] \numeroformula [] \numeroformali [] \num</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizefontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth normalizetextwidth normalizetextwidth normalslantedface nota nota:instance nota:instance:assignment nota:instance:assignment:footnote nota:instance:endnote nota:instance:footnote nota:instance:footnote notarigged ntimes numberofpoints numeri numeriromani numeropagina numeropagina numeropaginacompleto	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontwidth \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \normalizetextwidth {} {} {} \notate [] {} \notate [] {} \notate [] {} \notate [] {} \notatesymbol [] [] \notatesymbol [] [] \numerifontore [] {} \numerifore [] {} \numerifontore [] {} \numerifonto</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextline normalizetextline normalizetextident normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontline normalizefontwidth normalizetextdepth normalizetextheight normalizetextline normalizetextwidth notalizetextwidth normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre>
normale normalframedwithsettings normalitalicface normalizebodyfontsize normalizedfontsize normalizefontdepth normalizefontheight normalizefontwidth normalizetextdepth normalizetextline normalizetextline normalizetextident normalizetextwidth	<pre>\normale \normalframedwithsettings [=] {} \normalitalicface \normalizebodyfontsize \ {} \normalizedfontsize \normalizefontdepth \ {} {} {} \normalizefontheight \ {} {} {} \normalizefontheight \ {} {} {} \normalizefonthine \ {} {} {} \normalizefontwidth \ {} {} {} \normalizetextdepth {} {} {} \normalizetextheight {} {} {} \normalizetextline {} {} {} \normalizetextwidth {</pre>

objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
	\pagearea [] []
pagearea	
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\} \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace \{\ldots\} \\\
pdfbackendsetextgstate	\pdfbackendsetextgstate \{\dots\} \{\dots\}
pdfbackendsetinfo	\pdfbackendsetinfo \{\dots\} \{\dots\}
•	
pdfbackendsetname	\pdfbackendsetname \{\dots\} \{\dots\}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource \{\dots\} \{\dots\}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}

pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	- \pdfTeX
ped	\ped {}
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen {} {}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand \{\ldots\} \{\ldots\}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
-	_ <del>-</del>
placecomments	\placecomments \placecurrentformulanumber
placecurrentformulanumber	\placedbox {}
placedbox placefloat	\placefloat [] [] {} {}
•	\placefloat [] [] \placefloatwithsetups [] [] [] \{}
placefloatwithsetups	\mettiFLOAT [] [] {} {}
placefloat:instance	
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placement	\placehocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenates	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
<pre>placepairedbox:instance placepairedbox:instance:legend</pre>	\mettiPAIREDBOX [=] {} {} \mettilegend [=] {} {}
placeparallel	\mettilegend [=] \\\f\.
Langeharator	'bbararror [] [] []

	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
placerawheaddata	\placerawheaddata []
placerawheadnumber	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay \{\ldots\}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
<pre>presetlabeltext:instance:mathlabel</pre>	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator</pre>	\presetoperatortesto [] [=]
<pre>presetlabeltext:instance:prefix</pre>	\presetprefixtesto [] [=]
<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtesto [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltesto [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittesto [] [=]
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	$\verb \processcommalistwithparameters []  $
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]

processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords \{\dots\}\\\
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
-	
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	<pre>\processMPfigurefile {}</pre>
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
•	
processtokens	\processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
-	
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
•	\punti []
punti	
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton []
-	
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
1 0	
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
•	
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache $\{\}$ \ $\{\}$
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
-	
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	$\quitprevcommalist$
quittypescriptscanning	$\quitty pescripts canning$
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	$\rdet{raggedwidecenter}$
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}

randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile {} {} {}
readlocfile	\readlocfile {} {} {}
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile $\{\}$ $\{\}$
readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
	\realpagenumber
realpagenumber	1 0
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
•	\recurselevel
recurselevel	
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
	-
referring	\referring (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
S .	<u> </u>
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
	•
	\REGISTER [] {++}
registro:instance	
registro:instance registro:instance:index	\index [] {++}
S .	
registro:instance:index registro:instance:ownnumber	\index [] {++} \REGISTER [] {} {+}
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index	\index [] {++} \REGISTER [] {} {++} \index [] {} {+}
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura []
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] []
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura []
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] []
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {}
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters	\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent []</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \removeunwantedspaces \repeathead []</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} {} {} \removebottomthings \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature []</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {}</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relatemarking [] {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removetoks \from \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {}</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replacefeaticommalist \ {}</pre>
registro:instance:index registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removebottomtom \removesubstring \from \to \ \removetoks \from \ \removetoks \from \ \removedefeature [] \replacefeature []</pre>
registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceword rescan	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceword [] [] [] \replaceword [] [] \replaceword [] [] \replaceword [] [] \replaceword [] []</pre>
registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceincommalist replaceword rescan rescanwithsetup	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} \relateparameterhandlers {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceword [] [] [] \rescan {} \rescanwithsetup {} {} \rescanwithsetup {</pre>
registro:instance:ownnumber registro:instance:ownnumber:index regolare reimpostamarcatura relatemarking relateparameterhandlers relaxvalueifundefined remainingcharacters removebottomthings removedepth removefromcommalist removelastskip removelastspace removemarkedcontent removepunctuation removesubstring removetoks removeunwantedspaces repeathead replacefeature replacefeature:direct replaceword rescan	<pre>\index [] {++} \REGISTER [] {} {++} \index [] {} {++} \regolare \reimpostamarcatura [] \relatemarking [] [] \relateparameterhandlers {} {} {} {} \relateparameterhandlers {} {} {} \remainingcharacters \removebottomthings \removedepth \removefromcommalist {} \ \removelastskip \removelastspace \removemarkedcontent [] \removepunctuation \removesubstring \from \to \ \removeunwantedspaces \repeathead [] \replacefeature [] \replacefeature {} \replaceword [] [] [] \replaceword [] [] \replaceword [] [] \replaceword [] [] \replaceword [] []</pre>

resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	$\$ resetcharacteralign
resetcharacterkerning	$\$ resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection resetfeature	\resetdirection \resetfeature
resetflag	\resetteature \resetflag {}
resetfontcolorsheme	\resetting ()
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	$\verb \resetMPdrawing $
resetMPenvironment	$\r$ eset $ ext{MPenvironment}$
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile resetrecurselevel	\resetprofile \resetrecurselevel
resetreference	\resettectiselevel
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue resetvisualizers	\resetvalue {} \resetvisualizers
reshapebox	\reshapebox \{\daggerightarrow\reshapebox \{\daggerightarrow\reshapebox \}
resolvedglyphdirect	\resolvedglyphdirect \{\ldots\}\ \ldots\
resolvedglyphstyled	\resolvedglyphstyled \{\ldots\} \\\
restartcounter	\restartcounter [] [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox {}
reversehpack	\reversehpack {}
reversetpack	\reversetpack {}
reversevbox	\reversevbox {}
reverseyten	\reversevpack {}
reversevtop	\reversevtop {}

revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
	\rif [] []
	\riferimento [] {}
riferimentopagina	\riferimentopagina []
riferimentotesto	\riferimentotesto [] {}
riflessione	\riflessione {}
	\riga {}
riga	•
	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
9	
rightlabeltext:instance	\rightLABELtesto {}
rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
9	•
	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
-	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist \{\dots\} \\dots\
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \\
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtlhbox	\rtlhbox {}
rtlybox	\rtlvbox {}
	\rtlvtop {}
-	<del>-</del>
rtop	\rtop {}
•	\rtop {} \ruby [] {}
ruby	\ruby [] {}
ruby	\ruby [] {} \ruledhbox {}
ruby ruledhbox ruledhpack	\ruby [] {} \ruledhbox {} \ruledhpack {}
ruby ruledhbox ruledhpack ruledmbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {}
ruby ruledhbox ruledhpack ruledmbox	\ruby [] {} \ruledhbox {} \ruledhpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledtpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \runMPbuffer [] \runninghbox {} \ruota [=] {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [] {}
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToWholeBigPoints {} \ \Smallcapped {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \rundPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {}</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvfack {} \rundformal \frac{1} \rundformal \frac{1} \runninghbox {} \ruota [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \samplefile {} \samplefile {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvbox ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvpack {} \rundPbuffer [] \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {}</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvfack {} \rundformal \frac{1} \rundformal \frac{1} \runninghbox {} \ruota [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {}</pre>
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans	<pre>\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \rundpbuffer [] \runninghbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \samplefile {} \samplefile {} \rundprint \frac{1}{1}{1}{1}{1}{1}{1} \runtarrunt</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sans \sansgrassetto \sansnormal
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvtop {} \runningbox {} \runningbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif \savebox {} {} {} </pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \ruledvtop {} \runningbox {} \runningbox {} \runta [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif</pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtyack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox	<pre>\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledtopv {} \ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \runninghbox {} \ruota [=] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \sams \sansgrassetto \sansnormal \sansserif \savebox {} {} {} </pre>
ruby ruledhbox ruledhpack ruledtopv ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvbox {} \rundedvtop {} \rundfier [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer:list	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvtop {} \rundfier [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runinghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer:list	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvtop {} \rundfier [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runinghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \samplefile {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer [] \savebuffer []
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore savecounter savecurrentattributes	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvpack {} \rundedvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [=] \savebuffer [] [] \savecolore \restorecolore \savecounter [] \savecurrentattributes {}
ruby ruledhbox ruledhpack ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer savebuffer savecolore savecounter savecurrentattributes savenormalmeaning	\ruby [] {} {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundedvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \Smallcapped {} \safechar {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [=] \savebuffer [] [] \savecolore \restorecolore \savecounter [] \savecounter [] \savecormalmeaning \
ruby ruledhbox ruledhpack ruledmbox ruledtopv ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ruota ScaledPointsToBigPoints ScaledPointsToWholeBigPoints Smallcapped safechar samplefile sans sansgrassetto sansnormal sansserif savebox savebtxdataset savebuffer savebuffer:list savecolore savecounter savecurrentattributes	\ruby [] {} \ruledhbox {} \ruledhpack {} \ruledmbox {} \ruledtopv {} \ruledtopv {} \ruledvbox {} \ruledvbox {} \ruledvpack {} \rundpbuffer [] \runninghbox {} \runta [] {} \ScaledPointsToBigPoints {} \ \Smallcapped {} \safechar {} \samplefile {} \sans \sansgrassetto \sansnormal \sansserif \savebox {} {} {} \savebuffer [] [] [=] \savebuffer [] \savecolore \restorecolore \savecounter [] \savecurrentattributes {}

sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	$\SCRIPT$
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	ackslash thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondoffourarguments	\secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofsixarguments	\secondofsixarguments {} {} {} {} {}
secondofthreearguments	\secondofthreearguments $\{\ldots\}$ $\{\ldots\}$
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] {+} {}
seeregister:instance:index	\vediindex [] {+} {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocc $\Pi^{\text{PT}}$ [ $\Pi^{\text{TT}}$ [ $\Pi^{\text{TT}}$ [ $\Pi^{\text{PT}}$ ] $\Pi^{\text{OPT}}$
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail {} {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag setfont	\setflag {} \setfont
setiont setfontcolorsheme	\setfont \setfontcolorsheme []
setfontfeature	\setfontcolorsneme [] \setfontfeature {}
setfontsolution	\setfontsolution []

setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
setMPpositiongraphicrange	\setMPpositiongraphicrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
Secmanibodylone	·
setmainparbuilder	\setmainparbuilder []
-	
setmainparbuilder	\setmainparbuilder []
setmainparbuilder setmarker	\setmainparbuilder [] \setmarker []
setmainparbuilder setmarker setmarking	\setmainparbuilder [] \setmarker [] [] \setmarking [] {}
setmainparbuilder setmarker setmarking setmathstyle	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmeode {} \setmode {} \setnote [] [] {}</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote	<pre>\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmostrut</pre>
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoteriut \setnote [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnoter [] [] {} \setnotetext [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setoldstyle
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotet [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setobject {} {} \ {} \setoldstyle \setpagereference {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotet [] [] {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetrut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] {} \setpagereference {} {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setpercentdimen {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperiodkerning [] \setposition {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpagetatore [] {} \setpagetatore {} {} \setpagestatore alpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositionbox setpositiondata	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositionbox {} \ {} \setpositiondata {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondataplus	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetut \setnote [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpageraference {} {} \setpageraference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositiondata {} {} {} {} \setpositiondataplus {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositiononly {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiononly setpositionplus	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagetato [] {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setposition {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionplus {} {} {} \setpositionplus {} {} {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotoe:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionplus setpositionstrut	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpagereference {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setposition {} \setpositionbox {} \ {} {} \setpositiondataplus {} {} {} {} \setpositionplus {} {} {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setote:assignment setobject setoldstyle setpagereference setpagestate setpagestate setpercentdimen setperiodkerning setposition setpositiondata setpositiononly setpositionstrut setpositionstrut setprofile	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetrut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setpode to [] {} \setplact {} {} {} \setplact setpagereference {} {} \setpagestate [] [] \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setposition {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setperiodkerning setposition setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setprofile setrandomseed	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetmathstyle {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpodistly {} {} {} \setpagestate [] [] \setpagestate [] [] \setpagestatereal pageno {} {} \setpercent dimen {} {} \setperiod kerning [] \setposition box {} {} {} \setposition data plus {} {} {} \setposition setposition plus {} {} {} \setposition strut {} \setposition setposition strut {} \setposition set profile []
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionolly setpositionstrut setprofile setrandomseed setreference	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setnotetxt \setnotetext [] [] {} \setnotetext [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setnote [] [] \setpode t {} {} \ {} \setpagestale [] [] \setpagestate [] [] \setpagestate ealpageno {} {} \setperiodkerning [] \setposition t {} \setposition t {} {} {} {} \setposition t {} \setposition t {} {} {} {} {} {} {} {} \setposition t {} {} {} {} {} {} {} {} {} \setposition t {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnotetext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionally setpositionstrut setpofile setrandomseed setreferencedobject	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmotetut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperciodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreferencedobject {} {} \ {}
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setnote:assignment setobject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositiondata setpositionoly setpositionstrut setprofile setrandomseed setreference setregisterentry	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmotetut \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setobject {} {} \ \setobject {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpenalties \ {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setreference [] [=] \setreferencedobject {} {} \ {} \setreferencedobject {} {} \ {} \setregisterentry [] [=]
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setpofile setrandomseed setreference setregisterentry setreplacement	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreficionerence [] [] \setreficionerencencencencencencencencencencencencence
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setotject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setposition setpositiondata setpositionally setpositionolly setpositionstrut setpofile setardomseed setreference setregisterentry setreplacement setrigidcolumnbalance	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetut [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setpercentdimen {} {} \setperciodkerning [] \setposition data {} {} {} {} \setpositiondata {} {} {} {} \setposition plus {} {} {} \setposition plus {} {} {} \setposition fill [] \setreference [] [] \setreference [] [] \setreference [] [] \setreficit column balance
setmainparbuilder setmarker setmarking setmathstyle setmeasure setmessagetext setmode setnostrut setnote setnotetext setnoteext:assignment setoject setoldstyle setpagereference setpagestate setpagestaterealpageno setpenalties setpercentdimen setpositionbox setpositiondata setpositionaly setpositionplus setpositionstrut setpofile setrandomseed setreference setregisterentry setreplacement	\setmainparbuilder [] \setmarker [] [] \setmarking [] {} \setmathstyle {} \setmeasure {} {} \setmessagetext {} {} \setmode {} \setmode {} \setnotetext [] [] {} \setnotetext [] [] \setnotetext [] [] \setnote [] [] \setnote [] [] \setobject {} {} \ {} \setpagereference {} {} \setpagestate [] [] \setpagestaterealpageno {} {} \setperiodkerning [] \setposition {} \setpositiondata {} {} {} {} \setpositiondata {} {} {} \setpositiononly {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionstrut {} \setpositionerence [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreference [] [] \setreficionerence [] [] \setreficionerencencencencencencencencencencencencence

setsecondpasscharacteralign	\setsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnshsize	\setsimplecolumnshsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
settext	\settext [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} {} \ {}
settokenlist	\settokenlist [] {}
	\settrialtypesetting
settrialtypesetting	·- •
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	
	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] []
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]

setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative setuphelp	\setupheadalternative [] [=] \setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller setuplinefillers	\setuplinefiller [] [=] \setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:argument setuplocalinterlinespace:name	\setuplocalinterlinespace [] \setuplocalinterlinespace []
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=]
setuplocalinterlinespace:argument setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage	<pre>\setuplocalinterlinespace [] \setuplowalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPinstance	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPprage setupMPpage setupMPvariables	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpinstance setupMPpage setupMPpage setupmPvariables setupmarginblock setupmarginframed	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPprase setupMPpage setupMPpage setupMPpage setupmarginblock setupmarginframed setupmarginrule	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathalignment	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPjinstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathematics [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupDeprint setupMPgraphics setupMPjnstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfence	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupDeprivation setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfraction	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMrvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupDeprint setupMPgraphics setupMPjnstance setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfence	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfence [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupDeprivation setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMrvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setupDeprivations setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathfractions	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathcases setupmathematics setupmathfraction setupmathfractions setupmathmatrix	<pre>\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=]</pre>
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathradical setupmathradical setupmathradical setupmathradical	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathcases [] [=] \setupmathfence [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathradical [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathradical setupmathstackers setupmathstackers	\setuplocalinterlinespace [] \setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [] [=] \setupMPinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathmatrix setupmathradical setupmathstackers setupmathstyle setupmathstolumns	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathcases [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathfradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmixedcolumns [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathframed setupmathractions setupmathmatrix setupmathradical setupmathstackers setupmathstyle setupmixedcolumns setupmodule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathcases [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupmodule [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathramed setupmathramed setupmathramed setupmathstackers setupmathstyle setupmathstolumns setupmathstyle setupmodule setupmodule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [] \setupMPgraphics [] \setupMPpage [] \setupMPpage [] \setupMPvariables [] [] \setupmarginblock [] [] \setupmarginframed [] [] \setupmarginframed [] [] \setupmarginrule [] [] \setupmathalignment [] [] \setupmatheases [] [] \setupmathfraction [] [] \setupmathfraction [] [] \setupmathframed [] [] \setupmathframed [] [] \setupmathframed [] [] \setupmathradical [] [] \setupmathstackers [] [] \setupmathstyle [] \setupmodule [] []
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathramed setupmathramed setupmathramed setupmathstackers setupmathradical setupmathstyle setupmathston setupmodule setupnotations setupmodule setupnotations	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=]
setuplocalinterlinespace:argument setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathramed setupmathramed setupmathramed setupmathstackers setupmathstyle setupmathstolumns setupmathstyle setupmodule setupmodule	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [] \setupMPpage [] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotations [] [=]
setuplocalinterlinespace:argument setuplow setuplow setuplowhigh setupMPgraphics setupMPpage setupMPpage setupmPvariables setupmarginblock setupmarginframed setupmarginrule setupmathalignment setupmathematics setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmathstion setupmodule setupmodule setupnotations setupnotations setupmodule setupnotations setupnotations setupnotations	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPpinstance [] [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=] \setupnotation [] [=]
setuplocalinterlinespace:argument setuplow setuplowigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmargindata setupmarginramed setupmarginrule setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathradical setupmathstackers setupmathstyle setupmodule setupnotes	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [] \setupMPpage [] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmargindata [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfraction [] [=] \setupmathframed [] [=] \setupmathradical [] [=] \setupmathradical [] [=] \setupmathstyle [] \setupmodule [] [=] \setupmodule [] [=] \setupnotations [] [=] \setupnote [] [=] \setupnote [] [=]
setuplocalinterlinespace:name setuplow setuplowhigh setuplowmidhigh setupMPgraphics setupMPpage setupMPpage setupMPvariables setupmarginblock setupmarginframed setupmarginframed setupmathalignment setupmathcases setupmathfraction setupmathfractions setupmathradical setupmathradical setupmathstyle setupmathstyle setupmodule setupnotes setupnotes setupnotes setupnotes setupnotes	\setuplocalinterlinespace [] \setuplow [] [=] \setuplowhigh [] [=] \setuplowmidhigh [] [=] \setupMPgraphics [=] \setupMPgraphics [] [=] \setupMPpage [=] \setupMPpage [=] \setupMPvariables [] [=] \setupmarginblock [] [=] \setupmarginframed [] [=] \setupmarginrule [] [=] \setupmathalignment [] [=] \setupmathematics [] [=] \setupmathematics [] [=] \setupmathfraction [] [=] \setupmathfractions [] [=] \setupmathframed [] [=] \setupmathmatrix [] [=] \setupmathstackers [] [=] \setupmathstackers [] [=] \setupmathstyle [] \setupmodule [] [=] \setupnotation [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotations [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=] \setupnotes [] [=]

setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] []
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
-	\setupsymbols [=]
	(Secupsymbols []
setupsymbols	\acturarrator [ - ]
setupsynctex	\setupsynctex [=]
setupsynctex setups:direct	\setups {}
setupsynctex setups:direct setupTABLE	\setups {} \setupTABLE [] [=]
setupsynctex setups:direct setupTABLE setupTEXpage	\setups {} \setupTABLE [] [=] \setupTEXpage [=]
setupsynctex setups:direct setupTABLE	\setups {} \setupTABLE [] [=]
setupsynctex setups:direct setupTABLE setupTEXpage	\setups {} \setupTABLE [] [=] \setupTEXpage [=]
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation	\setupTABLE [] [=] \setupTEXpage [=] \setuptabulation [] [=]
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging	\setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptagging [] \setuptextbackground [] []
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground	\setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] []
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote	\setups {} \setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] []
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip	<pre>\setups {} \setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit	<pre>\setupS {} \setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setupunit [] []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=]</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative	<pre>\setups {} \setupTABLE [] [] []. \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setupunit [] [] \setupuserdata [] [] \setupuserdatalternative [] []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber	<pre>\setups {} \setupTABLE [] [] []. \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setupunit [] [] \setupuserdata [] [] \setupuserdatalternative [] [] \setupuserpagenumber []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdataalternative [] [=] \setupuserpagenumber [=] \setupversion []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber	<pre>\setups {} \setupTABLE [] [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setupunit [] [] \setupuserdata [] [] \setupuserdatalternative [] [] \setupuserpagenumber []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdataalternative [] [=] \setupuserpagenumber [=] \setupversion []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer	<pre>\setupS {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupvspacing []</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewerlayer [] \setupviewerlayer [</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewithargument {} {} \setupwithargumentswapped {} {}</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewithargument {} {} \setupwithargumentswapped {} {} \setupxml [=]</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxtable	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewithargument {} {} \setupvithargumentswapped {} {} \setupxtable [] [=]</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxtable setuvalue	<pre>\setups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdataalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [] \setupvithargument {} {} \setupxml [=] \setupxtable [] [=] \setupxtable [] [=] \setupxtable [] [=]</pre>
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxable setuvalue setuxvalue	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [] \setupvithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setuvalue {} {}
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxtable setuvalue setvalue	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [] \setupvithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setuvalue {} {} \setuvalue {} {}
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxable setuvalue setuxvalue	\setupTABLE [] [] [] \setupTABLE [] [] \setupTEXpage [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setuptooltip [] [] \setupunit [] [] \setupunit [] [] \setupuserdatalternative [] [] \setupuserpagenumber [] \setupuserpagenumber [] \setupviewerlayer [] \setupviewerlayer [] \setupviewerlayer [] \setupvithargument {} {} \setupxtable [] [] \setupxtable [] [] \setupxtable [] [] \setuvalue {} {} \setuvalue {} {} \setuvalue {} {} \setuvalue {} {} \setupxtable [] [] \setupxtable {} {} \setupx
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxtable setuvalue setvalue	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupversion [] \setupviewerlayer [=] \setupviewerlayer [] \setupvithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setuvalue {} {} \setuvalue {} {}
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdataalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxable setuvalue setvalue setvalue setvariable	\setupTABLE [] [] [] \setupTABLE [] [] \setupTEXpage [] \setuptabulation [] [] \setuptagging [] \setuptextbackground [] [] \setuptextflow [] [] \setuptextnote [] [] \setuptooltip [] [] \setuptooltip [] [] \setupunit [] [] \setupunit [] [] \setupuserdata [] [] \setupuserdatalternative [] [] \setupuserpagenumber [] \setupversion [] \setupviewerlayer [] \setupviewerlayer [] \setupvithargument {} {} \setupxtable [] [] \setupxtable [] [] \setupxtable [] [] \setuvalue {} {}
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdatalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxable setuvalue setuxvalue setvariable setvariables	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewerlayer [] \setupviewpithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setvariable {} {}
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdatalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargument setupxable setuvalue setuxvalue setvariable setvariables setvboxregister setvisualizerfont	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewerlayer [] \setupviewithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setvariable {} {} \setvariables [] [=] \setvboxregister {} \setvboxregister {} \setvisualizerfont []
setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextbackground setuptextflow setuptextnote setuptooltip setupunit setupuserdata setupuserdatalternative setupuserpagenumber setupversion setupviewerlayer setupvspacing setupwithargument setupwithargumentswapped setupxml setupxtable setuvalue setvalue setvariable setvariables setvboxregister	\setupTABLE [] [] [=] \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=] \setuptextbackground [] [=] \setuptextflow [] [=] \setuptextnote [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupuserdata [] [=] \setupuserdatalternative [] [=] \setupuserpagenumber [=] \setupviewerlayer [=] \setupviewerlayer [=] \setupviewpithargument {} {} \setupxtable [] [=] \setupxtable [] [=] \setuvalue {} {} \setvariable {} {} \setvariable {} {} \setvariables [] [=] \setvariables [] [=] \setvboxregister {}

setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition $\{\ldots\}$ $\{\ldots\}$
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo []
simbolo:direct	\simbolo {}

simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace {} {} {} {} []
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitateolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitateonma	
splitdfrac	\splitatperiod \ \splitdfrac {} {}
splitfilename	\splitfilename {}
-	\splitfrac {}
splitfrac splitoffbase	
-	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
stackscripts	\stackscripts
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] {++} \stopregister [
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [=] [=] \stopstruct
stirato	\stirato [ = ] {}

stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	
•	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbolreference	\symbolreference []
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	· · ·
	\synctexresetfilename
synctexsetfilename	· · ·
-	\synctexresetfilename
synctexsetfilename	\synctexresetfilename \synctexsetfilename \{\ldots\} \SYNONYM [\ldots\] \{\ldots\} \abbreviation [\ldots\] \{\ldots\}
synctexsetfilename synonym:instance	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {}
synctexsetfilename synonym:instance synonym:instance:abbreviation	\synctexresetfilename \synctexsetfilename \{\ldots\} \SYNONYM [\ldots\] \{\ldots\} \abbreviation [\ldots\] \{\ldots\}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \systemsetups {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \systemsetups {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \systemsetups {} \TABLE \Table
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE TEX	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} \systemlog {} {} \systemlogfirst {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE TEX TeX	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \rankle \TABLE \TEX \TEX
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE TEX TeX TheNormalizedFontSize	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \systemsetups {} \TABLE \TABLE \TEX \TeX \TheNormalizedFontSize
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE TEX TeX TheNormalizedFontSize TransparencyHack	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} {} \systemsetups {} \TABLE \Table \TEX \TeX \TheNormalizedFontSize \TransparencyHack
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBlE TEX TeX TheNormalizedFontSize TransparencyHack tabulateautoline	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TaBLE TEX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateautorule	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline \tabulateautorule
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TaBLE TEX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateline	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautorule \tabulateline
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TaBLE TEX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateline tabulaterule	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline \tabulateautorule \tabulateline \tabulaterule \taggedctxcommand {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TaBLE TEX TeX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateautorule tabulateline tabulaterule taggedctxcommand	\synctexresetfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline \tabulateline \tabulateline \tabulaterule
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TEX TeX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateautorule tabulateline tabulaterule taggedctxcommand taggedlabeltexts tbox	\synctexestfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline \tabulateautorule \tabulateline \tabulaterule \taggedctxcommand {} \taggedlabeltexts {} {} {}
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TEX TeX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateautorule tabulateline tabulaterule taggedctxcommand taggedlabeltexts tbox terminariga	\synctexestfilename \\synctexsetfilename \\\} \\SYNONYM [\dots] \\\} \\\} \\\systemlog \\\} \\\} \\\systemlogfirst \\\} \\\} \\\\systemloglast \\\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\
synctexsetfilename synonym:instance synonym:instance:abbreviation systemlog systemlogfirst systemloglast systemsetups TABLE TaBLE TEX TeX TeX TheNormalizedFontSize TransparencyHack tabulateautoline tabulateautorule tabulateline tabulaterule taggedctxcommand taggedlabeltexts tbox	\synctexestfilename \synctexsetfilename {} \SYNONYM [] {} {} \abbreviation [] {} {} \systemlog {} {} {} \systemlogfirst {} {} {} \systemloglast {} {} \systemsetups {} \TABLE \TABLE \TEX \TEX \TeX \TheNormalizedFontSize \TransparencyHack \tabulateautoline \tabulateautorule \tabulateline \tabulaterule \taggedctxcommand {} \taggedlabeltexts {} {} {}

testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	$\FRAMEDTEXT [=] {}$
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnote	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments \{\} \{\} \{\} \{\}
thirdoffourarguments	\thirdoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
thirdofsixarguments	\thirdofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdofthreearguments	\thirdofthreearguments \{\ldots\} \{\ldots\}
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip	\tooltip [=] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}

traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ultimasottopagina	\ultimasottopagina
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ \{\}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
unstackscripts	\unstackscripts
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
uppercasestring upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	
	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [] [=]
usacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts usamodulo	\usaJSscripts [] [] \usamodulo [
usamodu 10	Ausamogu (O I a a I I a a I I = I

\usasimboli [] \usaURL [] [] []		
\usaUKL [] [		
\usaurl [] [] []		
\usealignparameter \		
\useblankparameter \		
\usebodyfont []		
\usebodyfontparameter \		
\usebtxdataset [] [] [=]		
\usebtxdefinitions []		
\usecitation []		
\usecitation {}		
\usecolors []		
\usecomponent []		
\usedummycolorparameter {}		
\usedummystyleandcolor {} {}		
\usedummystyleparameter {}		
\useenvironment []		
\useexternalrendering [] [] []		
\usefigurebase []		
\usefile [] []		
\usegridparameter \		
\useindentingparameter \		
\useindentnextparameter \		
\useinterlinespaceparameter \		
\uselanguageparameter \		
\useluamodule []		
\useMPenvironmentbuffer []		
\useMPgraphic {} {=}		
\useMPlibrary []		
\useMPrun {} {}		
\useMPvariables [] []		
\usemathstyleparameter \		
\useproduct []		
\useprofileparameter \		
\useproject []		
\usereferenceparameter \		
\userpagenumber		
\usesetupsparameter \		
\usestaticMPfigure [=] []		
\usesubpath []		
\usetexmodule [] [=]		
\usetypescript [] []		
\usetypescriptfile []		
\usezipfile [] []		
\utfchar {}		
\utflower {}		
\utfupper {}		
\utilityregisterlength		
\VerboseNumber {}		
\vaia {} []		
\vaiabox {} []		
\vaiapagina {} []		
\vaigiu []		
\valorecolore {}		
\vboxreference [] {}		
\vec {}		
\verbatim {}		
\verbatimstring {}		
\verbosenumber {}		
\versione []		
\verticalgrowingbar [=]		
\verticalgrowingbar [=]		
\veryraggedcenter		
\veryraggedleft		
\veryraggedieit \veryraggedright		
\vglue		
\viewerlayer [] {}		
\v1 []		
\vpackbox		
\vpackedbox		
\vphantom {}		

vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	$\xrack$ xmlapplyselectors $\{\}$
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
xmlbeforesetup	\xmlbeforesetup {} {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \ \{\}$
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange {} {} {} {} {}
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectives	\xmldirectives ()
xmldirectivesdatel	
YMITGILECCIVESDEIOLE	\wmldiroctivochoforo J
wmldianlawwarha+im	\xmldirectivesbefore {}
xmldisplayverbatim	$\xspace$
xmldoif	\xmldisplayverbatim {} \xmldoif {} {}
xmldoif xmldoifatt	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {}
xmldoif xmldoifatt xmldoifelse	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {}
xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty	\xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetxt {} {} {} \xmldoifelsetxt {} {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfolfolfolfolfolfolfolfolfolfolfolfolf
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnotselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifnotselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifnottext xmldoifselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifnottext {} {} \xmldoifnottext {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {} \xmldoifselfempty {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnott {} {} {} \xmldoifnottett {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftert {} {} \xmldoiftert {} {} \xmldoiftert {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfoltett {} {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifiltext {} {} \xmldoifiltext {} {} \xmldoifiltext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflush {} \xmlflush {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfirst {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush xmlflushcontext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflush {} \xmlflush {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseampty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfirst xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilushcontext {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xmlflushpure {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushspacewise</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflushcontext {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushspacewise {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushspacewise xmlflushtext</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifset {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushtext {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnottext xmldoifnottext xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure xmlflushpure xmlflushtext xmlinclude</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfelsevalue {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflushdocumentsetups {} {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushtext {}
<pre>xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoiftext xmlelement xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushtext xmlinclude xmlinclude</pre>	\xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfelsevalue {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifsetx {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xmlflushpure {} \xmlflushtext {} \xmlflushinclude {} {} {} \xmlflushinclude {} {} \xmlinclude {} {}

xmlinjector	\xmlinjector {}		
xmlinlineprettyprint	\xmlinlineprettyprint \{\ldots\} \{\ldots\}		
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}		
xmlinlineverbatim	\xmlinlineverbatim {}		
xmlinstalldirective	\xmlinstalldirective \{\ldots\} \{\ldots\}		
xmllast	\xmllast {} {}		
xmllastatt	\xmllastatt		
xmllastmatch	\xmllastmatch		
xmllastpar	\xmllastpar		
xmlloadbuffer	\xmlloadbuffer {} {} {}		
xmlloaddata	\xmlloaddata {} {} {}		
xmlloaddirectives	\xmlloaddirectives {}		
xmlloadfile	\xmlloadfile {} {} {}		
xmlloadonly	\xmlloadonly {} {} {}		
xmlmain	\xmlmain {}		
xmlmapvalue	\xmlmapvalue {} {}		
xmlname	\xmlname {}		
xmlnamespace	\xmlnamespace {}		
xmlnonspace	\xmlnonspace \{\ldots\}		
•	\xmlpar {} {}		
xmlpar			
xmlparam	\xmlparam {} {} {}		
xmlpath	\xmlpath {}		
xmlpos	\xmlpos {}		
xmlposition	\xmlposition {} {} {}		
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}		
xmlprependsetup	\xmlprependsetup {}		
xmlprettyprint	\xmlprettyprint \{\ldots\}		
xmlprettyprinttext	\xmlprettyprinttext {} {}		
xmlprocessbuffer	\xmlprocessbuffer {} {} {}		
xmlprocessdata	$\mbox{xmlprocessdata } \{\} \{\}$		
xmlprocessfile	$\mbox{xmlprocessfile } \{\} \ \{\}$		
xmlpure	\xmlpure {} {}		
xmlraw	\xmlraw {}		
xmlrefatt	\xmlrefatt {} {}		
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}		
xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	\xmlremapname {} {} {}		
xmlremapnamespace	\xmlremapnamespace {} {} {}		
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}		
xmlremovesetup	\xmlremovesetup {}		
xmlresetdocumentsetups	\xmlresetdocumentsetups {}		
xmlresetinjectors	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
xmlsave	\xmlsave {} {}		
xmlsetatt	\xmlsave \(\cdot\) \(\cdot\) \(\cdot\)		
xmlsetattribute	\xmlsetatt () () () \xmlsetattribute () () ()		
xmlsetentity	\xmlsetattiibute \(\(\cdot\) \(\cdot\) \(\cdot\)		
•			
xmlsetfunction	\xmlsetfunction {} {} {}		
xmlsetinjectors	\xmlsetinjectors []		
xmlsetpar	\xmlsetpar {} {}		
xmlsetparam	\xmlsetparam {} {} {} {}		
xmlsetsetup	\xmlsetsetup {} {} {}		
xmlsetup	\xmlsetup {} {}		
xmlshow	\xmlshow {}		
xmlsnippet	\xmlsnippet {} {}		
xmlstrip	\xmlstrip {} {}		
xmlstripnolines	$\xim xmlstripnolines {} {}$		
xmlstripped	$\mbox{xmlstripped } \{\}$		
xmlstrippednolines	\xmlstrippednolines {} {}		
	(		
xmltag	\xmltag {}		
xmltag xmltexentity	= =		
<u> </u>	\xmltag {}		
xmltexentity	\xmltag {} \xmltexentity {} {}		
xmltexentity xmltext	<pre>\xmltag {} \xmltexentity {} {} \xmltext {} {}</pre>		
<pre>xmltexentity xmltext xmltobuffer</pre>	\xmltag \{\} \xmltexentity \{\} \xmltext \{\} \xmltobuffer \{\} \{\}		
xmltexentity xmltext xmltobuffer xmltobufferverbose	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {}		
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {}		
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}		
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim xsplitstring</pre>	<pre>\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {} \xmlverbatim {} \xsplitstring \ {}</pre>		
<pre>xmltexentity xmltext xmltobuffer xmltobufferverbose xmltofile xmlvalue xmlverbatim</pre>	\xmltag {} \xmltexentity {} {} \xmltext {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}		

