## ConTeXt

přikazy

CS

## ConTEXt přikazy

cs / český 19. února 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
	\adaptcollector [] [=]
adaptcollector	
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
aktualnicislonadpisu	\aktualnicislonadpisu
aktualnidatum	\aktualnidatum []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
<u> </u>	
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=]
ampersand	\ampersand
anchor	\anchor [] [=] {}
	\antikva
antikva	••
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytocharacters	\applytocharacters \ \{\}
11 0	·
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ {}
applytowords	\applytowords \ {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension \{\ldots\} \ldots\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
	_
assigndimen	\assigndimen \ \{\}
assigndimension	\assigndimension \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue $\{\}$ \ $\{\}$ $\{\}$
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
ααυσσαρ	γααυσσαρ []

autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barevnalista	\barevnalista []
barva	\barva [] {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
	\overstrikes \{\dots\}
bar:instance:overstrikes	
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endbbox
<u> </u>	
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bezserifu	\bezserifu
bigbodyfont	\bigbodyfont
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
<u> </u>	
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
~ _ · · · · · · · · · · · · · · · · · ·	/

bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ \ \{\}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {}
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {} {}
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked {} {} {} {}
btxdoifelseuservariable	\btxdoifelseuservariable {} {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {} {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor []
<b>▲</b>	•

btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation btxtextcitation:alternative	\btxtextcitation [=] []
btxtextcitation:asternative btxtextcitation:userdata	\btxtextcitation [] [] \btxtextcitation [=] [=]
bublinkovanapoveda:instance	\TOOLTIP [=] {} {}
bublinkovanapoveda:instance:argument	\TOOLTIP [] {}
bublinkovanapoveda:instance:argument:tooltip	\tooltip [] {}
bublinkovanapoveda:instance:tooltip	\tooltip [=] {} {}
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma buildtextbottomdot	\buildtextbottomcomma {} \buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Caps	\Caps {}
Cisla	\Cisla {}
CONTEXT	\CONTEXT
ConTeXt Context	\ConTeXt \Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ {} {}
camel	\camel {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox centeredbox	\centerbox {} \centeredbox {}
centeredlastline	\centeredDox \(\)
centerednextbox	\centerednextbox {}
centerline	\centerline {}
cernalinka	\cernalinka [=]
cernelinky	\cernelinky [=]
cfrac	\cfrac [] {} {}
cisla	\cisla {} \cislonadpisu [] []
cislonadpisu cislorovnice	\cislonaupisu [] \cislorovnice []
cislostrany	\cislostrany
citation	\citation [=] []
citation:alternative	\citation []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite:	\cite [=] [] \cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext cldloadfile	<pre>\cldcontext {} \cldloadfile {}</pre>
cldprocessfile	\cldprocessfile {}
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colorcomponents	\colorcomponents {}
colored	\colored [=] {}
<pre>colored:name coloronly</pre>	\colored [] {} \coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
comparedimension	\comparedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
comparedimensioneps completebtxrendering	\comparedimensioneps \{\ldots\} \\completebtxrendering \[\ldots\] \[\ldots=\ldots\]
completeotxrendering completecombinedlist:instance	\uplayCOMBINEDLIST [=]
completecombinedlist:instance:content	\uplnycontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]

completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\uplnyREGISTER [=]
completeregister:instance:index	\uplnyindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\}
convertedsubcounter	\convertedsubcounter [] [] []
convertualue	\convertmonth {} \convertvalue \to \
convertvalue convertvboxtohbox	\convertvatue \to \
	• • • • • • • • • • • • • • • • • • • •
<pre>copyboxfromcache copylabeltext:instance</pre>	\copyLABELtext [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltext [] [=]
copylabeltext:instance:head	\copyheadtext [] [=]
copylabeltext:instance:head copylabeltext:instance:label	\copylabeltext [] [=]
copylabeltext:instance:mathlabel	\copynathlabeltext [] [=]
copylabeltext:instance:operator	\copyoperatortext [] [=]
copylabeltext:instance:prefix	\copyprefixtext [] [=]
copylabeltext:instance:suffix	\copysuffixtext [] [=]
copylabeltext:instance:taglabel	\copytaglabeltext [] [=]
copylabeltext:instance:unit	\copyunittext [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}

currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	$\c \c \$
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentPOPISEK [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol \currentmainlanguage
currentmainlanguage currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
dalsipodstranka	\dalsipodstranka
datasetvariable	\datasetvariable $\{\ldots\}$ $\{\ldots\}$
datum	\datum [=] []
dayoftheweek	$\displaystyle \texttt{\day} \$
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementedcounter [] \decrementpagenumber
decrementpagenumber decrementsubpagenumber	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber
decrementpagenumber decrementsubpagenumber decrementvalue	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {}
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ {}
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference	\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrementvalue {} \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedvalue \ \{}</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedvalue \ \{} \defineactivecharacter \{}</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter definealternativestyle	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedcommand \ \ \defconvertedvalue \ \{} \defineactivecharacter \{} \definealternativestyle [] [] [] \defineattachment [] [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \{} \defconvertedargument \ \{} \defconvertedcommand \ \(\) \defineactivecharacter \(\) \definealternativestyle [] [] \defineattachment [] [] [] \defineattribute [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineattachment defineattribute definebackground	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \{} \defconvertedcommand \ \ \defconvertedvalue \ \{} \defineactivecharacter \{} \definealternativestyle [] [] [] \defineattachment [] [] [] \defineattribute [] [] \defineatckground [] [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedcommand defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \{} \defconvertedcommand \ \ \deficineactivecharacter \{} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebodyfontswitch	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [=] \definebackground [] [] [=] \definebackground [] [] [=]</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebodyfontswitch definebreakpoint	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \\ \deficineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [=] \defineattribute [] [] [=] \definebackground [] [] [=] \definebodyfontswitch [] [] \definebreakpoint [] [] [=]</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtx	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \\ \defineactivecharacter \{\} \definealternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] []</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxdataset	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineattivecharacter \{\} \defineatternativestyle [] [] [] \defineattribute [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxdataset [] [] [] \definebtxdataset [] [] [] \definebtx [] [] [] \definebtxdataset [] [] [] \definedtyperiods \definedtyper</pre>
decrementpagenumber decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxdataset definebtxregister	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedvalue \ \{\} \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] []</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxregister definebtxrendering	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \\ \defconvertedcommand \ \\ \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebreakpoints [] \definebtxcatacter \{\} \definebtxregister [] [] [] \definebtxregister [] [] \definebtxrendering [] [] \definebtxrendering [] [] \definebtxcatacter] [] \definebtxrendering [] [] [] \definedetxrendering [] [] []</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtx definebtxregister definebtxrendering definebutton	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \{\} \defconvertedcommand \ \ \defconvertedcommand \ \{\} \defineattivecharacter \{\} \defineattivecharacter \{\} \defineattachment [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebackground [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] \definebutton [] [] []</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebtxadataset definebtxrendering definebutton definebutton definecapitals	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ \defconvertedcommand \ \ \defconvertedvalue \ \ \defineactivecharacter \ \definealternativestyle [] [] [] \defineattribute [] [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] \definebtxregister [] [] \definebtxregister [] [] [] \definebutton [] [] [] \definedefinecapitals [] [] [] \definedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinedefinede</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxxedinebutton definebutton definecapitals definecollector	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \ \defconvertedcommand \ \ \defineactivecharacter \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtxadtaset [] [] \definebtxregister [] [] \definebtxregister [] [] \definebutton [] [] [] \definebutton [] [] [] \definebutton [] [] [] \definecollector [] [] [] \definetatactor [] [] [] \definecollector [] [] [] \definetatactor [] [] [] \definetatactor [] [] [] \definetatact</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoint definebtxxedinebtxredinebtxredinebtxredined definebtxredined definebtxredined definebtxredined definebtxredined definebtxredined definebutton definecolumnbreak	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defcatcodecommand \ \ \defconvertedargument \ \ \defconvertedcommand \ \ \defineactivecharacter \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] [] \definebodyfontswitch [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxregister [] [] \definebtxregister [] [] \definebutton [] [] [] \definebutton [] [] [] \definecollector [] [] [] \definetype \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\t</pre>
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxxedinebutton definebutton definecapitals definecollector	\decrementedcounter []   \decrementpagenumber   \decrementsubpagenumber   \decrement cd:parentheses-s   \defaultinterface   \defaultobjectpage   \defaultobjectpage   \defaultobjectreference   \defconvertedargument \ \
decrementsubpagenumber decrementvalue decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineattribute defineattribute definebarkground definebar definebreakpoints definebtxvataset definebtxvester definebtxvester definebtxvester definebtxvester definebtxont definebtxont definebreakpoints definebtxont definebtxregister definebutton definecapitals definecollector definecomment	\decrementedcounter []   \decrementpagenumber   \decrementsubpagenumber   \decrement cd:parentheses-s   \defaultinterface   \defaultobjectpage   \defaultobjectpage   \defaultobjectreference   \defconvertedargument \ \
decrementsubpagenumber decrementsubpagenumber decrement:argument defaultinterface defaultobjectpage defaultobjectreference defcatcodecommand defconvertedargument defconvertedvalue defineactivecharacter definealternativestyle defineanchor defineattribute definebackground definebar definebreakpoint definebreakpoints definebtxregister definebutton definecollector definecollector definecollector definecollector definecollector	<pre>\decrementedcounter [] \decrementpagenumber \decrementsubpagenumber \decrement cd:parentheses-s \defaultinterface \defaultobjectpage \defaultobjectreference \defconvertedargument \ \ \defconverteddraument \\ \defconvertedvalue \ \ \defineattribute [] [] [] \defineattribute [] [] \definebackground [] [] \definebackground [] [] \definebreakpoints [] \definebtxregister [] [] \definebtxregister [] [] \definebtxrendering [] [] \definebutton [] [] \definecolumnbreak [] [] [] [] \definecolumnbreak [] [] [</pre>

definecomplexorsimpleempty:argument	\definecomplexorsimpleempty \{\ldots\}
definecomplexorsimple:argument	\definecomplexorsimple \{\ldots\}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] []
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant \{\ldots\} \\.\}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] []
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] [=]
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] []
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement \{\ldots\} \{\ldots\}
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \{\ldots\}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]

definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [=]
definemathcases	\definemathcases [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] []
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunder [] [] \definemathunderextensible [] [] []
definemathundertextensible	\definemathundertextextensible [] [] \.
definemathunstacked	\definemathunstacked [] [] []
definemeasure	\definemathunstacked [] [] \definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=] \definemode [] []
definemode	
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagegrid	\definepagegrid [] [=]
definepagegridarea	\definepagegridarea [] [=]
definepagegridspan	\definepagegridspan [] [=]
definepagechecker	\definepagechecker [] [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel []
defineparbuilder	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] [] []
<b>4</b> ** * * * * * * * * * * * * * * * * *	\defineshift [ ] [ = ]

definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [] []
definestyleinstance definesubformula	\definestyleinstance [] [] [] \definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [] []
definetextbackground definetextflow	\definetextbackground [] [] [=] \definetextflow [] [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency []
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=.]
definetypeface definetypescriptprefix	\definetypeface [] [] [] [] [] \definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing [] []
definevspacingamount definextable	\definevspacingamount [] [] \definextable [] [=]
definuj	\definuj [] \ {}
definujakcent	\definujakcent
definujbarvu	\definujbarvu [] [=]
definujbarvu:name	\definujbarvu []
definujblok	\definujblok [] [=]
definujbloksekce	\definujbloksekce [] [] []
definujbuffer definujfont	\definujbuffer [] [] [=] \definujfont [] [] [=]
definujfont: definujfont:argument	\definujfont [] [] \definujfont [] []
definujformatodkazu	\definujformatodkazu [] [=]
definujhbox	\definujhbox [] []
definujinterakcnimenu	\definujinterakcnimenu [] [] [=]
definujkombinovanyseznam	\definujkombinovanyseznam [] [] [=]
definujkonverzi	\definujkonverzi [] []
definujkonverzi:list definujnadpis	\definujkonverzi [] [] \definujnadpis [] [] [=]
definujobrazeksymbol	\definujobrazeksymbol [] [=]
definujodkaz	\definujodkaz []
definujodstavce	\definujodstavce [] [=]
definujopis	\definujopis [] [=]
definujoramovani	\definujoramovani [] [=]
definujoramovanytext	\definujoramovanytext [] [] [=]
definujpaletu definujpaletu:name	\definujpaletu [] [=] \definujpaletu [] []
definujplvouciobjekt	\definujplvouciobjekt [] [] [=]
definujplvouciobjekt:name	\definujplvouciobjekt [] []
definujpodpole	\definujpodpole [] []
definujpole	\definujpole [] [] [] []
definujpopis	\definujpopis [] [=]
definujpopisek	\definujpopisek [] [=]
definujprekryv definujprikaz	\definujprekryv [] [] \definujprikaz
definujprofil	\definujprofil [] [=]
definujprogram	\definujprogram [] []
definujprostredizakladnihofontu	\definujprostredizakladnihofontu [] [] [=]
definujrejstrik	\definujrejstrik [] [=]
definujsablonutabulky	\definujsablonutabulky [] [  ] []
definujsekci	\definujsekci []
definujseznam definujskupinubarev	\definujseznam [] [] [] [x:y:z,]
definujstartstop	\definujstartstop [] [] []
definujstyl	\definujstyl [] [=]
definujstylfontu	\definujstylfontu []
definujsymbol	\definujsymbol [] []
definujsynonumumfontu	\definujsynonumumfontu [] [=]
definujsynonyma	\definujsynonyma [] [] []

definujtabelaci	\definujtabelaci [] []
definujtext	\definujtext [] [] [] [] [] []
definujtrideni	\definujtrideni [] []
definujupravu	\definujupravu [] [=]
definujvelikostpapiru	\definujvelikostpapiru [] [=]
definujvelikostpapiru:name	\definujvelikostpapiru [] []
definujvycet	\definujvycet [] [=]
definujzakladnifont	\definujzakladnifont [] [] []
definujzakladnifont:argument	\definujzakladnifont [] [] []
definujzasobnikpoli	\definujzasobnikpoli [] [] [=]
	\definujznaceni [] [] []
definujznaceni	
definujznak	\definujznak
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
-	=
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
delkaseznamu	\delkaseznamu
depthofstring	\depthofstring {}
1 0	\depthonlybox {}
depthonlybox	- · ·
depthspanningtext	\depthspanningtext \{\ldots\} \{\ldots\}
depthstrut	\depthstrut
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache \{\ldots\} \{\ldots\}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
<del>-</del>	\directgetboxlly
directgetboxlly	
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
1	(dirocoboubar ()
directsetup	\directsetup {}
directsymbol	\directsymbol \{\ldots\}
directvspacing	\directvspacing \{\}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
-	
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
- ·	
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \\ \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
. • .	
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\} \{\}
0 1 1 1	
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse \{\ldots\}
dofastloopcs	\dofastloopcs {} \

dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate {} {} {} {} {} {}
docheckedpair	\docheckedpair {}
doif	\doif {} {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse	\doifalldefinedelse {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse {} {}
doifassignmentelse	\doifassignmentelse {} {}
doifblackelse	\doifblackelse {} {}
doifbothsides	\doifbothsides {} {} {}
doifbothsidesoverruled	\doifbothsidesoverruled {} {} {}
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse \{\ldots\} \\\.\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	\doifcommandhandler \ \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse {} {} {}
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\ \\.\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\
doifdefined	\doifdefined \{\ldots\} \\ \\.\\
doifdefinedcounter	\doifdefinedcounter \{\ldots\\}
doifdefinedcounterelse	\doifdefinedcounterelse {} {} {}
doifdefinedelse	\doifdefinedelse {} {}
doifdimensionelse	\doifdimensionelse \{\doifdimensionelse \{\doifdime
doifdimenstringelse	\doifdimenstringelse {} {} {}
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes {} {} {}
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack {} {}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {} {}
doifelsebuffer	\doifelsebuffer {} {} {}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecounter	\doifelsecounter {} {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \\\.\}
doifelsecurrentsortingused	\doifelsecurrentsortingused \{\ldots\} \\\
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown \{\ldots\} \\\.\}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimension	\doifelsedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentargument	\doifelsedocumentargument \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \\\
doifelseempty	\doifelseempty {} {}
doifelseemptyvalue	\doifelseemptyvalue {} {} {}
doifelseemptyvariable	\doifelseemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseenv	\doifelseenv \{\} \\doifelseenv \{\} \
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\ldots\} \\\
doifelsefastoptionalcheckcs	\doifelsefastoptionalchecks \ \
doll close to a confidence	/goliciserasoobolougicuecycs / /

doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefigure	\doifelsefigure {} {}
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists \{\ldots\} \\\ \ldots\}
doifelsefirstchar	\doifelsefirstchar \{\} \\\.\} \\\.\}
doifelseflagged	\doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontchar	\doifelsefontchar \{\} \{\} \{\}
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	$\doifelsefontsynonym {} {}$
doifelsehasspace	\doifelsehasspace {} {} {}
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname {} {} {}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \{\ldots\} \{\ldots\}
doifelseinset	\doifelseinset \{\} \\\.\.\\\\.\.\\\\.\.\\\\\\\\\\\
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks \{\} \{\} \{\}
doifelseintwopassdata	\doifelseintwopassdata $\{\}$ $\{\}$ $\{\}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage {} {}
doifelselayerdata	\doifelselayerdata {} {} {}
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\ \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\
· ·	
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseleapyear	\doifelseleapyear \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselist	\doifelselist \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelselocation	\doifelselocation \{\}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody \{\ldots\} \\
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemeaning	\doifelsemeaning \ \ \{} \{}
doifelsemessage	\doifelsemessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<u> </u>	
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional $\{\ldots\}$ $\{\ldots\}$
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive {} {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \{\ldots\} \{\ldots\}
doifelsenothing	\doifelsenothing \{\ldots\} \\\.\\\
<u> </u>	\doifelsenumber \{\} \{\}
doifelsenumber	
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \{\ldots\}
doifelseolderversion	\doifelseolderversion $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseoverlapping	\doifelseoverlapping {} {} {}
doifelseoverlay	\doifelseoverlay \{\ldots\} \\\.\}
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath	\doifelsepath \{\} \{\}
doifelsepathexists	\doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepatterns	\doifelsepatterns \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseposition	\doifelseposition $\{\ldots\}$ $\{\ldots\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage $\{\}$ $\{\}$ $\{\}$
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \{\ldots\} \{\ldots\}
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \{\ldots\}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\} \{\ldots\}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox \{\}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring	\doifelsesamestring \{\} \{\} \{\}
doifelsesetups	\doifelsesetups {} {}
doifelsesomebackground	$\doing 1 = \doing 2 $

doifelsesomespace	\doifelsesomespace {} {} {}
doifelsesomething	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesometoks	\doifelsesometoks \ \{} \{}
doifelsestringinstring	\doifelsestringinstring $\{\}$ $\{\}$ $\{\}$
doifelsestructurelisthasnumber	$\doing 1 = \doing 2 $
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \{\ldots\}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \{\ldots\} \{\ldots\}
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \{\ldots\} \\
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetypingfile	\doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue \{\ldots\} \\\doifelsevalue \{\ldots\} \\doifelsevalue \{\ldots\} \doifelsevalue \{\ldots\} \\doifelsevalue \{\ldots\}
doifelsevaluenothing doifelsevariable	\doifelsevaluenothing \{\} \{\} \\doifelsevariable \{\} \{\} \{\}
	\doifenpty \{\ldots \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifempty doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ \{\}
doifemptyvalue	\doifemptyvalue \\\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariable	\doifemptyvariable \{\doifemptyvariable \{\doifempt
doifemptyvariableelse	\doifemptyvariableelse \{\} \{\} \{\}
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse {} {}
doiffieldcategoryelse	\doiffieldcategoryelse {} {}
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse {} {} {}
doiffileelse	\doiffileelse {} {} {}
doiffileexistselse	\doiffileexistselse $\{\}$ $\{\}$
doiffirstcharelse	\doiffirstcharelse $\{\}$ $\{\}$ $\{\}$
doifflaggedelse	\doifflaggedelse {} {}
doiffontcharelse	\doiffontcharelse $\{\}$ $\{\}$ $\{\}$
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\} \\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhasspaceelse	\doifhasspaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhelpelse	\doifhelpelse \{\ldots\} \\\
doifincsnameelse	\doifincsnameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinelementelse	\doifinelementelse \{\ldots\} \\\.\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse doifinset	\doifinset {} {} {}
doifinsetelse	\doifinset \(\lambda \cdots \cdot \c
doifinstring	\doifinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstringelse	\doifinstring \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset	\doifinsymbolset \{\doifinsymbolset \{\doifinsymbol
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintokselse	\doifintokselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {}
doiflayerdataelse	\doiflayerdataelse {} {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse $\{\}$ $\{\}$
doiflayoutsomelineelse	\doiflayoutsomelineelse $\{\}$ $\{\}$
doiflayouttextlineelse	\doiflayouttextlineelse $\{\}$ $\{\}$
doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflocationelse	\doiflocationelse \{\ldots\} \\\
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse \{\ldots\} \\.\\
doifmarkingelse	\doifmarkingelse \{\ldot\lambda\} \\doifmarkingelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmossageolse \ \ \ \ \ \ \ \ \ \ \ \ \
doifmessageelse doifmode	\doifmessageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmodeelse	\doifmodeelse \{\ldots\} \\\.\}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse \\
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse $\{\ldots\}$ $\{\ldots\}$
doifnonzeropositiveelse	\doifnonzeropositiveelse $\{\ldots\}$ $\{\ldots\}$
doifnot	\doifnot {} {}
doifnotallcommon	\doifnotallcommon $\{\}$ $\{\}$
doifnotallmodes	\doifnotallmodes $\{\}$ $\{\}$
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon $\{\}$ $\{\}$
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \{\ldots\}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable $\{\ldots\}$ $\{\ldots\}$
doifnotenv	\doifnotenv \{\ldots\}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \{\ldots\} \{\ldots\}
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged \{\ldots\}
doifnothing	\doifnothing \{\ldots\}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode \{\ldots\} \\\
doifnotnumber	\doifnotnumber \{\ldots\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvalue	\doifnotvalue \{\} \{\}
doifnotvariable	\doifnotvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\doifn\ \doifn\ \
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifoddproceles \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\!\\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\} \\ \\!\\ \\} \\ \\!\\ \\} \\ \\!\\ \\!\\ \\} \\ \\} \\ \\!\\ \\} \
doifoddpageelse	\doifoddpageelse {} {} \doifoddpagefloatelse {} {}
doifoddpagefloatelse doifoldercontextelse	\doifoldercontextelse \\\\} \\\\}
doifolderversionelse	\doifolderversionelse \\\\} \\\\} \\\\}
doifoverlappingelse	\doifoverlappingelse \\\\} \\\.\\\\.\\\\.\\\\\\\\\\\\\\\
doifoverlayelse	\doifoverlayelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparallelelse	\doifparallelelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition {} {} {}
doifpositionaction	\doifpositionaction \{\ldots\} \{\ldots\}
doifpositionactionelse	\doifpositionactionelse {} {} {}
doifpositionelse	\doifpositionelse {} {}
doifpositiononpageelse	\doifpositiononpageelse {} {} {} {}
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {} {}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse $\{\ldots\}$ $\{\ldots\}$
doifsamestring	\doifsamestring $\{\}$ $\{\}$
doifsamestringelse	\doifsamestringelse $\{\}$ $\{\}$ $\{\}$
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackground	\doifsomebackground \{\ldots\} \{\ldots\}
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifsomespaceelse	\doifsomespaceelse {} {} {}
doifsomething	\doifsomething \{\ldots\}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\} \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\ldots\} \\doifstructurelisthasnumberelse \{\ldots\} \\doifstructurelisthasn
doifstructurelisthaspageelse	\doifstructurelisthaspageelse \{\ldots\} \\doifgrapholdefinedelse
doifsymboldefinedelse	\doifsymbolsetelse \{\doifsymbolsetelse \{\doifsymb
doifsymbolsetelse doiftext	\doifsymbolsetelse {} {} {} \doiftext {} {}
4011 0040	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

1 (0) 1 7	
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\}\\\
doifundefinedelse	\doifundefinedcounter \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue \{\} \{\}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing \{\ldots\} \\\
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable \{\} \{\}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist \{\ldots\} \\
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorecurse	\dorecurse {} {}
dorechecknextindentation	\dorechecknextindentation
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldots\} \\\
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
<u> </u>	\dosingleargument \ []
dosingleargument	
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \ \ \
	\dowithpargument \
dowithpargument	
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX

EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
<u>-</u>	\efcparameter {} {}
	\effect [] {}
-	\elapsedseconds
•	\elapsedtime
	\em
<del>-</del>	\emphasisboldface
- · · · · · · · · · · · · · · · · · · ·	\emphasistypeface
- ·	\emptylines []
-	\emspace
	\enabledirectives []
-	\enableexperiments []
	\enablemode [] \enableoutputstream []
<u>.</u>	-
	\enableparpositions \enableregime []
<u> </u>	\enabletrackers []
	\enskip
•	\enspace
•	\env {}
	\envvar {} {}
	\epos {}
	\equaldigits {}
	\eTeX
	\executeifdefined {} {}
	\exitloop
<del>-</del>	\exitloopnow
•	\expanded {}
<del>-</del>	\expandfontsynonym \ {}
	\expandcheckedcsname \ \{\} \{\}
<del>-</del>	\expdoif {} {} {}
	\expdoifcommonelse {} {} {} {}
	\expdoifelse {} {} {}
	\expdoifelsecommon {} {} {} {}
	\expdoifelseinset {} {} {} {}
	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	$\verb \externalfigurecollection  parameter {} {}$
externiobraz	\externiobraz [] [=]
fakebox	\fakebox
	\fastdecrement \
	\fastincrement \
	\fastlocalframed [] [=] {}
•	\fastloopfinal
•	\fastloopindex
	\fastscale {} {}
•	\fastsetup {}
	\fastsetupwithargument {} {}
	\fastsetupwithargumentswapped {} {}
·	\fastswitchtobodyfont {}
	\fastsxsy {} {}
	\feature [] []
	\feature {} {}
	\fence
	\fenced [] {}
•	\FENCE \{\dagger_{\text{ings}}\\\ fotchallmarkings \[ \] \[ \]
	\fetchallmarkings [] []
	\fetchallmarks []
	\fetchmark [] []
	\fetchmarking [] [] \fetchonemark [] []
	\fetchonemark [] [] \fetchonemarking [] []
	\fetchonemarking [] [] [] \fetchruntinecommand \ {}
	\fetchruntinecommand \ \ \ \fetchtwomarkings [] []
	\fetchtwomarks [] \fetchtwomarks []

fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fifthofsixarguments	\fifthofsixarguments {} {} {} {} {}
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
•	<u> </u>
figuresymbol figurewidth	\figuresymbol [] [=]
filename	\figurewidth \filename \{\ldots\}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg \{\}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	\filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{PT \ OPT \$
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=]
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstcharacter	\firstcharacter
firstoffivearguments	\firstoffivearguments {} {} {} {}
firstoffourarguments	\firstoffourarguments {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments {} {} {} {} {} {}
firstofthreearguments	\firstofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwoarguments	\firstoftwoarguments \{\ldots\} \\\
	\firstoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwounexpanded	
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\
fontface	\fontface
	·
fontfeaturelist	\fontfeaturelist [] []
fontchar	\fontchar \{\ldots\}
fontcharbyindex	\fontcharbyindex {}
fontsize	\fontsize
fontstyle	\fontstyle
footnotetext	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping

forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments $\{\}$ $\{\}$ $\{\}$
fourthofsixarguments	\fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
	<u> </u>
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\ldots\} \{\ldots\}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
	\getrandomcount \ \{\}
getrandomcount	
getrandomdimen	\getrandomdimen \ \{\} \\\
getrandomfloat	\getrandomfloat \ \{\} \\
getrandomnumber	\getrandomnumber \ \{\} \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}

getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {} {}
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
getvalue	\getvalue {}
9	\getvariable \{\ldots\}
getvariable	<u> </u>
getvariabledefault	\getvariabledefault {} {} {}
getxparameters	\getxparameters [] [=]
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
0 11	¥ •••
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	$\label{thm:conditional} $$ \gobblenine arguments $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\}$
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobblethreearguments {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
•	
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {}
grabuntil	\grabuntil {} \
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
•	
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextcontent
	ITOUROUTOUTOU

headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {} {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
hlavnijazyk	\hlavnijazyk []
hodnotabarvy horizontalgrowingbar	\hodnotabarvy {} \horizontalgrowingbar [=]
horizontalpositionbar	\horizontalgiowingbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check checkedfiller	\check {} \checkedfiller {}
checkedchar	\checkedfilef \(\lambda \checkedfilef \\\ \lambda \checkedchar \{\ldots\}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkcharacteralign	\checkcharacteralign {}
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chem	\chem {} {}
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol chemicaltext	\chemicalsymbol [] \chemicaltext {}
	\chemicaltext \{\cdots\}
chemicaltoptext chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesecaphumerals	\chinesecaphamerals \( \chinesenumerals \)
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting $\dots$ \else $\dots$ \fi
ignoreimplicitspaces	\ignoreimplicitspaces

4	\
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
	•
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath \{\ldots\} \{\ldots\}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
•	
inputgivenfile	\inputgivenfile {}
input:string	\input
insertpages	\insertpages [] [=]
instalacejazyka	\instalacejazyka [] [=]
instalacejazyka:name	\instalacejazyka [] []
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	\installbasicautosetuphandler \ \} \
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \ \
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ {}
installdefinitionsetmember	\installdefinitionsetmember \ {} \ {}
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ \\ \\
installframedcommandhandler	\installframedcommandhandler \ \\
installleftframerenderer	\installleftframerenderer {} {}
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ \{\}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ {}
installparameterhashhandler	\installparameterhashhandler \ {}
installparametersethandler	\installparametersethandler \ {}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \\
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \\
installswitchcommandhandler	\installswitchcommandhandler \ \\ \\
installswitchsetuphandler	\installswitchsetuphandler \ \{\}

installtexdirective	\installtexdirective {} {} {
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\ldots\} \{\ldots\}
installunitsspace	\installunitsspace \{\ldots\} \{\ldots\}
installversioninfo	\installversioninfo \{\dots\} \{\dots\}
integerrounding	\integerrounding \{\daggerrounding \}
interakcnilista	\interakcnilista [] [=]
interakcnitlacitka	\interakcnitlacitka [=] []
interaktivnimenu	\interaktivnimenu [] [=]
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jazyk	\jazyk []
· · ·	\LANGUAGE
jazyk:example	
jdidolu	\jdidolu []
jdina	\jdina {} []
jdinabox	\jdinabox {} []
jdinastranu	\jdinastranu {} []
jednotka:instance	\UNIT {}
jednotka:instance:unit	\unit {}
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
Kap	\Kap {}
kaligraficke	\kaligraficke
	\kap {}
kap	-
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
klonujpole	\klonujpole [] [] []
komentar:instance	\COMMENT [] [=] {}
komentar:instance:comment	\comment [] [=] {}
komponenta	\komponenta []
komponenta:string	\komponenta
konvertujcislo	\konvertujcislo {} {}
kopirujpole	\kopirujpole [] []
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
korekcebilehomista	\korekcebilehomista {}
kurziva	\kurziva
kurzivnitucne	\kurzivnitucne
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	LuaTeX
labellanguage:instance	\LABELjazyk
labellanguage:instance:btxlabel	\btxlabeljazyk
labellanguage:instance:head	$\headjazyk$
labellanguage:instance:label	\labeljazyk
labellanguage:instance:mathlabel	\mathlabeljazyk
labellanguage:instance:operator	\operatorjazyk
labellanguage:instance:prefix	\prefixjazyk
labellanguage:instance:suffix	\suffixjazyk
labellanguage:instance:taglabel	\taglabeljazyk
labellanguage:instance:unit	\unitjazyk
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts \{\ldots\}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []

lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
Lastlinewidth	\lastlinewidth
Lastnaturalboxdp	\lastnaturalboxdp
Lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
Lastpredefinedsymbol	\lastpredefinedsymbol
Lastrealpage	\lastrealpage
Lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
Lastsubpagenumber	\lastsubpagenumber
Lasttwodigits	\lasttwodigits {}
Lastuserpage	\lastuserpage
Lastuserpagenumber	\lastuserpagenumber
Lateluacode	\lateluacode {}
Layeredtext	\layeredtext [=] [=] {}
·	
Layerheight	layerheight
Layerwidth	\layerwidth
Lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
Lazysavetwopassdata	\lazysavetwopassdata {} {}
Lbox	\lbox {}
Leftbottombox	\leftbottombox {}
Leftbox	\leftbox {}
Lefthbox	\lefthbox {}
Leftlabeltext:instance	\leftLABELtext {}
Leftlabeltext:instance:head	\leftheadtext {}
leftlabeltext:instance:label	\leftlabeltext {}
Leftlabeltext:instance:mathlabel	\leftmathlabeltext {}
Leftline	\leftline {}
Leftorrighthbox	\leftorrighthbox {}
Leftorrightvbox	\leftorrightvbox {}
Leftorrightvtop	\leftorrightvtop {}
• •	· · · · · · · · · · · · · · · · · · ·
Leftskipadaption	\leftskipadaption
Leftsubguillemot	\leftsubguillemot
Lefttopbox	\lefttopbox {}
Lefttoright	\lefttoright
Lefttorighthbox	\lefttorighthbox {}
Lefttorightvbox	\lefttorightvbox {}
Lefttorightvtop	\lefttorightvtop {}
Letbeundefined	\letbeundefined {}
Letcatcodecommand	\letcatcodecommand \ \
Letcscsname	\letcscsname \ \csname \endcsname
Letcsnamecs	\letcsnamecs \csname \endcsname \
Letcsnamecsname	\letcsnamecsname \csname \endcsname \csname \endcsname
Letdummyparameter	\letdummyparameter {} \
Letempty	\letempty\
Letgvalue	\letgvalue {} \
togvarac	<u> </u>
lot gual ucomptu	\laterialisemetr
Letgvalueempty	\letgvalueempty {}
Letgvalurelax	\letgvalurelax {}
Letgvalurelax	\letgvalurelax {}
Letgvalurelax Letterampersand	\letgvalurelax {} \letterampersand
Letgvalurelax Letterampersand Letterat	\letgvalurelax {} \letterampersand \letterat
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar	\letterampersand \letterat \letterbackslash \letterbar
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup	\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace	<pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letteregroup	<pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letteregroup \letterescape</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letteregroup Letteredoubleduote Letterescape Letterescape Letterescape	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letterescape \letterexclamationmark</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash	<pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letteregroup \letterescape \letterexclamationmark \letterhash</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace	<pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace</pre>
Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhat Letterhat Letterleftbrace Letterleftbrace	<pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis	<pre>\lettyvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdoullar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis	<pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket</pre>
Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftparenthesis Letterless	<pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letternore	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore</pre>
Letgvalurelax Letterampersand Letterat Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftparenthesis Letterless Lettermore Letteropenbrace	<pre>\lettyalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letteropenbrace</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterpercent</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent Letterquestionmark	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterpercent \letterquestionmark</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letterpercent Letterpercent Letterquestionmark Letterquestionmark	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterquestionmark \letterquestionmark \letterrightbrace</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdoular Letterdoublequote Letteregroup Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftbracket Letterless Letterless Letterpercent Letterquestionmark Letterquestionmark Letterightbrace	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Letteregroup Letterescape Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Lettermore Letteropenbrace Letterpercent Letterquestionmark	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore \letterponbrace \letterponbrace \letterpercent \letterquestionmark \letterrightbrace \letterrightbrace \letterrightbrace \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightbracket \letterrightparenthesis</pre>
Letgvalurelax Letterampersand Letterat Letterbackslash Letterbgroup Letterclosebrace Letterdoular Letterdoublequote Letteregroup Letterescape Letterexclamationmark Letterhash Letterhat Letterleftbrace Letterleftbrace Letterleftbracket Letterless Letterless Letterpercent Letterquestionmark Letterquestionmark Letterightbrace	<pre>\letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterexclamationmark \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket</pre>

letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \{\ldots\}
limitatelines	\limitatelines {} {} {}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext \{\} \{\}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote \{\}
linespanningtext	\linespanningtext {} {} {}
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation []
	\listcitation [, [] \listcitation [=]
listcitation:userdata	
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
•	
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
-	\loadtexfile []
loadtexfile	
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
• •	
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
	. •
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
MESIC	\MESIC {}
METAFONT	\METAFONT
	VALUE AND VALUE

METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	MetaFun
MetaPost	\MetaPost
MKII	/MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
	\MONTHLONG {}
MONTHLONG	
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape {} {}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MP1r {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
<u> </u>	
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	/ MD ( )
MPwhd	\MPw {}
MPx	\MPwhd {}
rir X	
MPxy	\MPwhd {} \MPx {}
MPxy	\MPwhd {} \MPx {} \MPxy {}
MPxy MPxywhd	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {}
MPxy MPxywhd MPy	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {}
MPxy MPxywhd MPy m	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {}
MPxy MPxywhd MPy m makecharacteractive	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive
MPxy MPxywhd MPy m makecharacteractive makerawcommalist	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \
MPxy MPxywhd MPy m makecharacteractive	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive
MPxy MPxywhd MPy m makecharacteractive makerawcommalist	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \
MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox	\MPwhd {} \MPx {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox
MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male	<pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male</pre>
MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male malekurzivnitucne malenormalni	<pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male \malekurzivnitucne \malenormalni</pre>
MPxy MPxywhd MPy m makecharacteractive makerawcommalist makestrutofbox male malekurzivnitucne	<pre>\MPwhd {} \MPxy {} \MPxywhd {} \MPy {} \m [] {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox \male \malekurzivnitucne</pre>

maletucne	\maletucne
maletucnekurzivni	\maletucnekurzivni
maletucnesklonene	\maletucnesklonene
maletype	\maletype
mapfontsize	\mapfontsize []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {} \margintext [=] [=] {}
margindata:instance:margintext markcontent	<u> </u>
	\markcontent [] {}
markinjector	\markinjector []
markpage mat	\markpage [] [] \mat {}
matematika	
math	\matematika [] {} \math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathba
	\MATHCOMMAND {} {}
mathcommand:example mathdefault	\mathdefault
mathdouble	\mathdelault \mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\}
mathdoubleextensible:instance:doublebar	\doublebar \{\} \doublebar \langle \( \).
mathdoubleextensible:instance:doublebrace	\doublebrace \{\} \{\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\ldots\} \\\
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbaranderbrace	\overbraceunderbrace \{\ldots\} \\\
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \\\
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \\
mathextensible:instance	\MATHEXTENSIBLE \{\ldots\}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}

mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
5	
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	$\mbox{mrightarrow } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
9	
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	$\mbox{\mbox{$\mbox{mrightoverleftarrow}}} \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	$\time \{\ldots\}\ \{\ldots\}$
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	$\t$ leftrightharpoons $\{\}$ $\{\}$
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
<u> </u>	
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
<del>-</del>	
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
<u> </u>	
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	$\xleft$ that poon down $\{\ldots\}$
mathextensible:instance:xleftharpoonup	$\xleft$ that poon up $\{\ldots\}$
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
- ·	
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
9	
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	$\xtriplerel {} {}$
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
	\IIIIIIII amea [] []
mathframed.instance.mcframed	
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mcframed [=] {} \mframed [=] {}
	\mcframed [=] {}
mathframed:instance:mframed	\mcframed [=] {} \mframed [=] {}
<pre>mathframed:instance:mframed mathfunction mathit</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} {}</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathrm \mathscript</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTEXTENSIBLE {} {} \mathrm \mathscript \mathsl</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre>
<pre>mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss mathtext</pre>	<pre>\mcframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} \mathradical [</pre>

mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	$\mathbf{mathtriplet} [] {} {}$
mathtriplet:example	\MATHTRIPLET [] {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured \{\ldots\}
medskip	\medskip
medspace	\medspace
meritko	\meritko [] [=] {}
mesic	\mesic {}
message	\message {}
metaTeX	\metaTeX
mezera	\mezera
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
mononormal	\mononormal
monotucne	\monotucne
monthlong	\monthlong {}
monthshort	\monthshort {}
mprandomnumber	\mprandomnumber
mrizka	\mrizka [=]
mtext	\mtext {}
NormalizeFontHeight	$\label{localize} $$\operatorname{NormalizeFontHeight} \ \ldots \ \{\ldots\} \ \{\ldots\} $$$
NormalizeFontWidth	$\NormalizeFontWidth \ {} {} {}$
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
nastavbarvu	\nastavbarvu []
nastavbarvy	\nastavbarvy [=]
nastavbilamista	\nastavbilamista []
nastavblok	\nastavblok [] [=]
nastavbloksekce	\nastavbloksekce [] [=]
nastavbuffer	\nastavbuffer [] [=]
nastavcernelinky	\nastavcernelinky [=]
nastavcislonadpisu	\nastavcislonadpisu [] []
nastavcislostrany	\nastavcislostrany [=]
nastavcislovaniodstavcu	\nastavcislovaniodstavcu [=]
nastavcislovaniradku	\nastavcislovaniradku [] [=]
nastavcislovanistran	\nastavcislovanistran [=]
nastavcitaci	\nastavcitaci [=]
nastavdeleniplvoucichobjektu	\nastavdeleniplvoucichobjektu [=]

nastavdelitko	\nastavdelitko [=]
nastavdolnitexty	\nastavdolnitexty [] [] [] []
nastaveni	\nastaveni []
nastaveni:direct	\nastaveni {}
nastavhorejsek	\nastavhorejsek [] [=]
nastavhornitexty	\nastavhornitexty [] [] [] []
nastavinterakci	\nastavinterakci [] [=]
nastavinterakci:name	\nastavinterakci []
nastavinterakcnilistu	\nastavinterakcrilistu [] [=]
nastavinterakcnimenu	\nastavinterakcnimenu [] [=]
nastavinterakcniobrazovku	\nastavinterakcniobrazovku [=]
nastavjazyk	\nastavjazyk [] [=]
nastavkapitalky	\nastavkapitalky [] [=]
nastavkombinovanyseznam	\nastavkombinovanyseznam [] [=]
nastavkombinovanyseznam:instance	\nastaveniCOMBINEDLIST [=]
nastavkombinovanyseznam:instance:content	\nastavenicontent [=]
•	
nastavkomentar	\nastavkomentar [] [=]
nastavkomentarstrany	\nastavkomentarstrany [=]
nastavmarginalnilinky	\nastavmarginalnilinky [] [=]
nastavmeziradkovoumezeru	\nastavmeziradkovoumezeru [] [=]
nastavmeziradkovoumezeru:argument	\nastavmeziradkovoumezeru []
nastavmeziradkovoumezeru:name	\nastavmeziradkovoumezeru []
nastavnadpis	\nastavnadpis [] [=]
•	
nastavnadpisy	\nastavnadpisy [] [=]
nastavodkazovani	\nastavodkazovani [=]
nastavodsazovani	\nastavodsazovani []
nastavodstavce	\nastavodstavce [] [] [=]
nastavodstavce:assignment	\nastavodstavce [] [=]
nastavopis	\nastavopis [] [=]
nastavoramovanetexty	\nastavoramovanetexty [] [=]
·	\nastavoramovani [] [=]
nastavoramovani	
nastavorez	\nastavorez [=]
nastavotoceni	\nastavotoceni [=]
nastavpaletu	\nastavpaletu []
nastavplvouciobjekt	\nastavplvouciobjekt [] [=]
nastavplvouciobjekty	\nastavplvouciobjekty [] [=]
nastavpodcislostrany	\nastavpodcislostrany [=]
nastavpole	\nastavpole [] [=] [=] [=]
•	
nastavpolozky	\nastavpolozky [] [=]
nastavpopisek	\nastavpopisek [] [=]
nastavpopisky	\nastavpopisky [] [=]
nastavpozadi	\nastavpozadi [] [=]
nastavpozadi:page	\nastavpozadi [] [=]
nastavprechodstrany	\nastavprechodstrany []
-	i v
nastavpreskok	\nastavpreskok []
nastavprogramy	\nastavprogramy [=]
nastavradkovani	\nastavradkovani []
nastavradky	\nastavradky [] [=]
nastavrejstrik	\nastavrejstrik [] [=]
nastavrejstrik:argument	\nastavrejstrik [] [] [=]
nastavrejstrik:instance	\nastaveniREGISTER [] [=]
nastavrejstrik:instance:index	\nastaveniindex [] [=]
nastavrovnice	
	\nastavrovnice [] [=]
nastavsadusymbolu	\nastavsadusymbolu []
nastavseznam	\nastavseznam [] [=]
nastavsirkucary	\nastavsirkucary []
nastavsloupce	\nastavsloupce [=]
nastavspodek	\nastavspodek [] [=]
nastavsynonyma	\nastavsynonyma [] [=]
nastavtabelaci	\nastavtabelaci [] [=]
nastavtabulky	\nastavtabulky [=]
nastavtenkelinky	\nastavtenkelinky [=]
nastavtext	\nastavtext [] [=]
nastavtextovelinky	\nastavtextovelinky [=]
nastavtextpopisku:instance	\nastaveniLABELtext [] [=]
nastavtextpopisku:instance:btxlabel	\nastavenibtxlabeltext [] [=]
<del></del>	\nastaveniheadtext [] [=]
nastavtextpopisku:instance:head	
nastavtextpopisku:instance:label	\nastavenilabeltext [] [=]
nastavtextpopisku:instance:mathlabel	\nastavenimathlabeltext [] [=]
nastavtextpopisku:instance:operator	\nastavenioperatortext [] [=]
nastavtextpopisku:instance:prefix	\nastaveniprefixtext [] [=]
nastavtextpopisku:instance:suffix	\nastavenisuffixtext [] [=]
nastavtextpopisku:instance:taglabel	\nastavenitaglabeltext [] [=]
	\nastaveniunittext [] [=]
nastavtextpopisku:instance:unit	
nastavtexttexty	\nastavtexttexty [] [] [] []

nastavtextyupati	\nastavtextyupati [] [] [] []
nastavtextyzahlavi	\nastavtextyzahlavi [] [] [] []
nastavtoleranci	\nastavtoleranci []
nastavtrideni	\nastavtrideni [] [=]
nastavtype	\nastavtype [] [=]
nastavumisteniprotejsku	\nastavumisteniprotejsku [=]
nastavumistovani	\nastavumistovani [] [=]
nastavupati	\nastavupati [] [=]
nastavupravu	\nastavupravu [] [=]
nastavurl	\nastavurl [=]
nastavusporadani	\nastavusporadani []
nastavvelikostpapiru	\nastavvelikostpapiru [] [=]
nastavvelikostpapiru:name	\nastavvelikostpapiru [] []
nastavvsechnapole	\nastavvsechnapole [] [=] [=]
nastavvycty	\nastavvycty [] [=]
nastavvyplnovelinky	\nastavvyplnovelinky [=]
nastavvyplnoveradky	\nastavvyplnoveradky [=]
nastavyzhled	\nastavvzhled [] [=]
nastavvzhled:name	\nastavvzhled []
nastavzahlavi	\nastavzahlavi [] [=]
nastavzakladnifont	\nastavzakladnifont []
nastavzarovnani	\nastavzarovnani []
nastavznaceni	\nastavznaceni [] [=]
nastavzuzeni	\nastavzuzeni [] [=]
nastrane	\nastrane []
nastred	\nastred
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalybox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
nejakyradek	\nejakyradek []
nekde	\nekde {} {} []
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextbox
nextboxht	\nextboxdp
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\dalsiPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
neznamo	\neznamo
nivy	\nivy [] {}
nizky	\nizky {}
nizky:instance	\LOW {}
nizky:instance:unitslow	\unitslow {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
11011100011110000	/mor rocart roads

noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nokap	\nokap {}
nonfrenchspacing	honfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ $\{\}$ $\{\}$ \normalizefontheight \ $\{\}$ $\{\}$
normalizefontheight normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \\ \ \\ \\ \ \\ \\ \ \\ \\
normalizetextdepth	\normalizetextdepth \\\\} \\\\}
normalizetextheight	\normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextuidth	\normalizetextuidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalni	\normalni
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
obrazovka	\obrazovka []
odkaz	\odkaz [] {}
odkaznastranu	\odkaznastranu []
odkaznatext	\odkaznatext [] {}
odkazujici	\odkazujici (,) (,) []
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
opis	\opis [=] {}
opissoubor	\opissoubor [] [=] {}
opis:angles	\opis [=] <<>>
opis:example	\OPIS [=] {}
opis:example:angles	\OPIS [=] <<>>
oramovani	\oramovani [=] {}
oramovani:instance	\FRAMED [=] {}
oramovani:instance:fitfieldframed	\fitfieldframed [=] \{\} \unframed [=] \{\}
oramovani:instance:unframed	Initialized [=] \\\
oramovanytext:instance	\frameDiexi [=] \\\framediext [=] \\\\.
oramovanytext:instance:framedtext ordinaldaynumber	\ordinaldaynumber \{\ldots\}
ordinalstr	\ordinalstr {}
oref	\oref []
orez	\orez [=] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
otocit	\otocit [=] {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset

overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
	•
overset	\overset {} {}
oznaceni	\oznaceni (,) (,) [=] {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
	\PointsToBigPoints {} \
PointsToBigPoints	<u> </u>
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
paletsize	\paletsize
-	\PARAGRAPHS
paragraphs:example	·
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
±	<u>-</u>
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
-	. =
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen {} {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
	\persiandecimals {}
persiandecimals	<u>-</u>
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
pis	\pis [=] {}
pis:angles	\pis [=] <<>>
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
-	
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\umistiFLOAT [] [] {}
placefloat:instance:figure	\umistifigure [] [] {} {}
placefloat:instance:graphic	\umistigraphic [] [] {}
placefloat:instance:chemical	\umistichemical [] [] {}
placefloat:instance:intermezzo	\umistiintermezzo [] [] {}
placefloat:instance:table	\umistitable [] [] {}
placeframed	\placeframed [] [=] {}
placeheadnumber	\placeheadnumber []
placeheadtext	\placeheadtext []
-	_ <del>-</del>
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
1	

placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
	<del>-</del>
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepagenumber	\placepagenumber
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	$\uberrule \uberrule \ube$
placepairedbox:instance:legend	\umistilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
plnezneni	\plnezneni {}
pole	\pole [] []
polozka	\polozka []
polozky	\polozky [=] {}
popattribute	\popattribute \
	\POPIS [] {} \par
popis:example	
popmacro	\popmacro \
popmode	\popmode []
poppisek:example	\POPISEK [] {}
popsystemmode	\popsystemmode {}
porovnejpaletu	\porovnejpaletu []
porovnejskupinubarev	\porovnejskupinubarev []
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay \{\ldots\}
poslaednipodstranka	\poslaednipodstranka
postponenotes	\postponenotes
pozadi	\pozadi {}
pozadi:example	\POZADI {}
pozice	\pozice [=] (,) {}
poznamka	\poznamka [] []
poznamka:instance	\NOTE [] {}
poznamka:instance:assignment	\NOTE [=]
poznamka:instance:assignment:endnote	\endnote [=]
poznamka:instance:assignment:footnote	\footnote [=]
poznamka:instance:endnote	\endnote [] {}
poznamka:instance:footnote	\footnote [] {}
pravidelne	\pravidelne
-	
prederinediont	<u>-</u>
predefinedfont predefinefont	\predefinedfont []
predefinefont	\predefinedfont [] \predefinefont []
predefinefont predefinesymbol	\predefinedfont [] \predefinefont [] [] \predefinesymbol []
predefinefont predefinesymbol pref	\predefinedfont [] \predefinefont [] \predefinesymbol [] \pref {} {} []
predefinefont predefinesymbol pref prefixedpagenumber	\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber
predefinefont predefinesymbol pref prefixedpagenumber prelozit	\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=]
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue	\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {}
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependdocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \ \prependvalue {} {}</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependdocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependvalue {} {} \prependvalue {} {} \prependvalue {} {} \prependvalue {} {} \prepeninazakladnifont []</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependgvalue {} {} \prependtocommalist {} \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependtoks \to \ \prependvalue {} {} \prependvalue {} {}</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoks prependtoksonce prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>
predefinefont predefinesymbol pref  prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \prependtoksonce \to \ \prependtoksonce \to \ \prependvalue {} {} \prepeninazakladnifont [] \presetdocument [=] \presetLABELtext [] [=] \presetbxlabeltext [] [=] \presetbeadtext [] [=]</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label presetlabeltext:instance:mathlabel	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>
predefinefont predefinesymbol pref prefixedpagenumber prelozit prependetoks prependgvalue prependtocommalist prependtoks prependtoks prependtoks prependtoksonce prependvalue prepninazakladnifont presetdocument presetfieldsymbols presetlabeltext:instance presetlabeltext:instance:btxlabel presetlabeltext:instance:head presetlabeltext:instance:label	<pre>\predefinedfont [] \predefinefont [] [] \predefinesymbol [] \pref {} {} [] \prefixedpagenumber \prelozit [=] \prependetoks \to \ \prependtocommalist {} \ \prependtoks \to \ \pr</pre>

<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtext [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltext [] [=]
<pre>presetlabeltext:instance:unit</pre>	\presetunittext [] [=]
preskoc	\preskoc []
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
prizpusobivepole	\prizpusobivepole [] [=]
prizpusobvzhled	\prizpusobvzhled [] [=]
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	$\processcommalist with parameters [] \n.$
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefuller [] \processlinetablefile {}
•	-
processlist	\processlist \{\} \{\} \\
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth \{\} \{\}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
produkt	\produkt []
produkt:string	\produkt
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
projekt	\projekt []
projekt:string	\projekt
prostredi	\prostredi []
prostredi:string	\prostredi
prvnipodstranka	\prvnipodstranka
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallCapped pseudoSmallcapped	\pseudoSmallCapped {} \pseudoSmallcapped {}
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped	\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {}
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {}</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbar	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] []</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] []</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushendofline \popendofline \pushindentation \popindentation</pre>
pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbar pushbarva pushbutton pushcatcodetable pushendofline	<pre>\pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbar [] \popbar \pushbarva [] \popbarva \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushendofline \popendofline</pre>

pushmacro	\pushmacro \
-	•
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpozadi	\pushpozadi [] \poppozadi
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
-	\pushreferenceprefix \{\daggering \daggering \text{popreferenceprefix}
pushreferenceprefix	
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
qquad	\qquad
quad	
quads	s []
<del>-</del>	\quarterstrut
quarterstrut	_ <del>-</del>
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
Rimskecislice	\Rimskecislice {}
radek	\radek {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset $\{\}$ $\{\}$ $\{\}$
rawdoifinset	$\rangle$ $\{\ldots\}$ $\{\ldots\}$
rawdoifinsetelse	\rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	-
1	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile {} {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile {} {}
readtexfile	\readtexfile \{\} \{\}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
	\recurselevel
recurselevel	• • • • • • • • • • • • • • • • • • • •
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] []
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym []
registerunit	\registerunit [] [=]
	\REGISTER [] [++]
rejstrik:instance	
rejstrik:instance:index	\index [] [++]
rejstrik:instance:ownnumber	\REGISTER [] {} [++]

rejstrik:instance:ownnumber:index	\index [] {} [++]
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers {} {} {} {}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
<u> </u>	
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
<del>-</del>	
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
	•
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
	\rescanwithsetup \{\ldots\} \{\ldots\}
rescanwithsetup	•
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	
	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
	_
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
	\resetcharacterstripping
resetcharacterstripping	
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
9	
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
	_
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
<del>-</del>	
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
resetznaceni	\resetznaceni []
100000000000000000000000000000000000000	\_ 000 02H400H_ []

reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
	\restorebox {} {}
restorebox	
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
	\reuseMPgraphic \{\dots\} \\\.=\dots\}
reuseMPgraphic	· ·
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
_	
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtext {}
rightlabeltext:instance:head	\rightheadtext {}
rightlabeltext:instance:label	\rightlabeltext {}
rightlabeltext:instance:mathlabel	\rightmathlabeltext {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightshipadaption
S 1 1	9 1 1
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rimskecislice	\rimskecislice {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
rovnice	\rovnice [] {}
rozdelplvouciobjekt	\rozdelplvouciobjekt [=] {} {}
roztazene	\roztazene [=] {}
rtop	\rtop {}
rukopisne	\rukopisne
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
SLOVA	\SLOVA {}
SLOVO	\SLOVO {}
Slova	\Slova {}
Slovo	\Slovo {}
Smallcapped	\Smallcapped {}
<del></del>	
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansnormal	\sansnormal
sanstucne	\sanstucne
savebarva	\savebarva \restorebarva
savebox	\savebox {} {}
savebtxdataset	\savebox () () () \savebox () [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}

savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata $\{\}$ $\{\}$ $\{\}$
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	\secondofsixarguments {} {} {} {} {} {}
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded {} {}
sedabarva	\sedabarva [] {}
seeregister:instance	\vizREGISTER [] [++] {}
seeregister:instance:index	\vizindex [] [++] {}
sekce:instance	\SECTION [] {}
sekce:instance:assignment	\SECTION [=]
sekce:instance:assignment:chapter	\chapter [=]
sekce:instance:assignment:part	\part [=]
sekce:instance:assignment:section	\section [=]
	\subject [=]
sekce:instance:assignment:subject	\subsection [=]
sekce:instance:assignment:subsection	
sekce:instance:assignment:subsubject	\subsubject [=]
sekce:instance:assignment:subsubsection	\subsubsection [=]
sekce:instance:assignment:subsubsubject	\subsubsubject [=]
sekce:instance:assignment:subsubsubsection	\subsubsubsection [=]
sekce:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
sekce:instance:assignment:subsubsubsection	\subsubsubsubsection [=]
sekce:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
sekce:instance:assignment:title	\title [=]
sekce:instance:chapter	\chapter [] {}
sekce:instance:ownnumber	\SECTION [] {}
sekce:instance:ownnumber:chapter	\chapter [] {}
sekce:instance:ownnumber:part	\part [] {}
sekce:instance:ownnumber:section	\section [] {}
sekce:instance:ownnumber:subject	\subject [] {}
sekce:instance:ownnumber:subsection	\subsection [] $\{\}$
sekce:instance:ownnumber:subsubject	\subsubject [] {}
sekce:instance:ownnumber:subsubsection	\subsubsection [] $\{\}$
sekce:instance:ownnumber:subsubsubject	\subsubsubject [] {}
sekce:instance:ownnumber:subsubsubsection	\subsubsection [] $\{\}$
sekce:instance:ownnumber:subsubsubsubject	\subsubsubject [] {} {}
sekce:instance:ownnumber:subsubsubsubsection	\subsubsubsection [] {}
sekce:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
sekce:instance:ownnumber:title	\title [] {} {}
sekce:instance:part	\part [] {}
sekce:instance:section	\section [] {}
sekce:instance:subject	\subject [] {}
sekce:instance:subsection	\subsection [] {}
sekce:instance:subsubject	\subsubject [] {}
sekce:instance:subsubsection	\subsubsection [] {}
sekce:instance:subsubsubject	\subsubsubject [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubsubject	\subsubsubsubject [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubsubject	\subsubsubsubsubject [] {}
sekce:instance:title	\title [] {}
select	\select {} {} {} {} {} {}
serializecommalist	\serializecommaPTst [.OPT OPT OPT OPT
serializecommalist	\serializedcommalist []
serif	\serif
serifbold	\serif
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont setboxllx	\setbigbodyfont
	\setboxllv {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []

setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass setdataset	\setcurrentfontclass {} \setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setevariables setfirstline	\setevariables [] [=]
setflag	<pre>\setfirstline [] \setflag {}</pre>
setfont	\setfing ()
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal sethyphenationfeatures	\sethyphenatedurlnormal {} \sethyphenationfeatures []
setcharacteralign	\setcharacteralign {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand setinterfaceconstant	\setinterfacecommand {} {}
setinterfaceelement	\setinterfaceconstant {} {} \setinterfaceelement {} {}
setinterfacemessage	\setinterfacement \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setinterfacevariable	\setinterfacevariable \{\ldots\} \\\
setinternalrendering	\setinternalrendering [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize setMPlayer	\setlocalhsize [] \setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	\setMPpositiongraphicrange {} {} {} {=}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmessagetext	\setmeasure \{\dots\} \\\
setmessagetext setmode	\setmessagetext {} {} \setmode {}
DO OMO GO	(DOUMORO ()

setnostrut	\setnostrut
setnote	\setnote [] [] {}
	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
<u> </u>	\setnote [] [=]
	\setobject {} {} \ {}
setoldstyle	\setoldstyle
•	\setpagegrid [=] {}
	\setpagereference {} {}
	\setpagestate [] []
	\setpagestaterealpageno {} {}
	\setpagestatelearpageno () () \setpenalties \ {}
	\setpendities \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<del>-</del>	\setposition {}
-	-
	\setpositionbox \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\setpositiondata {} {} {} {}
	\setpositiondataplus {} {} {} {}
	\setpositiononly {}
	\setpositionplus {} \ \ \
<del>-</del>	\setpositionstrut {}
<del>-</del>	\setprofile []
setrandomseed	\setrandomseed {}
	\setreference [] [=]
	\setreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setregisterentry	\setregisterentry [] [=] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {}
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
	\settaggedmetadata [] \settextcontent [] [] [] []
	\settightobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\settightreferencedobject {} \ {}
	\settightunreferencedobject {} \ {}
	\settrialtypesetting
	\setuevalue {} {}
	\setugvalue {} {}
	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
=	\setupalternativestyles [=]
	\setupattachment [] [=]
	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
	\setupbtxdataset [] [=]
	\setupbtxlist [] [=]
<del>-</del>	\setupbtxregister [] [=]
	\setupbtxrendering [] [=]
	\setupbtx []
<del>-</del>	\setupbutton [] [=]
	\setupcollector [] [=]
	\setupcolumnspan [=]
	\setupcolumnspan [] [=]
	\setupcombination [] [] \setupcounter [] []
	\setupdataset [] [=]
	\setupdelimitedtext [] [=]
	\setupdescription [] [=]
-	\setupdirections [=]
setupdocument	\setupdocument [=]
	\setupeffect [] [=]
	\setupenumeration [] [=]
setupeny	\setupenv [=]

setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupforms	\setupforms [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] []
setupframedtext	\setupframedtablelow [] [] [] \setupframedtext [] [=]
•	
setupglobalreferenceprefix	\setupglobalreferenceprefix [] \setupheadalternative [] [=]
setupheadalternative	
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\nastaveniITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\nastaveniitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
	\setupMPinstance [] [=]
setupMPinstance	
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]

	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
	\setupnotation [] [=]
	\setupnotations [] [=]
	\setupnote [] [=]
	\setupnotes [] [=]
<u>-</u>	\setupoffset [=]
<u>-</u>	\setupoffsetbox [=]
	\setupoutputroutine [] [=]
	\setupoutputroutine []
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
	\setuppagegridspan [] [=]
	\setuppagegridstart [] [] []
	\setuppagechecker [] [=]
	\setuppageinjection [] [=]
	\setuppageinjection [] [] \setuppageinjectionalternative [] []
11 0 0	
	\setuppageshift [] []
	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\nastaveniPAIREDBOX [=]
setuppairedbox:instance:legend	\nastavenilegend [=]
setuppaper	\setuppaper [=]
	\setupparagraph [] [=]
	\setupparagraphintro [] []
	\setupparallel [] [=]
	\setupperiods [=]
	\setupplacement [] [=]
<del></del>	
• •	\setuppositionbar [=]
<del></del>	\setupprocessor [] [=]
	\setupprofile [] [=]
<del></del>	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
	\setupregisters [] [=]
	\setuprenderingwindow [] [=]
	\setups []
	\setupscale [] [=]
	\setupscript [] [=]
	\setupscripts [] [=]
	\setupselector [] [=]
	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstartstop	\setupstartstop [] [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
	\setupsubformula [] [=]
	\setupsubformulas [] [=]
<del>-</del>	\setupsynctex [=]
•	\setups {}
	\setupTABLE [] [=]
	\setupTEXpage [=]
<u>-</u>	\setuptabulation [] [=]
1 00 0	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
<u> </u>	\setupunit [] [=]
	\setupuserpagenumber [=]
	\setupversion []
-	\setupviewerlayer [=]
<u>-</u>	\setupviewerlayer []
	\setupvspacing [] \setupwithargument {} {}
	\setupwitnargument {; {;} \setupwithargumentswapped { } { }

setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	$\showmessage {} {} {}$
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition \{\ldots\} \{\ldots\} \{\ldots\}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}

schovejbloky	\schovejbloky [] []
simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
sklonene	\sklonene
sklonenetucne	\sklonenetucne
slantedface	\slantedface
slicepages	\slicepages [] [=]
sloupec	\sloupec []
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
slovo	\slove {}
slovovpravo	\slovo\[]\slovo\[]\{}
•	\smallbodyfont
smallconpodehorostora	\smallcappedcharacters {}
smallcappedcharacters	
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \ \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
-	
splitofffull	\splitofffull \splitoffkind
splitoffkind	. ·
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackrel	\stackrel {} {}
stanovcislonadpisu	\stanovcislonadpisu []
stanovcharakteristickuseznamu	\stanovcharakteristickuseznamu [] [=]
startalignment	\startalignment [] \stopalignment
startallmodes	\startallmodes [] \stopallmodes
startattachment:instance	\startATTACHMENT [] [=] \stopATTACHMENT
startattachment:instance:attachment	\startattachment [] [=] \stopattachment
startbar	\startbar [] \stopbar
startbarva	\startbarva [] \stopbarva
startbbordermatrix	\startbbordermatrix \stopbbordermatrix
startbitmapimage	\startbitmapimage [=] \stopbitmapimage
startbordermatrix	\startbordermatrix \stopbordermatrix
startbtxrenderingdefinitions	\startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions
startbuffer	\startbuffer [] \stopbuffer
startbuffer:instance	\startBUFFER \stopBUFFER
startbuffer:instance:hiding	\starthiding \stophiding
	· · · · · · · · · · · · · · · · · · ·

startcatcodetable	\startcatcodetable \ \stopcatcodetable
startcenteraligned	\startcenteraligned \stopcenteraligned
startcollect	\startcollect \stopcollect
startcollecting	\startcollecting \stopcollecting
	\startcolorintent [] \stopcolorintent
startcoloronly	\startcoloronly [] \stopcoloronly
startcolorset	\startcolorset [] \stopcolorset
startcolumnspan	\startcolumnspan [=] \stopcolumnspan
startcombination	\startcombination [] [=] \stopcombination
startcombination:matrix	\startcombination [] [ \stopcombination
startcontextcode	\startcontextcode \stopcontextcode
startcontextdefinitioncode	\startcontextcode \stopcontextcode \startcontextdefinitioncode \stopcontextdefinitioncode
startctxfunction	\startctxfunction \stopctxfunction
startctxfunctiondefinition	\startctxfunctiondefinition \stopctxfunctiondefinition
startcurrentcolor	\startcurrentcolor \stopcurrentcolor
startcurrentlistentrywrapper	\startcurrentlistentrywrapper \stopcurrentlistentrywrapper
startdelimited	\startdelimited [] [] \stopdelimited
startdelimitedtext	\startdelimitedtext [] [] \stopdelimitedtext
startdelimitedtext:instance	\startDELIMITEDTEXT [] [ \stopDELIMITEDTEXT
startdelimitedtext:instance:aside	\startaside [] [] \stopaside
startdelimitedtext:instance:blockquote	\startblockquote [] [] \stopblockquote
startdelimitedtext:instance:quotation	\startquotation [] [] \stopquotation
startdelimitedtext:instance:quote	\startquote [] [ \stopquote
startdelimitedtext:instance:speech	\startspeech [] [ \stopspeech
startdisplaymath	\startdisplaymath \stopdisplaymath
startdmath	\startdmath \stopdmath
startdocument	\startdocument [=] \stopdocument
starteffect	\starteffect [] \stopeffect
starteffect:example	\startEFFECT \stopEFFECT
startelement	\startelement {} [=] \stopelement
startembeddedxtable	\startembeddedxtable [=] \stopembeddedxtable
startembeddedxtable:name	\startembeddedxtable [] \stopembeddedxtable
startexceptions	\startexceptions [] \stopexceptions
startexpanded	\startexpanded \stopexpanded
startexpandedcollect	\startexpandedcollect \stopexpandedcollect
startextendedcatcodetable	\startextendedcatcodetable \ \stopextendedcatcodetable
startexternalfigurecollection	\startexternalfigurecollection [] \stopexternalfigurecollection
	\startfittingpage [] [=] \stopfittingpage
startfittingpage:instance	\startFITTINGPAGE  =  \stopFITTINGPAGE
startfittingpage:instance startfittingpage:instance:MPpage	\startFITTINGPAGE [=] \stopFITTINGPAGE \startMPpage [=] \stopMPpage
startfittingpage:instance:MPpage	\startMPpage [=] \stopMPpage
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFLOATtext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFiguretext \startfiguretext [] [] {} \stopfiguretext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfloattext:instance:table startfloat</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopfamedcell
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedrow [=] \stopframedtable [] [=] \stopframedtable
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedtable [] [=.] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startframedtablox \stoppridsnapping
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stoppridsnapping \starttboxestohbox \stophboxestohbox \starthboxregister \stophboxregister
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startframedcell [=] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [=] \stopframedrow \startframedtable [] [=] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \starthboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \start
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance:helptext</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \starttabletext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \sto
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframeddontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance:helptext starthighlight</pre>	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stophicemicaltext \startchemicaltext [] [] {} \stophicemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedrom \startframedtable [] \stopframedrom \startframedtable [] \stopframedrom \startframedrom [] \stopframedrom \startframedtable \startframedrom [] \stopframedrom \startframedrom \startframedrom [] \stopframedrom \startframedrom \startframedrom \startframedrom \stopframedtable \startframedrom \startframedrom \stopframedtable \startframedrom \startframedro
<pre>startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthighlight starthyphenation</pre>	\startMPpage [] \stopMPpage \startTEXpage [] \stopfixne \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stoppraphictext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedromicaltext \startframedtable [] [] \stopframedianpping \startframedtable \startframedtable [] \stoppridsnapping \starthboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox \stophboxestohbox
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframeddable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthlighlight starthyphenation startcharacteralign	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopfixne \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startFLOATtext [] [] {} \stopfloatcombination \startFLOATtext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \startfintermezzotext [] [] {} \stopfintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopframedtable \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxestohbox \starthboxeregister [] \stophboxeregister \starthelptext [] \stophboxeregister \starthelptext [] \stophiphiphiphiphiphiphiphiphiphiphiphiphip
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \startfontclast [] \stopfont \startfontclast [] \stopfont \startfontclass [] \stopfontclass \startfontcolution [] \stopfontsolution \startframedcoll [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophbolightext \starthboxestohlophent [] \stophelptext \starthleptext [] \stophelptext \starthleptext [] \stophighlight \starthleptext [] \stophyphenation \startcharacteralign [] \stopcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \start
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \starttchemicaltext [] [] {} \stopchemicaltext \starttatletext [] [] {} \stophintermezzotext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedrapping [] \stopframedrom \startframedrapping [] \stopgridsnapping \startgridsnapping [] \stopgridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphenation \startcharacteralign [] \stopchemical
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesister starthelp:instance starthelp:instance starthyphenation startcharacteralign startcheckedfences	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \startfontclast [] \stopfont \startfontclast [] \stopfont \startfontclass [] \stopfontclass \startfontcolution [] \stopfontsolution \startframedcoll [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedtable [] [] \stopframedtable \startgridsnapping [] \stopgridsnapping \startgridsnapping [] \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophbolightext \starthboxestohlophent [] \stophelptext \starthleptext [] \stophelptext \starthleptext [] \stophighlight \starthleptext [] \stophyphenation \startcharacteralign [] \stopcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \startcharacteralign [] \stopcharacteralign \startcharacteralign \start
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxestohbox starthelp:instance starthelp:instance starthlelp:instance starthyphenation startcharacteralign startcheckedfences startchemical	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \starttchemicaltext [] [] {} \stopchemicaltext \starttatletext [] [] {} \stophintermezzotext \startfont [] \stopfont \startfontclass [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedrapping [] \stopframedrom \startframedrapping [] \stopgridsnapping \startgridsnapping [] \stopgridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphlight \starthpletext [] \stophiphenation \startcharacteralign [] \stopchemical
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontcolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance starthplight starthyphenation startcharacteralign startcheckedfences startchemical startimath	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfloatcombination [=.] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatText [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfant [] \stopfont \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [=.] \stopframedrow \startframedrow [=.] \stopframedrow \startframedrapping [] \stoppridsnapping \startgridsnapping [] \stoppridsnapping \startframedrow \start
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxesibhox starthlop:instance starthelp:instance starthlighlight starthyphenation startcharacteralign startcheckedfences startchemical startimath startindentedtext	\startMPpage [=] \stopMPpage \startTEXpage [=] \stopTEXpage \startfixne [] \stopfixne \startfiloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopgraphictext \startchemicaltext [] [] {} \stopchemicaltext \startintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfont [] \stopfont \startfont [] \stopfont \startfont class [] \stopfont \startframedcell [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedrow [] \stophboxregister \starthboxestohbox \stophboxregister \starthboxestohbox \stophboxregister \starthboxestohbox \starthboxregister \stophboxregister \starthboxregister \starthboxestohbox \stophelptext \starthboxestohbox \stophelptext \starthboxestohbox \stophelptext \starthpoxestohbox \starthboxestohbox \stophelptext \starthpoxestohbox \st
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:figure startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfont startfont startfontclass startfontsolution startframedcell startframedcontent startframedtable startgridsnapping startgridsnapping:list starthboxestohbox starthboxregister starthelp:instance starthelp:instance:helptext starthylenation startcharacteralign startcheckedfences startchemical startimath startindentedtext:example	\startMPpage [] \stopMPpage \startTEXpage [] \stopfixpage \startTEXpage [] \stopfixpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloattext [] [] {} \stopfloattext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopintermezzotext \starttatchemicaltext [] [] {} \stopintermezzotext \startfintermezzotext [] [] {} \stopintermezzotext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopfontsolution \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedrow \startframedtable [] [] \stopgridsnapping \startfiboxstartgridsnapping [] \stoppridsnapping \startfiboxstartfiboxestohbox \stophboxregister \startfiboxstartfibox \stophboxregister \startfiboxstartfibox [] \stophelptext \starthiphenation [] \stophiphenation \startcharacteralign [] \stophenation \startcharacteralign [] \stophenation \startcheckedfences \stophocheckedfences \startchemical [] [] \stophochemical \startcheckedfences \startchemical [] [] \stophochemical \startfiboxtartindentedtext [] \stopindentedtext \startIndentedtext [] \stopindentedtext \st
startfittingpage:instance:MPpage startfittingpage:instance:TEXpage startfixne startfloatcombination startfloatcombination:matrix startfloattext:instance startfloattext:instance:graphic startfloattext:instance:chemical startfloattext:instance:intermezzo startfloattext:instance:table startfont startfontclass startfontclass startfontsolution startframedcell startframedcontent startframedrow startframedtable startgridsnapping startgridsnapping:list starthboxestohbox startholp:instance starthelp:instance:helptext starthighlight startcheckedfences startchemical startimath startindentedtext startindentedtext startindentedtext startinterakce	\startMPpage [] \stopMPpage \startTEXpage [] \stopfixpage \startfixne [] \stopfixne \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopfloatcombination \startfloatcombination [] \stopFLOATtext \startfiguretext [] [] {} \stopfiguretext \startfiguretext [] [] {} \stopfiguretext \startgraphictext [] [] {} \stopchemicaltext \startchemicaltext [] [] {} \stopchemicaltext \starttntermezzotext [] [] {} \stopintermezzotext \startfantclass [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startgridsnapping [] \stoppridsnapping \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxestohbox \starthboxregister \stophboxregister \starthelptext [] \stophboxregister \starthelptext [] \stophboxregister \starthelptext [] \stophboxregister \starthpyphenation \startcharacteralign [] \stophboxregister \startcharacteralign [] \stophboxregister \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenation \startcharacteralign [] \stophophenical \startcharacter

atartitamaroun	\startitamgroup [ ] [ ] [ - ] \staritamgroup
startitemgroup	\startitemgroup [] [] \stopitemgroup
startitemgroup:instance	\startITEMGROUP [] [=] \stopITEMGROUP
startitemgroup:instance:itemize	\startitemize [] [=] \stopitemize
startJScode	\startJScode \stopJScode
startJSpreamble	\startJSpreamble \stopJSpreamble
startjdina	\startjdina [] \stopjdina
startknockout	\startknockout \stopknockout
startkomentarstranky	\startkomentarstranky \stopkomentarstranky
startkomentar:instance	\startCOMMENT [] [=] \stopCOMMENT
startkomentar:instance:comment	\startcomment [] [=] \stopcomment
startkomponenta	\startkomponenta [] \stopkomponenta
startkomponenta:string	\startkomponenta \stopkomponenta
startkonectabulky	\startkonectabulky [] \stopkonectabulky
startlayout	\startlayout [] \stoplayout
startlinealignment	\startlinealignment [] \stoplinealignment
<u> </u>	
startlinecorrection	\startlinecorrection [] \stoplinecorrection
startlinefiller	\startlinefiller [] [=] \stoplinefiller
startlinenote:instance	\startLINENOTE [] {}
startlinenote:instance:linenote	\startlinenote [] {}
startlinenumbering	\startlinenumbering [] [=] \stoplinenumbering
startlinenumbering:argument	\startlinenumbering [] [ \stoplinenumbering
startlinetable	\startlinetable \stoplinetable
startlinetablebody	\startlinetablebody \stoplinetablebody
startlinetablecell	\startlinetablecell [=] \stoplinetablecell
startlinetablehead	\startlinetablehead \stoplinetablehead
startlocalfootnotes	\startlocalfootnotes \stoplocalfootnotes
startlocalheadsetup	\startlocalheadsetup \stoplocalheadsetup
startlocallinecorrection	\startlocallinecorrection [] \stoplocallinecorrection
startlocalnotes	\startlocalnotes [] \stoplocalnotes
startlocalsetups	\startlocalsetups [] [] \stoplocalsetups
startlocalsetups:string	\startlocalsetups \stoplocalsetups
startlua	\startlua \stoplua
startluacode	\startluacode \stopluacode
startluaparameterset	\startluaparameterset [] \stopluaparameterset
-	
startluasetups	\startluasetups [] [] \stopluasetups
startluasetups:string	\startluasetups \stopluasetups
startMPclip	\startMPclip {} \stopMPclip
startMPcode	\startMPcode {} \stopMPcode
startMPdefinitions	\startMPdefinitions {} \stopMPdefinitions
startMPdrawing	\startMPdrawing [] \stopMPdrawing
startMPenvironment	\startMPenvironment [] \stopMPenvironment
startMPextensions	\startMPextensions {} \stopMPextensions
startMPinclusions	$\startMPinclusions$ [] {} $\stopMPinclusions$
startMPinitializations	\startMPinitializations \stopMPinitializations
startMPpositiongraphic	\startMPpositiongraphic \{\ldots\} \ldots\\ \stopMPpositiongraphic
startMPpositionmethod	\startMPpositionmethod {} \stopMPpositionmethod
startMPrun	\startMPrun {} \stopMPrun
startmarginalnilinka	\startmarginalnilinka [] \stopmarginalnilinka
•	
startmarginalnilinka:assignment	\startmarginalnilinka [=] \stopmarginalnilinka
startmarginblock	\startmarginblock [] \stopmarginblock
startmarkedcontent	\startmarkedcontent [] \stopmarkedcontent
startmathalignment:instance	\startMATHALIGNMENT [=] \stopMATHALIGNMENT
startmathalignment:instance:align	\startalign [=] \stopalign
startmathalignment:instance:mathalignment	\startmathalignment [=] \stopmathalignment
startmathcases:instance	\startMATHCASES [=] \stopMATHCASES
startmathcases:instance:cases	\startcases [=] \stopcases
startmathcases:instance:mathcases	\startmathcases [=] \stopmathcases
startmathmatrix:instance	\startMATHMATRIX [=] \stopMATHMATRIX
startmathmatrix:instance:mathmatrix	\startmathmatrix [=] \stopmathmatrix
startmathmatrix:instance:matrix	\startmatrix [=] \stopmatrix
startmathmode	\startmathmode \stopmathmode
startmathstyle	\startmathstyle [] \stopmathstyle
•	
startmatrices	\startmatrices [=] \stopmatrices
startmaxaligned	\startmaxaligned \stopmaxaligned
startmiddlealigned	\startmiddlealigned \stopmiddlealigned
startmixedcolumns	\startmixedcolumns [] [=] \stopmixedcolumns
startmixedcolumns:instance	\startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS
startmixedcolumns:instance:boxedcolumns	\startboxedcolumns [=] \stopboxedcolumns
startmixedcolumns:instance:itemgroupcolumns	\startitemgroupcolumns [=] \stopitemgroupcolumns
startmode	\startmode [] \stopmode
startmodeset	
startmodule	\startmodeset [] {} \stopmodeset
	\startmodule [] \stopmodule
startmoduletestsection	
	\startmodule [] \stopmodule \startmoduletestsection \stopmoduletestsection
startmoduletestsection	\startmodule [] \stopmodule

atantnamadaaatian	\atamamadaaatian [ ] [ - ] [ - ] \atamamadaaatian
startnamedsection	\startnamedsection [] [=] \stopnamedsection
startnamedsubformulas	\startnamedsubformulas [] {} \stopnamedsubformulas
startnaproti	\startnaproti \stopnaproti
startnarrower	\startnarrower [] \stopnarrower
startnarrower:example	\startNARROWER [] \stopNARROWER
startnegativ	\startnegativ \stopnegativ
startnicelyfilledbox	\startnicelyfilledbox [=] \stopnicelyfilledbox
startnointerference	\startnointerference \stopnointerference
startnotallmodes	\startnotallmodes [] \stopnotallmodes
startnotext	\startnotext \stopnotext
startnotmode	\startnotmode [] \stopnotmode
startobrazek	\startobrazek [] [=] \stopobrazek
startodlozit	\startodlozit [] \stopodlozit
startodstavec	\startodstavec [] [=] \stopodstavec
	<del>_</del>
startoramovani	\startoramovani [] [=] \stoporamovani
startoramovanytext:instance	\startFRAMEDTEXT [] [=] \stopFRAMEDTEXT
startoramovanytext:instance:framedtext	\startframedtext [] [=] \stopframedtext
startoutputstream	\startoutputstream [] \stopoutputstream
startoverprint	\startoverprint \stopoverprint
startpagefigure	\startpagefigure [] [=] \stoppagefigure
startpagegrid	\startpagegrid [] [=] \stoppagegrid
startpagegridspan	\startpagegridspan [] [=] \stoppagegridspan
startpagegrid:example	\startPAGEGRID [=] \stopPAGEGRID
startpagelayout	\startpagelayout [] \stoppagelayout
startpar	\startpar [] [=] \stoppar
startparagraphs	\startparagraphs [] \stopparagraphs
startparagraphscell	\startparagraphscell \stopparagraphscell
. • .	
startparagraphs:example	\startPARAGRAPHS \stopPARAGRAPHS
startparallel:example	\startPARALLEL \stopPARALLEL
startparbuilder	\startparbuilder [] \stopparbuilder
startplacefloat	\startplacefloat [] [=] [=] \stopplacefloat
startplacefloat:instance	\startumistiFLOAT [=] [=] \stopumistiFLOAT
startplacefloat:instance:figure	\startumistifigure [=] [=] \stopumistifigure
startplacefloat:instance:graphic	\startumistigraphic [=] [=] \stopumistigraphic
startplacefloat:instance:chemical	\startumistichemical [=] [=] \stopumistichemical
startplacefloat:instance:intermezzo	\startumistiintermezzo [=] [=] \stopumistiintermezzo
startplacefloat:instance:table	\startumistitable [=] [=] \stopumistitable
startplacepairedbox	\startplacepairedbox [] [=] \stopplacepairedbox
startplacepairedbox:instance	\startumistiPAIREDBOX [=] \stopumistiPAIREDBOX
startplacepairedbox:instance:legend	\startumistilegend [=] \stopumistilegend
startpolozka	\startpolozka [] \stoppolozka
startpopis:example	\startPOPIS [=] \stopPOPIS
startpopis:example:title	\startPOPIS [] {} \stopPOPIS
startpositioning	\startpositioning [] [=] \stoppositioning
startpositionoverlay	\startpositionoverlay {} \stoppositionoverlay
startpositiv	\startpositiv \stoppositiv
-	
startpozadi	\startpozadi [=] \stoppozadi
startpozadi:example	\startPOZADI [=] \stopPOZADI
startpoznamka:instance	\startNOTE [] \stopNOTE
startpoznamka:instance:assignment	\startNOTE [=] \stopNOTE
startpoznamka:instance:assignment:endnote	\startendnote [=] \stopendnote
startpoznamka:instance:assignment:footnote	\startfootnote [=] \stopfootnote
startpoznamka:instance:endnote	\startendnote [] \stopendnote
<del>-</del>	
startpoznamka:instance:footnote	\startfootnote [] \stopfootnote
startprekryv	\startprekryv \stopprekryv
startprocessassignmentcommand	$\startprocessassignment command [=] \dots \stopprocessassignment command [=] \dots$
startprocessassignmentlist	\startprocessassignmentlist [=] \stopprocessassignmentlist
startprocesscommacommand	\startprocesscommacommand [] \stopprocesscommacommand
startprocesscommalist	\startprocesscommalist [] \stopprocesscommalist
-	\startprodukt [] \stopprodukt
startprodukt	
startprodukt:string	\startprodukt\stopprodukt
startprojekt	\startprojekt [] \stopprojekt
startprojekt:string	\startprojekt \stopprojekt
startprostredi	\startprostredi [] \stopprostredi
startprostredi:string	\startprostredi \stopprostredi
startprotectedcolors	\startprotectedcolors \stopprotectedcolors
-	
startpublikace	\startpublikace [] [=] \stoppublikace
startradek	\startradek []
startradky:instance	\startLINES [=] \stopLINES
startradky:instance:lines	\startlines [=] \stoplines
startrandomized	\startrandomized \stoprandomized
startrawsetups	\startrawsetups [] [] \stoprawsetups
startrawsetups:string	\startrawsetups \stoprawsetups
startreadingfile	\startreadingfile \stopreadingfile
startregime	\startregime [] \stopregime

	\
	\startregister [] [] [] [++]
	\startreusableMPgraphic \\\stopreusableMPgraphic
	\startrovnice [] \stoprovnice
	\startrovnice [=] \stoprovnice
startrovnice:instance	\startFORMULAformula [] \stopFORMULAformula
startrovnice:instance:md	\startmdformula [] \stopmdformula
startrovnice:instance:mp	\startmpformula [] \stopmpformula
startrovnice:instance:sd	\startsdformula [] \stopsdformula
startrovnice:instance:sp	\startspformula [] \stopspformula
	\startrozbalene \stoprozbalene
	\startscript [] \stopscript
startsectionblock	\startsectionblock [] [=] \stopsectionblock
	\startsectionblockenvironment [] \stopsectionblockenvironment
startsectionblock:instance	\startSECTIONBLOCK [=] \stopSECTIONBLOCK
startsectionblock:instance:appendices	\startappendices [=] \stopappendices
startsectionblock:instance:backmatter	\startbackmatter [=] \stopbackmatter
startsectionblock:instance:bodymatter	\startbodymatter [=] \stopbodymatter
startsectionblock:instance:frontmatter	\startfrontmatter [=] \stopfrontmatter
startsectionlevel	\startsectionlevel [] [=] [=] \stopsectionlevel
startsekce:instance	\startSECTION [=] [=] \stopSECTION
startsekce:instance:chapter	\startchapter [=] [=] \stopchapter
startsekce:instance:part	\startpart [=] [=] \stoppart
startsekce:instance:section	\startsection [=] [=] \stopsection
startsekce:instance:subject	\startsubject [=] [=] \stopsubject
startsekce:instance:subsection	\startsubsection [=] [=] \stopsubsection
startsekce:instance:subsubject	\startsubsubject [=] [=] \stopsubsubject
startsekce:instance:subsubsection	\startsubsubsection [=] [=] \stopsubsubsection
startsekce:instance:subsubsubject	\startsubsubsubject [=] [=] \stopsubsubsubject
startsekce:instance:subsubsubsection	\startsubsubsubsection [=] [=] \stopsubsubsubsection
startsekce:instance:subsubsubject	\startsubsubsubsubject [=] [=] \stopsubsubsubsubject
startsekce:instance:subsubsubsubsection	$\startsubsubsubsubsection$ [=] [=] $\stopsubsubsubsubsubsubsubsubsubsubsubsubsubs$
startsekce:instance:subsubsubsubject	\startsubsubsubsubsubsubject [=] [=] \stopsubsubsubsubsubject
startsekce:instance:title	\starttitle [=] [=] \stoptitle
startsetups	\startsetups [] [] \stopsetups
	\startsetups \stopsetups
	\startshift [] \stopshift
	\startsidebar [] [=] \stopsidebar
	\startsimplecolumns [=] \stopsimplecolumns
	\startsloupce [=] \stopsloupce
	\startspecialitem [] [] \stopspecialitem
	\startspecialitem [] \stopspecialitem
	\startspecialitem [] {} \stopspecialitem
	\startsplitformula \stopsplitformula
	\ctartcnroad \ctoncnroad
•	\startspread \stopspread
startstartstop	\start [] \stop
startstartstop startstartstop:example	\start [] \stop \startSTARTSTOP \stopSTARTSTOP
startstartstop startstartstop:example startstaticMPfigure	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} { \stopstaticMPgraphic
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {}
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} { \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [=] [=]
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] \startstyle [=] \stopstyle
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startSTYLE \stopSTYLE
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel \startsubsentence \stopsubsentence
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsymbolset [] \stopsymbolset
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEBody [=] \stopTABLE
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubstack \stopsubsentence \startsubstack \startsymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEbody [=] \stopTABLEbody \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubstack \stopsubstack \startstymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEbody [=] \stopTABLEbody \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTablelator [//] [=] \stoptabelator
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopsymbolset \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEfoot \startTABLEhead [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE
startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE
<pre>startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEbody startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend</pre>	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubsentence \stopsubstack \startsubstatstylbelterel [] \stopsubjectlevel \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEFoot [] \stopTABLE \startTABLEFoot [] \stopTABLEFoot \startTABLEEnext [] \stopTABLEEnext \startTABLEEnext [] \stopTABLEEnext \startTABULATE [] [] \stopTABULATE \startTABULATE [] [] \stopTabuLATE \startfact [] [] \stopfact \startLegend [] [] \stoplegend
<pre>startstartstop startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEbody startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend</pre>	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopsubformulas \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [=] \stopTABLE \startTABLEfoot [=] \stopTABLEfoot \startTABLEfoot [=] \stopTABLEhead \startTABLEnext [=] \stopTABLEnext \startTABLEnext [=] \stopTABLEnext \startTABULATE [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE \startfact [] [=] \stopTABULATE
<pre>startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend starttabulatehead</pre>	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubsentence \stopsubstack \startsubstatstylbelterel [] \stopsubjectlevel \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEFoot [] \stopTABLE \startTABLEFoot [] \stopTABLEFoot \startTABLEEnext [] \stopTABLEEnext \startTABLEEnext [] \stopTABLEEnext \startTABULATE [] [] \stopTABULATE \startTABULATE [] [] \stopTabuLATE \startfact [] [] \stopfact \startLegend [] [] \stoplegend
<pre>startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:fact starttabelator:instance:legend starttabulatehead</pre>	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [=] [=] \startstyle [=] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [=] [=] \stopsubjectlevel \startsubsentence \stopsubstack \startsubstack \stopsubstack \startsubstack \stopsubstack \startTABLE [=.] \stopTABLE \startTABLE [=.] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEnext [] \stopTABLEhead \startTABLENExt [] \stopTABLEnext \starttablator [//] [=.] \stopTABULATE \startfact [] [=.] \stopTABULATE \startfact [] [=.] \stopTabulate \startlegend [] [=.] \stoplegend \starttabulatehead [] \stoptabulatehead
startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulation:example	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopstyle \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsubstack \stopsubstack \startTABLE [] \stopTABLE \startTABLEfoot [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEheat [] \stopTABLEheat \startTABULATE [] \stopTABLEheat \startTABULATE [] \stopTABULATE \startfact [] [] \stopfact \startLabulate [] \stopfact \startLabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead
startstartstop startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEhead startTABLEnext starttabelator starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulation:example starttabulka	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubstack \stopsubstack \startsubstack \stopsubstack \startstymbolset [] \stopTABLE \startTABLE [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEfoot [] \stopTABLEhead \startTABLEnext [] \stopTABLEnext \startTABULATE [] \stopTABULATE \startfact [] [] \stopTABULATE \startfact [] [] \stopTabulate \starttabulatehead [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead \starttabulatetail [] \stopTabulation
startstartstop:example startstaticMPfigure startstaticMPgraphic startstop:example startstrictinspectnextcharacter startstructurepageregister startstyle startstyle:argument startstyle:instance startsubformulas startsubjectlevel startsubsentence startsubstack startsymbolset startTABLE startTABLE startTABLEfoot startTABLEhead startTABLEnext starttabelator starttabelator:instance starttabelator:instance:legend starttabulatetail starttabulka:name	\start [] \stop \startSTARTSTOP \stopSTARTSTOP \startstaticMPfigure {} \stopstaticMPfigure \startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {} \startstrictinspectnextcharacter \stopstrictinspectnextcharacter \startstructurepageregister [] [] [] [] \startstyle [] \stopstyle \startstyle [] \stopstyle \startstyle [] \stopstyle \startSTYLE \stopSTYLE \startsubformulas [] \stopsubformulas \startsubjectlevel [] [] [] \stopsubjectlevel \startsubsentence \stopsubsentence \startsubsentence \stopsubsentence \startstymbolset [] \stopTABLE \startTABLE [] \stopTABLE \startTABLEbody [] \stopTABLE \startTABLEfoot [] \stopTABLEfoot \startTABLEhead [] \stopTABLEhead \startTABLEnext [] \stopTABLEnext \startTABULATE [] \stopTABULATE \startTABULATE [] \stopTABULATE \startlegend [] [] \stopTaBULATE \startlegend [] [] \stoptabulatehead \starttabulatehead [] \stoptabulatehead

	\starttexcode \stoptexcode
starttexcode	<u>-</u>
starttexdefinition	\starttexdefinition\stoptexdefinition
starttext	\starttext \stoptext
starttextbackground	\starttextbackground [] [=] \stoptextbackground
starttextbackgroundmanual	\starttextbackgroundmanual \stoptextbackgroundmanual
starttextbackground:example	\startTEXTBACKGROUND [=] \stopTEXTBACKGROUND
starttextcolor	\starttextcolor [] \stoptextcolor
starttextcolorintent	\starttextcolorintent \stoptextcolorintent
starttextflow	\starttextflow [] \stoptextflow
starttextnapovedy	\starttextnapovedy [] \stoptextnapovedy
starttextovalinka	\starttextovalinka {} \stoptextovalinka
starttextpopisku:instance	\startLABELtext [] [] \stopLABELtext
starttextpopisku:instance:btxlabel	\startbtxlabeltext [] [] \stopbtxlabeltext
starttextpopisku:instance:head	\startheadtext [] [] \stopheadtext
starttextpopisku:instance:label	\startlabeltext [] [] \stoplabeltext
starttextpopisku:instance:mathlabel	\startmathlabeltext [] [] \stopmathlabeltext
starttextpopisku:instance:operator	\startoperatortext [] [] \stopoperatortext
starttextpopisku:instance:prefix	\startprefixtext [] [] \stopprefixtext
starttextpopisku:instance:suffix	\startsuffixtext [] [] \stopsuffixtext
starttextpopisku:instance:taglabel	\starttaglabeltext [] [] \stoptaglabeltext
starttextpopisku:instance:unit	\startunittext [] [] \stopunittext
1 1	
starttokens	\starttokens [] \stoptokens
starttransparent	\starttransparent [] \stoptransparent
starttypescript	\starttypescript [] [] \stoptypescript
starttypescriptcollection	\starttypescriptcollection [] \stoptypescriptcollection
starttyping:instance	\startTYPING [=] \stopTYPING
*1 G	\startTYPING [] \stopTYPING
starttyping:instance:argument	<del>-</del>
starttyping:instance:argument:LUA	\startLUA [] \stopLUA
starttyping:instance:argument:MP	\startMP [] \stopMP
starttyping:instance:argument:PARSEDXML	\startPARSEDXML [] \stopPARSEDXML
starttyping:instance:argument:TEX	\startTEX [] \stopTEX
starttyping:instance:argument:typing	\starttyping [] \stoptyping
starttyping:instance:argument:XML	
V. 0	\startXML [] \stopXML
starttyping:instance:LUA	\startLUA [=] \stopLUA
starttyping:instance:MP	\startMP [=] \stopMP
starttyping:instance:PARSEDXML	\startPARSEDXML [=] \stopPARSEDXML
starttyping:instance:TEX	\startTEX [=] \stopTEX
starttyping:instance:typing	\starttyping [=] \stoptyping
starttyping:instance:XML	\startXML [=] \stopXML
startumistirovnici	\startumistirovnici [=] \stopumistirovnici
	\atamtumiatimarmiai   \atamumiatimarmiai
startumistirovnici:argument	\startumistirovnici [] \stopumistirovnici
startumistirovnici:argument startuniqueMPgraphic	\startumistirovnici [] \stopumistirovnici \startuniqueMPgraphic {} \stopuniqueMPgraphic
startuniqueMPgraphic	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic
startuniqueMPgraphic startuniqueMPpagegraphic	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=] \stopuzky
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky
startuniqueMPgraphic startuniqueMPpagegraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] (] \stopuzky
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \stopvboxtohboxseparator
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \stopvboxtohboxseparator
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox separator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startvisici [=.] {} \stopvisici
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopvtopregister
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister startvtopregister startvtopregister startvtopregister	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic \startusemathstyleparameter \startusemathstyleparameter \startusingbtxspecification [] \stopusemathstyleparameter \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvipregister \stopviopregister \stopviopregister \startvipregister \stopviopregister \stopviopre
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvtopregister startvtopregister startvtopregister startvisci:argument startvtopregister startvycet:example startvycet:example	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvtopregister \stopviopregister \startvtyCET [] {} \stopviceT \startvYCET [] {} \stopVYCET
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici:argument startvtopregister startvtopregister startvtopregister startvtopregister	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \startvtopregister \startvtopregister \startvtopregister \startvtopregister \startvtyCET [] {} \stopvyCET \startvyCET [] {} \stopvyCET \startvyCET [] {} \stopvyCET \startvcell [] [] \stopvyCET
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvtopregister startvtopregister startvtopregister startvisci:argument startvtopregister startvycet:example startvycet:example	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopviopregister \startvtopregister \stopviopregister \startvtyCET [] {} \stopviceT \startvYCET [] {} \stopVYCET
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer startvisici startvisici startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcellgroup	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [=.] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox separator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopVYCET \startvYCET [] {} \stopVYCET \startxcell [] [] \stopvicell \startxcellgroup [] [] \stopxcellgroup
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startxcell startxcellgroup startxgroup	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohboxseparator \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopvEcll \startxcellgroup [] [] \stopxgroup
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcellgroup startxgroup startxmldisplayverbatim	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopvECET \startxcell [] [] \stopvECET \startxcell [] [] \stopxGell \startxcell [] [] \stopxgroup \startxmldisplayverbatim [] \stopxmldisplayverbatim
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlinlineverbatim	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuboxtohbox register \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startvIEWERLAYER \stopvIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvisici \startvtopregister \stopvYCET \startvYCET [] {} \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [=.] \stopvYCET \startxcell [] [=.] \stopxcell \startxmldisplayverbatim [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlraw	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusemathstyleparameter \startvisemathstyleparameter \startvisemathstyleparameter \startvisemathstyleparameter \startyleparameter \s
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmlinlineverbatim startxmlraw startxmlsetups	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \stopVIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopviceT \startvYCET [] \stopVYCET \startvYCET [] \stopVYCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmlinlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxgroup startxmldisplayverbatim startxmlraw	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic {} \
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmlinlineverbatim startxmlraw startxmlsetups	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusingbtxspecification \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \stopvboxregister \startvboxregister \ \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisewerlayer [] \stopviewerlayer \startvIEWERLAYER \startvIEWERLAYER \stopVIEWERLAYER \startvisici [] {} \stopvisici \startvtopregister \stopvisici \startvtopregister \stopviceT \startvYCET [] \stopVYCET \startvYCET [] \stopVYCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopvyCET \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxcell [] [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmldisplayverbatim [] \stopxopcell \startxmlinlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \startxmlineverbatim [] \stopxopcell \
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlraw startxmlsetups startxmlsetups startxmlsetups:string	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic {} \stopuseMpuseMpuseMpuseMpuseMpuseMpuseMpuseM
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startvycet:example startxcell startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlraw startxmlsetups startxmlsetups startxrow	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxregister \startvboxregister \ \stopvboxregister \startvboxtohbox \stopvboxtohbox \startvboxregister \startvboxtohbox \startviseverlayer [] \stopviseverlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviscici [] {} \stopviewerlayer \startviscici [] {} \stopviewerlayer \startviyeer \startvyeer [] {} \stopviewerlayer \startviyeer \startviyeer \startviyeer [] {} \stopviewerlayer \startviyeer \startviyeer \startviyeer \startviyeer [] {} \stopviewerlayer \startviyeer \startviyee
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvycet:example startvycet:example startxcell startxcellgroup startxmldisplayverbatim startxmlraw startxmlsetups startxmlsetups startxrow startxrowgroup startxxrow startxxougroup startxxrow startxxougroup startxxrow startxxougroup startxxrow startxxrow startxxrow startxxrow startxxtable	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startusableMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopvboxtohbox \startvboxregister \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvisemalayer [] \stopviewerlayer \startviewerlayer [] \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startviewerlayer [] {} \stopviewerlayer \startxiewerlayer [] {} \stopviewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayerlayer \startxiewerlayer [] {} \stopxiewerlayer \startxiewerlayerlayerlayerlayerlayerlayerlayerlay
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemApgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici startvisici:argument startvopregister startvycet:example startvycet:example startxcell startxcell startxcell startxcell startxmlinlineverbatim startxmlraw startxmlsetups startxrow startxrow startxrow startxrow startxxable startxtable startxtable startxtable	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvisici [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvioregister \stopviceT \startvyCET [] \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopxgroup \startxxgroup [] [] \stopxgroup \startxxgroup [] [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxxmlsetups [] [] \stopxrow \startxxowgroup [] [] \stopxrow \startxxowgroup \startxtable [] \stopxtable \startxtable [] \stopxt
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici:argument startvtopregister startvycet:example startvycet:example startxcell startxcell startxcellgroup startxgroup startxmlinlineverbatim startxmlraw startxmlsetups startxxmlsetups startxxow startxxow startxxable startxtable startxtablebody:name	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \startusemathstyleparameter \startusingbtxspecification [] \stopusky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuboxxegister \startvboxxegister \stopvboxtohbox \startvboxxegister \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startvboxtohbox \startviewerlayer [] \stopviewerlayer \startviewerlayer \start
startuniqueMPgraphic startusableMPgraphic startuseMPgraphic startusemApgraphic startusemathstyleparameter startusingbtxspecification startuzky startuzky:assignment startuzky:name startvboxregister startvboxtohbox startvboxtohboxseparator startviewerlayer startviewerlayer:example startvisici startvisici startvisici:argument startvopregister startvycet:example startvycet:example startxcell startxcell startxcell startxcell startxmlinlineverbatim startxmlraw startxmlsetups startxrow startxrow startxrow startxrow startxxable startxtable startxtable startxtable	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic \startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic \startusableMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopusableMPgraphic \startuseMPgraphic {} {} \stopuseMPgraphic \startusemathstyleparameter \ \stopusemathstyleparameter \startusingbtxspecification [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startuzky [] [] \stopuzky \startvboxregister \stopvboxregister \startvboxtohbox \stopvboxregister \startvboxtohbox \startvboxtohbox \stopvboxtohbox \startvboxtohbox \startvboxtohbox \startvisici [] \stopviewerlayer \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvisici [] {} \stopvisici \startvioregister \stopviceT \startvyCET [] \stopvYCET \startvYCET [] {} \stopvYCET \startxcell [] [] \stopxgroup \startxxgroup [] [] \stopxgroup \startxxgroup [] [] \stopxmldisplayverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlinlineverbatim [] \stopxmlinlineverbatim \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxmlsetups [] [] \stopxrow \startxxmlsetups [] [] \stopxrow \startxxowgroup [] [] \stopxrow \startxxowgroup \startxtable [] \stopxtable \startxtable [] \stopxt

startxtablehead	\startxtablehead [=] \stopxtablehead
startxtablehead:name	\startxtablehead [] \stopxtablehead
startxtablenext	\startxtablenext [=] \stopxtablenext
startxtablenext:name	\startxtablenext [] \stopxtablenext
startxtable:example	\startXTABLE [=] \stopXTABLE
startxtable:name	\startxtable [] \stopxtable
startzahlavitabulky	\startzahlavitabulky [] \stopzahlavitabulky
startzarovnanonastred	\startzarovnanonastred \stopzarovnanonastred
startzarovnanovlevo	\startzarovnanovlevo \stopzarovnanovlevo
startzarovnanovpravo	\startzarovnanovpravo \stopzarovnanovpravo
startzhustene	\startzhustene [] \stopzhustene
startzlom	\startzlom [] [=] \stopzlom
startzlom:instance	\startMAKEUPzlom [=] \stopMAKEUPzlom
startzlom:instance:middle	\startmiddlezlom [=] \stopmiddlezlom
startzlom:instance:page	\startpagezlom [=] \stoppagezlom
startzlom:instance:standard	\startstandardzlom [=] \stopstandardzlom
startzlom:instance:text	\starttextzlom [=] \stoptextzlom
stoplinenote:instance	\stopLINENOTE []
stoplinenote:instance:linenote	\stoplinenote []
stopradek	\stopradek []
stopregister	\stopregister [] []
stopstructurepageregister	\stopstructurepageregister [] []
strana	\strana []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap strutht	\strutgap \strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbol	\symbol [] []
symbolreference	\symbolreference []
symbol:direct	\symbol {}
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {} {}

systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
tecka	\tecka {}
tecky	\tecky []
tecky:assignment	\tecky [=]
tenkalinka	\tenkalinka
tenkelinky	\tenkelinky [=]
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature \{\ldots\} \\\
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnapovedy	\textnapovedy [] {} {}
textormathchar	\textormathchar {}
textovalinka	\textovalinka [] {}
textplus	\textplus
textpopisku:instance	\LABELtext {}
textpopisku:instance:btxlabel	\btxlabeltext {}
textpopisku:instance:head	\headtext {}
textpopisku:instance:label	\labeltext {}
textpopisku:instance:mathlabel	\mathlabeltext {}
textpopisku:instance:operator	\operatortext {}
textpopisku:instance:prefix	\prefixtext {} \suffixtext {}
textpopisku:instance:suffix	\taglabeltext \{\dots\}
textpopisku:instance:taglabel	\unittext {}
textpopisku:instance:unit textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {} {} {} {} {}
thirdoffourarguments	\thirdoffourarguments {} {} {} {}
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
thirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont

	A.2 5 . 2 . 2 . 2 . 2
tlacitko	\tlacitko [=] {} []
tlacitkomenu:button	\tlacitkomenu [=] {} {}
tlacitkomenu:interactionmenu	\tlacitkomenu [] [=] {} {}
tlacitko:example	\BUTTON [=] {} []
tlap	\tlap {}
tloustkacary	tloustkacary
tochar	\tochar {}
tolinenote	\tolinenote []
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
transparencycomponents	\transparencycomponents {}
transparent tref	\transparent [] {}
	\tref {} {} []
truefilename	\triplebond \truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright \tucne
tucnekurzivni	\tucne\tucne\tucnekurzivni
tucnesklonene	\tucnesklonene
tvrdamezera	\tvrdamezera
tvrdemezery	\tvrdemezery
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typebuffer	\typebuffer [] [=]
typebuffer:instance	\opisBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ \ \{}
ukazbarvu	\ukazbarvu []
ukazmrizku	\ukazmrizku []
ukaznastaveni	\ukaznastaveni []
ukazpaletu	\ukazpaletu [] []
ukazpodpery	\ukazpodpery
ukazpostredizakladnihofontu	\ukazpostredizakladnihofontu []
ukazramecek	\ukazramecek [] []
ukazsadusymbolu	\ukazsadusymbolu []
ukazskupinubarev	\ukazskupinubarev [] []
ukazupravu	\ukazupravu []
ukazvytisk	\ukazvytisk [] [] [=]
ukazvzhled	\ukazvzhled []
ukazzakladnifont	\ukazzakladnifont []
umistikombinovanyseznam	\umistikombinovanyseznam [] [=]
umistikombinovanyseznam:instance	\umistiCOMBINEDLIST [=]
umistikombinovanyseznam:instance:content	\umisticontent [=]
umistilokalnipoznamkypodcarou	\umistilokalnipoznamkypodcarou [=]
umistinadsebe	\umistinadsebe {} {}
umistinamrizku	\umistinamrizku [] {}
umistinamrizku:list	\umistinamrizku [] {}
umistipodrovnici	\umistipodrovnici []
umistipoznamkypodcarou	\umistipoznamkypodcarou [=]
umistirejstrik	\umistirejstrik [] [=]
umistirejstrik:instance	\umistiREGISTER [=]
umistirejstrik:instance:index	\umistiindex [=]
umistirovnici	\umistirovnici []
umistiseznam	\umistiseznam [] [=]
umistivedlesebe	\umistivedlesebe {} {}
umistizalozky	\umistizalozky [] [] [=]
undefinevalue	\undefinevalue {}

undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
-	\unhhbox \with {}
unhhbox	
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unprotect	\unprotect \protect
unprotected	\unprotected \par
•	
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
urcicharakteristikurejstriku	\urcicharakteristikurejstriku [] [=]
url	\url []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
v i	• •
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic \{\} \{=\}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
<del>-</del>	<del>-</del>
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
•	
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	\utilityregisterlength
uzi iadresar	\uziiadresar [ ]

uzijbloky	\uzijbloky [] [=]
uzijexternidokument	\uzijexternidokument [] []
uzijexterniobraz	\uzijexterniobraz [] [] [] [=]
uzijexternizvuk	\uzijexternizvuk [] []
uzijJSscripts	\uzijJSscripts [] []
uzijmodul	\uzijmodul [] [=]
uzijsymbol	\uzijsymbol []
uzijURL	\uzijURL [] [] []
uzijurl	\uzijurl [] [] []
VerboseNumber	\VerboseNumber {}
VSEDNIDEN	\VSEDNIDEN {}
vboxreference	\vboxreference [] {}
vec	\vec {}
velke	\velke
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
verze	\verze []
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vlasovalinka	\vlasovalinka
vlevo	\vlevo
vphantom	\vphantom {}
vpos	\vpos {} {}
vpravo	\vpravo
vradku	\vradku {} []
vsedniden	\vsedniden {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
vyberbloky	\vyberbloky [] [=]
vycet:example	\VYCET [] {} \par
vyplnenytext	\vyplnenytext [=] {} {}
vyplnovelinky	\vyplnovelinky [=] {}
vyplnovyradek	\vyplnovyradek [=]
vysoky	\vysoky {}
ÿ ÿ	\vysoky \\\rangle \HIGH \{\\rangle}
vysoky:instance	
vysoky:instance:unitshigh	\unitshigh {}
WidthSpanningText	\WidthSpanningText {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall \{\} \{\}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
• •	==
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	\xmlattributedef \{\ldots\} \{\ldots\} \{\ldots\} \\
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	$\mbox{xmlbeforedocumentsetup } \{\} \{\}$
xmlbeforesetup	\xmlbeforesetup {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange {} {} {} {}
<del>-</del>	- · · · · · · · · · · · · · · · · · · ·

xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {}
xmldoifelse	\xmldoifelse {} {} {} {}
xmldoifelseempty	\xmldoifelseempty {} {} {} {}
- •	\xmldoifelseselfempty \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmldoifelseselfempty	\xmldoifelsetext {} {} {} {}
xmldoifelsetext	\xmldoifelsevalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmldoifelsevalue	
xmldoifnot	\xmldoifnot {} {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	$\mathbf{xmldoiftext} \{\} \{\}$
xmlelement	\xmlelement {} {}
xmlfilter	$\mathbf{xmlfilter} \{\}$
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	\xmlchainattdef \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlchecknamespace	\xmlchecknamespace {} {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	$\xr = \xr $
xmlinlineprettyprinttext	$\xspace \xspace \xsp$
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective \{\ldots\} \{\ldots\}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {} {} {}
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {} {}
xmlloadonly	\xmlloadonly {} {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	$\mbox{xmlposition } \{\} \{\}$
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups \(\text{\congression}\)
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname \{\} \{\} \{\}
xmlremapnamespace	\xmlremapnamespace \{\dots\} \{\dots\}
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}

xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsetatt {} {} {}
xmlsetattribute	\xmlsetattribute \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction {} {} {}
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar xmlsetparam	\xmlsetpar {} {} {} \xmlsetparam {} {} {} {}
xmlsetsetup	\xmlsetsetup \{\ldots\} \\\\\\
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
xmlstripnolines	\xmlstripnolines {} {}
xmlstripped	\xmlstripped {} {}
xmlstrippednolines	\xmlstrippednolines {} {}
xmltag	\xmltag {}
xmltexentity	\xmltexentity {} {}
xmltext	\xmltext {} {}
xmltobuffer	\xmltobuffer {} {} {}
xmltobufferverbose	$\xmltobufferverbose {} {} {}$
xmltofile	\xmltofile {} {} {}
xmlvalue	\xmlvalue {} {}
xmlverbatim	\xmlverbatim {}
xsplitstring	\xsplitstring \ {}
xypos	\xypos {}
Znak	\Znak {}
Znaky	\Znaky {}
zadnamezera	\zadnamezera
zadnehorniadolniradky zadnezahlaviaupati	\zadnehorniadolniradky \zadnezahlaviaupati
zachovejbloky	\zachovejbloky [] []
zalozka	\zalozka [] {}
zapisdoseznamu	\zapisdoseznamu [] [=] {} {}
zapismeziseznam	\zapismeziseznam [] [=] {}
zaramovani	\zaramovani [=] {}
zarovnanonastred	\zarovnanonastred {}
zarovnanovlevo	\zarovnanovlevo {}
zarovnanovpravo	\zarovnanovpravo {}
zasobnikpoli	\zasobnikpoli [] [] [=]
ziskejbuffer	\ziskejbuffer []
ziskejbuffer:instance	$\exists skatBUFFER$
ziskejznaceni	\ziskejznaceni [] []
zlomek:instance	\FRACTION {} {}
zlomek:instance:binom	\binom {} {}
zlomek:instance:dbinom	\dbinom {} {}
zlomek:instance:dfrac	\dfrac {} {}
zlomek:instance:frac	\frac {} {}
zlomek:instance:sfrac	\sfrac {} {}
zlomek:instance:tbinom	\tbinom {} {}
zlomek:instance:xfrac	\xfrac {} {}
zlomek:instance:xxfrac	\xxfrac {} {}
znaceni	\znaceni (,) (,) []
znak	\znak {}
znaky	\znaky {}
zpracujbloky	\zpracujbloky [] [] [=]
zrcadlit	\zrcadlit {}
zref	\zref []
zvysit	\zvysit \
zvysit:argument	\zvysit cd:parentheses-s

