Context comandi



ConTEXt comandi

it / italiano 14 gennaio 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptiontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addreature {}
addtocommalist	
	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite []
alwayscite:userdata	\alwayscite [=] [=]
ambiente	\ambiente []
ambiente:string	\ambiente
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\apply \{\} \\\
apply	\applyalternativestyle {}
applyalternativestyle applyprocessor	\applyprocessor \{\ldots\} \\\
	\applytocharacters \ \{\}
applytocharacters	·
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\}$ \ $\{\}$ $\{\}$
assigndimen	\assigndimen \ \{\}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ {}

assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirybox	\autodirhbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
oo Biggl	\Biggl
Biggm	\Biggm
	\Biggr
Biggr B:-1	
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbar	\overbar \(\cdots \)
bar:instance:overbars	
	\overstrike \{\ldots\}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
	\bbox {}
bbox	
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
	· ·
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}

blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ \ \{\}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	bTDs [] \eTDs
bTH	
	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {} {}
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\} \{\} \{\} \{\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {} {}
1	
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked \{\dots\} \{\dots\} \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\dots\}\{\dots\}\{\dots\}\\\
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
	\btxfoundtype {}
btxfoundtype btxhiddencitation	\btxhiddencitation []
btxhybridgitgisltgraptive	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]

btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {}
capoverso:instance:ownnumber:chapter	\chapter [] \{\}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {} {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] \{} \{}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubsubsubject [] {} {}
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {} \section [] {}
capoverso:instance:section	
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}

capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	** **
	\clap {}
classfont	\clap {} \classfont {} {}
classfont	\classfont {} {}
•	\classfont {} {} \cldcommand {}
classfont cldcommand	\classfont {} {}
classfont cldcommand cldcontext cldloadfile	<pre>\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {}</pre>
classfont cldcommand cldcontext	<pre>\classfont {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {}</pre>
classfont cldcommand cldcontext cldloadfile cldprocessfile clip	<pre>\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {}</pre>
classfont cldcommand cldcontext cldloadfile cldprocessfile	<pre>\classfont {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {}</pre>
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] \collect {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] \collect {} \collect {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] \collect {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \colonna []
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \colonna [] \colorcomponents {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \colonna [] \colorcomponents {} \colore [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \colonna [] \colorcomponents {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \colonna [] \colorcomponents {} \colore [] {} \colored [] {} \colored [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \colonna [] \colorcomponents {} \colore [] {} \colored [] {} \colored [] {} \colored [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \coloromponents {} \colore [] {} \colore [] {} \colored [] {} \coloronly [] {} \coloronly [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {} \coloronly [] {} \coloronly [] {} \colomninepages [] [=] \commalistelement
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages commalistelement commalistsentence	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages commalistelement commalistsize	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {} \colorenty [] {} \coloronly [] {} \commalistelement \commalistsentence [] []
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages commalistelement commalistsentence	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \coloromponents {} \colore [] {} \colored [] {} \colorents [] \commalistelement \commalistsize \commento (,) (,) [=] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages commalistelement commalistsize commento commento:instance	\classfont {} {} \cldcommand {} \cldcontext {} \cldloadfile {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \coloromponents {} \coloromponents {} \colore [] {} \colored [] {} \colorents [] \commalistelement \commalistsize \commento (,) (,) [=] {} \commento (,) (,) [=] {}
classfont cldcommand cldcontext cldloadfile cldprocessfile clip clonacampo collect collectedtext collectexpanded colonna colorcomponents colore colored colored:name coloregrigio coloronly columnbreak combinepages commalistelement commalistsize commento	\classfont {} {} \cldcommand {} \cldcontext {} \cldprocessfile {} \clip [=] {} \clonacampo [] [] [] [] \collect {} \collectedtext [=] [=] {} {} \collectexpanded {} \coloromponents {} \colore [] {} \colored [] {} \colorents [] \commalistelement \commalistsize \commento (,) (,) [=] {}

a amna ma di mangi an ang	\
comparedimensioneps	\comparedimensioneps \{\ldots\} \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
componenet	\componenet []
componenet:string	\componenet
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
=	
compresult	\compresult
confrontagruppocolori	\confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen \{\ldots\\}
	\convertedsubcounter [] [] [=]
convertedsubcounter	
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
	
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
coop	1000h []

ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
•	· ·
currentlistsymbol	\currentlistsymbol \currentmainlanguage
currentmainlanguage	
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	$\displaystyle \begin{array}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable $\{\}$ $\{\}$
dayoftheweek	$\displaystyle \texttt{\day} \$
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedangument \ \ \\defconvertedcommand \ \
defconvertedvalue	\defconvertedcommand \ \ \\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\defineaternativestyle [] []
defineanchor defineattachment	\defineanchor [] [] [=] [=] \defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]

definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty \{\ldots\}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] []
definefontfamily	\definefontfamily [] [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=] \definefontfamilypreset [] []
definefontfamilypreset:name	9 =
<pre>definefontfamily:preset definefontfeature</pre>	\definefontfamily [] [] [] \definefontfeature [] [] [=]
definefontfile	\definefontfile [] [] [=]
definefontsize	\definefontsize [] [=]
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] [] \defineformula [] []
defineformulaalternative	\defineformulaalternative [] [] []
defineformulaframed	\defineformulaframed [] [] []
defineframedcontent	\defineframedcontent [] [] []
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=.]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}

defineinterfaceelement	\defineinterfaceelement \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \\
defineinterlinespace	\defineinterlinespace [] []
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [=]
definemathcases	\definemathcases [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [=]
definemathstackers	\definemathstackers [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] [] []
definemathundertextextensible	\definemathundertextextensible [] [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=]
definemixedcolumns	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definemultitonecolor definenamedcolor	\definemmittionecolor [] [=] \langle []
definenamedcolor:name	\definenamedcolor [] []
	\definenamedcolor [] [] \definenamespace [] [=]
definenamespace definenarrower	\definenarrower [] [=]
definenote	\definenote [] [] []
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepage definepagebreak	\definepage [] [] \definepagebreak [] []
definepage definepagebreak definepagechecker	\definepage [] [] \definepagebreak [] [] \definepagechecker [] []
definepage definepagebreak definepagechecker definepagegrid	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegridarea	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegridarea	<pre>\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=]</pre>
definepage definepagebreak definepagechecker definepagegrid definepagegridarea definepagegridspan definepageinjection	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegridarea definepagegridspan definepageinjection	<pre>\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=]</pre>
definepage definepagebreak definepagechecker definepagegrid definepagegridarea definepagegridspan definepageinjection definepageinjectionalternative	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegrid definepagegridarea definepagegridspan definepageinjection definepageinjectionalternative	<pre>\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=]</pre>
definepage definepagebreak definepagechecker	<pre>\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] []</pre>
definepage definepagebreak definepagechecker definepagegrid definepagegridarea definepagegridspan definepageinjection definepageinjectionalternative definepageshift definepagestate definepagestate	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegridarea definepagegridspan definepageinjection definepageinjectionalternative definepageshift definepagestate definepagestate definepareagraph	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=]
definepage definepagebreak definepagechecker definepagegrid definepagegrid definepagegridarea definepagegridspan definepageinjection definepageinjectionalternative definepageshift definepagestate	\definepage [] [] \definepagebreak [] [] \definepagechecker [] [] [=] \definepagegrid [] [] [=] \definepagegridspan [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=]

defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol [] []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [] [=]
definetextbackground	\definetextbackground [] [] [=]
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] [] \definetypescriptprefix [] []
definetypescriptgrefix	
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting defineunit	\definetypesetting [] [=] \defineunit [] [] [=]
defineumit	
	\defineverlayer [] [] [=]
definevspace	\definevspace [] [] \definevspacing [] []
definevspacing definevspacingamount	\definevspacing [] [] \definevspacingamount [] []
definevtable	\definevspacingamount [] [] \definextable [] []
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [] [=]
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibuffer [] [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [] [=]
definiscienumerazione	\definiscienumerazione [] [=]
definiscietichetta	\definiscietichetta [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] []
definiscilayout	\definiscilayout [] [=]

definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] []
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
	\definisciregistro [] [=]
definisciregistro	
definisciriferimento	\definisciriferimento []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [=]
-	
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] [//]
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] []
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
<u>-</u>	\quotation [] \(\)
delimitedtext:instance:quotation	
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par
-	
destra	\destra
determinacaratteristicheregistro	\determinacaratteristicheregistro [] [=]
determinacarattersticheelenco	\determinacarattersticheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
	
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight \{\ldots\}
directlocalframed	
	\directlocalframed [] {}
directluacode	
directselect	\directluacode {}
directselect	\directluacode {} \directselect {} {} {} {} {} {}
directselect directsetbar	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
directselect directsetbar directsetup	\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {}
directselect directsetbar directsetup directsymbol	\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsymbol {} {}
directselect directsetbar directsetup	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {}</pre>
directselect directsetbar directsetup directsymbol	\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsymbol {} {}
directselect directsetbar directsetup directsymbol directvspacing	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {}</pre>
directselect directsetbar directsetup directsymbol directvspacing dis	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives []</pre>
directselect directsetbar directsetup directsymbol directvspacing dis disabledirectives disableexperiments	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives [] \disabledirectives []</pre>
directselect directsetbar directsetup directsymbol directvspacing dis disabledirectives disableexperiments disablemode	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives [] \disableexperiments [] \disablemode []</pre>
directselect directsetbar directsetup directsymbol directvspacing dis disabledirectives disableexperiments disablemode disableoutputstream	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives [] \disableexperiments [] \disableoutputstream</pre>
directselect directsetbar directsetup directsymbol directvspacing dis disabledirectives disableexperiments disablemode disableoutputstream disableparpositions	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsymbol {} \directsymbol {} {} \directvspacing {} \disabledirectives [] \disabledirectives [] \disableoutputstream \disableoutparpositions</pre>
directselect directsetbar directsetup directsymbol directvspacing dis disabledirectives disableexperiments disablemode disableoutputstream	<pre>\directluacode {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives [] \disableexperiments [] \disableoutputstream</pre>

displaymath	\displaymath {}
displaymathematics	\displaymathematics \{\}
displaymessage	\displaymessage {}
distributedhsize	
	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize {} {} {}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext \{\} \{\}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	
	\doifallommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalledelse	\doifalledelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifblackelse	\doifblackelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsides	\doifbothsides {} {} {}
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse \{\} \{\} \{\}
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	$\label{localization} $$ \doifcommandhandlerelse \\ \ldots \\ \{\ldots\} \\ \{\ldots\} $
doifcommon	\doifcommon {} {}
doifcommonelse	\doifcommonelse $\{\}$ $\{\}$ $\{\}$
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse {} {} {}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse {} {} {}
doifdefined	\doifdefined {} {}
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse \{\} \{\} \{\}
doifelseallcommon	\doifelseallcommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsealldefined	\doifelsealldefined $\{\}$ $\{\}$
doifelseallmodes	$$$ \doingle \{ \ldots \} \ \{ \ldots \} \ \{ \ldots \} $
doifelseassignment	\doifelseassignment $\{\}$ $\{\}$
doifelseblack	\doifelseblack {} {}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {} {}
doifelsebuffer	\doifelsebuffer {} {} {}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon \{\} \{\} \{\}

doifelseconversiondefined	\doifelseconversiondefined $\{\ldots\}$ $\{\ldots\}$
doifelseconversionnumber	\doifelseconversionnumber $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelsecounter	\doifelsecounter $\{\}$ $\{\}$
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature $\{\ldots\}$ $\{\ldots\}$
doifelsecurrentsortingused	\doifelsecurrentsortingused \{\ldots\} \\ \\.\\}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimension	\doifelsedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentargument	\doifelsedocumentargument {} {} {}
doifelsedocumentfilename	\doifelsedocumentfilename {} {} {}
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \\.\\
doifelseempty doifelseemptyvalue	\doifelseempty \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseenv \{\} \\doifelseenv \{\} \
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\} \{\}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory {} {} {}
doifelsefigure	\doifelsefigure {} {}
doifelsefile	\doifelsefile {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists {} {}
doifelsefirstchar	\doifelsefirstchar $\{\}$ $\{\}$ $\{\}$
doifelseflagged	\doifelseflagged {} {} {}
doifelsefontchar	\doifelsefontchar $\{\}$ $\{\}$ $\{\}$
doifelsefontpresent	\doifelsefontpresent $\{\}$ $\{\}$
doifelsefontsynonym	\doifelsefontsynonym {} {} {}
doifelsehasspace	\doifelsehasspace {} {} {}
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname \{\} \{\} \{\}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \\\} \\\}
doifelseinset	\doifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\.\\\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks \{\} \{\} \{\}
doifelseintwopassdata	\doifelseintwopassdata \{\} \{\} \{\}
doifelseitalic	\doifelseitalic \{\ldots\}
doifelselanguage	\doifelselanguage {} {}
doifelselayerdata	\doifelselayerdata {} {} {}
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline $\{\ldots\}$ $\{\ldots\}$
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation \{\ldots\}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarking \{\} \{\}
doifelsemeaning	\doifelsemeaning \ \ \{\} \\\
doifelsemessage doifelsemode	\doifelsemessage \{\} \{\} \\doifelsemode \{\} \{\}
doifelsenextbgroup	\doifelsenextbgroup \{\ldots\}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \\\\} \\\\}
doifelsenextoptional	\doifelsenextoptional \{\ldots\} \\\.\}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \{\doifelsenextparenthesis \{\doifelsenextparenthe
doifelsenonzeropositive	\doifelsenonzeropositive {} {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage {} {} {}
doifelsenothing	\doifelsenothing \{\ldots\} \{\ldots\}
doifelsenumber	\doifelsenumber $\{\ldots\}$ $\{\ldots\}$
doifelseobjectfound	\doifelseobjectfound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseobjectreferencefound	\doifelseobjectreferencefound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}

doifelseoverlapping	\doifelseoverlapping $\{\}$ $\{\}$ $\{\}$
doifelseoverlay	\doifelseoverlay $\{\}$ $\{\}$
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath {} {} {}
<u>-</u>	
doifelsepathexists	\doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepatterns	\doifelsepatterns $\{\ldots\}$ $\{\ldots\}$
doifelseposition	\doifelseposition $\{\ldots\}$ $\{\ldots\}$
doifelsepositionaction	\doifelsepositionaction $\{\ldots\}$ $\{\ldots\}$
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\doifelsepositionsonthispage \}\doifelsepositionsonthispage \}
1 0	
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\} \{\ldots\}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesamestring	\doifelsesamestring {} {} {}
doifelsesetups	\doifelsesetups {} {} {}
<u>.</u>	
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomespace	\doifelsesomespace \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesomething	\doifelsesomething $\{\}$ $\{\}$
doifelsesometoks	\doifelsesometoks \ \{} \{}
doifelsestringinstring	\doifelsestringinstring \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber {} {}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \\\.\\
1 6	
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \{\ldots\}
doifelsetext	\doifelsetext {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \{\ldots\}
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\ \\.\\
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing $\{\ldots\}$ $\{\ldots\}$
doifelsevariable	\doifelsevariable {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\}$ $\{\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	
· · · · · · · · · · · · · · · · · · ·	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse {} {} {}
doiffigureelse	\doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse {} {} {}
doiffileexistselse	\doiffileexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffirstcharelse	\doiffirstcharelse {} {} {}
doifflaggedelse	
	\doifflaggedelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontcharelse	\doiffontcharelse \{\} \{\} \{\}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse $\{\}$ $\{\}$
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse {} {} {} {}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\doifinsertionelse \{\doifinse
doifinset	\doifinset \{\ldots\} \\\.\.\}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse {} {} {}
doifinsymbolset	\doifinsymbolset {} {} {}
doifinsymbolsetelse	\doifinsymbolsetelse {} {} {} {}
doifintokselse	\doifintokselse {} {} {} {}
doifintwopassdataelse	\doifintwopassdataelse \{\} \{\} \{\}
2011110#0Pabbaa0a01b0	,,,,,,

doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {}
doiflayerdataelse	\doiflayerdataelse {} {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse {} {} {}
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
,	
doifleapyearelse	\doifleapyearelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflistelse	\doiflistelse {} {} {}
doiflocationelse	\doiflocationelse \{\ldots\} \\\
doiflocfileelse	\doiflocfileelse {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\ldots\} \\\\
doifmeaningelse	\doifmeaningelse \ \ {} {}
doifmessageelse	\doifmessageelse {} {} {}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse \{\} \{\}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse \{\ldots\} \\\
doifnextcharelse	\doifnextcharelse \{\ldots\} \{\ldots\}
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot \{\} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
doifnotallcommon	\doifnotallcommon \{\} \{\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcounter	\doifnotcounter \{\ldots\\}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \{\ldots\} \{\ldots\}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotescollected	\doifnotescollected \{\ldots\} \\\
doifnotfile	\doifnotfile \{\ldots\} \\\
doifnotflagged	\doifnotflagged \{\ldots\} \\\
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\} \\\}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue $\{\}$ $\{\}$
doifnotvariable	\doifnotvariable \{\ldots\} \\\.\\
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse $\{\}$ $\{\}$
doifobjectfoundelse	\doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifolderversionelse	\doifolderversionelse \{\doifolderversionelse \{\doifo
doifoverlappingelse	\doifoverlappingelse \{\} \{\} \{\}
doifoverlayelse	\doifoverlayelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse $\{\}$ $\{\}$
doifpathelse	\doifpathelse $\{\}$ $\{\}$
doifpathexistselse	\doifpathexistselse {} {} {}
doifpatternselse	\doifpatternselse \{\ldots\} \{\ldots\}
doifposition	\doifposition {} {} {}
-	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionaction	
doifpositionactionelse	\doifpositionactionelse \{\doifpositionactionelse \{\doifpositionactio
doifpositionelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsonthispageelse	\doifpositionsonthispageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse {} {} {}
doifsamestring	\doifsamestring {} {} {}
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {} {}
-	
doifsomebackground	\doings \doifsomebackground $\{\}$ $\{\}$
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomespaceelse	\doifsomespaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomething	\doifsomething {} {}
<u> </u>	
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstringinstringelse	
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\ldots\} \{\ldots\}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {}
·	
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse \{\} \{\}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifundefined	\doifundefined \{\ldots\} \\ \ldots\}
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue \{\} \{\}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing \{\ldots\}
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething	\doifvaluesomething \{\ldots\}
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse \{\} \{\} \{\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist \{\ldots\} \\\
donothing	\donothing
3	
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
•	<u>-</u>
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse \{\ldots\} \\\
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
0 0	
dosingleempty	\dosingleempty \ []
dosingleempty dosinglegroupempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosinglegroupempty dosixtupleargument	\dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] []
dosinglegroupempty	\dosinglegroupempty \ {}
dosinglegroupempty dosixtupleargument dosixtupleempty	\dosinglegroupempty \ \{\\} \dosixtupleargument \\ [\] [\] [\] [\] [\] \\dosixtupleempty \\ [\] [\] [\] [\] [\]
dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged	\dosinglegroupempty \ \{\} \dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleempty \ [] [] [] [] [] \\dostarttagged \{\} \{\} \ \\dostoptagged
dosinglegroupempty dosixtupleargument dosixtupleempty	\dosinglegroupempty \ \{\\} \dosixtupleargument \\ [\] [\] [\] [\] [\] \\dosixtupleempty \\ [\] [\] [\] [\] [\]

lotfskip	\dotfskip {}
lotoks	\dotoks \
dotripleargument	\dotripleargument \ [] [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
lowithnextbox	\dowithnextbox \{\} \ \{\}
lowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \
lowithnextboxcs	\dowithnextboxcs \ \ \
lowithpargument	\dowithpargument \
lowithrange	\dowithrange \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
lummydigit	\dummydigit
dummyparameter	\dummyparameter {}
CTEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ \{\}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [=]
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ {} {}
expanded	\expanded {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {} {}
expdoifinsetelse	\expdoifinsetelse $\{\}$ $\{\}$ $\{\}$
expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement	\fastdecrement \

fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale \{\ldots\} \\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {} \fastsxsy {} {}
fastsxsy	\feature [] []
feature:direct	\feature \{\dots\} \\\ \feature \{\dots\} \\\
fence	\feature \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fenced	\fence \
fence:example	\\Tenced [] \\FENCE \{\}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmarks [] \fetchmarks []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchmarking [] [] \fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fifthofsixarguments	\fifthofsixarguments \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
figuraesterna	\figuraesterna [] [] []
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	\filterfromvalue {} {} {PT OPT OPT OPT OPT OPT
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstoffivearguments	\firstoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
firstoffourarguments	\firstoffourarguments {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	$\first of six arguments \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\} \ \{\ldots\}$
firstofthreearguments	\firstofthreearguments $\{\}$ $\{\}$
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}

flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushmextbox	\flushnextbox
flushouts	\flushnotes
flushoutputstream flushshapebox	\flushoutputstream [] \flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping forcelocalfloats	\forcecharacterstripping \forcelocalfloats
	\forgeteverypar
forgeteverypar forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
formula	\formula [] {}
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments {} {} {} {}
fourthoffourarguments	\fourthoffourarguments {} {} {}
fourthofsixarguments	\fourthofsixarguments {} {} {} {} {} {}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\frac {} {} \sfrac {} {}
<pre>frazione:instance:sfrac frazione:instance:tbinom</pre>	\tbinom \{\ldots\} \\\
frazione:instance:xfrac	\xfrac {} {}
frazione:instance:xxfrac	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \ \getboxfromcache \{\} \
getboxfromcache getboxllx	\getboxIIomcache \(\cdot\); \(\cdot\); \(\cdot\)
getbox11x getbox11y	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions getfirstcharacter	\getfiguredimensions [] [=]
getfirstcharacter getfirsttwopassdata	\getfirstcharacter {} \getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
0 0 0 1 1 0 m o o m m d o o m m d m	/Postromonumenta [] []

	V . 6 7 7 7 7
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getgparameters	\getgparameters [] [=]
getlasttwopassdata getlasalflast	\getlasttwopassdata {} \getlocalfloat {}
getlocalfloats	. •
getlocalfloats	\getlocalfloats \getMPdrawing
getMPdrawing getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmriayer [] [] \getmessage {} {}
getmamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{\}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomdimen \ {} {}
getrandomfloat	\getrandomfloat \ \{\} \{\}
getrandomnumber	\getrandomnumber \ {} {}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
getvariabledefault	\getvariabledefault {} {} {}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox \globalpopmacro \
globalpopmacro	\globalpreventmode []
globalpreventmode globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments \{\ldots\}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	$\label{thm:local_continuity} $$ \gobblenine arguments $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\}$
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments \{\} \{\} \{\} \{\}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments {} {} {} {} {} {} {}
gobblethreearguments	\gobblethreearguments {} {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []

gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	$\verb \grabbufferdata[][][] $
grabbufferdatadirect	\grabbufferdatadirect {} {}
grabuntil	\grabuntil {} \
grafiamanuale	\grafiamanuale
grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring greeknumerals	\greedysplitstring \at \to \ \and \ \greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
${\tt heightanddepthofstring}$	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr hilo	\highordinalstr {}
himilo	\hilo [] {}
hl	\himilo {} {} \hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalgiowingbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
	* -

hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	$\int \sum_{i=1}^{n} \{\} \{\}$
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
impostainterlinea:argument	\impostainterlinea []
impostainterlinea:name	\impostainterlinea []
impostalayout	\impostalayout [] [=]
impostalayout:name	\impostalayout []
impostalineemargine	\impostalineemargine [] [=]
impostalineenere	\impostalineenere [=]
impostalineeriempimento	\impostalineeriempimento [=]
impostalineesottili	\impostalineesottili [=]
impostalineetesto	\impostalineetesto [=]
impostalingua	\impostalingua [] [=]
impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina	\impostanumeropagina [=]

	\impostanumerosottopagina [=]
impostanumerosottopagina impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostablumamento [] \impostaparranging []
impostapdp	\impostapdp [] [=]
	\impostapustretto [] [=]
impostapiustretto impostaposizionamento	
impostaposizionamento impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
impostatestiintestazioni	$\verb \impostatestiintestazioni [] [] [] [] $
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
	-
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
<pre>impostatestoetichette:instance:head impostatestoetichette:instance:label</pre>	-
-	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostaheadtesto [] [=] \impostalabeltesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel</pre>	\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator</pre>	\impostaheadtesto [] [=] \impostaheadtesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix</pre>	\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel</pre>	\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit</pre>	\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=]
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatelleranza</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] \impostatolleranza []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] \impostatolleranza [] \impostatolleranza []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=]</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] \impostatolleranza [] \impostatoreagina [] \impostatype [] [=] \impostatyping [] [=]</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaunittesto [] [=] \impostatyping [] [=]</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostat [=] \impostat [=]</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaunittesto [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostat [] \impostat [] []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaunittesto [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostat [] [] \impostat [] [] \impostat [] [] \int [] [] [] \int [] [.</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostatyping [] [=] \impostat {} \in {} {} [] \inclinato \inclinatograssetto</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaupostatyping [] [=] \impostat {} \in {} {} [] \inclinato \inclinatograssetto \includemenu []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestoleranza impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [=] \impostatyping [] [=] \impostatyping [] [] \impostaty</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestoleranza impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostatyping [] [] \impostatyping statyping statyping</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestolleranza impostatvansizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostatyping [] [=] \impostauping statyping [] [] \impostatyping [] [] \impostatyping [] [] \inclinato \inclinato \inclinatograssetto \inclinatograssetto \inclinatodeversioninfo {} \incorniciato [=] {} \FRAMED [=] {}</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestolleranza impostatvansizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostatyping [] [] \impostatyping statyping statyping [] \impostatyping statyping statyp</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl impostaedirect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostatyping [] [] \impostatul [=] \impostat [] [] \inclinato \inclinato \inclinatograssetto \includeversioninfo {} \incorniciato [=] {} \FRAMED [=] {} \fitfieldframed [=] {} \unframed [=] {} \unframed [=] {}</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatvpe impostatype impostatyping impostaurl impostaedirect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostauping statyping [] [] \impostauping statyping [] [] \impostatyping statyping statyping [] \impostatyping statyping stat</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostaufixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostauping statyping [] [] \impostauping statyping s</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument incrementcounter</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostaupostauffixtesto [] [=] \impostaupostaunittesto [] [] \impostaunittesto [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatypetatransizionepagina [] \impostatypetatransizionepagina [] \impostatyping [] [=] \impostaupostatyping [] [=] \impostaupostaurl [=] \imposta {} \in {} {} [] \inclinato \inclinatograssetto \inclinatograssetto \includeversioninfo {} \incorniciato [=] {} \fitfieldframed [=] {} \intramed [=] {} \incrementa d: \incrementa d: \incrementa cd:parentheses-s \incrementcounter [] []</pre>
<pre>impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestoleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa incrementacounter incrementedcounter</pre>	<pre>\impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostaupostauffixtesto [] [=] \impostaupostaunittesto [] [] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaupostatyping [] [=] \impostaupos</pre>

```
indentation
                                                                            \indentation
infofont
                                                                            \infofont
infofontbold
                                                                            \infofontbold
                                                                            \inheritparameter [...] [...]
inheritparameter
                                                                            \inhibitblank
inhibitblank
initializeboxstack
                                                                            \initializeboxstack {...}
iniziaalignment
                                                                            \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro
                                                                            \iniziaallineacentro ... \terminaallineacentro
                                                                            \iniziaallineadestra ... \terminaallineadestra
iniziaallineadestra
iniziaallineasinistra
                                                                            \iniziaallineasinistra ... \terminaallineasinistra
                                                                            \iniziaallmodes [...] ... \terminaallmodes
iniziaallmodes
                                                                            \iniziaambiente [...] ... \terminaambiente
iniziaambiente
iniziaambientebloccosezione
                                                                            \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
                                                                            \iniziaambiente ... \terminaambiente
iniziaambiente:string
                                                                             \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance
iniziaattachment:instance:attachment
                                                                             \iniziaattachment [...] [..=..] ... \terminaattachment
                                                                            \iniziabar [...] ... \terminabar
iniziabar
                                                                            \iniziabbordermatrix ... \terminabbordermatrix
iniziabbordermatrix
iniziabitmapimage
                                                                            \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix
                                                                            \iniziabordermatrix ... \terminabordermatrix
{\tt iniziabtxrendering definitions}
                                                                            \verb|\label{limit}| \end{tikzpick} 
iniziabuffer
                                                                            \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance
                                                                             \iniziaBUFFER ... \terminaBUFFER
                                                                            \iniziahiding ... \terminahiding
iniziabuffer:instance:hiding
iniziacapoverso
                                                                            \verb|\iniziacapoverso| [...] [..=..] ... \verb|\terminacapoverso|
                                                                            \iniziaSECTION [..=..] [..=..] ... \terminaSECTION \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance
iniziacapoverso:instance:chapter
                                                                             \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:part
iniziacapoverso:instance:section
                                                                             \iniziasection [..=..] [..=..] ... \terminasection
                                                                             \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subject
                                                                            \iniziasubsection [..=..] [..=..] ... \terminasubsection \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsection
iniziacapoverso:instance:subsubject
iniziacapoverso:instance:subsubsection
                                                                             \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject
                                                                             \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection
                                                                             iniziacapoverso:instance:subsubsubsubject
iniziacapoverso:instance:subsubsubsection
                                                                             \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:subsubsubsubsubject
                                                                             \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacapoverso:instance:title
                                                                            \iniziacatcodetable \... \terminacatcodetable
iniziacatcodetable
                                                                            iniziacenteraligned
iniziacharacteralign
iniziacheckedfences
                                                                            \iniziacheckedfences ... \terminacheckedfences
iniziachemical
                                                                            \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella
                                                                            \iniziacodatabella [...] ... \terminacodatabella
                                                                            \iniziacodatabulato [...] ... \terminacodatabulato
iniziacodatabulato
                                                                            \iniziacollect ... \terminacollect
iniziacollect
                                                                            \iniziacollecting ... \terminacollecting
iniziacollecting
                                                                            \iniziacolonne [..=..] ... \terminacolonne
\iniziacolore [...] ... \terminacolore
iniziacolonne
iniziacolore
                                                                            \iniziacolorintent [...] ... \terminacolorintent
iniziacolorintent
                                                                            \iniziacoloronly [...] ... \terminacoloronly
iniziacoloronly
iniziacolorset
                                                                            \iniziacolorset [...] ... \terminacolorset
iniziacolumnspan
                                                                            \verb|\iniziacolumnspan| [..=..] ... \verb|\terminacolumnspan|
                                                                            \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination
                                                                            \iniziacombination [...] [...] ... \terminacombination
iniziacombination:matrix
iniziacommentopagina
                                                                            \iniziacommentopagina ... \terminacommentopagina
                                                                             \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance
iniziacommento:instance:comment
                                                                             \iniziacomment [...] [..=..] ... \terminacomment
                                                                            \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet
                                                                            \iniziacomponenet ... ... \terminacomponenet \iniziacontextcode ... \terminacontextcode
iniziacomponenet:string
\verb"iniziacontextcode"
iniziacontextdefinitioncode
                                                                            \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction
                                                                            \iniziactxfunction ... \terminactxfunction
iniziactxfunctiondefinition
                                                                            \iniziactxfunctiondefinition ... \terminactxfunctiondefinition
                                                                            \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentcolor
                                                                            \verb|\iniziacurrentlistentrywrapper| ... \verb|\terminacurrentlistentrywrapper| |
iniziacurrentlistentrywrapper
                                                                            \iniziadelimited [...] [...] ... \terminadelimited \iniziadelimitedtext [...] [...] ... \terminadelimitedtext
iniziadelimited
iniziadelimitedtext
iniziadelimitedtext:instance
                                                                            \iniziaDELIMITEDTEXT [...] [...] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside
                                                                             \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote
                                                                             \iniziablockquote [...] [...] ... \terminablockquote
                                                                            \iniziaquotation [...] [...] ... \terminaquotation \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:quotation
iniziadelimitedtext:instance:quote
```

iniziadelimitedtext:instance:speech

\iniziaspeech [...] [...] ... \terminaspeech

iniziadescrizione:example	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
<u>-</u>	\iniziadisplaymath \terminadisplaymath
iniziadmath	\iniziadmath \terminadmath
iniziadocument	\iniziadocument [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
<u>-</u>	\iniziaelement \{\} [=] \terminaelement
iniziaelemento	\iniziaelemento [] \terminaelemento
	\iniziaembeddedxtable [=] \terminaembeddedxtable
iniziaembeddedxtable:name	\iniziaembeddedxtable [] \terminaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [=] \terminaENUMERAZIONE
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions
	\iniziaexpanded \terminaexpanded
	\iniziaexpandedcollect \terminaexpandedcollect
	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
	\iniziaexternalfigurecollection [] \terminaexternalfigurecollect.
	\iniziafigura [] [] \terminafigura
	\iniziafisso [] \terminafisso
 -	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] { \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] {} \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] {} \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] {} \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
	\iniziaformula [] \terminaformula
	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell
iniziaframedcontent	\iniziaframedcontent [] \terminaframedcontent
iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
	\iniziahboxregister\terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
	\iniziahighlight [] \terminahighlight
	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
	\iniziaintertext \terminaintertext
	\iniziaitemgroup [] [] [\terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [=] \terminaITEMGROUP
<pre>iniziaitemgroup:instance:itemize</pre>	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode \terminaJScode
iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
	\inizialayout [] \terminalayout
	\inizialinealignment [] \terminalinealignment
	\inizialineamargine [] \terminalineamargine
	\inizialineamargine [=] \terminalineamargine
	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection [] \terminalinecorrection

```
inizialinefiller
                                                                                  \inizialinefiller [...] [..=..] ... \terminalinefiller
                                                                                  inizialinenumbering
                                                                                  \verb|\line| \verb|\line| inizial in enumber ing [...] [...] ... \verb|\line| terminal in enumber ing |
inizialinenumbering:argument
inizialinetable
                                                                                  \inizialinetable ... \terminalinetable
inizialinetablebody
                                                                                  \inizialinetablebody ... \terminalinetablebody
inizialinetablecell
                                                                                  \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead
                                                                                  \inizialinetablehead ... \terminalinetablehead
                                                                                 \inizialocalfootnotes ... \terminalocalfootnotes \inizialocalheadsetup ... \terminalocalheadsetup
inizialocalfootnotes
inizialocalheadsetup
                                                                                  \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocallinecorrection
                                                                                  \inizialocalnotes [...] ... \terminalocalnotes
{\tt inizialocal notes}
inizialocalsetups
                                                                                  \inizialocalsetups [...] [...] \terminalocalsetups
inizialocalsetups:string
                                                                                  \inizialocalsetups ... \terminalocalsetups
                                                                                  \inizialua ... \terminalua
inizialua
inizialuacode
                                                                                  \inizialuacode ... \terminaluacode
\verb"inizialuaparameterset"
                                                                                  \verb|\inizialuaparameterset| [\dots] \dots \verb|\terminaluaparameterset|
                                                                                  \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups
inizialuasetups:string
                                                                                  \inizialuasetups ... \terminaluasetups
                                                                                  \iniziaMPclip {...} ... \terminaMPclip
iniziaMPclip
iniziaMPcode
                                                                                  \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions
                                                                                  \iniziaMPdrawing [...] ... \terminaMPdrawing \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPdrawing
iniziaMPenvironment
iniziaMPextensions
                                                                                  \verb|\iniziaMPextensions| \{\ldots\} \ldots \verb|\terminaMPextensions|
iniziaMPinclusions
                                                                                  \verb|\iniziaMPinclusions| [\dots] {\dots} \dots \\| terminaMPinclusions|
                                                                                  iniziaMPinitializations
\verb"iniziaMP" position graphic"
                                                                                  \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPpositionmethod
iniziaMPrun
                                                                                  \verb|\iniziaMPrun| {...} ... \verb|\terminaMPrun|
                                                                                  \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup
                                                                                  \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance
iniziamakeup:instance:middle
iniziamakeup:instance:page
iniziamakeup:instance:standard
                                                                                  \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text
                                                                                  \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock
                                                                                  \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent
                                                                                  \iniziamarkedcontent [...] ... \terminamarkedcontent
                                                                                  \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance
iniziamathalignment:instance:align
                                                                                  \iniziaalign [..=..] ... \terminaalign
                                                                                  \iniziamathalignment [..=..] ... \terminamathalignment \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathalignment:instance:mathalignment
iniziamathcases:instance
                                                                                  \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:cases
iniziamathcases:instance:mathcases
                                                                                  \iniziamathcases [..=..] ... \terminamathcases
                                                                                  \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX \iniziamathmatrix [..=..] ... \terminamathmatrix \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance
iniziamathmatrix:instance:mathmatrix
iniziamathmatrix:instance:matrix
iniziamathmode
                                                                                  \iniziamathmode ... \terminamathmode
iniziamathstyle
                                                                                  \mbox{\colored} \mbox{\color
                                                                                  \iniziamatrices [..=..] ... \terminamatrices
iniziamatrices
iniziamaxaligned
                                                                                  \iniziamaxaligned ... \terminamaxaligned
                                                                                  \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamenuinterattivo
                                                                                  \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula
iniziamettiformula:argument
                                                                                  \iniziamettiformula [...] ... \terminamettiformula
                                                                                  \iniziamiddlealigned ... \terminamiddlealigned \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamiddlealigned
iniziamixedcolumns
                                                                                  \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance
iniziamixedcolumns:instance:boxedcolumns
                                                                                  \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
                                                                                  \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamixedcolumns:instance:itemgroupcolumns
iniziamode
                                                                                  \iniziamode [...] ... \terminamode
                                                                                  \iniziamodeset [...] {...} ... \terminamodeset
iniziamodeset
                                                                                  \iniziamodule [...] ... \terminamodule
iniziamodule
{\tt iniziamoduletestsection}
                                                                                  \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string
                                                                                  \iniziamodule ... \terminamodule
                                                                                  \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsection
\verb"inizianamed subformulas"
                                                                                  \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
                                                                                  \inizianarrower [...] ... \terminanarrower
inizianarrower
                                                                                  \iniziaNARROWER [...] ... \terminaNARROWER
inizianarrower:example
inizianegativo
                                                                                  \inizianegativo ... \terminanegativo
                                                                                  inizianicelyfilledbox
inizianointerference
                                                                                  \inizianointerference ... \terminanointerference
inizianotallmodes
                                                                                  \inizianotallmodes [...] ... \terminanotallmodes
inizianota:instance
                                                                                  \iniziaNOTE [...] ... \terminaNOTE
                                                                                  \iniziaNOTE [..=..] ... \terminaNOTE \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment
inizianota:instance:assignment:endnote
                                                                                  \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:assignment:footnote
```

inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote	\iniziafootnote [] \terminafootnote
inizianotext	\inizianotext \terminanotext
inizianotmode	\inizianotmode [] \terminanotmode
iniziaopposto	\iniziaopposto \terminaopposto
iniziaoutputstream	\iniziaoutputstream [] \terminaoutputstream
-	
iniziaoverprint	\iniziaoverprint \terminaoverprint
iniziapagefigure	\iniziapagefigure [] [=] \terminapagefigure
iniziapagegrid	\iniziapagegrid [] [=] \terminapagegrid
iniziapagegridspan	\iniziapagegridspan [] [=] \terminapagegridspan
iniziapagegrid:example	\iniziaPAGEGRID [=] \terminaPAGEGRID
iniziapagelayout	\iniziapagelayout [] \terminapagelayout
iniziapar	\iniziapar [] [=] \terminapar
iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
•	
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
<pre>iniziaplacefloat:instance:figure</pre>	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [=] \terminamettigraphic
<pre>iniziaplacefloat:instance:intermezzo</pre>	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=.] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	
1 1	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	$\mbox{\colored} \mbox{\colored} \color$
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
<u> </u>	
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
iniziarawsetups:string	\iniziarawsetups \terminarawsetups
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic {} {} \terminareusableMPgraphic
.	\iniziariga []
iniziariga	· ·
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines
iniziascript	\iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionlevel	\iniziasectionlevel [] [=] [=] \terminasectionlevel
iniziasetups	\iniziasetups [] [] \terminasetups
	\iniziasetups \terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo
iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasimplecolumns	\iniziasimplecolumns [=] \terminasimplecolumns
<u>-</u>	\iniziasospeso [=] {} \terminasospeso
iniziasospeso:argument	\iniziasospeso [] {} \terminasospeso
iniziasovrapponi	\iniziasospeso [] [] \terminasospeso \iniziasovrapponi \terminasovrapponi
••	
	\iniziaspecialitem [] [] \terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [] \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [] {} \terminaspecialitem
	\iniziaspread \terminaspread
iniziastartstop	\inizia [] \termina
1112145 tal to top	\iniziaSTARTSTOP \terminaSTARTSTOP

```
iniziastaticMPfigure
                                                                           \iniziastaticMPfigure {...} ... \terminastaticMPfigure
                                                                           \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
\verb"iniziastaticMPgraphic"
                                                                          \iniziastretto [...] [..=..] ... \terminastretto \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto
iniziastretto:assignment
                                                                           \iniziastretto [...] [...] ... \terminastretto
iniziastretto:name
iniziastrictinspectnextcharacter
                                                                           \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
                                                                           \iniziastyle [..=..] ... \terminastyle
iniziastyle
iniziastyle:argument
                                                                           \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                           \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas
                                                                           \iniziasubformulas [...] ... \terminasubformulas
                                                                           \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubjectlevel
iniziasubsentence
                                                                           \iniziasubsentence ... \terminasubsentence
iniziasubstack
                                                                           \iniziasubstack ... \terminasubstack
                                                                           \iniziasymbolset [...] ... \terminasymbolset
iniziasymbolset
iniziaTABLE
                                                                           \iniziaTABLE [..=..] ... \terminaTABLE
                                                                           \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEbody
                                                                          \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEfoot
iniziaTABLEhead
                                                                           \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziaTABLEnext
                                                                           \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
iniziatabella:name
                                                                           \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle
                                                                           \iniziatabelle [|...|] ... \terminatabelle
                                                                           \iniziatabelle [...] ... \terminatabelle
iniziatabelle:name
                                                                           \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulation:example
iniziatabulato
                                                                           \iniziaTABULATE [..ºF] [..=..] ... \terminaTABULATE \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance
iniziatabulato:instance:fact
                                                                           \inizialegend [...] [..=..] ... \terminalegend
iniziatabulato:instance:legend
                                                                          \iniziatesta [...] {...} ... \terminatesta \iniziatestatabella [...] ... \terminatestatabella
iniziatesta
iniziatestatabella
iniziatestatabulato
                                                                           \iniziatestatabulato [...] ... \terminatestatabulato
                                                                           \iniziatesto ... \terminatesto
iniziatesto
iniziatestoaiuto
                                                                           \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance
                                                                           \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel
                                                                           iniziatestoetichetta:instance:head
                                                                           \iniziaheadtesto [...] [...] ... \terminaheadtesto
                                                                           \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:label
                                                                           \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:mathlabel
                                                                           iniziatestoetichetta:instance:operator
                                                                           iniziatestoetichetta:instance:prefix
iniziatestoetichetta:instance:suffix
                                                                           \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:taglabel
iniziatestoetichetta:instance:unit
                                                                           \iniziaunittesto [...] [...] ... \terminaunittesto
                                                                           \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance
iniziatestoincorniciato:instance:framedtext
                                                                           \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode
                                                                           \iniziatexcode ... \terminatexcode
                                                                           \iniziatexdefinition ... ... ... ... \terminatexdefiniti
iniziatexdefinition
                                                                           \verb|\colored| iniziatextbackground| [...] [..=..] ... \verb|\colored| terminatextbackground|
{\tt iniziatextbackground}
\verb"iniziatextbackgroundmanual"
                                                                           iniziatextbackground:example
                                                                           \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
                                                                           \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolor
iniziatextcolorintent
                                                                           \iniziatextcolorintent ... \terminatextcolorintent
                                                                           \iniziatextflow [...] ... \terminatextflow
iniziatextflow
                                                                           \iniziatokens [...] ... \terminatokens \iniziatransparent [...] ... \terminatransparent
iniziatokens
iniziatransparent
                                                                           \iniziatypescript [...] [...] ... \terminatypescript
iniziatypescript
iniziatypescriptcollection
                                                                           \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance
                                                                           \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument
                                                                           \iniziaTYPING [...] ... \terminaTYPING
                                                                           \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:LUA
iniziatyping:instance:argument:MP
                                                                           \iniziaMP [...] ... \terminaMP
\verb|iniz| \verb|int| atyping: \verb|instance: argument: PARSEDXML|
                                                                           \iniziaPARSEDXML [...] ... \terminaPARSEDXML
                                                                           \iniziaTEX [...] ... \terminaTEX \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:TEX
iniziatyping:instance:argument:typing
                                                                           \iniziaXML [...] ... \terminaXML
iniziatyping:instance:argument:XML
iniziatyping:instance:LUA
                                                                           \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP
                                                                           \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML
                                                                           \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
                                                                           \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:TEX
iniziatyping:instance:typing
                                                                           \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML
                                                                           \iniziaXML [..=..] ... \terminaXML
                                                                           \iniziauniqueMPgraphic \{\ldots\} \{\ldots\} \ldots \terminauniqueMPgraphic
\verb"iniziauniqueMPgraphic"
iniziaunique MP page graphic
                                                                           \verb|\label{limit}| \end{tikzpicture}| \end{tikzpicture}| \end{tikzpicture}
iniziaunpacked
                                                                           \iniziaunpacked ... \terminaunpacked
                                                                           \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziausableMPgraphic
```

iniziauseMPgraphic	\iniziauseMPgraphic {} {} \terminauseMPgraphic
iniziausemathstyleparameter	\iniziausemathstyleparameter \\terminausemathstyleparameter
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator iniziaviewerlayer	\iniziavboxtohboxseparator \terminavboxtohboxseparator \iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw iniziaxmlsetups	\iniziaxmlraw \terminaxmlraw \iniziaxmlsetups [] [] \terminaxmlsetups
iniziaxmlsetups:string	\iniziaxmlsetups \ldots \text{\text{terminaxmlsetups}}
iniziaxrow	\iniziaxrow [] [=] \terminaxrow
iniziaxrowgroup	\iniziaxrowgroup [] [=] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody
iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead iniziaxtablehead:name	\iniziaxtablehead [=] \terminaxtablehead \iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenead [] \terminaxtablenead \iniziaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox \input {}
input inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
installalingua:name installanddefineactivecharacter	\installalingua [] []
installattributestack	\installanddefineactivecharacter {} \installattributestack \
installautocommandhandler	\installautocommandhandler \ \\
installautosetuphandler	\installautosetuphandler \ \{\}
installbasicautosetuphandler	\installbasicautosetuphandler \ \{\} \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{\} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \ \ \
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler installdirectsetuphandler	\installdirectparametersethandler \ \{\} \installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ \\ \
installframedcommandhandler	\installframedcommandhandler \ \\ \\
installleftframerenderer	\installleftframerenderer {} {}
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}

installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \\
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \{\} \
installswitchsetuphandler installtexdirective	\installswitchsetuphandler \ \{\}
installtextracker	\installtexdirective \{\ldots\} \{\ldots\} \\installtextracker \{\ldots\} \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\installtestracker \(\(\cdot\) \(\cdot\) \(\cdot\)
installtopframerenderer installunitsseparator	\installunitsseparator \{\ldots\} \{\ldots\}
installunitsspace	\installunitsspace \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installversioninfo	\installursioninfo \{\dots\} \{\dots\}
integerrounding	\integerrounding \{\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
intertext	\intertext {}
intorno	\intorno []
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	LuaTeX
labellanguage:instance	\LABEL1ingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel	\taglabellingua
labellanguage:instance:unit	\unitlingua
<pre>labeltexts:instance labeltexts:instance:head</pre>	\LABELtexts {} {} \headtexts {} {}
labeltexts:instance:label	\labeltexts \{\dots\} \{\dots\}
labeltexts:instance:mathlabel	\mathlabeltexts \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharacters \(\(\)\}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht

astnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
astrealpagenumber	\lastrealpagenumber
Lastsubcountervalue	\lastsubcountervalue [] []
Lastsubpagenumber	\lastsubpagenumber
Lasttwodigits	\lasttwodigits {}
astuserpage	\lastuserpage
Lastuserpagenumber	\lastuserpagenumber
Lateluacode	\lateluacode {}
ayeredtext	\layeredtext [=] [=] {} {}
Layerheight	\layerheight
Layerwidth	\layerwidth
Lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
7 66 1	\lazysavetuggeutwopassdata \(\\) \(\\) \(\\)
Lazysavetwopassdata	\lazysavetwopassuata \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
box	
Leftbottombox	\leftbottombox {}
Leftbox	\leftbox {}
Lefthbox	\lefthbox {}
Leftlabeltext:instance	\leftLABELtesto {}
Leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
Leftline	\leftline {}
Leftorrighthbox	\leftorrighthbox {}
eftorrightvbox	\leftorrightvbox {}
Leftorrightvtop	\leftorrightvtop {}
Leftskipadaption	\leftskipadaption
Leftsubguillemot	\leftsubguillemot
Lefttopbox	\lefttopbox {}
Lefttoright	\lefttoright
	•
Lefttorighthbox	\lefttorighthbox {}
Lefttorightvbox	\lefttorightvbox {}
Lefttorightvtop	\lefttorightvtop {}
Letbeundefined	\letbeundefined {}
Letcatcodecommand	\letcatcodecommand \ \
	\lateracanoma \ \canoma \onderson
Letcscsname	\letcscsname \ \csname \endcsname
Letcscsname Letcsnamecs	\letcsnamecs \csname \endcsname \
Letcsnamecs	\letcsnamecs \csname \endcsname \
Letcsnamecs Letcsnamecsname	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \endcsname</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {}</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbar \letterbroup \letterclosebrace \lettercolon</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Lettercolon	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbar \letterbroup \letterclosebrace \lettercolon</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterat Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdollar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterad {} \letterbackslash \letterbar \letterbar \letterbar \letterclosebrace \lettercolon \letterdollar</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdollar Letterdoublequote	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbar \letterclosebrace \lettercolon \letterdoublequote</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdoublequote Letterdoublequote Letterdoublequote	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterad {} \letterbackslash \letterbar \letterbar \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \end{align*}</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Lettere	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterad {} \letter {} \lett</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letteregroup Letterescape	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup \letterescape</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Lettere Letteregroup Letterescape Letterescape Letterescape Letterescape Letterescape Letterescape Letterhash	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbackslash \letterbackleterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \le</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbar Letterbgroup Letterclosebrace Lettercolon Letterdollar Letterdoublequote Lettere Letteregroup Letterescape Letterescape Letterescape Letterchash Letterhash Letterhat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbacklash \letterbackleterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhash \letterhat</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbgroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterescape Letterhash Letterhat Letterhat Letterhat Letterhat Letterhat Letterhat Letterleftbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbackslash \letterbaccolon \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterletterbackslash \letterescape \lettere</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterbar Letterclosebrace Letterclone Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterlat Letterlat Letterleftbrace Letterleftbrace Letterleftbracket	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbrace \letterleftbracket</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterborup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbacklash \letterclosebrace \letterclosebrace \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterescape \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterborup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterletterbacket \letterleftbrace \letterleftbrace \letterleftparenthesis \letterless</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterborup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterlat Letterleftbrace Letterleftparenthesis Letterless Letterless Lettermore	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore</pre>
etcsnamecs etcsnamecsname etdummyparameter etempty etgvalue etgvalueempty etgvalurelax ettera etterampersand etterat etterbackslash etterbar etterbgroup etterclosebrace ettercolon etterdollar etterdoublequote ettere etterescape etterescape etterexclamationmark etterhat etterlat etterlat etterlat etterleftbrace etterleftbracket etterleftparenthesis etterless ettermore etteropenbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterabackslash \letterbar \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterlettrhat \letterlettrhat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis \lettermore \letteropenbrace</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letterless Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letterpercent	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \en</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterhash Letterhash Letterlat Letterbat Letterbat Letterbash Letterescape Letterectemationmark Letterbash Letterless Letterleftbrace Letterleftbrace Letterleftbrace Letterleftparenthesis Letterless Lettermore Letterpercent Letterquestionmark	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalue {} \letgvaluempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterlettbrace \letterleftbracket \let</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterhat Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letterless Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letteropenbrace Letterpercent	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \en</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterhash Letterhash Letterlat Letterbat Letterbat Letterbash Letterescape Letterectemationmark Letterbash Letterless Letterleftbrace Letterleftbrace Letterleftbrace Letterleftparenthesis Letterless Lettermore Letterpercent Letterquestionmark	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalue {} \letgvaluempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterlettbrace \letterleftbracket \let</pre>
Letcsnamecs Letcsnamecsname Letdummyparameter Letempty Letgvalue Letgvalue Letgvaluempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterborup Letterclosebrace Lettercolon Letterdoublequote Lettere Letterescape Letterescape Letterescape Letterthash Letterhash Letterleftbrace Letterleftbracket Letterleftparenthesis Letterless Letterless Letterpercent Letterquestionmark Letterquestionmark Letterlestbrace Letterquestionmark Letterlestbrace Letterpercent Letterquestionmark Letterlestbrace Letterpercent Letterquestionmark Letterlightbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \en</pre>
Letcsnamecs Letcsnamecs Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdoublequote Lettere Letteregroup Lettercscape Lettertexclamationmark Letterhash Letterhash Letterlettprace Letterleftpracket Letterleftprace Letterleftprace Letterless Letternore Letteropenbrace Letterquestionmark Letterquestionmark Letterlightbrace Letterrightbrace Letterrightbracket	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbarcolon \letterclosebrace \letterclosebrace \lettercdollar \letterdoublequote \lettere {} \letterescape \letterescape \letterescapa \letterhat \letterhat \letterhat \letterhat \letterlatterhash \letterlatterlat \letterleftbrace \letterleftbrace \letterleftbrackt \letterleftparenthesis \letterless \lettermore \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket \letterrightbrace \letterrightbrace \letterrightbrace \letterrightbrace \letterrightbrace \letterrightbracket \lett</pre>
Letcsnamecs Letcsnamecs Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letteregroup Letterescape Letterexclamationmark Letterhat Letterleftbrace Letterleftbrace Letterleftbrace Letterleftparenthesis Letterpercent Letteropenbrace Letterpercent Letterquestionmark Letterightbrace Letterightbracket Letterightparenthesis Letterightparenthesis Lettersinglequote	letcsnamecs \csname \endcsname \ \eldcsname \ \eldcsname \ \endcsname \ \end
Letcsnamecs Letcsnamecs Letdummyparameter Letempty Letgvalue Letgvalueempty Letgvalurelax Lettera Letterampersand Letterat Letterbackslash Letterbar Letterboroup Letterclosebrace Letterdollar Letterdoublequote Lettere Letterescape Letterescape Letterexclamationmark Letterlat Letterleftbracket Letterleftbracket Letterless Letterl	<pre>\letcsnamecs \csname \ \endcsname \ \letcsnamecsname \csname \ \endcsname \ \endcsname \ \letdummyparameter {} \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \letgvalueempty {} \lettera {} \letterampersand \letterat \letterbar \letterbar \letterbar \letterboroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterpercent \letterpercent \letterquestionmark \letterrightbrace \letterrightbrace \letterrightparenthesis \letterri</pre>

Letterunderscore	\letterunderscore
Letvalue	\letvalue {} \
Letvalueempty	\letvalueempty {}
Letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
Lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \{\ldots\}
limitatelines	\limitatelines $\{\ldots\}$ $\{\ldots\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
Lineatesto	\lineatesto [] {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
Linespanningtext	\linespanningtext \{\ldots\} \{\ldots\}
Lingua	\lingua []
Linguaprincipale	\linguaprincipale []
Lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation []
Listcitation:userdata	\listcitation [=] [=]
Listcite	\listcite [=] []
Listcite:alternative	\listcite [] []
Listcite:userdata	\listcite [=] [=]
Listnamespaces	\listnamespaces
Llap	\lap {}
Loadanyfile	\loadanyfile []
Loadanyfileonce	\loadanyfileonce []
Loadbtxdefinitionfile	\loadbtxdefinitionfile []
Loadbtxreplacementfile	\loadbtxreplacementfile []
Loadcldfile	\loadcldfile []
Loadcldfileonce	\loadcldfileonce []
Loadfontgoodies	\loadfontgoodies []
Loadluafile	\loadluafile []
Loadluafileonce	\loadluafileonce []
Loadspellchecklist	\loadspellchecklist [] []
Loadtexfile	\loadtexfile []
Loadtexfileonce	\loadtexfile []
Loadtypescriptfile	\loadtypescriptfile []
Localframed	\localframed [] [=] {}
Localframed Localframedwithsettings	\localframed [] [=] \localframedwithsettings [] [=] \localframedwithsettings []
Localliamedwithsettings	\localisamedwithsettings [] [] \localhsize
	\localpopbox
Localpopbox	\localpopmacro \
Localpopmacro Localpushbox	\localpopmacio \
=	<u>-</u>
Localpushmacro	\localpushmacro \
Localundefine	\localundefine {}
Locatedfilepath	\locatedfilepath
Locatefilepath	\locatefilepath {} \locfilename {}
Locfilename Lomihi	
	\lomihi {} {} {}
Lowerbox	\lowerbox {} \ {}
Lowercased	\lowercased {}
Lowercasestring	\lowercasestring \to \
Lowerleftdoubleninequote	\lowerleftdoubleninequote
Lowerleftsingleninequote	\lowerleftsingleninequote
Lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
Lowhigh: instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\} \\\.\.\}
Lrtbbox	\lrtbbox \{\} \{\} \{\} \{\}
Ltop	\ltop {}
Luacode	\luacode {}
Luaconditional	\luaconditional \
Luaenvironment	\luaenvironment
Luaexpanded	\luaexpanded {}
Luaexpr	\luaexpr {}
Luafunction	\luafunction {}
LuajitTeX	\luajitTeX
Luamajorversion	\luamajorversion
luaminorversion	\luaminorversion

1	\]
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly \{\ldots\}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
9 -	
MPgetmultishape	\MPgetmultishape \{\ldots\}\{\ldots\}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
	\MPleftskip {}
MPleftskip	
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp \{\}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
	\MPvv {} {}
MPvv MD	
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
	
makecharacteractive	\makecharacteractive

moltonossonmolia+	\makerawcommalist [] \
makerawcommalist makestrutofbox	\makestrutofbox
mapfontsize marcatura	\mapfontsize [] [] \marcatura (,) (,) []
margindata	\margindata [] [=] [=] {} \MARGINDATA [=] [=] {}
margindata:instance	\atleftmargin [=] [=] {}
margindata:instance:atleftmargin	
margindata:instance:atrightmargin	\atrightmargin [=] [=] {} \ininner [=] [=] {}
margindata:instance:ininner margindata:instance:ininneredge	\ininneredge [=] [] \\ininneredge [=] [] \\
margindata:instance:ininnermargin	9
margindata:instance:inleft	\ininnermargin [=] [=] {} \inleft [=] [=] {}
margindata:instance:inleftedge	\inleft [] [] \inleft edge [] [] \{\}
	\inleftmargin [=] [=] {}
margindata:instance:inleftmargin	
margindata:instance:inmargin margindata:instance:inother	\inmargin [=] [=] {} \inother [=] [=] {}
margindata:instance:inouter	\inother [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [] {}
margindata:instance:inoutereage margindata:instance:inoutermargin	\inoutereage [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inright [=] [=] {}
margindata:instance:inrightmargin	\inrighteage [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markinjector	\markinjector []
-	\markpage [] []
markpage mat	\markpage [] \mat {}
matematica	\matematica [] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbackboard
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar \{\ldots\} \\
mathdoubleextensible:instance:doublebrace	\doublebrace \{\} \{\}
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbarunderbar	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket \{\ldots\} \\\
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent \{\ldots\} \\
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	
mathextensible:instance:eunderbarfill	\etwoheadrightarrowfill \\\\\\
mathextensible:instance:eunderbracefill	\etwoheadrightarrowfill \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	•
mathextensible:instance:eunderbracketfill	\eunderbarfill {} {} \eunderbracefill {} {}
	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {}
<pre>mathextensible:instance:eunderbracketfill mathextensible:instance:eunderparentfill mathextensible:instance:mequal</pre>	\eunderbarfill {} {} \eunderbracefill {} {}
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal</pre>	<pre>\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \eunderparentfill {} {} \mequal {} {}</pre>
mathextensible:instance:eunderparentfill	<pre>\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \eunderparentfill {} {}</pre>
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow</pre>	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \eunderparentfill {} {} \mequal {} {} \mhookleftarrow {} {}
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow</pre>	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \eunderparentfill {} {} \mequal {} {} \mhookleftarrow {} {}
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow</pre>	<pre>\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \eunderparentfill {} {} \mequal {} {} \mhookleftarrow {} {} \mleftarrow {} {}</pre>
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow mathextensible:instance:mLeftrightarrow</pre>	<pre>\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mequal {} {} \mhookleftarrow {} {} \mleftarrow {} {} \mleftrightarrow {} {}</pre>
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow mathextensible:instance:mLeftrightarrow mathextensible:instance:mleftarrow</pre>	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mequal {} {} \mhookleftarrow {} {} \mleftarrow {} {}
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow mathextensible:instance:mLeftrightarrow mathextensible:instance:mleftarrow mathextensible:instance:mleftarrow</pre>	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mequal {} {} \mhookleftarrow {} {} \mleftarrow {} {}
<pre>mathextensible:instance:eunderparentfill mathextensible:instance:mequal mathextensible:instance:mhookleftarrow mathextensible:instance:mhookrightarrow mathextensible:instance:mLeftarrow mathextensible:instance:mLeftrightarrow mathextensible:instance:mleftarrow mathextensible:instance:mleftharpoondown mathextensible:instance:mleftharpoonup</pre>	\eunderbarfill {} {} \eunderbracefill {} {} \eunderbracketfill {} {} \mequal {} {} \mhookleftarrow {} {} \mhookrightarrow {} {} \mLeftarrow {} {} \mleftarrow {} {} \mleftarrow {} {} \mleftarrow {} {} \mleftharpoondown {} {}

mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\} \{\}
mathextensible:instance:mrightharpoondown	$\mbox{$\box{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{$\mbox{\m
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
•	\mrightoverleftarrow {} {}
mathextensible:instance:mrightoverleftarrow	
mathextensible:instance:mtriplerel	$Imtriplerel\ \{\ldots\}\ \{\ldots\}$
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
9	
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\t
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	$\time \{\ldots\}$
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
<u>g</u>	
mathextensible:instance:tleftrightharpoons	\t leftrightharpoons $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	$\trightharpoondown {} {}$
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
•	
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	$\texttt{\ttriplerel}\ \{\ldots\}\ \{\ldots\}$
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
<u> </u>	\xequal {} {}
mathextensible:instance:xequal	-
mathextensible:instance:xhookleftarrow	$\xhookleftarrow {} {}$
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
<u> </u>	
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	$\xleft that poon down {} {}$
mathextensible:instance:xleftharpoonup	\xleft that poon up $\{\ldots\}$
	\xleftrightarrow {} {}
mathextensible:instance:xleftrightarrow	(111010118110111011 (111)
mathextensible:instance:xleftrightarrow	\wlaftrighthampagg \ \ \ \
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto</pre>	\xmapsto {} {}
mathextensible:instance:xleftrightharpoons	
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto</pre>	\xmapsto {} {} \xRightarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightloverleftarrow</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance</pre>	<pre>\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {}</pre>
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance</pre>	<pre>\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {}</pre>
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction</pre>	\mapsto {} {} \mapsto {} {} \mathrm{\text{XRightarrow {} {}} \mathrm{\text{Xrightarrow {} {}} \mathrm{\text{Xrightharpoondown {} {}} \mathrm{\text{Xrightharpoonup {} {}} \mathrm{\text{Xrightharpoonup {} {}} \mathrm{\text{Xrightoverleftarrow {} {}} \mathrm{\text{Xrightoverleftarrow {} {}} \mathrm{\text{Xtwoheadleftarrow {} {}} \mathrm{\text{Xtwoheadrightarrow {} {}} \mathrm{\text{MATHFRAMED [=] {}} \mathrm{\text{Inmframed [=] {}} \mathrm{\text{Marmad [=] {}} \mathrm{\text{Mathrmaded [=] {}}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightleftharpoonup {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed</pre>	\mapsto {} {} \mapsto {} {} \mathit{mapsto {} {} mathitalic \mathit{mathitalic \mathit{mathitalic \mathitalic \m
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathover [] {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHONNAMENT {} \mathover [] {} {} \mathover [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathover [] {} {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHONNAMENT {} \mathover [] {} {} \mathover [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathit \mathitalic \mathover [] {} {} \mathover [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm</pre>	\mapsto {} {} \mapsto {} {} \mapsto {} {} \mathrm{\text{Xrightarrow} {} {} \mathrm{\text{Xrightarrow} {} {} \mathrm{\text{Xrightharpoondown} {} {} \mathrm{\text{Xrightharpoonup} {} {} \mathrm{\text{Xrightharpoonup} {} {} \mathrm{\text{Xrightoverleftarrow} {} {} \mathrm{\text{Xrightoverleftarrow} {} {} \mathrm{\text{Xtwoheadleftarrow} {} {} \mathrm{\text{Xtwoheadleftarrow} {} {} \mathrm{\text{MATHFRAMED} [=] {} \mathrm{\text{MATHFRAMED} [=] {} \mathrm{\text{Mathramed} [=] {} \mathrm{\text{Mathramed} [=] {} \mathrm{\text{Mathramed} [] {} \mathrm{\text{Mathramed} [] {} \mathrm{\text{MATHOVEREXTENSIBLE} {} \mathrm{\text{MATHOVERTEXTEXTENSIBLE} {} \mathrm{\text{Mathramed} [] {} \mathramed} \mathrm{\text{Mathramed} [] {} \mathramed [] {} \mathramed [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed m</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \mathfraktur \mathframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} {} \mathover [] {} \mathit \mathit
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm</pre>	\mapsto {} {} \mapsto {} {} \mapsto {} {} \mathrm{\text{Xrightarrow} {} {} \mathrm{\text{Xrightarrow} {} {} \mathrm{\text{Xrightharpoondown} {} {} \mathrm{\text{Xrightharpoonup} {} {} \mathrm{\text{Xrightharpoonup} {} {} \mathrm{\text{Xrightoverleftarrow} {} {} \mathrm{\text{Xrightoverleftarrow} {} {} \mathrm{\text{Xtwoheadleftarrow} {} {} \mathrm{\text{Xtwoheadleftarrow} {} {} \mathrm{\text{MATHFRAMED} [=] {} \mathrm{\text{MATHFRAMED} [=] {} \mathrm{\text{Mathramed} [=] {} \mathrm{\text{Mathramed} [=] {} \mathrm{\text{Mathramed} [] {} \mathrm{\text{Mathramed} [] {} \mathrm{\text{MATHOVEREXTENSIBLE} {} \mathrm{\text{MATHOVERTEXTEXTENSIBLE} {} \mathrm{\text{Mathramed} [] {} \mathramed} \mathrm{\text{Mathramed} [] {} \mathramed [] {} \mathramed [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed m</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \mathfraktur \mathframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} {} \mathover [] {} \mathit \mathit
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathit mathit mathit mathit mathop mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \mframed [=] {} \mframed [=] {} \mframed [] {} \mathfunction {} \mathit \mathit \mathitalic \mathover [] {} \mATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} \mathrm \mathscript \mathsl \mathsl \mathsl \mathss
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathradical:example mathss mathss mathtext</pre>	\xmapsto {} {} \xRightarrow {} {} \xrel {} {} \xrightarrow {} {} \xrightarrow {} {} \xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \mframed [=] {} \mframed [=] {} \mframed [=] {} \mathfunction {} \mathit \mathit \mathitalic \mathop {} \mathover [] {} {} \mATHOVEREXTENSIBLE {} \mATHOVEREXTENSIBLE {} \mathrm \mathscript \mathsl \mathss \mathtext {}
mathextensible:instance:xleftrightharpoons mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtiplerel mathextensible:instance:xtwoheadleftarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mf	\mapsto {} {} \mapsto {} {} \mapsto {} {} \mathrm{\text{xrightarrow} {} {} \mathrm{\text{xrightarrow} {} {} \mathrm{\text{xrightharpoondown} {} {} \mathrm{\text{xrightharpoonup} {} {} \mathrm{\text{xrightoverleftarrow} {} {} \mathrm{\text{xrightoverleftarrow} {} {} \mathrm{\text{xtriplerel} {} {} \mathfraktur \mathfraktur \mathframed [] {} \minframed [] {} \minframed [] {} \mathfunction {} \mathfunction {} \mathit \mathit \mathitalic \mathover [] {} {} \mathrover [] {}
<pre>mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathradical:example mathss mathss mathtext</pre>	\mapsto {} {} \mapsto {} {} \mapsto {} {} \mathral{mathral} \mathral \mathral{mathral} \mathral \mathr
mathextensible:instance:xleftrightharpoons mathextensible:instance:xRightarrow mathextensible:instance:xrel mathextensible:instance:xrightarrow mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtiplerel mathextensible:instance:xtwoheadleftarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mf	\mapsto {} {} \mapsto {} {} \mapsto {} {} \mathrm{\text{xrightarrow} {} {} \mathrm{\text{xrightarrow} {} {} \mathrm{\text{xrightharpoondown} {} {} \mathrm{\text{xrightharpoonup} {} {} \mathrm{\text{xrightoverleftarrow} {} {} \mathrm{\text{xrightoverleftarrow} {} {} \mathrm{\text{xtriplerel} {} {} \mathfraktur \mathfraktur \mathframed [] {} \minframed [] {} \minframed [] {} \mathfunction {} \mathfunction {} \mathit \mathit \mathitalic \mathover [] {} {} \mathrover [] {}

mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
	• • • •
mathtriplet	\mathtriplet [] {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \\\
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
_	
metaTeX	\metaTeX
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula []
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
•	
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=]
mettisottoformula	\mettisottoformula []
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	$\mbox{\mbox{$\setminus$}} \mbox{\mbox{$\setminus$}} \mbo$
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort	\monthshort {}
mostraambientefontdeltesto	\mostraambientefontdeltesto []
mostracolore	\mostracolore []
mostracornice	\mostracornice [] []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
	\mostrastampa [] [] [=]
mostrastampa	/monoraneamba [] [] []

mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable namedstructurevariable	<pre>\namedstructureuservariable {} {} \namedstructurevariable {} {}</pre>
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter newevery	\newcounter \ \newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs \successivoPARAGRAPHS
nextparagraphs:example nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	<pre>\nocitation {} \nocite []</pre>
nocite nocite:direct	\nocite []
nodetostring	\nodetostring \ \{\}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface normalizebodyfontsize	\normalitalicface \normalizebodyfontsize \ \{\}
normalizedodylontsize	\normalizebodylontsize \ \;
normalizefontdepth	\normalizediontdize
normalizefontheight	\normalizefontheight \ \{\} \{\}
5	5

normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight {} {}
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
•	
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayoribet \overlayrollbutton [] []
overlaywidth	\overlayWidth
overloaderror	\overlaywidth \overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA

PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	<pre>\pdfbackendcurrentresources \pdfbackendsetcatalog {} {}</pre>
pdfbackendsetcatalog pdfbackendsetcolorspace	\pdfbackendsetcataiog \lambda \footnote{\lambda} \lambda \
pdfbackendseteoforspace	\pdfbackendsetextgstate \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
pdfbackendsetextgstate	\pdfbackendsetinfo \{\dots\} \{\dots\}
pdfbackendsetname	\pdfbackendsetname \{\dots\} \{\dots\}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen {} {}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	$\verb \permitspacesbetweengroups $
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	<pre>\placecomments \placecurrentformulanumber</pre>
placecurrentformulanumber placedbox	\placedbox {}
placedbox placefloat	<u>-</u>
placefloat placefloatwithsetups	\placefloat [] [] {} {} \placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {}
placefloat:instance:chemical	\metti:Loar [] [] {} {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:rigure placefloat:instance:graphic	\mettigraphic [] [] {} {}
placefloat:instance:graphic placefloat:instance:intermezzo	\mettigraphic [] [] {} \mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettintermezzo [] [] {} \mettitable [] [] {}
placeframed	\placeframed [] [] {}
placehelp	\placehelp
placeinitial	\placeinetp \placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\nlacelistofchemicals [=]

placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
<pre>placelistofsynonyms:instance:abbreviations placelocalnotes</pre>	\placelistofabbreviations [=] \placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay \{\ldots\}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta 	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes predefinedfont	\postponenotes \predefinedfont []
predefinedont	\predefinedfont [] \predefinefont []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist \{\dots\} \\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
presetlabeltext:instance:label	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
<pre>presetlabeltext:instance:operator presetlabeltext:instance:prefix</pre>	\presetoperatortesto [] [=]
presetlabeltext:instance:suffix	\presetprefixtesto [] [=] \presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
pretocommalist	\pretocommalist \{\dots\}\\\.\.
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \

processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,] \processisolatedchars {} \
processisolatedchars processisolatedwords	\processisolateduchars \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist \{\} \\\} \\
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth \{\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\} \{\} \{\} \{\}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear \{\} \{\} \{\}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=] {} []
pulsantemenu: button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages \pushattribute \
pushattribute pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache \{\ldots\} \\\\} \ldots
putnextboxincache	\putnextboxincache \{\} \\ \{\}
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut

quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdate [] \rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rawdoifinsetelse	\rawdoifinsetelse {} {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile {} {} {}
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readtexfile	\readtexfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readxmlfile	\readxmlfile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] [++]
registro:instance:index	\index [] [++]
registro:instance:ownnumber	\REGISTER [] {} [++]
registro:instance:ownnumber:index	\index [] {} [++]
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking []
relateparameterhandlers	\relateparameterhandlers {} {} {} {}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removedromcommalist	\removedepth \removefromcommalist \{\dots\} \\\
removelastskip	\removeliomcommarist \(\(\text{t}\)\\removelastskip
·	
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []

replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ {}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup \{\ldots\}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer [] \resetcharacteralign
resetcharacteralign resetcharacterkerning	\resetcharacterarigh\resetcharacterkerning
resetcharacterspacing	\resetcharacterkerning \resetcharacterspacing
resetcharacterstripping	\resetcharacterspacing \resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resettigitsmanipulation
resetdirection	\resetdigitsmanipulation \resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers \reshapebox {}
reshapebox	<u>-</u>
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled restartcounter	\resolvedglyphstyled {} {} \restartcounter [] []
restartcounter	\restartcounter [] [] \restorebox {} {}
restorecatcodes	\restoredox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
restorecounter	\restorecationes \restorecounter []
restorecurrentattributes	\restorecounter [] \restorecurrentattributes {}
restoreendofline	\restorecurrentattributes \{}
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
	\reuseMPgraphic \{\dots\} \\\.=\dots\}
reusempgraphic	\reuserandomseed
reuseMPgraphic reuserandomseed	
reuserngraphic reuserandomseed revivefeature	\revivefeature
reuserandomseed	•
reuserandomseed revivefeature	\revivefeature

riferimento	\riferimento [] {}
	\riferimentopagina []
	\riferimentotesto [] {}
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
•	\righthbox {}
-	\rightLABELtesto {}
-	
	\rightheadtesto {}
9	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
	\rightskipadaption
	\rightsubguillemot
	. •
<u> </u>	\righttoleft
-	\righttolefthbox {}
	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
~ .	\rigovuoto []
	\ring {}
-	
-	\rlap {}
	\robustaddtocommalist {} \
	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \\
robustdoifinsetelse	\robustdoifinsetelse $\{\}$ $\{\}$ $\{\}$
robustpretocommalist	\robustpretocommalist {} \
	\rollbutton [=] []
	\rollbutton [] [=] []
	\roman
•	\rtop {}
	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
-	\ruledtpack {}
	\ruledvbox {}
-	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
	\ScaledPointsToBigPoints {} \
	\ScaledPointsToWholeBigPoints {} \
5	. —
	\Smallcapped {}
	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
•	\sansnormal
	\sansserif
	••••
	\savebox {} {}
	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
	\savecounter []
	\savecurrentattributes {}
_	\savenormalmeaning \
	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
	\schermo []
	\SCRIPT
•	
<u>.</u>	\ethiopic
	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
-	\nihongo
	\test
-	\thai
-	\scrividentroelenco [] [=] { }

scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	\secondofsixarguments {} {} {} {} {} {}
secondofthreearguments	\secondofthreearguments {} {}
secondofthreeunexpanded	\secondofthreeunexpanded \{\ldots\} \{\ldots\} \{\ldots\}
<u>.</u>	_
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
seeregister:instance	\vediREGISTER [] [++] {}
seeregister:instance:index	\vediindex [] [++] {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {}
selezionablocchi	\selezionablocch \mathbf{H}^{T} [\mathbf{H}^{T} [\mathbf{H}^{T} [\mathbf{H}^{PT}] OPT
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
	•
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
V-1	
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<u> </u>	
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setinterfacewariable	\setinterfacewariable \{\dots\} \\\\
200111001140044114016	(SOULMODITAGOVALIADIO ()

actintownolmondomina	\astintonnolmondoning [] [] []
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setMPlayer	\setMPlayer [] [=] {}
•	
setMPpositiongraphic	\setMPpositiongraphic \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setMPpositiongraphicrange	\setMPpositiongraphicrange {} {} {}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
setoldstyle	\setoldstyle
setpagegrid	\setpagegrid [=] {}
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\}
setpercentdimen	\setpercentdimen \{\ldots\} \{\ldots\}
setposition	\setposition {}
setpositionbox	\setpositionbox \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setpositiondata	\setpositiondata {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {} {}
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus {} {} \ {}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ \ \
setregisterentry	\setregisterentry [] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {} {}
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
·	
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {}
setstructurepageregister	\setstructurepageregister [] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settext	\settext [] [] [] []
settightobject	\settightobject {} {} \ {}
settightreferencedobject	\settightreferencedobject {} \ {}
settightunreferencedobject	\settightunreferencedobject {} \ {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
-	- · · · · · · · · · · · · · · · · · · ·

setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
	\setupfloatcaption [] [=]
setupfloatcaption	\setupfineaccaption [] [=]
setupfontexpansion setupfontprotrusion	\setupfontexpansion [] [=] \setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
<u>i</u>	en e

setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathcases	\setupmathalignment [] [=] \setupmathcases [] [=]
setupmathcases setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathematics [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]

setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
-	
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped \{\ldots\} \{\ldots\}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
	\setvboxregister {}
setvboxregister	
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
<u> </u>	
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
	\showcolorbar []
showcolorbar	
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	(DII 0 II
Showlonescyle	\showfontstyle [] [] []
•	\showfontstyle [] [] []
showglyphs showgridsnapping	<u>-</u>

	\
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition $\{\ldots\}$ $\{\ldots\}$
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox \{\ldots\} \{\ldots\}
simplealignedboxplus	\simplealignedboxplus $\{\}$ $\{\}$ $\{\}$
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments \{\ldots\} \
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
-	\smash [] {}
smash	
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
	\spezzaoggettomobile [=] {} {}
spezzaoggettomobile	
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
phironital	OPILIOLILATI

splitoffkind	\splitoffkind
•	\splitoffname
•	. -
-	\splitoffpath
•	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
•	\sqrt [] {}
-	\stackcampi [] [=]
stackrel	\stackrel {} {}
	\iniziaLINENOTE [] {}
startlinenote:instance	
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [] []
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
	\stopregister [] []
	\stopstructurepageregister [] []
_	\strictdoifelsenextoptional {} {}
	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
	\structuretitle
	\structureuservariable {}
	\structurevariable {}
	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
•	\struttedbox {}
	\strutwd
	\style [=] {}
•	\styleinstance []
•	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist {} {} \
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
	\swapcounts \ \
-	\swapdimens \ \
<u>-</u>	\swapface
	\swapmacros \ \
- ·-	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
_	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
	\symbolreference []
•	\synchronizeblank
•	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
· ·	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename \(\cdot\)
•	· · ·
•	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
•	\systemlog {} {}
	\systemlogfirst {} {}
	\systemloglast {} {} {}
	\systemsetups { }

TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature \{\dots\} \\\
testfeatureonce	\testfeatureonce \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
testoaiuto	\testoaiuto [] {} {}
testoetichetta:instance	\LABELtesto {} \btxlabeltesto {}
testoetichetta:instance:btxlabel	\headtesto \{\ldots\}
testoetichetta:instance:head testoetichetta:instance:label	\labeltesto \{\ldots\}
testoetichetta:instance:mathlabel	\mathlabeltesto \{\dots\}
testoetichetta:instance:operator testoetichetta:instance:prefix	\operatortesto {} \prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto \(\cdot\)
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	\FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
testpage	\testpage [] []
testpageonly	\testpageonly []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar	\textormathchar {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals thefirstcharacter	\thainumerals {} \thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {} \theremainingcharacters {}
theremainingcharacters thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
thirdoffourarguments	\thirdoffourarguments {} {} {} {}
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments {} {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi [] []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
	(crap ()
tochar	\tochar {} \tolinenote []

tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {} {}
tooltip:instance:argument:tooltip	\tooltip [] {} {}
tooltip:instance:tooltip	\tooltip [=] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
	•
typ	\typ [=] {}
type	\type [=] {}
typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ultimasottopagina	\ultimasottopagina
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	<pre>\uniqueMPpagegraphic {} {=} \UNIT {}</pre>
unita:instance	\unit {}
unita:instance:unit	
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []

usablocco	\usablocco [] [] [=]
ısacartella	\usacartella []
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []
usadocumentoesterno	\usadocumentoesterno [] []
usafiguraesterna	\usafiguraesterna [] [] [] [=]
usaJSscripts	\usaJSscripts [] []
usamodulo	\usamodulo [] [] [=]
usasimboli	\usasimboli []
usaURL	\usaURL [] [] []
usaurl	\usaurl [] [] []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset usebtxdefinitions	\usebtxdataset [] [] [=] \usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor \{\dots\} \\\
usedummystyleparameter	\usedummystyleparameter {}
seenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
ısegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] [] \utfchar {}
utfchar utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {}
vaia	\vaia {} []
vaiabox	\vaiabox {} []
vaiapagina	\vaiapagina {} []
vaigiu	\vaigiu []
valorecolore	\valorecolore {}
vboxreference	\vboxreference [] {}
Vec	\vec {}
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
versione	\versione []
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue
viewerlayer	\viewerlayer [] {}
γl	\v1 []

vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
•	\vspacing []
vspacing	= =
WidthSpanningText	\WidthSpanningText {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext \{\ldots\} \{\ldots\}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
	•
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {} {}
xmlattribute	\xmlattribute {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {} {}
-	\xmlbeforesetup {} {}
xmlbeforesetup	
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	\xmlchainattdef {} {} {}
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif \{\ldots\} \\\\
xmldoifelse	
	\xmldoifelse {} {} {} {}
xmldoifelseempty	\xmldoifelseempty {} {} {}
xmldoifelseselfempty	\xmldoifelseselfempty {} {}
xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifelsevalue	$\xmldoifelsevalue {} {} {} {}$
xmldoifnot	$\mbox{xmldoifnot } \{\} \ \{\}$
xmldoifnotselfempty	\xmldoifnotselfempty \{\ldots\}
xmldoifnottext	$\mbox{xmldoifnottext } \{\} \{\}$
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint \{\ldots\}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
VIIITTIIT A OT DOLOTIII	AMMITHIE VOI DUOIM ()

xmlinstalldirective	\xmlinstalldirective \{\ldots\} \{\ldots\}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmlloadbuffer	$\xmlloadbuffer {} {} {}$
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	$\mathbf{xmlloadfile} \{\} \{\}$
xmlloadonly	$\mathbf{xmlloadonly} \{\} \{\}$
xmlmain	\xmlmain {}
xmlmapvalue	$\xr = 1$
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	$\xr = \xr $
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	$\xr = \xr $
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname {} {} {}
xmlremapnamespace	\xmlremapnamespace {} {} {}
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}
xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction {} {} {}
xmlsetinjectors	\xmlsetinjectors []
xmlsetsetup	\xmlsetsetup {} {}
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnow xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
•	
xmlstripnolines xmlstripped	\xmlstripnolines {} {} \xmlstripped {} {}
xmlstrippednolines	\xmlstrippednolines {} {}
xmltag	\xmltag {}
xmltexentity	\xmltexentity {} {}
xmltext	\xmltext {} {}
xmltobuffer	\xmltobuffer {} {} {}
xmltobufferverbose	\xmltobufferverbose {} {} {}
xmltofile	\xmltofile {} {} {}
xmlvalue	\xmlvalue {} {} {}
xmlverbatim	\xmlverbatim {}
xsplitstring	\xsplitstring \ {}
	\xypos {}

