1 attributes backends bibtex blobs boolean buffers builders caches callbacks catcodes characters chemistry commands containers context converters coroutine ctxrunner debug dir directives document documentdata environment epdf experiments figures file floats fontloader fonts global graphics gzip interactions interfaces io job languages layouts lfs libraries lmx logs lpdf lpeg ltn12 lua luatex lxml math mathematics md5 metapost mime moduledata modules mplib noads node nodes number os <mark>nackage</mark> pagebuilders parametersets **mi** physics profiler regimes resolvers scripts set socket sorters statistics storage streams string structures table tex texconfig texio token tokens tracers trackers typesetters unicode url utilities visualizers xml zip zlib

ConT_EXt MkIV

global (alias: _G)

1	table	fonts	table
arg	table	qcinfo	function
assert	function	getfenv	function
attributes	table	getmetatable	function
backends	table	getreadfilename	function
beginpage	function	global	table
bibtex	table	graphics	table
blobs	table	gzip	table
boolean	table	img	table
buffers	table	inspect	function
builders	table	interactions	table
caches	table	interfaces	table
callback	table	io	table
callbacks	table	ipairs	function
catcodes	table	job	table
characters	table	lang	table
chemistry	table	languages	table
collectgarbage	function	layouts	table
commands	table	lfs	table
containers	table	libraries	table
context	function	lmx	table
converters	table	lmxconvert	function
coroutine	table	lmxnew	function
ctxrunner	table	load	function
debug	table	loadfile	function
dimen	function	loadstring	function
dir	table	logs	table
directives	table	lp_fastpos_n	userdata
document	table	lp_fastpos_p	userdata
documentdata	table	lpdf	table
dofile	function	lpeg	table
endpage	function	ltn12	table
environment	table	lua	table
epdf	table	luatex	table
error	function	lxml	table
experiments	table	math	table
figures	table	mathematics	table
file	table	md5	table
floats	table	metapost	table
font	table	mime	table
fontloader	table	module	function

moduledata table modules table mplib table newline function newproxy function next function table noads node table nodes table number table table os outputpagestree function table package pagebuilders table function pairs parametersets table function pcall pdf table table physics print function profiler table protect function function rawequal function rawget rawset function reaimes table report characters function function require resolvers table scripts table select function table set setfenv function setmetatable function

table

socket

table sorters statistics table status table table storage streams table string table stripmath function structures table table table tex table texconfia table texio table toboolean function token table table tokens tonumber function function tostrina trace characters boolean traceback function tracers table trackers table type function typesetters table unicode table unpack function url table utf table utilities table visualizers table xml table xmlconvert function function xpcall zip table zlib table

attributes (context)

colorintents	table	11	none	
N attribute			popset	
D data			pushset	
F enable			register	
F handler			registered	
F register			registerspotco	lor
D registered			rgb	
colors	table		rgbtocmyk	
N attribute			rgbtogray	
F cmyk			rgbtohsv	
F cmyktogray			selector	
F cmyktorgb		F	setlist	
F colorcomponent	S	F	setmodel	
B couple		D	sets	
D data		F	spec	
N default		F	spot	
F defineintermed	iatecolor	F	spotcolorname	
F definemixcolor		F	spotcolorparen	t
F definemultiton	ecolor	F	spotcolorvalue	
F defineprocesso	olor	В	supported	
F definesimplegra	ay	F	transparencyco	mponents
F definespotcolo	r	В	triggering	
F definetranspar	ency	F	usecolors	
F enable		F	value	
F filter		D	values	
F forcedmodel		В	weightgray	
F forcesupport		defi	ne	function
F formatcolor		effe	cts	table
F formatgray		N	attribute	
F gray		D	data	
F graytohsv		F	enable	
F handler		F	handler	
F hsvtogray			register	
F hsvtorgb			registered	
F iccprofile			values	
F isblack			lers	table
N main		list		data table
S model		name	_	data table
D models		_	tives	table
F mpcolor			attribute	
F mpoptions		D	data	

F enable
F handler
F register
D registered

numbers data table
ofnode function
private function
showcurrent function
states table

F disabletriggering

F enabletriggering
F finalize
F initialize
F process
F selective
F stacked
F stacker

transparencies table

D data
F enable
F forcesupport
F handler

N attribute

U none F register D registered B supported
B triggering
F value

D values

N attribute
D data
F define
F enable
F forcesupport
F handler
B hasorder
D listwise
F register

D registered
F resolve_begin
F resolve end

F resolve_step

D scopes
F setfeatures
F start

B supported

F stop

D values

backends (context)

F registerdocumentcloseaction

codeinjections table F registerdocumentopenaction F synchronizecolormodel F registeredsymbol current strina F registerpagecloseaction table defaults F registerpageopenaction T codeinjections F registersymbol T nodeiniections F setfieldcalculationset T registrations F setfigurealternative D tables F setfigurecolorspace install function F setfiguremask nodeinjections table F setformat F setformsmethod F restore F save F setpagetransition F transform F setupcanvas function nothina F setupidentity pdf table F setxmpfile T codeinjections F startlayer F addbookmarks F stoplayer F attachmentid F supportedformats F clonefield F useviewerlaver F definefield F validfield E definefieldset F validfieldcategory F defineviewerlaver F validfieldset F embedfile S comment F enabletags T nodeinjections F exportformdata F addtags F finalizepage F attachfile F finishreference F changestackedlayer F getdefaultfieldvalue F cmykcolor F getfieldcategory F comment F getfieldset F destination F getformatoption F effect F getoutputfilename F graycolor F getpreviewfigure F injectbitmap F insertrenderingwindow F insertmovie F mergereferences F insertsound F insertswf F mergeviewerlayers F prerollreference F insertu3d F knockout F presetsymbol F presetsymbollist F negative F processrendering F overprint

F positive

F reference F rgbcolor F spotcolor F startlayer F startstackedlayer

F stoplayer

F stopstackedlayer F transparency

F typesetfield T registrations

F cmykindexcolor F cmykspotcolor

F getspotcolorreference

F grayindexcolor F grayspotcolor F rgbindexcolor F rgbspotcolor F spotcolorname F transparency

T tables

D vfspecials

registrations table tables table

bibtex (context)

F filterall

authorref authors	function table	F flush F nofregistered	
F concat		F process	
F inverted		F register	
F invertedshort		F registerplaced	
F normal		F reset	
F normalshort		F resolve	
F setsettings		load	function
F short		new	function
authoryearref	function	singularorplural	function
authoryearsref	function	statistics	table
convert	function	N nofbytes	
hacks	table	N nofdefinitions	
F add		N nofshortcuts	
F doifalreadyplace	d	toxml	function

blobs (context)

append	function	new	function
dimensions	function	pack	function
dispose	function	write	function

boolean (context)

tocontext function

tonumber function

buffers (context)

append function
assign function
collectcontent function
erase function
exists function
getcontent function

getlines function
parallel table

F define

F hassomecontent

F next
F place
F reset
F save

raw function

builders (context)

kernel	table	F optimize
F hyphena	ation	T registered
F kerning		F reset
F ligatur	ring	F set
F mlist_t	to_hlist	F split
paragraphs	s table	F start
T constru	uctors	F stop
N attri	bute	F tag
F defin	e	vspacing table
F disab	le	F analyze
F enabl	e	D categories
F handl	er	F collapsevbox
T metho	ds	T data
F defa	ault	D map
F one	line	D skip
D names		D snapmethods
D numbe	rs	F definesnapmethod
F set		B fixed
F start		F pagehandler
F stop		F setmap
F keeptog	gether	F setskip
F registe	ertogether	F snapbox
T solutio	ons	F tocategories
T split	ters	F tocategory
F def:	ine	F vboxhandler

caches (context)

ask	boolean
base	string
collapsecontent	function
configfiles	function
contentstate	function
defaults	table
define	function
direct	boolean
force	boolean
getfirstreadablefile	function
getreadablepaths	function
getwritablepath	function
hashed	function

is_writable	function
loadcontent	function
loaddata	function
more	string
relocate	boolean
savecontent	function
savedata	function
${\tt setfirstwritablefile}$	function
setluanames	function
tree	string
treehash	function
usedpaths	function

callback (basic tex)

find function
list function

register overloaded function

callbacks (context)

freeze	function	push	function
known	function	register	function
list	data table	report	function
pop	function		

catcodes (context)

names data table
numbers data table

register function

characters (context)

activeoffset	number	lccode	function
adobename	function	lccodes	data table
bidi	data table	lettered	function
blocks	data table	lower	function
casemap	table	makeactive	function
categories	data table	math	table
category	function	mathpairs	data table
categorytags	data table	ranges	data table
combined	data table	registerentities	function
contextname	function	remap_hangul_syllabe	function
data	data table	remapentity	function
decomposed	data table	safechar	function
define	function	setcodes	function
description	function	shape	function
descriptions	data table	shaped	function
directions	table	shchars	data table
enccodes	data table	shcodes	data table
entities	data table	specialchars	data table
fallbacks	data table	specials	data table
filters	data table	subscripts	table
fromnumber	function	superscripts	table
fschars	data table	synonyms	data table
fscodes	data table	tex	table
getrange	function	D accentmapping	
graphemes	data table	F defineaccents	
hangul	data table	F toutf	
initialize	function	tonumber	function
is_character	data table	ucchars	data table
is_command	data table	uccode	function
is_letter	data table	uccodes	data table
is_mark	data table	unicodechar	function
is_spacing	data table	upper	function
lcchars	data table		

chemistry (context)

component	function	moleculeparser	userdata
define	function	start	function
format	string	stop	function
instance	string	structures	number
molecule	function	undefine	function

commands (context)

Alphabetic	function	autofinishstructurelevels	function
Character	function	autonextspace	function
Characters	function	autonextstructurelevel	function
MPc	function	autosetups	function
MPd	function	autostarttext	function
MPh	function	autostoptext	function
MPll	function	bcolumn	function
MPlr	function	boolcase	function
MPls	function	character	function
MPn	function	characters	function
МРр	function	checkcharactersinfont	function
MPpardata	function	checkcountersetup	function
MPplus	function	checkedconversion	function
MPpos	function	checkedpagefloat	function
MPposset	function	checktwopassdata	function
MPr	function	chemicalcomponent	function
MPrest	function	chineseallnumerals	function
MPrs	function	chinesecapnumerals	function
MPul	function	chinesenumerals	function
MPur	function	cleanfontname	function
MPw	function	cleanuplayers	function
MPx	function	clonefield	function
MPxy	function	collectfloat	function
MPxywhd	function	collecthelp	function
MPy	function	colorcomponents	function
Romannumerals	function	concatcommalist	function
abjadnodotnumerals	function	consultfloat	function
abjadnumerals	function	copyfiletolog	function
addcounter	function	copyposition	function
addff	function	countervalue	function
addfs	function	counttwopassdata	function
addlinklistelement	function	currentcomponent	function
addtojavascriptpreamble	function	currentdate	function
addtolist	function	currentenvironment	function
allinputpaths	function	currentproduct	function
alphabetic	function	currentproject	function
analysefloatmethod	function	currentreferenceorder	function
analyzelist	function	currentregime	function
applytochars	function	datasetvariable	function
applytowords	function	dayname	function
assignbuffer	function	defineattribute	function

definebibtexsession	function	doifblackelse	function
definebreakpoint	function	doifcommonelse	function
definebreakpoints	function	doifcounter	function
definecharacterspacing	function	doifdimenstringelse	function
definechemical	function	doifdrawingblackelse	function
defineconversion	function	doifelse	function
definecounter	function	doifelsebuffer	function
definedviewerlayer	function	doifelsecounter	function
definefield	function	doifelsecurrentfonthasfeature	function
definefieldset	function	doifelseintwopassdata	function
definefilefallback	function	doifelsemarking	function
definefilesynonym	function	doifelsemessage	function
definefont_one	function	doifelsemultipar	function
definefont_two	function	doifelseparallel	function
definefontfeature	function	doifelsepositionsused	function
definefontsolution	function	doifelserangeonpage	function
defineinsertion	function	doifelsereference	function
defineintermediatecolor	function	doifelsesavedfloat	function
definelabels	function	doifelsespaces	function
definelanguage	function	doifelseutfmathaccent	function
definelinkedlist	function	doifelsevisualizer	function
definemarking	function	doiffieldcategoryelse	function
definemultitonecolor	function	doiffieldelse	function
definenote	function	doiffieldsetelse	function
defineparallel	function	doiffiledefinedelse	function
defineparbuilder	function	doiffileexistelse	function
defineprocesscolor	function	doiffirstcharelse	function
defineprogram	function	doifinputfileelse	function
definereference	function	doifinsetelse	function
definesectionlevels	function	doifleapyearelse	function
definespotcolor	function	doiflisthasentry	function
definestructureblock	function	doiflisthasnumberelse	function
definestructureset	function	doiflisthaspageelse	function
definetransparency	function	doiflisthastitleelse	function
definetwopasslist	function	doiflocfileelse	function
defineviewerlayer	function	doifnot	function
defrostrandomseed	function	doifnotcounter	function
digits	function	doifnotecontent	function
disableparbuilder	function	doifnoteonsamepageasprevious	function
disableregime	function	doifobjectreferencefoundelse	function
disablespellchecking	function	doifolderversionelse	function
discardfromlist	function	doifoverlappingelse	function
doanalyzeframedbox	function	doifparentfileelse	function
doif	function	doifposition	function

doifpositionelse	function	fontchar	function
doifpositiononpage	function	fontcollectionclone	function
doifpositionsonsamepageelse	function	fontcollectiondefine	function
doifpositionsonthispageelse	function	fontcollectionprepare	function
doifurldefinedelse	function	fontcollectionregister	function
doprocesstypescriptfile	function	fontcollectionreport	function
doreshapeframedbox	function	fontcollectionreset	function
dostarttextfile	function	fontlookupgetkey	function
dostoptextfile	function	fontlookupgetkeyofindex	function
ecolumn	function	fontlookupinitialize	function
elapsedtime	function	fontlookupnoffound	function
enablecolor	function	forceendjob	function
enablecolorintents	function	forcequitjob	function
enablefontcolorschemes	function	format	function
enableparbuilder	function	formatcolor	function
enableregime	function	formatgray	function
enablespellchecking	function	freezerandomseed	function
enabletransparency	function	from	function
enhancelinkedlist	function	getbuffer	function
enhancelist	function	getbufferctxlua	function
enhancereference	function	getbuffermkvi	function
erasebuffer	function	getcommandline	function
expandcurrentreference	function	getctxfile	function
exportformdata	function	getcurrentprefixspec	function
exportreferences	function	getcurrentreferencemetadata	function
featureattribute	function	getdefaultfieldvalue	function
featurelist	function	getfieldcategory	function
feedback	function	getfirstcharacter	function
fetchallmarks	function	getfirsttwopassdata	function
fetchmultipar	function	getfloatvariable	function
fetchmultishape	function	getinternalreference	function
fetchonemark	function	getlasttwopassdata	function
fetchposboxes	function	getmarking	function
fetchtwomarks	function	getmessage	function
filterdefaultreference	function	getnotestate	function
filterreference	function	getprivateattribute	function
finalizebox	function	getprivatechar	function
findtwopassdata	function	getprogram	function
firstcountervalue	function	getrandomcounta	function
firstinset	function	getrandomcountb	function
flushfloat	function	getrandomseed	function
flushnotes	function	getreadfilename	function
flushpostponedblocks	function	getsubstring	function
flushpostponednotes	function	gettexbuffer	function

actt innecedate	function	loadfortmodics	function
gettwopassdata	function	loadfontgoodies	function
gettwopassdatalist	function	loadspellchecklist	function
geturl		loadtypescriptfile	
grabbuffer	function	loadvisualizer	function
helpaction	function	locatefilepath	function
helpreference	function	locfilename	function
hexstringtonumber	function	logoptions	function
hour	function	markregionbox	function
hyphenatedlist	function	mathrenderset	function
hyphenatedurl	function	maxitemwidth	function
D characters		minute	function
N lefthyphenmin		mixcleanup	function
D mapping		mixfinalize	function
N righthyphenmin		mixflushlist	function
F setcharacters		mixflushrest	function
incrementedcounter	function	mixgetsplit	function
initializetextrackers	function	mixsetsplit	function
injectcurrentreference	function	mixstate	function
injectreference	function	molecule	function
inlinechemical	function	month	function
insertattachment	function	monthmnem	function
insertcomment	function	monthname	function
insertfield	function	mpcolor	function
insertionnumber	function	mpoptions	function
insertrenderingwindow	function	namedstructureuservariable	function
insertsoundclip	function	namedstructurevariable	function
installedlanguages	function	nbfs	function
installtextracker	function	nextcountervalue	function
languagenumber	function	nextparallel	function
lastcountervalue	function	nofdays	function
lchexnumber	function	nofitems	function
lchexnumbers	function	nofstackedfloats	function
leapyear	function	notedeltapage	function
linenumbersstageone	function	notelistindex	function
linenumbersstagetwo	function	notenumberpage	function
listlabel	function	noteprefixednumber	function
listlocation	function	notesymbolpage	function
listprefixednumber	function	notetitle	function
listprefixedpage	function	ntimes	function
listrealpage	function	number	function
listsize	function	numbers	function
listtitle	function	objectnumber	function
listuserdata	function	objectpage	function
loadexamodes	function	octnumber	function
2000CAUIIOUCS	. and citon	o chamber	Tanceron

octstringtonumber	function	registerattachment	function
ordinal	function	registerbibtexentry	function
overloadbookmark	function	registerbibtexfile	function
pagestaterealpage	function	registerbookmark	function
parpos	function	registerbuttons	function
pdfrotation	function	registercolor	function
percentageof	function	registercolorintent	function
pgfxcolorspec	function	registeredviewerlayer	function
placeparallel	function	registerhelp	function
popfloat	function	registeritemgroup	function
popitaliccorrection	function	registerlinenumbering	function
poplist	function	registermaintextcolor	function
popregime	function	registernamespace	function
popsectionblock	function	registerpostponedblock	function
pos	function	registerrendering	function
posplus	function	registersoundclip	function
posstrut	function	registerstructureprocessor	function
postponenotes	function	registertransparency	function
poswhd	function	registerunit	function
posxy	function	relatemarking	function
prepareMPvariable	function	removemissingcharacters	function
preparebibtexsession	function	renderingvar	function
preparedfile	function	replacemissingcharacters	function
presetsymbollist	function	replacepospxywhd	function
presettabulate	function	resavefloat	function
prevcountervalue	function	resetcounter	function
processbuffer	function	resetfontfeature	function
processedfile	function	resetfontsolution	function
processedfiles	function	resetmarking	function
processfile	function	resetmathitalics	function
processfilemany	function	resetnullfont	function
processfilenone	function	resetparallel	function
processfileonce	function	resetreference	function
processlist	function	resetstructureprocessor	function
pushfloat	function	resettimer	function
pushitaliccorrection	function	restartcounter	function
pushlist	function	restorecounter	function
pushregime	function	restorecurrentattributes	function
pushsectionblock	function	restorenote	function
rawcharacter	function	romannumerals	function
rawcountervalue	function	runbuffer	function
rawdate	function	safechar	function
referencepagestate	function	savebuffer	function
referencerealpage	function	savecounter	function

savecurrentattributes	function	setlanguagesynonym	function
savedlistnumber	function	setlayer	function
savedlistprefixednumber	function	setmarking	function
savedlisttitle	function	setmathalphabet	function
savefloat	function	setmathalternate	function
savenote	function	setmathattribute	function
saveobject	function	setmathitalics	function
saveparallel	function	setmathstyle	function
savestructureblock	function	setnextinternalreference	function
savetaggedtwopassdata	function	setnotestate	function
savetwopassdata	function	setnotesymbolpage	function
second	function	setobject	function
selectstructureblock	function	setopendocumentaction	function
setbreakpoints	function	setopenpageaction	function
setcharactercasing	function	setowncounter	function
setcharactercleaning	function	setpagestate	function
setcharacterkerning	function	setpagestaterealpageno	function
setcharacterspacing	function	setpagetransition	function
setcharacterstripping	function	setparbuilder	function
setclosedocumentaction	function	setpos	function
setclosepageaction	function	setrandomseed	function
setcolormodel	function	setrealign	function
setcounter	function	setreferencearguments	function
setdataset	function	setreferenceattribute	function
setdigitsmanipulation	function	setreferenceoperation	function
setdirection	function	setsectionblock	function
setdocumentenvironments	function	setstructureblockstate	function
setdocumentfilenames	function	settagcombination	function
setdocumentmodes	function	settagdescription	function
setdocumentmodules	function	settagdescriptionsymbol -	function
setfigurelookuporder	function	settagfigure	function
setfontfeature	function	settaghighlight	function
setfontofid	function	settagitemgroup	function
setfontsolution	function	settagproperty	function
setformat	function	settagsorting	function
setformsmethod	function	settagsynonym	function
setinsertionlocation	function	settagtablecell	function
setinterfaceconstant	function	settagtabulatecell	function
setinterfaceelement	function	setupbookmarks	function
setinterfacemessage	function	setupcanvas 	function
setinterfacemessages	function	setupcharacterspacing	function
setinterfacevariable	function	setupexport	function
setinternalreference	function	setupfontexpansion	function
setlanguageexceptions	function	setupfontprotrusion	function

setupidentity	function	storejavascriptcode	function
setupinsertion	function	storejavascriptpreamble	function
setupitaliccorrection	function	storenote	function
setuplinenumbering	function	structureautocatcodedget	function
setvisual	function	structurecatcodedget	function
setxmpfile	function	structuregivencatcodedget	function
showassignerror	function	structurenumber	function
showattributes	function	structuretitle	function
showcallbacks	function	structureuservariable	function
showchardata	function	structurevariable	function
showcounter	function	subcountervalues	function
showfontparameters	function	subff	function
showhyphenatedinlist	function	subfs	function
showmessage	function	synchronizecolormodel	function
splitfilename	function	synchronizemarking	function
spotcolorname	function	taggedmathfunction	function
spotcolorparent	function	testcase	function
spotcolorvalue	function	textime	function
startchemical	function	transparencycomponents	function
startcolorset	function	triggereffect	function
startcomponent	function	triggernegative	function
startenvironment	function	truefilename	function
startfontsolution	function	typebuffer	function
startparbuilder	function	typefile	function
startproduct	function	typestring	function
startproject	function	uchexnumber	function
startregime	function	uchexnumbers	function
startsectionlevel	function	undefinechemical	function
starttag	function	unicodechar	function
starttext	function	unit	function
startviewerlayer	function	unloadlanguage	function
stopchemical	function	useMPlibrary	function
stopcolorset	function	useanyfile	function
stopcomponent	function	usecldfile	function
stopenvironment	function	usecolors	function
stopfontsolution	function	usecomponent	function
stopparbuilder	function	useenvironment	function
stopproduct	function	usefile	function
stopproject	function	usejavascriptpreamble	function
stopregime	function	usejavascriptscripts	function
stopsectionlevel	function	uselibrary	function
stoptag	function	useluafile	function
stoptext	function	usemodules	function
stopviewerlayer	function	usepath	function

useproduct	function	weekday	function
useproject	function	weekdayname	function
usesubpath	function	widthofstring	function
usesymbols	function	writestatus	function
usetexfile	function	x_table_cleanup	function
useurl	function	x_table_construct	function
usexmlfile	function	x_table_create	function
usezipfile	function	x_table_flush	function
utfchar	function	x_table_init_construct	function
utfmathclass	function	x_table_init_reflow_height	function
utfmathcommand	function	x_table_init_reflow_width	function
utfmathfiller	function	x_table_next_row	function
utfmathstretch	function	x_table_reflow_height	function
visual	function	x_table_reflow_width	function
vspacing	function	x_table_set_construct	function
vspacingcollapse	function	x_table_set_reflow_height	function
vspacingdefine	function	x_table_set_reflow_width	function
vspacingsetamount	function	year	function
vspacingsnap	function		

containers (context)

cleanname	function	is_valid	function
content	function	read	function
define	function	usecache	boolean
is_usable	function	write	function

converters (context)

Alphabetic	function
Character	function
Characters	function
Romannumerals	function
abjadnodotnumerals	function
abjadnumerals	function
alphabetic	function
character	function
characters	function
chineseallnumerals	function
chinesecapnumerals	function
chinesenumerals	function
chr	function
chrs	function
convert	function
define	function
hexstringtonumber	function
hour	function
isleapyear	function
lchexnumber	function
lchexnumbers	function
leapyear	function

maxchrs	function	
minute	function	
month	function	
nofdays	function	
number	function	
numbers	function	
octnumber	function	
octstringtonumber	function	
ordinal	function	
rawcharacter	function	
romannumerals	function	
second	function	
sequences	data table	
textime	function	
toabjad	function	
tochinese	function	
toroman	function	
uchexnumber	function	
uchexnumbers	function	
weekday	function	
year	function	

coroutine (basic lua)

сосо	boolean	running	function
create	function	status	function
cstacksize	function	wrap	function
resume	function	yield	function

ctxrunner (context)

load function
prepfiles data table

resolve function

debug (basic lua)

debug	function	getupvalue	function
getfenv	function	setfenv	function
gethook	function	sethook	function
getinfo	function	setlocal	function
getlocal	function	setmetatable	function
getmetatable	function	setupvalue	function
getregistry	function	traceback	function

dir (context)

collectpattern	function	ls
current	function	make
expandname	function	mkdi
glob	function	рор
globfiles	function	push
globpattern	function	

directives (context)

data	data table	name	string
disable	function	register	function
enable	function	report	function
list	function	show	function

document (context)

arguments files getargument getfilename options data table table function function table T ctxfile
D environments
D modes
D modules

setargument function
setdefaultargument function
setfilename function
variables data table

D environments

D modes
D modules

environment (context)

argument	funct	ion
arguments	data	table
default_texmfcnf	strir	ıg
engineflags	data	table
filename	strir	ıg
files	table	
filesynonyms	data	table
getargument	funct	ion
homedir	string	
initex	boole	ean
initializearguments	funct	ion
initializefilenames	funct	ion
inputfilebarename	strir	ıg
inputfilename	strir	ıg
inputfilesuffix	strir	ıg
jobfilename	strir	ıg
jobfilesuffix	strir	ıg
loadluafile	funct	ion

luafile	function	
luafilechunk	function	
originalarguments	data table	
outputfilename	string	
ownbin	string	
ownname	string	
ownpath	string	
rawarguments	data table	
reconstructcommandline	function	
setargument	function	
splitarguments	function	
suffix	string	
texfile	function	
texmfos	string	
texos	string	
texroot	string	
truefilename	function	

epdf (extra tex)

ArrayfunctionPDFRectanglefunctionDictfunctionopenfunctionObjectfunctiontypefunction

experiments (context)

data	data table	name	string
disable	function	register	function
enable	function	report	function
list	function	show	function

figures (context)

applyratio bases B enabled F find T found T list F locate F use T used	function table	hash identifiers identify include includers initialize loaded localpaths magics	function data table function function data table function data table data table data table
bitmapimage	function	mergegoodies	function
boxnumber	number	nofprocessed	number
cachepaths	data table	paths	data table
check	function	patterns	data table
checkers	data table	pop	function
converters	data table	preferquality	boolean
current	function	programs	data table
defaultdepth	number	push	function
defaultheight	number	registerpattern	function
defaultsearch	boolean	registerresource	function
defaultwidth	number	registersuffix	function
done	function	resources	data table
dummy	function	scale	function
existers	data table	setlookups	function
exists	function	setorder	function
formats	data table	setpaths	function
found	data table	suffixes	data table
get	function	tprint	function
guess	function	used	data table

file (basic lua)

addsuffix	function	nametotable	function
basename	function	needs_updating	function
checksum	function	needsupdating	function
collapsepath	function	pathpart	function
сору	function	readdata	function
dirname	function	removesuffix	function
expandname	function	replacesuffix	function
extname	function	robustname	function
is_qualified_path	function	savechecksum	function
is_readable	function	savedata	function
is_rootbased_path	function	size	function
is_writable	function	splitbase	function
isreadable	function	splitname	function
iswritable	function	splitpath	function
join	function	strip	function
joinpath	function	suffix	function
loadchecksum	function	suffixonly	function
nameonly	function	syncmtimes	function

floats (context)

analysemethod	function	nofstacked	function
checkedpagefloat	function	pop	function
collect	function	push	function
consult	function	resave	function
flush	function	save	function
getvariable	function	stacked	function

font (basic tex)

current	function	id	function
define	function	max	function
each	function	nextid	function
fonts	table	read_tfm	function
frozen	function	read_vf	function
getfont	function	setfont	function

fontloader (extra tex)

apply_afmfile	function	info	function
apply_featurefile	function	open	function
close	function	to_table	function
fields	function	totable	function
fullinfo	function		

fonts (context)

analyzers table F normal D initializers F virtual D methods F initializefeatures F setstate T kevs R useunicodemarks T character checkers table S depth F missina S height cid table S italic S width F getmap F loadfile T description collections table T boundingbox F clonevector S depth F define S height T definitions S width F prepare T parameters F process S ascender F registermain S descender F report S designsize F reset T expansion T vectors S auto constructors table S shrink F aftercopyingcharacters S step S stretch F applymanipulators F assignmathparameters S extendfactor B autocleanup S factor S hfactor F beforecopyingcharacters S mathsize F calculatescale T protrusion F checkedfeatures S auto F checkedfilename S quad F cleanuptable S scaledpoints F collectprocessors S scriptpercentage D designsizes S scriptscriptpercentage D dontembed S size F enhanceparameters S slantfactor N factor S slantperpoint F finalize T spacing F getfeatureaction S extra F hashfeatures S shrink F hashinstance S stretch T hashmethods S width

T synonyms	F scaled	
S em	F setfactor	
S ex	F setname	
S extra_space	N version	
S extraspace	current	function
S slant	currentid	function
S space	definers	table
S space_shrink	F addlookup	
S space stretch	F analyze	
S spaceshrink	F applypostpro	essors
S spacestretch	F checkedmode	
S x_height	F checkedscript	:
S units	F current	
S vfactor	S defaultlooku	1
S xheight	F define	
T properties	F getspecificat	ion
S autoitalicamount	F loadfont	
T cidinfo	F makespecifica	ntion
S embedding	T methods	
S encodingbytes	F install	
S filename	D variants	
S finalized	F read	
S fontname	F register	
S format	F registered	
S fullname	F registersplit	
S hasitalics	F registerspiri	
S hasmath	F resolve	•
S mathitalics	T resolvers	
S mode	F file	
S name	F name	
S noglyphnames	F spec	
S nostackmath	definetypeface	function
S psname	encodings	table
S textitalics	T agl	tabte
S virtualized	D cache	
D loadedfonts		
	F is_known	
S namemode	D known	
F newfeatures F newhandler	F load	vector
	F make_unicode_	vector
N privateoffset	D math	
F readanddefine	N version	da+a +abla
F registerfeature	expansions	data table data table
B resolvevirtualtoo	formats	
F scale	goodies	table

D colorschemes	F dataset
D data	S defaultbasealternate
D designsizes	S defaultnodealternate
F getcompositions	D enhancers
T list	D features
F compositions	F getalternate
F designsizes	T glists
F expansions	T handlers
F featureset	F contextchain
F files	F gpos_context
F mathematics	F gpos_contextchain
F protrusions	F gpos_cursive
F solutions	F gpos_mark2base
F typefaces	F gpos_mark2ligature
F load	F gpos_mark2mark
F prepare_features	F gpos_pair
F register	F gpos_single
F registerpostprocessor	F gsub_alternate
F report	F gsub_context
handlers table	F gsub_contextchain
Tafm	F gsub_ligature
B addkerns	F gsub_multiple
B addligatures	F gsub_reversecontextchain
B addtexligatures	F gsub_single
B autoprefixed	F load
D cache	F scriptandlanguage
D features	F setcontextchain
T helpdata	F setfeatures
D bothkerned	T statistics
D leftkerned	D usedfeatures
D ligatures	T tables
D rightkerned	D baselines
D texligatures	D features
F load	D languages
F setfeatures	D scripts
B syncspace	N version
N version	T pfb
N version T otf	T pfb T tfm
T otf	T tfm
T otf F addfeature	T tfm D features
T otf F addfeature D cache	T tfm D features F setfeatures
T otf F addfeature D cache T chainhandlers	T tfm D features F setfeatures T vf

D commands		S lu	
F find		S mc	
D helpers		S me	
D math		S mn	
D predefined		S nd	
D whatever		S nl	
hashes	table	S no	
D characters		S pc	
D csnames		S pd	
D descriptions		S pe	
D emwidths		S pf	
D exheights		S pi	
D identifiers		S po	
D italics		S ps	
D lastmathids		S sc	
D marks		S sk	
D parameters		S sm	
T processes		S so	
D properties		F format	
D quads		F onetimemessa	age
D resources		F register	
T setdynamics		F reportdefine	edfonts
D xheights		F reportusedfe	
D xheights helpers	table		
	table	F reportusedfe	eatures table
helpers	table	F reportusedfe mappings	eatures table
helpers F addprivate		F reportusedfe mappings F addtounicode	eatures table
helpers F addprivate F dimenfactor	assize	F reportusedfe mappings F addtounicode F fromunicodel	eatures table
helpers F addprivate F dimenfactor F fontpatternha	assize h	F reportusedfe mappings F addtounicode F fromunicodel F loadfile	eatures table e
helpers F addprivate F dimenfactor F fontpatternha F getdigitwidth	assize h s	F reportusedfe mappings F addtounicode F fromunicodel F loadfile F loadline	eatures table e 16
helpers F addprivate F dimenfactor F fontpatternha F getdigitwidtl F getparameters	assize h s	F reportusedfe mappings F addtounicode F fromunicodel F loadfile F loadline F loadlumtable	eatures table e 16
F addprivate F dimenfactor F fontpatternha F getdigitwidtl F getparameters F getprivatenoo	assize h s	F reportusedfe mappings F addtounicode F fromunicodel F loadfile F loadline F loadlumtable F makenamepars	eatures table e 16
helpers F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate	assize h s de	F reportusedfe mappings F addtounicode F fromunicodel F loadfile F loadline F loadlumtable F makenamepars F reset	table table de
F addprivate F dimenfactor F fontpatternha F getdigitwidtl F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidtl F splitfontpatt	assize h s de h	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names	table table table table table table table table table
F addprivate F dimenfactor F fontpatternha F getdigitwidtl F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidtl	assize h s de	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions	table
F addprivate F dimenfactor F fontpatternha F getdigitwidtl F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidtl F splitfontpatt iterators F characters	assize h s de h	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names	table table table table table table table table table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions	assize h s de h	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs	assize h s de de t table	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs loggers	assize h s de tern table	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua F check_tfm	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs loggers T category_to_g	assize h s de tern table	F reportusedfe mappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua F check_tfm F dfont	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs loggers T category_to_1 S ll	assize h s de tern table	F reportusedfemappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua F check_tfm F dfont F lua	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs loggers T category_to_g S ll S lm	assize h s de tern table	F reportusedfemappings F addtounicode F fromunicodel F loadfile F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua F check_tfm F dfont F lua F opentype	table
F addprivate F dimenfactor F fontpatternha F getdigitwidth F getparameters F getprivatenod F hasprivate F nametoslot F setdigitwidth F splitfontpatt iterators F characters F descriptions F glyphs loggers T category_to_1 S ll	assize h s de tern table	F reportusedfemappings F addtounicode F fromunicodel F loadline F loadlumtable F makenamepars F reset F tounicodel6 F tounicodel6s names protrusions readers F afm F check_lua F check_tfm F dfont F lua	table

D sequence	
F tfm	
F ttc	
F ttf	
specifiers	table
D contextmerged	

D contextmerged	D variants	
F contextnumber	symbols	table
D contextnumbers	F uselibrary	
D contextsetups	tables	table

F contexttostring tracers table
F mergecontext typefaces data table

F presetcontext
F registercontext
F showcontext
F splitcontext
D synonyms

graphics (context)

backgrounds table

F calculatemultipar

F fetchmultipar

F pair

F path

F point

gzip (extra lua)

close function
lines function

open function

img (basic tex)

boxes	function	ofindex	function
checksize	function	package	function
clone	function	print	function
сору	function	scan	function
immediatewrite	function	serialize	function
keys	function	totable	function
new	function	types	function
node	function	write	function

interactions (context)

D functions

D preambles

```
attachments table
                                                            F setpreamble
   F insert
                                                            F storecode
   F register
                                                            F storepreamble
fields
               table
                                                            F usepreamblenow
   F clone
                                                            F usescripts
                                                        linkedlists table
   F define
   F defineset
                                                        pages
                                                                        table
   F insert
                                                            F setpagetransition
general
               table
                                                            F setupcanvas
   F getidentity
                                                        references
                                                                        table
   F setupidentity
                                                            F setclosedocument
help
               table
                                                            F setclosepage
   F collect
                                                            F setopendocument
   F reference
                                                            F setopenpage
                                                        renderings
                                                                        table
   F register
javascripts table
                                                            F register
   F addtopreamble
                                                            F rendering
   F code
                                                            F var
                                                        soundclips
   D codes
                                                                        table
   F flushpreambles
                                                            F insert
```

F register

interfaces (context)

addvalidkeys	function	
cachedsetups	data table	
cachesetup	function	
complete	data table	
constants	data table	
corenamespaces	data table	
definecommand	function	
doifelsemessage	function	
elements	data table	
formats	data table	
getcheckedparameters	function	
getmessage	function	
hashedsetups	data table	
interfacedcommand	function	
interfaces	table	
invalidkey	function	
is_command	function	
namespaces	table	

1 deline	
F list	
registernamespace	function
setconstant	function
setelement	function
setformat	function
setmessage	function
setmessages	function
settranslation	function
setuserinterface	function
setvalidkeys	function
setvariable	function
showmessage	function
syntax	data table
tolist	function
translations	data table
variables	data table

F define

io (basic lua)

ask	function	o limiters	table
bytes	function	— T paranoid	
characters	function	open	overloaded function
close	function	open_ro	function
exists	function	output	function
fileseparator	string	pathseparator	string
flush	function	popen	overloaded function
i_limiter	function	read	function
i_limiters	table	readnumber	function
T paranoid		readstring	function
input	function	savedata	function
limiter	function	size	function
lines	function	stderr	userdata
loadchunk	function	stdin	userdata
loaddata	function	stdout	userdata
loadlines	function	tmpfile	function
noflines	function	type	function
o_limiter	function	write	function

job (context)

comment	function	F getdata
datasets	table	F getfield
D collected		F gettobesaved
F extend		F inlist
F getdata		F last
F setdata		F list
D tobesaved		F save
disablesave	function	F savetagged
files	table	D tobesaved
D collected		positions table
F context		F b_col
B forcerun		F b_region
F run		F c
D tobesaved		D collected
initialize	function	F column
load	function	F copy
loadother	function	F depth
objects	table	F e_col
D collected		F e_region
F get		F enhance
F number		F extra
F page		F get
F save		F getreserved
F set		F hangafter
D tobesaved		F hangindent
pack	boolean	F height
pagestates	table	F hsize
D collected		F leftskip
F extend		F lowerleft
F realpage		F lowerright
F setstate		F markregionbox
D tobesaved		Fn
passes	table	F onsamepage
F check		F overlapping
D collected		F p
F count		F page
F define		F paragraph
F find		F parindent
F first		F position
F get		Fr
F getcollect	ed	F region

F replace		structure	table
F rightskip		D collected	
F set		T components	
F setall		T tobesaved	
F setdim		T branches	
D tobesaved		S name	
F upperleft		S type	
F upperrigh	t	variables	table
F width		D checksums	
Fx		D collected	
F xy		F save	
F y		D tobesaved	
register	function	version	number

save function

lang (basic tex)

clean	function
clear_hyphenation	function
clear_patterns	function
exceptions	function
hyphenate	function
hyphenation	function
id	function

new	function
patterns	function
postexhyphenchar	function
posthyphenchar	function
preexhyphenchar	function
prehyphenchar	function

languages (context)

associate function associated data table association function counters data table function current data data table define function getnumber function function hyphenate function installed labels table

> F define F split

lefthyphenmin function loadable function loadwords function logger table

F report

data table numbers

posthyphenchar function prehyphenchar registered righthyphenmin function setexceptions setsynonym unload version words

function data table function function function number table

F check T data F disable F enable T enablers B enables F found F load T methods N threshold

layouts (context)

status table
 F isleftpage

F leftorrightpagection

lfs (extra lua)

attributes	function	mkdir	function
chdir	function	readlink	function
currentdir	function	rmdir	function
dir	function	setmode	function
isdir	overloaded function	shortname	function
isfile	function	symlinkattributes	function
lock	function	touch	function
lock_dir	function	unlock	function

libraries (context)

basiclua data table
basictex data table
builtin data table

extralua data table
extratex data table
globals data table

lmx (context)

color	function
convert	function
convertfile	function
convertstring	function
escape	function
finalized	function
finject	function
fprint	function
get	function
getvariables	function
htmfile	function
html	table
-	

F a F td F th

include function
inherited table

S color-background-four

- S color-background-one
- S color-background-three
- S color-background-two

S title

initialize function
inject function
lmxfile function
loadedfile function

function new overloaderror function popupfile function print function pν function function report reset function function result function set function show showdebuginfo function showerror function stripcss function function tν type function urlescape function variable function variables table

- S color-background-blue
- S color-background-body
- S color-background-green
- S color-background-main
- S color-background-purple
- S color-background-yellow
- S title-default

logs (context)

application	function	setmessenger	function
• •		~	
categories	function	setprogram	function
direct	function	settarget	function
disable	function	settranslations	function
enable	function	show	function
extendbanner	function	show_close	function
flush	function	show_load	function
help	function	show_open	function
messenger	function	simple	function
new	function	simpleline	function
newline	function	simplelines	function
poptarget	function	start_page_number	function
pushtarget	function	status	function
report	function	stop_page_number	function
report_job_stat	function	subdirect	function
reportbanner	function	subreport	function
reporter	function	system	function
reportline	function	texerrormessage	function
reportlines	function	writer	function
setformats	function		

lpdf (context)

action	function	id	function
adddocumentcolorspace	function	injectxmpinfo	function
adddocumentextgstate	function	insertxmpinfo	function
adddocumentpattern	function	javascript	function
adddocumentshade	function	launch	function
addtocatalog	function	layerreference	function
addtoinfo	function	limited	function
addtonames	function	linearshade	function
addtopageattributes	function	link	function
addtopageresources	function	null	function
addtopagesattributes	function	number	function
addxmpinfo	function	pagedestination	function
array	function	pagereference	function
boolean	function	pdfcolor	function
checkedkey	function	pdftimestamp	function
checkedvalue	function	protectresources	boolean
circularshade	function	reference	function
cmykcode	function	registerannotation	function
collectedresources	function	registerdocumentfinalizer	function
color	function	registerpagefinalizer	function
colorspace	function	reserveannotation	function
colorspaceconstants	data table	reserveobject	function
colorspec	function	rgbcode	function
colorvalue	function	rotationcm	function
colorvalues	function	shareobject	function
constant	function	shareobjectreference	function
delayedobject	function	spotcode	function
dictionary	function	stream	function
epdf	table	string	function
F expand		timestamp	function
F load		toeight	function
finalizedocument	function	tosixteen	function
finalizepage	function	transparency	function
finishtransparencycode	function	transparencycode	function
flushobject	function	transparencygroups	table
flushstreamfileobject	function	B none	
flushstreamobject	function	transparencyvalue	function
formats	data table	unicode	function
graycode	function	verbose	function

lpeg (basic lua)

С	function	endstripper	function
Carg	function	firstofsplit	function
Cb	function	frontstripper	function
Cc	function	instringchecker	function
Cf	function	is_lpeg	function
Cg	function	keeper	function
Cmt	function	locale	function
Ср	function	match	function
Cs	function	oneof	function
Ct	function	patterns	data table
P	function	print	function
R	function	replacer	function
S	function	secondofsplit	function
UP	function	span	function
UR	function	split	function
US	function	splitat	function
V	function	splitter	function
anywhere	function	stripper	function
append	function	tsplitat	function
balancer	function	tsplitter	function
checkedsplit	function	type	function
count	function	utfchartabletopattern	function
counter	function	version	function

ltn12 (extra lua)

F null

lua (basic tex)

bytecode	table
bytedata	data table
bytedone	table
collectgarbage	function
delay	function
finalize	function
firstbytecode	number
flush	function
flushdelayed	function
getbytecode	function
getluaname	function
lastbytecode	number

luatex (context)

cleanuptempfiles function
registerstartactions function
registerstopactions
registertempfile function

showjobstat showtexstat starttime function function number

lxml (context)

addindex	function	getid	function
all	function	getindex	function
applyfunction	function	id	function
att	function	idsplitter	userdata
attribute	function	include	function
chainattribute	function index		function
checkindex	function	info	function
collected	function	inlineverbatim	function
command	function	installsetup	function
concat	function	last	function
concatrange	function	load	function
content	function	loadbuffer	function
context	function	loaddata	function
convert	function	loaded	table
count	function	loadregistered	function
delete	function	main	function
direct	function	match	function
directives	table	name	function
F after		namespace	function
F before		nonspace	function
F handle		pos	function
F load		position	function
F setup		raw	function
displayverbatim	function	rawroot	function
doif	function	register	function
doifelse	function	registerentity	function
doifelsetext	function	removesetup	function
doifnot	function	resetcdata	function
doifnottext	function	resetsetups	function
doiftext	function	resolvedentity	function
element	function	root	function
elements	function	serialize	function
entities	data table	setaction	function
filter	function	setcdata	function
filterlist	function	setcommandtonone	function
first	function	setcommandtotext	function
flush	function	setsetup	function
flushlinewise	function function	snippet sorters	function table
flushsetups	function		capte
flushspacewise	function function	F add	
get_id	Tunction	F compare	

F flush		stripped	function
F reset		tag	function
F show		text	function
F sort		tofile	function
splitid	function	toparameters	function
startraw	function	toverbatim	function
stopraw	function	verbatim	function
store	function	withindex	function
strip	function	xmltexhandler	data table

math (basic lua)

abs	function	log10	function
acos	function	max	function
asin	function	min	function
atan	function	mod	function
atan2	function	modf	function
ceil	function	odd	function
cos	function	pi	number
cosd	function	pow	function
cosh	function	rad	function
deg	function	random	function
div	function	randomseed	function
even	function	round	function
exp	function	setrandomseedi	function
floor	function	sin	function
fmod	function	sind	function
frexp	function	sinh	function
huge	number	sqrt	function
initialseed	number	tan	function
ldexp	function	tand	function
log	function	tanh	function

mathematics (context)

addfallbacks	function	overloadparameters	function
alphabets	data table	privatebase	number
big	function	remapalphabets	function
boldmap	table	renderings	table
categories	table	D mappings	
D functions		D numbers	
checkaccentbaseheight	function	D sets	
checkprivateparameters	function	renderset	function
classes	data table	resetitalics	function
codes	data table	scaleparameters	function
define	function	setalternate	function
dimensions	function	setitalics	function
extrabase	number	syncboth	function
extras	table	syncname	function
F add		syncstyle	function
F copy		toname	function
fallbacks	table	tostyle	function
F apply		tweakaftercopyingfont	function
F install		tweakbeforecopyingfont	function
families	data table	tweaks	table
gaps	table	F fixbadprime	
getboth	function	utfmathclass	function
getstyle	function	utfmathcommand	function
initializeparameters	function	utfmathfiller	function
makefont	function	utfmathstretch	function

md5 (extra lua)

HEX	function	exor	function
crypt	function	hex	function
dec	function	sum	function
decrypt	function	sumhexa	function

metapost (context)

analyzeplugins	function	makempy	table
checkformat	function	N nofconverted	
checktexts	function	F processgraphics	
colorinitializer	function	metafun	table
convert	function	F interpolate	
defaultformat	string	F topath	
directrun	function	method	number
edefsxsy	function	mptopdf	table
escaped	function	F convertmpstopdf	
exectime	table	N nofconverted	
filterclippath	function	multipass	boolean
finder	function	n .	number
flush	function	optimize	boolean
flushers	table	parse	function
T pdf		pdfliterals	function
F comment		pluginactions	function
F flushfigure		process	function
F startfigure		processplugins	function
F stopfigure		reducetogray	boolean
F textfigure		reporterror	function
flushliteral	function	reset	function
flushnormalpath	function	resetlastlog	function
flushreset	function	resetplugins	function
format	function	resettextexts	function
formatnumber	function	setoutercolor	function
getclippath	function	settext	function
gettext	function	showlog	boolean
graphic	function	tex	table
graphic_base_pass	function	F get	
<pre>graphic_extra_pass</pre>	function	F reset	
intermediate	table	F set	
T actions		texerrors	boolean
F makempy		textextsdata	function
B needed		theclippath	function
lastlog	string	totable	function
load	function	unload	function

mime (extra lua)

b64	function	qp	function
decode	function	qpwrp	function
decodet	table	stuff	function
F base64	ı	unb64	function
F quoted	d-printable	unqp	function
dot	function	wrap	function
encode	function	wrapt	table
encodet	table	F base6	64
F base64	ı	F defau	ılt
F quoted	d-printable	F quote	ed-printable
eol	function	F text	
normalize	e function	wrp	function

mplib (extra tex)

fields function
finders table

F file

new function

pen_info function
preprocessed function
version function

noads (context)

handlers	table
F check	
F collapse	
F families	
F italics	
F relocate	
F render	
F resize	
F respace	
F tags	
F unscript	

F variants

process function

processors table

T collapse

F mlist_to_hlist

T relocate

T render

T resize

T respace

T unscript

node (basic tex)

сору	function	ligaturing	function
copy_list	function	mlist_to_hlist	function
count	function	new	function
current_attr	function	next	function
dimensions	function	prev	function
do_ligature_n	function	protect_glyphs	function
family_font	function	<pre>protrusion_skippable</pre>	function
fields	function	remove	function
first_character	function	set_attribute	function
first_glyph	function	slide	function
flush_list	function	subtype	function
free	function	tail	function
has_attribute	function	traverse	function
has_field	function	traverse_id	function
hpack	function	type	function
id	function	types	function
insert_after	function	unprotect_glyphs	function
insert_before	function	unset_attribute	function
is_node	function	usedlist	function
kerning	function	vpack	function
last_node	function	whatsits	function
length	function	write	function

nodes (context)

after	function	F protectglyphs	
aligned	function	F stripping	
astable	function	F unprotectalyphs	
before	function	has attribute	function
builders	table	idstostring	function
F buildpage_filter		ignorablefields	data table
F vpack filter		injections	table
codes	data table	F handler	
concat	function	F installnewkern	
count	function	F setcursive	
delete	function	F setkern	
destinations	table	F setmark	
N attribute		F setpair	
T done		installattributehandler	function
F handler		is display math	function
T stack		is mirrored	data table
dimensionfields	data table	is rotated	data table
dir is pop	data table	_ kerncodes	data table
dir_negation	data table	leftmarginwidth	function
fasthpack	function	lines	table
fields	function	T boxed	
fillcodes	data table	F register	
firstcharacter	function	F setup	
firstcharinbox	function	F stage_one	
firstglyph	function	F stage_two	
getattribute	function	F stage_zero	
gluecodes	data table	D data	
glyphcodes	data table	F finalize	
glyphdir_is_equal	data table	F number	
glyphdir_is_opposite	data table	N scratchbox	
glyphdir_is_orthogonal	data table	link	function
handlers	table	list	function
F accessibility		listablefields	data table
F backgrounds		listcodes	data table
F characters		listtoutf	function
F checkforleaks		load	function
F checkglyphs		locate	function
F cleanuppage		mathcodes	data table
F export		noadcodes	data table
F finalize		nodecodes	data table
F migrate		packlist	function

pardir_is_equal	data table	F userstring	
pardir_is_opposite	data table	F usertokens	
pardir_is_parallel	data table	F vlist	
partextdir_is_equal	data table	F zeroglue	
penaltycodes	data table	print	function
pool	table	processors	table
F baselineskip		B enabled	10010
F cleanup		F hpack_filter	
F disc		F post_linebreak_filter	
F fontkern		F pre_linebreak_filter	
F glue		F tracer	
F gluespec		processwords	function
F glyph		reference	function
F hlist		references	table
F kern		N attribute	
F latelua		T done	
F leftmarginkern		F handler	
F leftskip		T stack	
F lineskip		remove	function
F noad		repackhlist	function
F pdfannotation		replace	function
F pdfdestination		report	function
F pdfdirect		rightmarginwidth	function
F pdfliteral		rules	table
F pdfrestore		D data	
F pdfsave		F define	
F pdfsetmatrix		F enable	
F penalty		F handler	
F register		save	function
F rightmarginkern		serialize	function
F rightskip		serializebox	function
F rule		setattribute	function
F shrink		setattributes	function
F special		setunsetattributes	function
F stretch		shifts	table
F temp		D data	
F textdir		F define	
F usage		F enable	
T userids		F handler	
N margins.inline		show	function
N splitters.one		showboxes	function
N splitters.two		showcodes	function
F userlist		showlist	function

F usernumber

showsimplelist function

skipcodes	data table	F unicodes	
somepenalty	function	T colors	
somespace	function	F reset	
stripping	table	F set	
T glyphs		F setlist	
F set		F fontchar	
striprange	function	F start	
tasks	table	T steppers	
F actions		F check	
F appendaction		F codes	
F disableaction		F features	
F disablegroup		F glyphs	
F enableaction		F message	
F enablegroup		F messages	
F freeze		F nofsteps	
F freezegroup		F register	
F new		F reset	
F prependaction		F start	
F removeaction		F stop	
F restart		F stop	
F showactions		T transparencies	
F table		F reset	
textdir_is_equal	data table	F set	
textdir_is_is	data table	F setlist	
textdir_is_opposite	data table	unsetattribute	function
textdir_is_parallel	data table	unsetattributes	function
tonodes	function	visualizebox	function
tosequence	function	visualizers	table
totable	function	F box	
toutf	function	F handler	
tracers	table	F setfont	
T characters		F setlayer	
F collect		F setvisual	
F equal		whatcodes	data table
F indices		whatsitcodes	data table
F start		writable_spec	function

F start F string

number (context)

	function	tociceros	function
basepoints	function	todidots	function
bit	function	todimen	function
bits	function	toevenhex	function
clearbit	function	toinches	function
dimenfactors	data table	tomillimeters	function
hasbit	function	tonewciceros	function
maxdimen	number	tonewdidots	function
nopts	function	tonumberf	function
percent	function	tonumberg	function
points	function	topicas	function
pts	function	topoints	function
setbit	function	toscaled	function
splitdimen	function	toscaledpoints	function
tobasepoints	function	toset	function
tobitstring	function	valid	function
tocentimeters	function		

os (basic lua)

libsuffix

localtime

platform

name

string

string

string

function

getenv setenv binsuffix binsuffixes clock	function function string table function	remove rename resolvers resultof runtime	function function table function function
converttime	function	selfdir	string
date	function	setenv	overloaded function
difftime	function	setlocale	overloaded function
env	data table	sleep	function
exec	overloaded function	spawn	overloaded function
execute	overloaded function	time	function
exit	function	times	function
fulltime	function	timezone	function
getenv	overloaded function	tmpdir	function
gettimeofday	function	tmpname	function
launch	function	type	string

uname

uuid

where

which

function

function
function

function

package (basic lua)

clibpaths	function	loaded	table
config	string	loaders	table
cpath	string	loadlib	function
extraclibpath	function	path	string
extralibpath	function	preload	table
libpaths	function	seeall	function

pagebuilders (context)

mixedcolumns table

F cleanup

F finalize

F getlist

F getrest

F getsplit

F setsplit

pdf (basic tex)

immediateobj	function
mapfile	function
mapline	function
maxobjnum	function
obj	function
objtype	function
pageattributes	string
nageref	function

pageresources	string
pagesattributes	string
pdfmapfile	function
pdfmapline	function
print	function
refobj	function
registerannot	function
reserveobj	function

physics (context)

units table

D tables

profiler (extra lua)

regimes (context)

disable	function	
enable	function	
рор	function	
process	function	

push function
toregime function
translate function

resolvers (context)

findctxfile

finders

allprefixes	function	findfile
appendhash	function	findfiles
automount	function	findgivenfile
automounted	table	findgivenfiles
booleanvariable	function	findpath
cacheversion	string	findtexfile
checkedvariable	function	findwildcardfile
cleanpath	function	findwildcardfiles
cleanpathlist	function	formatofsuffix
concatinators	data table	formatofvariable
configbanner	string	formats
criticalvars	data table	generators
dangerous	data table	getenv
datastate	function	getownpath
defaultsuffixes	table	getreadfilename
dowithfilesandreport	function	hashers
dowithfilesintree	function	homedir
dowithpath	function	inputstack
dowithvariable	function	installinputfilehandler
env	function	installinputlinehandler
executers	table	instance
F check		D data
F exec		B diskcache
F execute		D environment
F finalize		D expansions
F popen		D fakepaths
F register		D files
F spawn		B force_suffixes
expandbraces	function	D found
expandedpathfromlist	function	D foundintrees
expandedpathlist	function	D hashed
expandedpathlistfromvariable	function	D hashes
expandpath	function	D lists
expandpathfromvariable	function	B loaderror
expansion	function	D order
extendtexmfvariable	function	B remember
find_file	function	B renewcache
find_files	function	B renewtree
findbinfile	function	B savelists

function data table data table function function function data table string table function function table

D setups

D specification

function

data table

D variables		registerintrees	function
jobs	table	registermethod	function
F currentcomponent		registerzipfile	function
F currentenvironment		relations	data table
F currentproduct		renew	function
F currentproject		repath	function
F justacomponent		reset	function
D processors		resetextrapath	function
F productcomponent		resetresolve	function
F usefile		resolve	function
joinpath	function	savers	data table
load	function	scandata	function
loadbinfile	function	scanfiles	function
loaders	data table	schemes	table
loadlualib	function	T cleaners	
loadtexfile	function	F md5	
loadtime	function	F none	
locateformat	function	F strip	
locators	data table	F cleanname	
luacnfname	string	F fetchstring	
luacnfspec	string	F fetchtable	
luacnfstate	string	F install	
macros	table	setenv	function
F convertfile		setinstance	function
F decodecomment		settrace	function
F enablecomment		showpath	function
F encodecomment		simplescanfiles	function
F preprocessed		splitconfigurationpath	function
F processmk		splitexpansions	function
F processmkvi		splitmethod	function
F version		splitpath	function
maxreadlevel	number	suffixes	data table
methodhandler	function	suffixmap	data table
newinstance	function	suffixofformat	function
openbinfile	function	texdatablob	function
openers	data table	toppath	function
openfile	function	unexpandedpath	function
opentexfile	function	unexpandedpathlist	function
ownpath	string	unresolve	function
prefixes	data table	updaterelations	function
prependhash	function	updatescript	function
registerextrapath	function	usezipfile	function
registerfile	function	validatedpath	function
registerfilehash	function	variable	function

variableofformat variableofformatorsuffix

function function

wildcardpattern

function

scripts (context)

categorytonumber data table
colors data table
defaults table

N inter_char_half_shrink_factor

N inter_char_half_stretch_factor

N inter_char_hangul_penalty

N inter_char_quarter_shrink_factor

N inter_char_quarter_stretch_factor

N inter_char_shrink_factor
N inter_char_stretch_factor

handlers data table hash table installdataset function installmethod function numbertocategory data table numbertodataset data table preprocess function function reset function set

set (context)

contains function
create function
tolist function

tonumber function
totable function

socket (extra lua)

F http-chunked

```
BLOCKSIZE number
                                                          F keep-open
DEBUG
            boolean
                                                      skip
                                                                   function
bind
            function
                                                      sleep
                                                                   function
            function
choose
                                                      smtp
                                                                   table
connect
            function
                                                          S DOMATN
dns
            table
                                                          N PORT
                                                          S SERVER
   F gethostname
   F tohostname
                                                          N TIMEOUT
   F toip
                                                          S ZONE
ftp
            table
                                                          F message
   S PASSWORD
                                                          F open
   N PORT
                                                          F send
                                                                   function
   N TIMEOUT
                                                      source
                                                                   table
   S IISER
                                                      sourcet
   F command
                                                          F by-length
                                                          F default
   F get
   F open
                                                          F http-chunked
   F put
                                                          F until-closed
gettime
            function
                                                                   function
                                                      tcp
http
            table
                                                      tp
                                                                   table
   N PORT
                                                          N TIMEOUT
   N TIMEOUT
                                                          F connect
                                                                   function
   S USERAGENT
                                                      try
                                                                   function
                                                      udp
   F open
                                                      url
                                                                   table
   F request
newtry
            function
                                                          F absolute
protect
            function
                                                          F build
select
            function
                                                          F build_path
sink
            function
                                                          F escape
sinkt
            table
                                                          F parse
   F close-when-done
                                                          F parse path
   F default
                                                          F unescape
```

sorters (context)

comparers table

F basic

constants table

S defaultdigits

S defaultlanguage

S defaultmethod

N digitsmaximum

N digitsoffset

N ignoredoffset

N replacementoffset

definitions data table
firstofsplit function
setlanguage function

sort function
splitters table

F utf

strip function
tracers data table
update function

statistics (context)

checkfmtstatus	function
elapsedindeed	function
elapsedseconds	function
elapsedtime	function
enable	boolean
formatruntime	function
hastiming	function
memused	function
register	function
reportstorage	function

resettiming	function
runtime	function
savefmtstatus	function
show	function
showjobstat	function
starttiming	function
stoptiming	function
threshold	number
timed	function

status (basic tex)

list function

storage (context)

allocate function
data table
evaluators table
mark function
marked function
max number
min number

nofmodules number
noftables number
register function
shared data table
tofmodules number
toftables number

streams (context)

collect	function	push	function
disable	function	start	function
enable	function	stop	function
flush	function	synchronize	function
initialize	function		

string (basic lua)

booleanstring	function
byte	function
bytepairs	function
bytes	function
char	function
characterpairs	function
characters	function
checkedsplit	function
collapsespaces	function
count	function
dump	function
escapedpattern	function
explode	function
find	function
format	function
gfind	function
gmatch	function
gsub	function
is_boolean	function
is_empty	function
itself	function
len	function
limit	function
lower	function
match	function
quote	function

quoted	function
rep	function
reverse	function
split	function
splitlines	function
splitup	function
strip	function
sub	function
tformat	function
toboolean	function
tocontext	function
todimen	function
topattern	function
totable	function
toutf	function
unquote	function
unquoted	function
upper	function
utfcharacters	function
utflength	function
utfsplit	function
utfsplitlines	function
utfvalues	function
valid	function
validutf	function

structures (context)

atlocation	function	F setlevel	
blocks	table	F setoffset	
D collected		F setown	
F define		F setstate	
F print		F setvalue	
F save		T specials	
F select		F userpage	
F setstate		F subs	
D states		D tobesaved	
D tobesaved		F value	
bookmarks	table	currentsectionnumber	function
F finalize		descriptions	table
F flatten		documents	table
S method		D data	
F overload		F initialize	
F place		F preset	
F register		F reset	
F setup		floats	table
counters	table	formulas	table
F add		F current	
F analyze		F simplify	
F check		F store	
D collected		helpers	table
F compact		F analyze	
F converted		F formulanumber	
F currentvalue		F merged	
D data		F page	
F define		F prefix	
F first		F prefixlastpage	
F get		F prefixpage	
F last		F simplify	
F next		F title	
F prev		F touserdata	
F previous		inserts	table
F raw		D data	
F record		F define	
F reset		F getdata	
F restart		F getlocation	
F restore		F getname	
F save		F getnumber	
F set		F setlocation	

F setup		F define	
D stored		F exists	
itemgroups	table	F fetch	
F maxwidth		F fetchallmarks	
F nofitems		F fetched	
F register		F fetchonemark	
lists	table	F fetchtwomarks	
F addto		F get	
F analyze		F number	
D cached		F relate	
D collected		F reset	
F discard		F set	
F enhance		F show	
T enhancers		F synchronize	
F filter		F title	
F filtercollected		T tracers	
F formulanumber		F showtable	
F hasnumberdata		notes table	е
F haspagedata		F checkpagechange	
F hastitledata		F define	
D internals		F doifonsamepageasprevious	
F iscached		F get	
F label		F getdeltapage	
F location		F getn	
F number		F getnumberpage	
D ordered		F getstate	
F page		F getsymbolpage	
F popnesting		F hascontent	
F prefix		F internal	
F prefixednumber		F internalid	
F prefixedpage		F listindex	
F process		F ordered	
D pushed		F postpone	
F pushnesting		F resetpostponed	
F realpage		F restore	
T result		F save	
F sectionnumber		F setstate	
F size		F setsymbolpage	
F title		D states	
D tobesaved		F store	
F userdata		pages table	е
F uservalue		F analyze	
marks	table	D collected	
D data		F is_odd	

F save D pages D tobesaved U prefixsplitter references table D productdata F analyze T programs F checkedfile T data F checkedfileorurl F define F checkedprogram F aet F checkedrealpage F realpageofpage F checkedurl U referencesplitter D collected D referred U componentsplitter F referredpage F currentmetadata F registerfinalizer F currentorder F registerinitializer D currentset F registerpage F define F reportproblems D defined F reset D derived T resolvers F enableinteraction F reference F section F enhance D executers D runners F expandcurrent F set F setandgetattribute F export T files F setcomponent T data F setinnermethod F define F setinternalreference F setnextinternal F get F filter F setnextorder F filterdefault D specials D filters F splitcomponent F splitprefix F from F get F splitreference F getcurrentmetadata T testrunners Finner F getcurrentprefixspec F special F getinnermethod F getinternalreference F special operation D handlers F special operation with arguments F identify T testspecials F import F deltapage F inject Γi F injectcurrentset F internal D internals F page F load F realpage F loadpresets F section

F mark

F number

E waarnaga		D. Lovelman	
F userpage		D levelmap	
D tobereferred		D levels	
D tobesaved		F load	
T urls		F matchingtilldepth	
T data		F numberatdepth	
F define		F numbers	
F get		F popblock	
F valid		F prefixedconverted	
F whatfrom		F pushblock	
registers	table	F register	
F analyze		D registered	
F analyzed		F reportstructure	
D collected		F save	
F compare		F set	
F define		F setblock	
F enhance		F setchecker	
F extend		F setlevel	
F filter		F setnumber	
F filtercollected		F somelevel	
F finalize		F structuredata	
F flush		F title	
F prepare		D tobesaved	
F process		F typesetnumber	
F sort		F userdata	
F store		B verbose	
D tobesaved		F way	
F unique		sets	table
F userdata		F define	
sections	table	F get	
F autodepth		F getall	
F cct		D setlist	
T collected		specials	table
F current		D collected	
F currentblock		F retrieve	
F currentid		F store	
F currentlevel		D tobesaved	
F depthnumber		synonyms	table
F finddata		F analyzed	
F findnumber		D collected	
F fullnumber		F compare	
F getcurrentlevel		F define	
F getlevel		F filter	
F getnumber		F finalize	
F internalreference		F flush	
r mremarierence		FILUSII	

F meaning
F prepare
F process
F register
F registerused
F sort
F synonym

T data
F detailedtag

F getid F handler

D labels

T metadata

D properties

F registerdata

F lastinchain

F registermetadata
F restart
F setattributehash
F setcombination
F setdescription
F setdescriptionsymbol
F setfigure
F sethighlight
F setitemgroup
F setproperty
F setsorting
F setsynonym
F settablecell

F start
F stop
D taglist
T userdata

F settabulatecell

table (basic lua)

append	function	merged	function
are_equal	function	prepend	function
compact	function	print	function
concat	function	remove	function
contains	function	reversed	function
сору	function	sequenced	function
count	function	serialize	function
derive	function	setmetatablecall	function
deserialize	function	setmetatableindex	function
drop	function	setmetatablekey	function
fastcopy	function	setmetatablenewindex	function
fastserialize	function	setn	function
flattened	function	sort	function
foreach	function	sortedhash	function
foreachi	function	sortedhashkeys	function
fromhash	function	sortedkeys	function
getmetatablekey	function	sortedpairs	function
getn	function	strip	function
has_one_entry	function	sub	function
identical	function	swapped	function
imerge	function	tocontext	function
imerged	function	tofile	function
insert	function	tohandle	function
is_empty	function	tohash	function
keys	function	toxml	function
load	function	unique	function
loweredkeys	function	unnest	function
maxn	function	unpack	function
merge	function		

tex (basic tex)

attribute	table	lccode	table
badness	function	linebreak	function
box	table	lists	table
catcode	table	luacatcodes	number
conditionals	data table	mathcode	table
constants	data table	modes	data table
count	table	nest	table
ctxcatcodes	number	nilcatcodes	number
definefont	function	notcatcodes	number
delcode	table	number	function
dimen	table	pdffontname	function
enableprimitives	function	pdffontobjnum	function
error	function	pdffontsize	function
extraprimitives	function	pdfpageref	function
finish	function	pdfxformname	function
fontidentifier	function	primitives	function
fontname	function	print	function
fprint	function	printlist	function
get	function	prtcatcodes	number
getattribute	function	romannumeral	function
getbox	function	round	function
getcatcode	function	run	function
getcount	function	scale	function
getdelcode	function	set	function
getdimen	function	setattribute	function
getlccode	function	setbox	function
getlist	function	setcatcode	function
getmath	function	setcount	function
getmathcode	function	setdelcode	function
getnest	function	setdimen	function
getsfcode	function	setfalse	function
getskip	function	setlccode	function
gettoks	function	setlist	function
getuccode	function	setmath	function
hashtokens	function	setmathcode	function
ifs	data table	setnest	function
inicatcodes	number	setsfcode	function
iscount	function	setskip	function
isdimen	function	settoks	function
isskip	function	settrue	function
istoken	function	setuccode	function

sfcode table shipout function skip table function sp sprint function systemmodes data table texcatcodes number toks table tpacatcodes number tpbcatcodes

number

tprint function data table trackers txtcatcodes number function type uccode table uniformdeviate function uprint function vrbcatcodes number write function

texconfig (basic tex)

error_line	number
expand_depth	number
formatname	string
half_error_line	number
hash_extra	number
init	function
kpse_init	boolean
max in open	number

number
number
number
number
number
string
number

texio (basic tex)

write function

write_nl function

token (basic tex)

command_id	function
command_name	function
create	function
csname_id	function
csname_name	function
expand	function

get_next function
is_activechar function
is_expandable function
is_protected function
lookup function

tokens (context)

bgroup table
collectors table

T data

F defaultwords

F dowithwords

F flush

F handle

F install

F register
T registered

T remapper

F convert

T data

F store

F show

T show_methods

Fa

F b

Fc

F showtoken

F test

F trace

egroup table

hbox table

letter function

letters function

other function
vbox table

vtop table

tracers (context)

count function
cs function
dimen function
knownlist function
lists table

T context
T internals
T scratch

name function
primitive function
printerror function
showlines function
strings table

S undefined

toks function
type function

trackers (context)

data	data table	name	string
disable	function	register	function
dumphashtofile	function	report	function
enable	function	savehash	function
list	function	show	function

typesetters (context)

```
alignments
                table
                                                              B keepligature
   F handler
                                                              B keeptogether
   F set
                                                              D mapping
breakpoints table
                                                              F set
   N attribute
                                                          margins
                                                                          table
   F define
                                                              F finalhandler
   F handler
                                                              F globalhandler
   D mapping
                                                              F ha
   T methods
                                                              F localhandler
   T numbers
                                                              F save
                                                          paragraphs
                                                                          table
   F set
   F setreplacement
                                                              N attribute
cases
                table
                                                              T droppers
   T actions
                                                               F freeze
   F handler
                                                               F set
                                                              F handler
   F register
   F set
                                                              F set
characters
                table
                                                          processors
                                                                          table
   F handler
                                                              F apply
cleaners
                table
                                                              F register
   F handler
                                                              F reset
   F set
                                                              F split
digits
                table
                                                              F startapply
   T actions
                                                              F stopapply
   N attribute
                                                              F stripped
   F handler
                                                              F tostring
                                                          spacings
                                                                          table
   F set
directions
                table
                                                              N attribute
   F handler
                                                              F define
                                                              F handler
   F process
   F set
                                                              D mapping
fast hpack
                function
                                                             T numbers
hpack
                function
                                                               T frenchpunctuation
italics
                table
                                                                 T characters
   F forcevariant
                                                                 S name
   F handler
                                                                 N number
   F reset
                                                              F reset
   F set
                                                              F set
kerns
                table
                                                              F setup
                                                          tonodes
                                                                          function
   D factors
                                                                          function
   F handler
                                                          vpack
```

F set_reflow_width

F initialize_reflow_height

unicode (extra lua)

ascii	table	F gsub	
F byte		F len	
F char		Flower	
F dump		F match	
F find		F rep	
F format		F reverse	
F gfind		F sub	
F gmatch		F upper	
F gsub		ustring	function
F len		utf16_to_utf8	function
F lower		utf16_to_utf8_be	function
F match		utf16_to_utf8_le	function
F rep		utf32_to_utf8	function
F reverse		utf32_to_utf8_be	function
F sub		utf32_to_utf8_le	function
F upper		utf8	table
filetype	function	F byte	
grapheme	table	F char	
F byte		F dump	
F char		F find	
F dump		F format	
F find		F gfind	
F format		F gmatch	
F gfind		F gsub	
F gmatch		F len	
F gsub		F length	
F len		Flower	
F lower		F match	
F match		F remapper	
F rep		F rep	
F reverse		F reverse	
F sub		F split	
F upper		F splitines	
latin1	table	F string	
F byte		F sub	
F char		F toentities	
F dump		F totable	
F find		F upper	
F format		F valid	
F gfind		utf8_to_utf16	function
F gmatch		utf8_to_utf8	function

utfcodes	function	utftype	function
utfname	table	xstring	function

url (context)

addscheme	function	hashed	function
barepath	function	hasscheme	function
construct	function	query	function
escape	function	split	function
filename	function	toquery	function

utilities (context)

debugger	table		Il settings to has	h a
F disable	table		U settings_to_has	
F enable		U settings_to_hash_b		
F savestats			U settings_to_has settings_to_array	_
F showstats				'
formatters	table		<pre>settings_to_hash settings_to_hash_</pre>	ctrict
F formatcolumns	table		settings_to_hash_	-
F list			settings_to_nasn_ settings_to_set	Loterant
F stripzeros			settings_to_set simple_hash_to_st	ring
garbagecollector	+ahl a		splitthousands	.i Ilig
F check	table	rep	•	function
N criterium		•	uencers	table
B enabled		-	appendaction	table
lua	table		appendaction appendgroup	
B alwaysstripcode	cabic		compile	
F compile			disableaction	
F loadedluacode			disablegroup	
N nofstrippedbytes			enableaction	
N nofstrippedbytes	-		enablegroup	
F stripbytecode	5		functions	
B stripcode			· localize	
F strippedbytecode			new	
F strippedloadstri	ng.		nodeprocessor	
packers	table		prependaction	
F hashed	cabic		prependaction prependgroup	
F new			removeaction	
F pack			setkind	
F simplehashed			tostring	
F strip			ters	table
F unpack			disable	cabic
N version			enable	
parsers	table		· initialize	
F add_settings_to_a			list	
F arguments_to_tab			new	
F array_to_string			register	
F getparameters			reset	
F hash_to_string			show	
F listitem		•	cker	table
F make_settings_to	hash pattern		new	
T patterns	· · ·		rage	table
U settings_to_arr	rav		allocate	
2 22222\$2_co_a	- ,			

F checked
F mark
F marked
F setinitializer
F sparse
rings table

strings table
F collapsecrlf
F newrepeater

F nice F striplong F tabtospace

tables table

F accesstable
F definetable
F encapsulate
F insertaftervalue
F insertbeforevalue
F migratetable
F removevalue

templates table

F load
F replace
F resolve

visualizers (context)

escapepatterns	data table	signal	string
getvisualizer	function	signalpattern	userdata
load	function	specifications	data table
makenested	function	visualize	function
makepattern	function	visualizebuffer	function
newgrammar	function	visualizefile	function
newhandler	function	visualizestring	function
parsedxml	function	write	function
pattern	function	writeargument	function
register	function	writedefault	function
registerescapecommand	function	writeemptyline	function
registerescapeline	function	writenewline	function
registerescapepattern	function	writespace	function

xml (context)

addentitiesdoctype	function	D tex	
after	function	D tex D texline	
all	function	D textine D texpace	
applylpath	function	D texspace D verbose	
assign	function	defaultprotocol	string
attribute	function	delete	function
before	function	delete_element	function
body	function	each	function
builtinentities	table	each element	function
B amp	cubic	elements	function
B apos		elementtocdata	function
B gt		empty	function
B lt		entities	data table
B quot		erase	function
cdata	function	errorhandler	function
cdatatotext	function	escaped	function
checkbom	function	expressions	table
checkerror	function	F boolean	
checknamespace	function	F child	
checkns	function	F contains	
cleansed	function	F count	
collect	function	F error	
collect_elements	function	F find	
collect_tags	function	F lower	
collect_texts	function	F name	
collected	function	F number	
collecttexts	function	F oneof	
content	function	F print	
convert	function	F quit	
сору	function	F tag	
count	function	F text	
cprint	function	F undefined	
CSS	table	F upper	
F colorspecification		fillin	function
F dimension		filter	function
F fontspecification		finalizers	table
F padding		F paragraphs	
defaulthandlers	table	T tex	
D file		F all	
D parsedxml		F attribute	
D string		F bibtexconcat	

F bibtexshort	F position	
F chainattribute	F reverse	
F command	F table	
F concat	F tag	
F concatrange	F tags	
F context	F text	
F count	F texts	
F ctxtext	F upperall	
F default	first	function
F first	found	function
F function	functions	table
F index	getbuffer	function
F last	gethandlers	function
F lettered	gethandlersfunction	function
F lower	include	function
F lowerall	index	function
F match	inheritedconvert	function
F name	inject	function
F position	<pre>inject_element</pre>	function
F reverse	<pre>inject_element_after</pre>	function
F stripped	<pre>inject_element_before</pre>	function
F tag	injectafter	function
F tags	injectbefore	function
F text	insert	function
F upper	insert_element	function
F upperall	<pre>insert_element_after</pre>	function
·xml	<pre>insert_element_before</pre>	function
F all	insertafter	function
F att	insertbefore	function
F attribute	insertcomment	function
F attributes	inspect	function
F cdata	is_valid	function
F chainattribute	kind	function
F count	last	function
F default	load	function
F elements	lpath	function
F empty	lpathcached	function
F first	lpathcalls	function
F function	lshow	function
Findex	makestandalone	function
F last	match	function
F lowerall	name	function
F match	newhandlers	function
F name	nodesettostring	function
	•	

originalload	function	save	function
package	function	selection	function
parent	function	separate	function
parsedentitylpeg	userdata	serialize	function
pihandlers	table	setcdata	function
placeholders	table	sethandlersfunction	function
F unknown_any_entity		setproperty	function
F unknown_dec_entity		settings	function
F unknown_hex_entity		specialhandler	table
position	function	sprint	function
privatecodes	table	string	function
privatetoken	function	strip	function
process	function	strip_whitespace	function
<pre>process_attributes</pre>	function	stripelement	function
<pre>process_elements</pre>	function	stripleadingspaces	function
processattributes	function	table	function
profiled	table	text	function
raw	function	textonly	function
registerentity	function	texttocdata	function
registerns	function	tocdata	function
remap_name	function	toelement	function
remap_namespace	function	tostring	function
remap_tag	function	toxml	function
remapname	function	tprint	function
remapnamespace	function	traverse	function
remaptag	function	unescaped	function
renamespace	function	unprivatized	function
replace	function	withelement	function
replace_element	function	withelements	function
resolvens	function	wrap	function
root	function	xmlns	table

zip (extra lua)

archives	table	openarchive	function
close	function	openfile	function
closearchive	function	registeredfiles	table
open	function	type	function

zlib (extra lua)

adler32 function
compress function
compressobj function
crc32 function

decompress function
decompressobj function
version function