ConTeXt

přikazy

CS

ConTEXt přikazy

cs / český 9. února 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	
	\aftertestandsplitstring \at \to \
aktualnicislonadpisu	\aktualnicislonadpisu
aktualnidatum	\aktualnidatum []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
9	
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
•	
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] {}
antikva	\antikva
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
•	
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor \{\ldots\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
	•• •
applytocharacters	\applytocharacters \ {}
applytosplitstringchar	\applytosplitstringchar \ \{\}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ {}
applytosplitstringword	\applytosplitstringword \ {}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ {}
applytowords	
	\applytowords \ \{\}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ \{\\}
•	<u> </u>
assigndimension	\assigndimension \{\} \\\} \\\}
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}

autodirhbox	\autodirhbox {}
autodirybox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral automathematics	\autointegral {} {} \automathematics {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barevnalista	\barevnalista []
barva	\barva [] {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox \beginvtop \endvtop
beginvtop	\begstrut \endstrut
begstrut bezserifu	\bezserifu
bigbodyfont	\bigbodyfont
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []

bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker boxofsize	\boxmarker {} {} \boxofsize \ {}
boxofsize	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=.] \eTABLEnext
bTC bTD	\bTC [=] \eTC \bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=.] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata btxauthorfield	\btxalwayscitation [=] [=] \btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {} {}
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist $\{\}$ $\{\}$ $\{\}$
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelseuservariable btxdoifnot	\btxdoifelseuservariable {} {} {}
	\btxdoifnot {} {} \btxdoifsameaspreviouselse {} {} {}
btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort btxflushauthorname	\btxflushauthorinvertedshort {} \btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation btxlistcitation:alternative	\btxlistcitation [=] [] \btxlistcitation [] []
btxlistcitation:alternative btxlistcitation:userdata	\btxlistcitation [] [] \btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []

btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {}
btxsingularplural	\btxsingularplural {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
bublinkovanapoveda:instance	\TOOLTIP [=] {} {}
bublinkovanapoveda:instance:argument	\TOOLTIP [] {} {}
bublinkovanapoveda:instance:argument:tooltip	\tooltip [] {}
bublinkovanapoveda:instance:tooltip	\tooltip [=] {} {}
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Caps	\Caps {}
Cisla	Cisla {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
camel	\camel {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerediastiine \centerednextbox {}
centerline	\centerline {}
cernalinka	\cernalinka [=]
cernelinky	\cernelinky [=]
cfrac	\cfrac [] {}
cisla	\cisla {}
cislonadpisu	\cislonadpisu []
cislorovnice	\cislorovnice []
cislostrany	\cislostrany
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
•	
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colorcomponents	\colorcomponents {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
comparedimension	\comparedimension \{\ldots\}
comparedimensioneps	\comparedimensioneps {} {}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\uplnyCOMBINEDLIST [=]
completecombinedlist:instance:content	\uplnycontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
<u> </u>	The state of the s

completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
	\completelistofsynonyms [] [=]
completelistofsynonyms	
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\uplnyREGISTER [=]
completeregister:instance:index	\uplnyindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty \{\dots\}
complexorsimple:argument	\complexorsimple {}
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtext [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltext [] [=]
copylabeltext:instance:head	\copyheadtext [] [=]
copylabeltext:instance:label	\copylabeltext [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltext [] [=]
copylabeltext:instance:operator	\copyoperatortext [] [=]
copylabeltext:instance:prefix	\copyprefixtext [] [=]
copylabeltext:instance:suffix	\copysuffixtext [] [=]
copylabeltext:instance:taglabel	\copytaglabeltext [] [=]
copylabeltext:instance:unit	\copyunittext [] [=]
copypages	\copypages [] [=]
copyparameters	\copyparameters [] [] []
copyposition	\copyposition {} {}
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
-	-
crampedclap	\crampedclap {}
crampedllap	\crampedlap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {} \CTXFUNCTIONDEFINITION
ctxfunctiondefinition:example	
ctxfunction:example	\CTXFUNCTION
ctxlatecommand ctxlatelua	\ctxlatecommand {}
CONTROCTER	\ctvlatelua { }
ctyloadluafile	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxloadluafile {} \ctxlua {}
ctxlua ctxluabuffer	<pre>\ctxloadluafile {} \ctxlua {} \ctxluabuffer []</pre>
ctxlua ctxluabuffer ctxluacode	<pre>\ctxloadluafile {} \ctxlua {} \ctxluabuffer [] \ctxluacode {}</pre>
ctxlua ctxluabuffer	<pre>\ctxloadluafile {} \ctxlua {} \ctxluabuffer []</pre>

currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
-	·
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentPOPISEK [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
-	-
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
	\d {}
d	
dalsipodstranka	\dalsipodstranka
datasetvariable	\datasetvariable \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
datum	\datum [=] []
dayoftheweek	\dayoftheweek $\{\}$ $\{\}$
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrement \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	•
	\defcatcodecommand \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	
	\defineattachment [] [=]
	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
defineattribute definebackground	\defineattribute [] [] \definebackground [] [] [=]
defineattribute definebackground definebar	\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [=]
defineattribute definebackground definebar definebodyfontswitch	\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [] \definebodyfontswitch [] []
defineattribute definebackground definebar	\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] []
defineattribute definebackground definebar definebodyfontswitch	\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [] \definebodyfontswitch [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint	\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints	<pre>\defineattribute [] [] \definebackground [] [] [=] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [=] \definebreakpoints []</pre>
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtxdataset [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector definecolumnbreak	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] [] \definecollector [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector definecolumnbreak	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] [] \definecollector [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector definecolumnbreak definecomment	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] [] \definecolumnbreak [] [] \definecomment [] [] []
defineattribute definebackground definebar definebodyfontswitch definebreakpoint definebreakpoints definebtx definebtx definebtxdataset definebtxregister definebtxrendering definebutton definecapitals definecollector definecolumnbreak definecombination	\defineattribute [] [] \definebackground [] [] [] \definebar [] [] [] \definebodyfontswitch [] [] \definebreakpoint [] [] [] \definebreakpoints [] \definebtx [] [] [] \definebtx [] [] [] \definebtxregister [] [] [] \definebtxrendering [] [] [] \definebutton [] [] [] \definecapitals [] [] [] \definecollector [] [] [] \definecollector [] [] [] \definecombination [] [] []

definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple \{\dots\}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] []
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant \{\delta\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative [] \definefontfallback [] [] [] []
definefontfallback	
definefontfamily	\definefontfamily [] [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset definefontfeature	\definefontfamily [] [] []
definefontfile	\definefontfeature [] [] [=]
definefontsize	\definefontfile [] [=] \definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] []
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
	\defineglobalcolor [] [=]
defineglobalcolor defineglobalcolor:name	\defineglobalcolor [] []
-	\definegraphictypesynonym [] []
definegraphictypesynonym definegridsnapping	\definegraphictypesynonym [] \definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [] []
definehigh	\definehigh [] [] \definehigh []
definehighlight	\definehighlight [] [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
defineindentedtext	\defineindentedtext [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] [=]
definelinefiller	\definelinefiller [] [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [] [=]
definelistalternative	\definelistalternative [] []

definelistextra	\definelistextra [] [=]
definelow	\definelistextra [] [] [] \definelow [] [] []
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] []
definemathcases	\definemathcases [] []
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	$\verb \definemathdouble extensible [] [] [] []$
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextexting [] []
definemathradical	\definemathradical [] [=]
definemathstackers	\definemathstackers [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=] \definemode [] []
definemode	\definemode [] [] \definemultitonecolor [] [=] [=] [=]
definemultitonecolor definenamedcolor	\definemutitionecolor [] [=] [=] \definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [] \definenarrower [] []
definenote	\definenote [] [] []
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagegrid	
definepagegridarea	\definepagegrid [] [=]
definepagegridarea definepagegridspan	
definepagegridarea definepagegridspan definepagechecker	\definepagegrid [] [=] \definepagegridarea [] [=]
definepagegridspan	\definepagegrid [] [=] \definepagegridarea [] [=] \definepagegridspan [] [=]
definepagegridspan definepagechecker	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] []
definepagegridspan definepagechecker definepageinjection	\definepagegrid [] [] [=] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative	<pre>\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=]</pre>
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift	<pre>\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] []</pre>
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparbuilder [] \defineplacement [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate defineparedbox defineparagraph defineparallel defineparbuilder	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparabuilder [] \definepacement [] [] [=] \definepositioning [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparbuilder [] \defineplacement [] [] [=] \definepositioning [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparabuilder [] \defineparbuilder [] \defineplacement [] [] [=] \definepositioning [] [] [=] \defineprefixset [] [] [] \defineprocesscolor [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprocesscolor defineprocessor	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparabuilder [] \definepacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparabuilder [] \definepacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocessor [] [] [=] \definepushbutton [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate defineparatedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparabuilder [] \definepacement [] [] [=] \definepositioning [] [] [=] \defineprocesscolor [] [] [=] \defineprocessor [] [] [=] \definepushbutton [] [=] \definepushsymbol [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprefixset defineprocesscolor definepushbutton definepushsymbol definerenderingwindow	\definepagegrid [] [] [=] \definepagegridarea [] [] [=] \definepagegridspan [] [] [=] \definepagechecker [] [] [=] \definepageinjection [] [] [=] \definepageinjectionalternative [] [] [=] \definepageshift [] [] [] [] \definepagestate [] [] [=] \definepairedbox [] [] [=] \defineparagraph [] [] [=] \defineparallel [] [] \defineparabuilder [] \definepathereallel [] [] \definepositioning [] [] [=] \defineprocesscolor [] [] [] \defineprocessor [] [] [=] \definepushbutton [] [=] \definepushsymbol [] [=] \defineprenderingwindow [] [] [=] \definerenderingwindow [] [] [=] \definerenderingwindow [] [] [=]
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprefixset defineprocesscolor definepossor definepushbutton definepushsymbol definerenderingwindow defineresetset	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] [] \definepageinjectionalternative [] [] \definepageshift [] [] [] [] \definepagestate [] [] [] [] \definepairedbox [] [] [] [] \defineparagraph [] [] [] \defineparallel [] [] \defineparabuilder [] \definepationing [] [] [] \defineprocesscolor [] [] [] \defineprocesscolor [] [] [] \definepushbutton [] [] [] \definepushsymbol [] [] \definerenderingwindow [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprefixset defineprocesscolor definepushbutton definepushsymbol definerenderingwindow defineresetset definescale	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] [] \definepageinjectionalternative [] [] \definepageshift [] [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] [] \defineparagraph [] [] [] \defineparallel [] [] \defineparabuilder [] \definepationing [] [] [] \defineprocesscolor [] [] [] \defineprocesscolor [] [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \defineresetset [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate defineparagraph defineparallel defineparallel defineparbuilder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol definerenderingwindow definescale definescale	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprefixset defineprocesscolor defineprocessor definepushbutton definepushsymbol definerenderingwindow definescale definescale definesctionlevels	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] [] \definepageinjectionalternative [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] [] \defineparallel [] [] \defineparabuilder [] \definepabuilder [] \definepositioning [] [] \defineprocesscolor [] [] \defineprocesscolor [] [] \defineprocessor [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] \definescale [] [] \definescript [] [] \definescript [] [] \definesctionlevels [] []
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprocesscolor defineprocessor definepushbutton definepushsymbol definerenderingwindow definescale definescale definesctionlevels defineselector	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] [] \definepageinjectionalternative [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepagestate [] [] [] [] \defineparagraph [] [] [] \defineparagraph [] [] [] \defineparabuilder [] \defineparabuilder [] [] \definepositioning [] [] [] \defineprocesscolor [] [] [] \defineprocesscolor [] [] [] \definepushbutton [] [] \definepushbutton [] [] \definepagestate [] [] [] \definescale [] [] [] \definescale [] [] [] \definescale [] [] [] \definesctionlevels [] \def
definepagegridspan definepagechecker definepageinjection definepageinjectionalternative definepageshift definepagestate definepairedbox defineparagraph defineparallel defineparbuilder defineplacement definepositioning defineprefixset defineprocesscolor defineprocessor definepushbutton definepushsymbol definerenderingwindow definescale definescale definesctionlevels	\definepagegrid [] [] [] \definepagegridarea [] [] [] \definepagegridspan [] [] [] \definepagechecker [] [] [] \definepageinjection [] [] [] \definepageinjectionalternative [] [] \definepageshift [] [] [] \definepagestate [] [] [] \definepairedbox [] [] [] \defineparagraph [] [] [] \defineparallel [] [] \defineparabuilder [] \definepabuilder [] \definepositioning [] [] \defineprocesscolor [] [] \defineprocesscolor [] [] \defineprocessor [] [] \definepushbutton [] [] \definepushsymbol [] [] \definerenderingwindow [] [] \defineresetset [] [] \definescale [] [] \definescript [] [] \definescript [] [] \definesctionlevels [] []

definesidebar	\definesidebar [] [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
definestyleinstance definesubformula	\definestyleinstance [] [] []
	\definesubformula [] [] [] \definesynonym [] [] {} {}
definesynonym definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemconstant \{\ldots\}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=]
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount definextable	\definevspacingamount [] []
definuj	\definextable [] [=] \definuj [] \ {}
definujakcent	\definujakcent
definujbarvu	\definujbarvu [] [=]
definujbarvu:name	\definujbarvu [] []
definujblok	\definujblok [] [=]
definujbloksekce	\definujbloksekce [] [=]
definujbuffer	\definujbuffer [] [=]
definujfont	\definujfont [] [=]
definujfont:argument	\definujfont [] []
definujformatodkazu	\definujformatodkazu [] [=]
definujhbox	\definujhbox [] []
definujinterakcnimenu	\definujinterakcnimenu [] [] []
definujkombinovanyseznam	\definujkombinovanyseznam [] [] [=]
definujkonverzi definujkonverzi:list	\definujkonverzi [] [] \definujkonverzi [] []
definujnadpis	\definujnadpis [] [] []
definujobrazeksymbol	\definujobrazeksymbol [] [=]
definujodkaz	\definujodkaz [] []
definujodstavce	\definujodstavce [] [=]
definujopis	\definujopis [] [=]
definujoramovani	\definujoramovani [] [=]
definujoramovanytext	\definujoramovanytext [] [] [=]
definujpaletu	\definujpaletu [] [=]
definujpaletu:name	\definujpaletu [] []
definujplvouciobjekt	\definujplvouciobjekt [] [] []
definujplvouciobjekt:name	\definujplvouciobjekt [] []
definujpodpole	\definujpodpole [] []
definujpole	\definujpole [] [] [] [] \definujpopis [] [] [=]
definujpopis definujpopisek	\definujpopisek [] [] []
definujprekryv	\definujprekryv [] [] \definujprekryv []
definujprikaz	\definujprikaz
definujprofil	\definujprofil [] [=]
definujprogram	\definujprogram [] []
definujprostredizakladnihofontu	\definujprostredizakladnihofontu [] [] [=]
definujrejstrik	\definujrejstrik [] [] [=]
definujsablonutabulky	\definujsablonutabulky [] [] []
definujsekci	\definujsekci []
definujseznam	\definujseznam [] [] []
definujskupinubarev	\definujskupinubarev [] [x:y:z,]
definujstartstop	\definujstartstop [] [] []
definujstyl	\definujstyl [] [=] \definujstylfontu [] []
definujstylfontu definujsymbol	\definujstyliontu [] [] \definujsymbol [] []
definujsymbol definujsynonumumfontu	\definujsymbol [] [] \definujsynonumumfontu [] [] [=]
definujsynonyma	\definujsynonyma [] [] []
	

definujtabelaci	\definujtabelaci [] []
definujtext	\definujtext [] [] [] [] [] []
definujtrideni	\definujtrideni [] []
definujupravu	\definujupravu [] [=]
definujvelikostpapiru	\definujvelikostpapiru [] [=]
definujvelikostpapiru:name	\definujvelikostpapiru [] []
definujvycet	\definujvycet [] [=]
definujzakladnifont	\definujzakladnifont [] [] [] [=]
definujzakladnifont:argument	\definujzakladnifont [] [] []
definujzasobnikpoli	\definujzasobnikpoli [] [] [=]
definujznaceni	\definujznaceni [] [=]
definujznak	\definujznak
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
delkaseznamu	\delkaseznamu
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\ldots\} \\\.\}
	\depthstrut
depthstrut	-
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directboxfromcache	\directboxfromcache \{\ldots\}\
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter \{\ldots\}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect {} {} {} {} {} {}
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \\\.\.\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \

domotottni buto	\domatattmihuta { }
dogetattribute	\dogetattribute {} \dogetattributeid {}
dogetattributeid	
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldocklose\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
docheckedpair doif	\docheckedpair {} \doif {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse doifallmodes	\doifalldefinedelse \{\} \\\.\} \\doifallmodes \{\} \\\\\.\}
doifallmodeselse	\doifallmodes \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifblackelse doifbothsides	\doifblackelse \{\} \\\} \\doifbothsides \{\} \\\\}
doifbothsidesoverruled	
	\doifbothsidesoverruled \\\\} \\\\}
doifboxelse doifbufferelse	\doifboxelse \{\} \{\} \\doifbufferelse \{\} \{\}
doifcolor doifcolorelse	\doifcolor \{\} \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\
doifcommandhandler	\doifcommandhandler \ \{\} \\\}
doifcommandhandlerelse	
	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\} \{\}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent \{\\} \\\\ \\\\
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\ldots\} \\
doifcounterelse	\doifcounterelse {} {}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter	\doifdefinedcounter \{\ldots\}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse \{\doisymbol{\chi}\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack \{\} \{\}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache \{\} \{\} \{\}
doifelsebuffer	\doifelsebuffer {} {}
doifelsecolor	\doifelsecolor \{\} \{\}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon \{\} \{\} \{\}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecounter	\doifelsecounter {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentsortingused	\doifelsecurrentsortingused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecurrentsynonymused	\doifelsecurrentsynonymused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimension	\doifelsedimension \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentargument	\doifelsedocumentargument {} {} {}
doifelsedocumentfilename	\doifelsedocumentfilename {} {} {}
doifelsedrawingblack	\doifelsedrawingblack \{\doifelsedrawingblack \{\doife
doifelseempty	\doifelseempty {} {}
doifelseemptyvalue	\doifelseemptyvalue {} {} {}
doifelseemptyvariable	\doifelseemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseenv	\doifelseenv \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefastoptionalcheck	\doifelsefastoptionalcheck {} {}
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \

J.: 6.76: .7 Jb. J	\4.:6.]6:.]414 [] [] []
doifelsefieldbody doifelsefieldcategory	\doifelsefieldbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefigure	\doifelsefigure \{\ldots\} \\\.\}
doifelsefile	\doifelsefile \{\} \\\\}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists \{\doifelsefileexists \}\}\}\}}\}}}}}}}}}}}}}} \}
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged {} {} {}
doifelsefontchar	\doifelsefontchar {} {} {} {}
doifelsefontpresent	\doifelsefontpresent {} {} {}
doifelsefontsynonym	\doifelsefontsynonym {} {}
doifelsehasspace	\doifelsehasspace $\{\}$ $\{\}$
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname $\{\}$ $\{\}$ $\{\}$
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\} \{\} \\doifelseinset \(\doifelseinset\)
doifelseinstring doifelseinsymbolset	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseinsymbolset \{\} \{\} \{\} \\doifelseintoks \{\} \{\} \{\} \\doifelseintoks \{\} \{\} \{\} \\doifelseintoks \{\} \doifelseintoks \{\} \\doifelseintoks \{\} \\doifelseintoks \{\} \doifelseintoks \{\} \doifelseintoks \{\} \doifelseintoks \{\} \doifelseintoks \doifelseintoks \doifelseintoks
doifelseintwopassdata	\doifelseintwopassdata \{\} \{\} \{\}
doifelseitalic	\doifelseitalic \{\ldots\}
doifelselanguage	\doifelselanguage {} {} {}
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\.\\\}
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\.\\\}
doifelselayouttextline	\doifelselayouttextline {} {}
doifelseleapyear	\doifelseleapyear {} {} {}
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	$\dot{doifelse mainfloat body } \{\ldots\} $
doifelsemarkedpage	\doifelsemarkedpage $\{\}$ $\{\}$
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \{} \{}
doifelsemessage	\doifelsemessage \{\} \{\} \{\}
doifelsemode	\doifelsemode \{\} \{\}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \{\doifelsenextparenthesis \}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelgenotecongerous	\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \}\doifelsenonzeropositive \}\doifelsenonzeropositive \{\doifelsenonzeropositive \}\doifelsenonzeropositive \}\doifelsenonzeroposit
doifelsenoteonsamepage doifelsenothing	\doifelsenoteonsamepage \{\doifelsenothing \{\doife
doifelsenumber	\doifelsenumber \{\} \\\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext {} {} {}
doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlay	\doifelseoverlay {} {}
doifelseparallel	\doifelseparallel $\{\}$ $\{\}$ $\{\}$
doifelseparentfile	\doifelseparentfile {} {} {}
doifelsepath	\doifelsepath $\{\}$ $\{\}$
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns \{\ldots\} \{\ldots\}
doifelseposition	\doifelseposition $\{\}$ $\{\}$
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \{\ldots\} \{\ldots\}
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\dots\} \\\.\\\\
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \\doifelsepositionsused \{\ldots\} \\doifelsepositionsu
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox doifelsesamelinereference	\doifelserighttoleftinbox \{\} \{\} \doifelsesamelinereference \{\} \{\}
doilelsesamelinereierence doifelsesamestring	\doifelsesamestring \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsesetups	\doifelsesetups \{\} \\.\.\}
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \\\.\}
#011 010000mondon@1 odna	/

doifelsesomespace	\doifelsesomespace $\{\ldots\}$ $\{\ldots\}$
doifelsesomething	\doifelsesomething $\{\ldots\}$ $\{\ldots\}$
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring $\{\}$ $\{\}$ $\{\}$
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber {} {}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage {} {}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset	\doifelsesymbolset {} {} {}
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow \{\ldots\} \{\ldots\}
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \\ \{\ldots\}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\ \\.\\\
doifelsevalue	\doifelsevalue \{\} \{\} \{\}
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\ \{\ldots\}
doifelsevariable	\doifelsevariable \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ \{\}
doifemptyvalue	\doifemptyvalue \\\\}
1 0	
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariable	\doifemptyvariable \{\} \{\}
doifemptyvariableelse	\doifemptyvariableelse \{\} \{\} \{\}
doifenv	\doifenv \{\} \{\}
doifenvelse	\doifenvelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse {} {}
doiffieldcategoryelse	\doiffieldcategoryelse $\{\}$ $\{\}$
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \{\ldots\}
doiffileelse	\doiffileelse {} {} {}
doiffileexistselse	\doiffileexistselse {} {} {}
doiffirstcharelse	\doiffirstcharelse {} {} {} {}
doifflaggedelse	\doifflaggedelse {} {}
doiffontcharelse	\doiffontcharelse \{\ldots\} \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
• •	\doifhasspaceelse \{\ldots\} \\\\.\\\
doifhasspaceelse	
doifhelpelse	\doifhelpelse \{\doifhelpelse
doifincsnameelse	\doifincsnameelse \{\} \{\} \{\}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse {} {} {}
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse \{\} \{\} \{\}
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse $\{\}$ $\{\}$ $\{\}$
doifinsymbolset	\doifinsymbolset $\{\}$ $\{\}$ $\{\}$
doifinsymbolsetelse	\doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$
doifintokselse	\doifintokselse $\{\}$ $\{\}$ $\{\}$
doifintwopassdataelse	\doifintwopassdataelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse $\{\}$ $\{\}$
doiflayerdataelse	\doiflayerdataelse {} {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\ \\.\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\ \\.\\
doifleapyearelse	\doifleapyearelse {} {} {}
doiflistelse	\doiflistelse {} {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
· ·	\doifmainfloatbodyelse {} {}
doifmainfloatbodyelse	
doifmarkingelse	\doifmarkingelse \{\ldot\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmeaningelse \ \ \{\}
doifmessageelse	\doifmessageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \{\ldots\}

doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \\
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot {} {}
doifnotallcommon	\doifnotallcommon {} {} {}
doifnotallmodes	\doifnotallmodes {} {} {}
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \\\}
doifnotcommon	\doifnotcommon {} {} {}
doifnotcounter	\doifnotcounter \{\ldots\} \\\
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \\.\\
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotenv	\doifnotenv \{\ldots\} \\
doifnoteonsamepageelse	\doifnoteonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifnotescollected	\doifnotescollected \{\ldots\} \\ \\.\\
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\} \\\.\}
doifnotsamestring	\doifnotsamestring \{\} \{\}
doifnotsetups	\doifnotsetups \{\ldots\} \\\
doifnotvalue	\doifnotvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvariable	\doifnotvariable \{\} \\\\}
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \ \\ \\ \\
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \{\ldots\} \\
doifolderversionelse	\doifolderversionelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifoverlappingelse	\doifoverlappingelse $\{\}$ $\{\}$ $\{\}$
doifoverlayelse	\doifoverlayelse $\{\}$ $\{\}$
doifparallelelse	\doifparallelelse $\{\}$ $\{\}$ $\{\}$
doifparentfileelse	\doifparentfileelse {} {}
doifpathelse	\doifpathelse {} {}
doifpathexistselse	\doifpathexistselse {} {}
doifpatternselse	\doifpatternselse {} {}
doifposition	\doifposition {} {} {}
doifpositionaction	\doifpositionaction {} {} {}
doifpositionactionelse	\doifpositionactionelse {} {} {}
doifpositionelse	\doifpositionelse {} {} {}
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse \{\doifpositionsonsamepageelse \{\doifpositionsonsonsamepageelse \{\doifpositionsonsonsonsonsonsonsonsonsonsonsonsonso
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\doifpositionsonthispageelse \}
doifpositionsusedelse	\doifpositionsusedelse \{\ldots\} \\\.\}
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse \{\}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring \{\} \{\}
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackground	\doifsomebackground \{\ldots\} \\\
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomespaceelse	\doifsomespaceelse $\{\ldots\}$ $\{\ldots\}$
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse \{\ldots\} \{\ldots\} \\
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ $\{\}$
doifstringinstringelse	\doifstringinstringelse $\{\}$ $\{\}$ $\{\}$
doifstructurelisthasnumberelse	$\verb \doifstructurelist has numberelse {} {}$
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {} {}
doiftext	\doiftext {} {}

	\doiftextelse {} {}
doiftextelse doiftextflowcollectorelse	\doiftextflowcollectorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\\
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse {} {}
doifurldefinedelse	\doifurldefinedelse {} {} {}
doifvalue	\doifvalue {} {} {}
doifvalueelse	\doifvalueelse {} {} {}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse {} {}
doifvaluesomething	\doifvaluesomething {} {}
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorecurse	\dorecurse {} {}
dorechecknextindentation	\dorechecknextindentation
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
<pre>dosetupcheckedinterlinespace:name doseventupleargument</pre>	\dosetupcheckedinterlinespace \{\ldots\} \doseventupleargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleargument doseventupleempty	\doseventupleargument \ [] [] [] [] [] [] \doseventupleampty \ [] [] [] [] [] []
doseventupleargument doseventupleempty dosingleargument	\doseventupleargument \ [] [] [] [] [] [] \doseventupleargument \ [] [] [] [] [] [] \dosingleargument \ []
doseventupleargument doseventupleempty dosingleargument dosingleempty	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosingleempty \ []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosingleempty \ [] \dosinglegroupempty \ {}
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosingleempty \ [] \dosinglegroupempty \ [] \dosinglegroupempty \ [] \dosingleargument \ [] [] [] [] [] []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleampty dostarttagged	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {}
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dosubtractfeature {}
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotfskip {} [] [] []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostofskip {} \dotfskip {} \dotfskip {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotfskip {} [] [] []
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged \dostepwiserecurse \{\} \\dostarttagged \dostepwiserecurse \{\} \\dostarttagtefature \{\} \dostarttagged \dostepwiserecurse \{\} \\dostarttagged \dostepwiser
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty	\doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged \dostepwiserecurse \{\} \{\} \\dosubtractfeature \{\} \\dotfskip
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged \dostepwiserecurse \{\} \{\} \\dostarttagged \dostepwiserecurse \{\} \{\} \\dostarttagged \dostepwiserecurse \{\} \\dostarttagged \dostepwiserecurse \{\} \\dotothiskip \{\} \\dotothiskip \{\} \\dotothiskip \{\} \\dotothipleargument \ [] [] [] \\dotripleargumentwithset \ [] [] [] \\dotripleempty \ [] [] [] \\dotripleemptywithset \ [] [] [] \\dotriplegroupempty \ \{\} \\doublebond
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotriplegroupempty	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] [] \dostarttagged \dostepwiserecurse \{\} \{\} \\dosubtractfeature \{\} \dostofskip \{\} \\dotofskip \{\} \\dotofskip \{\} \\dotofskip \{\} \\dotofsipleargument \ [] [] [] \\dotripleargumentwithset \ [] [] [] \\dotripleempty \ [] [] \\dotriplegroupempty \ \{\} \\dotoblebond \\dowith \{\}
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotriplegroupempty doublebond dowith dowithnextbox	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged \dostepwiserecurse \{\} \{\} \\dosubtractfeature \{\} \\dotskip \{\} \\dotskip \{\} \\dotskip \{\} \\dotskip \{\} \\dotripleargument \ [] [] [] \\dotripleargumentwithset \ [] [] [] \\dotripleempty \ [] [] [] \\dotriplegroupempty \ \{\} \\doublebond \\dowith \{\} \{\} \\dowithnextbox \{\} \\ \\ \\dowithnextbox \{\} \\
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dosubtractfeature {} \dostoptagged \dotsepwiserecurse {} {} {} \dotripleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotriplegroupempty \ {} {} \downhowthe \downhowth {} {} \downhowthe \
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextboxcontent dowithnextboxcontentcs	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosingleargument \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dosubtractfeature {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleempty \ [] [] [] \dotriplegroupempty \ {} {} \dowithnextbox {} \ \dowithnextbox {} \dowithnextbox {} \ \dowithnextbox {} \
doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextboxcontent dowithnextboxcontent dowithnextboxcs	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotripleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotriplegroupempty \ {} {} \dowithnextbox {} \ \ {} \dowithnextbox {} \ \ \ \ \ {} \dowithnextbox {} \ \ \ \ \ {} \dowithnextbox {} \ \ \ \ \ \ \
doseventupleargument dosingleargument dosingleargument dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument	\doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotripleargument \ [] [] [] \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleempty \ [] [] [] \dotriplegroupempty \ {} {} \dowithnextbox {} \ \ {} \dowithnextbox {} \ \ \ {} \dowithnextbox {} \ \ \ \ {} \dowithnextbox {} \ \ \ \ \ {} \dowithnextbox {} \ \ \ \ \ \ \
doseventupleargument dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleampty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnargument dowithargument dowithargument dowithargument dowithargument	\doseventupleargument \ [] [] [] [] [] [] \\dosingleargument \ [] [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleargument \ \\dostoptagged \\dostepwiserecurse \{\} \{\} \\dosubtractfeature \{\} \\dotsipleargument \ [] [] [] \\dotripleargument \ [] [] [] \\dotripleargumentwithset \ [] [] [] \\dotripleargumentwithset \ [] [] \\dotripleargumentwithset \ [] [] \\dotriplegroupempty \ \{\} \\dowithnextbox \{\} \\\} \\dowithnextbox \{\} \\\} \\dowithnextbox \contents \\ \\ \\\} \\dowithnextbox \\ \\\} \\dowithnextbox \\ \\ \\\} \\dowithnextbox \\ \\ \\\} \\dowithnextbox \\ \\ \\\} \\dowithnextbox \\ \\\} \\dowithnextbox \\ \\ \\\} \\dowithnextbox \\ \\ \\\} \\dowithnextbox \\ \\\} \\dowithnextbox \\ \\\\\\} \\dowithnextbox \\\\\\\\\} \\dowithnextbox \\\\\\\\\dowithnextbox \\\\\\\\\\dowithnextbox \\\\\\\\dowithnextbox \\\\\\\\dowithnextbox \\\\\\\\dowithnextbox \\\\dowithnextbox \\\\dowithnextbox \
doseventupleargument dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument	\doseventupleargument \ [] [] [] [] [] [] \\dosingleargument \ [] [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleampty \ [] [] [] [] [] \\dostarttagged \\dostepwiserecurse \\ \\\\\ \\dostarttagged \\dostepwiserecurse \\ \\\\\\\\dostartipleargument \\ \ [] [] \\dotripleargument \\ \ [] [] [] \\dotripleargumentwithset \\ \ [] [] [] \\dotripleargumentwithset \\ \ [] [] [] \\dotripleargumenty \\ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doseventupleargument dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dopostring	\doseventupleargument \ [] [] [] [] [] [] \\dosingleargument \ [] [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] \\dostatttagged \\dostepwiserecurse \\\dosubtractfeature \\\dosubtractfeature \\\dosubtractfeature \\\dosubtractpleargument \ [] [] [] \\dotripleargument \\ \\\dowithnextbox \\ \\\\dowithnextbox \\\ \\\\dowithnextbox \\ \\\\dowithnextbox \\ \\\\\\dowithnextbox \\ \\\\\dowithnextbox \\ \\\\\\\dowithnextbox \\ \\\\\\\\\dowithnextbox \\ \\\\\\\\\\dowithnextbox \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doseventupleargument dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit	\doseventupleargument \ [] [] [] [] [] [] [] \dosingleargument \ [] \\dosingleargument \ [] \\dosingleargument \ [] \\dosingleargument \ [] \\dosingleargument \ [] [] [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] \\dostatttagged \\dostepwiserecurse \\ \\\\dostattasty \\ \dosubtractfeature \\ \\\\dotskip \\ \\\\dotskip \\\\\\dotskip \\\\\\dotskip \\\\\\dotskip \\\\\\dotskip \\\\\\dotripleargument \\ [] [] [] [] \\dotripleargument \\ [] [] [] \\dotripleargument \\ [] [] [] \\dotripleargument \\\ [] [] [] \\dotripleargument \\\ \\\\\\\\\\dowithnextbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doseventupleargument dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dopostring	\doseventupleargument \ [] [] [] [] [] [] \\dosingleargument \ [] [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] [] \\dosixtupleargument \ [] [] [] [] [] \\dostatttagged \\dostepwiserecurse \\\dosubtractfeature \\\dosubtractfeature \\\dosubtractfeature \\\dosubtractpleargument \ [] [] [] \\dotripleargument \\ \\\dowithnextbox \\ \\\\dowithnextbox \\\ \\\\dowithnextbox \\ \\\\dowithnextbox \\ \\\\\\dowithnextbox \\ \\\\\dowithnextbox \\ \\\\\\\dowithnextbox \\ \\\\\\\\\dowithnextbox \\ \\\\\\\\\\dowithnextbox \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\empoylines []
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
-	\expanded {}
expanded	
expandfontsynonym	\expandfontsynonym \ \{\}
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifinsetelse	\expdoifinsetelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
externiobraz	\externiobraz [] [=]
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
-	\fastloopindex
fastloopindex	
fastscale	\fastscale \{\ldots\} \\\
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument \{\ldots\} \\\
fastsetupwithargumentswapped	\fastsetupwithargumentswapped \{\ldots\} \{\ldots\}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	
•	
fetchruntinecommand	\fetchonemarking [] [] \fetchruntinecommand \ {}
fetchtwomarkings	$\verb fetchruntinecommand \dots { \{\dots\}}$
fetchruntinecommand fetchtwomarkings fetchtwomarks	

fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments \{\ldots\} \
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
filterfromnext	\filterfromnext \{\ldots\} \}
filterfromvalue	\filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{\stackrel{OPT}{\cdots}\}$ OPT OPT OPT OPT
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=] [=]
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstcharacter	\firstcharacter
firstoffivearguments	\firstoffivearguments {} {} {} {} {}
firstoffourarguments	\firstoffourarguments {} {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded \{\dots\}
firstofsixarguments	\firstofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreearguments	\firstofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \{\ldots\}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
	\flushtokens []
flushtokens	
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\\
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontsize	\fontsize
fontstyle	\fontstyle
footnotetext	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping

forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
foundbox	\foundbox {} {}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthofsixarguments	\fourthofsixarguments {} {} {} {} {} {}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox \{\ldots\}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
•	
getglyphdirect	\getglyphdirect \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
	\getobject \(\cdot\) \\getobjectdimensions \{\ldot\) \\
getobjectdimensions	
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ {} {}
getrandomdimen	$\getrandomdimen \ \ \ \ \{\ldots\} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
getrandomfloat	$\ensuremath{\verb } $
getrandomnumber	\getrandomnumber \ {} {}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawparameters [] [=]
getreference	\getreference [] []
	•
getreferenceentry	\getreferenceentry {}

```
getroundednoflines
                                                        \getroundednoflines {...}
getsubstring
                                                        \getsubstring {...} {...} {...}
gettwopassdata
                                                        \gettwopassdata {...}
gettwopassdatalist
                                                        \gettwopassdatalist {...}
getuvalue
                                                        \getuvalue {...}
getvalue
                                                       \getvalue {...}
getvariable
                                                        \getvariable {...} {...}
getvariabledefault
                                                        \getvariabledefault {...} {...} {...}
getxparameters
                                                       \getxparameters [...] [..=..]
globaldisablemode
                                                       \globaldisablemode [...]
globalenablemode
                                                       \globalenablemode [...]
                                                        \globalletempty \...
globalletempty
globalpopbox
                                                        \globalpopbox ..
globalpopmacro
                                                        \globalpopmacro \...
                                                        \globalpreventmode [...]
globalpreventmode
globalprocesscommalist
                                                        \globalprocesscommalist [...] \...
globalpushbox
                                                        \globalpushbox ...
globalpushmacro
                                                        \globalpushmacro \...
globalpushreferenceprefix
                                                       \globalpushreferenceprefix {...} ... \globalpopreferenceprefix
globalswapcounts
                                                       \globalswapcounts \... \...
globalswapdimens
                                                        \globalswapdimens \... \...
globalswapmacros
                                                       \globalswapmacros \... \...
globalundefine
                                                       \globalundefine {...}
glyphfontfile
                                                       \glyphfontfile {...}
gobbledoubleempty
                                                       \gobbledoubleempty [...] [...]
gobbleeightarguments
                                                        \gobblefivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobblefivearguments
gobblefiveoptionals
                                                       \gobblefiveoptionals [...] [...] [...] [...]
                                                       \gobblefourarguments {...} {...} {...} {...}
gobblefourarguments
                                                        \gobblefouroptionals [...] [...] [...]
gobblefouroptionals
gobbleninearguments
                                                        \gobbleninearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobbleoneargument
                                                       \gobbleoneargument {...}
gobbleoneoptional
                                                       \gobbleoneoptional [...]
gobblesevenarguments
                                                       \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}
                                                       \gobblesingleempty [...]
gobblesingleempty
gobblesixarguments
                                                        \gobblesixarguments {...} {...} {...} {...} {...} {...}
gobblespacetokens
                                                        \gobblespacetokens
                                                        \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} {...}
gobbletenarguments
                                                       \gobblethreearguments \{\ldots\} \{\ldots\}
gobblethreearguments
                                                        \gobblethreeoptionals [...] [...]
gobblethreeoptionals
gobbletwoarguments
                                                        \gobbletwoarguments {...} {...}
                                                       \gobbletwooptionals [...] [...]
gobbletwooptionals
gobbleuntil
                                                       \gobbleuntil \...
gobbleuntilrelax
                                                        \gobbleuntilrelax ... \relax
grabbufferdata
                                                        \grabbufferdata [...] [...] [...]
                                                       \grabbufferdatadirect {...} {...} {...}
grabbufferdatadirect
grabuntil
                                                       \grabuntil {...} \...
grave
                                                       \grave {...}
grayvalue
                                                        \grayvalue {...}
greedysplitstring
                                                        \greedysplitstring ... \at ... \to \... \and \...
                                                        \greeknumerals {...}
greeknumerals
                                                        \groupedcommand {...} {...}
groupedcommand
                                                        \gsetboxllx ... {...}
gsetboxllx
gsetboxlly
                                                        \gsetboxlly ... {...}
gujaratinumerals
                                                       \gujaratinumerals {...}
                                                       \gurmurkhinumerals {...}
gurmurkhinumerals
hairspace
                                                       \hairspace
halflinestrut
                                                       \halflinestrut
halfstrut
                                                       \halfstrut
                                                       \halfwaybox {...}
halfwaybox
                                                       \handletokens ... \with \...
handletokens
hash
                                                       \hash
                                                        \hat {...}
hat
hboxofvbox
                                                       \hboxofvbox ...
hboxreference
                                                       \hboxreference [...] {...}
                                                        \hboxBOX {...}
hbox:example
hdofstring
                                                       \hdofstring {...}
headhbox
                                                        \headhbox ... {...}
headnumbercontent
                                                       \headnumbercontent
headnumberdistance
                                                       \headnumberdistance
headnumberwidth
                                                       \headnumberwidth
headreferenceattributes
                                                       \headreferenceattributes
headsetupspacing
                                                        \headsetupspacing
                                                       \headtextcontent
headtextcontent
headtextdistance
                                                       \headtextdistance
```

headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightspanningtovt { } { } { }
heightspanningtext help:instance	\heightspanningtext {} {} {} \HELP [] {}
help:instance:helptext	\helptext [] {} {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {} {}
himilo hl	\himilo {} {} {} \hl []
hlavnijazyk	\hlavnijazyk []
hodnotabarvy	\hodnotabarvy {}
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace htdpofstring	\hspace [] [] \htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription charwidthlanguage	\chardescription {} \charwidthlanguage
check	\check {}
checkedfiller	\checkedfiller {}
checkedchar	\checkedchar {} {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkcharacteralign	\checkcharacteralign {}
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector checkpage	\checknextinjector [] \checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chem	\chem {} {}
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext chemicalsymbol	\chemicalmidtext {} \chemicalsymbol []
chemicaltext	\chemicalsymbol [] \chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff \iff \iff \iff \iff \iff \iff \iff
ifinobject	\ifinobject \else \fi
ifinoutputstream ifparameters	\ifinoutputstream \else \fi \ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
- •	- · ·

ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata $\{\ldots\}$ $\{\ldots\}$
impliedby	\impliedby
implies	\implies
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath $\{\ldots\}$ $\{\ldots\}$
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
	\insertpages [] [] [=]
insertpages	
instalacejazyka	\instalacejazyka [] [=]
instalacejazyka:name	\instalacejazyka [] []
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \{} \
installautosetuphandler	\installautosetuphandler \ \{\}
installbasicautosetuphandler	\installbasicautosetuphandler \ \ \
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	$\verb \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
installcommandhandler	\installcommandhandler \ \
installcorenamespace	\installcorenamespace {}
installdefinehandler	$\$ installdefinehandler $\$ $\$ $\$ $\$
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ $\{\}$ \ $\{\}$
installdirectcommandhandler	$\$ installdirectcommandhandler $\$ $\{\ldots\}$
installdirectparameterhandler	\installdirectparameterhandler \ {}
installdirectparametersethandler	\installdirectparametersethandler \ {}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installframedautocommandhandler	\installframedautocommandhandler \ \ \
installframedcommandhandler	\installframedcommandhandler \ {} \
installleftframerenderer	\installleftframerenderer {} {}
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\dots\}
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \
${\tt install simple framed command handler}$	$\verb \ \ \ \ \ \ \ \ \ \ \ \ \ $
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ $\{\}$ \
installswitchsetuphandler	$\$ installswitchsetuphandler $\$ $\{\ldots\}$

installtexdirective	\installtexdirective {} {} {}
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
interakcnilista	\interakcnilista [] [=]
interakcnitlacitka	\interakcnitlacitka [=] []
interaktivnimenu	\interaktivnimenu [] [=]
intertext	\intertext \{\dots\}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jazyk	\jazyk []
jazyk:example	\LANGUAGE
jdidolu	\jdidolu []
jdina	\jdina {} []
jdinabox	\jdinabox {} []
jdinastranu	\jdinastranu {} []
jednotka:instance	\UNIT {}
jednotka:instance:unit	\unit {}
jobfilename	\jobfilename
•	. -
jobfilesuffix	\jobfilesuffix
Kap	\Kap {}
kaligraficke	\kaligraficke
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
klonujpole	\klonujpole [] [] []
komentar:instance	\COMMENT [] [=] {}
komentar:instance:comment	\comment [] [=] {}
komponenta	\komponenta []
komponenta:string	\komponenta
konvertujcislo	\konvertujcislo {} {}
kopirujpole	\kopirujpole [] []
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
korekcebilehomista	\korekcebilehomista {}
kurziva	\kurziva
kurzivnitucne	\kurzivnitucne
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELjazyk
labellanguage:instance:btxlabel	\btxlabeljazyk
labellanguage:instance:head	\headjazyk
labellanguage:instance:label	\labeljazyk
labellanguage:instance:mathlabel	\mathlabeljazyk
labellanguage:instance:operator	\operatorjazyk
labellanguage:instance:prefix	\prefixjazyk
labellanguage:instance:suffix	\suffixjazyk
labellanguage:instance:taglabel	\taglabeljazyk
labellanguage:instance:unit	\unitjazyk
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
140000411001	\

lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata lbox	\lazysavetwopassdata {} {} {}
leftbottombox	\lbox {} \leftbottombox {}
leftbox	\leftbox {}
lefthbox	\leftbox {}
leftlabeltext:instance	\leftLABELtext {}
leftlabeltext:instance:head	\leftheadtext {}
leftlabeltext:instance:label	\leftlabeltext {}
leftlabeltext:instance:mathlabel	\leftmathlabeltext {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
· ·	
letbeundefined	\letbeundefined \{\}
letcatcodecommand	\letcatcodecommand \ \
letcatcodecommand letcscsname	\letcatcodecommand \ \ \ \letcscsname \ \csname \endcsname
letcatcodecommand letcscsname letcsnamecs	\letcatcodecommand \ \ \ \ \letcscsname \ \csname \ \endcsname \ \letcsnamecs \csname \
letcatcodecommand letcscsname letcsnamecs letcsnamecsname	\letcatcodecommand \ \ \ \ \letcscsname \ \csname \endcsname \ \endcsname \ \letcsnamecsname \ \endcsname \ \endcsname \e
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter	<pre>\letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letcatcodecommand \ \\\\\\\\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \\\\\\\\\\.</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\letcatcodecommand \ \\\\\\\\ \letcscname \\\\\\\\\\.</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letcatcodecommand \ \\\\\\\\ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \\\\\\\\\\.</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand	<pre>\letcatcodecommand \ \\\\\\\\ \letcsname \\\\\\\\\\.</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat	<pre>\letcatcodecommand \ \\\\\\\\ \letcsname \\\\\\\\\\.</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash	<pre>\letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar	<pre>letcatcodecommand \ \ \letcscsname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbgroup	<pre>letcatcodecommand \ \ \letcscname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace	<pre>letcatcodecommand \ \\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \ letcsnamecsname \csname\endcsname\endcsname letdummyparameter {}\ letempty \ letgvalue {}\ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon	<pre>letcatcodecommand \ \\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \ letcsnamecsname \csname\endcsname\endcsname letdummyparameter {}\ letempty \ letgvalue {}\ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup	<pre>letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote	<pre>letcatcodecommand \ \\\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \\\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterescape	<pre>letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhash	<pre>letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhash letterhat	<pre>letcatcodecommand \ \\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \ letcsnamecsname \csname\endcsname \\endcsname\endcsname letdummyparameter {}\ letempty \ letgvalue {}\ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote letterescape letterescape letterescape letterexclamationmark letterhash letterhat</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbar letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace	<pre>letcatcodecommand \ \\ letcscname \\csname\endcsname letcsnamecs \csname\endcsname \\ letcsnamecsname \\endcsname \\endcsname\endcsname letdummyparameter {}\ letempty \ letgvalue {}\\ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote letterescape letterescape letterescape letterescape letterhash letterhat letterleftbrace</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbracket	<pre>letcatcodecommand \ \\\\\\\\\</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterlat letterleftbrace letterleftbracket letterleftparenthesis	<pre>letcatcodecommand \ \ \ letcscname \ \cname \endcsname letcsnamecs \csname \endcsname \ letcsnamecsname \ \endcsname \ \endcsname \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterescape letterexclamationmark letterhat letterlat letterleftbrace letterleftbracket letterleftparenthesis</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless	<pre>letcatcodecommand \ \ \ letcscname \ \csname \endcsname letcsnamecs \csname \endcsname \ letcsnamecsname \ \endcsname \ \endcsname \endcsname letdummyparameter {} \ letdummyparameter {} \ letgvalue {} \ letgvalueempty {} letgvalueempty {} letgvalurelax {} letterampersand letterat letterbar letterbar letterbar letterboron lettercolon lettercolon letterdoublequote letteregroup letterescape letterescape letterescape letterescape letterhash letterhat letterlat letterleftbrace letterleftbrace letterleftparenthesis letterless</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore	<pre>letcatcodecommand \ \ \ letcscname \ \csname \endcsname letcsnamecs \csname \endcsname \ letcsnamecsname \ \endcsname \ \endcsname \endcsname letdummyparameter {} \ letdummyparameter {} \ letgvalue {} \ letgvalueempty {} letgvalurelax {} letterampersand letterat letterbar letterbar letterboroup letterclosebrace lettercolon letterdollar letteredoublequote letterescape letterescape letterescape letterescape letterhash letterhat letterleftbrace letterleftbrace letterleftbracket letterleftparenthesis letterless letternore</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace	<pre>\letcatcodecommand \ \.\.\.\ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterclon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterhat \letterlettbrace \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis \letterless \lettermore \letteropenbrace</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterlatbrace letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letterpercent	<pre>\letcatcodecommand \ \.\.\.\ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letteraupersand \letterat \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterclon \letterdollar \letterdoublequote \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterlettrhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterless \lettermore \letterpercent</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letteredoublequote letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letterpercent letterquestionmark	<pre>\letcatcodecommand \ \.\.\.\ \letcssname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \letterclon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterhat \letterlettbrace \letterleftbrace \letterleftbracket \letterleftbracket \letterleftparenthesis \letterless \lettermore \letteropenbrace</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdollar letterdoublequote letteregroup letterescape letterexclamationmark letterhat letterlatbrace letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letterpercent	<pre>\letcatcodecommand \ \\ \letcscsname \\csname\endcsname \letcsnamecs\csname\endcsname \\ \letcsnamecsname \csname\endcsname \\ \letcsnamecsname \csname\endcsname\endcsname \letdummyparameter {}\\ \letgyalue {}\\ \letgyalueempty {} \letgyalueempty {} \letterampersand \letterat \letterbackslash \letterbar \letterbarcolon \letterclosebrace \lettercolon \letterdollar \letterdoublequote \letteregroup \letterescape \letterescape \letterescape \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterleftparenthesis \letterless \lettermore \letterpercent \letterpercent \letterquestionmark \letterq</pre>
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letteredoublequote letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless lettermore letteropenbrace letterpercent letterquestionmark letterrightbrace	letcatcodecommand \ \ letcscsname \ \ csname \ endcsname \ letcsnamecs \ csname \ endcsname \ letdummyparameter \ \ letdummyparameter \ \ letgvalue \ \ \ \ letgvalueempty \ \ \ letgvalueempty \ \ \ \ letterampersand \ letterat \ letterbackslash \ letterbar \ letterbarcolon \ letterclosebrace \ lettercolon \ letterdoublequote \ lettergroup \ letterescape \ letterescape \ letterescape \ letterescape \ letterescape \ letterleftbrace \ letterleftbrace \ letterleftbracket \ letterleftbracket \ letterleftbracket \ letterleftparenthesis \ letterpercent \ letterpercent \ letterpercent \ letterpercent \ letterquestionmark \ letterrightbrace
letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand letterat letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote letterescape letterescape letterescape letterhat letterlathab letterbat letterleftbrace letterleftbracket letterleftbracket letterleftparenthesis letterless letterpercent letterquestionmark letterrightbrace letterrightbrace letterrightbracket	letcatcodecommand \ \ letcscsname \ \ csname \ endcsname \ letcsnamecs \ csname \ endcsname \ \ letcsnamecsname \ csname \ endcsname \ letdummyparameter \ \ letgvalue \ \ \ letgvalue \ \ \ \ letgvalueempty \ \ \ \ letterampersand \ letterat \ letterbackslash \ letterbar \ letterbgroup \ letterclosebrace \ letterclosebrace \ lettercolon \ letterdoublequote \ letteregroup \ letterescape \ letterexclamationmark \ letterhash \ letterhath \ letterleftbrace \ letterleftbracket \ letterleftparenthesis \ letterless \ letterless \ letterrore \ letteropenbrace \ letteropenbrace \ letteropenbrace \ letterguestionmark \ letterrightbrace \ letterrightbrace \ letterrightbrace \ letterrightbracket

letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {} {}
limitatelines	\limitatelines {} {} {}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext \(\(\)\} \(\)\}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote \{\dots\}
linespanningtext	\linespanningtext \{\ldots\} \{\ldots\}
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\landbtxreplacementfile []
loadcldfile	\landcldfile []
loadcldfileonce	\landcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\} \\\.\.\}
lrtbbox	\lrtbbox \{\} \\\} \\\} \\\}
	\ltop {}
ltop	-
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\laparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
MESIC	\MESIC {}
METAFONT	\METAFONT
	,

METAFUN	
	\METAFUN
METAPOST	\METAPOST
MetaFont	MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
-	-
MPgetmultipars	\MPgetmultipars \{\dots\} \\\
MPgetmultishape	\MPgetmultishape {} {}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
-	-
MPpositiongraphic	\MPpositiongraphic \{\dagger_{\dagger}\} \{\dagger_{\dagger}\}
MPposset	\MPposset {}
MPr	\MPr {}
111 1	\MPrawvar {} {}
MPrawvar	Williamvar () ()
	\MPregion {}
MPrawvar	\MPregion {}
MPrawvar MPregion MPrest	\MPregion {} \MPrest {} {}
MPrawvar MPregion MPrest MPrightskip	\MPregion {} \MPrest {} {} \MPrightskip {}
MPrawvar MPregion MPrest MPrightskip MPrs	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtransparency {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtransparency {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur	<pre>\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {}</pre>
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPVI \MPV {} {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPVI \MPVI {} {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPVar	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvI \MPvar {} \MPvar {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPVI \MPVI {} {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPVar	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvI \MPvar {} \MPvar {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPvar MPvariable MPvv	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvI \MPvar {} \MPvar {} \MPvar {} \MPvar {} \MPvar {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPV MPvar MPvariable MPvv MPw	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPvI \MPv {} {} \MPvar {} \MPvar {} \MPvar {} \MPvw {} {} \MPvw {} {} \MPvw {} {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw MPw MPw MPw MPwhd MPx	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvar {} \MPvariable {} \MPv {} {} \MPw {} \MPw {} \MPw {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPww MPwhd MPx MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPtext {} \MPtext {} \MPtransparency {} \MPul {} \MPur {} \MPvI \MPv {} {} \MPvariable {} \MPv {} {} \MPw {} \MPw {} \MPw {} \MPw {} \MPw {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw MPw MPwhd MPx MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPv {} \MPw {} \MPw {} \MPw {} \MPw {} \MPw {} \MPw {} \MPx {} \MPx {} \MPx {} \MPxy {} \MPxy {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvw {} {} \MPw {} \MPx {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw MPww MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvw {} {} \MPw {} \MPw {} \MPw {} \MPw {} \MPx {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {} \MPy {} \MPy {} \MPy {} \MPy {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvw {} {} \MPw {} \MPx {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvar MPvariable MPvv MPw MPww MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvw {} {} \MPw {} \MPw {} \MPw {} \MPw {} \MPx {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {} \MPy {} \MPy {} \MPy {} \MPy {}
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPww MPww MPw MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPy m makecharacteractive	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvw {} {} \MPw {} \MPw {} \MPw {} \MPw {} \MPx {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \MPxy {} \MPy {} \Mmakecharacteractive
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPww MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvar {} \MPv {} \MPx {} \MPxy {} \MPxy {} \MPy {} \MPy {} \MPy {} \makecharacteractive \makerawcommalist [] \ \makestrutofbox
MPrawvar MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPww MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvar {} \MPv {} \MPw {} \MPw {} \MPw {} \MPy {} \MPx {} \MPxy {} \MPxy {} \MPy {} \MPy {} \MPy {} \MPy {} \makecharacteractive \makestrutofbox \male
MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvv {} {} \MPw {} \MPw {} \MPw {} \MPw {} \MPy {} \MPx {} \MPxy {} \MPxy {} \MPy {} \makecharacteractive \makestrutofbox \male \malekurzivnitucne
MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvariable {} \MPv {} \MPw {} \MPw {} \MPw {} \MPy {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \makecharacteractive \makestrutofbox \male \malekurzivnitucne \malenormalni
MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwhd MPx MPxy MPxy MPxy MPxy MPxy Mexy MPxy MPxy MPxy MPxy MPxy MPxy MPxy MP	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrstring {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvariable {} \MPv {} \MPw {} \MPw {} \MPw {} \MPy {} \MPxy {} \MPxy {} \MPxy {} \MPy {} \makecharacteractive \makestrutofbox \male \malekurzivnitucne \malenormalni \malesklonene
MPregion MPrest MPrightskip MPrs MPstring MPtext MPtransparency MPul MPur MPVI MPv MPvar MPvariable MPvv MPw MPwhd MPx MPxy MPxy MPxy MPxy MPxy MPxy MPxy	\MPregion {} \MPrest {} {} \MPrightskip {} \MPrs {} \MPstring {} \MPtext {} \MPtext {} \MPtext {} \MPul {} \MPul {} \MPVI \MPV {} {} \MPvariable {} \MPvariable {} \MPv {} \MPw {} \MPw {} \MPw {} \MPy {} \MPx {} \MPxy {} \MPxy {} \MPxy {} \makecharacteractive \makestrutofbox \male \malekurzivnitucne \malenormalni

maletucne	\maletucne
maletucnekurzivni	\maletucnekurzivni
maletucnesklonene	\maletucnesklonene
maletype	\maletype
mapfontsize	\mapfontsize [] [] \margindata [] [=] [=] {}
margindata	\margindata [] [=] [=] {}
margindata:instance	
margindata:instance:atleftmargin margindata:instance:atrightmargin	\atleftmargin [=] [=] {} \atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markinjector	\markinjector []
markpage	\markpage [] []
mat	\mat {}
matematika	\matematika [] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault mathdouble	\mathdefault \mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\} \\\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\ldots\} \\\
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\\
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar {} {}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {} {}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill \{\dots\}
mathextensible:instance:erightarrowfill mathextensible:instance:erightharpoondownfill	\erightarrowfill {} {} \erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal \{\} \{\}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
$\verb mathextensible:instance:mleftharpoondown $	$\mbox{\em Mlefthar poondown } \{\ldots\}$
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}

mathextensible:instance:mleftrightharpoons	
	$\mbox{mleftrightharpoons } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	$\mbox{mrightharpoondown } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtriplerel	$mtriplerel\ \{\ldots\}\ \{\ldots\}$
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
<u> </u>	•
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
	•
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	$\t Leftrightarrow {} {}$
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
•	-
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	$\time {trightarrow {} {}}$
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
<u>-</u>	
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
<u> </u>	_
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\t ttwoheadleftarrow $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
-	-
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	$\xhookrightarrow {} {}$
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
	_
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleft that poon down $\{\ldots\}$
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
<u> </u>	
mathextensible:instance:xleftrightharpoons	$\xleftrightharpoons {} {}$
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
<u> </u>	
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
<u> </u>	
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup	\xrightharpoondown {} {} \xrightharpoonup {} {}
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {}</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {}</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mcframed [] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mcframed [] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:inmframed mathframed:instance:mcframed mathframed:instance:mframed	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathfunction {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed mathfunction mathit mathitalic	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mframed [] {} \mathfunction {} \mathit \mathitalic</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed mathfunction mathit mathitalic	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathit \mathitalic \mathop {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mfra	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {}</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathoverextensible:example	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \mathover [] {} {} \mathover [] {} \matho</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:i</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathit \mathitology \mathop {} \mathover [] {} \mathop {} \mathop</pre>
mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathoverextensible:example	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \MATHADICAL [] {} \</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:i</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathit \mathitology \mathop {} \mathover [] {} \mathop {} \mathop</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mcframed mathframed:instance:mcframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathrm</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathrm \mathscript</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \mathover [] {} {} \mathover [] {} \mathra \mathoright \mathscript \mathsl</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathrm \mathscript \mathsl \mathsl \mathss</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathrm \mathscript \mathsl</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \inframed [] {} \mathfunction {} \mathfunction {} \mathit \mathitalic \mathop {} \MATHORNAMENT {} \MATHOVEREXTENSIBLE {} \MATHOVERTEXTENSIBLE {} \mathrm \mathscript \mathsl \mathsl \mathss</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss mathtext mathtextbf</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [] {} \inmframed [] {} \mframed [] {} \mathfunction {} \mathfunction {} \mathfunction {} \mathover [] {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} \MATHOTICAL [] {} \maths \maths \maths \maths \maths \maths \maths \mathextbf {} \mathtextbf} \mathtextbf {} \</pre>
<pre>mathextensible:instance:xrightharpoondown mathextensible:instance:xrightharpoonup mathextensible:instance:xrightleftharpoons mathextensible:instance:xrightoverleftarrow mathextensible:instance:xtriplerel mathextensible:instance:xtwoheadleftarrow mathextensible:instance:xtwoheadrightarrow mathfraktur mathframed:instance mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathframed:instance:mframed mathfunction mathit mathitalic mathop mathornament:example mathover mathoverextensible:example mathovertextextensible:instance mathradical:example mathrm mathscript mathsl mathss mathtext</pre>	<pre>\xrightharpoondown {} {} \xrightharpoonup {} {} \xrightleftharpoons {} {} \xrightoverleftarrow {} {} \xtriplerel {} {} \xtwoheadleftarrow {} {} \xtwoheadrightarrow {} {} \mathfraktur \MATHFRAMED [=] {} \inmframed [=] {} \mframed [=] {} \mathfunction {} \mathfunction {} \mathfunction {} \mathover [] {} \MATHOVEREXTENSIBLE {} \MATHOVEREXTENSIBLE {} \mathrm \mathscript \mathsl \mathss \mathex \mathex \mathss \mathtext {} \</pre>

mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {}
mathtriplet:example	\MATHTRIPLET [] {} {}
mathtt	\mathtt
mathunder	\mathunder [] {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	
	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure \{\ldots\}
measured	\measured {}
medskip	\medskip
medspace	\medspace
meritko	\meritko [] [=] {}
mesic	\mesic {}
message	\message {}
metaTeX	\metaTeX
mezera	\mezera
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
mononormal	\mononormal
monotucne	\monotucne
monthlong	\monthlong {}
monthshort	\monthshort {}
mprandomnumber	\mprandomnumber
mrizka	\mrizka [=]
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight \\\\} \\\\}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable \{\dots\} \\\.\}
namedstructurevariable	\namedstructurevariable \{\dots\} \\\
namedtaggedlabeltexts	\namedasgedlabeltexts {} {} {} {} {}
nastavbarvu	\nastavbarvu []
nastavbarvy	\nastavbarvy [=]
nastavblek	\nastavbilamista []
nastavblok	\nastavblok [] [=]
nastavbloksekce	\nastavbloksekce [] [=]
nastavbuffer	\nastavbuffer [] [=]
nastavcernelinky	\nastavcernelinky [=]
nastavcislonadpisu	\nastavcislonadpisu []
nastavcislostrany	\nastavcislostrany [=]
nastavcislovaniodstavcu	\nastavcislovaniodstavcu [=]
nastavcislovaniradku	\nastavcislovaniradku [] [=]
nastavcislovanistran	\nastavcislovanistran [=]
nastavcitaci	\nastavcitaci [=]
nastavdeleniplvoucichobjektu	\nastavdeleniplvoucichobjektu [=]

)
nastavdelitko	\nastavdelitko [=]
nastavdolnitexty	\nastavdolnitexty [] [] [] [] \nastaveni []
nastaveni nastaveni:direct	\nastaveni []
nastavhorejsek	\nastavhorejsek [] [=] \nastavhornitexty [] [] [] [] []
nastavhornitexty nastavinterakci	\nastavinterakci [] [=]
nastavinterakci:name	\nastavinterakci [] \nastavinterakci []
nastavinterakciilistu	\nastavinterakti [] \nastavinteraktnilistu [] [=]
nastavinterakenimenu	\nastavinterakcnimenu [] [=]
nastavinterakcniobrazovku	\nastavinterakcniobrazovku [=]
nastavjazyk	\nastavjazyk [] [=]
nastavkapitalky	\nastavkapitalky [] [=]
nastavkombinovanyseznam	\nastavkombinovanyseznam [] [=]
nastavkombinovanyseznam:instance	\nastaveniCOMBINEDLIST [=]
nastavkombinovanyseznam:instance:content	\nastavenicontent [=]
nastavkomentar	\nastavkomentar [] [=]
nastavkomentarstrany	\nastavkomentarstrany [=]
nastavmarginalnilinky	\nastavmarginalnilinky [] [=]
nastavmeziradkovoumezeru	\nastavmeziradkovoumezeru [] [=]
nastavmeziradkovoumezeru:argument	\nastavmeziradkovoumezeru []
nastavmeziradkovoumezeru:name	\nastavmeziradkovoumezeru []
nastavnadpis	\nastavnadpis [] [=]
nastavnadpisy	\nastavnadpisy [] [=]
nastavodkazovani	\nastavodkazovani [=]
nastavodsazovani	\nastavodsazovani []
nastavodstavce	\nastavodstavce [] [] [=]
nastavodstavce:assignment	\nastavodstavce [] [=]
nastavopis	\nastavopis [] [=]
nastavoramovanetexty	\nastavoramovanetexty [] [=]
nastavoramovani	\nastavoramovani [] [=]
nastavorez	\nastavorez [=]
nastavotoceni	\nastavotoceni [=]
nastavpaletu	\nastavpaletu []
nastavplvouciobjekt	\nastavplvouciobjekt [] [=]
nastavplvouciobjekty	\nastavplvouciobjekty [] [=]
nastavpodcislostrany	\nastavpodcislostrany [=]
nastavpole	\nastavpole [] [=] [=] [=]
nastavpolozky	\nastavpolozky [] [=]
nastavpopisek nastavpopisky	\nastavpopisek [] [=] \nastavpopisky [] [=]
nastavpozadi	\nastavpopisky [] [=]
nastavpozadi:page	\nastavpozadi [] [=]
nastavprechodstrany	\nastavprechodstrany []
nastavpreskok	\nastavpreskok []
nastavprogramy	\nastavprogramy [=]
nastavradkovani	\nastavradkovani []
nastavradky	\nastavradky [] [=]
nastavrejstrik	\nastavrejstrik [] [=]
nastavrejstrik:argument	\nastavrejstrik [] [=]
nastavrejstrik:instance	\nastaveniREGISTER [] [=]
nastavrejstrik:instance:index	\nastaveniindex [] [=]
nastavrovnice	\nastavrovnice [] [=]
nastavsadusymbolu	\nastavsadusymbolu []
nastavseznam	\nastavseznam [] [=]
nastavsirkucary	\nastavsirkucary []
nastavsloupce	\nastavsloupce [=]
nastavspodek	\nastavspodek [] [=]
nastavsynonyma	\nastavsynonyma [] [=]
nastavtabelaci	\nastavtabelaci [] [=]
nastavtabulky	\nastavtabulky [=]
nastavtenkelinky	\nastavtenkelinky [=]
nastavtext	\nastavtext [] [=]
nastavtextovelinky	\nastavtextovelinky [=]
nastavtextpopisku:instance	\nastaveniLABELtext [] [=]
nastavtextpopisku:instance:btxlabel	\nastavenibtxlabeltext [] [=]
nastavtextpopisku:instance:head	\nastaveniheadtext [] [=] \nastavenilabeltext [] [=]
nastavtextpopisku:instance:label	\nastavenilabeltext [] [=] \nastavenimathlabeltext [] [=]
nastavtextpopisku:instance:mathlabel nastavtextpopisku:instance:operator	\nastavenimathiabeltext [] [=] \nastavenioperatortext [] [=]
nastavtextpopisku:instance:operator	\nastaveniprefixtext [] [=]
nastavtextpopisku:instance:prefix	\nastavenisuffixtext [] [=]
nastavtextpopisku:instance:taglabel	,
	\nastavenitaglabeltext [] [=]
nastavtextpopisku:instance:unit	\nastavenitaglabeltext [] [=] \nastaveniunittext [] [=]
nastavtextpopisku:instance:unit nastavtexttexty	\nastavenitaglabeltext [] [=] \nastaveniunittext [] [=] \nastavtexttexty [] [] [] [] []

nastavtextyupati	\nastavtextyupati [] [] [] []
nastavtextyzahlavi	\nastavtextyzahlavi [] [] [] []
nastavtoleranci	\nastavtoleranci []
nastavtrideni	\nastavtrideni [] [=]
nastavtype	\nastavtype [] [=]
nastavumisteniprotejsku	\nastavumisteniprotejsku [=]
nastavumistovani	\nastavumistovani [] [=]
nastavupati	\nastavupati [] [=]
nastavupravu	\nastavupravu [] [=]
nastavurl	\nastavurl [=]
nastavusporadani	\nastavusporadani []
nastavvelikostpapiru	\nastavvelikostpapiru [] [=]
nastavvelikostpapiru:name	\nastavvelikostpapiru [] []
nastavvsechnapole	\nastavvsechnapole [] [=] [=]
nastavvycty	\nastavvycty [] [=]
nastavvyplnovelinky	\nastavvyplnovelinky [=]
nastavvyplnoveradky	\nastavvyplnoveradky [=]
nastavvzhled	\nastavvzhled [] [=]
nastavvzhled:name	\nastavvzhled []
nastavzahlavi	\nastavzahlavi [] [=]
nastavzakladnifont	\nastavzakladnifont []
nastavzarovnani	\nastavzarovnani []
nastavznaceni	\nastavznaceni [] [=]
nastavzuzeni	\nastavzuzeni [] [=]
nastrane	\nastrane []
nastred	\nastred
naturalhbox	\naturalhbox {}
	\naturalhpack {}
naturalhpack	
naturalybox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
nejakyradek	\nejakyradek []
nekde	\nekde {} {} []
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
<u> </u>	_
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\dalsiPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
neznamo	\neznamo
	\nivy [] {}
nivy	·
nizky	\nizky {}
nizky:instance	\LOW {}
nizky:instance:unitslow	\unitslow {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats

noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nokap	\nokap {}
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\} \{\}
normalizefontline	\normalizefontline \ {} {} {}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight \{\ldots\} \\\.\\\
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth \{\} \{\}
normalni	\normalni
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
notesymbol	\notesymbol [] []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
obrazovka	\obrazovka []
odkaz	\odkaz [] {}
odkaznastranu	\odkaznastranu []
odkaznatext	\odkaznatext [] {}
	\odkazujici (,) (,) []
odkazujici offset	
	\offset [=] {}
offsetbox	\offsetbox [=.] \ {}
onedigitrounding	\onedigitrounding {}
opis	\opis [=] {}
opissoubor	\opissoubor [] [=] {}
opis:angles	\opis [=] <<>>
opis:example	\OPIS [=] {}
opis:example:angles	\OPIS [=] <<>>
oramovani	\oramovani [=] {}
oramovani:instance	\FRAMED [=] {}
oramovani:instance:fitfieldframed	\fitfieldframed [=] {}
oramovani:instance:unframed	\unframed [=] {}
oramovanytext:instance	\FRAMEDTEXT [=] {}
oramovanytext:instance:framedtext	\framedtext [=] {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
oref	\oref []
orez	\orez [=.] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT \{\} \\\
otocit	\otocit [=] {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayleight
· ·	
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset

overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
	\oznaceni (, () [=] {}
oznaceni	
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}
-	
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen \{\ldots\} \\
1	
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
pickupgroupedcommand	\pickupgroupedcommand \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
pis	\pis [=] {}
pis:angles	\pis [=] <<>>
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
-	
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\umistiFLOAT [] [] {}
placefloat:instance:figure	\umistifigure [] [} {}
placefloat:instance:graphic	\umistigraphic [] [] {} {}
placefloat:instance:chemical	\umistichemical [] [] {}
placefloat:instance:intermezzo	\umistiintermezzo [] [] {} {}
placefloat:instance:table	\umistitable [] [] {}
placeframed	\placeframed [] [=] {}
-	-
placeheadnumber	\placeheadnumber []
placeheadtext	\placeheadtext []
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
-	

placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofpublications [] [=]
-	\placelistofSORTS [=]
placelistofsorts:instance	_
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepagenumber	\placepagenumber
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	$\uberrule \uberrule \ube$
placepairedbox:instance:legend	\umistilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
plnezneni	\plnezneni {}
pole	\pole [] []
polozka	\polozka []
polozky	\polozky [=] {}
popattribute	\popattribute \
popis:example	\POPIS [] {} \par
	\popmacro \
popmacro	
popmode	\popmode []
poppisek:example	\POPISEK [] {}
popsystemmode	\popsystemmode {}
porovnejpaletu	\porovnejpaletu []
porovnejskupinubarev	\porovnejskupinubarev []
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
poslaednipodstranka	\poslaednipodstranka
postponenotes	\postponenotes
pozadi	\pozadi {}
pozadi:example	\POZADI {}
pozice	\pozice [=] (,) {}
poznamka	\poznamka [] []
poznamka:instance	\NOTE [] {}
poznamka:instance:assignment	\NOTE [=]
poznamka:instance:assignment:endnote	\endnote [=]
poznamka:instance:assignment:footnote	\footnote [=]
poznamka:instance:endnote	\endnote [] {}
poznamka:instance:footnote	\footnote [] {}
pravidelne	\pravidelne
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
pref	\pref {} {} []
prefixedpagenumber	\prefixedpagenumber
prelozit	\prelozit [=]
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue \{\dots\}
prependtocommalist	\prependgvariac \(\therefore\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prepending and in fort	\preprinazakladnifont [
prepninazakladnifont	\prepninazakladnifont []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtext [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltext [] [=]
presetlabeltext:instance:head	\presetheadtext [] [=]
presetlabeltext:instance:label	\presetlabeltext [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltext [] [=]
presetlabeltext:instance:operator	\nmaga+anama+am+am+ [] [=]
presetlabeltext:instance:prefix	\presetoperatortext [] [=] \presetprefixtext [] [=]

<pre>presetlabeltext:instance:suffix</pre>	\presetsuffixtext [] [=]
<pre>presetlabeltext:instance:taglabel</pre>	\presettaglabeltext [] [=]
presetlabeltext:instance:unit	\presetunittext [] [=]
preskoc	\preskoc []
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
-	
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
prizpusobivepole	\prizpusobivepole [] [=]
prizpusobvzhled	\prizpusobvzhled [] [=]
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
•	
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
-	\processisolatedchars \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processisolatedchars	-
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist \{\} \{\} \\
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {} {}
•	\produkt []
produkt	\produkt []
produkt:string	•
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
projekt	\projekt []
projekt:string	\projekt
prostredi	\prostredi []
prostredi:string	\prostredi
prvnipodstranka	\prvnipodstranka
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
purenumber	\purenumber \{\ldots\}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
•	-
pushbar	\pushbarya [] \pushbarya
pushbarva	\pushbarva [] \popbarva
pushbutton	\pushbutton []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing

pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpozadi	\pushpozadi [] \poppozadi
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache \{\} \\ \{\}
qquad	\qquad
quad	
quads	s []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
-	_ -
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
Rimskecislice	\Rimskecislice {}
radek	\radek {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile \{\} \\\\}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {} {}
readtexfile	\readtexfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readxmlfile	\readxmlfile \{\} \{\}
realpagenumber	realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile \{\dots\} \\\
registerexternalfigure	\registerettxiuallie \(\ldots\); \(\ldots\); \(\registerexternalfigure \[\ldots\] \[\ldots\] \(\ldots\).
<u> </u>	
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
rejstrik:instance	\REGISTER [] [++]
rejstrik:instance:index	\index [] [++]
rejstrik:instance:ownnumber	\REGISTER [] {} [++]

rejstrik:instance:ownnumber:index	\index [] {} [++]
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers \{\ldots\} \{\ldots\} \{\ldots\} \\
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature [] \replacefeature {}
replacefeature:direct	\replaceTeature \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
replaceincommalist	\replacemond [] []
replaceword rescan	\rescan {}
rescanwithsetup	\rescanvithsetup \{\ldots\} \\\
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
resetznaceni	\resetznaceni []

reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled \{\ldots\} \{\ldots\}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtext {}
rightlabeltext:instance:head	\rightheadtext {}
rightlabeltext:instance:label	\rightlabeltext {}
rightlabeltext:instance:mathlabel	\rightmathlabeltext {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	$\$ rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rimskecislice	\rimskecislice {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset $\{\}$ $\{\}$ $\{\}$
robustdoifinsetelse	\robustdoifinsetelse $\{\}$ $\{\}$ $\{\}$
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
rovnice	\rovnice [] {}
rozdelplvouciobjekt	\rozdelplvouciobjekt [=] {} {}
roztazene	\roztazene [=] {}
rtop	\rtop {}
rukopisne	\rukopisne
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	
	\ruledmbox {}
ruledtopv	
•	\ruledtopv {}
ruledtopv ruledtpack ruledvbox	
ruledtpack ruledvbox	\ruledtopv {} \ruledtpack {} \ruledvbox {}
ruledtpack ruledvbox ruledvpack	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {}
ruledtpack ruledvbox	\ruledtopv {} \ruledtpack {} \ruledvbox {}
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer []
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {}
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \SLOVO {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runnMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \SLOVO {} \Slova {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Slova {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Slova {} \Snallcapped {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Slova {} \Snallcapped {} \safechar {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Smallcapped {} \samplefile {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \samplefile {} \sans</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \sans \sansnormal</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvtop {} \runnMPbuffer [] \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snova {} \smallcapped {} \safechar {} \sans \sansnormal \sanstucne</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \sans \sansnormal \sanstucne \savebarva \restorebarva</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva savebox	<pre>\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \samplefile {} \sans \sansnormal \sanstucne \savebarva \restorebarva \savebox {} {}</pre>
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva savebox savebtxdataset	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \sans \sansnormal \sanstucne \savebarva \restorebarva \savebox {} {} \savebtxdataset [] [] [=]
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva savebox savebtxdataset savebuffer	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \sans \sansnormal \sanstucne \savebarva \restorebarva \savebox {} {} \savebuffer [] \savebuffer []
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva savebox savebtxdataset savebuffer savebuffer:list	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Samplefile {} \sans \sansnormal \sanstucne \savebarva \restorebarva \savebox {} {} \savebuffer [] \savebuffer [] \savebuffer []
ruledtpack ruledvbox ruledvpack ruledvtop runMPbuffer runninghbox ScaledPointsToBigPoints ScaledPointsToWholeBigPoints SLOVA SLOVO Slova Slovo Smallcapped safechar samplefile sans sansnormal sanstucne savebarva savebox savebtxdataset savebuffer	\ruledtopv {} \ruledtpack {} \ruledvbox {} \ruledvpack {} \ruledvtop {} \runninghbox {} \ScaledPointsToBigPoints {} \ \ScaledPointsToWholeBigPoints {} \ \SLOVA {} \Slova {} \Slova {} \Snallcapped {} \safechar {} \sans \sansnormal \sanstucne \savebarva \restorebarva \savebox {} {} \savebuffer [] \savebuffer []

savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata sbox	\savetwopassdata {} {} {} \sbox {}
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments $\{\}$ $\{\}$ $\{\}$
secondofsixarguments	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
secondofthreearguments	\secondofthreearguments $\{\ldots\}$ $\{\ldots\}$
secondofthreeunexpanded	\secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded {} {}
sedabarva	\sedabarva [] {}
seeregister:instance	\vizREGISTER [] [++] {}
seeregister:instance:index	\vizindex [] [++] {}
sekce:instance	\SECTION [] {}
sekce:instance:assignment	\SECTION [=]
sekce:instance:assignment:chapter	\chapter [=]
sekce:instance:assignment:part	\part [=]
sekce:instance:assignment:section	\section [=]
sekce:instance:assignment:subject	\subject [=]
sekce:instance:assignment:subsection	\subsection [=]
sekce:instance:assignment:subsubject	\subsubject [=]
sekce:instance:assignment:subsubsection	\subsubsection [=]
sekce:instance:assignment:subsubsubject	\subsubsubject [=] \subsubsubsection [=]
sekce:instance:assignment:subsubsubsection sekce:instance:assignment:subsubsubsubject	\subsubsubsection [] \subsubsubsubject [=]
sekce:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
sekce:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
sekce:instance:assignment:title	\title [=]
sekce:instance:chapter	\chapter [] {}
sekce:instance:ownnumber	\SECTION [] {}
sekce:instance:ownnumber:chapter	\chapter [] {}
sekce:instance:ownnumber:part	\part [] {} {}
sekce:instance:ownnumber:section	\section [] {}
sekce:instance:ownnumber:subject	\subject [] {}
sekce:instance:ownnumber:subsection	\subsection [] {} {}
sekce:instance:ownnumber:subsubject	\subsubject [] {} {}
sekce:instance:ownnumber:subsubsection	\subsubsection [] $\{\}$
sekce:instance:ownnumber:subsubsubject	$\subsubsubject [] {}$
sekce:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
sekce:instance:ownnumber:subsubsubject	\subsubsubsubject [] {}
sekce:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
sekce:instance:ownnumber:subsubsubsubsubject	\subsubsubsubject [] {} {}
sekce:instance:ownnumber:title	\title [] {}
sekce:instance:part	\part [] {}
sekce:instance:section	\section [] {}
sekce:instance:subject	\subject [] {}
sekce:instance:subsection sekce:instance:subsubject	\subsection [] {}
sekce:instance:subsubject sekce:instance:subsubsection	\subsubject [] {} \subsubsection [] {}
sekce:instance:subsubsection sekce:instance:subsubsubject	\subsubsection [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubsubject	\subsubsubsubject [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubsubsubject	\subsubsubsubject [] {}
sekce:instance:title	\title [] {}
select	\select {} {} {} {} {}
serializecommalist	\serializecommafffst [.OPT OPT OPT OPT
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []

setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument \{\ldots\} \{\ldots\}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter \{\ldots\} \{\ldots\}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure \{\ldots\}
setevalue	\setevalue {} {}
setevariable	\setevariable \{\} \{\}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setgmeasure	\setgmeasure \{\ldots\} \\\
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setcharacteralign	\setcharacteralign {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning setcharacterspacing	\setcharacterkerning []
setcharacterstripping	\setcharacterspacing [] \setcharacterstripping []
setcharstrut	\setcharacterstripping []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinfector [] \setinteraction []
setinterfacecommand	\setinterfacecommand \{\ldots\\} \\\
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage \{\ldots\}\{\ldots\}\{\ldots\}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	$\verb \setMPpositiongraphic range {} {} {} {} $
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure \{\ldots\} \{\ldots\}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}

setnostrut	\setnostrut
setnote	\setnostitt \setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} \ \ \
setoldstyle	\setoldstyle
setpagegrid	\setpagegrid [=] {}
setpagereference setpagestate	\setpagereference {} {} \setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\} \{\}
setpercentdimen	\setpercentdimen {} {}
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setpositiondataplus setpositiononly	\setpositiondataplus \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\ \setpositiononly \{\ldots\}
setpositionplus	\setpositionplus {} \ \ \}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setregisterentry	\setregisterentry [] [=]
setreplacement setrigidcolumnbalance	\setreplacement [] \setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize \{\ldots\} \{\ldots\}
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister setstrut	\setstructurepageregister [] [=] [=] \setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settextcontent	\settextcontent [] [] [] []
settightobject	\settightobject {} \ \ \
settightreferencedobject	\settightreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
settightunreferencedobject settrialtypesetting	\settightunreferencedobject {} \ {} \settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} {} \ {}
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar setupbars	\setupbar [] [=] \setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name setupbutton	\setupbtx [] \setupbutton [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections setupdocument	\setupdirections [=] \setupdocument [=]
setupeffect	\setupedfect [] [=]
setupenumeration	
500 aponamor a 010 n	\setupenumeration [] [=]
setupenv	\setupenumeration [] [=] \setupenv [=]

setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion	\setupfintexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=] \setupfontsolution [] [=]
setupfontsolution	
setupforms	\setupforms [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical []
setupchemicalframed	\setupchemicalframed [] [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\nastaveniITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\nastaveniitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	
1 3	\setuplayer [] [=] \setuplayeredtext [] [=]
setuplayeredtext	= · ·
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
▲ - * * · · · · · · · · · · · · · · · · ·	and the second s

)
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=] \setupmathstackers [] [=]
setupmathstackers setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoifsetbox	\setupoffsetbox [=]
setupoutputroutine setupoutputroutine:name	\setupoutputroutine [] [=] \setupoutputroutine []
setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppagechecker	\setuppagechecker [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift setuppagestate	\setuppageshift [] [] \setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\nastaveniPAIREDBOX [=]
setuppairedbox:instance:legend	\nastavenilegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar setupprocessor	\setuppositionbar [=] \setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setuprealpagenumber setupreferenceformat	\setuprealpagenumber [=] \setupreferenceformat [] [=]
	\setupreferenceformat [] [=] \setupreferenceprefix []
setupreferenceformat setupreferenceprefix setupreferencestructureprefix	\setupreferenceformat [] [=] \setupreferenceprefix [] [] [=]
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters	\setupreferenceformat [] [=] \setupreferenceprefix [] [] [] \setupreferencestructureprefix [] [] \setupregisters [] [=]
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] []
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=] \setupregisters [] [] [=] \setuprenderingwindow [] [=]
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [] \setuprenderingwindow [] [=] \setups []
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setups setupssale	\setupreferenceformat [] [=] \setupreferenceprefix [] [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprenderingwindow [] [=] \setups [] \setupscale [] [=]
setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupselector [] [=]</pre>
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprenderingwindow [] [] \setuprenderingwindow [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprenderingwindow [] [] \setuprenderingwindow [] \setups [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprenderingwindow [] [] \setups [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupshift [] [] \setupsidebar [] [] \setupspellchecking []</pre>
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupshift [] [] \setupspellchecking [] \setupspellchecking [] \setupstartstop [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstretched [=]</pre>
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupshift [] [] \setupspellchecking [] \setupspellchecking [] \setupstartstop [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts	<pre>\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupshift [] [=] \setupshift [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstretched [=] \setupstruts []</pre>
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstyle	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprenderingwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstretched [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstyle setupsubformula	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupshift [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstruts [] \setupsubformula [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setups:direct	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprenderingwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsynctex [] \setupsynctex [] \setups \text{\text{setupsynctex} []} \setups \text{\text{setupsynctex} []}
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstruts setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setups:direct setupTABLE	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupshift [] [=] \setupspellchecking [=] \setupstrattop [] [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupsubformula [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsynctex [=] \setupTABLE [] [] [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setupTABLE setupTEXpage	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupscripts [] [] \setupselector [] [] \setupshift [] [] \setupsidebar [] [] \setupspellchecking [] \setupstartstop [] [] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformula [] [] \setupsubformulas [] [] \setupsupsqueta [] \setupTABLE [] [] \setupTEXpage []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setupTABLE setupTEXpage setuptauts setuptavetaulation	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupshift [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupTABLE [] [=] \setupTEXpage [=] \setupTEXpage [=] \setupTEXpage [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setupTABLE setuptagging	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setupsetups [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupspellchecking [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupstups {} \setupTABLE [] [] [=] \setupTEXpage [=] \setuptabulation [] [=] \setuptagging [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setupTABLE setupTEXpage setuptauts setuptavetaulation	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [=] \setuprederingwindow [] [=] \setuprenderingwindow [] [=] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupshift [] [=] \setupspellchecking [=] \setupstartstop [] [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupTABLE [] [=] \setupTEXpage [=] \setupTEXpage [=] \setupTEXpage [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsubformulas setupsTABLE setupTABLE setuptagging setuptaxtbackground	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] [=] \setuprederingwindow [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupscripts [] [=] \setupslector [] [=] \setupslidebar [] [=] \setupsidebar [] [=] \setupstpltchecking [=] \setupstpstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsubformulas [] [=] \setupstptable [] [=] \setupTABLE [] [] [=] \setuptabulation [] [=] \setuptagging [=] \setuptatuptextbackground [] [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstartstop setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsubformulas setupsTABLE setupTABLE setuptAgge setuptagging setuptextbackground setuptextflow	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setupscale [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] [] \setupslector [] [] \setupsleder [] [] \setupsidebar [] [] \setupsidebar [] [] \setupstretched [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformulas [] [] \setupsubformulas [] [] \setupsubformulas [] [] \setupsuptable [] [] \setuptable [] []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscripts setupselector setupshift setupsidebar setupspellchecking setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setups:direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextflow setuptoltip setupunit setupuserpagenumber	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [] [=] \setuprederingwindow [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupspellchecking [=] \setupspellchecking [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsupstruts [] \setupsynctex [=] \setupsynctex [=] \setupstyle [] [=] \setuptabulation [] [=] \setuptabulation [] [=] \setuptabutextflow [] [=] \setuptextflow [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupunit [] [=] \setupuserpagenumber [=]
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupselector setupshift setupsidebar setupspellchecking setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsynctex setups!direct setupTABLE setupTEXpage setuptabulation setuptagging setuptextflow setuptoltip setupunit setupuserpagenumber setupversion	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=] \setupregisters [] [=] \setupregisters [] [] [=] \setuprederingwindow [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupshift [] [=] \setupspellchecking [=] \setupspellchecking [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupsubformula [] [=] \setupsubformulas [] [=] \setupsupstruts [] \setupsynctex [=] \setupsynctex [=] \setupstyle [] [=] \setuptabulation [] [=] \setuptabulation [] [=] \setuptatptatptagging [=] \setuptextflow [] [=] \setuptooltip [] [=] \setuptooltip [] [=] \setupunit [] [=] \setupunit [] [=] \setupversion []
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupselector setupshift setupsidebar setupspellchecking setupstretched setupstruts setupstyle setupstyle setupsubformula setupsubformulas setuppynctex setupTABLE setupTABLE setuptABLE setuptaging setuptextflow setuptooltip setupunit setupuserlayer	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] [] \setuprederingwindow [] [] \setupsequeringwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupselector [] [] \setupselector [] [] \setupselector [] [] \setupspellchecking [] \setupspellchecking [] \setupstretched [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformulas [] [] \setupsupsoftem [] \setupsupsoftem [] \setupsupscript [] \setupscript [] \setuptabulation [] [] \setuptabulation [] [] \setuptabulation [] [] \setuptooltip [] [] \setuptooltip [] [] \setuptooltip [] [] \setupunit [] [] \setupversion [] \setupversion [] \setupversion [] \setupviewerlayer []
setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupselector setupshift setupsidebar setupspellchecking setupstretched setupstruts setupstyle setupsubformula setupsubformulas setupsuplatet setupTEXpage setuptABLE setuptAgging setuptexthod setuptextflow setuptextflow setuptextflow setuptextflow setuptooltip setupuverlayer setupvapecing	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] [=] \setuprederingwindow [] [=] \setups [] \setupscale [] [=] \setupscript [] [=] \setupscripts [] [=] \setupselector [] [=] \setupshift [] [=] \setupsidebar [] [=] \setupspellchecking [=] \setupstruts [] \setupstruts [] \setupstruts [] \setupstyle [] [=] \setupsubformulas [] [=] \setupsubformulas [] [=] \setupsynctex [=] \setups \text{\text{L}} \setup \text{\text{S}} \setup
setupreferenceformat setupreferenceprefix setupregisters setupregisters:argument setuprenderingwindow setups setupscale setupscript setupscript setupselector setupshift setupsidebar setupspellchecking setupstretched setupstruts setupstyle setupstyle setupsubformula setupsubformulas setuppynctex setupTABLE setupTABLE setuptABLE setuptaging setuptextflow setuptooltip setupunit setupuserlayer	\setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [=] \setupregisters [] [] [=] \setupregisters [] [] [] \setuprederingwindow [] [] \setupsequeringwindow [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] [] \setupselector [] [] \setupselector [] [] \setupselector [] [] \setupspellchecking [] \setupspellchecking [] \setupstretched [] \setupstruts [] \setupstruts [] \setupstyle [] [] \setupsubformulas [] [] \setupsupsoftem [] \setupsupsoftem [] \setupsupscript [] \setupscript [] \setuptabulation [] [] \setuptabulation [] [] \setuptabulation [] [] \setuptooltip [] [] \setuptooltip [] [] \setuptooltip [] [] \setupunit [] [] \setupversion [] \setupversion [] \setupversion [] \setupviewerlayer []

setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
•	
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorset [] \showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
shownargins	\shownargins
•	\showmessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
shownessage	_
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition \{\ldots\} \{\ldots\} \\
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}

schovejbloky	\schovejbloky [] []
simplealignedbox	\simplealignedbox {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus {} {} {}
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
•	•
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {}
sklonene	\sklonene
sklonenetucne	\sklonenetucne
slantedface	\slantedface
slicepages	\slicepages [] [=]
sloupec	\sloupec []
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
slovo	\slovo {}
slovovpravo	\slovovpravo [] {}
smallbodyfont	\smallbodyfont
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	
	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
spanishNumerals	\spanishNumerals {}
spanishnumerals	-
•	\spanishnumerals {}
splitatasterisk	\splitatasterisk \
splitatcolon	\splitatcolon \ \
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \ \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
-	-
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
• •	
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
-	•
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackrel	\stackrel {} {}
stanovcislonadpisu	\stanovcislonadpisu []
stanovcharakteristickuseznamu	
	\stanovcharakteristickuseznamu [] [=]
startalignment	\startalignment [] \stopalignment
startallmodes	\startallmodes [] \stopallmodes
startattachment:instance	\startATTACHMENT [] [=.] \stopATTACHMENT
startattachment:instance:attachment	\startattachment [] [=] \stopattachment
startbar	\startbar [] \stopbar
startbarva	\startbarva [] \stopbarva
startbbordermatrix	\startbbordermatrix \stopbbordermatrix
startbitmapimage	\startbitmapimage [=] \stopbitmapimage
startbordermatrix	\startbordermatrix \stopbordermatrix
startbtxrenderingdefinitions	\startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions
startbuffer	\startbuffer [] \stopbuffer
startbuffer:instance	\startBUFFER \stopBUFFER
startbuffer:instance:hiding	\starthiding \stophiding
Sour Sour Lot . Tub canco . HITGINK	Post outstill Probutstill

```
startcatcodetable
                                                         \startcatcodetable \... \stopcatcodetable
startcenteraligned
                                                         \startcenteraligned ... \stopcenteraligned
startcollect
                                                         \startcollect ... \stopcollect
startcollecting
                                                         \startcollecting ... \stopcollecting
                                                         \startcolorintent [...] ... \stopcolorintent
startcolorintent
startcoloronly
                                                         \startcoloronly [...] ... \stopcoloronly
startcolorset
                                                         \startcolorset [...] ... \stopcolorset
                                                         \startcolumnspan [..=..] ... \stopcolumnspan
startcolumnspan
                                                         \startcombination [...] [..=..] ... \stopcombination
startcombination
                                                         \startcombination [...] [...] ... \stopcombination
startcombination:matrix
startcontextcode
                                                         \startcontextcode ... \stopcontextcode
                                                         \startcontextdefinitioncode ... \stopcontextdefinitioncode
startcontextdefinitioncode
startctxfunction
                                                         \startctxfunction ... \stopctxfunction
startctxfunctiondefinition
                                                         \startctxfunctiondefinition ... ... \stopctxfunctiondefinition
startcurrentcolor
                                                         \startcurrentcolor ... \stopcurrentcolor
                                                         \verb|\startcurrentlistentrywrapper| \dots \verb|\stopcurrentlistentrywrapper|
startcurrentlistentrywrapper
startdelimited
                                                         \ startdelimited [...] [...] ... \stopdelimited
                                                         \startdelimitedtext [...] [...] ... \stopdelimitedtext
startdelimitedtext
startdelimitedtext:instance
                                                         \startDELIMITEDTEXT [...] [...] ... \stopDELIMITEDTEXT
startdelimitedtext:instance:aside
                                                         \startaside [...] [...] ... \stopaside
                                                         \startblockquote [...] [...] ... \stopblockquote
startdelimitedtext:instance:blockquote
startdelimitedtext:instance:quotation
                                                         \startquotation [...] [...] ... \stopquotation
                                                         \startquote [...] [...] \stopquote
startdelimitedtext:instance:quote
startdelimitedtext:instance:speech
                                                         \startspeech [...] [...] ... \stopspeech
startdisplaymath
                                                         \startdisplaymath ... \stopdisplaymath
startdmath
                                                         \startdmath ... \stopdmath
                                                         \startdocument [..=..] ... \stopdocument
startdocument
starteffect
                                                         \starteffect [...] ... \stopeffect
                                                         \startEFFECT ... \stopEFFECT
starteffect:example
                                                         \startelement {...} [..=..] ... \stopelement
startelement
startembeddedxtable
                                                         \startembeddedxtable [..=..] ... \stopembeddedxtable
                                                         \startembeddedxtable [...] ... \stopembeddedxtable
startembeddedxtable:name
                                                         \startexceptions [...] ... \stopexceptions
startexceptions
startexpanded
                                                         \startexpanded ... \stopexpanded
startexpandedcollect
                                                         \verb|\startexpandedcollect| ... \verb|\stopexpandedcollect|
                                                         \startextendedcatcodetable \... \stopextendedcatcodetable
startextendedcatcodetable
                                                         \startexternalfigurecollection [...] ... \stopexternalfigurecollection
{\tt startexternal figure collection}
                                                         \startfittingpage [...] [..=..] ... \stopfittingpage
startfittingpage
                                                         \verb|\startFITTINGPAGE [..=..] ... \verb|\stopFITTINGPAGE||
\verb|startfittingpage:instance|\\
                                                         \startMPpage [..=..] ... \stopMPpage
startfittingpage:instance:MPpage
startfittingpage:instance:TEXpage
                                                         \startTEXpage [..=..] ... \stopTEXpage
                                                         \startfixne [...] ... \stopfixne
startfixne
startfloatcombination
                                                         \startfloatcombination [..=..] ... \stopfloatcombination
                                                         \verb|\startfloatcombination| [\dots] \dots \verb|\stopfloatcombination|
startfloatcombination:matrix
                                                         \startFLOATtext [...] [...] {...} \stopFLOATtext
startfloattext:instance
                                                         \startfiguretext [...] [...] {...} ... \stopfiguretext
startfloattext:instance:figure
startfloattext:instance:graphic
                                                         \verb|\startgraphictext|[...][...]{...}... \verb|\stopgraphictext|
startfloattext:instance:chemical
                                                         \verb|\startchemicaltext[...][...]{...} ... \verb|\stopchemicaltext|
                                                         \verb|\startintermezzotext| [\dots] [\dots] {\dots} \dots \verb|\stopintermezzotext|
startfloattext:instance:intermezzo
startfloattext:instance:table
                                                         \starttabletext [...] [...] {...} ... \stoptabletext
                                                         \startfont [...] ... \stopfont
startfont
startfontclass
                                                         \startfontclass [...] ... \stopfontclass
startfontsolution
                                                         \verb|\startfontsolution|| \ldots | | stopfontsolution||
startframedcell
                                                         \startframedcell [..=..] ... \stopframedcell
                                                         \startframedcontent [...] ... \stopframedcontent
startframedcontent
startframedrow
                                                         \startframedrow [..=..] ... \stopframedrow
startframedtable
                                                         \startframedtable [...] [..=..] ... \stopframedtable
                                                         \startgridsnapping [...] ... \stopgridsnapping
startgridsnapping
startgridsnapping:list
                                                         \startgridsnapping [...] ... \stopgridsnapping
                                                         \starthboxestohbox ... \stophboxestohbox
{\tt starthboxestohbox}
starthboxregister
                                                         \starthboxregister ... \stophboxregister
starthelp:instance
                                                         \startHELP [...] ... \stopHELP
                                                         \starthelptext [...] ... \stophelptext
starthelp:instance:helptext
starthighlight
                                                         \starthighlight [...] ... \stophighlight
starthyphenation
                                                         \starthyphenation [...] ... \stophyphenation
                                                         \startcharacteralign [...] ... \stopcharacteralign
startcharacteralign
startcheckedfences
                                                         \startcheckedfences ... \stopcheckedfences
                                                         \startchemical [...] [..=..] ... \stopchemical
startchemical
startimath
                                                         \startimath ... \stopimath
startindentedtext
                                                         \startindentedtext [...] ... \stopindentedtext
startindentedtext:example
                                                         \startINDENTEDTEXT ... \stopINDENTEDTEXT
                                                         \startinterakce [...] ... \stopinterakce
startinterakce
startinteraktivnimenu
                                                         \startinteraktivnimenu [...] ... \stopinteraktivnimenu
startinterface
                                                         \startinterface ... \stopinterface
                                                         \startintertext ... \stopintertext
startintertext
```

```
startitemgroup
                                                                                  \startitemgroup [...] [..=..] ... \stopitemgroup
startitemgroup:instance
                                                                                  \time \tim
startitemgroup:instance:itemize
                                                                                  \startitemize [...] [..=..] ... \stopitemize
startJScode
                                                                                  \startJScode ... \stopJScode
                                                                                  \startJSpreamble ... ... \stopJSpreamble
startJSpreamble
startjdina
                                                                                  \startjdina [...] ... \stopjdina
startknockout
                                                                                  \startknockout ... \stopknockout
startkomentarstranky
                                                                                  \verb|\startkomentarstranky| \dots \verb|\stopkomentarstranky|
                                                                                  \startCOMMENT [...] [..=..] ... \stopCOMMENT
startkomentar:instance
                                                                                  \startcomment [...] [..=..] ... \stopcomment
startkomentar:instance:comment
startkomponenta
                                                                                  \startkomponenta [...] ... \stopkomponenta
startkomponenta:string
                                                                                  \startkomponenta ... \stopkomponenta
startkonectabulky
                                                                                  \startkonectabulky [...] ... \stopkonectabulky
                                                                                  \startlayout [...] ... \stoplayout
startlayout
                                                                                  \startlinealignment [...] ... \stoplinealignment
startlinealignment
startlinecorrection
                                                                                  \verb|\startlinecorrection| [\dots] \dots \verb|\stoplinecorrection|
                                                                                  \startlinefiller [...] [..=..] ... \stoplinefiller
startlinefiller
startlinenote:instance
                                                                                  \startLINENOTE [...] {...}
startlinenote:instance:linenote
                                                                                  \startlinenote [...] {...}
startlinenumbering
                                                                                  \startlinenumbering [...] [..=..] ... \stoplinenumbering
                                                                                  \startlinenumbering [...] [...] ... \stoplinenumbering
startlinenumbering:argument
startlinetable
                                                                                  \startlinetable ... \stoplinetable
startlinetablebody
                                                                                  \startlinetablebody ... \stoplinetablebody
startlinetablecell
                                                                                  \startlinetablecell [..=..] ... \stoplinetablecell
startlinetablehead
                                                                                  \startlinetablehead ... \stoplinetablehead
startlocalfootnotes
                                                                                  \startlocalfootnotes ... \stoplocalfootnotes
                                                                                  \startlocalheadsetup ... \stoplocalheadsetup
startlocalheadsetup
startlocallinecorrection
                                                                                  \startlocallinecorrection [...] ... \stoplocallinecorrection
                                                                                  \startlocalnotes [...] ... \stoplocalnotes
startlocalnotes
                                                                                  \startlocalsetups [...] [...] ... \stoplocalsetups
startlocalsetups
startlocalsetups:string
                                                                                  \startlocalsetups ... \stoplocalsetups
startlua
                                                                                  \startlua ... \stoplua
startluacode
                                                                                  \startluacode ... \stopluacode
startluaparameterset
                                                                                  \startluaparameterset [...] ... \stopluaparameterset
startluasetups
                                                                                  \startluasetups [...] [...] \stopluasetups
startluasetups:string
                                                                                  \startluasetups ... \stopluasetups
startMPclip
                                                                                  \startMPclip {...} ... \stopMPclip
startMPcode
                                                                                  \startMPcode {...} ... \stopMPcode
                                                                                  \verb|\startMPdefinitions| {\dots} \ \verb|\stopMPdefinitions| \\
{\tt startMPdefinitions}
                                                                                  \startMPdrawing [...] ... \stopMPdrawing \startMPenvironment [...] ... \stopMPenvironment
startMPdrawing
startMPenvironment
startMPextensions
                                                                                  \startMPextensions {...} ... \stopMPextensions
startMPinclusions
                                                                                  \startMPinclusions [...] {...} ... \stopMPinclusions
startMPinitializations
                                                                                  \verb|\startMPinitializations| ... \verb|\stopMPinitializations| \\
                                                                                  \verb|\startMPpositiongraphic {...} {...} ... \verb|\stopMPpositiongraphic {...} ... \verb|\stopMPpositionmethod {...} ... \verb|\stopMPpositionmethod {...} |
startMPpositiongraphic
{\tt startMPpositionmethod}
startMPrun
                                                                                  \startMPrun {...} ... \stopMPrun
startmarginalnilinka
                                                                                  \startmarginalnilinka [...] ... \stopmarginalnilinka
                                                                                  \startmarginalnilinka [..=..] ... \stopmarginalnilinka
startmarginalnilinka:assignment
startmarginblock
                                                                                  \startmarginblock [...] ... \stopmarginblock
                                                                                  \startmarkedcontent [...] ... \stopmarkedcontent
startmarkedcontent
                                                                                  \startMATHALIGNMENT [..=..] ... \stopMATHALIGNMENT
startmathalignment:instance
startmathalignment:instance:align
                                                                                  \startalign [..=..] ... \stopalign
startmathalignment:instance:mathalignment
                                                                                  \verb|\startmathalignment| [..=..] ... \verb|\stopmathalignment|
                                                                                  \startMATHCASES [..=..] ... \stopMATHCASES
startmathcases:instance
                                                                                  \startcases [..=..] ... \stopcases
startmathcases:instance:cases
                                                                                  \startmathcases [..=..] ... \stopmathcases
startmathcases:instance:mathcases
                                                                                  \startMATHMATRIX [..=..] ... \stopMATHMATRIX
startmathmatrix:instance
                                                                                  \startmathmatrix [..=..] ... \stopmathmatrix \startmatrix [..=..] ... \stopmatrix
startmathmatrix:instance:mathmatrix
startmathmatrix:instance:matrix
startmathmode
                                                                                  \startmathmode ... \stopmathmode
startmathstyle
                                                                                  \startmathstyle [...] ... \stopmathstyle
                                                                                  \startmatrices [..=..] ... \stopmatrices
startmatrices
                                                                                  \startmaxaligned ... \stopmaxaligned
startmaxaligned
startmiddlealigned
                                                                                  \startmiddlealigned ... \stopmiddlealigned
                                                                                  \startmixedcolumns [...] [..=..] ... \stopmixedcolumns
startmixedcolumns
                                                                                  \verb|\startMIXEDCOLUMNS| [..=..] ... \verb|\stopMIXEDCOLUMNS||
startmixedcolumns:instance
                                                                                  startmixedcolumns:instance:boxedcolumns
startmixedcolumns:instance:itemgroupcolumns
                                                                                  \startmode [...] ... \stopmode
startmode
startmodeset
                                                                                  \startmodeset [...] {...} ... \stopmodeset
startmodule
                                                                                  \startmodule [...] ... \stopmodule
startmoduletestsection
                                                                                  \startmoduletestsection ... \stopmoduletestsection
startmodule:string
                                                                                  \startmodule ... \stopmodule
startnadpis
                                                                                  \startnadpis [...] {...} ... \stopnadpis
```

```
startnamedsection
                                                       \verb|\startnamedsection| [...] [..=..] [...] ... \verb|\stopnamedsection|
{\tt startnamedsubformulas}
                                                       \verb|\startnamedsubformulas|[...]| \{...\}| ... \verb|\stopnamedsubformulas|
startnaproti
                                                       \startnaproti ... \stopnaproti
startnarrower
                                                       \startnarrower [...] ... \stopnarrower
                                                       \startNARROWER [...] ... \stopNARROWER
startnarrower:example
startnegativ
                                                       \startnegativ ... \stopnegativ
startnicelyfilledbox
                                                       \startnicelyfilledbox [..=..] ... \stopnicelyfilledbox
startnointerference
                                                       \startnointerference ... \stopnointerference
startnotallmodes
                                                       \startnotallmodes [...] ... \stopnotallmodes
startnotext
                                                       \startnotext ... \stopnotext
                                                       \startnotmode [...] ... \stopnotmode
startnotmode
startobrazek
                                                       \startobrazek [...] [...=..] ... \stopobrazek
startodlozit
                                                       \startodlozit [...] ... \stopodlozit
                                                       \startodstavec [...] [..=..] ... \stopodstavec
startodstavec
                                                       \startoramovani [...] [..=..] ... \stoporamovani
startoramovani
startoramovanytext:instance
                                                       \verb|\startFRAMEDTEXT| [...] [..=..] ... \verb|\stopFRAMEDTEXT|
                                                       \startframedtext [...] [..=..] ... \stopframedtext
startoramovanytext:instance:framedtext
                                                       \startoutputstream [...] ... \stopoutputstream
startoutputstream
startoverprint
                                                       \startoverprint ... \stopoverprint
startpagefigure
                                                       \startpagefigure [...] [..=..] ... \stoppagefigure
                                                       \startpagegrid [...] [..=..] ... \stoppagegrid
startpagegrid
startpagegridspan
                                                       \startpagegridspan [...] [..=..] ... \stoppagegridspan
                                                       \startPAGEGRID [..=..] ... \stopPAGEGRID
startpagegrid:example
                                                       \startpagelayout [...] ... \stoppagelayout
startpagelayout
startpar
                                                       \startpar [...] [..=..] ... \stoppar
                                                       \startparagraphs [...] ... \stopparagraphs
startparagraphs
                                                       \startparagraphscell ... \stopparagraphscell
startparagraphscell
startparagraphs:example
                                                       \startPARAGRAPHS ... \stopPARAGRAPHS
startparallel:example
                                                       \startPARALLEL ... \stopPARALLEL
                                                       \startparbuilder [...] ... \stopparbuilder
startparbuilder
startplacefloat
                                                       \startplacefloat [...] [..=..] [..=..] ... \stopplacefloat
                                                       \startumistiFLOAT [..=..] [..=..] ... \stopumistiFLOAT
startplacefloat:instance
                                                       \startumistifigure [..=..] [..=..] ... \stopumistifigure
startplacefloat:instance:figure
startplacefloat:instance:graphic
                                                       \startumistigraphic [..=..] [..=..] ... \stopumistigraphic
startplacefloat:instance:chemical
                                                       startplacefloat:instance:intermezzo
                                                       \startumistiintermezzo [..=..] [..=..] ... \stopumistiintermezzo
startplacefloat:instance:table
                                                       \startplacepairedbox [...] [..=..] ... \stopplacepairedbox
startplacepairedbox
                                                       \startumistiPAIREDBOX [..=..] ... \stopumistiPAIREDBOX
startplacepairedbox:instance
startplacepairedbox:instance:legend
                                                       \startumistilegend [..=..] ... \stopumistilegend
startpolozka
                                                       \startpolozka [...] ... \stoppolozka
                                                       \startPOPIS [..=..] ... \stopPOPIS
startpopis:example
startpopis:example:title
                                                       \startPOPIS [...] {...} ... \stopPOPIS
                                                       \startpositioning [...] [..=..] ... \stoppositioning
startpositioning
startpositionoverlay
                                                       \startpositionoverlay {...} ... \stoppositionoverlay
startpositiv
                                                       \startpositiv ... \stoppositiv
                                                       \startpozadi [..=..] ... \stoppozadi
startpozadi
                                                       \startPOZADI [..=..] ... \stopPOZADI
startpozadi:example
                                                       \startNOTE [...] ... \stopNOTE
startpoznamka:instance
startpoznamka:instance:assignment
                                                       \startNOTE [..=..] ... \stopNOTE
                                                       \startendnote [..=..] ... \stopendnote
startpoznamka:instance:assignment:endnote
                                                       \startfootnote [..=..] ... \stopfootnote
startpoznamka:instance:assignment:footnote
                                                       \startendnote [...] ... \stopendnote
startpoznamka:instance:endnote
startpoznamka:instance:footnote
                                                       \startfootnote [...] ... \stopfootnote
startprekryv
                                                       \startprekryv ... \stopprekryv
startprocessassignmentcommand
                                                       \startprocessassignmentcommand [..=..] ... \stopprocessassignmentcommand
startprocessassignmentlist
                                                       \startprocessassignmentlist [..=..] ... \stopprocessassignmentlist
                                                       \startprocesscommacommand [...] ... \stopprocesscommacommand
{\tt startprocesscommacommand}
startprocesscommalist
                                                       \startprocesscommalist [...] ... \stopprocesscommalist
startprodukt
                                                       \startprodukt [...] ... \stopprodukt
startprodukt:string
                                                       \startprodukt ... \stopprodukt
startprojekt
                                                       \startprojekt [...] ... \stopprojekt
                                                       \startprojekt ... \stopprojekt
startprojekt:string
                                                       \startprostredi [...] ... \stopprostredi
startprostredi
                                                       \startprostredi ... \stopprostredi
startprostredi:string
startprotectedcolors
                                                       \startprotectedcolors ... \stopprotectedcolors
                                                       \startpublikace [...] [..=..] ... \stoppublikace
startpublikace
startradek
                                                       \startradek [...]
                                                       \startLINES [..=..] ... \stopLINES
startradky:instance
startradky:instance:lines
                                                       \startlines [..=..] ... \stoplines
startrandomized
                                                       \startrandomized ... \stoprandomized
startrawsetups
                                                       \startrawsetups [...] [...] \stoprawsetups
                                                       \startrawsetups ... \stoprawsetups \startreadingfile ... \stopreadingfile
startrawsetups:string
startreadingfile
                                                       \startregime [...] ... \stopregime
startregime
```

```
startregister
                                                        \startregister [...] [...] [...] [...+...+..]
{\tt startreusableMPgraphic}
                                                        \startreusableMPgraphic {...} {...} ... \stopreusableMPgraphic
                                                        \startrovnice [...] ... \stoprovnice
startrovnice
startrovnice:assignment
                                                        \startrovnice [..=..] ... \stoprovnice
                                                        \startFORMULAformula [...] ... \stopFORMULAformula
startrovnice:instance
startrovnice:instance:md
                                                        \startmdformula [...] ... \stopmdformula
                                                        \startmpformula [...] ... \stopmpformula
startrovnice:instance:mp
                                                        \startsdformula [...] ... \stopsdformula \startspformula [...] ... \stopspformula
startrovnice:instance:sd
startrovnice:instance:sp
startrozbalene
                                                        \startrozbalene ... \stoprozbalene
startscript
                                                        \startscript [...] ... \stopscript
                                                        \startsectionblock [...] [..=..] ... \stopsectionblock
startsectionblock
startsectionblockenvironment
                                                        \startsectionblockenvironment [...] ... \stopsectionblockenvironment
                                                        \verb|\startSECTIONBLOCK| [..=..] ... \verb|\stopSECTIONBLOCK|
startsectionblock:instance
                                                        \verb|\startappendices| [..=..] ... \verb|\stopappendices| \\
startsectionblock:instance:appendices
                                                        \tstartbackmatter [..=..] ... \tstopbackmatter
\verb|startsectionblock:instance:backmatter|\\
startsectionblock:instance:bodymatter
                                                        \startbodymatter [..=..] ... \stopbodymatter
                                                        \startfrontmatter [..=..] ... \stopfrontmatter
startsectionblock:instance:frontmatter
                                                        \startsectionlevel [...] [..=..] ... \stopsectionlevel
startsectionlevel
startsekce:instance
                                                        \startSECTION [..=..] [..=..] ... \stopSECTION
                                                        \startchapter [..=..] [..=..] ... \stopchapter
startsekce:instance:chapter
                                                        \startpart [..=..] [..=..] ... \stoppart \startsection [..=..] [..=..] ... \stoppsection
startsekce:instance:part
startsekce:instance:section
                                                        \startsubject [..=..] [..=..] ... \stopsubject
startsekce:instance:subject
startsekce:instance:subsection
                                                        \verb|\startsubsection| [..=..] [..=..] ... \verb|\stopsubsection|
                                                        \verb|\startsubsubject[..=..][..=..] ... \verb|\stopsubsubject||
startsekce:instance:subsubject
startsekce:instance:subsubsection
                                                        \startsubsubsection [..=..] [..=..] ... \stopsubsubsection
                                                        \verb|\startsubsubsubject| [..=..] [..=..] ... \verb|\stopsubsubsubject|
startsekce:instance:subsubsubject
                                                        \startsubsubsubsection [..=..] [..=..] ... \stopsubsubsubsection
startsekce:instance:subsubsection
                                                        startsekce:instance:subsubsubsubject
                                                        \verb|\startsubsubsubsection| [..=..] [..=..] ... \verb|\stopsubsubsubsubsection|
startsekce:instance:subsubsubsubsection
                                                        startsekce:instance:subsubsubsubsubject
startsekce:instance:title
                                                        \starttitle [..=..] [..=..] ... \stoptitle
startsetups
                                                        \startsetups [...] [...] ... \stopsetups
startsetups:string
                                                        \startsetups ... \stopsetups
                                                        \startshift [...] ... \stopshift
startshift
                                                        \startsidebar [...] [..=..] ... \stopsidebar
startsidebar
                                                        \startsimplecolumns [..=..] ... \stopsimplecolumns
startsimplecolumns
                                                        \startsloupce [..=..] ... \stopsloupce
startsloupce
                                                        \verb|\startspecialitem|[...]|[...]| ... \verb|\stopspecialitem||
startspecialitem:item
startspecialitem:none
                                                        \startspecialitem [...] ... \stopspecialitem
                                                        \startspecialitem [...] {...} ... \stopspecialitem
startspecialitem:symbol
startsplitformula
                                                        \startsplitformula ... \stopsplitformula
startspread
                                                        \startspread ... \stopspread
startstartstop
                                                        \start [...] ... \stop
                                                        \startSTARTSTOP ... \stopSTARTSTOP
startstartstop:example
startstaticMPfigure
                                                        \startstaticMPfigure {...} ... \stopstaticMPfigure
startstaticMPgraphic
                                                        \verb|\startstaticMPgraphic {...} {...} {...} \verb|\stopstaticMPgraphic {...} {...} |
startstop:example
                                                        \STARTSTOP {...}
startstrictinspectnextcharacter
                                                        \startstrictinspectnextcharacter ... \stopstrictinspectnextcharacter
                                                        \startstructurepageregister [...] [...] [.....] [.....]
startstructurepageregister
startstyle
                                                        \startstyle [..=..] ... \stopstyle
startstyle:argument
                                                        \startstyle [...] ... \stopstyle
startstyle:instance
                                                        \startSTYLE ... \stopSTYLE
                                                        \startsubformulas [...] ... \stopsubformulas
startsubformulas
                                                        \startsubjectlevel [...] [..=..] [..=..] ... \stopsubjectlevel
startsubjectlevel
startsubsentence
                                                        \startsubsentence ... \stopsubsentence
startsubstack
                                                        \startsubstack ... \stopsubstack
startsymbolset
                                                        \startsymbolset [...] ... \stopsymbolset
                                                        \startTABLE [..=..] ... \stopTABLE
startTABLE
                                                        \startTABLEbody [..=..] ... \stopTABLEbody
startTABLEbody
{\tt startTABLEfoot}
                                                        \startTABLEfoot [..=..] ... \stopTABLEfoot
startTABLEhead
                                                        \startTABLEhead [..=..] ... \stopTABLEhead
startTABLEnext
                                                        \startTABLEnext [..=..] ... \stopTABLEnext
starttabelator
                                                        \starttabelator [/.../] [..=..] ... \stoptabelator
                                                        \startTABULATE [..."] ... \stopTABULATE
starttabelator:instance
                                                        starttabelator:instance:fact
starttabelator:instance:legend
                                                        \startlegend [...] [..=..] ... \stoplegend
                                                        \starttabulatehead [...] ... \stoptabulatehead
starttabulatehead
starttabulatetail
                                                        \starttabulatetail [...] ... \stoptabulatetail
starttabulation:example
                                                        \startTABULATION [...] [..=..] ... \stopTABULATION
starttabulka
                                                        \starttabulka [|...|] [..=..] ... \stoptabulka
starttabulka:name
                                                        \starttabulka [...] [..=..] ... \stoptabulka
                                                        \starttabulky [|...|] ... \stoptabulky
starttabulky
starttabulky:name
                                                        \starttabulky [...] ... \stoptabulky
```

starttexcode	\starttexcode \stoptexcode
starttexdefinition	\starttexdefinition \stoptexdefinition
starttext	\starttext \stoptext
starttextbackground	\starttextbackground [] [=] \stoptextbackground
<u> </u>	• • •
starttextbackgroundmanual	\starttextbackgroundmanual \stoptextbackgroundmanual
starttextbackground:example	\startTEXTBACKGROUND [=] \stopTEXTBACKGROUND
starttextcolor	\starttextcolor [] \stoptextcolor
starttextcolorintent	\starttextcolorintent \stoptextcolorintent
starttextflow	\starttextflow [] \stoptextflow
starttextnapovedy	\starttextnapovedy [] \stoptextnapovedy
starttextovalinka	\starttextovalinka {} \stoptextovalinka
starttextpopisku:instance	\startLABELtext [] [] \stopLABELtext
starttextpopisku:instance:btxlabel	\startbtxlabeltext [] [] \stopbtxlabeltext
starttextpopisku:instance:head	\startheadtext [] [] \stopheadtext
starttextpopisku:instance:label	\startlabeltext [] [] \stoplabeltext
starttextpopisku:instance:mathlabel	\startmathlabeltext [] [] \stopmathlabeltext
starttextpopisku:instance:operator	\startoperatortext [] [\stopoperatortext
starttextpopisku:instance:prefix	\startprefixtext [] [] \stopprefixtext
starttextpopisku:instance:suffix	\startsuffixtext [] [] \stopsuffixtext
starttextpopisku:instance:taglabel	\starttaglabeltext [] [] \stoptaglabeltext
starttextpopisku:instance:unit	\startunittext [] [] \stopunittext
starttokens	\starttokens [] \stoptokens
starttransparent	\starttransparent [] \stoptransparent
starttypescript	\starttypescript [] [] \stoptypescript
starttypescriptcollection	\starttypescriptcollection [] \stoptypescriptcollection
starttyping:instance	\startTYPING [=] \stopTYPING
starttyping:instance:argument	\startTYPING [] \stopTYPING
	\startLUA [] \stopLUA
starttyping:instance:argument:LUA	=
starttyping:instance:argument:MP	\startMP [] \stopMP
starttyping:instance:argument:PARSEDXML	\startPARSEDXML [] \stopPARSEDXML
starttyping:instance:argument:TEX	\startTEX [] \stopTEX
starttyping:instance:argument:typing	\starttyping [] \stoptyping
starttyping:instance:argument:XML	\startXML [] \stopXML
	\startLUA [=] \stopLUA
starttyping:instance:LUA	
starttyping:instance:MP	\startMP [=] \stopMP
starttyping:instance:PARSEDXML	\startPARSEDXML [=] \stopPARSEDXML
starttyping:instance:TEX	\startTEX [=] \stopTEX
starttyping:instance:typing	\starttyping [=] \stoptyping
starttyping:instance:XML	\startXML [=] \stopXML
•• •	
startumistirovnici	\startumistirovnici [=] \stopumistirovnici
startumistirovnici:argument	\startumistirovnici [] \stopumistirovnici
startuniqueMPgraphic	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic
startuniqueMPpagegraphic	\startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic
startusableMPgraphic	\startusableMPgraphic {} {} \stopusableMPgraphic
startuseMPgraphic	\startuseMPgraphic {} {} \stopuseMPgraphic
9 -	\startusemathstyleparameter \ \stopusemathstyleparameter
startusemathstyleparameter	
startusingbtxspecification	\startusingbtxspecification [] \stopusingbtxspecification
startuzky	\startuzky [] [=] \stopuzky
startuzky:assignment	\startuzky [=] [] \stopuzky
startuzky:name	\startuzky [] [] \stopuzky
startvboxregister	\startvboxregister \stopvboxregister
<u> </u>	
startvboxtohbox	\startvboxtohbox \stopvboxtohbox
startvboxtohboxseparator	\startvboxtohboxseparator \stopvboxtohboxseparator
startviewerlayer	\startviewerlayer [] \stopviewerlayer
startviewerlayer:example	\startVIEWERLAYER \stopVIEWERLAYER
startvisici	\startvisici [=] {} \stopvisici
startvisici:argument	\startvisici [] {} \stopvisici
startvtopregister	\startvtopregister \stopvtopregister
1 0	
startvycet:example	\startVYCET [=.] \stopVYCET
startvycet:example:title	\startVYCET [] {} \stopVYCET
startxcell	\startxcell [] [=] \stopxcell
startxcellgroup	\startxcellgroup [] [=] \stopxcellgroup
startxgroup	\startxgroup [] [=] \stopxgroup
startxmldisplayverbatim	\startxmldisplayverbatim [] \stopxmldisplayverbatim
- · ·	
startxmlinlineverbatim	\startxmlinlineverbatim [] \stopxmlinlineverbatim
startxmlraw	\startxmlraw \stopxmlraw
startxmlsetups	\startxmlsetups [] [\stopxmlsetups
startxmlsetups:string	\startxmlsetups \stopxmlsetups
startxrow	\startxrow [] [=] \stopxrow
startxrowgroup	\startxrowgroup [] [=] \stopxrowgroup
startxtable	\startxtable [=] \stopxtable
startxtablebody	\startxtablebody [=] \stopxtablebody
startxtablebody:name	\startxtablebody [] \stopxtablebody
startxtablefoot	\startxtablefoot [=] \stopxtablefoot
	•
startxtablefoot:name	\startxtablefoot [] \stopxtablefoot

startxtablehead	\startxtablehead [=] \stopxtablehead
startxtablehead:name	
	\startxtablehead [] \stopxtablehead
startxtablenext	\startxtablenext [=] \stopxtablenext
startxtablenext:name	\startxtablenext [] \stopxtablenext
startxtable:example	\startXTABLE [=] \stopXTABLE
startxtable:name	\startxtable [] \stopxtable
startzahlavitabulky	\startzahlavitabulky [] \stopzahlavitabulky
startzarovnanonastred	\startzarovnanonastred \stopzarovnanonastred
startzarovnanovlevo	\startzarovnanovlevo \stopzarovnanovlevo
	\startzarovnanovpravo \stopzarovnanovpravo
startzarovnanovpravo	
startzhustene	\startzhustene [] \stopzhustene
startzlom	\startzlom [] [=] \stopzlom
startzlom:instance	\startMAKEUPzlom [=] \stopMAKEUPzlom
startzlom:instance:middle	\startmiddlezlom [=] \stopmiddlezlom
startzlom:instance:page	\startpagezlom [=] \stoppagezlom
startzlom:instance:standard	\startstandardzlom [=] \stopstandardzlom
startzlom:instance:text	\starttextzlom [=] \stoptextzlom
stoplinenote:instance	\stopLINENOTE []
-	
stoplinenote:instance:linenote	\stoplinenote []
stopradek	\stopradek []
stopregister	\stopregister [] []
stopstructurepageregister	\stopstructurepageregister [] []
strana	\strana []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
**	· · · · · · · · · · · · · · · · · · ·
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
_	
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
•	
style: argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
-	. -
swapdimens	\swapdimens \ \
swapface	\swapface
swapface	\swapface
swapface swapmacros	\swapface \swapmacros \ \
swapface swapmacros swaptypeface switchstyleonly	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly []
swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \
swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor []
swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=]
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument</pre>	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace []
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name</pre>	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace []</pre>
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument</pre>	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace []
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name</pre>	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace []</pre>
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol</pre>	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchstyleonly \ \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] []</pre>
<pre>swapface swapmacros swaptypeface switchstyleonly switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference</pre>	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbolreference []</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol f} \symbol f} \synctexblockfilename {}</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol f] \symbol f} \synctexblockfilename {} \synctexresetfilename</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexsetfilename synctexsetfilename	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol {} \synctexblockfilename {} \synctexsetfilename {}</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctronizeblank	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol {} \synctexblockfilename {} \synctexsetfilename \synctexsetfilename {} \synchronizeblank</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctronizeblank synchronizeindenting	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol {} \synctexblockfilename {} \synctexetfilename \synctexetfilename {} \synchronizeblank \synchronizeindenting</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctexsetfilename synchronizeblank synchronizeindenting synchronizemarking	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol f} \synctexblockfilename {} \synctexresetfilename \synctexsetfilename {} \synchronizeblank \synchronizeindenting \synchronizemarking [] []
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctronizeblank	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol {} \synctexblockfilename {} \synctexetfilename \synctexetfilename {} \synchronizeblank \synchronizeindenting</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctexsetfilename synchronizeblank synchronizeindenting synchronizemarking	\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol f} \synctexblockfilename {} \synctexresetfilename \synctexsetfilename {} \synchronizeblank \synchronizeindenting \synchronizemarking [] []
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctexsetfilename synchronizeindenting synchronizeoutputstreams	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol [] [] \symbol f} \synctexblockfilename {} \synctexetfilename \synctexetfilename {} \synchronizeblank \synchronizeindenting \synchronizeoutputstreams []</pre>
swapface swapmacros swaptypeface switchstyleonly:command switchtocolor switchtointerlinespace:argument switchtointerlinespace:name symbol symbolreference symbol:direct synctexblockfilename synctexresetfilename synctexsetfilename synctexsetfilename synchronizeindenting synchronizeoutputstreams synchronizestrut	<pre>\swapface \swapmacros \ \ \swaptypeface \switchstyleonly [] \switchtocolor [] \switchtointerlinespace [] [=] \switchtointerlinespace [] \switchtointerlinespace [] \symbol [] [] \symbol f] \symbol f} \synctexblockfilename {} \synctexetfilename \synctexetfilename {} \synchronizeblank \synchronizeindenting \synchronizeoutputstreams [] \synchronizestrut {}</pre>

systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
tecka	\tecka {}
tecky	\tecky []
tecky:assignment	\tecky [=]
tenkalinka	\tenkalinka
tenkelinky	\tenkelinky [=]
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnapovedy	\textnapovedy [] {}
textormathchar	\textormathchar {}
textovalinka	\textovalinka [] {}
textplus	\textplus
textpopisku:instance	\LABELtext {}
textpopisku:instance:btxlabel	\btxlabeltext {}
textpopisku:instance:head	\headtext {}
textpopisku:instance:label	\labeltext {}
textpopisku:instance:mathlabel	\mathlabeltext {}
textpopisku:instance:operator	\operatortext {}
textpopisku:instance:prefix	\prefixtext {}
textpopisku:instance:suffix	\suffixtext {}
textpopisku:instance:taglabel	\taglabeltext {}
	\unittext {}
textpopisku:instance:unit	
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments \{\ldots\}
thirdoffourarguments	\thirdoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments {} {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont

tlacitko	\tlacitko [=] {} []
tlacitkomenu:button	\tlacitko [] \} \tlacitkomenu [=] \}
tlacitkomenu:interactionmenu	\tlacitkomenu [] [=.] {} {}
tlacitko:example	\BUTTON [=] {} []
tlap	\tlap {}
tloustkacary	\tloustkacary
tochar	\tochar {}
tolinenote	\tolinenote []
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
tref	\tref {} {} []
triplebond	triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
tucne	\tucne
tucnekurzivni	\tucnekurzivni
tucnesklonene	tucnesklonene
tvrdamezera	\tvrdamezera
tvrdemezery	\tvrdemezery
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typebuffer	\typebuffer [] [=]
typebuffer:instance	\opisBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix typescriptthree	<pre>\typescriptprefix {} \typescriptthree</pre>
typescripttwo	\typescripttwo
typesetbuffer	\typesetluffer [] [=]
typesetfile	\typesetfile [] [] [=]
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ \{\}
ukazbarvu	\ukazbarvu []
ukazmrizku	\ukazmrizku []
ukaznastaveni	\ukaznastaveni []
ukazpaletu	\ukazpaletu []
ukazpodpery	\ukazpodpery
ukazpostredizakladnihofontu	\ukazpostredizakladnihofontu []
ukazramecek	\ukazramecek [] []
ukazsadusymbolu	\ukazsadusymbolu []
ukazskupinubarev	\ukazskupinubarev [] []
ukazupravu	\ukazupravu []
ukazvytisk	\ukazvytisk [] [=]
ukazvzhled	\ukazvzhled []
ukazzakladnifont	\ukazzakladnifont []
umistikombinovanyseznam	\umistikombinovanyseznam [] [=]
umistikombinovanyseznam:instance	\umistiCOMBINEDLIST [=]
umistikombinovanyseznam:instance:content	\umisticontent [=]
umistilokalnipoznamkypodcarou	\umistilokalnipoznamkypodcarou [=]
umistinadsebe	\umistinadsebe {} {}
umistinamrizku	\umistinamrizku [] {}
umistinamrizku:list	\umistinamrizku [] {}
umistipodrovnici	\umistipodrovnici []
umistipoznamkypodcarou	\umistipoznamkypodcarou [=]
umistirejstrik	\umistirejstrik [] [=]
umistirejstrik:instance	\umistiREGISTER [=]
umistirejstrik:instance:index	\umistindex [=]
umistirovnici	\umistirovnici []
umistiseznam	<pre>\umistiseznam [] [=] \umistivedlesebe {} {}</pre>
umistivedlesebe	\umistivediesebe {} {} \umistizalozky [] [] [=]
umistizalozky undefinevalue	\umistizalozky [] [] [=] \undefinevalue {}
andol ino value	\understandvarad []

	\undepthed {}
undepthed	
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unprotect	\unprotect \protect
-	
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	$\verb \upperleftsingleninequote $
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
	, 11 0 0 1
upperrightsinglesixquote	\upperrightsinglesixquote
urcicharakteristikurejstriku	\urcicharakteristikurejstriku [] [=]
url	\url []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] []
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
• •	
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
-	
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	<pre>\utfchar {}</pre>
utflower	\utflower {}
utfupper	\utfupper {}
	\utilityregisterlength
utilityregisterlength	
uzijadresar	\uzijadresar []

uzijbloky	\uzijbloky [] [=]
uzijexternidokument	\uzijexternidokument [] []
uzijexterniobraz	\uzijexterniobraz [] [] [] [=]
uzijexternizvuk	\uzijexternizvuk [] []
uzijJSscripts	\uzijJSscripts [] []
uzijmodul	\uzijmodul [] [=]
uzijsymbol	\uzijsymbol []
uzijURL	\uzijURL [] [] []
uzijurl	\uzijurl [] [] []
VerboseNumber	\VerboseNumber {}
VSEDNIDEN	
	\VSEDNIDEN {}
vboxreference	\vboxreference [] {}
vec	\vec {}
velke	\velke
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
verze	\verze []
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vlasovalinka	\vlasovalinka
vlevo	\vlevo
vphantom	\vphantom {}
vpos	\vpos {} {}
vpravo	\vpravo
vradku	\vradku {} []
vsedniden	\vsedniden {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
vyberbloky	\vyberbloky [] [=]
vycet:example	\VYCET [] {} \par
vyplnenytext	\vyplnenytext [=] {} {}
vyplnovelinky	\vyplnovelinky [=] {} {}
vyplnovyradek	\vyplnovyradek [=]
vysoky	\vysoky {}
vysoky:instance	\HIGH {}
vysoky:instance:unitshigh	\unitshigh {}
WidthSpanningText	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
•	\widthofstring {}
widthofstring	S .
widthspanningtext	\widthspanningtext {} {} {}
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	\xmlattdef {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	\xmlattributedef {} {} {} {}
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup $\{\ldots\}$ $\{\ldots\}$
xmlbeforesetup	\xmlbeforesetup {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange {} {} {} {} {}

xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
	\xmldirectivesarter \(\lambda \\)
xmldirectivesbefore	
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {}
xmldoifelse	\xmldoifelse \{\} \{\} \{\}
xmldoifelseempty	\xmldoifelseempty {} {} {}
xmldoifelseselfempty	\xmldoifelseselfempty {} {} {}
xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifelsevalue	\xmldoifelsevalue {} {} {} {}
xmldoifnot	\xmldoifnot {} {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty	\xmldoifselfempty {} {}
xmldoiftext	\xmldoiftext {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
•	•
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	\xmlchainattdef {} {} {}
xmlchecknamespace	\xmlchecknamespace {} {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint \{\ldots\}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
	\xmllastpar
xmllastpar	
xmlloadbuffer	\xmlloadbuffer {} {}
xmlloaddata	\xmlloaddata {} {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {}
xmlloadonly	\xmlloadonly {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
-	\xmlnonspace {} {}
xmlnonspace	-
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisteredsetups \xmlregisterns {} {}
<u> </u>	
xmlremapname	\xmlremapname \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlremapnamespace	$\xr = xr + $
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}

xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsetatt {} {} {}
xmlsetattribute	\xmlsetattribute {} {} {} {
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction $\{\}$ $\{\}$
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar	\xmlsetpar {} {} {}
xmlsetparam	\xmlsetparam {} {} {} {}
xmlsetsetup	\xmlsetsetup {} {} {}
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
xmlstripnolines	\xmlstripnolines {} {}
xmlstripped	\xmlstripped {} {}
xmlstrippednolines	\xmlstrippednolines {} {}
xmltag	\xmltag {}
xmltexentity	\xmltexentity {} {}
xmltext	\xmltext {} {}
xmltobuffer	\xmltobuffer {} {} {}
xmltobufferverbose	\xmltobufferverbose {} {} {}
xmltofile	\xmltofile {} {} {}
xmlvalue	\xmlvalue {} {} {}
xmlverbatim	\xmlverbatim {}
xsplitstring	\xsplitstring \ {}
xypos	\xypos {}
Znak	\Znak {}
Znaky	\Znaky {}
zadnamezera	\zadnamezera
zadnehorniadolniradky	\zadnehorniadolniradky
zadnezahlaviaupati	\zadnezahlaviaupati
zachovejbloky	\zachovejbloky [] []
zalozka	\zalozka [] {}
zapisdoseznamu	\zapisdoseznamu [] [=] {} {.
zapismeziseznam	\z
zaramovani	\zaramovani [=] {}
zarovnanonastred	\zarovnanonastred {}
zarovnanovlevo	\zarovnanovlevo {}
zarovnanovpravo	\zarovnanovpravo {}
zasobnikpoli	\zasobnikpoli [] [] [=]
ziskejbuffer	\ziskejbuffer []
ziskejbuffer:instance	\ziskatBUFFER
ziskejznaceni	\ziskejznaceni [] []
zlomek:instance	\FRACTION {} {}
zlomek:instance:binom	\binom {} {}
zlomek:instance:dbinom	\dbinom {} {}
zlomek:instance:dfrac	\dfrac {} {}
zlomek:instance:frac	\frac {} {}
zlomek:instance:sfrac	\sfrac {} {}
zlomek:instance:tbinom	\tbinom {} {}
zlomek:instance:xfrac	\xfrac {} {}
zlomek:instance:xxfrac	\xxfrac {} {}
	\znaceni (,) (,) []
Znaceni	\znak {}
znaceni znak znakv	\znakv \}
znak znaky	\znaky {} \zpracuibloky [] [] [=]
znak znaky zpracujbloky	\zpracujbloky [] [] [=]
znak znaky zpracujbloky zrcadlit	\zpracujbloky [] [] [=] \zrcadlit {}
znak znaky zpracujbloky	\zpracujbloky [] [] [=]

