## ConTrXt

přikazy

65

## ConTEXt přikazy

cs / český 19. prosince 2018

ACC D	NACL - Dec. C. 3
AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
aktualnicislonadpisu	\aktualnicislonadpisu
aktualnidatum	\aktualnidatum []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
<u> </u>	
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] {}
antikva	\antikva
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue \{\ldot\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•.	
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytofirstcharacter	\applytofirstcharacter \ {}
applytocharacters	\applytocharacters \ {}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
11 0 1 0	
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension \{\dots\} \\\\} \\\\} \\\\}
assignifempty	\assignifempty \ \{\\}
assigntranslation	\assigntranslation [=] \to \
_	
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}

attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
bar	\bar {}
barevnalista	\barevnalista []
barva	\barva [] {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselinebottom	\baselineleftbox {}
baselinemiddlebox	\baselinerertbox \{\dots\}
	\baselinemiddlebox \{\dots\}
baselinerightbox bbordermatrix	\bbordermatrix \{\daggering
bbordermatrix	\bbox {}
	****
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] [=] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bezserifu	\bezserifu
bigbodyfont	\bigbodyfont
bigg	\bigg
bigger	\bigger
	\biggl
biggl	\biggm
	(2-88
biggl biggm biggr	\biggr
biggm	
biggm biggr	\biggr

bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize boldface	\bodyfontsize \boldface
boldiace booleanmodevalue	\booleanmodevalue {}
booleanmodevalue bordermatrix	\bordermatrix \{\ldots\}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {}
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \\
btxdoifelsesameasprevious	\btxdoifelsesameasprevious {} {} {}
btxdoifelsesameaspreviouschecked btxdoifelseuservariable	\btxdoifelsesameaspreviouschecked {} {} {} {}
	\btxdoifelseuservariable {} {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouselse {} {} \btxdoifsameaspreviouscheckedelse {} {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse \{\ldots\} \{\ldots\}
btxexpandedjournal	\btxxviiuservalrableerse \(\therefore\) \(\therefore\) \btxxviiuservalrableerse \(\therefore\) \(\therefore\)
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
htwfoundness	\https://paperson.

1	\1. C 1
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
-	<u>•</u>
btxsingularorplural	\btxsingularorplural {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
bublinkovanapoveda:instance	\TOOLTIP [=] {} {}
bublinkovanapoveda:instance:argument	\TOOLTIP [] {} {}
bublinkovanapoveda:instance:argument:tooltip	\tooltip [] {} {}
bublinkovanapoveda:instance:tooltip	\tooltip [=] {} {}
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Caps	\Caps {}
Cisla	\Cisla {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
	·
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ {} {}
camel	\camel {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
<u> </u>	\centerbox {}
centerbox	
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
cernalinka	\cernalinka [=]
cernelinky	\cernelinky [=]
cfrac	\cfrac [] {}
cisla	\cisla {}
cislonadpisu	\cislonadpisu [] []
cislorovnice	\cislorovnice []
cislostrany	\cislostrany
citation	\citation [=] []
citation:alternative	\citation []
citation:direct	\citation {}
citation:userdata	\citation [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clippedoverlayimage	\clippedoverlayimage {}
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}

as laws amonanta	\
colorcomponents colored	\colorcomponents {} \colored [=] {}
colored:name	\colored [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
comparedimension	\comparedimension \{\dots\}
comparedimensioneps completebtxrendering	\comparedimensioneps {} {} \completebtxrendering [] [=]
completecombinedlist:instance	\uplayCOMBINEDLIST [=]
completecombinedlist:instance:content	\uplnycontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications completelistofsorts	\completelistofpublications [] [=] \completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\uplnyREGISTER [=]
<pre>completeregister:instance:index complexorsimple</pre>	\uplnyindex [=] \complexorsimple \
complexorsimpleempty	\complexorsimple \
complexorsimpleempty:argument	\complexorsimpleempty \{\dots\}
complexorsimple:argument	\complexorsimple {}
composedcollector	\composedcollector {}
	•
composedlayer	\composedlayer {}
composedlayer compresult	<pre>\composedlayer {} \compresult</pre>
compresult constantdimen	\composedlayer {} \compresult \constantdimen \
compresult constantdimen constantdimenargument	\composedlayer {} \compresult \constantdimen \ \constantdimenargument \
compresult constantdimen constantdimenargument constantemptyargument	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \</pre>
compresult constantdimen constantdimenargument constantemptyargument constantnumber	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \</pre>
compresult constantdimen constantdimenargument constantemptyargument	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \</pre>
compresult constantdimen constantdimenargument constantemptyargument constantnumber constantnumber	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantemptyargument \ \constantnumber \ \constantnumberargument \</pre>
compresult constantdimen constantdimenargument constantemptyargument constantnumber constantnumberargument contentreference	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \contentreference [] [=] {} \continuednumber {} \continueifinputfile {}</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \contentreference [] [=] {} \continuednumber {} \continueifinputfile {} \convertargument \to \</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertcommand \ \to \</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertcommand \ \to \ \convertedcounter [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertcommand \ \to \ \convertedcounter [] [.=] \converteddimen {} {}</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen convertedsubcounter	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumberargument \ \contentreference [] [=] {} \continuednumber {} \continuedifinputfile {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \convertargument \to \ \convertcommand \ \to \ \convertedcounter [] [.=] \converteddimen {} {}</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen convertedsubcounter convertedsubcounter convertmonth	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber [] [=] {} \continuednumber {} \continuednumber {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [=] \convertedsubcounter [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen convertedsubcounter convertednuch convertvalue	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copyboxfromcache {} {}</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen convertedsubcounter convertvalue convertvalue convertvboxtohbox copybabeltext:instance	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertedcounter [] [=] \convertedcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter [] [] \convertvalue \to \ \convertvboxtohbox \copybasELtext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen convertedsubcounter convertedsubcounter convertvalue convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertedcounter [] [=] \convertedcounter [] [=] \convertedsubcounter [] [] \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copybaffomcache {} {} \copybtxlabeltext [] [=] \copybtxlabeltext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen converteddimen convertedsubcounter convertvalue convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \convertinuednumber {} \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvboxtohbox \copyboxfromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:label	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber [] [=] {} \continuednumber {} \convertednument \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] \convertedsubcounter [] [] \convertvalue \to \ \convertvboxtohbox \copyboxfromcache {} {} \copybtxlabeltext [] [=] \copyhaddext [] [=] \copylabeltext [] [=] \copylabeltext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:label copylabeltext:instance:mathlabel	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber [] [=] {} \continuednumber {} \continuedfinputfile {} \convertcommand \ \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copyboxfromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertcommand convertedcounter converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertedmand \ \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copybastromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=] \copymathlabeltext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter converteddimen converteddimen convertedsubcounter convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:label copylabeltext:instance:mathlabel	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber [] [=] {} \continuednumber {} \continuedfinputfile {} \convertcommand \ \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copyboxfromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=] \copylabeltext [] [=] \copymathlabeltext [] [=]</pre>
compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen converteddimen convertedsubcounter convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:mathlabel copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:operator copylabeltext:instance:prefix	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinumber {} \convertednument \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] \convertedsubcounter [] [] \convertvalue \to \ \convertvboxtohbox \copyboxfromcache {} {} \copybtxlabeltext [] [=] \copyheadtext [] [=] \copymathlabeltext [] [=] \copyoperatortext [] [=] \copyprefixtext [] [=] \copyprefixtext [] [=] \copyprefixtext [] [=] \copyprefixtext [] [=]</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedounter convertedounter converteddimen convertedsubcounter convertedsubcounter convertvalue convertvalue convertvboxtohbox copylabeltext:instance copylabeltext:instance:btxlabel copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:prefix	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvalue \to \ \copyLABELtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copysuffixtext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copyunittext [] [=]</pre>
compresult constantdimen constantdimenargument constantnumber constantnumber contentreference continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber convertargument convertedounter convertedounter converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:unit copypages	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertargument \to \ \convertedcounter [] [=] \converteddimen {} {} \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvalue \to \ \copyLABELtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copypages [] [=] [=]</pre>
compresult constantdimen constantdimenargument constantnumber constantnumber contentreference continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber convertargument convertedounter convertedounter converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \constantnumber argument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertcommand \ \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvalue \to \ \convertvboxtohbox \copybtxlabeltext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copypages [] [=] [=] \copypages [] [=] [=] \copyparameters [] [] []</pre>
composedlayer compresult constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference continuednumber continueifinputfile convertargument convertedcounter converteddimen converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copylabeltext:instance copylabeltext:instance:btxlabel copylabeltext:instance:label copylabeltext:instance:prefix copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters copyposition	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumberargument \ \continuednumber {} \continuednumber {} \continuedinumber {} \convertargument \to \ \convertedounter [] [=] \convertedounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvboxtohbox \copybastIndeltext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copyopytaglabeltext [] [=] \copytaglabeltext [] [=] \copynattext [] [=] \copypages [] [=] [=] \copypages [] [=] [=] \copyposition {} {} \copyenarce constant constant</pre>
compresult constantdimen constantdimenargument constantnumber constantnumber contentreference continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber continuedinumber convertargument convertedounter convertedounter converteddimen convertedsubcounter convertwonth convertvalue convertvboxtohbox copyboxfromcache copylabeltext:instance:btxlabel copylabeltext:instance:head copylabeltext:instance:label copylabeltext:instance:mathlabel copylabeltext:instance:operator copylabeltext:instance:prefix copylabeltext:instance:suffix copylabeltext:instance:taglabel copylabeltext:instance:taglabel copylabeltext:instance:unit copypages copyparameters	<pre>\composedlayer {} \compresult \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber argument \ \constantnumber argument \ \continuednumber {} \continuednumber {} \continuedinputfile {} \convertcommand \ \to \ \convertedcounter [] [=] \converteddimen {} {} \convertedsubcounter [] [] [=] \convertvalue \to \ \convertvalue \to \ \convertvboxtohbox \copybtxlabeltext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyheadtext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copyoperatortext [] [=] \copysuffixtext [] [=] \copytaglabeltext [] [=] \copyunittext [] [=] \copypages [] [=] [=] \copypages [] [=] [=] \copyparameters [] [] []</pre>

	\\
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap crampedrlap	\crampedllap {} \crampedrlap {}
	\ctop {}
ctop	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentPOPISEK [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
dalsipodstranka	\dalsipodstranka
datasetvariable	\datasetvariable {} {} {}
datum	\datum [=] []
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \{}
defconvertedargument	\defconvertedargument \ {}
	<b>∵</b>

defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebar [] [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnset	\definecolumnset [] [=]
definecolumnsetarea	\definecolumnsetarea [] [=]
definecolumnsetspan	\definecolumnsetspan [] [=]
definecombination	\definecombination [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [] [=]
defineexpandable	\defineexpandable [] \ \{}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefacingfloat	\definefacingfloat [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [=]
definefieldbodyset	\definefieldbodyset []
definefieldcategory	\definefieldcategory [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback []
definefilesynonym	\definefilesynonym []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [=]
defineframedcontent	\defineframedcontent [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] []
definehigh	\definehigh [] [=]
-	

	)
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant \{\ldots\}
defineinterfaceelement	\defineinterfaceelement \{\ldots\} \{\ldots\}
defineinterfacevariable	\defineinterfacevariable \{\ldots\}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] [=]
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [] [=]
definemathfraction	\definemathfraction [] []
definemathframed	\definemathframed [] []
definemathmatrix	\definemathmatrix [] []
definemathornament	\definemathornament [] []
definemathover	\definemathover [] [] \definemathoverextensible [] [] []
definemathoverextensible definemathovertextextensible	
definemathradical	\definemathovertextextensible [] []
definemathstackers	\definemathradical [] [] [=] \definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] [] \definemathtriplet [] [] []
definemathtriplet definemathunder	\definemathtriplet [] [] \definemathunder [] []
definemathunder  definemathunderextensible	\definemathunder [] [] [] \definemathunderextensible [] [] []
definemathunderextensible definemathundertextextensible	\definemathunderextensible [] [] \definemathundertextextensible [] []
definemathunstacked	\definemathundertextextensible [] [] \definemathunstacked [] []
definemathunstacked definemeasure	\definematnunstacked [] [] \definemeasure [] []
definemessageconstant definemixedcolumns	\definemessageconstant {} \definemixedcolumns [] [] [=]
definemixedcolumns definemode	\definemixedcolumns [] [] [=] \definemode [] []
definemultitonecolor	\definemode [] [] \definemultitonecolor [] [=] [=] [=]
definemantitionecolor	\definematitionecolor [] [] [] \definenamedcolor [] []
definenamedcolor:name	\definenamedcolor [] []
definenamespace	
	\definenamespace [] [=]
definenarrower	\definenamespace [] [=] \definenarrower [] [] [=]

definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak definepagecolumns	\definepagebreak [] [] \definepagecolumns [] [] [=]
definepagechecker	\definepagectolumms [] [] [] \definepagechecker [] [] [=]
definepageinjection	\definepageinjection [] [] []
definepageinjectionalternative	\definepageinjectionalternative [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [] []
defineplacement	\defineplacement [] [] [=]
definepositioning defineprefixset	\definepositioning [] [] [] \defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] \defineprocesscolor [] []
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift definesidebar	\defineshift [] [] [=] \definesidebar [] [] [=]
definesort	\definesidebai [] [] {} \definesort [] [] {}
definespotcolor	\definespotcolor [] [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant definesystemvariable	<pre>\definesystemconstant {} \definesystemvariable {}</pre>
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [] [=]
definetextflow	\definetextflow [] [=]
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
<pre>definetransparency:1 definetransparency:2</pre>	\definetransparency [] [] \definetransparency [] [=]
definetransparency:3	\definetransparency [] [] \definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=]
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineuserdata defineuserdataalternative	\defineuserdata [] [] [=] \defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [] [=]
definevspace	\definevspace [] [] \definevspace []
definevspacing	\definevspacing [] []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definuj	\definuj [] \ {}
definujakcent	\definujakcent
definujbarvu	\definujbarvu [] [=]
definujbarvu:name definujblok	\definujbarvu [] [] \definujblok [] []
definujblok definujbloksekce	\definujbloksekce [] [=]
<b>J</b>	

definujbuffer	\definujbuffer [] [=]
definujfont	\definujfont [] [=]
definujfont:argument	\definujfont [] []
definujformatodkazu	\definujformatodkazu [] [] [=]
definujhbox	\definujhbox [] []
definujinterakcnimenu	\definujinterakcnimenu [] [] [=]
definujkombinovanyseznam	\definujkombinovanyseznam [] [] [=]
definujkonverzi	\definujkonverzi [] []
definujkonverzi:list	\definujkonverzi [] []
definujnadpis	\definujnadpis [] [=]
definujobrazeksymbol	\definujobrazeksymbol [] [=]
definujodkaz	\definujodkaz [] []
definujodstavce	\definujodstavce [] [=]
definujopis	\definujopis [] [=]
definujoramovani	\definujoramovani [] [=]
definujoramovanytext	\definujoramovanytext [] [] [=]
definujpaletu	\definujpaletu [] [=]
definujpaletu:name	\definujpaletu [] []
definujplvouciobjekt	\definujplvouciobjekt [] [] [=]
definujplvouciobjekt:name	\definujplvouciobjekt [] []
definujpodpole	\definujpodpole [] []
definujpole	\definujpole [] [] [] []
definujpopis	\definujpopis [] [=]
definujpopisek	\definujpopisek [] [=]
definujprekryv	\definujprekryv [] []
definujprikaz	\definujprikaz
definujprofil	\definujprofil [] [=]
definujprogram	\definujprogram [] []
definujprostredizakladnihofontu	\definujprostredizakladnihofontu [] [] [=]
definujrejstrik	\definujrejstrik [] [=]
definujsablonutabulky	\definujsablonutabulky [] [  ] [] []
definujsekci	\definujsekci []
definujseznam	\definujseznam [] [=]
definujskupinubarev	\definujskupinubarev [] [x:y:z,]
definujstartstop	\definujstartstop [] [=]
definujstyl	\definujstyl [] [=]
definujstylfontu	\definujstylfontu [] []
definujsymbol	\definujsymbol [] []
definujsynonumumfontu	\definujsynonumumfontu [] [=]
definujsynonyma	\definujsynonyma [] [] []
definujtabelaci	\definujtabelaci [] []
definujtext	$\label{eq:definition} $$ \operatorname{definujtext} [\ldots] [\ldots] [\ldots] [\cdots] [\ldots] [\ldots] $$ [\ldots]$
definujtrideni	\definujtrideni [] []
definujupravu	\definujupravu [] [=]
definujvelikostpapiru	\definujvelikostpapiru [] [=]
definujvelikostpapiru:name	\definujvelikostpapiru [] []
definujvycet	\definujvycet [] [=]
definujzakladnifont	\definujzakladnifont [] [] [] []
definujzakladnifont:argument	\definujzakladnifont [] [] []
definujzasobnikpoli	\definujzasobnikpoli [] []
definujznaceni	\definujznaceni [] [=]
definujznak	\definujznak
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
delkaseznamu	\delkaseznamu
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox \{\delta\}
depthspanningtext	\depthspanningtext \{\ldots\} \\delta\rightarrow\
depthstrut	\depthstrut
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\digits \dimensiontocount {} \
	\digits

directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight \{\ldots\}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\\} \{\\} \{\\} \{\\} \\directsethar \directsethar \directsethar \directsethar \directsethar \dire
directsetbar	(directsetbar ()
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing \{\ldots\}
dis disabledirectives	\dis {} \disabledirectives []
disableexperiments disablemode	\disableexperiments [] \disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disablergime
disabletrackers	\disabletegime \disabletrackers []
displaymath displaymathematics	\displaymath {} \displaymathematics {}
displaymessage	\displaymachematics \(\(\text{t}\)
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ [] []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldots\} \{
docheckedpair	\docheckedpair {}
doif	\doif {} {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse $\{\}$ $\{\}$ $\{\}$
doifalldefinedelse	\doifalldefinedelse {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	$\doing 1 \doing 2 \$
doifassignmentelse	\doifassignmentelse $\{\}$ $\{\}$
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse $\{\}$ $\{\}$
doifbothsides	\doifbothsides $\{\}$ $\{\}$
doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$
doifboxelse	\doifboxelse \{\} \{\} \{\}
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\} \{\}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\ldots\}
doifcounterelse	\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefined	\doifdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounter	\doifdefinedcounter {} {}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \{\ldots\}
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument doifdocumentargumentelse	\doifdocumentargument {} {}
doildocumentargumenterse doifdocumentfilename	\doifdocumentargumentelse \{\ldots\} \{\ldots\} \\doifdocumentfilename \{\ldots\} \{\ldots\}
doildocumentfilename doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \{\ldots\} \{\ldots\}
doifdocumentvariable	\doifdocumentvariable \{\ldots\} \\\
doifdocumentvariableelse	\doifdocumentvariablee \{\cdot\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse \{\ldots\} \\\
doifelse	\doifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallcommon	\doifelseallcommon \{\} \{\} \{\}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\.\\\
doifelseassignmentcs	\doifelseassignmentcs \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack \{\} \\\}
doifelsebox	\doifelsebox \{\} \\\.\.\} \\\.\.\}
doifelseboxincache	\doifelseboxincache \{\ldots\} \\\ \ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelsebuffer	\doifelsebuffer {} {}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\} \{\ldots\}
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsecounter	\doifelsecounter {} {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \\ \\ \ldots\}
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
3 3	
doifelsecurrentsynonymused	\doifelsecurrentsynonymused \{\ldots\} \{\ldots\}
doifelsecurrentsynonymused doifelsedefined	\doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {}
	\doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {}
doifelsedefined	\doifelsedefined \{\ldots\} \{\ldots\} \\doifelsedefinedcounter \{\ldots\} \{\ldots\} \\doifelsedefinedcounter \{\ldots\} \\doifelsedefine
doifelsedefined doifelsedefinedcounter	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension	\doifelsedefined \{\ldots\} \{\ldots\} \\doifelsedefinedcounter \{\ldots\} \{\ldots\} \\doifelsedefinedcounter \{\ldots\} \\doifelsedefine
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue	\doifelsedefined \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedimension \{\doifelsedimenstring \{\doifelsedimenstring \{\doifelsedocumentargument \{\doifelsedocumentfilename \{\doifelsedocumentvariable \{\doifelsedocumentvariable \{\doifelsedocumenty \{\doifelsedo
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable	\doifelsedefined \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedimension \{\doifelsedimenstring \{\doifelsedimenstrin
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenptyvariable	\doifelsedefined \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedimension \{\doifelsedimension \{\doifelsedimenstring \{\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelseenv doifelsefastoptionalcheck doifelsefastoptionalchecks doifelsefieldbody	\doifelsedefined \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedimension \{\doifelsedimenstring \{\doifelsedimenstrin
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedarwingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheckcs doifelsefieldbody doifelsefieldcategory	\doifelsedefined \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedefinedcounter \{\doifelsedimension \{\doifelsedimenstring \{\doifelsedimenstring \{\doifelsedimenstring \{\doifelsedocumentargument \{\doifelsedocumentargumentargument \{\doifelsedocumentargume
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedarwingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefigure	<pre>\doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {} {} \doifelsefigure {} {} \doifelsefigure {} {} {} \doifelsefig</pre>
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelsempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldcategory doifelsefigure doifelsefile	<pre>\doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} {} \doifelsedrawingblack {} {} \doifelsempty {} {} {} \doifelsemptyvalue {} {} {} \doifelsemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldcategory {} {} \doifelsefieldcategory {} {} \doifelsefieldefiele {} {} {} \doifelsefiele {} {} {} \doifel</pre>
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefigure doifelsefile doifelsefiledefined	<pre>\doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelseenv {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldefined {} {} {} \doifelsefieldefieldefi</pre>
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefileedefined doifelsefileexists	<pre>\doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedocumentvariable {} {} \doifelsedrawingblack {} {} \doifelsempty {} {} {} \doifelsemptyvalue {} {} {} \doifelsemptyvariable {} {} {} \doifelsestastoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {} \doifelsefieldefined {} {} \doifelsefieldefined {} {} \doifelsefieldefined {} {} \doifelsefieleexists {} {} {} \doifelsefiel</pre>
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefiledefined doifelsefirstchar	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesefile \{\} \{\} \\ \doifelsefilesefile \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefirstchar \{\} \{\} \{\} \\ \doifelsefirstchar \{\} \{\} \{\} \\ \doifelsefireduction \{\} \{\} \\\ \doifelsefireduction \{\} \{\} \\\\ \doifelsefireduction \{\} \{\}
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefile doifelsefilesefilestoptionalcheck doifelsefiledcategory doifelsefilesefile doifelsefilesefile doifelsefilesefilestoptionalcheck doifelsefilestoptionalcheck doif	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefastoptionalcheckcs \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefiledfined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefilexists \{\} \{\} \\ \doifelsefilexists \{\} \\ \doifelsefilexists \{\} \\\ \doifelsefilexists \{\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefiledefined doifelsefirstchar doifelseflagged doifelseflagged	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefisefastoptionalcheckcs \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesefiled \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefilegged \{\} \{\} \\ \doifelsefontfelsefontfeature \{\} \{\} \\ \doifelsefont
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheckcs doifelsefieldcategory doifelsefigure doifelsefile doifelsefiledefined doifelsefirstchar doifelseflagged doifelsefontfeature doifelsefontchar	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesfiledcategory \{\} \{\} \\ \doifelsefilesfiledfined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefilegged \{\} \{\} \\ \doifelsefontfeature \{\} \{\} \\ \doifelsefontfelsefontchar \{\} \{\} \\ \doifelsefontfelsefontchar \{\} \{\} \\ \doifelsefontchar \{\} \\\ \doifelsefontchar \{\} \\\\ \doifelsefontchar \{\} \\\\\\ \doifelsefontchar \{\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheckcs doifelsefieldcategory doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefile doifelsefilesefile doifelsefilesefilestoptionalcheck doifelsefile doifelsefilesetile doifelsefile doifelsefilesetile doifelsefilesetile doifelsefilesetile doifelsefilesetile doifelsefilesetile doifelsefilesetile doifelsefilesetile doifelsefilesetilesetile doifelsefilesetilesetile doifelsefilesetilesetile doifelsefontfeature doifelsefontchar doifelsefontpresent	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfilesfile \{\} \{\} \\ \doifelsefilesfilesfilesfile \{\} \{\} \\ \doifelsefilesfilesfilesfilesfilesfilesfile
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheckcs doifelsefieldcategory doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefilesefile doifelsefilesefile doifelsefontfeature doifelsefontpresent doifelsefontsynonym	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvalue \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefastoptionalcheck \{\} \{\} \\ \doifelsefisefieldbody \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfilesfile \{\} \{\} \\ \doifelsefilesfilesfilesfile \{\} \{\} \\ \doifelsefilesfilesfilesfilesfilesfilesfile
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesent doifelsefilesent doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed	\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedimension \{\} \{\} \\doifelsedimenstring \{\} \{\} \\doifelsedocumentargument \{\} \{\} \\doifelsedocumentfilename \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsempty \{\} \{\} \\doifelsemptyvalue \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsefisestoptionalcheck \{\} \{\} \\doifelsefisestoptionalcheckcs \\\ \\doifelsefieldcategory \{\} \{\} \\doifelsefiledfined \{\} \{\} \\doifelsefiledefined \{\} \{\} \\doifelsefilesefiledefined \{\} \{\} \\doifelsefilesefiledefined \{\} \{\} \\doifelsefilesefiledefined \{\} \{\} \\doifelsefontfeature \{\} \{\} \\doifelsefontfeature \{\} \{\} \\doifelsefontpresent \{\} \{\} \\doifelsefontpresent \{\} \{\} \\doifelsefontsynonym \{\} \{\} \\doifelsefontfeature \{\} \{\} \\doifelsefontfelsefinamed \\\} \{\} \\doifelsefontfelsefontpresent \{\} \{\} \\doifelsefontpresent \{\} \\doifelsefontfelsefontpresent \{\} \\doifelsefontfelsefontpresent \{\} \\doifelsefontfelsefontpresent \{.
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheckcs doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesent doifelsefilesent doifelsefilesent doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed doifelseframed doifelseframed	\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedimension \{\} \{\} \\doifelsedimenstring \{\} \{\} \\doifelsedocumentargument \{\} \{\} \\doifelsedocumentfilename \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsedrawingblack \{\} \{\} \\doifelsempty \{\} \{\} \\doifelsemptyvalue \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsefisetoptionalcheck \{\} \{\} \\doifelsefisetieldcategory \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefilesfiledefined \{\} \{\} \\doifelsefilesfilesfilestiend \{\} \{\} \\doifelsefilesfilesfilestiend \{\} \{\} \\doifelsefilesfilesfilestiend \{\} \{\} \\doifelsefontfelsefontchar \{\} \{\} \\doifelsefontfelsefontchar \{\} \{\} \\doifelsefontpresent \{\} \{\} \\doifelsefontfelsefontsynonym \{\} \{\} \\doifelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfelsefontfel
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesent doifelsefilesent doifelsefilesent doifelsefilesent doifelsefilesent doifelsefilesent doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed doifelsefasspace doifelsehasspace	\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedimension \{\} \{\} \\doifelsedimenstring \{\} \{\} \\doifelsedimenstring \{\} \{\} \\doifelsedocumentargument \{\} \{\} \\doifelsedocumentfilename \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsempty \{\} \{\} \\doifelsemptyvalue \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsefisestoptionalcheck \{\} \{\} \\doifelsefisestoptionalcheckcs \\\ \\doifelsefieldcategory \{\} \{\} \\doifelsefiledfined \{\} \{\} \\doifelsefilesfiledefined \{\} \{\} \\doifelsefilesfiledefined \{\} \{\} \\doifelsefilesfileged \{\} \{\} \\doifelsefontfeature \{\} \\doifelse
doifelsedefined doifelsedinension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisefastoptionalcheck doifelsefielddody doifelsefigure doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed doifelsehasspace doifelseincsname	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelseempty \{\} \{\} \\ \doifelseemptyvalue \{\} \{\} \\ \doifelseemptyvariable \{\} \{\} \\ \doifelsefisetastoptionalcheck \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefiledefined \{\} \{\} \\ \doifelsefiledefined \{\} \{\} \\ \doifelsefiledefined \{\} \{\} \\ \doifelsefilesefiledefined \{\} \{\} \\ \doifelsefilesefontfeature \{\} \{\} \\ \doifelsefontfelsefontpresent \{\} \{\} \\ \doifelsefilesefontsynonym \{\} \{\} \\ \doifelsefileseincsname \{\} \{\} \\ \doifelseincsname \{\} \{\} \{\} \\ \doifelseincsname \{\} \{\}
doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefastoptionalchecks doifelsefieldcategory doifelsefiledefined doifelsefiledefined doifelsefilexists doifelsefilexists doifelsefilegged doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelsefiaemed doifelsefinesname doifelseinesname doifelseinelement	\doifelsedefined \{\\} \\\\} \\\.\.\\\\.\.\\\\.\.\\\\.\.\\\\\\\\
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefilesexists doifelsefile doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed doifelseincsname doifelseincsname doifelseinelement doifelseinputfile	\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedimension \{\} \{\} \\doifelsedimenstring \{\} \{\} \\doifelsedocumentargument \{\} \{\} \\doifelsedocumentargument \{\} \{\} \\doifelsedocumentfilename \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelsedocumentvariable \{\} \{\} \\doifelseempty \{\} \{\} \\doifelseempty \{\} \{\} \\doifelseemptyvalue \{\} \{\} \\doifelseemptyvariable \{\} \{\} \\doifelseenv \{\} \{\} \\doifelsefisetastoptionalcheck \{\} \{\} \\doifelsefieldbody \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefieldefined \{\} \{\} \\doifelsefileexists \{\} \{\} \\doifelsefileexists \{\} \{\} \\doifelsefileexists \{\} \{\} \\doifelsefileexists \{\} \{\} \\doifelsefontfeature \{\} \{\} \\doifelsefontfeature \{\} \{\} \\doifelsefontpresent \{\} \{\} \\doifelsefontpresent \{\} \{\} \\doifelsefileexinspace \{\} \{\} \\doifelse
doifelsedefined doifelsedefinedcounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisedocy doifelsefieldcategory doifelsefiledcategory doifelsefiledefined doifelsefileexists doifelsefilexists doifelsefontfeature doifelsefontpresent doifelsefontpresent doifelseframed doifelseframed doifelsefinement doifelseincsname doifelseincement doifelseinputfile doifelseinputfile doifelseinsertion	\doifelsedefined \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelseempty \{\} \{\} \\ \doifelseemptyvalue \{\} \{\} \\ \doifelseemptyvariable \{\} \{\} \\ \doifelsefisetastoptionalcheck \{\} \{\} \\ \doifelsefisetastoptionalchecks \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefilesfiledcategory \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfilestategory \{\} \{\} \\ \doifelsefilesfilestategory \{\} \{\} \\ \doifelsefilesfilestategory \{\} \{\} \\ \doifelsefilesfilestate \{\} \{\} \\ \doifelsefilesfintpresent \{\} \{\} \\ \doifelsefilesfintpresent \{\} \{\} \\ \doifelsefileseincsname \{\} \{\} \\ \doifelseincsname \{\} \{\} \\ \doifelseinelment \{\} \{\}
doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedocumentvariable doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefilesexists doifelsefile doifelsefontfeature doifelsefontpresent doifelsefontsynonym doifelseframed doifelseincsname doifelseincsname doifelseinelement doifelseinputfile	\doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedocumentvariable \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelseempty \{\} \{\} \\ \doifelseemptyvalue \{\} \{\} \\ \doifelseemptyvariable \{\} \{\} \\ \doifelsefisetastoptionalcheck \{\} \{\} \\ \doifelsefieldbody \{\} \{\} \\ \doifelsefieldcategory \{\} \{\} \\ \doifelsefiledfined \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfile \{\} \{\} \\ \doifelsefilesfilestate \{\} \{\} \\ \doifelsefilesfontfeature \{\} \{\} \\ \doifelsefontfeature \{\} \{\} \\ \doifelsefontfeature \{\} \{\} \\ \doifelsefontsynonym \{\} \{\} \\ \doifelsefilesincsname \{\} \{\} \\ \doifelseinelment \{\} \{\} \

doifelseinsymbolset	\doifelseinsymbolset $\{\}$ $\{\}$ $\{\}$
doifelseintoks	\doifelseintoks $\{\}$ $\{\}$ $\{\}$
doifelseintwopassdata	$\doingle$ \doifelseintwopassdata $\{\}$ $\{\}$ $\{\}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage $\{\}$ $\{\}$
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined $\{\}$ $\{\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \{\ldots\}
doifelseleapyear	\doifelseleapyear {} {}
doifelselist	\doifelselist {} {}
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {} {}
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \{} \{}
doifelsemessage	\doifelsemessage {} {} {}
doifelsemode	\doifelsemode {} {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar {} {} {}
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive {} {} {}
doifelsenoteonsamepage	\doifelsenoteonsamepage {} {} {}
doifelsenothing	\doifelsenothing {} {}
doifelsenumber	\doifelsenumber {} {}
doifelseobjectfound	\doifelseobjectfound {} {} {} {}
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\doifelseoldercontext \{\doife
doifelseolderversion	\doifelseolderversion \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\} \{\} \{\}
doifelseoverlay	\doifelseoverlay \{\} \\\}
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \{\ldots\}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepatterns	\doifelsepatterns {} {}
doifelseposition	\doifelseposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\ \ldots\}
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsused	\doifelsepositionsused {} {}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelserightpage	\doifelserightpage \{\ldots\} \\\.\\}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox {} {}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \{\ldots\}
doifelsesamestring	\doifelsesamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesetups	\doifelsesetups {} {} {}
doifelsesomebackground	\doifelsesomebackground {} {} {}
doifelsesomespace	\doifelsesomespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething	\doifelsesomething \{\ldots\} \\\.\\\
doifelsesometoks	\doifelsesometoks \ \{\}
doifelsestringinstring	\doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber \{\ldots\} \{\ldots\}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage {} {}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetext \(\(\)\\\ \\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetextflowcollector	\doifelsetextflow \(\ldots\) \(\ldots\) \\doifelsetextflowcollector \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsetopofpage	\doifelsetopofpage \{\ldots\} \\\
doifelsetypingfile	\doifelsetoporpage \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
· · · · · · · · · · · · · · · · · · ·	

doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \{\ldots\}
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse $\{\}$ $\{\}$
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse $\{\ldots\}$ $\{\ldots\}$
doifemptyvariable	\doifemptyvariable $\{\}$ $\{\}$
doifemptyvariableelse	\doifemptyvariableelse $\{\}$ $\{\}$ $\{\}$
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\doiffiermont \{\ldots\} \\doiffiermont\} \\doiffiermont \{\ldots\} \\doiffiermont\} \\doiffier
doiffigureelse	\doiffigureelse \{\ldots\} \\\.\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse doiffileexistselse	\doiffileelse {} {} {} \doiffileexistselse {} {} {}
doiffirstcharelse	\doiffirstcharelse \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifflaggedelse	\doifflaggedelse \{\} \{\}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontcharelse	\doiffontcharelse \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doiffontpresentelse	\doiffontpresentelse \{\\} \{\\}
doiffontsynonymelse	\doiffontsynonymelse \{\} \{\}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse \{\ldots\} \\\ \ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinelementelse	\doifinelementelse \{\ldots\} \{\ldots\} \{\ldots\}
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse {} {} {} {}
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse {} {} {}
doifinsymbolset	\doifinsymbolset {} {} {}
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \{\ldots\} \{\ldots\}
doifintokselse	\doifintokselse {} {} {}
doifintwopassdataelse	\doifintwopassdataelse $\{\}$ $\{\}$ $\{\}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse $\{\}$ $\{\}$
doiflayerdataelse	\doiflayerdataelse $\{\}$ $\{\}$
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse	\doifleapyearelse \{\ldots\} \{\ldots\}
doiflistelse	\doiflistelse \{\} \{\}
doiflocationelse	\doiflocationelse \{\ldots\}
doiflocfileelse	\doiflocfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifMPgraphicelse	\doifMPgraphicelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmainfloatbodyelse	\doifmainfloatbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmarkingelse	\doifmarkingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmeaningelse \ \ \{\} \{\}
doifmessageelse doifmode	\doifmessageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmodeelse	\doifmodeelse \{\} \{\}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse \\
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextparenthesiselse	\doifnextparenthesiselse \{\ldots\} \\ \ldots\}
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifnot	\doifnot \{\} \{\}
doifnotallcommon	\doifnotallcommon \{\} \\ \{\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \\\ \ldots\}
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon {} {} {}
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}

doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotdocumentvariable	\doifnotdocumentvariable \{\ldots\}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotenv	\doifnotenv \{\ldots\} \{\ldots\}
doifnoteonsamepageelse	\doifnoteonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotescollected	\doifnotescollected {} {}
doifnotfile	\doifnotfile \{\ldots\} \\\
doifnotflagged	\doifnotflagged \{\ldots\}\{\ldots\}
doifnothing	\doifnothing \{\ldots\} \\\
doifnothingelse	\doifnothingelse \{\} \{\}
doifnotinset	\doifnotinset \{\} \{\}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber {} {}
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvariable	\doifnotvariable \{\ldots\} \\doifnotvariable
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifodjectreferencefoundelse	\doifobjectreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse doifoldercontextelse	\doifoddpagefloatelse {} {} \doifoldercontextelse {} {} {}
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse doifoverlayelse	\doifoverlappingelse \{\} \{\} \\doifoverlayelse \{\} \\d\}
•	
doifparallelelse doifparentfileelse	\doifparallelelse \{\} \{\} \{\} \\doifparentfileelse \{\} \{\} \{\}
doifpathelse	\doifpathelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathexistselse	\doifpatheristelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition {} {} {}
doifpositionaction	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\doifpositiononpageelse \{\doifpositiononpag
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse \{\doifpositionsonthispageelse \{
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse \{\doifreferencefoundelse \{\doifreferencefoun
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse {} {}
doifsamestring	\doifsamestring {} {} {}
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {} {}
doifsomespaceelse	\doifsomespaceelse {} {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse {} {} {}
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ \{\} \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	$\verb \doiftextflowcollectorelse {} {} {}$
doiftextflowelse	\doiftextflowelse $\{\}$ $\{\}$
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifundefinedcounter	\doifundefinedcounter \{\ldots\}

doifundefinedelse doifunknownfontfeature	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	$\label{local-problem} $$ \doifvalueelse $\{\ldots\} $\{\ldots\} $\{\ldots\} $$
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvaluesomething doifvariable	\doifvaluesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvariableelse	\doifvariableelse \{\} \\ \\.\} \\\.\}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing dontconvertfont	\donothing \dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	$\dots$
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty doquadruplegroupempty	\doquadrupleempty \ [] [] [] \doquadruplegroupempty \ {} {} {} {}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorecurse	\dorecurse {} {}
dorechecknextindentation	\dorechecknextindentation
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature doresetandafffeature	\doreplacefeature {} \doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dogotrightalrinodontion	\dosetrightskipadaption {}
dosetrightskipadaption	
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] []</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ []</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosingleempty \ [] \dosinglegroupempty \ {}</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] []
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] []
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosintupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip	<pre>\dosetupcheckedinterlinespace {=} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] [] \doseventupleempty \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} {} \dostfskip {}</pre>
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks	<pre>\dosetupcheckedinterlinespace { = } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ [ ] [ ] [ ] [ ] [ ] [ ] \doseventupleempty \ [ ] [ ] [ ] [ ] [ ] [ ] \dosingleargument \ [ ] \dosinglegroupempty \ { } \dosinglegroupempty \ [ ] [ ] [ ] [ ] [ ] [ ] \dosixtupleargument \ [ ] [ ] [ ] [ ] [ ] \dostarttagged { } { } { } { } \dosubtractfeature { } \dotfskip { } \dotfskip { } \dotripleargument \ [ ] [ ] [ ] \dotripleargument \ [ ] [ ] \dotripleargumentwithset \ [ ] [ ] \dotripleargumentwithset \ [ ] [ ]</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset	<pre>\dosetupcheckedinterlinespace { =} \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith	<pre>\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotriplegroupempty doublebond dowith dowithnextbox	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ [] [] [] [] [] [] [] \dosixtupleargument \ [] [] [] [] [] [] \dostarttagged {} {} \ \dostoptagged \dostepwiserecurse {} {} {} {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleargumentwithset \ [] [] \dotriplegroupempty \ {} {} \doublebond \dowith {} {} \dowithnextbox {} \ {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith	<pre>\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</pre>
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dotripleempty dotripleempty dothipleempty dothipleempty doublebond dowith dowithnextbox dowithnextboxcontent	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleempty \ [] [] [] [] [] [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotfskip {} \dotfskip {} \dotfskip {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] \dotripleempty \ [] [] [] \dotriplegroupempty \ {} {} \dowithnextbox {} \ {} \dowithnextbox {} \ {} \dowithnextboxcontent {} {} \}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleargumenty dotripleempty dotripleempty dotripleempty dothipleond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithpargument dowithpargument dowithpargument	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithargument dowithrange	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ [] [] [] [] [] [] \doseventupleargument \ [] [] [] [] [] [] \dosingleargument \ [] \dosingleargument \ [] \dosinglegroupempty \ {} \dosinglegroupempty \ {} \dosixtupleargument \ [] [] [] [] [] [] \dosixtupleempty \ [] [] [] [] [] [] \dostarttagged {} {} \dostoptagged \dostepwiserecurse {} {} {} \dotship {} \dotship {} \dotship {} \dotripleargument \ [] [] [] \dotripleargumentwithset \ [] [] [] \dotripleempty \ [] [] [] \dotripleemptywithset \ [] [] [] \dotriplegroupempty \ {} {} {} \dowithnextbox {} \ {} \dowithnextbox {} \ {} \dowithnextboxcontent {} {} \} \dowithnextboxcontentcs \ \ \ {} \dowithnextboxcontentcs \ \ \ \ \ {}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleargument dotate tagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset dotripleargumentwithset dotripleempty dotripleemptywithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosinglegroupempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargument dotripleargumenty dotripleempty dotripleempty dothipleempty dothipleempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnargument dowithrange dowithwargument dpofstring dummydigit	\dosetupcheckedinterlinespace {
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosinglegroupempty dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargument dotripleargumentwithset dotripleempty dotripleempty dotripleempty dothipleargumentwithset dotriplegroupempty doublebond dowith dowithnextbox dowithnextboxcontent dowithnextboxcs dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX EveryLine	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {} \doseventupleargument \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name doseventupleargument doseventupleempty dosingleargument dosingleempty dosixtupleargument dosixtupleargument dosixtupleempty dostarttagged dostepwiserecurse dosubtractfeature dotfskip dotoks dotripleargumentwithset dotripleargumentwithset dotripleempty dotripleempty doublebond dowith dowithnextbox dowithnextboxcontent dowithpargument dowithrange dowithwargument dpofstring dummydigit dummyparameter ETEX	\dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \dosetupcheckedinterlinespace { } \doseventupleargument \ [ ] [ ] [ ] [ ] [ ] [ ] \doseventupleempty \ \ [ ] [ ] [ ] [ ] [ ] [ ] [ ] \dosingleargument \ \ [ ] \dosingleargument \ \ \ [ ] [ ] [ ] [ ] [ ] [ ] [ ] \dosinglegroupempty \ \ \ { } \dosinglegroupempty \ \ \ \ { } [ ] [ ] [ ] [ ] [ ] [ ] \dosixtupleempty \ \ \ \ [ ] [ ] [ ] [ ] [ ] [ ] \dostarttagged { } { } { } { } \dostoptagged \dostepwiserecurse { } { } { } { } \dostoptagged \dostepwiserecurse { } { } { } \dotripleargument \ \ \ \ \ [ ] [ ] [ ] [ ] \dotripleargument \ \ \ \ \ [ ] [ ] [ ] [ ] \dotripleargument \ \ \ \ \ [ ] [ ] [ ] [ ] \dotripleempty \ \ \ \ [ ] [ ] [ ] [ ] \dotripleempty \ \ \ \ [ ] [ ] [ ] [ ] \dowithnextbox { } { } { } \dowithnextbox { } \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse {} {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}
expandcheckedcsname	\expandcheckedcsname \ \{\} \{\}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {} {}
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {} {}
expdoifinsetelse	\expdoifinsetelse {} {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
externiobraz	\externiobraz [] [] [=]
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped $\{\ldots\}$ $\{\ldots\}$
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark []
fetchonemarking	\fetchonemarking [] []

fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	$\verb  fifth of six arguments {} {} {} {} {} {} {} {} \\$
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
	\fillupto [] {}
filterfromnext	\filterfromnext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	\filterfromvalue {\ldots\} \{\ldots\} \\ \formalfootnote{OPT}  \text{OPT}   \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}  \text{OPT}
	\filterpages [] [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
•	\finishregisterentry [] [=] [=]
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstcharacter	\firstcountervalue []
firstinlist	\firstinlist []
	\firstiniist [] \firstoffivearguments {} {} {} {} {}
	\firstoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\firstofinearguments \(\ldots\)
•	\firstofoneargument \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\firstofsixarguments \{\} \{\} \{\} \{\} \{\} \{\}
	\firstofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwoarguments	\firstoftwoarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
•	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface

fontfeaturelist	\fontfeaturelist [] []
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontsize	\fontsize
fontstyle	\fontstyle
footnotetext	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
foundbox	\foundbox \{\} \( \)
fourthoffivearguments	\fourthoffivearguments \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\}
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
fourthofsixarguments	\fourthofsixarguments \{\ldots\}
frameddimension	\frameddimension \{\ldots\}
framedparameter	\framedparameter \{\}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {}
getgparameters	\getgparameters [] [=]
getinlineuserdata	\getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
<u> </u>	
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ {}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}

getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ \{\}
getrandomdimen	\getrandomdimen \ {}
getrandomfloat	\getrandomfloat \ {}
getrandomnumber	\getrandomnumber \ {} {}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuserdata	\getuserdata
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {}
getxparameters	\getxparameters [] [=]
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {} \gobblefivearguments {} {} {} {} {}
gobblefivearguments	
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments gobblefouroptionals	\gobblefourarguments {} {} {} \gobblefouroptionals [] [] []
gobbleninearguments	\gobblerouroptionals [] [] [] [] \gobblerouroptionals [] [] [] [] [] [] [] [] []
gobbleoneargument	\gobbleoneargument \{\dots\}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments \{\ldots\}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments \{\dots\} \{\dots\} \{\dots\} \{\dots\} \{\dots\} \dots\}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments {} {} {} {} {} {} {} {}
gobblethreearguments	\gobblethreearguments {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {}
grabuntil	\grabuntil {} \
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace

hairspace

halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat hboxofybox	\hat {}
ndoxoivdox hboxreference	<pre>\hboxofvbox \hboxreference [] {}</pre>
hbox:example	\hboxFererence [] {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth heightanddepthofstring	\headwidth \heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo hl	\himilo {} {} {}
nı hlavnijazyk	\hl [] \hlavnijazyk []
hodnotabarvy	\hodnotabarvy {}
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring htofstring	<pre>\htdpofstring {} \htdfstring {}</pre>
hyphen	\hyphen
hyphen hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check checkedblank	\check {} \checkedblank []
checkedfiller	\checkedfiller {}
checkedfiffer	\checkedchar {} {}
checkedenar checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkcharacteralign	\checkcharacteralign {}
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousiniector	\checkpreviousiniector []

checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chem	\chem {} {}
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
-	-
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
-	-
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
<del>-</del>	•
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
insertpages	\insertpages [] [=]
instalacejazyka	\instalacejazyka [] [=]
instalacejazyka:name	\instalacejazyka [] []
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter \}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \\
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	$\verb lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:$
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \\
installdefinitionset	\installdefinitionset \ \{\}

installdefinitionsetmember	\installdefinitionsetmember \ \\ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ {}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ {} \
installframedcommandhandler	\installframedcommandhandler \ \ \
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ {}
installparametersethandler	\installparametersethandler \ {}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod \{\dots\} \\\
installsimplecommandhandler	\installsimplecommandhandler \ \{\} \
-	\installsimpleframedcommandhandler \ \\ \\
installsimpleframedcommandhandler	
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \\
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtextracker	\installtextracker \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator \{\ldots\}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\ldots\} \{\ldots\}
integerrounding	\integerrounding {}
interakcnilista	\interakcnilista [] [=]
interakcnitlacitka	\interakcnitlacitka [=] []
interaktivnimenu	\interaktivnimenu [] [=]
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jazyk	\jazyk []
jazyk:example	\LANGUAGE
jdidolu	\jdidolu []
jdina	\jdina {} []
jdinabox	\jdinabox {} []
jdinastranu	\jdinastranu {} []
jednotka:instance	\UNIT {}
jednotka:instance:unit	\unit {}
jobfilename	\jobfilename
•	· ·
jobfilesuffix	\jobfilesuffix
Kap	\Kap {}
kaligraficke	\kaligraficke
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
klonujpole	\klonujpole [] [] []
komentar:instance	\COMMENT [] [=] {}
komentar:instance:comment	\comment [] [=] {}
komponenta	\komponenta []
komponenta:string	\komponenta
konvertujcislo	\konvertujcislo {} {}
kopirujpole	\kopirujpole [] []
koreancirclenumerals	$\verb \koreancircle numerals {} $
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}

koreanparentnumerals	\koreanparentnumerals {}
korekcebilehomista	\korekcebilehomista {}
kurziva	\kurziva
kurzivnitucne	\kurzivnitucne
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
LUAJITTEX	\LUAJITTEX
LUATEX	\LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABELjazyk
labellanguage:instance:btxlabel	\btxlabeljazyk
labellanguage:instance:head	\headjazyk
labellanguage:instance:label	\labeljazyk
labellanguage:instance:mathlabel	\mathlabeljazyk
labellanguage:instance:operator	\operatorjazyk
labellanguage:instance:prefix	\prefixjazyk
labellanguage:instance:suffix	\suffixjazyk
labellanguage:instance:taglabel	\taglabeljazyk
labellanguage:instance:unit	\unitjazyk
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtext {}
leftlabeltext:instance:head	\leftheadtext {}
leftlabeltext:instance:label	\leftlabeltext {}
leftlabeltext:instance:mathlabel	\leftmathlabeltext {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined letcatcodecommand	\letbeundefined {}
	\letcatcodecommand \ \

Letcscsname	\letcscsname \ \csname \endcsname
Letcsnamecs	\letcsnamecs \csname \endcsname \
Letcsnamecsname	\letcsnamecsname \csname \\endcsname \csname\endcsname
Letdummyparameter	\letdummyparameter {} \
Letempty	<pre>\letempty \ \letgvalue {} \</pre>
Letgvalue Letgvalueempty	\letgvalueempty {}
Letgvalurelax	\letgvalurelax {}
Letterampersand	\letterampersand
Letterat	\letterat
Letterbackslash	\letterbackslash
Letterbar	\letterbar
Letterbgroup	\letterbgroup
Letterclosebrace	\letterclosebrace
Lettercolon	\lettercolon
letterdollar	\letterdollar
Letterdoublequote	\letterdoublequote
Letteregroup	\letteregroup
Letterescape	\letterescape
Letterexclamationmark	\letterexclamationmark
Letterhash	\letterhash
Letterhat Letterleftbrace	\letterhat \letterleftbrace
letterleftbracket	\letterleftbracket
Letterleftparenthesis	\letterleftparenthesis
Letterless	\letterless
Lettermore	\lettermore
Letteropenbrace	\letteropenbrace
Letterpercent	\letterpercent
Letterquestionmark	\letterquestionmark
Letterrightbrace	\letterrightbrace
Letterrightbracket	\letterrightbracket
Letterrightparenthesis	$\$ \lefty letterright parenthesis
Lettersinglequote	\lettersinglequote
letterslash	\letterslash
Letterspacing	\letterspacing [] {}
Lettertilde	\lettertilde
Letterunderscore Letvalue	\letterunderscore \letvalue {} \
Letvalue Letvalueempty	\letvalue \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
Lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {}
limitatelines	\limitatelines {} {} {}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
Linebox	\linebox {}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation []
listcitation:userdata	\listcitation [=] [=]
Listcite Listcite:alternative	\listcite [=] []
listcite:aiternative listcite:userdata	\listcite [] [] \listcite [=] [=]
Listnamespaces	\listnamespaces
Llap	\lap {}
Loadanyfile	\loadanyfile []
Loadanyfileonce	\loadanyfileonce []
Loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
Loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
Loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
Loadluafileonce	\loadluafileonce []
Loadspellchecklist	\loadspellchecklist [] []
Loadtexfile	\landtexfile []
Loadtexfileonce	\landtexfileonce []
loadtypescriptfile	\loadtynescriptfile [ ]

11	\]]f
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localharize	\local normal
localpopbox	\localpopbox
localpopmacro localpushbox	\localpopmacro \ \localpushbox
•	· · · · · · · · · · · · · · · · · · ·
localpushmacro localundefine	\localpushmacro \ \localundefine {}
locatedfilenath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomini \{\} \\\
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lrtbbox	\lrtbbox \{\} \\\} \\\}
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
MESIC	\MESIC {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
	\MPdrawing {}
MPfontaizabakin	\MPfontsizehskip {}
MPGottyltipara	<del>_</del>
MPgetmultipars MPgetmultishapa	\MPgetmultipars \{\} \\MPgetmultishape \{ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
MPgetmultishape MPgetmashayas	\MPgetmultishape \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPic allusians [ ] [ ] [ ]
MPInclusions	\MPlaftakin [ ] { }
MPleftskip	\MPleftskip {}
MP11	\MP1 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}

MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
•	
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
<del>-</del>	\MPrest {} {}
MPrest	
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
male	\male
malekurzivnitucne	\malekurzivnitucne
malenormalni	\malenormalni
malesklonene	\malesklonene
malesklonenetucne	\malesklonenetucne
	\maletucne
maletucne	
maletucne maletucnekurziyni	•
maletucnekurzivni	\maletucnekurzivni
maletucnekurzivni maletucnesklonene	\maletucnekurzivni \maletucnesklonene
maletucnekurzivni maletucnesklonene maletype	\maletucnekurzivni \maletucnesklonene \maletype
maletucnekurzivni maletucnesklonene maletype mapfontsize	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] []
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin	<pre>\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}</pre>
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \inleft [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftedge margindata:instance:inleftmargin	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] [] {} \margindata [] [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintermargin [] [] {} \inintermargin [] [] {} \inintertedge [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintermargin [] [] {} \inintermargin [] [] {} \inintertedge [] [] {} \inintertedge [] [] {} \inintertedge [] [] {} \inintermargin [] [] {} \inintermargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother	\maletucnekurzivni \maletucnesklonene \maletype \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininfettedge [] [] {} \inleftmargin [] [] {} \innargin [] [] {} \innargin [] [] {} \inother [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneradge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter	\maletucnekurzivni \maletucnesklonene \maletype \mapfontsize [] [] [] {} \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atlightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \ininleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inother [] [] {} \inother [] [] {} \inother [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \ininter [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouteredge [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inouteredge margindata:instance:inoutermargin	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [] [] {} \MARGINDATA [] [] {} \atleftmargin [] [] {} \atrightmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \ininter [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouteredge [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inouteredge margindata:instance:inoutermargin	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [] [] {} \margindata [] [] {} \atleftmargin [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \ininnermargin [] [] {} \ininleft [] [] {} \inleft [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [] [=] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintert [] [] {} \ininfettedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \inntert [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inoutermargin [] [] {} \inouterdge [] [] {} \inouterdge [] [] {} \inouterdge [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \MARGINDATA [=] [=] {} \atleftmargin [] [=] {} \ininner [] [] {} \ininner [] [] {} \ininner [] [] {} \ininnermargin [] [] {} \inintert [] [] {} \ininfettedge [] [] {} \inleftmargin [] [] {} \inleftmargin [] [] {} \innargin [] [] {} \innargin [] [] {} \inother [] [] {} \inother [] [] {} \inouteredge [] [] {} \inoutermargin [] [] {} \inoutermarght [] [] {} \inright [] [] {} \inright [] [] {} \inrightmargin [] [] {} \inrightmargin [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mattendata [] [=] {} \mattendata [] [=] {} \mattendata [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mathermargin [] [=] {} \mathermargin [] [] {} \minner [] [] {} \minner [] [] {} \minnermargin [] [] {} \minnermargin [] [] {} \minnermargin [] [] {} \minleft [] [] {} \margint [] [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mathermargin [] [=] {} \mathermargin [] [] {} \minner [] [] {} \minner [] [] {} \minnermargin [] [] {} \minnermargin [] [] {} \minnermargin [] [] {} \minleft [] [] {} \minuter [] [] {} \minuter [] [] {} \minuter [] [] {} \minuter [] [] {} \minight [] [] {} \margintext [] [] {} \margintext [] [] {} \markedpages []
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:ininght margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mathermargin [] [=] {} \mathermargin [] [] {} \minner [] [] {} \minner [] [] {} \minnermargin [] [] {} \minnermargin [] [] {} \minleft [] [] {} \margint [] [] {} \margint [] [] {} \margint [] [] {} \margint [] [] {} \markedpages [] \markedpages [] \markinjector []
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mattendata [] [=] {} \mattendata [] [=] {} \mattendata [] [=] {} \mattendata [] [] {} \mattendata [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minuter [] [] {} \minuter [] [] {} \minuter [] [] {} \minight [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \markedpages [] \markedpages [] \markpage [] []
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mattendata [] [=] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minuter [] [] {} \minuter [] [] {} \minight [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \markedpages [] \markedpages [] \markpage [] [] \markpage [] [] \markpage [] [] \markpage [] []
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat matematika	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mattendata [] [=] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minuter [] [] {} \minuter [] [] {} \minuter [] [] {} \minight [] [] {} \margin [] [] {} \margin [] [] {} \markedpages [] \markedpages [] \markedpage [] [] \mat {} \matematika [] {} \matematika [] {}
maletucnekurzivni maletucnesklonene maletype mapfontsize margindata margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markedpages markinjector markpage mat	\maletucnekurzivni \maletucnesklonene \mapfontsize [] [] \margindata [] [=] [=] {} \margindata [] [=] {} \mattendata [] [=] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minner [] [] {} \minleft [] [] {} \minleft [] [] {} \minleft [] [] {} \minder [] [] {} \minder [] [] {} \minuter [] [] {} \minuter [] [] {} \minight [] [] {} \margin [] [] {} \margin [] [] {} \margin [] [] {} \markedpages [] \markedpages [] \markpage [] [] \markpage [] [] \markpage [] []

mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\ \\}
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent {} {}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar {} {}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {} {}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}

mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
<u> </u>	
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	$\ttwo headright arrow {} {}$
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	$\xleftarrow {} {}$
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	$\xmapsto {} {}$
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
<u> </u>	
mathextensible:instance:xrightharpoonup	\xrightharpoonup $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:xrightleftharpoons	$\xrightleftharpoons {} {}$
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
<del>-</del>	\mathover [] {} {}
mathover	
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\}\ \{\ldots\}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
	• • • • • • •
mathunder	\mathunder [] {} {}
mathunder mathunderextensible:example	\mathunder [] {} {} \MATHUNDEREXTENSIBLE {}
	\mathunder [] {} {}
<pre>mathunderextensible:example mathundertextextensible:instance</pre>	\mathunder [] {} {} \MATHUNDEREXTENSIBLE {}
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example</pre>	<pre>\mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED</pre>
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright</pre>	<pre>\mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright</pre>
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword</pre>	<pre>\mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {}</pre>
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf</pre>	<pre>\mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {}</pre>
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword</pre>	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {}</pre>
<pre>mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf</pre>	<pre>\mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {}</pre>
mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {}</pre>
mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {}</pre>
mathunderextensible:example mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordit mathwordsl	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {} \mathwordbs {} \mathwordbi {} \mathwordbi {} \mathwordbi {} \mathwordbi {} \mathwordbi {} \mathwordbi {}</pre>
mathunderextensible:example mathunstacked:example mathupright mathword mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {} \mathwordbi {} \mathwordbi</pre>
mathunderextensible:example mathunstacked:example mathupright mathwordd mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordtf maxaligned	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {} \mathwordbi {} \mathwordit {} \mathwordit {} \mathwords1 {} \maxaligned {}</pre>
mathunderextensible:example mathunstacked:example mathupright mathword mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {}  MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {} \mathwordbi {} \mathwordit {} \mathwords {} \maxaligned {} \mbox {}</pre>
mathunderextensible:example mathunstacked:example mathupright mathwordd mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordtf maxaligned	<pre>\mathunder [] {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {} \mathwordbf {} \mathwordbi {} \mathwordbs {} \mathwordbi {} \mathwordit {} \mathwordit {} \mathwords1 {} \maxaligned {}</pre>

measured	\measured {}
medskip	\medskip
medspace	\medspace
meritko	\meritko [] [=] {}
mesic	\mesic {}
message	\message {}
metaTeX	\metaTeX
mezera	\mezera
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox midhbox	\middlebox {} \midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
mononormal	\mononormal
monotucne	\monotucne
monthlong	\monthlong {}
monthshort	\monthshort {}
mprandomnumber	\mprandomnumber
mrizka	\mrizka [=]
mtext	\mtext {}
NormalizeFontHeight	$\label{localize} $$\operatorname{NormalizeFontHeight} \ \ldots \ \{\ldots\} \ \{\ldots\} $$$
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight \{\ldots\} \{\ldots\}
NormalizeTextWidth	\NormalizeTextWidth {} {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
namedtaggedlabeltexts nastavbarvu	\namedtaggedlabeltexts {} {} {} {} {} \nastavbarvu []
nastavbarvy	\nastavbarvy [=]
nastavbilamista	\nastavbilamista []
nastavblok	\nastavblok [] [=]
nastavbloksekce	\nastavbloksekce [] [=]
nastavbuffer	\nastavbuffer [] [=]
nastavcernelinky	\nastavcernelinky [=]
nastavcislonadpisu	\nastavcislonadpisu [] []
nastavcislostrany	\nastavcislostrany [=]
nastavcislovaniodstavcu	\nastavcislovaniodstavcu [=]
nastavcislovaniradku	\nastavcislovaniradku [] [=]
nastavcislovanistran	\nastavcislovanistran [=]
nastavcitaci	\nastavcitaci [=]
nastavdeleniplvoucichobjektu	\nastavdeleniplvoucichobjektu [=]
nastavdelitko	\nastavdelitko [=]
nastavdolnitexty	\nastavdolnitexty [] [] [] [] \nastaveni []
nastaveni nastaveni:direct	\nastaveni [] \nastaveni {}
nastaveni:direct nastavhorejsek	\nastaveni \(\cdots\) \nastavhorejsek \[\cdots\] \[\cdots\]
nastavhornitexty	\nastavhornitexty [] [] [] []
nastavinterakci	\nastavinterakci [] [=]
nastavinterakci:name	\nastavinterakci []
nastavinterakcnilistu	\nastavinterakcnilistu [] [=]
nastavinterakcnimenu	\nastavinterakcnimenu [] [=]
nastavinterakcniobrazovku	\nastavinterakcniobrazovku [=]
nastavjazyk	\nastavjazyk [] [=]
nastavkapitalky	\nastavkapitalky [] [=]
nastavkombinovanyseznam	\nastavkombinovanyseznam [] [=]
nastavkombinovanyseznam:instance	\nastaveniCOMBINEDLIST [=]
nastavkombinovanyseznam:instance:content	\nastavenicontent [=]
nastavkomentar	
nastaukomentaretranu	\nastavkomentar [] [=]
nastavkomentarstrany	\nastavkomentar [] [=] \nastavkomentarstrany [=]
nastavkomentarstrany nastavmarginalnilinky nastavmeziradkovoumezeru	\nastavkomentar [] [=]

	V
nastavmeziradkovoumezeru:argument	\nastavmeziradkovoumezeru []
nastavmeziradkovoumezeru:name	\nastavmeziradkovoumezeru []
nastavnadpis	\nastavnadpis [] [=]
nastavnadpisy	\nastavnadpisy [] [=]
nastavodkazovani	\nastavodkazovani [=]
nastavodsazovani	\nastavodsazovani []
nastavodstavce	\nastavodstavce [] [] [=]
nastavodstavce:assignment	\nastavodstavce [] [=]
nastavopis	\nastavopis [] [=]
nastavoramovanetexty	\nastavoramovanetexty [] [=]
·	
nastavoramovani	\nastavoramovani [] [=]
nastavorez	\nastavorez [=]
nastavotoceni	\nastavotoceni [=]
nastavpaletu	\nastavpaletu []
nastavplvouciobjekt	\nastavplvouciobjekt [] [=]
nastavplvouciobjekty	\nastavplvouciobjekty [] [=]
nastavpodcislostrany	\nastavpodcislostrany [=]
nastavpole	\nastavpole [] [=] [=] [=]
nastavpolozky	\nastavpolozky [] [=]
nastavpopisek	\nastavpopisek [] [=]
nastavpopisky	\nastavpopisky [] [=]
nastavpozadi	\nastavpozadi [] [=]
nastavpozadi:page	\nastavpozadi [] [=]
nastavprechodstrany	\nastavprechodstrany []
nastavpreskok	\nastavpreskok []
nastavprogramy	\nastavprogramy [=]
nastavradkovani	\nastavradkovani []
nastavradky	\nastavradky [] [=]
nastavrejstrik	\nastavrejstrik [] [=]
nastavrejstrik:argument	\nastavrejstrik [] [=]
nastavrejstrik:instance	\nastaveniREGISTER [] [=]
nastavrejstrik:instance:index	\nastaveniindex [] [=]
•	
nastavrovnice	\nastavrovnice [] [=]
nastavsadusymbolu	\nastavsadusymbolu []
nastavseznam	\nastavseznam [] [=]
nastavsirkucary	\nastavsirkucary []
nastavsloupce	\nastavsloupce [=]
nastavspodek	\nastavspodek [] [=]
nastavsynonyma	\nastavsynonyma [] [=]
nastavtabelaci	\nastavtabelaci [] [] [=]
nastavtabulky	\nastavtabulky [=]
nastavtenkelinky	\nastavtenkelinky [=]
·	•
nastavtext	\nastavtext [] [=]
nastavtextovelinky	\nastavtextovelinky [=]
nastavtextpopisku:instance	\nastaveniLABELtext [] [=]
nastavtextpopisku:instance:btxlabel	\nastavenibtxlabeltext [] [=]
nastavtextpopisku:instance:head	\nastaveniheadtext [] [=]
nastavtextpopisku:instance:label	\nastavenilabeltext [] [=]
nastavtextpopisku:instance:mathlabel	\nastavenimathlabeltext [] [=]
nastavtextpopisku:instance:operator	\nastavenioperatortext [] [=]
nastavtextpopisku:instance:prefix	\nastaveniprefixtext [] [=]
nastavtextpopisku:instance:suffix	\nastavenisuffixtext [] [=]
nastavtextpopisku:instance:taglabel	\nastavenitaglabeltext [] [=]
nastavtextpopisku:instance:unit	\nastaveniunittext [] [=]
nastavtexttexty	\nastavtexttexty [] [] [] []
nastavtextyupati	\nastavtextyupati [] [] [] []
nastavtextyzahlavi	\nastavtextyzahlavi [] [] [] []
nastavtoleranci	\nastavtoleranci []
nastavtrideni	\nastavtrideni [] [=]
nastavtype	\nastavtype [] [=]
nastavumisteniprotejsku	\nastavumisteniprotejsku [=]
nastavumistovani	\nastavumistovani [] [=]
nastavupati	\nastavupati [] [=]
-	
nastavupravu	\nastavupravu [] [=]
nastavurl	\nastavurl [=]
nastavusporadani	\nastavusporadani []
nastavvelikostpapiru	\nastavvelikostpapiru [] [=]
nastavvelikostpapiru:name	\nastavvelikostpapiru [] []
nastavvsechnapole	\nastavvsechnapole [] [=] [=]
nastavvycty	\nastavvycty [] [=]
nastavvyplnovelinky	\nastavvyplnovelinky [=]
· · · · · · · · · · · · · · · · · · ·	\nastavvvplnoveradky [ = ]

nastavvzhled	\nastavvzhled [] [=]
nastavvzhled:name	\nastavvzhled []
nastavzahlavi	\nastavzahlavi [] [=]
nastavzakladnifont	\nastavzakladnifont []
nastavzarovnani	\nastavzarovnani []
nastavznaceni	\nastavznaceni [] [=]
nastavzuzeni	\nastavzuzeni [] [=]
nastrane	\nastrane []
nastred	\nastred
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop	\naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
_	
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
nejakyradek	\nejakyradek []
nekde	\nekde {} {} []
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\dalsiPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
neznamo	\neznamo
nivy	\nivy [] {}
nizky	\nizky {}
nizky:instance	\LOW {}
nizky:instance:unitslow	\unitslow {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
nocharacteralign	\nocharacteralign
noindentation	\noindentation
noitem	\noitem
nokap	\nokap {}
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize

normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextheight	\normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextwidth	\normalizetextwidth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalni	\normalni
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
notesymbol	\notesymbol []
notragged	<pre>\notragged \ntimes {} {}</pre>
ntimes	
numberofpoints	\numberofpoints {}
obeydepth	\obeydepth
objectdepth	\objectdepth \objectheight
objectheight	\objectmergin
objectmargin objectwidth	\objectmargin
obox	\obox {}
obrazovka	\obrazovka []
odkaz	\odkaz [] \odkaz []
odkaznastranu	\odkaz [] \ \odkaznastranu []
odkaznatext	\odkaznastranu [] \odkaznatext [] {}
odkazujici	\odkazujici (,) (,) []
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
opis opissoubor	\opis [=] {} \opissoubor [] [=] {}
-	
opis:angles	\opis [=] <<>> \OPIS [=] {}
opis:example	\OPIS [=] \\>>
opis:example:angles	\orange \( \text{OFIS [] \cdot\} \)
oramovani oramovani:instance	\\FRAMED [=] \\\}
oramovani:instance:fitfieldframed	\fitfieldframed [=] \{\}
oramovani:instance:unframed	\unframed [=] {}
oramovanytext:instance	\FRAMEDTEXT [=] {}
oramovanytext:instance:framedtext	\framedtext [=] {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
oref	\oref []
orez	\orez [=] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
otocit	\otocit [=] {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayinewidth \overlayoffset
overlayrollbutton	\overlayoriset \overlayrollbutton [] []
overlaywidth	\overlayWidth
overloaderror	\overloaderror
overset	\overset {} {}
oznaceni	\oznaceni (,) (,) [=] {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX

PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\}\ \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen {} {}
percentdimen permitcaretescape	\percentdimen {} {} \permitcaretescape
•	_ <del>-</del>
permitcaretescape	\permitcaretescape
permitcaretescape permitcircumflexescape	\permitcaretescape \permitcircumflexescape
permitcaretescape permitcircumflexescape permitspacesbetweengroups	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] &lt;&lt;&gt; \placeattachments</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=]</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {} \pis [=] &lt;&lt;&gt;&gt; \placeattachments \placebtxrendering [] [=] \placecitation []</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt;&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat placefloatwithsetups	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \placefloatwithsetups [] [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \placefloatwithsetups [] [] {} {} \umistiFLOAT [] [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance:figure	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistiFLOAT [] [] {} {} \umistifigure [] [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecomments \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistificare [] [] {} {} \umistifigure [] [] {} {} \umistigraphic [] [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecomments \placecomments \placecomments \placedbox {} \placefloat [] [] {} {} \umistification [] [] {} {} \umistifigure [] [] {} {} \umistifigraphic [] {} {} \umistichemical [] {} {}</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:intermezzo	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placeciments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistigraphic [] {} {} \umistichemical [] {} {} \umistintermezzo [] {} {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:intermezzo placefloat:instance:table	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecomments \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistichemical [] {} {} \umistintermezzo [] {} {} \umistitable [] [] {} {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placefloat:instance:table placeframed	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placecomments \placecomments \placecomments \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistigraphic [] [] {} {} \umistichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \umistitable [] [] {} {} \unistitable [] [] {} {} \unistitable [] [] {} {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:intermezzo placefloat:instance:table placeframed placeframed placeframed	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placeccitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistiffigure [] [] {} {} \umistiffigure [] [] {} {} \umistichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \unistitable [] [] {} {} \placeframed [] [] {} {} \placeframed [] [] {} {} \placeframed [] [] {}
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:tible placefloat:instance:table placeframed placeheadnumber placeheadtext	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placeccitation [] \placeccomments \placeccurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifLOAT [] [] {} {} \umistifigure [] [] {} {} \umistifichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \placeframed [] [] {} {} \placeframed [] [] {} {} \placeheadnumber [] \placeheadnumber []
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:figure placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placeframed placeheadnumber placeheadtext placehelp	\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} \pis [=] {} \pis [=] {> \placeattachments \placebtxrendering [] [=] \placeccitation [] \placeccomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifLOAT [] [] {} {} \umistifigure [] [] {} {} \umistifichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistintermezzo [] [] {} {} \unistitable [] [] {} {} \placeframed [] [] {} {} \placeheadnumber [] \placeheadcenter [] \placeheadtext []
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:figure placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placeframed placeheadnumber placeheadtext placehelp placeinitial	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifiqure [] [] {} {} \umistifiqure [] [] {} {} \umistichemical [] [] {} {} \umistichemical [] [] {} {} \umistitable [] [] {} {} \unistitable [] [] {} {} \placeheadnumber [] \placeheadnumber [] \placeheaditext [] \placehealp \placeinitial []</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:figure placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placeframed placeheadnumber placeheadtext placehelp placeinitial placelayer	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \pis [=] {} \pis [=] {&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistifigure [] [] {} {} \umistichemical [] [] {} {} \umistichemical [] [] {} {} \umistitable [] [] {} {} \unistitable [] [] {} {} \upiaceheadnumber [] \placeheadtext [] \placeheaditial [] \placelayer []</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placettation placecomments placecomments placecurrentformulanumber placefloat placefloat:instance:figure placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placefloat:instance:table placefloat:placeheadnumber placeheadtext placehelp placeinitial placelayer placelayeredtext	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} \pis [=] {} \pis [=] &lt;&lt;&gt; \placeattachments \placebtxrendering [] [=] \placecitation [] \placecomments \placecomments \placedbox {} \placefloat [] [] [] {} {} \umistificure [] [] {} {} \umistifigure [] [] {} {} \umistichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \upiaceframed [] [] {} {} \upiaceheadnumber [] \placeheadtext [] \placelayer [] \placelayer [] \placelayeredtext [] [=] [=] {} {} </pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placeottation placecomments placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placefloat:instance:table placeframed placeheadnumber placeheadtext placehelp placeinitial placelayer placelayeredtext placelistoffloats:instance	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} \pis [=] {} \pis [=] &lt;&lt;&gt;&gt; \placeattachments \placeottarendering [] [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \placeframed [] [] {} {} \upiaceheadnumber [] \placeheadiext [] \placelayer [] \placelistoffLOATS [=] [=] {} {} \placelistoffLOATS [=]</pre>
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placebtxrendering placecitation placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:figure placefloat:instance:chemical placefloat:instance:intermezzo placefloat:instance:table placeframed placeheadnumber placehelp placeinitial placelayer placelayeredtext placelistoffloats:instance placelistoffloats:instance	\permitcaretescape   \permitcircumflexescape   \permitspacesbetweengroups   \persiandecimals {}   \persiannumerals {}   \phantom {}   \phantombox [=]   \pickupgroupedcommand {} {}   \pis [=] {}   \pis [=] {}   \pis [=] {}   \pis [] [] [] [] [] {}   \pis []   \pis [] [] [] [] []   \pis [
permitcaretescape permitcircumflexescape permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand pis pis:angles placeattachments placeottation placecomments placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance:graphic placefloat:instance:chemical placefloat:instance:table placefloat:instance:table placeframed placeheadnumber placeheadtext placehelp placeinitial placelayer placelayeredtext placelistoffloats:instance	<pre>\permitcaretescape \permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} \pis [=] {} \pis [=] &lt;&lt;&gt;&gt; \placeattachments \placeottarendering [] [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \umistifigure [] [] {} {} \umistichemical [] [] {} {} \umistintermezzo [] [] {} {} \umistitable [] [] {} {} \placeframed [] [] {} {} \upiaceheadnumber [] \placeheadiext [] \placelayer [] \placelistoffLOATS [=] [=] {} {} \placelistoffLOATS [=]</pre>

placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepagenumber	\placepagenumber
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\umistiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\umistilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
plnezneni	\plnezneni {}
pole	\pole [] []
polozka	\polozka []
polozky	\polozky [=] {}
popattribute	\popattribute \
popis:example	\POPIS [] {} \par
popmacro	\popmacro \
popmode	\popmode []
poppisek:example	\POPISEK [] {}
popsystemmode	\popsystemmode {}
porovnejpaletu	\porovnejpaletu []
porovnejskupinubarev	\porovnejskupinubarev []
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
poslaednipodstranka	\poslaednipodstranka \postponenotes
postponenotes	\pozadi {}
pozadi	\POZADI {}
pozadi:example	\pozice [=] (,) {}
pozice poznamka	\poznamka [] []
	\NOTE [] {}
poznamka:instance poznamka:instance:assignment	\NOTE []
poznamka:instance:assignment:endnote	\noie [=] \endnote [=]
poznamka:instance:assignment:footnote	\footnote [=]
poznamka:instance:endnote	\endnote [] \endnote []
poznamka:instance:footnote	\footnote [] \{\}
pravidelne	\pravidelne
predefinedfont	\predefinedfont []
predefinedont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
pref	\pref \{\} \{\}
prefixedpagenumber	\prefixedpagenumber
prelozit	\prelozit [=]
prependetoks	\prependetoks \to \
prependgvalue	\prependeroks \to \\ \prependgvalue \{\} \{\}
prependtocommalist	\prependtocommalist \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue \lambda
prepninazakladnifont	\prepninazakladnifont []
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
-	<del>-</del>
<pre>presetfieldsymbols presetlabeltext:instance</pre>	\presetfieldsymbols [] \presetLABELtext [] [=]
presetlabeltext:instance:btxlabel	\presettxlabeltext [] [=] \presetbtxlabeltext [] [=]
presetlabeltext:instance:btx1abe1 presetlabeltext:instance:head	\presetheadtext [] [=] \presetheadtext [] [=]
presetlabeltext:instance:label	\presetlabeltext [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltext [] [=]
presetlabeltext:instance:mathraber presetlabeltext:instance:operator	\presetoperatortext [] [=]
presetlabeltext:instance:operator presetlabeltext:instance:prefix	\presetoperatortext [] [=] \presetprefixtext [] [=]
bresentanernevo. THE NOTICE. Pretry	/broneobrettvoevo [] []

presetlabeltext:instance:suffix	\presetsuffixtext [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltext [] [=]
presetlabeltext:instance:unit	\presetunittext [] [=]
preskoc	\preskoc []
pretocommalist	\pretocommalist \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
prizpusobivepole	\prizpusobivepole [] [=]
prizpusobvzhled	\prizpusobvzhled [] [=]
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•	<del>-</del>
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
•	-
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars \{\dots\} \\\
processisolatedwords	\processisolatedwords \{\dots\} \\dots\
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	
•	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
produkt	\produkt []
produkt:string	\produkt
-	•
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
projekt	\projekt []
<pre>projekt:string</pre>	\projekt
prostredi	\prostredi []
prostredi:string	\prostredi
prvnipodstranka	\prvnipodstranka
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbarva	\pushbarva [] \popbarva
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
r	'L

pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpozadi	\pushpozadi [] \poppozadi
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	<pre>\pushreferenceprefix {} \popreferenceprefix \pushsystemmode {}</pre>
pushsystemmode putboxincache	\putboxincache \{\ldots\} \{\ldots\} \ldots
putnextboxincache	\putnextboxincache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
qquad	\qquad
quad	
quads	s []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
Rimskecislice	\Rimskecislice {}
radek	\radek {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset $\{\}$ $\{\}$ $\{\}$
rawdoifinset	\rawdoifinset $\{\}$ $\{\}$
rawdoifinsetelse	\rawdoifinsetelse $\{\}$ $\{\}$ $\{\}$
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile \{\} \{\}
readlocfile	\readlocfile {} {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {} {}
readtexfile	\readtexfile {} {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallcapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {} \recursedepth
recursedepth recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
referenceformat:example	\referenceformat {} {} []
referenceprefix	\referenceprefix
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile \{\ldots\} \\\\
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []

registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
rejstrik:instance	\REGISTER [] {++}
rejstrik:instance:index	\index [] {++}
•	
rejstrik:instance:ownnumber	\REGISTER [] \{++\}
rejstrik:instance:ownnumber:index	\index [] {++}
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\dots\} \\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
-	
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
	,
resethyphenationfeatures	\resethyphenationfeatures
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset

resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
resetznaceni	\resetznaceni []
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtext {}
rightlabeltext:instance:head	\rightheadtext {}
rightlabeltext:instance:label	\rightlabeltext {}
rightlabeltext:instance:mathlabel	\rightmathlabeltext {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rimskecislice	\rimskecislice {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset $\{\}$ $\{\}$ $\{\}$
robustdoifinsetelse	\robustdoifinsetelse $\{\}$ $\{\}$ $\{\}$
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
rovnice	\rovnice [] {}
rozdelplvouciobjekt	\rozdelplvouciobjekt [=] {} {}
roztazene	\roztazene [=] {}
rtop	\rtop {}
ruby	\ruby [] {} {}
rukopisne	\rukopisne
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
SLOVA	\SLOVA {}

SLOVO	\SLOVO {}
Slova	\Slova {}
Slovo	\Slovo {}
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansnormal	\sansnormal
sanstucne	\sanstucne
savebarva	\savebarva \restorebarva
savebox savebtxdataset	\savebox {} {} {} \savebtxdataset [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata $\{\}$ $\{\}$ $\{\}$
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
script:instance	\SCRIPT
<pre>script:instance:ethiopic script:instance:hangul</pre>	\ethiopic \hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	\secondofsixarguments \{\\} \{\\} \{\\} \{\\}
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded secondoftwoarguments	\secondofthreeunexpanded \{\ldots\} \{\ldots\} \\ \secondoftwoarguments \{\ldots\} \{\ldots\}
secondoftwounexpanded	\secondoftwounexpanded \{\ldots\}\\
sedabarva	\sedabarva [] {}
seeregister:instance	\vizREGISTER [] {++} {}
seeregister:instance:index	\vizindex [] {++} {}
sekce:instance	\SECTION [] {}
sekce:instance:assignment	\SECTION [=]
sekce:instance:assignment:chapter	\chapter [=]
sekce:instance:assignment:part	\part [=]
<pre>sekce:instance:assignment:section sekce:instance:assignment:subject</pre>	\section [=] \subject [=]
sekce:instance:assignment:subsection	\subsection [=]
sekce:instance:assignment:subsubject	\subsubject [=]
sekce:instance:assignment:subsubsection	\subsubsection [=]
sekce:instance:assignment:subsubsubject	\subsubsubject [=]
sekce:instance:assignment:subsubsubsection	\subsubsubsection [=]
sekce:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
sekce:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
sekce:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
<pre>sekce:instance:assignment:title sekce:instance:chapter</pre>	\title [=] \chapter [] \{}
sekce:instance:ownnumber	\SECTION [] {}
sekce:instance:ownnumber:chapter	\chapter [] {}
sekce:instance:ownnumber:part	\part [] {} {}
sekce:instance:ownnumber:section	\section [] {}
sekce:instance:ownnumber:subject	\subject [] {}
sekce:instance:ownnumber:subsection	\subsection [] $\{\}$
sekce:instance:ownnumber:subsubject	
	\subsubject [] {}
sekce:instance:ownnumber:subsubsection	\subsubsection [] $\{\}$
sekce:instance:ownnumber:subsubsubject	\subsubsection [] {} {} \subsubsubject [] {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsection [] {} {}
sekce:instance:ownnumber:subsubsubject	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsection [] {} {} \subsubsubsubject [] {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection sekce:instance:ownnumber:subsubsubsubject	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsection [] {} {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection sekce:instance:ownnumber:subsubsubsubject sekce:instance:ownnumber:subsubsubsubsection	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsection [] {} {} \subsubsubsubject [] {} {} \subsubsubsubsection [] {} {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection sekce:instance:ownnumber:subsubsubsubject sekce:instance:ownnumber:subsubsubsubsection sekce:instance:ownnumber:subsubsubsubsubject sekce:instance:ownnumber:title sekce:instance:part	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsubsection [] {} {} \subsubsubsubject [] {} {} \subsubsubsubsubsection [] {} {} \subsubsubsubsubject [] {} {} \title [] {} {} \part [] {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection sekce:instance:ownnumber:subsubsubsubject sekce:instance:ownnumber:subsubsubsubsection sekce:instance:ownnumber:subsubsubsubsubject sekce:instance:ownnumber:title sekce:instance:part sekce:instance:section	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsubsection [] {} {} \subsubsubsubsubject [] {} {} \subsubsubsubsubject [] {} {} \title [] {} {} \part [] {} \section [] {}
sekce:instance:ownnumber:subsubsubject sekce:instance:ownnumber:subsubsubsection sekce:instance:ownnumber:subsubsubsubject sekce:instance:ownnumber:subsubsubsubsection sekce:instance:ownnumber:subsubsubsubsubject sekce:instance:ownnumber:title sekce:instance:part	\subsubsection [] {} {} \subsubsubject [] {} {} \subsubsubsubsection [] {} {} \subsubsubsubject [] {} {} \subsubsubsubsubsection [] {} {} \subsubsubsubsubject [] {} {} \title [] {} {} \part [] {}

sekce:instance:subsubject	\subsubject [] {}
sekce:instance:subsubsection	\subsubsection [] {}
sekce:instance:subsubsubject	\subsubsubject [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubject	\subsubsubsubject [] {}
sekce:instance:subsubsubsection	\subsubsubsection [] {}
sekce:instance:subsubsubsubject	\subsubsubsubject [] {}
sekce:instance:title	\title [] {}
select	\select {} {} {} {} {} {}
serializecommalist	\serializecommafPfst [] OPT OPT OPT
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxIIx {}
•	
setbreakpoints setbuffer	\setbreakpoints []
	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
•	
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}

setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	$\verb \setMPpositiongraphic tange {} {} {} {} {}$
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
setoldstyle	\setoldstyle
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ {} {}
setpercentdimen	\setpercentdimen {} {}
setperiodkerning	\setperiodkerning []
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {} {}
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus {} \ {}
setpositionstrut	\setpositionplus () \ ()
setprofile	\setprofile []
setrandomseed	(perbrotite []
	\setrandomseed { }
	\setroforonco [ ] [ - ]
setreference setreferencedebiect	\setreference [] [=]
setreferencedobject	<pre>\setreference [] [=] \setreferencedobject {} {} \ {}</pre>
setreferencedobject setregisterentry	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=]</pre>
setreferencedobject setregisterentry setreplacement	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement []</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {}</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript []</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsecondpasscharacteralign</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=]</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbaize [=]</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {}</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=]</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstructurepageregister [] [=] [=]</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnhsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {}</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnhsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnhsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settaggedmetadata [=]</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settextcontent	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbaize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settextcontent [] [] [] [] []</pre>
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnhsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settextcontent settightobject	\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settextcontent [] [] [] [] [] \settightobject {} {} \ {}
setreferencedobject setregisterentry setreplacement setrigidcolumnbalance setrigidcolumnbsize setscript setsecondpasscharacteralign setsectionblock setsimplecolumnbsize setsmallbodyfont setsmallcaps setstackbox setstructurepageregister setstrut setsuperiors setsystemmode settabular settaggedmetadata settextcontent	<pre>\setreference [] [=] \setreferencedobject {} {} \ {} \setregisterentry [] [=] [=] \setreplacement [] \setrigidcolumnbalance \setrigidcolumnbsize {} {} {} \setscript [] \setsecondpasscharacteralign \setsectionblock [] [=] \setsimplecolumnbsize [=] \setsmallbodyfont \setsmallcaps \setstackbox {} {} {} \setstructurepageregister [] [=] [=] \setstrut \setsuperiors \setsystemmode {} \settabular \settaggedmetadata [=] \settextcontent [] [] [] [] []</pre>

settightunreferencedobject	\settightunreferencedobject {} \ {}
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} {} \ {}
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
•	\setupbookmark [] \setupbtx [] [=]
setuphtx	\setupbtx [] [=]
setupbtxdataset	
setupbtxlist	\setupbtxlist [] [=]
setuphturendening	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnset	\setupcolumnset [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupforms	\setupforms [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] []
setupframedtext	\setupframedtaxt[] [=]
setupglobalreferenceprefix	\setupilamedtext [] [] \setupglobalreferenceprefix []
setuppgrobarrerenceprerix setupheadalternative	\setupgiobalrelerenceprelix [] \setupheadalternative [] [=]
•	
setuphigh	\setuphelp [] [=] \setuphigh [] [=]
setuphigh setuphigh ight	
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]

setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\nastaveniITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\nastaveniitemize [] [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagecolumns	\setuppagecolumns [] [=]
setuppagechecker	\setuppagechecker [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\nastaveniPAIREDBOX [=]
setuppairedbox:instance:legend	\nastavenilegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]

setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters: argument	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
setups	\setupscale [] [=]
<del>-</del>	
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstartstop	\setupstartstop [] [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
shiftbox	\shiftbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
1	<u> </u>

showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorstruts	\showcolorset [] \showcolorstruts
showcounter	\showconter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs showgridsnapping	\showglyphs
showhelp	\showgridsnapping \showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphenationsides [] \showhyphens {}
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
shownessage	\showmessage \{\ldots\} \{\ldots\}
showminimalbaseline shownextbox	\showminimalbaseline
showotfcomposition	\shownextbox \ \{\} \showotfcomposition \{\} \{\} \{\}
showparentchain	\showparentchain \ \{\}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {}
schovejbloky	\schovejbloky [] []
signalrightpage	\signalrightpage
simplealignedbox	\simplealignedbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplegroupedcommand	\simplegroupedcommand \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplereversealignedbox simplereversealignedboxplus	\simplereversealignedbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {} {}
sklonene	\sklonene
sklonenetucne	\sklonenetucne
slantedface	\slantedface
slicepages	\slicepages [] [=]
sloupec	\sloupec []
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
slovo	\slovo {}
slovovpravo	\slovovpravo [] {}

smallbodyfont	\smallbodyfont
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash smashbox	\smash [] {} \smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedybox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	$\scalebox{0.1cm} \scalebox{0.1cm} \sca$
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol spanishNumerals	\spaceddigitssymbol \spanishNumerals {}
spanishnumerals	\spanishnumerals \{\dots\}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind splitoffname	\splitoffkind \splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {} \stackrel {} {}
stackrel stanovcislonadpisu	\stanovcislonadpisu []
stanovcharakteristickuseznamu	\stanovcharakteristickuseznamu [] [=]
start	\start [] \stop
startalignment	\startalignment [] \stopalignment
startallmodes	\startallmodes [] \stopallmodes
startattachment:instance	\startATTACHMENT [] [=] \stopATTACHMENT
startattachment:instance:attachment	\startattachment [] [=] \stopattachment
startbar	\startbar [] \stopbar
startbarva	\startbarva [] \stopbarva
startbbordermatrix	\startbbordermatrix \stopbbordermatrix
startbitmapimage	\startbitmapimage [=] \stopbitmapimage
startbordermatrix	\startbordermatrix \stopbordermatrix
startbtxrenderingdefinitions startbuffer	\startbtxrenderingdefinitions [] \stopbtxrenderingdefinitions \startbuffer [] \stopbuffer
startbuffer:instance	\startBUFFER \stopBUFFER
startbuffer:instance:hiding	\starthiding \stophiding
startcatcodetable	\startcatcodetable \ \stopcatcodetable
startcenteraligned	\startcenteraligned \stopcenteraligned
startcollect	\startcollect \stopcollect
startcollecting	\startcollecting \stopcollecting
startcolorintent	\startcolorintent [] \stopcolorintent
startcoloronly	\startcoloronly [] \stopcoloronly
startcolorset	\startcolorset [] \stopcolorset
startcolumnset	\startcolumnset [] [=] \stopcolumnset
startcolumnsetspan startcolumnset:example	\startcolumnsetspan [] [=] \stopcolumnsetspan \startCOLUMNSET [=] \stopCOLUMNSET
startcolumnset:example startcolumnspan	\startcolumnspan [=] \stopcolumnspan

startcombination	\startcombination [] [=] \stopcombination
startcombination:matrix	\startcombination [] [ \stopcombination
startcontextcode	\startcontextcode \stopcontextcode
startcontextdefinitioncode	\startcontextdefinitioncode \stopcontextdefinitioncode
startctxfunction	\startctxfunction\stopctxfunction
startctxfunctiondefinition	\startctxfunctiondefinition\stopctxfunctiondefinition
startcurrentcolor	\startcurrentcolor \stopcurrentcolor
startcurrentlistentrywrapper	\startcurrentlistentrywrapper \stopcurrentlistentrywrapper
startdelimited	\startdelimited [] [] \stopdelimited
startdelimitedtext	\startdelimitedtext [] [] \stopdelimitedtext
startdelimitedtext:instance	\startDELIMITEDTEXT [] [] \stopDELIMITEDTEXT
startdelimitedtext:instance:aside	\startaside [] [] \stopaside
startdelimitedtext:instance:blockquote	\startblockquote [] [] \stopblockquote
startdelimitedtext:instance:quotation	\startquotation [] [] \stopquotation
startdelimitedtext:instance:quote	\startquote [] [] \stopquote
<u>-</u>	
startdelimitedtext:instance:speech	\startspeech [] [] \stopspeech
startdisplaymath	\startdisplaymath \stopdisplaymath
startdmath	\startdmath \stopdmath
startdocument	\startdocument [=] \stopdocument
starteffect	\starteffect [] \stopeffect
starteffect:example	\startEFFECT \stopEFFECT
startelement	\startelement {} [=] \stopelement
startembeddedxtable	\startembeddedxtable [=] \stopembeddedxtable
startembeddedxtable:name	\startembeddedxtable [] \stopembeddedxtable
startexceptions	\startexceptions [] \stopexceptions
startexpanded	\startexpanded \stopexpanded
startexpandedcollect	\startexpandedcollect \stopexpandedcollect
startextendedcatcodetable	
	\startextendedcatcodetable \\stopextendedcatcodetable
startexternalfigurecollection	\startexternalfigurecollection [] \stopexternalfigurecollection
startfacingfloat	\startfacingfloat [] \stopfacingfloat
startfittingpage	\startfittingpage [] [=] \stopfittingpage
startfittingpage:instance	\startFITTINGPAGE [=] \stopFITTINGPAGE
startfittingpage:instance:MPpage	\startMPpage [=] \stopMPpage
startfittingpage:instance:TEXpage	\startTEXpage [=] \stopTEXpage
startfixne	\startfixne [] \stopfixne
startfloatcombination	\startfloatcombination [=] \stopfloatcombination
startfloatcombination:matrix	\startfloatcombination [] \stopfloatcombination
startfloattext:instance	\startFLOATtext [] [] {} \stopFLOATtext
startfloattext:instance:figure	\startfiguretext [] [] {} \stopfiguretext
<del></del>	\startgraphictext [] [] \ \stoppigaretext
startfloattext:instance:graphic	
startfloattext:instance:chemical	\startchemicaltext [] [] {} \stopchemicaltext
startfloattext:instance:intermezzo	\startintermezzotext [] [] { \stopintermezzotext
startfloattext:instance:table	\starttabletext [] [] \stoptabletext
startfont	\startfont [] \stopfont
startfontclass	\startfontclass [] \stopfontclass
startfontsolution	\startfontsolution [] \stopfontsolution
startframedcell	\startframedcell [=] \stopframedcell
startframedcontent	\startframedcontent [] \stopframedcontent
startframedrow	\startframedrow [=] \stopframedrow
startframedtable	\startframedtable [] [=] \stopframedtable
startgridsnapping	\startgridsnapping [] \stopgridsnapping
0 11 0	
startgridsnapping:list	\startgridsnapping [] \stopgridsnapping
starthboxestohbox	\starthboxestohbox \stophboxestohbox
starthboxregister	\starthboxregister \stophboxregister
starthelp:instance	\startHELP [] \stopHELP
starthelp:instance:helptext	\starthelptext [] \stophelptext
starthighlight	\starthighlight [] \stophighlight
starthyphenation	\starthyphenation [] \stophyphenation
startcharacteralign	\startcharacteralign [=] \stopcharacteralign
startcharacteralign:argument	\startcharacteralign [] \stopcharacteralign
startcheckedfences	\startcheckedfences \stopcheckedfences
startchemical	\startchemical [] [=] \stopchemical
startimath	\startimath \stopimath
startindentedtext	\startindentedtext [] \stopindentedtext
startindentedtext:example	\startINDENTEDTEXT \stopINDENTEDTEXT
startinterakce	\startinterakce [] \stopinterakce
startinteraktivnimenu	\startinteraktivnimenu [] \stopinteraktivnimenu
startinterface	\startinterface \stopinterface
startintertext	\startintertext \stopintertext
startitemgroup	\startitemgroup [] [=] \stopitemgroup
startitemgroup:instance	\startITEMGROUP [] [=.] \stopITEMGROUP
startitemgroup:instance:itemize	\startitemize [] [=] \stopitemize
<b>U</b> 1	e e e e e e e e e e e e e e e e e e e

-++ IC 1-	\\\\
startJScode	\startJScode \stopJScode
startJSpreamble	\startJSpreamble \stopJSpreamble
startjazyk	\startjazyk [] \stopjazyk
startjdina	\startjdina [] \stopjdina
startknockout	
	\startknockout \stopknockout
startkomentarstranky	\startkomentarstranky \stopkomentarstranky
startkomentar:instance	\startCOMMENT [] [=] \stopCOMMENT
startkomentar:instance:comment	\startcomment [] [=] \stopcomment
startkomponenta	\startkomponenta [] \stopkomponenta
-	
startkomponenta:string	\startkomponenta \stopkomponenta
startkonectabulky	\startkonectabulky [] \stopkonectabulky
startlayout	\startlayout [] \stoplayout
startlinealignment	\startlinealignment [] \stoplinealignment
•	
startlinecorrection	\startlinecorrection [] \stoplinecorrection
startlinefiller	\startlinefiller [] [=] \stoplinefiller
startlinenote:instance	\startLINENOTE [] {}
startlinenote:instance:linenote	\startlinenote [] {}
startlinenumbering	\startlinenumbering [] [=] \stoplinenumbering
startlinenumbering:argument	\startlinenumbering [] [] \stoplinenumbering
startlinetable	\startlinetable \stoplinetable
startlinetablebody	\startlinetablebody \stoplinetablebody
Ţ.	
startlinetablecell	\startlinetablecell [=] \stoplinetablecell
startlinetablehead	\startlinetablehead \stoplinetablehead
startlocalfootnotes	\startlocalfootnotes \stoplocalfootnotes
startlocalheadsetup	\startlocalheadsetup \stoplocalheadsetup
<u>.</u>	
startlocallinecorrection	\startlocallinecorrection [] \stoplocallinecorrection
startlocalnotes	\startlocalnotes [] \stoplocalnotes
startlocalsetups	\startlocalsetups [] [] \stoplocalsetups
-	
startlocalsetups:string	\startlocalsetups \stoplocalsetups
startlua	\startlua \stoplua
startluacode	\startluacode \stopluacode
startluaparameterset	\startluaparameterset [] \stopluaparameterset
-	
startluasetups	\startluasetups [] [] \stopluasetups
startluasetups:string	\startluasetups \stopluasetups
startMPclip	\startMPclip {} \stopMPclip
startMPcode	\startMPcode {} \stopMPcode
startMPdefinitions	\startMPdefinitions {} \stopMPdefinitions
startMPdrawing	\startMPdrawing [] \stopMPdrawing
startMPenvironment	\startMPenvironment [] \stopMPenvironment
startMPextensions	\startMPextensions {} \stopMPextensions
startMPinclusions	\startMPinclusions [] {} \stopMPinclusions
startMPinitializations	\startMPinitializations \stopMPinitializations
startMPpositiongraphic	\startMPpositiongraphic {} {} \stopMPpositiongraphic
startMPpositionmethod	\startMPpositionmethod {} \stopMPpositionmethod
startMPrun	\startMPrun {} \stopMPrun
startmarginalnilinka	$\operatorname{ar{s}tartmarginalnilinka} \ [\dots] \ \dots \ \operatorname{ar{s}topmarginalnilinka}$
startmarginalnilinka:assignment	\startmarginalnilinka [=] \stopmarginalnilinka
startmarginblock	\startmarginblock [] \stopmarginblock
startmarkedcontent	
	\startmarkedcontent [] \stopmarkedcontent
startmarkpages	\startmarkpages [] \stopmarkpages
startmathalignment:instance	\startMATHALIGNMENT [=] \stopMATHALIGNMENT
startmathalignment:instance:align	\startalign [=] \stopalign
startmathalignment:instance:mathalignment	\startmathalignment [=] \stopmathalignment
startmathcases:instance	\startMATHCASES [=] \stopMATHCASES
startmathcases:instance:cases	\startcases [=] \stopcases
startmathcases:instance:mathcases	\startmathcases [=] \stopmathcases
startmathmatrix:instance	\startMATHMATRIX [=] \stopMATHMATRIX
startmathmatrix:instance:mathmatrix	\startmathmatrix [=] \stopmathmatrix
startmathmatrix:instance:matrix	\startmatrix [=] \stopmatrix
startmathmode	\startmathmode \stopmathmode
startmathstyle	\startmathstyle [] \stopmathstyle
•	
startmatrices	\startmatrices [=] \stopmatrices
startmaxaligned	\startmaxaligned \stopmaxaligned
startmiddlealigned	\startmiddlealigned \stopmiddlealigned
startmixedcolumns	\startmixedcolumns [] [=] \stopmixedcolumns
startmixedcolumns:instance	\startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS
startmixedcolumns:instance:boxedcolumns	\startboxedcolumns [=] \stopboxedcolumns
startmixedcolumns:instance:itemgroupcolumns	\startitemgroupcolumns [=] \stopitemgroupcolumns
startmode	\startmode [] \stopmode
startmodeset	\startmodeset [] {} \stopmodeset
startmodule	\startmodule [] \stopmodule
startmoduletestsection	\startmoduletestsection \stopmoduletestsection

startmodule:string	\startmodule\stopmodule
startnadpis	\startnadpis [] {} \stopnadpis
startnamedsection	$\startnamedsection$ [] [ \stopnamedsection
startnamedsubformulas	\startnamedsubformulas [] {} \stopnamedsubformulas
startnaproti	\startnaproti \stopnaproti
startnarrower	\startnarrower [] \stopnarrower
startnarrower:example	\startNARROWER [] \stopNARROWER
startnegativ	\startnegativ \stopnegativ
startnicelyfilledbox	\startnicelyfilledbox [=] \stopnicelyfilledbox
startnointerference	\startnointerference \stopnointerference
startnotallmodes	\startnotallmodes [] \stopnotallmodes
startnotext	\startnotext \stopnotext
startnotmode	\startnotmode [] \stopnotmode
startobrazek	\startobrazek [] [] \stopobrazek
startodlozit	\startodlozit [] \stopodlozit
startodstavec	\startodstavec [] [=] \stopodstavec
startoramovani	\startoramovani [] [=] \stoporamovani
startoramovanytext:instance	\startFRAMEDTEXT [] [=] \stopFRAMEDTEXT
startoramovanytext:instance:framedtext	\startframedtext [] [=] \stopframedtext
startoutputstream	\startoutputstream [] \stopoutputstream
startoverprint	\startoverprint \stopoverprint
-	
startpagecolumns	\startpagecolumns [=] \stoppagecolumns
startpagecolumns:instance	\startPAGECOLUMNS \stopPAGECOLUMNS
startpagecolumns:name	\startpagecolumns [] \stoppagecolumns
startpagefigure	\startpagefigure [] [=] \stoppagefigure
startpagelayout	\startpagelayout [] \stoppagelayout
startpar	\startpar [] [=] \stoppar
startparagraphs	\startparagraphs [] \stopparagraphs
startparagraphscell	\startparagraphscell \stopparagraphscell
startparagraphs:example	\startPARAGRAPHS \stopPARAGRAPHS
startparallel:example	\startPARALLEL \stopPARALLEL
startparbuilder	\startparbuilder [] \stopparbuilder
startplacefloat	\startplacefloat [] [=] \stopplacefloat
startplacefloat:instance	\startumistiFLOAT [=] [=] \stopumistiFLOAT
startplacefloat:instance:figure	\startumistifigure [=] [=] \stopumistifigure
startplacefloat:instance:graphic	\startumistigraphic [=] [=] \stopumistigraphic
startplacefloat:instance:chemical	\startumistichemical [=] [=] \stopumistichemical
startplacefloat:instance:intermezzo	\startumistiintermezzo [=] [=] \stopumistiintermezzo
startplacefloat:instance:table	\startumistitable [=] [=] \stopumistitable
startplacepairedbox	\startplacepairedbox [] [=] \stopplacepairedbox
startplacepairedbox:instance	\startumistiPAIREDBOX [=] \stopumistiPAIREDBOX
startplacepairedbox:instance:legend	\startumistilegend [=] \stopumistilegend
startpolozka	\startpolozka [] \stoppolozka
startpopis:example	\startPOPIS [=] \stopPOPIS
startpopis:example:title	\startPOPIS [] { \stopPOPIS
startpositioning	\startpositioning [] [=] \stoppositioning
startpositionoverlay	\startpositionoverlay {} \stoppositionoverlay
startpositiv	\startpositiv \stoppositiv
startpostponingnotes	\startpostponingnotes \stoppostponingnotes
	\startpozadi [=] \stoppozadi
startpozadi	\startPOZADI [=] \stopPOZADI
startpozadi:example	
startpoznamka:instance	\startNOTE [] \stopNOTE
startpoznamka:instance:assignment	\startNOTE [=.] \stopNOTE
startpoznamka:instance:assignment:endnote	\startendnote [=] \stopendnote
startpoznamka:instance:assignment:footnote	\startfootnote [=] \stopfootnote
startpoznamka:instance:endnote	\startendnote [] \stopendnote
startpoznamka:instance:footnote	\startfootnote [] \stopfootnote
startprekryv	\startprekryv \stopprekryv
startprocessassignmentcommand	\startprocessassignmentcommand [=] \stopprocessassignmentcomman
startprocessassignmentlist	\startprocessassignmentlist [=] \stopprocessassignmentlist
startprocesscommacommand	\startprocesscommacommand [] \stopprocesscommacommand
startprocesscommalist	\startprocesscommalist [] \stopprocesscommalist
startprodukt	\startprodukt [] \stopprodukt
startprodukt:string	\startprodukt \stopprodukt
startprojekt	\startprojekt [] \stopprojekt
startprojekt:string	\startprojekt \stopprojekt
startprostredi	\startprostredi [] \stopprostredi
startprostredi:string	\startprostredi \stopprostredi
startprotectedcolors	\startprotectedcolors \stopprotectedcolors
startpublikace	\startpublikace [] [=] \stoppublikace
startradek	\startradek []
startradky:instance	\startLINES [=] \stopLINES

startradky:instance:lines	\startlines [=] \stoplines
startrandomized	\startrandomized \stoprandomized
	\startrawsetups [] [] \stoprawsetups
	\startrawsetups \stoprawsetups
	\startreadingfile \stopreadingfile
	\startregime [] \stopregime
	\startregister [] [] [] {++}
	\startreusableMPgraphic \\\stopreusableMPgraphic
	\startrovnice [] \stoprovnice \startrovnice [=] \stoprovnice
startrovnice:instance	\startFORMULAformula [] \stopFORMULAformula
startrovnice:instance:md	\startmdformula [] \stoprotmothatormula
	\startmpformula [] \stopmpformula
startrovnice:instance:sd	\startsdformula [] \stopsdformula
	\startspformula [] \stopspformula
	\startrozbalene \stoprozbalene
	\startruby [] \stopruby
	\startscript [] \stopscript
startsectionblock	\startsectionblock [] [=] \stopsectionblock
startsectionblockenvironment	\startsectionblockenvironment [] \stopsectionblockenvironment
startsectionblock:instance	\startSECTIONBLOCK [=] \stopSECTIONBLOCK
startsectionblock:instance:appendices	\startappendices [=] \stopappendices
startsectionblock:instance:backmatter	\startbackmatter [=] \stopbackmatter
startsectionblock:instance:bodymatter	\startbodymatter [=] \stopbodymatter
startsectionblock:instance:frontmatter	\startfrontmatter [=] \stopfrontmatter
	\startsectionlevel [] [=] \stopsectionlevel
startsekce:instance	\startSECTION [=] [=] \stopSECTION
startsekce:instance:chapter	\startchapter [=] [=] \stopchapter
startsekce:instance:part	\startpart [=] [=] \stoppart
startsekce:instance:section	\startsection [=] [=] \stopsection
startsekce:instance:subject	\startsubject [=] [=] \stopsubject
startsekce:instance:subsection	\startsubsection [=] [=] \stopsubsection \startsubsubject [=] [=] \stopsubsubject
startsekce:instance:subsubject startsekce:instance:subsubsection	\startsubsubsection [=] [=] \stopsubsubsection
startsekce:instance:subsubsection startsekce:instance:subsubsubject	\startsubsubsubject [=] [\stopsubsubsubject
startsekce:instance:subsubsubsection	\startsubsubsubsection [=] [=] \stopsubsubsubsection
startsekce:instance:subsubsubsubject	\startsubsubsubsubject [=] [=] \stopsubsubsubsubject
startsekce:instance:subsubsubsection	\startsubsubsubsubsection [=] [=] \stopsubsubsubsubsection
startsekce:instance:subsubsubsubsubject	\startsubsubsubsubsubject [=] [=] \stopsubsubsubsubsubject
startsekce:instance:title	\starttitle [=] [=] \stoptitle
startsetups	\startsetups [] [] \stopsetups
startsetups:string	\startsetups \stopsetups
startshift	\startshift [] \stopshift
startsidebar	\startsidebar [] [=] \stopsidebar
	\startsimplecolumns [=] \stopsimplecolumns
	\startsloupce [=] \stopsloupce
	\startspecialitem [] [] \stopspecialitem
	\startspecialitem [] \stopspecialitem
	\startspecialitem [] {} \stopspecialitem
	\startsplitformula \stopsplitformula
	\startsplittext \stopsplittext
	\startspread \stopspread
startstartstop:example	\startSTARTSTOP \stopSTARTSTOP
	\startstaticMPfigure {} \stopstaticMPfigure
startstaticMPgraphic startstop:example	\startstaticMPgraphic {} {} \stopstaticMPgraphic \STARTSTOP {}
	\startstrictinspectnextcharacter \stopstrictinspectnextcharacter
	\startstructurepageregister [] [=] [=]
	\startstyle [=] \stopstyle
	\startstyle [] \stopstyle
startstyle:instance	\startSTYLE \stopSTYLE
·	\startsubformulas [] \stopsubformulas
	\startsubjectlevel [] [=] [=] \stopsubjectlevel
	\startsubsentence \stopsubsentence
startsubstack	\startsubstack \stopsubstack
	\startsymbolset [] [=] \stopsymbolset
	\startTABLE [=] \stopTABLE
	\startTABLEbody [=] \stopTABLEbody
	\startTABLEfoot [=] \stopTABLEfoot
	\startTABLEhead [=] \stopTABLEhead
	\startTABLEnext [=] \stopTABLEnext
starttabelator	\starttabelator [//] [=] \stoptabelator

```
starttabelator:instance
                                                            \startTABULATE [...] [..=..] ... \stopTABULATE
starttabelator:instance:fact
                                                            \startfact [...] [..=..] ... \stopfact
                                                            \startlegend [...] [..=..] ... \stoplegend
starttabelator:instance:legend
starttabulatehead
                                                            \starttabulatehead [...] ... \stoptabulatehead
starttabulatetail
                                                            \starttabulatetail [...] ... \stoptabulatetail
                                                            \startTABULATION [...] [..=..] ... \stopTABULATION
starttabulation:example
                                                            \starttabulka [|...|] [..=..] ... \stoptabulka
starttabulka
                                                            \starttabulka [...] [..=..] ... \stoptabulka
starttabulka:name
starttabulky
                                                            \starttabulky [|...|] ... \stoptabulky
starttabulky:name
                                                            \starttabulky [...] ... \stoptabulky
                                                            \starttexcode ... \stoptexcode
starttexcode
starttexdefinition
                                                            \verb|\starttexdefinition| ... ... ... ... ... ... ... \stoptexdefinition|
starttext
                                                            \starttext ... \stoptext
{\tt starttextbackground}
                                                            \starttextbackground [...] [..=..] ... \stoptextbackground
                                                            \starttextbackgroundmanual ... \stoptextbackgroundmanual
starttextbackgroundmanual
starttextbackground:example
                                                            \startTEXTBACKGROUND [..=..] ... \stopTEXTBACKGROUND
                                                            \starttextcolor [...] ... \stoptextcolor
starttextcolor
                                                            \starttextcolorintent ... \stoptextcolorintent
starttextcolorintent
starttextflow
                                                            \starttextflow [...] ... \stoptextflow
starttextnapovedy
                                                            \starttextnapovedy [...] ... \stoptextnapovedy
                                                            \starttextovalinka {...} ... \stoptextovalinka
starttextovalinka
                                                            \startLABELtext [...] [...] ... \stopLABELtext
starttextpopisku:instance
                                                            \startbtxlabeltext [...] [...] ... \stopbtxlabeltext
starttextpopisku:instance:btxlabel
starttextpopisku:instance:head
                                                            \startheadtext [...] [...] ... \stopheadtext
starttextpopisku:instance:label
                                                            \startlabeltext [...] [...] ... \stoplabeltext
                                                            \startmathlabeltext [...] [...] ... \stopmathlabeltext \startoperatortext [...] [...] ... \stopoperatortext
starttextpopisku:instance:mathlabel
starttextpopisku:instance:operator
                                                            \startprefixtext [...] [...] ... \stopprefixtext
starttextpopisku:instance:prefix
                                                            \startsuffixtext [...] [...] ... \stopsuffixtext
starttextpopisku:instance:suffix
                                                            \starttaglabeltext [...] [...] ... \stoptaglabeltext
starttextpopisku:instance:taglabel
starttextpopisku:instance:unit
                                                            \startunittext [...] [...] ... \stopunittext
                                                            \starttokenlist [...] ... \stoptokenlist
starttokenlist
                                                            \starttokens [...] ... \stoptokens
starttokens
                                                            \verb|\starttransparent| [\dots] \dots \verb|\stoptransparent|
starttransparent
                                                            \starttypescript [...] [...] ... \stoptypescript
starttypescript
                                                            \starttypescriptcollection [...] ... \stoptypescriptcollection
starttypescriptcollection
starttyping:instance
                                                            \startTYPING [..=..] ... \stopTYPING
starttyping:instance:argument
                                                            \startTYPING [...] ... \stopTYPING
starttyping:instance:argument:LUA
                                                            \startLUA [...] ... \stopLUA
starttyping:instance:argument:MP
                                                            \startMP [...] ... \stopMP
starttyping:instance:argument:PARSEDXML
                                                            \startPARSEDXML [...] ... \stopPARSEDXML
                                                            \startTEX [...] ... \stopTEX \starttyping [...] ... \stoptyping
starttyping:instance:argument:TEX
starttyping:instance:argument:typing
starttyping:instance:argument:XML
                                                            \startXML [...] ... \stopXML
starttyping:instance:LUA
                                                            \startLUA [..=..] ... \stopLUA
starttyping:instance:MP
                                                            \startMP [..=..] ... \stopMP
                                                            \startPARSEDXML [..=..] ... \stopPARSEDXML
\verb|starttyping:instance:PARSEDXML|
                                                            \startTEX [..=..] ... \stopTEX
starttyping:instance:TEX
                                                            \starttyping [..=..] ... \stoptyping \startXML [..=..] ... \stopXML
starttyping:instance:typing
starttyping:instance:XML
                                                            \startumistirovnici [..=..] ... \stopumistirovnici
startumistirovnici
startumistirovnici:argument
                                                            \startumistirovnici [...] ... \stopumistirovnici
startuniqueMPgraphic
                                                            \verb|\startuniqueMPgraphic {...} {...} ... \ \verb|\stopuniqueMPgraphic {...} {...} |
{\tt startunique MP page graphic}
                                                            \verb|\startuniqueMPpagegraphic {...} {...} ... \verb|\stopuniqueMPpagegraphic | ...} |
startusableMPgraphic
                                                            \verb|\startusableMPgraphic {...} {...} ... \verb|\stopusableMPgraphic||
startuseMPgraphic
                                                            \verb|\startuseMPgraphic {...} {...} {...} \verb|\stopuseMPgraphic||
                                                            \verb|\startusemathstyleparameter| ... ... \verb|\stopusemathstyleparameter| \\ startuserdata [...] [..=..] ... \verb|\stopuserdata| \\
startusemathstyleparameter
startuserdata
                                                            \startusingbtxspecification [...] ... \stopusingbtxspecification
startusingbtxspecification
                                                            \startuzky [...] [..=..] ... \stopuzky
startuzky
                                                            \startuzky [..=..] [...] ... \stopuzky
startuzky:assignment
startuzky:name
                                                            \startuzky [...] [...] ... \stopuzky
startvboxregister
                                                            \startvboxregister ... \stopvboxregister
                                                            \startvboxtohbox ... \stopvboxtohbox
startvboxtohbox
                                                            \verb|\startvboxtohboxseparator| \dots \verb|\stopvboxtohboxseparator|
startvboxtohboxseparator
                                                            \startviewerlayer [...] ... \stopviewerlayer
startviewerlayer
startviewerlayer:example
                                                            \startVIEWERLAYER ... \stopVIEWERLAYER
                                                            \startvisici [..=..] {...} ... \stopvisici
startvisici
startvisici:argument
                                                            \verb|\startvisici| [...] {...} ... \ \verb|\stopvisici|
startvtopregister
                                                            \startvtopregister ... \stopvtopregister \startVYCET [..=..] ... \stopVYCET
startvycet:example
                                                            \startVYCET [...] {...} ... \stopVYCET
startvycet:example:title
```

startxcell	\startxcell [] [=] \stopxcell
startxcellgroup	\startxcellgroup [] [=] \stopxcellgroup
startxcolumn	\startxcolumn [=] \stopxcolumn
startxcolumn:name	\startxcolumn [] \stopxcolumn
startxgroup	\startxgroup [] [=] \stopxgroup
startxmldisplayverbatim	\startxmldisplayverbatim [] \stopxmldisplayverbatim
startxmlinlineverbatim	\startxmlinlineverbatim [] \stopxmlinlineverbatim
startxmlraw	\startxmlraw \stopxmlraw
startxmlsetups	\startxmlsetups [] [ \stopxmlsetups
startxmlsetups:string	\startxmlsetups \stopxmlsetups
startxrow	\startxrow [] [=] \stopxrow
startxrowgroup	\startxrowgroup [] [=] \stopxrowgroup
startxtable	\startxtable [=] \stopxtable
	<del>-</del>
startxtablebody	\startxtablebody [=] \stopxtablebody
startxtablebody:name	\startxtablebody [] \stopxtablebody
startxtablefoot	\startxtablefoot [=] \stopxtablefoot
startxtablefoot:name	\startxtablefoot [] \stopxtablefoot
startxtablehead	\startxtablehead [=] \stopxtablehead
startxtablehead:name	\startxtablehead [] \stopxtablehead
startxtablenext	\startxtablenext [=] \stopxtablenext
startxtablenext:name	\startxtablenext [] \stopxtablenext
startxtable:example	\startXTABLE [=] \stopXTABLE
startxtable:name	\startxtable [] \stopxtable
startzahlavitabulky	\startzahlavitabulky [] \stopzahlavitabulky
startzarovnanonastred	\startzarovnanonastred \stopzarovnanonastred
startzarovnanovlevo	\startzarovnanovlevo \stopzarovnanovlevo
startzarovnanovpravo	\startzarovnanovpravo \stopzarovnanovpravo
startzhustene	\startzhustene [] \stopzhustene
startzlom	<del>-</del>
	\startzlom [] [=] \stopzlom
startzlom:instance	\startMAKEUPzlom [=] \stopMAKEUPzlom
startzlom:instance:middle	\startmiddlezlom [=] \stopmiddlezlom
startzlom:instance:page	\startpagezlom [=] \stoppagezlom
startzlom:instance:standard	\startstandardzlom [=] \stopstandardzlom
startzlom:instance:text	\starttextzlom [=] \stoptextzlom
stoplinenote:instance	\stopLINENOTE []
5 to p 1 1 mont out 1 m 5 tam 5 t	
stonlinenote:instance:linenote	\stoplinenote [ ]
stoplinenote:instance:linenote	\stoplinenote []
stopradek	\stopradek []
stopradek stopregister	\stopradek [] \stopregister [] []
stopradek	\stopradek []
stopradek stopregister	\stopradek [] \stopregister [] []
stopradek stopregister stopstructurepageregister	\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strana []
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strana [] \strictdoifelsenextoptional {} {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippaces \from \to \ \structurelistuservariable {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippaces structurelistuservariable structurenumber structuretitle structureuservariable	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strina [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \stripspaces \from \to \ \structurelistuservariable {} \structuretitle \structurevariable {} \structurevariable {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname in \to \ \strippedcsname \ \structurelistuservariable {} \structureuservariable {} \structureuservariable {} \structurevariable {} \st</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable structurevariable	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \ \strippedcsname \ \strippedcsname \ \strippedcsname \ \strippedcsname \ \structuretitle \structuretitle \structureuservariable {} \structurevariable \{\} \struct</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippedcsname in \to \ \structurelistuservariable {} \structuretitle \structuretitle \structurevariable {} \structurevariable {} \structurevariable {} \structurevariable \structurevariable \structurevariable {} \structurevariable \struct</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable structurevariable	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \strippedcsname \ \strippedcsname \ \strippedcsname \ \strippedcsname \ \strippedcsname \ \structuretitle \structuretitle \structureuservariable {} \structurevariable \{\} \struct</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable structurevariable strut strutdp strutgap	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippedcsname \strippedcsname in \to \ \structurelistuservariable {} \structuretitle \structuretitle \structurevariable {} \structurevariable {} \structurevariable {} \structurevariable \structurevariable \structurevariable {} \structurevariable \struct</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable structurevariable strut strutdp strutdp struttyap	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structuretitle \structuretitle \structurevariable {} \structurevariable {} \structuredp \strutdp \strutdp \strutdp \strutdp \strutdp \struttap</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable struttstrutdp strutdp struttdp	<pre>\stopradek [] \stopregister [] [] \stropstructurepageregister [] [] \striana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strut \strutdp \strutdp \struttdp \struttdp \struthtdp \struthtdp \struttedbox {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structureuservariable structurevariable structurevariable strut strutdp strutdp struttdp struttdp struttdp struttdp struttdp struttdox struttd	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strut \strutdp \strutdp \struttdp \struttdp \strutht \struthtdp \struttedbox {} \struttedbox {} \strutted</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttdd struttdd struttd	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strutdp \strutdp \strutdp \struttdp \struttedbox {} \struttdd \struttedbox {} \struttd \struttdd \struttedbox {} \struttd \struttdd \struttedbox {} \struttd \struttdd \struttedbox {} \struttd \strutted \struttel \strutt</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strutturety strutdp strutdp strutdp strutdp struttdp struttdp struttdp struttdbox strutdd style styleinstance	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strutdp \strutdp \strutdp \struttdp \struttedbox {} \struttdd \struttedbox {} \struttdd \style [=] {} \styleinstance []</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttdd style styleinstance style:argument	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strutt \strutdp \struttdp \struttedbox {} \struttdd \struttedbox {} \struttdd \style [] {} \style [] {} \style [] {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttuturetuservariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdbox struttdd struttde struttde struttde struttde struttde struttde struttde struttde struttedbox struttde style styleinstance style:argument style:instance	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \stripspaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strut \strutdp \strutdp \strutdp \struttdp \struttdp \struttdp \struttdp \struttdox {} \struttdoy \struttedbox {} \struttdoy \strutted [] {} \strutted [] {} \strutte [] {} \stryle [] {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdp struttdbox struttdd style styleinstance style:argument	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strutt \strutdp \struttdp \struttedbox {} \struttdd \struttedbox {} \struttdd \style [] {} \style [] {} \style [] {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttuturetuservariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdbox struttdd struttde struttde struttde struttde struttde struttde struttde struttde struttedbox struttde style styleinstance style:argument style:instance	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \stripspaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structureuservariable {} \structurevariable {} \strut \strutdp \strutdp \strutdp \struttdp \struttdp \struttdp \struttdp \struttdox {} \struttdoy \struttedbox {} \struttdoy \strutted [] {} \strutted [] {} \strutte [] {} \stryle [] {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttuturetuservariable struttstrutdp strutdp strutdp struttdp struttdp struttdp struttdbox struttwd style styleinstance style:argument style:instance subpagenumber	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \strut \strutdp \strutdp \struttdp \struttddp \struttddp \struttddox {} \struttddox {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable strut strutdp strutdp strutdp struttdp struttdbox struttdbox strutwd style styleinstance style:argument style:instance subpagenumber subsentence substituteincommalist	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \strippedcsname \ \strippedcsname \ \strippedcsname \ \strippaces \from \ \to \ \structurelistuservariable {} \structureuservariable {} \structurevariable {} \structurevariable {} \structurevariable {} \structuretitle \structurevariable {} \struttdp \struttdp \struttdp \struttddp \struttedbox {} \struttedbox {} \struttedbox {} \strutted [] \style [] {} \style [] {} \style [] {} \style [] {} \subspagenumber \subsentence {} \substituteincommalist {} {} \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutby strutdp strutdp strutdp strutdp strutddp struttdby struttdby struttedbox strutwd style styleinstance style:argument style:instance subpagenumber substituteincommalist subtractfeature	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippaces \from \to \ \structurelistuservariable {} \structureunumber \structureutitle \structurevariable {} \structurevariable {} \struttutdp \struttdp \struttdp \struttddp \struttddp \struttddp \struttedbox {} \struttddox {} \struttedbox {</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string stripspaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttututup strutdp strutdp strutdp struttdb struttht struthtdp struttedbox struttdd style styleinstance style:argument style:instance subpagenumber subtractfeature subtractfeature:direct	<pre>\stopradek [] \stopregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifenextoptionalelse {} {} \stripcharacter \from \to \ \strippedcsname \stricturelistuservariable {} \structurelistuservariable {} \structureuservariable {} \structureuservariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttddp \struttddp \struttddp \struttdd \struttdd \struttedbox {} \substruttedbox {}</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable struttututh struthdp struttdp struttht struthtdp struttedbox struttwd style styleinstance subpagenumber substrictieature subtractfeature subtractfeature:direct swapcounts	<pre>\stopradek [] \stopregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \strippedcsname \ \strippedcsname \ \strippedcsname \strippedcsname \strippacses \from \to \ \structurelistuservariable {} \structurenumber \structureuservariable {} \structurevariable {} \strutdp \strutdp \strutdp \strutdp \struttddp \struttddp \struttddp \struttddp \struttddp \struttedbox {} \struttwd \style [=] {} \strutbel [] \style [] {} \style [] {} \style [] {} \style [] {} \style [] \subpagenumber \subsentence {} \subtractfeature [] \subtractfeature [] \subtractfeature {} \swapcounts \ \</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutdp strutdp strutdp strutdp struttdb struttht struthdp struttedbox struttwd style styleinstance style:argument style:instance subpagenumber substituteincommalist subtractfeature subtractfeature:direct swapcounts swapdimens	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \strictdoifnextoptionalelse {} {} \stripedaracter \from \to \ \strippedcsname \ \strippedcsname \strippedcsname \strippages \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttddox {} \struttdd \style [] {} \strutted [] \style instance [] \style [] {} \subgrappenumber \subgrappenumber \subgrappenumber {} \subgrappenumber {} \subgrappenumber {} \subtractfeature {} \subtractfeature {} \swapcounts \ \ \swapdimens \ \ \swapdimens</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable structurevariable struttututh struthdp struttdp struttht struthtdp struttedbox struttwd style styleinstance subpagenumber substrictieature subtractfeature subtractfeature:direct swapcounts	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strana [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \strictdoifnextoptionalelse {} \strippedcsname \strippedcsname \ \strippedcsname \strippedcsname \strippageregister [] \structurelistuservariable {} \structurelistuservariable {} \structureuservariable {} \structureuservariable {} \struttureturevariable {} \strutty \struttdp \struttdp \strutthtdp \struttedbox {} \struttdd \style [] {} \styleinstance [] \style [] {} \subpagenumber \subsentence {} \subtractfeature {} \subtractfeature {} \swapcounts \ \ \swapdimens \ \ \swapdimens \ \ \swapface</pre>
stopradek stopregister stopstructurepageregister strana strictdoifelsenextoptional strictdoifnextoptionalelse stripcharacter strippedcsname strippedcsname:string strippaces structurelistuservariable structurenumber structuretitle structurevariable structurevariable struttutdp strutdp strutdp strutdp struttdb struttht struthdp struttedbox struttwd style styleinstance style:argument style:instance subpagenumber substituteincommalist subtractfeature subtractfeature:direct swapcounts swapdimens	<pre>\stopradek [] \stopregister [] [] \stopstructurepageregister [] [] \strictdoifelsenextoptional {} {} \strictdoifnextoptionalelse {} {} \strictdoifnextoptionalelse {} {} \stripedaracter \from \to \ \strippedcsname \ \strippedcsname \ \strippedcsname \strippages \from \to \ \structurelistuservariable {} \structurenumber \structuretitle \structurevariable {} \structurevariable {} \struttdp \struttdp \struttdp \struttdp \struttddp \struttddp \struttedbox {} \strutwd \style [] {} \styleinstance [] \style [] {} \style [] {} \subpagenumber \subsentence {} \substructfeature [] \subtractfeature [] \swapcounts \ \ \swapdimens \ \ \swapdimens \ \</pre>

	\
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
symbol	\symbol [] []
·	· ·
symbolreference	\symbolreference []
symbol:direct	\symbol {}
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synchronizeblank	\synchronizeblank
	· · ·
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synonym:instance	\SYNONYM [] {} {}
synonym:instance:abbreviation	\abbreviation [] {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst {} {}
systemloglast	\systemloglast {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
	•
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {} {}
tbox	\tbox {}
tecka	\tecka {}
tecky	\tecky []
tecky:assignment	\tecky [=]
tenkalinka	\tenkalinka
tenkelinky	\tenkelinky [=]
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
	••••••
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	
	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
-	
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnapovedy	\textnapovedy [] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textovalinka	\textovalinka [] {}
textplus	\textplus
textpopisku:instance	\LABELtext {}
textpopisku:instance:btxlabel	\btxlabeltext {}
textpopisku:instance:head	\headtext {}

extpopisku:instance:label	\labeltext {}
extpopisku:instance:mathlabel	\mathlabeltext {}
extpopisku:instance:operator	\operatortext {}
extpopisku:instance:prefix	\prefixtext {}
extpopisku:instance:suffix	\suffixtext {}
extpopisku:instance:taglabel	\taglabeltext {}
extpopisku:instance:unit	\unittext {}
extvisiblespace	\textvisiblespace
Chainumerals	\thainumerals {}
hefirstcharacter	\thefirstcharacter {}
henormalizedbodyfontsize	\thenormalizedbodyfontsize {}
heremainingcharacters	\theremainingcharacters {}
hickspace	\thickspace
hinspace	\thinspace
hirdoffivearguments	\thirdoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
hirdoffourarguments	\thirdoffourarguments {} {} {}
hirdofsixarguments	\thirdofsixarguments {} {} {} {} {} {}
hirdofthreearguments	\thirdofthreearguments \{\ldots\}\{\ldots\}\{\ldots\}
hirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Chreedigitrounding	\threedigitrounding {}
ibetannumerals	\tibetannumerals {}
ightlayer	\tightlayer []
ilde	\tilde {}
inyfont	\tinyfont
lacitko	\tlacitko [=] {} []
lacitkomenu:button	\tlacitkomenu [=] {} {}
lacitkomenu:interactionmenu	\tlacitkomenu [] [=] {} {}
lacitko:example	\BUTTON [=] {} []
lap	\tlap {}
loustkacary	\tloustkacary
ochar	\tochar {}
colinenote	\tolinenote []
opbox	\topbox {}
opleftbox	\topleftbox {}
oplinebox	\toplinebox {}
oprightbox	\toprightbox {}
opskippedbox	\topskippedbox {}
racecatcodetables	\tracecatcodetables
racedfontname	\tracedfontname {}
raceoutputroutines	\traceoutputroutines
racepositions	\tracepositions
ransparencycomponents	\transparencycomponents {}
ransparent	\transparent [] {}
ref	\tref {} {} []
riplebond	\triplebond
ruefilename	\truefilename {}
ruefontname	\truefontname {}
traggedright	\ttraggedright
ucne	\tucne
ucnekurzivni	\tucnekurzivni \tucnesklonene
cucnesklonene	• • • • • • • • • • • • • • • • • • • •
vrdamezera vrdemezery	\tvrdamezera \tvrdemezery
j	•
wodigitrounding	\twodigitrounding {}
X	\tx \txx
xx ypebuffer	\typebuffer [] [=]
ypebuller ypebuffer:instance	\cypebuller [] \opisBUFFER [=]
ypedefinedbuffer	\typedefinedbuffer [] [=]
ypederinedburrer	\typeface
ypeidee ypeinlinebuffer	\typeinlinebuffer [] [=]
ypescriptone	\typescriptone
ypescriptone ypescriptprefix	\typescriptone \typescriptprefix {}
ypescripthree	\typescripthree
ypescripttmee	\typescripttwo
ypescripttwo	\typesetbuffer [] [=]
ypesetfile	\typesetbuller [] [=] \typesetfile [] [] [=]
convertnumber	\uconvertnumber {} {}
edcatcodecommand	\uedcatcodecommand \ \{}
ukazbarvu	\ukazbarvu []
kazbarvu kazmrizku	\ukazmizku []
kaznastaveni	\ukazmastaveni [ ]

ukazpaletu	\ukazpaletu [] []
ukazpodpery	\ukazpodpery
ukazpostredizakladnihofontu	\ukazpostredizakladnihofontu []
ukazramecek	\ukazramecek [] []
ukazsadusymbolu	\ukazsadusymbolu []
ukazskupinubarev	\ukazskupinubarev [] []
ukazupravu	\ukazupravu []
ukazvytisk	\ukazvytisk [] [=]
ukazvzhled	\ukazvzhled []
ukazzakladnifont	\ukazzakladnifont []
umistikombinovanyseznam	\umistikombinovanyseznam [] [=]
umistikombinovanyseznam:instance	\umistiCOMBINEDLIST [=]
umistikombinovanyseznam:instance:content	\umisticontent [=]
umistilokalnipoznamkypodcarou	\umistilokalnipoznamkypodcarou [=]
umistinadsebe umistinamrizku	\umistinadsebe {} {}
umistinamrizku:list	\umistinamrizku [] {} \umistinamrizku [] {}
	\umistindmiizki [] \\
umistipodrovnici umistipoznamkypodcarou	\umistipoznamkypodcarou [=]
	\umistirejstrik [] [=]
umistirejstrik umistirejstrik:instance	\umistiREGISTER [=]
umistirejstrik:instance:index	\umistindex [=]
umistirovnici	\umistirovnici [] {}
umistiseznam	\umistiseznam [] [=]
umistivedlesebe	\umistivedlesebe {} {}
umistizalozky	\umistizalozky [] [=]
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unprotected unregisterhyphenationpattern	\unprotected \par \unprotected \par \unprotected []
<del>-</del>	
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unregisterhyphenationpattern unspaceafter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {}</pre>
unregisterhyphenationpattern unspaceafter unspaceargument	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ \{\} \unspaceargument \to \ \unspaced \{\} \unspacestring \to \ \untexargument \{\} \to \</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {}</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased uppercasestring	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftdoublesixquote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperleftsinglesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoubleninequote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsinglesixquote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsinglesixquote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsingleninequote \upperrightsingleninequote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \upperleftdoubleninequote \upperleftsingleninequote \upperleftsinglesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrig</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftsingleninequote \upperleftsingleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \uppe</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upper</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \uppercased f} \upperleftdoubleninequote \upperleftsingleninequote \upperleftsinglesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixqu</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquot</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsinglesixquote \upperrightsinglesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquot</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquot</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoublesixquote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \useblankparameter \ \usebdyfontparameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation []</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \useblankparameter \ \usebdyfont parameter \ \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecitation [] \usecitation {}</pre>
unregisterhyphenationpattern unspaceafter unspaced unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation:direct usecolors	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \useblankparameter \ \usebdyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation [] \usecolors []</pre>
unregisterhyphenationpattern unspaceafter unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceargument \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \useblankparameter \ \usebdyfont [] \usebtydefinitions [] \usecitation [] \usecitation {} \usecolors [] \usecomponent []</pre>
unregisterhyphenationpattern unspaceafter unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \usealignparameter \ \usebdyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecolors [] \usecomponent [] \usecomponent [] \usedummycolorparameter {}</pre>
unregisterhyphenationpattern unspaceafter unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsinglesixquote upperrightdoubleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsinglesixquote upperrightsinglesixquote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \uppercased {} \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsinglesixquote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \usealignparameter \ \usebdyfont [] \usebtxdataset [] [] [=] \usebtxdefinitions [] \usecitation [] \usecitation {} \usecomponent [] \usecomponent [] \usedummystyleandcolor {} {} \usedummystyleandcolor {} {} \usedummystyleanameter {} \usedummystylearameter {} \usedummystylearameter {} \usedummystylearameter {} \usedummystylearameter {} \usedummystylearameter {} \usedumnystylearameter {} \usedumnystylearame</pre>
unregisterhyphenationpattern unspaceafter unspaceargument unspaced unspacestring untexargument untexcommand uppercased uppercasestring upperleftdoubleninequote upperleftsingleninequote upperleftsingleninequote upperrightdoubleninequote upperrightdoubleninequote upperrightdoublesixquote upperrightdoublesixquote upperrightdoublesixquote upperrightsingleninequote upperrightsingleninequote upperrightsinglesixquote urcicharakteristikurejstriku url usealignparameter useblankparameter usebodyfont usebodyfontparameter usebtxdataset usebtxdefinitions usecitation usecitation:direct usecolors usecomponent usedummycolorparameter usedummystyleandcolor usedummystyleandcolor	<pre>\unregisterhyphenationpattern [] [] \unspaceafter \ {} \unspaceafter \ \to \ \unspaced {} \unspacestring \to \ \untexargument {} \to \ \untexcommand {} \to \ \unpercased {} \uppercased {} \uppercasestring \to \ \upperleftdoubleninequote \upperleftdoublesixquote \upperleftsingleninequote \upperrightdoubleninequote \upperrightdoublesixquote \upperrightdoublesixquote \upperrightsingleninequote \upperrightsingleninequote \upperrightsinglesixquote \urcicharakteristikurejstriku [] [=] \url [] \usealignparameter \ \usebdyfont [] \usebtydataset [] [] [=] \usebtydefinitions [] \usecitation [] \usecolors [] \usecolors [] \usedummycolorparameter {} \usedummystyleandcolor {} {} \usedu</pre>

usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \\useluamodule []
useluamodule useMPenvironmentbuffer	\useHenvironmentbuffer []
useMPgraphic	\useMPgraphic \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath usetexmodule	\usesubpath []
	\usetexmodule [] [] [] \usetypescript [] []
usetypescript usetypescriptfile	\usetypescript [] [] \usetypescriptfile []
usezipfile	\usezipfile []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	\utilityregisterlength
uzijadresar	\uzijadresar []
uzijbloky	\uzijbloky [] [=]
uzijexternidokument	\uzijexternidokument [] []
uzijexterniobraz	\uzijexterniobraz [] [] [] [=]
uzijexternizvuk	\uzijexternizvuk [] []
uzijJSscripts	\uzijJSscripts [] []
uzijmodul uzijsymbol	\uzijmodul [] [=] \uzijsymbol []
uzijURL	\uzijURL [] [] []
uzijurl	\uzijurl [] [] []
VerboseNumber	\VerboseNumber {}
VSEDNIDEN	\VSEDNIDEN {}
vboxreference	\vboxreference [] {}
vec	\vec {}
velke	\velke
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\vertical growinghor [ - ]
verticalgrowingbar verticalpositionbar	<pre>\verticalgrowingbar [=] \verticalpositionbar [=]</pre>
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
verze	\verze []
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\vl []
vlasovalinka	\vlasovalinka
vlevo	\vlevo
vphantom	\vphantom {}
vpos	\vpos {} {}
vpravo vradku	\vpravo \vradku {} []
vsedniden	\vsedniden {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
vyberbloky	\vyberbloky [] [] [=]
vycet:example	\VYCET [] {} \par
vyplnenytext	\vyplnenytext [=] {} {}
vyplnovelinky	\vyplnovelinky [=] {} {}

vyplnovyradek vysoky	<pre>\vyplnovyradek [=] \vysoky {}</pre>		
vysoky:instance	\HIGH {}		
vysoky:instance:unitshigh WidthSpanningText	\unitshigh {}		
widthspanningText wdofstring	\WidthSpanningText {} {} {} \wdofstring {}		
widthofstring	\widthofstring {}		
widthspanningtext	\widthspanningtext {} {} {}		
withoutpt	\withoutpt {}		
words	\words {}		
wordtonumber	\wordtonumber {} {}		
writedatatolist writestatus	\writedatatolist [] [=] [=] \writestatus {} {}		
XETEX	\XETEX		
XeTeX	\XeTeX		
xdefconvertedargument	\xdefconvertedargument \ {}		
xmladdindex	\xmladdindex {}		
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}		
xmlaftersetup	\xmlaftersetup {} {}		
xmlall xmlappenddocumentsetup	<pre>\xmlall {} {} \xmlappenddocumentsetup {} {}</pre>		
xmlappendsetup	\xmlappenduccumentsetup () \xmlappendsetup {}		
xmlapplyselectors	\xmlapplyselectors {}		
xmlatt	\xmlatt {} {}		
xmlattdef	\xmlattdef {} {} {}		
xmlattribute	\xmlattribute {} {} {}		
xmlattributedef	\xmlattributedef {} {} {}		
xmlbadinclusions xmlbeforedocumentsetup	<pre>\xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {}</pre>		
xmlbeforesetup	\xmlbeforesetup {} {}		
xmlcommand	\xmlcommand {} {} {}		
xmlconcat	\xmlconcat {} {} {}		
xmlconcatrange	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:		
xmlcontext	\xmlcontext {} {}		
xmlcount	\xmlcount {}		
xmldefaulttotext xmldirectives	\xmldefaulttotext {} \xmldirectives {}		
xmldirectives	\xmldirectives ()		
xmldirectivesbefore	\xmldirectivesbefore {}		
xmldisplayverbatim	\xmldisplayverbatim {}		
xmldoif	\xmldoif {} {}		
xmldoifatt	\xmldoifatt {} {}		
xmldoifelse	\xmldoifelse {} {} {}		
xmldoifelseatt xmldoifelseempty	\xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} {}		
xmldoifelseselfempty	\xmldoifelseselfempty {} {} {}		
xmldoifelsetext	\xmldoifelsetext {} {} {}		
xmldoifelsevalue	$\$ \xmldoifelsevalue $\{\}$ $\{\}$ $\{\}$		
xmldoifnot	\xmldoifnot {} {} {}		
xmldoifnotatt	\xmldoifnotatt {} {}		
xmldoifnotselfempty xmldoifnottext	\xmldoifnotselfempty {} {} \xmldoifnottext {} {}		
xmldoifselfempty	\xmldoifselfempty {} {}		
xmldoiftext	\xmldoiftext {} {}		
xmlelement	\xmlelement {} {}		
xmlfilter	\xmlfilter {} {}		
xmlfirst	\xmlfirst {} {}		
xmlflush	\xmlflush {}		
xmlflushcontext xmlflushdocumentsetups	<pre>\xmlflushcontext {} \xmlflushdocumentsetups {} {}</pre>		
xmlflushlinewise	\xmlflushlinewise {}		
xmlflushpure	\xmlflushpure {}		
xmlflushspacewise	\xmlflushspacewise {}		
xmlflushtext	\xmlflushtext {}		
xmlchainatt	\xmlchainatt {} {}		
xmlchainattdef	\xmlchainattdef {} {}		
xmlchecknamespace xmlinclude	\xmlchecknamespace {} {} \xmlinclude {} {}		
xmlinclusion	\xmlinclude \(\ldots\) \\xmlinclusion \(\ldots\)		
xmlinclusions	\xmlinclusions {}		
xmlinfo	\xmlinfo {}		
xmlinjector	\xmlinjector {}		

xmlinlineprettyprint	\xmlinlineprettyprint {} {}		
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}		
xmlinlineverbatim	\xmlinlineverbatim {}		
xmlinstalldirective	\xmlinstalldirective {} {}		
xmllast	\xmllast {} {}		
xmllastatt	\xmllastatt		
xmllastmatch	\xmllastmatch		
xmllastpar	\xmllastpar		
xmlloadbuffer	\xmlloadbuffer {} {} {}		
xmlloaddata	\xmlloaddata {} {} {}		
xmlloaddirectives	\xmlloaddirectives {}		
xmlloadfile	\xmlloadfile {} {}		
xmlloadonly	\xmlloadonly {} {} {}		
xmlmain	\xmlmain {}		
xmlmapvalue	\xmlmapvalue {} {}		
xmlname	\xmlname {}		
xmlnamespace	\xmlnamespace {}		
xmlnonspace	\xmlnonspace {} {}		
xmlpar	\xmlpar {} {}		
xmlparam	\xmlparam {} {} {}		
xmlpath	\xmlpath {}		
xmlpos	\xmlpos {}		
xmlposition	\xmlposition {} {} {}		
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}		
xmlprependsetup	\xmlprependsetup {}		
xmlprettyprint	\xmlprettyprint {} {}		
xmlprettyprinttext	\xmlprettyprinttext {} {}		
xmlprocessbuffer	\xmlprocessbuffer {} {} {}		
xmlprocessdata	\xmlprocessdata {} {} {}		
xmlprocessfile	\xmlprocessfile {} {} {}		
xmlpure	\xmlpure {} {}		
xmlraw	\xmlraw {}		
xmlrefatt	\xmlrefatt {} {}		
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}		
xmlregisteredsetups	\xmlregisteredsetups		
	\xmlregisterns {} {}		
xmlregisterns			
xmlregisterns xmlremapname			
5	$local_continuous_continu$		
xmlremapname			
xmlremapname xmlremapnamespace	$\label{local_continuity} $$ 0 \times 0 = 0 $$ $$ 0 $$ $$ 0 $$ $$ $$ $$ $$ $$ $$ $$ $$ $$ $$ $$ $		
xmlremapname xmlremapnamespace xmlremovedocumentsetup	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {}</pre>		
xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors</pre>		
xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {}</pre>		
xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlremovesetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsattt xmlsetattt;</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors []</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors []</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetparam</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} {}</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetpar xmlsetparam xmlsetsetup</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} {} \xmlsetparam {} {} {} {} \xmlsetsetup {} {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetpar xmlsetpar xmlsetparam xmlsetsetup</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetjunction {} {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetattity xmlsetfunction xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlsetup xmlshow</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetjunction {} {} {} \xmlsetjunction {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetjunction {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} \xmlremovedocumentsetup {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsatatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetjup {} {} \xmlsetjup {} {} \xmlsetjup {} {} \xmlsetjup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetantity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsatetattribute {} {} {} \xmlsetattribute {} {} {} \xmlsetfunction {} {} {} \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstrip {} {} \xmlstrip {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xm</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetantity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstripnolines {} {} \xmlstripped {} {} {} \xmlstripped {</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstrippednolines</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrippolines {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltaxmltag {} \xmltexentity {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltag {} \xmltexentity {} {} \xmltag {} \xmltexentity {} {} \xmltexentity {} {} \xmltag {} \xmltexentity {} {} \x</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstrippednolines xmltag</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetperam {} {} {} \xmlsetinjectors [] \xmlsetperam {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetinjectors {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xm</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltexentity {} {} \xmltexentity {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetjaram xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstripped xmltag xmltexetity xmltext</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} \xmlshow {} \xmlshow {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {} \xmltobufferverbose {} {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetjaram xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrippolines xmlstripped xmlstripped xmltag xmltext xmltobuffer</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetsetups {} \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltexentity {} {} \xmltexentity {} {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmlstripped xmltag xmltexet xmltobuffer xmltobuffer xmltobuffer xmlvalue</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltag {} \xmltobuffer {} {} {} \xmltofile {} {} {} \xmltobuffer {} {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexet xmltobuffer xmltobuffer xmltofile</pre>	<pre>\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetspetup {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {} \xmltofile {} {} {} \xmltofile {} {} \xmltofile {} {} {} \xmlt</pre>		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltext xmltobuffer xmltobuffer xmltobuffer xmlvalue</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltag {} \xmltobuffer {} {} {} \xmltofile {} {} {} \xmltobuffer {} {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstripped xmlstripped xmlstripped xmlstripped xmltag xmltexet xmltobuffer xmltobuffer xmlvalue xmlvalue xmlvalue</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {} \xmltoplus {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetdocumentsetups xmlresetsetups xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobuffer xmltobuffer xmlvalue xmlvalue xmlverbatim xsplitstring</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlshippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetinjectors xmlsetparam xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstrippednolines xmltag xmltexet xmltobuffer xmltobuffer xmlvalue xmlvalue xmlvalue xmlverbatim xsplitstring xypos</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlstrippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {} \xmltoplus {} {}		
<pre>xmlremapname xmlremapnamespace xmlremovedocumentsetup xmlresetdocumentsetups xmlresetinjectors xmlresetsetups xmlsave xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetinjectors xmlsetparam xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstrippednolines xmltag xmltexentity xmltobuffer xmltobuffer xmltobuffer xmlvalue xmlvalue xmlvalue xmlverbatim xsplitstring xypos Znak</pre>	\xmlremapname {} {} {} {} \xmlremapnamespace {} {} {} \xmlremovedocumentsetup {} {} \xmlremovesetup {} \xmlresetdocumentsetups {} \xmlresetinjectors \xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetpetup {} {} \xmlshow {} \xmlshow {} \xmlshippet {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltobuffer {} {}		

zadnehorniadolniradky	$\z$ adnehorniadolniradky		
zadnezahlaviaupati	\zadnezahlaviaupati		
zachovejbloky	\zachovejbloky [] []		
zalozka	\zalozka [] {}		
zapisdoseznamu	\zapisdoseznamu [] [=] {} {}		
zapismeziseznam	\zapismeziseznam [] [=] {}		
zaramovani	\zaramovani [=] {}		
zarovnanonastred	\zarovnanonastred {}		
zarovnanovlevo	\zarovnanovlevo {}		
zarovnanovpravo	\zarovnanovpravo {}		
zasobnikpoli	\zasobnikpoli [] [] [=]		
ziskejbuffer	\ziskejbuffer []		
ziskejbuffer:instance	\ziskatBUFFER		
ziskejznaceni	\ziskejznaceni [] []		
zlomek:instance	\FRACTION {} {}		
zlomek:instance:binom	\binom {} {}		
zlomek:instance:dbinom	\dbinom {} {}		
zlomek:instance:dfrac	\dfrac {} {}		
zlomek:instance:frac	\frac {} {}		
zlomek:instance:sfrac	\sfrac {} {}		
zlomek:instance:tbinom	\tbinom {} {}		
zlomek:instance:xfrac	\xfrac {} {}		
zlomek:instance:xxfrac	\xxfrac {} {}		
znaceni	\znaceni (,) (,) []		
znak	\znak {}		
znaky	\znaky {}		
zpracujbloky	\zpracujbloky [] [] [=]		
zrcadlit	\zrcadlit {}		
zref	\zref []		
zvysit	\zvysit \		
zvysit:argument	\zvysit ()		

