## ConTrXt

přikazy

65

## ConTEXt přikazy

ACC D	NACL - Dec. C. 3
AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize []
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
aktualnicislonadpisu	\aktualnicislonadpisu
aktualnidatum	\aktualnidatum []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
<u> </u>	
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] {}
antikva	\antikva
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue \{\documents\} \\\
•.	
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytofirstcharacter	\applytofirstcharacter \ {}
applytocharacters	\applytocharacters \ {}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ {}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
11 0 1 0	
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension {} \ {} {} {}
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension \{\dots\} \\\\} \\\\} \\\\}
assignifempty	\assignifempty \ \{\\}
assigntranslation	\assigntranslation [=] \to \
_	
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}

	\ATTACUMENT [ ] [ _ ]
attachment:instance	\ATTACHMENT [] [=] \attachment [] [=]
attachment:instance:attachment	
autocap	\autocap {} \autodirhbox {}
autodirhbox autodirvbox	\autodirhbox {}
autodirytop	\autodirvbox {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
	\Biggr
Biggr	
Bigl Piom	\Bigl \Bigm
Bigm	. •
Bigr	\Bigr
backgroundimage	\backgroundimage \{\} \{\} \{\}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barevnalista	\barevnalista []
barva	\barva [] {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bezserifu	\bezserifu
bigbodyfont	\bigbodyfont
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
-	\bigr
bigr	\bigskip
bigskip	\bitmapimage [=] {}
bitmapimage	/promabruago [] []

blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
•	
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
-	
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	
	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btkabbieviateajournar	
btxaddjournal	\btxaddjournal [] []
· ·	\btxaddjournal [] [] \btxalwayscitation [=] []
btxaddjournal	· · · · · · · · · · · · · · · · · · ·
btxaddjournal btxalwayscitation	\btxalwayscitation [=] []
btxaddjournal btxalwayscitation btxalwayscitation:alternative	\btxalwayscitation [=] [] \btxalwayscitation []
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata	\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=]
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail	\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {}
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect	\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {}
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsecombiinlist	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetial {} \btxdetial {} \btxdoirect {} \btxdoif {} {} \btxdoifcombinhistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinhist {} {} {} {} \btxdoifelsesameasprevious {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinilistelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable	\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombiniistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {}
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot	<pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifelse(combinilistelse {} {} {} {} \btxdoifelse(combinilist {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouselse {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot	<pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifelse(combinilistelse {} {} {} {} \btxdoifelse(combinilist {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouselse {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifonot btxdoifsameaspreviouscheckedelse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifnot {} {} \btxdoifsameaspreviouscheckedlse {} {} {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifotbtxdoifotbtxdoifelseuservariable btxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifotbtxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} {} \btxdoifelse sameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifolseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxexpandedjournal	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxexpandedjournal {} \btxfield {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxxpandedjournal btxfield btxfieldname	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouschecked {} {} \btxdoifsameaspreviouschecked {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxfieldname {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifent {} {} \btxdoifont {} {} \btxdoifent {} {} \btxdoifent {} {} \btxdoifent {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifont btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombiinlistelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifont {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldtype {} \btxfirstofrange {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifnot btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxfirstofrange {} \btxflush {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflush {} \btxflush {} \btxflushauthor [] {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxdifush btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor btxflushauthorinverted	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouschecked {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif(combiinlistelse {} {} {} \btxdoifelse(combiinlist {} {} {} \btxdoifelse(combiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \end{arrange} \end{arrange} \end{arrange} \end{arrange} \btxflushauthorinvertedshort {} \end{arrange} \end{arrange} \end{arrange} \end{arrange} \end{arrange} \begin{arrange} arrange {</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxtdoifuservariableelse btxield btxfield btxfieldname btxfieldype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \btxflushauthorname {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif(combiinlistelse {} {} {} \btxdoifelse(combiinlist {} {} {} \btxdoifelsecombiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorinvertedshort {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxtdoifuservariableelse btxield btxfield btxfieldname btxfieldype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdirect {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxfield {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \btxflushauthorname {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelseuservariable btxdoifoot btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname btxflushauthornormal	<pre>\btxalwayscitation [] [] \btxalwayscitation [] [] \btxalwayscitation [] [] \btxathorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombinlistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflushauthorname {} \btxflushauthorname {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \end{array}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifolseuservariable btxdoifosameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxtdoifuservariableelse btxexpandedjournal btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinvertedshort btxflushauthorname btxflushauthornormal btxflushauthornormal	<pre>\btxalwayscitation [] [] \btxalwayscitation [] [] \btxalwayscitation [] [] \btxalthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} \btxdoifelsecombiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinvertedshort {} \btxflush</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdetail btxdoifect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesarvariable btxdoifont btxdoifsameaspreviouselse btxdoifuservariableelse btxdoifuservariableelse btxdifuservariableelse btxdifuservariableelse btxdifuservariableelse btxdifuservariableelse btxtield btxfield btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthorinverted btxflushauthorinverted btxflushauthorname btxflushauthornormal btxflushauthornormal btxflushauthornormal	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoif {} {} \btxdoifcombiinlistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombiinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedlse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfieldname {} \btxfieldname {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthornormal {} \btxflushsuffix</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesameaspreviouschecked btxdoifsameaspreviouselse btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedelse btxdoifuservariableelse btxdoifuservariableelse btxtieldd btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflush btxflushauthor btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushautfix btxfoundname	<pre>\btxalwayscitation [=] [] \btxalwayscitation [] [] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoif {} {} \btxdoifcombinilistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldname {} \btxflushauthor [] {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorname {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushauthornormal {} \btxflushsuffix \btxflushsuffix \btxfoundname {}</pre>
btxaddjournal btxalwayscitation btxalwayscitation:alternative btxalwayscitation:userdata btxauthorfield btxdetail btxdirect btxdoif btxdoifcombiinlistelse btxdoifelse btxdoifelsesombiinlist btxdoifelsesameasprevious btxdoifelsesameaspreviouschecked btxdoifelsesameaspreviouschecked btxdoifotbtxdoifsameaspreviouselse btxdoifsameaspreviouselse btxdoifsameaspreviouscheckedlse btxdoifuservariableelse btxdoifuservariableelse btxdoifuservariableelse btxfield btxfield btxfieldname btxfieldtype btxfirstofrange btxflushauthorinverted btxflushauthorinvertedshort btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal btxflushauthornormal	<pre>\btxalwayscitation [=] [] \btxalwayscitation [=] [=] \btxalwayscitation [=] [=] \btxauthorfield {} \btxdetail {} \btxdetail {} \btxdoifect {} \btxdoiffcombinilistelse {} {} {} \btxdoifelse {} {} {} \btxdoifelsecombinlist {} {} {} \btxdoifelsesameasprevious {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelsesameaspreviouschecked {} {} {} \btxdoifelseuservariable {} {} {} \btxdoifsameaspreviouselse {} {} {} \btxdoifsameaspreviouscheckedelse {} {} {} \btxdoifuservariableelse {} {} {} \btxfield {} \btxfield {} \btxfield {} \btxfieldtype {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorinverted {} \btxflushauthorname {} \btxflushauthornormal {} \btxflushauthornormalshort {} \btxflushsuffix \btxfoundname {} \btxfoundname {} \btxfoundtype {} \btxfoundtype {} \btxfoundtype {} \btxfoundtype {} \end{array} \rangle \textraction \textractio</pre>

btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxsingularplural	\btxsingularplural {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative btxtextcitation:userdata	\btxtextcitation [] [] \btxtextcitation [=] [=]
bublinkovanapoveda:instance	\TOOLTIP [=] {}
bublinkovanapoveda:instance:argument	\TOOLTIP [] {} {}
bublinkovanapoveda:instance:argument:tooltip	\tooltip [] {}
bublinkovanapoveda:instance:tooltip	\tooltip [] \tooltip [] \tooltip []
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Caps	\Caps {}
Cisla	\Cisla {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ {} {}
ConvertToConstant	\ConvertToConstant \ {} {}
camel	\camel {}
catcodetablename	\catcodetablename
	\.i. ( )
cbox	\cbox {}
cbox centeraligned	\centeraligned \{\}
centeraligned	\centeraligned {}
centeraligned centerbox centeredbox centeredlastline	<pre>\centeraligned {} \centerbox {}</pre>
centeraligned centerbox centeredbox	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {}</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {}</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline centerline cernalinka	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centalinka [=]</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [=] \centerlinky [=]</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [=] \centerlinky [=] \cfrac [] {} {}</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinky [=] \centerlinky [=] \cfrac [] {} {} \cisla {}</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlink [=] \centerlinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlink [=] \centerlinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlink [=] \centerlinky [=] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlink [=] \centerlinky [=] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [=] \cernalinka [=] \cernelinky [=] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:direct	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [=] \cernalinka [=] \cernalinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] []</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \cernalinka [=] \cernalinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] [] \citation [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \centerlinky [=] \centerlinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation {} \citation {} \citation [=] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \cernalinka [=] \cernalinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation {} \citation [] [] \citation [] [] \citation [] [] \cite [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \centerlinky [=] \cfrac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cite [] [] \cite [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \centerlinky [=] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cite [] [] \cite [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \cernalinka [=] \cernalinky [=] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [=] [] \citation [] [] \citation [] [] \citation [] [] \cite [=] [] \cite [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:userdata clap classfont	<pre>\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \centerlinky [] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislostrany \citation [] [] \cite [] [] [] \cite [] [] [] \cite [] [] \cite [] [] [] [] [] \cite [] [] [] [] [] [] \cite [] [] [] [] [] [] [] [] [] \cite [] [</pre>
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \cernalinka [] \cernalinky [] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] []
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:direct citation:userdata cite cite:alternative cite:alternative cite:userdata clap classfont cldcommand cldcontext	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation {} \citation [] [] \citation [] [] \cite [] {} \cite [] {} \classfont {} {} \classfont {} {} \cldcommand {} \cldcommand {} \cldcontext {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:userdata clap classfont cldcommand cldcontext cldloadfile	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation {} \citation [] [] \citation [] [] \cite [] [] \cideonmand {} \cldcontext {} \cldcontext {} \cldcontext {} \cldcontext {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap classfont cldcommand cldcontext cldloadfile cldprocessfile	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation {} \citation [] [] \citation {} \citation [] [] \cite [] [] \cideonmand {} \cldcontext {} \cldcontext {} \cldcontext {} \cldcontext {} \cldprocessfile {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:direct citation:userdata cite cite:alternative cite:userdata clap classfont cldcommand	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation {} \citation [] [] \citation [] [] \cite [] [] \cideonmand {} \cldcontext {} \cldcontext {} \cldcontext {} \cldcontext {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap classfont cldcommand cldcontext cldloadfile clippedoverlayimage collect	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinka [] \cirac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cidonmand {} \cldcontext {} \cldcontext {} \cldprocessfile {} \cldprocessfile {} \clippedoverlayimage {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:alternative cite:direct cite:userdata clap classfont cldcommand cldcontext cldloadfile cldprocessfile clippedoverlayimage	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerline {} \cernalinka [] \cernalinky [] \cfrac [] {} {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cide () \cldcommand {} \cldcontext {} \cldprocessfile {} \cldprocessfile {} \clippedoverlayimage {} \collect {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap classfont cldcommand cldcontext cldloadfile cldprocessfile clippedoverlayimage collect collectedtext	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation [] [] \citation [] [] \citation {} \citation [] [] \cite [] [] \cite [] [] \cite [] [] \cite [] [] \cide [] \clap {} \cldcontext {} \cldcontext {} \cldprocessfile {} \cldprocessfile {} \collectdetext [] [] [] {}
centeraligned centerbox centeredbox centeredlastline centerednextbox centerline cernalinka cernelinky cfrac cisla cislonadpisu cislorovnice cislostrany citation citation:alternative citation:userdata cite cite:alternative cite:direct cite:userdata clap classfont cldcommand cldcontext cldloadfile cldprocessfile clippedoverlayimage collect collectedtext collectexpanded	\centeraligned {} \centerbox {} \centeredbox {} \centeredlastline \centerednextbox {} \centerline {} \centerlinka [] \cernalinka [] \cernalinky [] \cirac [] {} \cisla {} \cislonadpisu [] [] \cislorovnice [] \cislorovnice [] \cislostrany \citation [] [] \citation [] [] \citation [] [] \citation [] [] \cite [] [] \cide () \cldcontext {} \cldcontext {} \cldprocessfile {} \collectedtext [] [] {} {} \collectedtext [] [] {} \collectedtext [] [] {}

coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement commalistsentence	\commalistelement \commalistsentence [] []
commalistsize	\commalistsize
comparedimension	\comparedimension {} {}
comparedimensioneps	\comparedimensioneps {} {}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\uplnyCOMBINEDLIST [=]
completecombinedlist:instance:content	\uplnycontent [=]
<pre>completelist completelistoffloats:instance</pre>	<pre>\completelist [] [=] \completelistofFLOATS [=]</pre>
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
<pre>completelistofsorts:instance completelistofsorts:instance:logos</pre>	\completelistofSORTS [=] \completelistoflogos [=]
completelistofsynonyms	\completelistofiogos [] \completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\uplnyREGISTER [=]
completeregister:instance:index	\uplnyindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty complexorsimpleempty:argument	\complexorsimpleempty \ \complexorsimpleempty \\}
complexorsimple:argument	\complexorsimple {}
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument constantnumber	\constantemptyargument \ \constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \ \convertedcounter [] [=]
convertedcounter converteddimen	\convertedcounter [] [=] \converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtext [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltext [] [=]
<pre>copylabeltext:instance:head copylabeltext:instance:label</pre>	\copyheadtext [] [=] \copylabeltext [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltext [] [=]
copylabeltext:instance:operator	\copyoperatortext [] [=]
copylabeltext:instance:prefix	\copyprefixtext [] [=]
copylabeltext:instance:suffix	\copysuffixtext [] [=]
copylabeltext:instance:taglabel	\copytaglabeltext [] [=]
copylabeltext:instance:unit	\copyunittext [] [=]
copypages	\copypages [] [=] [] \copyparameters [] [] []
copyparameters copyposition	\copyparameters [] [] [] \copyposition {} {}
copysetups	\copysetups [] []
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}

crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile ctxlua	\ctxloadluafile {} \ctxlua {}
ctxluabuffer	\ctxlua \ \ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue currentbtxuservariable	\currentassignmentlistvalue
	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentPOPISEK [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
dalsipodstranka	\dalsipodstranka
datasetvariable	\datasetvariable {} {} {}
datum	\datum [=] []
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth \{\ldots\} \\\
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}

definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnset	\definecolumnset [] [] [=]
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	\definecombination [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [] [=]
definedataset	\definedataset [] [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
definefacingfloat	\definefacingfloat [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] [] [=]
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]

definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [=]
defineinteractionbar	\defineinteractionbar [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [=]
defineintermediatecolor	\defineintermediatecolor [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] [=]
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [] [=]
definelistalternative	\definelistalternative [] [=]
definelistextra	\definelistextra [] [] [=]
definelow	\definelow [] []
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
WOT INCOME THOS	• • • • • • • •
definemathaccent	\definemathaccent
definemathaccent	\definemathalignment [] [] [=]
definemathalignment	definemathalignment [] [] [=]
definemathalignment definemathcases	\definemathalignment [] [] [=] \definemathcases [] [] [=]
definemathalignment	\definemathalignment [] [] [=] \definemathcases [] [] [] \definemathcommand [] [] [] {}
definemathalignment definemathcases definemathcommand definemathdouble	\definemathalignment [] [=] \definemathcases [] [] [] \definemathcommand [] [] [] \\definemathdouble [] [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible	\definemathalignment [] [=] \definemathcases [] [] [] \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics	\definemathalignment [] [=] \definemathcases [] [] [] \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [].\definemathdoubleextensible [] [] [].\definemathextensible [] [] [].
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathextensible	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [].\definemathfence [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] \definemathdoubleextensible [] [] [].\definemathematics [] [] [].\definemathfence [] [] [].\definemathfraction [] [] [].
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathextensible definemathfence definemathfraction	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] [] [] [] [] [] [] [] [] [] \definemathematics [] [] [] [] \definemathfence [] [] [] [] \definemathfraction [] [] [].\definemathframed [] [] [].
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] \definemathdoubleextensible [] [] [].\definemathematics [] [] [].\definemathfence [] [] [].\definemathfraction [] [] [].\definemathframed [] [] [].\definemathmatrix [] [].
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed definemathmatrix	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed definemathmatrix definemathornament	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] [] \definemathdoubleextensible [] [] [].\definemathextensible [] [] [] \definemathfence [] [] [].\definemathfraction [] [] [].\definemathframed [] [] [].\definemathornament [] [] [].\definemathornament [] [] [].\definemathover [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover	\definemathalignment [] [] [].\definemathcases [] [] [] {}\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] [] \definemathdoubleextensible [] [] [] [] \definemathematics [] [] [] [] \definemathextensible [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathover [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible	\definemathalignment [] [] [].\definemathcases [] [] [].\definemathcommand [] [] [] {}\definemathdouble [] [] [] [] [] [] \definemathdoubleextensible [] [] [].\definemathextensible [] [] [] \definemathfence [] [] [].\definemathfraction [] [] [].\definemathframed [] [] [].\definemathornament [] [] [].\definemathornament [] [] [].\definemathover [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] [] \definemathematics [] [] [] \definemathextensible [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathframed definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfrace definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstackers [] [] [] \definemathstyle [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathframed definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] \definemathstackers [] [] [] \definemathstyle [] [] [] \definemathtriplet [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfrace definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] \definemathstackers [] [] [] \definemathstyle [] [] [] \definemathtriplet [] [] \definemathunder [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunder	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathextensible [] [] \definemathfence [] [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] \definemathstackers [] [] [] \definemathstyle [] [] [] \definemathunder [] [] [] \definemathunder [] [] [] \definemathunder [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathmatrix definemathover definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathunder definemathunderextensible	\definemathalignment [] [] [].\ \definemathcases [] [] [] {} \definemathcommand [] [] [] {} \definemathdouble [] [] [] [] \definemathdoubleextensible [] [] [] \definemathematics [] [] [] \definemathematics [] [] [] \definemathextensible [] [] \definemathfraction [] [] [] \definemathframed [] [] [] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathunder [] [] [] \definemathunder [] [] [] \definemathunder [] [] [] \definemathunder [] [] [] \definemathunderextensible [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfrace definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathunder definemathundertextextensible definemathunder definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemathunstacked	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathover [] [] []     \definemathovertextextensible [] [] []     \definemathstackers [] [] []     \definemathstriplet [] []     \definemathunder [] [] []     \definemathundertextextensible [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathmatrix definemathover definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathunder definemathunderextensible definemathundertextextensible definemathunder	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathover [] [] []     \definemathvertextextensible [] [] []     \definemathstackers [] [] []     \definemathtriplet [] []     \definemathunder [] [] []     \definemathunderextensible [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfrace definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathundertextextensible definemathunder definemathundertextextensible definemathunder definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathovertextextensible [] [] []     \definemathstackers [] [] []     \definemathstriplet [] []     \definemathunder [] [] []     \definemathunderextensible [] []     \definemathunderextensible [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemathunderextensible [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemeasure [] []     \definemeasure [] []     \definemeasure [] []     \definemeasure [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathundertextextensible definemathunder definemathunder definemathundertextextensible definemathunderstensible definemathunderstensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemessageconstant definemixedcolumns	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathornament [] [] []     \definemathover extensible [] [] []     \definemathvertextextensible [] [] []     \definemathstackers [] [] []     \definemathtriplet [] [] []     \definemathunder extensible [] []     \definemathundertextextensible [] []     \definemeasure [] []     \definemessageconstant {}     \definemixedcolumns [] []     \definemixedcolumns [] []     \definemode [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunderextensible definemathunderextensible definemathunderextensible definemathunder definemathunderstensible definemathunderextensible	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathovertextextensible [] [] []     \definemathstackers [] [] []     \definemathstyle [] []     \definemathunder [] [] []     \definemathunderextensible [] []     \definemathunderextensible [] []     \definemathundertextextensible [] []     \definemeasure [] []     \definemessageconstant {}     \definemixedcolumns [] [] []     \definemixedcolumns [] [] []
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathframed definemathornament definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathundervextensible definemathundervextensible definemathunder definemathunder definemathunderstensible definemathundertextextensible definemathundertextextensible definemathundercy definemathunder definemathunder definemathundertextextensible	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathovertextextensible [] [] []     \definemathstackers [] [] []     \definemathstackers [] [] []     \definemathunder [] [] []     \definemathunder [] [] []     \definemathundertextextensible [] []     \definemathunderte
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathornament definemathover definemathoverextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathundervextensible definemathunder definemathunder definemathunder definemathunder definemathunderstextextensible definemathunder	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathextensible [] [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathornament [] [] []     \definemathover [] [] [] []     \definemathover textextensible [] [] []     \definemathstackers [] [] []     \definemathstackers [] [] []     \definemathunder [] [] []     \definemeasure [] []     \definemessageconstant {}     \definemixed columns [] [] []     \definemultitonecolor [] [] []     \definemultitonecolor [] [] []     \definemathunder [] [] []     \definemathunder [] [] []     \definemathunder [] [] []     \definemathunder [] []     \definemathander []     \definemathander [] []     \definemathander [
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathmatrix definemathornament definemathover definemathoverextensible definemathradical definemathradical definemathstackers definemathriplet definemathunder definemathunder definemathunderstextextensible definemathunder definemathunderstextextensible definemathunder definemathunder definemathunder definemathunderctextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunderded definemathunderded definemathunderded definemathemathunderded definemathemathunderded definemathemathunderded definemathemathunderded definemathunderded definemathemathunderded definemathunderded definemathemathunderded definemathemathunderded definemathemathunderded definemathemathemathemathemathemathemathemath	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathemathematics [] [] []     \definemathemathematics [] [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathmatrix [] [] []     \definemathornament [] [] []     \definemathover extensible [] [] []     \definemathovertextextensible [] []     \definemathradical [] [] []     \definemathstackers [] [] []     \definemathtriplet [] [] []     \definemathunder extensible [] []     \definemathundertextextensible [] []     \definemeasure [] []     \definemeasure [] []     \definemixedcolumns [] []     \definemixedcolumns [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemathatical [] []     \define
definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathorament definemathover definemathovertextensible definemathradical definemathratical definemathstyle definemathriplet definemathver definemathver definemathover definemathover definemathover definemathovertextextensible definemathradical definemathstyle definemathstyle definemathunder definemathunder definemathunder definemathunder definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunderded definemathunstacked definemathunstacked definemathunstacked definemathextensible definemathunstacked	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathemathematics [] [] []     \definemathemathematics [] [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathmatrix [] [] []     \definemathornament [] [] []     \definemathover extensible [] [] []     \definemathover extensible [] [] []     \definemathstackers [] [] []     \definemathstackers [] [] []     \definemathunder [] [] []     \definemathunder extensible [] [] []     \definemathunder extensible [] []     \definemathunder extensib
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathramed definemathornament definemathover definemathoverextensible definemathvertextextensible definemathradical definemathratical definemathriplet definemathriplet definemathunder definemathunstacked definemathunstacked definemathuns definemode definemathecolor definenamedcolor definenamedcolor:name definenamespace definenarrower	\definemathalignment [] [] []   \definemathcases [] [] []   \definemathcommand [] [] []   \definemathdouble [] [] []   \definemathdouble extensible [] [] []   \definemathematics [] [] []   \definemathematics [] [] []   \definemathemathematics [] [] []   \definemathfraction [] [] []   \definemathframed [] [] []   \definemathornament [] [] []   \definemathornament [] [] []   \definemathover [] [] []   \definemathover extensible [] [] []   \definemathover textextensible [] []   \definemathstackers [] []   []   \definemathtriplet [] []   []   \definemathunder extensible []   \definemathunder extensible []   \definemathunder
definemathalignment definemathcases definemathcommand definemathdouble definemathdoubleextensible definemathematics definemathextensible definemathfraction definemathfraction definemathframed definemathover definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathunder definemathunder definemathunder definemathunder definemathunderstextensible definemathunder definemathunder definemathunder definemathunder definemathunder definemathunder definemeasure definemessageconstant definemode definemultitonecolor definenamedcolor definenamedcolor:name definenarrower definenarrower	\definemathalignment [] [] []     \definemathcases [] [] []     \definemathcommand [] [] []     \definemathdouble [] [] []     \definemathdoubleextensible [] [] []     \definemathematics [] [] []     \definemathematics [] [] []     \definemathemathematics [] [] []     \definemathfraction [] [] []     \definemathframed [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathover [] [] []     \definemathover [] [] []     \definemathover [] [] []     \definemathstackers [] [] []     \definemathstyle [] [] []     \definemathunder [] [] []     \definemathunder extensible [] [] []     \definemathunder [] [] []     \definemathunder [] [] []     \definemathematecolor [] [] []     \definemathematecolor [] []     \definenamedcolor [] []

defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagecolumns	\definepagecolumns [] [] [=]
definepagechecker	\definepagechecker [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] [=]
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] []
definepairedbox	\definepairedbox [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [] [=]
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol [] []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [] [=]
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [] []
definesynonym	\definesynonym [] [] {} {}
definesystemattribute	\definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
definetabulation	\definetabulation [] [=]
definetextbackground	\definetextbackground [] [] [=]
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=]
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definuj	\definuj [] \ {}
definujakcent	\definujakcent
definujbarvu	\definujbarvu [] [=]
definujbarvu:name	\definujbarvu []
definujblok	\definujblok [] [=]
definujbloksekce	\definujbloksekce [] [=]
definujbuffer	\definujbuffer [] [=]
definujfont	\definujfont [] [=]
definujfont:argument	\definujfont [] []
definujformatodkazu	\definujformatodkazu [] [=]
definujhbox	\definujhbox [] []
definujinterakcnimenu	\definujinterakcnimenu [] [=]

definujkombinovanyseznam	\definujkombinovanyseznam [] [] [=]
definujkonverzi	\definujkonverzi [] [] \definujkonverzi [] []
definujkonverzi:list	\definujkonverzi [] [] []
definujnadpis	\definujnadpis [] [] []
definujobrazeksymbol	\definujobrazeksymbol [] [] [=]
definujodkaz	\definujodkaz [] []
definujodstavce	\definujodstavce [] [] [=]
definujopis	\definujopis [] [=]
definujoramovani	\definujoramovani [] [=]
definujoramovanytext	\definujoramovanytext [] [] [=]
definujpaletu	\definujpaletu [] [=]
definujpaletu:name	\definujpaletu []
definujplvouciobjekt	\definujplvouciobjekt [] [] [=]
definujplvouciobjekt:name	\definujplvouciobjekt [] []
definujpodpole	\definujpodpole [] []
definujpole	\definujpole [] [] [] []
definujpopis	\definujpopis [] []
definujpopisek definujprekryv	\definujpopisek [] [] [] \definujprekryv [] [] []
definujprikaz	\definujprekryv [] [] \definujprekryv []
definujprofil	\definujprofil [] [=]
definujprogram	\definujprogram [] [] []
definujprostredizakladnihofontu	\definujprostredizakladnihofontu [] [] []
definujrejstrik	\definujrejstrik [] [=]
definujsablonutabulky	\definujsablonutabulky [] [  ] [] []
definujsekci	\definujsekci []
definujseznam	\definujseznam [] [] [=]
definujskupinubarev	\definujskupinubarev [] [x:y:z,]
definujstartstop	\definujstartstop [] [=]
definujstyl	\definujstyl [] [=]
definujstylfontu	\definujstylfontu [] []
definujsymbol	\definujsymbol [] []
definujsynonumumfontu	\definujsynonumumfontu [] [=]
definujsynonyma	\definujsynonyma [] [] []
definujtabelaci	\definujtabelaci [] []
definujtext	\definujtext [] [] [] [] [] [] []
definujtrideni	\definujtrideni [] []
definujupravu	\definujupravu [] []
definujvelikostpapiru definujvelikostpapiru:name	\definujvelikostpapiru [] [=] \definujvelikostpapiru [] [] []
definujvycet	\definujvect [] [] [] \definujvycet []
definujzakladnifont	\definujzakladnifont [] [] [] []
definujzakladnifont:argument	\definujzakladnifont [] [] []
definujzasobnikpoli	\definujzasobnikpoli [] [] [=]
definujznaceni	\definujznaceni [] [] [=]
definujznak	\definujznak
delimited	\delimited [] [}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
delkaseznamu	\delkaseznamu
depthofstring	\depthofstring \{\}
depthonlybox depthspanningtext	\depthonlybox \{\ldots\} \\depthspanningtext \{\ldots\} \\\.\}
depthstrut	\depthstrut
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter {} {}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx

31	N
directgetboxlly	\directgetboxlly
directhighlight	\directhighlight {} {}
directlocalframed	\directlocalframed [] {}
directluacode	\directluacode {}
directselect	\directselect \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing \{\}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize {} {} {}
dividedsize	\dividedsize \{\} \\\\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext \{\} \{\}
documentvariable	\documentvariable {}
	\dodoubleargument \ [] []
dodoubleargument	
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
9 1 1 1	
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse \{\ldots\} \\\
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
_	
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
docheckassignment	\docheckassignment {}
_	•
docheckedpagestate	$\label{local-dochecked-page-state} $$\color= \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} $$$
docheckedpair	\docheckedpair {}
doif	\doif {} {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\} \{\} \{\}
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes \{\} \{\}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse {} {} {}
3	
doifblackelse	\doifblackelse $\{\}$ $\{\}$
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifboxelse	\doifboxelse {} {} {}
	(doliboxcibc () () ()
	\ 4.46166
doifbufferelse	\doifbufferelse {} {} {}
doifcolor	\doifcolor {} {}
doifcolor doifcolorelse	\doifcolor {} {} \doifcolorelse {} {}
doifcolorelse doifcommandhandler	\doifcolor {} {} \doifcolorelse {} {} \doifcommandhandler \ {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} \doifcommon {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} {} \doifcommonelse {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} \doifcommonelse {} {} {} \doifcontent {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse	\doifcolor {} {} \doifcolorelse {} {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} {} \doifcommonelse {} {} {} \doifcontent {} {} {} \doifconversiondefinedelse {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse	\doifcolor \{\} \\\} \\doifcolorelse \{\} \\\\} \\\\} \\doifcommandhandler \\ \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse	\doifcolor {} {} \doifcolorelse {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} \doifcommonelse {} {} {} \doifcommonelse {} {} {} \doifconversiondefinedelse {} {} {} \doifconversionnumberelse {} {} {} \doifcounter {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse	\doifcolor \{\} \\\} \\doifcolorelse \{\} \\\\} \\\\} \\doifcommandhandler \\ \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse doifcounter	\doifcolor {} {} \doifcolorelse {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} \doifcommon {} {} {} \doifcommonelse {} {} {} \doifcontent {} {} {} \doifconversiondefinedelse {} {} {} \doifconversionnumberelse {} {} {} \doifcounter {} {} \doifcounterelse {} {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse doifcounter doifcounterelse doifcounterelse	\doifcolor \{\} \\\} \doifcolorelse \{\} \\\\} \doifcommandhandler \\ \\\\} \\\\} \doifcommandhandlerelse \\\} \\\\\} \doifcommon \{\} \\\\} \doifcommonelse \\\\} \\\\} \doifcontent \{\} \\\\} \doifconversiondefinedelse \\\\} \\\\\} \doifconversionnumberelse \\\\} \\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcurrentfonthasfeatureelse \\\\\} \\\\\}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse doifcounter doifcounterelse doifcounterelse doifcurrentfonthasfeatureelse doifdefined	\doifcolor {} {} \doifcolorelse {} {} \doifcommandhandler \ {} {} \doifcommandhandlerelse \ {} {} \doifcommon {} {} {} \doifcommonelse {} {} {} \doifcontent {} {} {} \doifconversiondefinedelse {} {} {} \doifconversionnumberelse {} {} {} \doifcounter {} {} \doifcounterelse {} {} {} \doifcounterelse {} {} {} \doifcurrentfonthasfeatureelse {} {} {} \doifdefined {} {}
doifcolor doifcolorelse doifcommandhandler doifcommandhandlerelse doifcommon doifcommonelse doifcontent doifconversiondefinedelse doifconversionnumberelse doifcounter doifcounterelse doifcounterelse	\doifcolor \{\} \\\} \doifcolorelse \{\} \\\\} \doifcommandhandler \\ \\\\} \\\\} \doifcommandhandlerelse \\\} \\\\\} \doifcommon \{\} \\\\} \doifcommonelse \\\\} \\\\} \doifcontent \{\} \\\\} \doifconversiondefinedelse \\\\} \\\\\} \doifconversionnumberelse \\\\} \\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcounterelse \\\\} \\\\\} \doifcurrentfonthasfeatureelse \\\\\} \\\\\}

doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse $\{\}$ $\{\}$
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument \{\ldots\} \{\ldots\}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdrawingblackelse	\doifdrawingblackelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelse	\doifelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallcommon	\doifelseallcommon \{\} \{\} \{\}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes {} {} {}
doifelseassignment	\doifelseassignment \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack doifelsebox	\doifelseblack \{\} \\{\} \\doifelsebox \{\} \\\\} \\\\}
doifelseboxincache	\doifelsebox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsebuffer	\doifelsebuffer {} {} {}
doifelsecolor	\doifelsecolor \{\ldots\} \\\ \ldots\
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsecounter	\doifelsecounter {} {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature {} {} {}
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined $\{\}$ $\{\}$
doifelsedefinedcounter	\doifelsedefinedcounter $\{\ldots\}$ $\{\ldots\}$
doifelsedimension	\doifelsedimension $\{\ldots\}$ $\{\ldots\}$
doifelsedimenstring	\doifelsedimenstring $\{\ldots\}$ $\{\ldots\}$
doifelsedocumentargument	\doifelsedocumentargument $\{\ldots\}$ $\{\ldots\}$
doifelsedocumentfilename	\doifelsedocumentfilename $\{\}$ $\{\}$
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\} \{\ldots\}
doifelseempty	\doifelseempty {} {}
doifelseemptyvalue	\doifelseemptyvalue {} {}
doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseenv {} {}
doifelsefastoptionalcheck	\doifelsefastoptionalcheck \{\doifelsefastoptionalcheck \{\doifelsefastoptionalcheck \}\}
doifelsefastoptionalcheckcs doifelsefieldbody	\doifelsefastoptionalcheckcs \ \
•	\doifelsefieldbody \{\ldots\} \{\ldots\} \\doifelsefieldcategory \{\ldots\} \{\ldots\} \\doifelsefieldcategory \{\ldots\} \\dots\} \\dots\\
doifelsefieldcategory doifelsefigure	\doifelsefigure \{\ldots\} \\\.\\
doifelsefile	\doifelsefile {} {} {}
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists {} {} {}
doifelsefirstchar	\doifelsefirstchar {} {} {} {}
doifelseflagged	\doifelseflagged {} {}
doifelsefontfeature	\doifelsefontfeature {} {} {}
doifelsefontchar	\doifelsefontchar $\{\}$ $\{\}$ $\{\}$
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\
doifelsefontsynonym	\doifelsefontsynonym $\{\ldots\}$ $\{\ldots\}$
doifelsehasspace	\doifelsehasspace $\{\ldots\}$ $\{\ldots\}$
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname {} {} {}
doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsertion	\doifelseinsertion \{\ldots\} \\\.\\
doifelseinset	
	\doifelseinset \{\} \{\} \{\}
doifelseinstring	\doifelseinstring $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseinstring doifelseinsymbolset	\doifelseinstring \{\ldots\} \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring doifelseinsymbolset doifelseintoks	\doifelseinstring {} {} {} \doifelseinsymbolset {} {} {} \doifelseintoks {} {} {}
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage	\doifelseinstring {} {} {} {} \doifelseinsymbolset {} {} {} {} \doifelseintoks {} {} {} {} \doifelseintwopassdata {} {} {} {} \doifelseitalic {} {} \doifelseitalic {} {}
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata	\doifelseinstring {} {} {} {} \doifelseinsymbolset {} {} {} {} \doifelseintoks {} {} {} {} \doifelseintwopassdata {} {} {} {} \doifelseitalic {} {} {} \doifelselanguage {} {} {} \doifelselanguage {} {} {}
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata doifelselayoutdefined	\doifelseinstring {} {} {} {} \doifelseinsymbolset {} {} {} {} \doifelseintoks {} {} {} {} \doifelseintwopassdata {} {} {} {} \doifelseitalic {} {} {} \doifelselanguage {} {} {} \doifelselayerdata {} {} {} \doifelselayoutdefined {} {} {}
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata	\doifelseinstring {} {} {} {} \doifelseinsymbolset {} {} {} {} \doifelseintoks {} {} {} {} \doifelseintwopassdata {} {} {} {} \doifelseitalic {} {} {} \doifelselanguage {} {} {} \doifelselanguage {} {} {}
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata doifelselayoutdefined doifelselayoutsomeline	\doifelseinstring \{\doifelseinsymbolset \{\doifelseinsymbolset \{\doifelseinsymbolset \{\doifelseintoks \{\doifelseinto
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata doifelselayoutdefined doifelselayouttsomeline doifelselayouttextline	\doifelseinstring \{\doifelseinsymbolset \{\doifelseinsymbolset \{\doifelseinsymbolset \{\doifelseintoks \{\doifelseinto
doifelseinstring doifelseinsymbolset doifelseintoks doifelseintwopassdata doifelseitalic doifelselanguage doifelselayerdata doifelselayoutdefined doifelselayouttextline doifelselapouter	\doifelseinstring \{\} \{\} \{\} \\doifelseinsymbolset \{\} \{\} \{\} \\doifelseintoks \{\} \{\} \\doifelseintwopassdata \{\} \\doifelseintwopassdata \{\} \{

1 (6 7 - 7 - 6 7	\1.'C.77C'7-
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic \{\dots\} \\doifelsemPgraphic \\doifelsemPgraph
doifelsemainfloatbody doifelsemarkedpage	\doifelsemainfloatbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarking	\doifelsemarkedpage \(\therefore\) \\(\therefore\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemeaning	\doifelsemeaning \ \ \{\} \{\}
doifelsemessage	\doifelsemessage \{\} \{\} \{\}
doifelsemode	\doifelsemode {} {}
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar {} {} {}
doifelsenextoptional	$\doing 1 = 1 $
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis \{\ldots\} \{\ldots\}
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenoteonsamepage	\doifelsenoteonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenothing doifelsenumber	\doifelsenothing \{\ldots\} \\\doifelsenothing \\doifelsenothing \
doifelseobjectfound	\doifelsenumber \{\} \\{\} \\doifelseobjectfound \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound	\doifelseobjectround \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoddpage	\doifelseoddpage \{\doifelseoddpage \{\doifelseoddp
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext {} {} {}
doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseoverlapping	\doifelseoverlapping $\{\}$ $\{\}$ $\{\}$
doifelseoverlay	\doifelseoverlay $\{\ldots\}$ $\{\ldots\}$
doifelseparallel	\doifelseparallel $\{\}$ $\{\}$ $\{\}$
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath	\doifelsepath \{\} \{\}
doifelsepathexists	\doifelsepathexists \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepatterns doifelseposition	\doifelsepatterns {} {} {} \doifelseposition {} {} {}
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}
doifelsepositionsonthispage	\doifelsepositionsonthispage $\{\}$ $\{\}$
doifelsepositionsused	\doifelsepositionsused {} {}
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox doifelsesamelinereference	\doifelserighttoleftinbox \{\} \{\} \doifelsesamelinereference \{\} \{\} \{\}
doifelsesamestring	\doifelsesamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesetups	\doifelsesetups {} {}
doifelsesomebackground	\doifelsesomebackground {} {} {}
doifelsesomespace	\doifelsesomespace $\{\ldots\}$ $\{\ldots\}$
doifelsesomething	\doifelsesomething $\{\ldots\}$ $\{\ldots\}$
doifelsesometoks	\doifelsesometoks \ \{\}
doifelsestringinstring doifelsestructurelisthasnumber	\doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \\\.\}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\\.\\\
doifelsesymbolset	\doifelsesymbolset {} {}
doifelsetext	\doifelsetext {} {}
doifelsetextflow	\doifelsetextflow $\{\}$ $\{\}$
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
<pre>doifelsetypingfile doifelseundefined</pre>	\doifelsetypingfile \{\ldots\} \\\.\\\
doifelseurldefined	\doifelseundefined \{\ldots\} \{\ldots\} \\doifelseurldefined \{\ldots\} \{\ldots\} \\doifelseurldefined \{\ldots\} \\doifelse
doifelsevalue	\doifelsevalue \{\} \{\} \{\}
doifelsevaluenothing	\doifelsevaluenothing \{\ldots\} \\\.\\\
doifelsevariable	\doifelsevariable {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\.\\
<pre>doifemptyvariable doifemptyvariableelse</pre>	\doifemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifenv	\doifenv \{\} \\\}
doifenvelse	\doifenvelse \{\} \\ \\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \

doiffastoptionalcheckelse	$\doint fast optional checkelse {} {}$
doiffieldbodyelse	\doiffieldbodyelse $\{\}$ $\{\}$
doiffieldcategoryelse	\doiffieldcategoryelse {} {} {}
doiffigureelse	\doiffigureelse {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse $\{\}$ $\{\}$
doiffileelse	\doiffileelse $\{\}$ $\{\}$
doiffileexistselse	\doiffileexistselse $\{\}$ $\{\}$
doiffirstcharelse	\doiffirstcharelse $\{\}$ $\{\}$ $\{\}$
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \{\ldots\}
doiffontcharelse	\doiffontcharelse $\{\}$ $\{\}$ $\{\}$
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\}
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse $\{\}$ $\{\}$ $\{\}$
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse \{\} \{\} \{\}
doifinstring	\doifinstring {} {}
doifinstringelse	\doifinstringelse $\{\}$ $\{\}$ $\{\}$
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$
doifintokselse	\doifintokselse \{\} \{\} \{\}
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \{\ldots\} \{\ldots\} \\
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayerdataelse	\doiflayerdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifleapyearelse doiflistelse	\doifleapyearelse {} {} {} \doiflistelse {} {} {}
doiflocationelse	\doiflocationelse \{\doiflocationelse \{\doifl
doiflocfileelse	\doiflocationelse \(\(\.\.\) \\doiflocfileelse \(\.\.\) \\\.\.\\
doifMPgraphicelse	\doifMPgraphicelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmainfloatbodyelse	\doifmainfloatbodyelse \{\ldots\} \\\.\}
doifmarkingelse	\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \}\doifmarkingelse \{\doifmarkinge
doifmeaningelse	\doifmeaningelse \ \ \{\} \{\}
doifmessageelse	\doifmessageelse {} {} {} {}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse $\{\}$ $\{\}$
doifnot	\doifnot {} {} {}
doifnotallcommon	\doifnotallcommon \{\ldots\} \{\ldots\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \{\ldots\}
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotcounter	\doifnotcounter \{\ldots\}
doifnotdocumentargument	\doifnotdocumentargument \{\ldots\} \\\
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty \{\ldots\}
doifnotemptyvalue	\doifnotemptyvalue \{\ldots\} \\doifnotemptyvalue \{\ldots\} \\
doifnotemptyvariable	\doifnotemptyvariable \{\ldots\} \\\.\\
doifnotenv	\doifnotenv \{\} \doifnotenvageelse \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
doifnoteonsamepageelse doifnotescollected	\doifnoteonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotfile	\doifnotescollected \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotflagged	\doifnotflagged \{\doifnotflagged \{\doifnotflag
doifnothing	\doifnothing \{\ldots\} \\\
doifnothingelse	\doifnothing \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset \{\doifnotinset \{\doifnot \}\} \{\doifnot \}\}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
<u>.</u>	• • • • • • •

doifnotinstring	\doifnotinstring $\{\}$ $\{\}$
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber {} {}
doifnotsamestring	\doifnotsamestring $\{\}$ $\{\}$
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {}
doifnotvariable	\doifnotvariable $\{\}$ $\{\}$
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse $\{\}$ $\{\}$
doifobjectfoundelse	\doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$
doifobjectreferencefoundelse	$\verb \doifobjectreferencefoundelse {} {} {} {}$
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse {} {} {}
doifolderversionelse	\doifolderversionelse $\{\}$ $\{\}$ $\{\}$
doifoverlappingelse	\doifoverlappingelse {} {} {}
doifoverlayelse	\doifoverlayelse {} {} {}
doifparallelelse	\doifparallelelse {} {} {}
doifparentfileelse	\doifparentfileelse {} {} {}
•	\doifpathelse {} {} {}
	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifpatternselse {} {}
doifposition	\doifposition {} {} {}
doifpositionaction	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse	
<del>-</del>	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositioncopageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifpositionsonthispageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsusedelse	\doifpositionsusedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse \{\} \{\}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse {} {} {}
<del>-</del>	\doifsetups {} {}
doifsetupselse	\doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomespaceelse	\doifsomespaceelse $\{\}$ $\{\}$
doifsomething	\doifsomething \{\ldots\} \\\
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ $\{\}$
doifstringinstringelse	\doifstringinstringelse $\{\}$ $\{\}$ $\{\}$
doifstructurelisthasnumberelse	$\doint tructure list has numberelse {} {}$
doifstructurelisthaspageelse	$\doint tucture list has page else {} {}$
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse $\{\}$ $\{\}$
doiftextflowelse	\doiftextflowelse {} {}
doiftopofpageelse	\doiftopofpageelse {} {}
	\doiftypingfileelse {} {}
doifundefined	\doifundefined {} {}
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse {} {} {}
doifunknownfontfeature	\doifunknownfontfeature {} {} {}
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse {} {} {}
	\doifvaluenothing \{\ldots\} \\\
•	\doifvaluenothingelse \{\ldots\} \\\\
doifvaluesomething	\doifvaluesomething \{\ldots\} \\
doifvariable	\doifvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifvariable \(\(\cdot\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	=
antonhonet tipe	\doloopoverlist {} {}

donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
•	
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorecurse	\dorecurse {} {}
dorechecknextindentation	\dorechecknextindentation
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
•	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:argument	<u> </u>
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ \{\}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
	(======================================
dowith	\dowith \{\} \\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent {} {} \ {}
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []

enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse $\{\}$ $\{\}$ $\{\}$
expandeddoifnot	\expandeddoifnot {} {}
expandfontsynonym	\expandfontsynonym \ {}
expandcheckedcsname	\expandcheckedcsname \ \{} \{}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {}
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
externiobraz	\externiobraz [] [=]
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetup	\fastsetup \(\tag{\cdots}\)
fastsetupwithargumentswapped	\fastsetupwithargumentswapped \{\ldots\} \\\
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy \{\} \\fastsxsy \{\} \\\ \fastsxsy \{\} \\\ \fantsxsy \{\} \\\ \
feature	\feature [] []
feature:direct	
reature.drect	\faa+uma
fonce	\feature \{\ldots\} \\fambda
fence	\fence
fenced	\fence \fenced [] {}
<pre>fenced fence:example</pre>	\fence \fenced [] {} \FENCE {}
<pre>fenced fence:example fetchallmarkings</pre>	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] []
<pre>fenced fence:example fetchallmarkings fetchallmarks</pre>	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks []
<pre>fenced fence:example fetchallmarkings fetchallmarks fetchmark</pre>	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark fetchonemarking fetchonemarking	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {}
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchonemarking fetchontinecommand fetchtwomarkings	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks	<pre>\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks []</pre>
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchtvonemarking [] [] \fetchtwomarkings [] [] \fetchtwomarks [] \fetchtwomarks [] \fieldbody [] []
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchonemarking fetchtvomarkings fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [] \fifthoffivearguments {} {} {} {}
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments fifthofsixarguments	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchvonemarking [] [] \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtwomarks [] \fitloffivearguments {} {} {} {} {} \fifthofsixarguments {} {} {} {} {}
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchtonemarking [] [] \fetchtvomarkings [] [] \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} {} \figurefilename
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilepath
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefiletype	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [=] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefiletype figurefullname	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype \figurefullname
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefiletype figurefullname figureheight	\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks [] \fieldbody [] [] \fifthoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype \figurefullname \figurefiletype \figur
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefiletype figurefullname figurenaturalheight	<pre>\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtfivearguments {} {} {} {} \fithoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype \figurefilerenaturalheight</pre>
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefilepath figurefullname figureheight figurenaturalheight figurenaturalwidth	<pre>\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarks [] \fitchtfivearguments {} {} {} {} \fithoffivearguments {} {} {} {} {} \figurefilename \figurefiletype \figurefullname \figurenaturalheight \figurenaturalwidth</pre>
fenced fence:example fetchallmarkings fetchallmarks fetchmark fetchmarking fetchonemark fetchonemarking fetchruntinecommand fetchtwomarkings fetchtwomarks fieldbody fifthoffivearguments figurefilename figurefiletype figurefullname figurenaturalheight	<pre>\fence \fenced [] {} \FENCE {} \fetchallmarkings [] [] \fetchallmarks [] \fetchmark [] [] \fetchmarking [] [] \fetchonemark [] [] \fetchonemarking [] [] \fetchruntinecommand \ {} \fetchtwomarkings [] [] \fetchtwomarkings [] [] \fitchtfivearguments {} {} {} {} \fithoffivearguments {} {} {} {} {} \figurefilename \figurefilepath \figurefiletype \figurefilerenaturalheight</pre>

figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfromnext \{\ldots\} \{\ldo
filterfromvalue	\filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{^{ ext{OPT}}$ $^{ ext{OPT}}$ $^{ ext{OPT}}$ $^{ ext{OPT}}$
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=]
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstcharacter	\firstcharacter
firstoffivearguments	\firstoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
firstoffourarguments	\firstoffourarguments $\{\}$ $\{\}$ $\{\}$
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	$\first of six arguments $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\} $\{\ldots\}$
firstofthreearguments	\firstofthreearguments $\{\}$ $\{\}$
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpagenumber	\firstsubpagenumber
firstuserpage	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
fitfieldframed	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
flag	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
flushbox	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
flushedrightlastline	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtokens \
fontalternative	\fontalternative
fontbody	\fontbody
fontclass	\fontclass
fontclassname	\fontclassname \{\ldots\} \\ \fontclassname \
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontchar	
	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontsize	\fontsize
fontstyle	\fontstyle
footnotetext	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetragged	\forgetragged
foundbox	\foundbox \{\} \{\}
fourthoffivearguments	\fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$

fourthoffourarguments	\fourthoffourarguments $\{\}$ $\{\}$ $\{\}$
fourthofsixarguments	\fourthofsixarguments {} {} {} {} {} {}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ {}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
	•
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}
getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{\}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions \{\ldots\}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ \{\}
getrandomdimen	\getrandomdimen \ \{} \{}
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ \{} \{}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettwopassdata	\gettwopassdata {}

gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {}
getxparameters	\getxparameters [] [=]
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments {} {} {} {} {} {} {} {}
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments {} {} {} {} {} {} {} {} {} {}
gobblethreearguments	\gobblethreearguments \{\dots\} \{\dots\} \{\dots\}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
groupedcommand	\groupedcommand \{\ldots\} \\\
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
ndoistring headhbox	\\ndoistring \{\ldots\}
neadnoox headnumbercontent	\neadnbox {} \headnumbercontent
neadnumbercontent headnumberdistance	\headnumbercontent \headnumberdistance
neadnumberdistance headnumberwidth	\neadnumberdistance \headnumberwidth
neadnumberwidth headreferenceattributes	\neadnumberwidth \headreferenceattributes
headsetupspacing headtextcontent	\headsetupspacing \headtextcontent
HCQQ UCA UCUII UCII U	/III GOT O COTTO CITO

{..

 $\h$ eadtextdistance

 ${\tt headtext distance}$ 

headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	$\verb \heightspanningtext {} {} {} $
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {} {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\hl []
hlavnijazyk	\hlavnijazyk []
hodnotabarvy	\hodnotabarvy {}
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction {} {} \hsmash {}
hsmash	\hsmash \(\cdot\)
hsmashbox hsmashed	\hsmashed {}
	\hspace [] []
htdpofetring	\htdpofstring {}
htdpofstring htofstring	\https://https
hyphen	\hyphen
hyphenatedcoloredword	\hyphen \hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkedblank	\checkedblank []
checkedfiller	\checkedfiller {}
checkedchar	\checkedchar {} {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkcharacteralign	\checkcharacteralign {}
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=] \chem {} {}
chem chemical	\chem \cdot
chemicalbottext	\chemical [] [] \chemicalbottext {}
chemicalmidtext	\chemicalbottext \{\dots\}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesecumerals {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi

ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {} \impliedby
impliedby implies	\implies
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold inheritparameter	\infofontbold \inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath $\{\ldots\}$
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename inputfilename	\inputfilebarename \inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
insertpages	\insertpages [] [] [=]
ingtologoicardo	\instalacejazyka [] [=]
instalacejazyka	
instalacejazyka:name	\instalacejazyka [] []
instalacejazyka:name installactionhandler	\installactionhandler {}
instalacejazyka:name installactionhandler installactivecharacter	\installactionhandler {} \installactivecharacter
<pre>instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter</pre>	\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {}
<pre>instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack</pre>	\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicautosetuphandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \ \installdirectcommandhandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectcommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \ \installdirectcommandhandler \ {} \installdirectcommandler \</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \ \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectparametersethandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectsetuphandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectparametersethandler \ {} \installdirectsetuphandler \ {} \installdirectsetuphandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \ \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectparametersethandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectsetuphandler installdirectsetuphandler installdirectstyleandcolorhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectsetuphandler \ {} \installdirectsetuphandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {}</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectsetuphandler installdirectsetuphandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcornamespace {} \installdefinehandler \ {} \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \instal</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectsetuphandler installdirectsetuphandler installdirectstyleandcolorhandler installframedautocommandhandler installframedautocommandhandler installframedautocommandhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcorenamespace {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \ \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \installframedautocommandhandler \ {} \installframedacommandhandler \ {} \installfra</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installatributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectsetuphandler installdirectstyleandcolorhandler installframedautocommandhandler installframedcommandhandler installframedcommandhandler installframedcommandhandler installframedcommandhandler installglobalmacrostack	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcorenamespace {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset member \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installeftframerenderer {} {} \installleftframerenderer {} {} \installeftframerenderer {} {} \i</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedautocommandhandler installframedommandhandler installframedommandhandler installglobalmacrostack installleftframerenderer installmacrostack installnamespace	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installasicautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \installdefinitionset member \ {} \installdefinitionsetmember \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installleftframerenderer {} {} \installleftframerenderer {} {} \installnamespace {} \installnamespace {} \end{arguments} \] \[ \text{installnamespace {}} \] \[ \t</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedautocommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframerenderer installmacrostack installnamespace installoutputroutine	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installasicautosetuphandler \ {} \ \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframecrostack \ \installnamespace {} \installnamespace {} \installnamespace {} \installoutputroutine \ {} </pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionsetmember installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedautocommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframerenderer installmacrostack installnamespace installoutputroutine installpagearrangement	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installabsicautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcorenamespace {} \installcorenamespace {} \installdefinehandler \ {} \installdefinitionset member \ {} \installdefinitionsetmember \ {} \installdirectparameterhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframecrostack \ \installnamespace {} \installnamespace {} \installnamespace {} \installpagearrangement {} \installp</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installglobalmacrostack installleftframerenderer installmacrostack installnamespace installoutputroutine installpagearrangement installparameterhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installleftframerenderer {} {} \installnamespace {} \installnamespace {} \installpagearrangement {</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedcommandhandler installframedcommandhandler installframedcommandhandler installframedcommandhandler installpabalmacrostack installnamespace installnamespace installoutputroutine installparameterhandler installparameterhandler installparameterhandler installparameterhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installautosetuphandler \ {} \ \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcorenamespace {} \installcorenamespace {} \installdefinehandler \ {} \ \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparameterhandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedautocommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installleftframerenderer {} {} \installnamespace {} \installnamespace {} \installpagearrangement {} \installpagearrangement {} \installparameterhandler \ {} \installpar</pre>
instalacejazyka:name installactionhandler installactivecharacter installanddefineactivecharacter installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler installcorenamespace installdefinehandler installdefinitionset installdefinitionset installdirectcommandhandler installdirectparameterhandler installdirectparametersethandler installdirectstyleandcolorhandler installdirectstyleandcolorhandler installframedautocommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installframedommandhandler installglobalmacrostack installleftframerenderer installmacrostack installnamespace installoutputroutine installpagearrangement installparameterhandler	<pre>\installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \ \installautosetuphandler \ {} \installautosetuphandler \ {} \ \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installottomframerenderer {} {} \installcommandhandler \ {} \ \installcorenamespace {} \installdefinehandler \ {} \installdefinitionset \ {} \installdefinitionsetmember \ {} \installdirectcommandhandler \ {} \installdirectparametersethandler \ {} \installdirectstyleandcolorhandler \ {} \installdirectstyleandcolorhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installframedcommandhandler \ {} \installleftframerenderer {} {} \installnamespace {} \installnamespace {} \installpagearrangement {} \installpagearrangement</pre>

1 -1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
<del>-</del>	
installsimplecommandhandler	\installsimplecommandhandler \ \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler $\$ $\{\}$ $\$
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \{} \
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective $\{\}$ $\{\}$
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo {} {}
integerrounding	\integerrounding {}
interakcnilista	\interakcnilista [] [=]
interakcnitlacitka	\interakcnitlacitka [=] []
interaktivnimenu	\interaktivnimenu [] [=]
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
	• • • • • • • • • • • • • • • • • • • •
istrtdir	\istrtdir
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
	\jazyk []
jazyk	
jazyk:example	\LANGUAGE
jdidolu	\jdidolu []
jdina	\jdina {} []
jdinabox	\jdinabox {} []
jdinastranu	\jdinastranu {} []
jednotka:instance	\UNIT {}
jednotka:instance:unit	\unit {}
J	
jobfilename	\jobfilename
jobfilename	<del>-</del>
jobfilename jobfilesuffix	\jobfilesuffix
jobfilename jobfilesuffix Kap	\jobfilesuffix \Kap {}
jobfilename jobfilesuffix	\jobfilesuffix \Kap {} \kaligraficke
jobfilename jobfilesuffix Kap	\jobfilesuffix \Kap {} \kaligraficke \kap {}
jobfilename jobfilesuffix Kap kaligraficke	\jobfilesuffix \Kap {} \kaligraficke
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] []
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] []
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta []
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta []
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta komponenta:string konvertujcislo kopirujpole	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta komponenta:string konvertujcislo kopirujpole	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreannumerals {} \koreannumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumeralsc koreannumeralsp	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreannumerals {} \koreannumerals {} \koreannumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumeralsc koreannumeralsp	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreannumerals {} \koreannumerals {} \koreannumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=.] {} \comment [] [=.] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne \LAMSTEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne \LAMSTEX \LATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LAMSTEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \comment [] [] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [=] {} \comment [] [=] {} \komponenta [] \komponenta \konvertujcislo {} {} \kopirujpole [] [] \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne \LAMSTEX \LATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LAMSTEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \comment [] [] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \comment [] [] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumerals koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LATEX LUAJITTEX LUATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \comment [] [] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LUAJITTEX \LUAJITTEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumerals koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LUAJITTEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \komment [] [] {} \komponenta [] \komponenta [] \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX \LATEX \LUAJITTEX \LUAJITTEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumerals koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LATEX LUAJITTEX LUATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \comment [] [] {} \komponenta [] \komponenta \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX \LATEX \LATEX \LATEX \LUAJITTEX \LUAJITTEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumerals koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LUAJITTEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX LUATEX	\jobfilesuffix \Kap {} \kaligraficke \kap {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {} \keepunwantedspaces \kerncharacters [] {} \klonujpole [] [] [] \COMMENT [] [] {} \komment [] [] {} \komponenta [] \komponenta [] \konvertujcislo {} {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \korekcebilehomista {} \kurziva \kurziva \kurzivnitucne \LAMSTEX \LATEX \LATEX \LATEX \LUAJITTEX \LUAJITTEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX \LUATEX
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LATEX LUAJITTEX LUATEX LUAJITTEX LUATEX Lua LuajitTeX	\  \jobfilesuffix \  \kap \{\} \  \kaligraficke \  \kap \{\} \  \keeplinestogether \{\}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LUAJITTEX LUAJITTEX LUALUAJITTEX LUALUALUAJITTEX LUALUALUAJITTEX LUALUALUALUALUALUALUALUALUALUALUALUALUAL	\  \jobfilesuffix \  \kap \{\} \  \kaligraficke \  \kap \{\} \  \keeplinestogether \{\}
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LUAJITTEX LUAJITTEX LUAJITTEX LUALuajitTeX Lua LuajitTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel	\  \  \  \  \  \  \  \  \  \  \  \  \  \
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumerals koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LATEX LATEX LUAJITTEX LUAJITTEX LUAJITTEX LUAJITTEX LUAGE LuajitTeX LuaTeX luallanguage:instance:betxlabel labellanguage:instance:head	\  \  \  \  \  \  \  \  \  \  \  \  \  \
jobfilename jobfilesuffix Kap kaligraficke kap keeplinestogether keepunwantedspaces kerncharacters klonujpole komentar:instance komentar:instance:comment komponenta komponenta:string konvertujcislo kopirujpole koreancirclenumerals koreannumerals koreannumeralsc koreannumeralsp koreanparentnumerals korekcebilehomista kurziva kurzivnitucne LAMSTEX LATEX LATEX LUAJITTEX LUAJITTEX LUAJITTEX LUALuajitTeX Lua LuajitTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel	\  \  \  \  \  \  \  \  \  \  \  \  \  \

labellanguage:instance:operator	\operatorjazyk
labellanguage:instance:prefix	\prefixjazyk
labellanguage:instance:suffix	\suffixjazyk
labellanguage:instance:taglabel	\taglabeljazyk
labellanguage:instance:unit	\unitjazyk
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts \{\ldots\} \\\
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
1 0	
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
1 0	
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
•	·
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtext {}
leftlabeltext:instance:head	\leftheadtext {}
leftlabeltext:instance:label	\leftlabeltext {}
leftlabeltext:instance:mathlabel	\leftmathlabeltext {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
•	<u> </u>
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \endcsname \
letcsnamecsname	\letcsnamecsname \csname \\endcsname \csname\endcsname
letdummyparameter	\letdummyparameter {} \
letempty	\letempty \
letgvalue	\letgvalue {} \
-	<del>-</del>
letgvalueempty	\letgvalueempty {}
letgvalurelax	\letgvalurelax {}
letterampersand	\letterampersand
letterat	\letterat
letterbackslash	\letterbackslash
letterbar	\letterbar
letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
letteregroup	\letteregroup

letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat letterleftbrace	\letterhat \letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote letterslash	\lettersinglequote \letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {}
limitatelines	\limitatelines {} {} {}
limitatetext limitatetext:list	\limitatetext {} {} {} \limitatetext {} {} {}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote \{\dots\}
linespanningtext	\linespanningtext {} {} {}
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap loadanyfile	\llap {} \loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile loadtexfileonce	\loadtexfile [] \loadtexfileonce []
loadtypescriptfile	\loadtexilieonce [] \loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize
localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename lomihi	\locfilename {} \lomihi {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowerbox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote

lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox {} {} {} {} {}
	\ltop {}
ltop	-
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
-	
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
MESIC	\MESIC {}
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
	•
MKVI	MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
•	•
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
•	
MPgetmultishape	\MPgetmultishape \{\ldots\} \{\ldots\}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] \{\}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
<u>-</u>	-
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
-	<del>-</del>
MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots=\ldots\}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
_	
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}

MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
	\MPy {}
MPy	\m [] {}
m 	
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
male	\male
malekurzivnitucne	\malekurzivnitucne
malenormalni	\malenormalni
malesklonene	\malesklonene
malesklonenetucne	\malesklonenetucne
maletucne	\maletucne
maletucnekurzivni	\maletucnekurzivni
maletucnesklonene	\maletucnesklonene
	,
maletype	\maletype
mapfontsize	\mapfontsize []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
_	<del>-</del>
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
-	\markInjector [] \markpage [] []
markpage	1 0
mat	\mat {}
matematika	\matematika [] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar \{\ldots\} \\doublebar \{\ldots\}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\ldots\} \\.\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\dots\} \\.\
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\} \\ \frac{1}{\ldots\}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {} {}
$\verb mathdouble  extensible: \verb instance : overbracket  underbracket $	\overbracketunderbracket $\{\ldots\}$ $\{\ldots\}$
$\verb mathdouble  extensible: \verb instance : overparent  underparent $	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
Č	<u>~</u>

mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbarriri mathextensible:instance:eoverbracefill	\eoverballili \(\cdots\) \(\cdots\)
mathextensible:instance:eoverbracketfill	\eoverbracketfill \{\ldots\} \{\ldots\}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	$\mbox{$\$
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown {} {}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons \{\ldots\} \\\.\
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow \{\dots\} \{\dots\}
mathextensible:instance:mrightoverlettarrow mathextensible:instance:mtriplerel	\mtriplerel \{\ldots\}
mathextensible:instance:mtriplerer mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow \{\ldots\} \{\ldots\}
	\mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow	
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	$\t$ leftrightharpoons $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	$\trightharpoondown {} {}$
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	
	\xleftrightarrow \lambda\
matnextensible:instance.xiertriontnarnoons	\xleftrightarrow \{\ldots\} \\xleftrightharpoons \{\ldots\} \\\
mathextensible:instance:xleftrightharpoons mathextensible:instance:xmapsto	$\xleftrightharpoons {} {}$
mathextensible:instance:xmapsto	$\xleftrightharpoons {} {} \xmapsto {} {}$
	$\xleftrightharpoons {} {}$

mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example mathover	\MATHORNAMENT {} \mathover [] {} {}
	\mathover [] \lambda} \MATHOVEREXTENSIBLE \lambda}
mathoverextensible:example mathovertextextensible:instance	\MATHOVEREXIENSIBLE \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
mathradical:example	\MATHRADICAL [] {}
mathrm mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned mbox	\maxaligned {} \mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medshapace
meritko	\meritko [] [=] {}
mesic	\mesic {}
message	\message {}
metaTeX	\metaTeX
mezera	\mezera
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox	\middlebox {}
midhbox	\midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	<pre>\mixedcaps {}</pre>
mkvibuffer	\mkvibuffer []

moduleparameter	\moduleparameter {} {}
-	
molecule	\molecule {}
mono	\mono
mononormal	\mononormal
	• 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
monotucne	\monotucne
monthlong	\monthlong {}
8	3
monthshort	\monthshort {}
mprandomnumber	\mprandomnumber
nrizka	\mrizka [=]
ntext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
•	
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable {} {}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts $\{\}$ $\{\}$ $\{\}$ $\{\}$
nastavbarvu	\nastavbarvu []
nastavbarvy	\nastavbarvy [=]
nastavbilamista	\nastavbilamista []
nastavblok	\nastavblok [] [=]
nastavbloksekce	\nastavbloksekce [] [=]
nastavbuffer	\nastavbuffer [] [=]
nastavcernelinky	\nastavcernelinky [=]
·	•
nastavcislonadpisu	\nastavcislonadpisu []
nastavcislostrany	\nastavcislostrany [=]
•	•
nastavcislovaniodstavcu	\nastavcislovaniodstavcu [=]
nastavcislovaniradku	\nastavcislovaniradku [] [=]
nastavcislovanistran	\nastavcislovanistran [=]
nastaveisiovanistran	· · · · · · · · · · · · · · · · · · ·
nastavcitaci	\nastavcitaci [=]
nastavdeleniplvoucichobjektu	\nastavdeleniplvoucichobjektu [=]
- v	- · · · · · · · · · · · · · · · · · · ·
nastavdelitko	\nastavdelitko [=]
nastavdolnitexty	\nastavdolnitexty [] [] [] []
·	•
nastaveni	\nastaveni []
nastaveni:direct	\nastaveni {}
nastavhorejsek	\nastavhorejsek [] [=]
nastavhornitexty	\nastavhornitexty [] [] [] []
·	
nastavinterakci	\nastavinterakci [] [=]
nastavinterakci:name	\nastavinterakci []
	· ·
nastavinterakcnilistu	\nastavinterakcnilistu [] [=]
nastavinterakcnimenu	\nastavinterakcnimenu [] [=]
nastavinterakcniobrazovku	\nastavinterakcniobrazovku [=]
nastavjazyk	\nastavjazyk [] [=]
• •	
nastavkapitalky	\nastavkapitalky [] [=]
nastavkombinovanyseznam	\nastavkombinovanyseznam [] [=]
· ·	\nastaveniCOMBINEDLIST [=]
nastavkombinovanyseznam:instance	
nastavkombinovanyseznam:instance:content	\nastavenicontent [=]
•	
nastavkomentar	\nastavkomentar [] [=]
nastavkomentarstrany	\nastavkomentarstrany [=]
nastavmarginalnilinky	\nastavmarginalnilinky [] [=]
- · · · · · · · · · · · · · · · · · · ·	
nastavmeziradkovoumezeru	\nastavmeziradkovoumezeru [] [=]
nastavmeziradkovoumezeru:argument	\nastavmeziradkovoumezeru []
nastavmeziradkovoumezeru:name	\nastavmeziradkovoumezeru []
nastavnadpis	\nastavnadpis [] [=]
•	
nastavnadpisy	\nastavnadpisy [] [=]
nastavodkazovani	\nastavodkazovani [=]
nastavodsazovani	\nastavodsazovani []
nastavodstavce	\nastavodstavce [] [=]
nastavodstavce:assignment	\nastavodstavce [] [=]
5	
nastavopis	\nastavopis [] [=]
nastavoramovanetexty	\nastavoramovanetexty [] [=]
•	
nastavoramovani	\nastavoramovani [] [=]
nastavorez	\nastavorez [=]
nastavotoceni	\nastavotoceni [=]
nastavpaletu	\nastavpaletu []
<u>•</u>	=
nastavplvouciobjekt	
	\nastavplvouciobjekt [] [=]
nastavplvouciobjekty	
nastavplvouciobjekty	\nastavplvouciobjekty [] [=]
nastavpodcislostrany	\nastavplvouciobjekty [] [=] \nastavpodcislostrany [=]
	\nastavplvouciobjekty [] [=]

nastavpopisek	\nastavpopisek [] [=]
nastavpopisky	\nastavpopisky [] [=]
nastavpozadi	\nastavpozadi [] [=]
nastavpozadi:page	\nastavpozadi [] [=]
nastavprechodstrany	\nastavprechodstrany []
nastavpreskok	\nastavpreskok []
nastavprogramy	\nastavprogramy [=]
nastavradkovani	\nastavradkovani []
nastavradky	\nastavradky [] [=]
nastavrejstrik	\nastavrejstrik [] [=]
nastavrejstrik:argument	\nastavrejstrik [] [=]
nastavrejstrik:instance	\nastaveniREGISTER [] [=]
nastavrejstrik:instance:index	\nastaveniindex [] [=]
nastavrovnice	\nastavrovnice [] [=]
nastavsadusymbolu	\nastavsadusymbolu []
nastavseznam	\nastavseznam [] [=]
nastavsirkucary	\nastavsirkucary []
nastavsloupce	\nastavsloupce [=]
nastavspodek	\nastavspodek [] [=]
nastavsynonyma	\nastavsynonyma [] [=]
nastavtabelaci	\nastavtabelaci [] [=]
nastavtabulky	\nastavtabulky [=]
nastavtenkelinky	\nastavtenkelinky [=]
nastavtext	\nastavtext [] [=]
nastavtextovelinky	\nastavtextovelinky [=]
nastavtextpopisku:instance	\nastaveniLABELtext [] [=]
nastavtextpopisku:instance:btxlabel	\nastavenibtxlabeltext [] [=]
nastavtextpopisku:instance:head	\nastaveniheadtext [] [=]
nastavtextpopisku:instance:label	\nastavenilabeltext [] [=]
nastavtextpopisku:instance:mathlabel	\nastavenimathlabeltext [] [=]
nastavtextpopisku:instance:operator	\nastavenioperatortext [] [=]
nastavtextpopisku:instance:prefix	\nastaveniprefixtext [] [=]
nastavtextpopisku:instance:suffix	\nastavenisuffixtext [] [=]
nastavtextpopisku:instance:taglabel	\nastavenitaglabeltext [] [=]
nastavtextpopisku:instance:unit	\nastaveniunittext [] [=]
nastavtextty	\nastavtexttexty [] [] [] []
nastavtextyupati	\nastavtextyupati [] [] [] []
nastavtextyzahlavi	\nastavtextvzahlavi
nastavtoleranci	\nastavtextyzahlavi [] [] [] [] \nastavteleranci [
nastavtoleranci	\nastavtoleranci []
nastavtoleranci nastavtrideni	<pre>\nastavtoleranci [] \nastavtrideni [] [=]</pre>
nastavtrideni nastavtrype	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavusporadani []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavusporadani [] \nastavvelikostpapiru [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupatu [] [=] \nastavurl [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupatu [] [=] \nastavurl [=] \nastavurl [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=]
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavurl [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] [=] \nastavvycty [] [=]
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavurl nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavurl [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavurl nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavurl [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [] \nastavvechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvyhled [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] [=] \nastavvyplnoverlinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavvzhled []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzahlavi	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavvzhled [] [=] \nastavzahlavi [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzakladnifont	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravuri [] [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzakladnifont []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzakladnifont nastavzakladnifont nastavzarovnani	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravuri [] [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakladnifont [] \nastavzavzarovnani []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzakladnifont nastavzarovnani nastavznaceni	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzakladnifont [] \nastavzakladnifont [] \nastavzakvznaceni [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzakladnifont nastavzarovnani nastavznaceni nastavznaceni	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvsechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakvzavzaceni [] [=] \nastavznastavznaceni [] [=] \nastavznastavzuzeni [] [=] \nastavzuzeni [] [=]</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled nastavvzhled:name nastavzakladnifont nastavzarovnani nastavznaceni nastavzuzeni nastrane	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavusporadani [] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakvzavzavovnani [] \nastavznaceni [] [=] \nastavzuzeni [] [=] \nastavzuzeni [] [=] \nastavzuzeni [] [=] \nastavzatrane []</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzakvarovnani nastavznaceni nastavzuzeni nastrane nastred	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavurl [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] \nastavvycty [] [=] \nastavvyplnoverlinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakvzavzavovnani [] \nastavzavzavovnani [] \nastavznatene [] [=] \nastavzatene [] [] [] [] \nastavzatene [] [] [</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzahlavi nastavzakladnifont nastavzarovnani nastavznaceni nastavzuzeni nastrane nastred naturalhbox	<pre>\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvycty [] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakvzavzavovnani [] \nastavzavzavovnani [] \nastavzuzeni [] [=] \nastavzuzeni [] [] \nastavzuzeni [</pre>
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzakladnifont nastavzarovnani nastavznaceni nastavzuzeni nastrane nastred naturalhbox naturalhpack	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvyety [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzanceni [] [=] \nastavznaceni [] [=] \nastavznateni [] [=] \nastrane [] \nastrane [] \nastrane [] \nastrallpack {} \naturalhpack {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzakladnifont nastavzarovnani nastavzuzeni nastrane nastred naturalhbox naturalbpack naturalvbox	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavurl [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzakvzavzavovnani [] \nastavzavzavovnani [] \nastavzated \nastrane [] \nastrane [] \nastrane [] \nastralpack {} \naturalbox {} \naturalvbox {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzakladnifont nastavzarovnani nastavznaceni nastavzuzeni nastrane nastred naturalhbox naturalvbox naturalvcenter	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzanceni [] [=] \nastavznaceni [] [=]
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzavzavovani nastavzavzovnani nastavznaceni nastavzuzeni nastred naturalhbox naturalvbox naturalvock	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvyety [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzanceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznatuzeni [] [=] \nastavznatuzeni [] [=] \nastavzlhostrane [] \nastavzlhostrane [] \nastrane [] \naturalbox {} \naturalvbox {} \naturalvpack {} \naturalvpack {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzahlavi nastavzakladnifont nastavzarovnani nastavzarovnani nastavzuzeni nastred naturalhbox naturalvox naturalvop	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvycty [] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzakladnifont [] \nastavzakzavzaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavzlhostrane [] \nastrane [] \nastrane [] \naturalvbox {} \naturalvbox {} \naturalvpack {} \naturalvpack {} \naturalvpack {} \naturalvalvop {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzavzavovani nastavzavzovnani nastavznaceni nastavzuzeni nastred naturalhbox naturalvbox naturalvock	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] [=] \nastavvypty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaturalbox {} \naturalbox {} \naturalvox {} \naturalvox enter {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzahlavi nastavzakladnifont nastavzarovnani nastavzarovnani nastavzuzeni nastred naturalhbox naturalvox naturalvop	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] [=] \nastavvycty [] [=] \nastavvycty [] [=] \nastavvyplnovelinky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzhled [] \nastavzakladnifont [] \nastavzakzavzaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavzlhostrane [] \nastrane [] \nastrane [] \naturalvbox {} \naturalvbox {} \naturalvpack {} \naturalvpack {} \naturalvpack {} \naturalvalvop {}
nastavtoleranci nastavtrideni nastavtype nastavumisteniprotejsku nastavumistovani nastavupati nastavupravu nastavurl nastavusporadani nastavvelikostpapiru nastavvelikostpapiru:name nastavvsechnapole nastavvycty nastavvyplnovelinky nastavvyplnoveradky nastavvzhled:name nastavzakladnifont nastavzakvacni nastavzarovnani nastavzavzeni nastrane nastred naturalhbox naturalhpack naturalvop naturalvtop naturalwd	\nastavtoleranci [] \nastavtrideni [] [=] \nastavtype [] [=] \nastavumisteniprotejsku [=] \nastavumistovani [] [=] \nastavupati [] [=] \nastavupati [] [=] \nastavupravu [] [=] \nastavupravu [] [=] \nastavvelikostpapiru [] [=] \nastavvelikostpapiru [] [=] \nastavvechnapole [] [=] [=] [=] \nastavvypty [] [=] \nastavvyplnoveradky [=] \nastavvyplnoveradky [=] \nastavvzhled [] [=] \nastavzahlavi [] [=] \nastavzakladnifont [] \nastavzaceni [] [=] \nastavznaceni [] [=] \nastavznaceni [] [=] \nastavznaturalbox {} \naturalbox {} \naturalvox {} \naturalvox enter {}

negenspace	\negenspace
negthinspace	\negthinspace
nejakyradek	\nejakyradek []
nekde	\nekde {} {} []
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing
newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\dalsiPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
neznamo	\neznamo
nivy	\nivy [] {}
nizky	\nizky {}
nizky:instance	\LOW {}
nizky:instance:unitslow	\unitslow {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
nocharacteralign	\nocharacteralign
noindentation	\noindentation
noitem	\noitem
nokap	\nokap {}
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextheight	\normalizetextheight \{\ldots\} \{\ldots\} \\ \normalizetextline \{\ldots\} \{\ldots\} \\ \]
normalizatextline	
normalni	\normalizetextwidth \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalslantedface	\normalni \normalslantedface
normaltypeface	\normalslantediace \normaltypeface
normaltypeface	* <del>-</del>
notesymbol	\notesymbol [] []
notragged ntimes	\notragged \ntimes \{\ldots\} \\ \ldots\}
numberofpoints	\numberofpoints {}
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
,	

objectwidth	\objectwidth
obox	\obox {}
obrazovka	\obrazovka []
odkaz	\odkaz [] {}
odkaznastranu	\odkaznastranu []
odkaznatext	\odkaznatext [] {}
odkazujici	\odkazujici (,) (,) []
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
opis	\opis [=] {}
opissoubor	\opissoubor [] [=] {}
opis:angles	\opis [=] <<>>
opis:example	\OPIS [=] {}
opis:example:angles	\OPIS [=] <<>>
oramovani	\oramovani [=] {}
oramovani:instance	\FRAMED [=] {}
oramovani:instance:fitfieldframed	\fitfieldframed [=] {}
oramovani:instance:unframed	\unframed [=] {}
oramovanytext:instance	\FRAMEDTEXT [=] {}
oramovanytext:instance:framedtext	\framedtext [=] {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
oref	\oref []
orez	\orez [=] {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
	\ornamenttext [] {} {}
ornamenttext:direct	
ornamenttext:layer	\ornamenttext [=] [=] {} {} \ORNAMENT {} {}
ornament:example	
otocit	\otocit [=] {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	$\operatorname{\oomega}$
overlayfigure	\overlayfigure {}
overlayheight	$\operatorname{\oomega}$
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
oznaceni	\oznaceni (,) (,) [=] {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagearea [] \pagebreak []
1 0	
pagefigure	\pagefigure [] [=] \pageinjection [] [=]
pageinjection	
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}

	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
	\pdfbackendsetextgstate \{\ldots\}\{\ldots\}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\}
-	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
-	-
-	\pdfTeX
percent	\percent
percentdimen	\percentdimen \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
permitcaretescape	\permitcaretescape
	\permitcircumflexescape
-	-
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
-	\phantombox [=]
•	=
	\pickupgroupedcommand {} {} {}
pis	\pis [=] {}
pis:angles	\pis [=] <<>>
placeattachments	\placeattachments
<del>-</del>	-
	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
-	\placedbox {}
-	=
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
placefloat:instance	\umistiFLOAT [] [] {} {}
placefloat:instance:figure	\umistifigure [] [] {}
placefloat:instance:graphic	\umistigraphic [] [] {}
placefloat:instance:chemical	\umistichemical [] {} {}
placefloat:instance:intermezzo	$\ubox{umistiintermezzo} [] [] {} {}$
placefloat:instance:table	\umistitable [] [] {}
placeframed	\placeframed [] [=] {}
•	\placeheadnumber []
placeheadtext	\placeheadtext []
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
•	•
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
1	\PLACEMENT [=] {}
placement:example	
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepagenumber	\placepagenumber
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\umistiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\umistilegend [=] {} {}
placeparallel	\placeparallel [] [=]

placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
plnezneni	\plnezneni {}
pole	\pole [] []
polozka	\polozka []
polozky	\polozky [=] {}
popattribute	\popattribute \
popis:example	\POPIS [] {} \par
popmacro	\popmacro \
popmode	\popmode []
poppisek:example	\POPISEK [] {}
popsystemmode	\popsystemmode {}
porovnejpaletu	\porovnejpaletu []
porovnejskupinubarev	\porovnejskupinubarev []
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
poslaednipodstranka	\poslaednipodstranka
postponenotes	\postponenotes
pozadi	\pozadi {}
pozadi:example	\POZADI {}
	\pozice [=] (,) {}
pozice	
poznamka	\poznamka [] []
poznamka:instance	\NOTE [] {}
poznamka:instance:assignment	\NOTE [=]
poznamka:instance:assignment:endnote	\endnote [=]
poznamka:instance:assignment:footnote	\footnote [=]
poznamka:instance:endnote	\endnote [] {}
poznamka:instance:footnote	\footnote [] {}
pravidelne	\pravidelne
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
	\pref {} {} []
pref	
prefixedpagenumber	\prefixedpagenumber
prelozit	\prelozit [=]
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
prepninazakladnifont	\prepninazakladnifont []
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	$\presetLABELtext [] [=]$
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltext [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtext [] [=]
presetlabeltext:instance:label	\presetlabeltext [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltext [] [=]
presetlabeltext:instance:operator	\presetoperatortext [] [=]
presetlabeltext:instance:prefix	\presetprefixtext [] [=]
presetlabeltext:instance:suffix	\presetsuffixtext [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltext [] [=]
-	
presetlabeltext:instance:unit	\presetunittext [] [=]
preskoc	\preskoc []
pretocommalist	\pretocommalist {} \
prettyprintbuffer	\prettyprintbuffer {} {}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
prizpusobivepole	\prizpusobivepole [] [=]
prizpusobvzhled	\prizpusobvzhled [] [=]
procent	\procent
processaction	\processaction [] [,=>,]

processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween \\\\\
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {} \processcommacommand [] \
processcommand	
processcommalist processcommalistwithparameters	\processcommalist [] \ \processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens {} {} {} {}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
produkt	\produkt []
produkt:string	\produkt
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
projekt	\projekt []
projekt:string	\projekt
prostredi	\prostredi []
prostredi:string	\prostredi
prvnipodstranka	\prvnipodstranka
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages \pushattribute \
pushattribute pushbar	-
•	\pushbar [] \popbar \pushbarva [] \popbarva
pushbarva pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpozadi	\pushpozadi [] \poppozadi
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} \ \ \
qquad	\qquad
quad	
quads	s []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist

quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
Rimskecislice	\Rimskecislice {}
radek	\radek {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse {} {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile {} {} {}
readsysfile	\readsysfile {} {}
readtexfile	\readtexfile {} {}
readxmlfile	\readxmlfile {} {}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped	\realsmallcapped {}
recursedepth	\recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
ref	\ref [] []
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
rejstrik:instance	\REGISTER [] {++}
rejstrik:instance:index	\index [] {++}
rejstrik:instance:ownnumber	\REGISTER [] {++}
rejstrik:instance:ownnumber:index	\index [] {} {+}
relatemarking	\relatemarking [] []
relateparameterhandlers	\relateparameterhandlers \{\ldots\} \{\ldots\} \{\ldots\} \\
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \

removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfing ()
resetfontfallback	•
	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
${\tt resetMPdrawing}$	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettrackers	\resettrackers
	\resettrialtypesetting
resettrialtypesetting resetusedsortings	\resettifactypesetting \resetusedsortings []
_	\resetusedsynonyms []
resetusedsynonyms	
resetuserpagenumber	\resetuserpagenumber \resetvalue {}
resetvalue	
resetvisualizers	\resetvisualizers
resetznaceni	\resetznaceni []
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect {} {}
resolvedglyphstyled	\resolvedglyphstyled \{\ldots\} \{\ldots\}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	$\rdots$

reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtext {}
rightlabeltext:instance:head	$\rightheadtext {}$
rightlabeltext:instance:label	\rightlabeltext {}
rightlabeltext:instance:mathlabel	\rightmathlabeltext {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rimskecislice	\rimskecislice {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset {} {} {} {}
robustdoifinsetelse	\robustdoifinsetelse {} {} {}
robustpretocommalist	\robustpretocommalist \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rollbutton:button	\rollbutton [=.] []
rollbutton:interactionmenu	\rollbutton [] [=] []
rovnice	\rovnice [] {}
rozdelplvouciobjekt	\rozdelplvouciobjekt [=] {} {} \roztazene [=] {}
roztazene	
rtop	\rtop {}
ruby	\ruby [] {}
rukopisne	\rukopisne
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
${\tt ScaledPointsToBigPoints}$	\ScaledPointsToBigPoints {} \
${\tt ScaledPointsToWholeBigPoints}$	\ScaledPointsToWholeBigPoints {} \
SLOVA	\SLOVA {}
SLOVO	\SLOVO {}
Slova	\Slova {}
Slovo	\Slovo {}
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansnormal	\sansnormal
sanstucne	\sanstucne
savebarva	\savebarva \restorebarva
savebox	\savebox {} {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata \{\ldots\}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
	, <b>p</b> +-

```
script:instance:hangul
                                                        \hangul
script:instance:hanzi
                                                        \hanzi
script:instance:latin
                                                        \latin
script:instance:nihongo
                                                        \nihongo
                                                        \test
script:instance:test
script:instance:thai
                                                        \t.hai
                                                        \verb|\secondoffive arguments {...} {...} {...} {...} {...} {...}
secondoffivearguments
secondoffourarguments
                                                        \secondoffourarguments \{...\} \{...\} \{...\}
{\tt secondofsixarguments}
                                                        \secondofsixarguments \{...\} \{...\} \{...\} \{...\} \{...\}
                                                        \secondofthreearguments {...} {...} {...}
secondofthreearguments
                                                        \secondofthreeunexpanded \{\ldots\} \{\ldots\}
secondofthreeunexpanded
secondoftwoarguments
                                                        \secondoftwoarguments {...} {...}
secondoftwounexpanded
                                                        \secondoftwounexpanded \{\ldots\} \{\ldots\}
                                                        \sedabarva [...] {...}
sedaharya
seeregister:instance
                                                        \vizREGISTER [...] {..+...+..} {...}
                                                        \vizindex [...] {..+...+..} {...}
seeregister:instance:index
                                                        \SECTION [...] {...}
sekce:instance
                                                        \SECTION [..=..]
sekce:instance:assignment
sekce:instance:assignment:chapter
                                                        \chapter [..=..]
sekce:instance:assignment:part
                                                        \part [..=..]
sekce:instance:assignment:section
                                                        \section [..=..]
                                                        \subject [..=..]
sekce:instance:assignment:subject
sekce:instance:assignment:subsection
                                                        \subsection [..=..]
sekce:instance:assignment:subsubject
                                                        \subsubject [..=..]
sekce:instance:assignment:subsubsection
                                                        \subsubsection [..=..]
sekce:instance:assignment:subsubsubject
                                                        \subsubsubject [..=..]
                                                        \subsubsubsection [..=..]
sekce:instance:assignment:subsubsubsection
sekce:instance:assignment:subsubsubsubject
                                                        \subsubsubsubject [..=..]
                                                        \subsubsubsubsection [..=..]
sekce:instance:assignment:subsubsubsubsection
sekce:instance:assignment:subsubsubsubsubject
                                                        \subsubsubsubject [..=..]
sekce:instance:assignment:title
                                                        \title [..=..]
sekce:instance:chapter
                                                        \chapter [...] {...}
                                                        \SECTION [...] {...} {...}
sekce:instance:ownnumber
sekce:instance:ownnumber:chapter
                                                        \chapter [...] {...} {...}
sekce:instance:ownnumber:part
                                                        \part [...] {...} {...}
                                                        \section [...] {...} {...}
sekce:instance:ownnumber:section
                                                        \subject [...] {...} {...}
sekce:instance:ownnumber:subject
                                                        \subsection [...] {...} {...}
sekce:instance:ownnumber:subsection
sekce:instance:ownnumber:subsubject
                                                        \subsubject [...] {...} {...}
                                                        \subsubsection [...] \{...\}
sekce:instance:ownnumber:subsubsection
sekce:instance:ownnumber:subsubsubject
                                                        \subsubsubject [...] {...} {...}
sekce:instance:ownnumber:subsubsection
                                                        \subsubsubsection [...] \{...\}
                                                        \subsubsubsubject [...] {...} {...}
sekce:instance:ownnumber:subsubsubject
sekce:instance:ownnumber:subsubsubsection
                                                        \subsubsubsubsection [...] {...} {...}
sekce:instance:ownnumber:subsubsubsubsubject
                                                        \subsubsubsubsubject [...] {...} {...}
sekce:instance:ownnumber:title
                                                        \title [...] {...} {...}
                                                        \part [...] {...}
sekce:instance:part
                                                        \section [...] {...}
sekce:instance:section
sekce:instance:subject
                                                        \subject [...] {...}
sekce:instance:subsection
                                                        \subsection [...] \{...\}
                                                        \subsubject [...] {...}
sekce:instance:subsubject
                                                        \subsubsection [...] {...}
sekce:instance:subsubsection
                                                        \subsubsubject [...] {...}
sekce:instance:subsubsubject
sekce:instance:subsubsubsection
                                                        \subsubsubsection [...] {...}
                                                        \subsubsubsubject [...] {...}
sekce:instance:subsubsubsubject
                                                        \subsubsubsubsection [...] {...}
sekce:instance:subsubsubsubsection
sekce:instance:subsubsubsubsubject
                                                        \subsubsubsubsubject [...] {...}
                                                        \title [...] {...}
sekce:instance:title
                                                        select
serializecommalist
serializedcommalist
                                                        \serializedcommalist
serif
                                                        \serif
serifbold
                                                        \serifbold
serifnormal
                                                        \serifnormal
                                                        \setbar [...]
setbar
setbigbodyfont
                                                        \setbigbodyfont
setboxllx
                                                        \setboxllx ... {...}
setboxlly
                                                        \setboxlly ... {...}
{\tt setbreakpoints}
                                                        \setbreakpoints [...]
                                                        \setbuffer [...] ... \endbuffer
setbuffer
setcapstrut
                                                        \setcapstrut
setcatcodetable
                                                        \setcatcodetable \...
```

setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure \{\ldots\} \\\
setevalue	\setevalue {} {}
setevariable	\setevariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setevariable	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail {} {} {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage {} {} {}
setinterfacevariable	\setinterfacevariable {} {}
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
	\setlayertramed [] [] [] \setlayertext [] [] {}
setlayertext setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [] {}
setMPpositiongraphic	\setMPpositiongraphic {} {}
setMPpositiongraphicrange	\setMPpositiongraphicrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}

setmathstyle	\setmathstyle {}
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} \ {}
setoldstyle	\setoldstyle
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\}
setpercentdimen	\setpercentdimen {} {}
setperiodkerning	\setperiodkerning []
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
-	
setpositiondata	\setpositiondata {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {} {
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus $\{\ldots\}$ $\{\ldots\}$ \ $\{\ldots\}$
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ {}
setregisterentry	\setregisterentry [] [=] [=]
-	
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {} {}
setscript	\setscript []
setsecondpasscharacteralign	ackslashsetsecondpasscharacteralign
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
	\setstructurepageregister [] [=] [=]
setstructurepageregister	
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settextcontent	\settextcontent [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ \ {}
· ·	
settrialtypesetting	\settrialtypesetting
setuevalue -	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject \{\ldots\} \\\\ \\\\
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
-	
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbut. name setupbutton	\setupbut [] [=]
-	
setupcollector	\setupcollector [] [=]
setupcolumnset	\setupcolumnset [] [=]
setupcolumnsetarea	\setupcolumnsetarea [ ] [ = ]

setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] [] []
setupcolumnspan setupcombination	\setupcolumnspan [=] \setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody setupfieldcategory	\setupfieldbody [] [=] \setupfieldcategory [] [=]
setupfieldcategory setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupforms	\setupforms [=]
setupformula setupformulaframed	\setupformula [] [=] \setupformulaframed [] [=]
setuprormularramed setupframedcontent	\setupformulariamed [] [] \setupframedcontent [] []
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative setuphelp	\setupheadalternative [] [=]
setuphierp setuphigh	\setuphelp [] [=] \setuphigh [] [=]
boodpiiibii	
setuphighlight	
setuphighlight setuphyphenation	\setuphighlight [] [=] \setuphyphenation [=]
	\setuphighlight [] [=]
setuphyphenation setupcharacteralign setupcharacterkerning	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=]
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=]
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [] [=] \setupcharacterspacing [] [] [=]
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical setupchemicalframed	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=] \setupchemical [] [=]
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical setupchemicalframed setupindentedtext	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical setupchemicalframed setupindentedtext	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterkerning [] [] [=] \setupcharacterspacing [] [] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:assignment	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [=] \setupcharacterspacing [] [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [] \setupitemgroup [] [] []</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup: assignment setupitemgroup: instance	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [] [] \setupcharacterkerning [] [] \setupcharacterspacing [] [] \setupchemical [] [] \setupchemicalframed [] [] \setupindentedtext [] [] \setupinitial [] [] \setupinitial [] [] \setupinsertion [] [] \setupitaliccorrection [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] []</pre>
setuphyphenation setupcharacteralign setupcharacterkerning setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance:itemize	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \nastaveniitemize [] [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance:itemize setuplabel	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \nastaveniitemize [] [] [=] \setuplabel [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \nastaveniitemize [] [] [=] \setuplabel [] [=] \setuplayer [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:setupitemgroup:setupitemgr	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \nastaveniitemize [] [] [=] \setuplayer [] [] \setuplayeredtext [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance setupitemgroup:instance:setuplabel setuplayer setuplayeredtext setuplayouttext	<pre>\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \setuplabel [] [=] \setuplayer [] [=] \setuplayeredtext [] [=] \setuplayouttext [] [=]</pre>
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:setupitemgroup:setupitemgr	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \nastaveniitemize [] [] [=] \setuplayer [] [] \setuplayeredtext [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance setupitemgroup:instance:setupitemgroup:instance setupitemgroup:instance:setuplayer setuplayer setuplayer setuplayouttext setuplinefiller	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitaliccorrection [] \setupitemgroup [] [] [=] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \setuplabel [] [=] \setuplayer [] [=] \setuplayeredtext [] [=] \setuplayouttext [] [=] \setuplinefiller [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitaliccorrection setupitemgroup setupitemgroup:instance setupitemgroup:instance setupitemgroup:instance:setupitemgroup:instance setupitemgroup:setu	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinitial [] [=] \setupinsertion [] [=] \setupitemgroup [] [] [=] \setupitemgroup [] [] [=] \nastaveniITEMGROUP [] [] [=] \setuplabel [] [=] \setuplayer [] [=] \setuplayeredtext [] [=] \setuplayouttext [] [=] \setuplinefiller [] [=] \setuplinefillers [] [=] \setuplinenote [] [=] \setuplinenote [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayouttext setuplinefiller setuplinenote setuplinetable setuplistalternative	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupitemgroup [] [] [] [=] \setupitemgroup [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [=] \setuplabel [] [=] \setuplayer [] [=] \setuplayeredtext [] [=] \setuplayeredtext [] [=] \setuplinefiller [] [=] \setuplinefillers [] [=] \setuplinenote [] [=] \setuplinenote [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayouttext setuplinefiller setuplinenote setuplinetable setuplistalternative setuplistatra	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [=] \setupinitial [] [=] \setupinsertion [] [] \setupitaliccorrection [] \setupitemgroup [] [] [] \setupitemgroup [] [] [] \nastaveniITEMGROUP [] [] [=] \setuplabel [] [=] \setuplabel [] [=] \setuplayeredtext [] [=] \setuplayeredtext [] [=] \setuplinefiller [] [=] \setuplinefillers [] [=] \setuplinenote [] [=] \setuplinenote [] [=] \setuplistalternative [] [=] \setuplistalternative [] [=]
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayouttext setuplinefiller setuplinefiller setuplinenote setuplistalternative setuplistatra setuplocalfloats	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [] [] \setupinitial [] [] \setuplabel [] [] \setuplayer [] [] \setuplayerdtext [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalfloats []
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemical setupindentedtext setupinitial setupinsertion setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayerdtext setuplinefiller setuplinefillers setuplinenote setuplistalternative setuplocalinterlinespace	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterspacing [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [] [] \setupitemgroup [] [] [] \setupitemgroup [] [] [] \setupitemgroup [] [] [] \satupitemgroup [] [] [] \setuplabel [] [] \setuplabel [] [] \setuplayerdtext [] [] \setuplayouttext [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplocalinetable [] [] \setuplocalinetable [] [] \setuplocalinetable [] [] \setuplocalinetable [] []
setuphyphenation setupcharacteralign setupcharacterspacing setupchemical setupchemicalframed setupindentedtext setupinitial setupinsertion setupitemgroup setupitemgroup:assignment setupitemgroup:instance setupitemgroup:instance:itemize setuplabel setuplayer setuplayer setuplayouttext setuplinefiller setuplinefiller setuplinenote setuplistalternative setuplistatra setuplocalfloats	\setuphighlight [] [=] \setuphyphenation [=] \setupcharacteralign [=] \setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=] \setupchemical [] [=] \setupchemicalframed [] [=] \setupindentedtext [] [=] \setupinitial [] [] [] \setupinitial [] [] \setuplabel [] [] \setuplayer [] [] \setuplayerdtext [] [] \setuplinefiller [] [] \setuplinefiller [] [] \setuplinenote [] [] \setuplinetable [] [] \setuplistalternative [] [] \setuplistalternative [] [] \setuplocalfloats []

setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence	\setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagecolumns	\setuppagecolumns [] [=]
setuppagechecker	\setuppagechecker [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageinjectionalternative setuppageshift	\setuppageshift [] []
	\setuppageshift [] [] \setuppagestate [] [=]
setuppageshift	\setuppageshift [] [] \setuppagestate [] [=] \setuppairedbox [] [=]
setuppageshift setuppagestate	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=]
setuppageshift setuppagestate setuppairedbox	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=]
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=]
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=]
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] []
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=]
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning	\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=]
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=]</pre>
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupparalled [] [=]</pre>
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=]</pre>
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setuppariods setupplacement	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=]</pre>
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=]</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprofile setupquotation	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [] [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=] \setupprofile [] [=] \setuppuotation [=]</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprofile setupquotation setuprealpagenumber	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setuppariodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=] \setuppuotation [=] \setuppuotation [=] \setupprealpagenumber [=]</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setupreferenceformat	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiods [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuppuotation [] \setupprealpagenumber [] \setuprealpagenumber [] \setupreferenceformat [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setupreferenceformat setupreferenceprefix	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setuppaper [] [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=] \setupprofile [] [=] \setupprofile [] [=] \setupprofile [] [=] \setuprealpagenumber [=] \setupreferenceformat [] [=] \setupreferenceprefix []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupplacement setuppositionbar setupprocessor setupprofile setupquotation setupreferenceformat setupreferencestructureprefix	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \nastaveniPAIREDBOX [=] \nastavenilegend [=] \setupparagraph [] [=] \setupparagraphintro [] [] \setupparallel [] [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=] \setupprofile [] [=] \setuppreferenceformat [] [=] \setupreferenceformat [] [=] \setupreferenceprefix [] \setupreferencestructureprefix [] [=]</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters	<pre>\setuppageshift [] [] [] \setuppagestate [] [=] \setuppairedbox [] [=] \nastaveniPAIREDBOX [=] \setuppaper [=] \setuppaper [] [=] \setupparagraph [] [=] \setupparagraphintro [] [=] \setupparallel [] [=] \setupparallel [] [=] \setupperiodkerning [] [=] \setupperiods [=] \setupplacement [] [=] \setuppositionbar [=] \setupprocessor [] [=] \setupprofile [] [=] \setupprofile [] [=] \setuprealpagenumber [=] \setupreferenceformat [] [=] \setupreferencestructureprefix [] [] [=] \setupregisters [] [=]</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters setupregisters:argument	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \setuppairedbox [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppapagraph [] [] \setupparagraphintro [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setuppositionbar [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setupregisters [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters setupregisters:argument setuprenderingwindow	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppapagraph [] [] \setupparagraphintro [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setuppositionbar [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupreferenceformat [] [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters setuprederingwindow setupruby	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuppreferenceformat [] [] \setupreferenceformat [] [] \setupreferencestructureprefix [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprenderingwindow [] [] \setupruby [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprofile setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters setupredisters:argument setupredupous setuprederingwindow setupruby setups	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupreferenceformat [] [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupruby [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setupregisters setupregisters setupredisters:argument setupruby setups setups setups setups setups setups	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraph [] [] \setupparallel [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupplacement [] [] \setupplacement [] [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupprofile [] [] \setupreferenceformat [] [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupruby [] [] \setupscale [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setuprefisters:setupregisters setupregisters setuprederingwindow setupruby setups setupscale setupscript	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupreferenceformat [] [] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupscale [] [] \setupscale [] [] \setupscript [] []</pre>
setuppageshift setuppagestate setuppairedbox setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setuprefisters setupregisters setupregisters setuprederingwindow setupruby setups setupscale setupscripts	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiods [] \setupperiods [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupscale [] [] \setupscale [] [] \setupscripts [] [] \setupscripts [] [] \setupscripts [] []</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters setupregisters:argument setupruby setups setupselector	<pre>\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiods [] \setupplacement [] [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupredipperiods [] \setupprofile [] [] \setupprofile [] [] \setuppositionbar [] \setupprofile [] [] \setupredipperiods [] \setupprofile [] [] \setupprofile [] [] \setupprofile [] [] \setupredipperiods [] [] \setupperiods [] [] [] \setupperiods [] [] [] \setupperiods [] [] [] \setupperiods [] [] [</pre>
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters setupredisters setupredisters setupredisters setuprodes setuprodes setuprodes setuprefix setuprefix setuprefix setupregisters setupregisters setupredisters setuproderingwindow setupruby setups setups setupscale setupscript setupscripts setupselector setupshift	\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setuppositionbar [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuppreferenceformat [] [] \setupreferenceprefix [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] []
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setuppriods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferencestructureprefix setupregisters setupregisters:argument setuppuby setups se	\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setuppositionbar [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferenceprefix [] \setupreferencestructureprefix [] [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupscale [] [] \setupscripts [] []
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprofile setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setuprefisters setupregisters setupregisters setupregisters:argument setuppuby setups set	\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupprofice [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupquotation [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setuprofile [] [] \setupscale [] [] \setupscale [] [] \setupscale [] [] \setupscripts [] []
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraph setupparagraphintro setupperiodkerning setupperiods setupplacement setuppositionbar setupprocessor setupprofile setupquotation setupreferenceformat setupreferenceprefix setupreferencestructureprefix setupregisters setupregisters setuprederingwindow setuproby setups setups setups setups setups setups setups setuppid setups setuppid setups setuppid setups setuppid setups setuppid setups setuppid setups setu	\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupperiods [] \setuppositionbar [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setuprealpagenumber [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setupregisters [] [] \setuprederingwindow [] [] \setupruby [] [] \setupscale [] [] \setupscript [] [] \setupscripts [] []
setuppageshift setuppagestate setuppairedbox:instance setuppairedbox:instance:legend setuppaper setupparagraph setupparagraphintro setupparallel setupperiodkerning setupperiods setupplacement setuppositionbar setupprofile setupprofile setupquotation setuprealpagenumber setupreferenceformat setupreferenceprefix setuprefisters setupregisters setupregisters setupregisters:argument setuppuby setups set	\setuppageshift [] [] [] \setuppagestate [] [] \nastaveniPAIREDBOX [] \nastavenilegend [] \setuppaper [] \setupparagraph [] [] \setupparagraphintro [] [] \setupparallel [] [] [] \setupperiodkerning [] [] \setupperiodkerning [] [] \setupprofice [] \setuppositionbar [] \setupprocessor [] [] \setupprofile [] [] \setupprofile [] [] \setupquotation [] \setuprealpagenumber [] \setupreferenceformat [] [] \setupreferencestructureprefix [] [] \setupregisters [] [] \setuprederingwindow [] [] \setuprederingwindow [] [] \setuprofile [] [] \setupscale [] [] \setupscale [] [] \setupscale [] [] \setupscripts [] []

setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable \{\ldots\} \{\ldots\} \\
setvariables	\setvariable [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvboxiegister []
setvtopregister setwidthof	\setvtopregister {}
	\setwidthof \to \
setxmeasure	\setxmeasure \{\ldots\}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showcolorbar	\showcolorbar []
showcolorcomponents	\showcolorcomponents []
showcolorset	\showcolorset []
showcolorstruts	\showcolorstruts
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []

showhyphenationtrace	\showhyphenationtrace [] []		
showhyphens	\showhyphens {}		
showchardata	\showchardata {}		
showcharratio	\showcharratio {}		
showinjector	\showingector []		
showjustification	\showjustification		
showkerning	\showkerning {}		
showlayoutcomponents	\showlayoutcomponents		
showligature	\showligature {}		
showligatures	\showligatures []		
showlogcategories	\showlogcategories		
showmargins	\showmargins		
showmessage	\showmessage {} {} {}		
showminimalbaseline	\showminimalbaseline		
shownextbox	\shownextbox \ \{\}		
showotfcomposition	\showotfcomposition $\{\}$ $\{\}$		
showparentchain	\showparentchain \ {}		
showsetupsdefinition	\showsetupsdefinition []		
showtimer	\showtimer {}		
showtokens	\showtokens []		
showtrackers	\showtrackers		
showvalue	\showvalue {}		
showvariable	\showvariable {} {}		
showwarning	\showwarning {} {} {}		
schovejbloky	\schovejbloky [] []		
simplealignedbox	\simplealignedbox \{\ldots\} \{\ldots\}		
simplealignedboxplus	\simplealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \\		
simplealignedspreadbox	\simplealignedspreadbox {} {} {}		
simplegroupedcommand	\simplegroupedcommand \{\ldots\} \{\ldots\}		
simplereversealignedbox	\simplereversealignedbox \{\ldots\} \{\ldots\} \{\ldots\}		
simplereversealignedboxplus	\simplereversealignedboxplus $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$		
singalcharacteralign	\singalcharacteralign {} {}		
singlebond	\singlebond		
sixthofsixarguments	$\sixthofsix arguments \cdots \cdots$		
sklonene	\sklonene		
sklonenetucne	\sklonenetucne		
slantedface	\slantedface		
slicepages	\slicepages [] [=]		
sloupec	\sloupec []		
slovenianNumerals	\slovenianNumerals {}		
sloveniannumerals	\sloveniannumerals {}		
slovo	\slovo {}		
slovovpravo	\slovovpravo [] {}		
smallbodyfont	\smallbodyfont		
smallcappedcharacters	\smallcappedcharacters {}		
smallcappedromannumerals	\smallcappedromannumerals {}		
smaller	\smaller		
smallskip	\smallskip		
smash	\smash [] {}		
smashbox	\smashbox		
smashboxed	\smashboxed		
smashedhbox	\smashedhbox {}		
smashedvbox	\smashedvbox {}		
snaptogrid	\snaptogrid [] \ {}		
snaptogrid:list	\snaptogrid [] \ {}		
someheadnumber	\someheadnumber [] []		
somekindoftab	\somekindoftab [=]		
somelocalfloat	\somelocalfloat		
somenamedheadnumber	\somenamedheadnumber {} {}		
someplace	\someplace {} {} {} {} []		
sorting:instance	\SORTING [] {}		
sorting:instance:logo	\logo [] {}		
spanishNumerals	\spanishNumerals {}		
spanishnumerals	\spanishnumerals {}		
splitatasterisk	\splitatasterisk \		
splitatcolon	\splitatcolon \ \		
splitatcolons	\splitatcolons \ \		
splitatcomma	\splitatcomma \ \		
splitatperiod	\splitatperiod \ \		
splitdfrac	\splitdfrac {} {}		
splitfilename	\splitfilename {}		
splitfrac	\splitfrac {} {}		
-F	/~F=====# ()		

```
splitoffbase
                                                          \splitoffbase
splitofffull
                                                          \splitofffull
splitoffkind
                                                          \splitoffkind
splitoffname
                                                          \splitoffname
splitoffpath
                                                          \splitoffpath
splitoffroot
                                                          \splitoffroot
                                                          \splitofftokens ... \from ... \to \...
splitofftokens
splitofftype
                                                          \splitofftype
splitstring
                                                          \splitstring ... \at ... \to \... \and \...
spreadhbox
                                                          \spreadhbox ...
                                                          \sqrt [...] {...}
sqrt
                                                          \stackrel {...} {...}
stackrel
                                                          \stanovcislonadpisu [...]
stanovcislonadpisu
                                                          \stanovcharakteristickuseznamu [...] [..=..]
stanovcharakteristickuseznamu
                                                          \start [...] ... \stop
startalignment
                                                          \startalignment [...] ... \stopalignment
                                                          \startallmodes [...] ... \stopallmodes
startallmodes
                                                          \startATTACHMENT [...] [..=..] ... \stopATTACHMENT
startattachment:instance
                                                          \startattachment [...] [..=..] ... \stopattachment
startattachment:instance:attachment
                                                          \startbar [...] ... \stopbar \startbarva [...] ... \stopbarva
startbar
startbarva
                                                          \startbbordermatrix ... \stopbbordermatrix
startbbordermatrix
                                                          \startbitmapimage [..=..] ... \stopbitmapimage
startbitmapimage
startbordermatrix
                                                          \startbordermatrix ... \stopbordermatrix
                                                          \verb|\startbtxrenderingdefinitions| [\dots] \dots \verb|\stopbtxrenderingdefinitions| \\
{\tt startbtxrendering definitions}
startbuffer
                                                          \startbuffer [...] ... \stopbuffer
                                                          \startBUFFER ... \stopBUFFER \starthiding ... \stophiding
startbuffer:instance
startbuffer:instance:hiding
                                                          \startcatcodetable \... \... \stopcatcodetable
startcatcodetable
                                                          \startcenteraligned ... \stopcenteraligned
startcenteraligned
startcollect
                                                          \startcollect ... \stopcollect
                                                          \startcollecting ... \stopcollecting
startcollecting
                                                          \startcolorintent [...] ... \stopcolorintent
startcolorintent
startcoloronly
                                                          \startcoloronly [...] ... \stopcoloronly
                                                          \startcolorset [...] ... \stopcolorset \startcolumnset [...] [..=..] ... \stopcolumnset
startcolorset
startcolumnset
                                                          \startcolumnsetspan [...] [..=..] ... \stopcolumnsetspan
startcolumnsetspan
startcolumnset:example
                                                          \startCOLUMNSET [..=..] ... \stopCOLUMNSET
startcolumnspan
                                                          \startcolumnspan [..=..] ... \stopcolumnspan
                                                          \startcombination [...] [..=..] ... \stopcombination
startcombination
                                                          \verb|\startcombination|[...][...]... \verb|\stopcombination|
startcombination:matrix
startcontextcode
                                                          \startcontextcode ... \stopcontextcode
                                                          \verb|\startcontextdefinitioncode| ... \verb|\stopcontextdefinitioncode|
startcontextdefinitioncode
                                                          \startctxfunction ... \stopctxfunction
startctxfunction
startctxfunctiondefinition
                                                          \startctxfunctiondefinition ... ... \stopctxfunctiondefinition
startcurrentcolor
                                                          \startcurrentcolor ... \stopcurrentcolor
                                                          \verb|\startcurrentlistentrywrapper| \dots \verb|\stopcurrentlistentrywrapper|
{\tt startcurrentlistentrywrapper}
startdelimited
                                                          \verb|\startdelimited| [\dots] [\dots] [\dots] \dots \verb|\stopdelimited|
startdelimitedtext
                                                          \startdelimitedtext [...] [...] ... \stopdelimitedtext
                                                          \startDELIMITEDTEXT [...] [...] \stopDELIMITEDTEXT
startdelimitedtext:instance
                                                          \startaside [...] [...] ... \stopaside
startdelimitedtext:instance:aside
                                                          \startblockquote [...] [...] ... \stopblockquote
startdelimitedtext:instance:blockquote
startdelimitedtext:instance:quotation
                                                          \startquotation [...] [...] ... \stopquotation
                                                          \startquote [...] [...] ... \stopquote
startdelimitedtext:instance:quote
startdelimitedtext:instance:speech
                                                          \startspeech [...] [...] ... \stopspeech
                                                          \startdisplaymath ... \stopdisplaymath
startdisplaymath
startdmath
                                                          \startdmath ... \stopdmath
                                                          \startdocument [..=..] ... \stopdocument
startdocument
                                                          \starteffect [...] ... \stopeffect
starteffect
starteffect:example
                                                          \startEFFECT ... \stopEFFECT
                                                          \startelement {...} [..=..] ... \stopelement
startelement
                                                          \verb|\startembeddedxtable| [..=..] ... \verb|\stopembeddedxtable| |
startembeddedxtable
                                                          \startembeddedxtable [...] ... \stopembeddedxtable \startexceptions [...] ... \stopexceptions
startembeddedxtable:name
startexceptions
                                                          \startexpanded ... \stopexpanded
startexpanded
                                                          startexpandedcollect
startextendedcatcodetable
                                                          \startextendedcatcodetable \... \stopextendedcatcodetable
startexternalfigurecollection
                                                          \verb|\startexternalfigurecollection| [...] ... \verb|\stopexternalfigurecollection| |
{\tt startfacingfloat}
                                                          \verb|\startfacingfloat| [...] ... \verb|\stopfacingfloat|
                                                          startfittingpage
startfittingpage:instance
                                                          \startFITTINGPAGE [..=..] ... \stopFITTINGPAGE
                                                          \startMPpage [..=..] ... \stopMPpage
startfittingpage:instance:MPpage
```

startfittingpage:instance:TEXpage	\startTEXpage [=] \stopTEXpage
startfixne	\startfixne [] \stopfixne
startfloatcombination	\startfloatcombination [=] \stopfloatcombination
startfloatcombination:matrix	\startfloatcombination [] \stopfloatcombination
startfloattext:instance	\startFLOATtext [] [] \stopFLOATtext
startfloattext:instance:figure	\startfiguretext [] [] \stopfiguretext
startfloattext:instance:graphic	\startgraphictext [] [] { \stopgraphictext
<b>~</b> .	
startfloattext:instance:chemical	\startchemicaltext [] [] {} \stopchemicaltext
startfloattext:instance:intermezzo	\startintermezzotext [] [] \stopintermezzotext
startfloattext:instance:table	\starttabletext [] [] \stoptabletext
startfont	\startfont [] \stopfont
startfontclass	\startfontclass [] \stopfontclass
startfontsolution	\startfontsolution [] \stopfontsolution
startframedcell	
	\startframedcell [=] \stopframedcell
startframedcontent	\startframedcontent [] \stopframedcontent
startframedrow	\startframedrow [=] \stopframedrow
startframedtable	\startframedtable [] [=] \stopframedtable
startgridsnapping	\startgridsnapping [] \stopgridsnapping
startgridsnapping:list	\startgridsnapping [] \stopgridsnapping
starthboxestohbox	
	\starthboxestohbox \stophboxestohbox
starthboxregister	\starthboxregister \stophboxregister
starthelp:instance	\startHELP [] \stopHELP
starthelp:instance:helptext	\starthelptext [] \stophelptext
starthighlight	\starthighlight [] \stophighlight
starthyphenation	\starthyphenation [] \stophyphenation
V =	
startcharacteralign	\startcharacteralign [=] \stopcharacteralign
startcharacteralign:argument	\startcharacteralign [] \stopcharacteralign
startcheckedfences	\startcheckedfences \stopcheckedfences
startchemical	\startchemical [] [=] \stopchemical
startimath	\startimath \stopimath
startindentedtext	\startindentedtext [] \stopindentedtext
startindentedtext:example	\startINDENTEDTEXT \stopINDENTEDTEXT
startinterakce	\startinterakce [] \stopinterakce
startinteraktivnimenu	\startinteraktivnimenu [] \stopinteraktivnimenu
startinterface	\startinterface \stopinterface
startintertext	\startintertext \stopintertext
	\startitemgroup [] [=] \stopitemgroup
startitemgroup	
startitemgroup:instance	\startITEMGROUP [] [=] \stopITEMGROUP
startitemgroup:instance:itemize	\startitemize [] [=] \stopitemize
startJScode	\startJScode \stopJScode
startJSpreamble	\startJSpreamble \stopJSpreamble
startjdina	\startjdina [] \stopjdina
startknockout	\startknockout \stopknockout
	<u>-</u>
startkomentarstranky	\startkomentarstranky \stopkomentarstranky
startkomentar:instance	\startCOMMENT [] [=] \stopCOMMENT
startkomentar:instance:comment	\startcomment [] [=] \stopcomment
startkomponenta	\startkomponenta [] \stopkomponenta
startkomponenta:string	\startkomponenta \stopkomponenta
startkonectabulky	
· ·	\startkonectabulky [] \stopkonectabulky
startlayout	\startlayout [] \stoplayout
startlinealignment	\startlinealignment [] \stoplinealignment
startlinecorrection	\startlinecorrection [] \stoplinecorrection
startlinefiller	\startlinefiller [] [=] \stoplinefiller
startlinenote:instance	\startLINENOTE [] {}
startlinenote:instance:linenote	\startlinenote [] {}
startlinenumbering	\startlinenumbering [] [=] \stoplinenumbering
startlinenumbering:argument	\startlinenumbering [] [ \stoplinenumbering
startlinetable	\startlinetable \stoplinetable
startlinetablebody	\startlinetablebody \stoplinetablebody
startlinetablecell	\startlinetablecell [=] \stoplinetablecell
startlinetablehead	\startlinetablehead \stoplinetablehead
startlocalfootnotes	\startlocalfootnotes \stoplocalfootnotes
startlocalheadsetup	\startlocalheadsetup \stoplocalheadsetup
startlocallinecorrection	\startlocallinecorrection [] \stoplocallinecorrection
startlocalnotes	\startlocalnotes [] \stoplocalnotes
startlocalsetups	\startlocalsetups [] [] \stoplocalsetups
startlocalsetups:string	\startlocalsetups \stoplocalsetups
startlua	\startlua \stoplua
startluacode	\startluacode \stopluacode
startluaparameterset	\startluaparameterset [] \stopluaparameterset
startluasetups	\startluasetups [] [] \stopluasetups
•	
startluasetups:string	\startluasetups \stopluasetups

	)
startMPclip	\startMPclip {} \stopMPclip
startMPcode	\startMPcode {} \stopMPcode
startMPdefinitions	\startMPdefinitions {} \stopMPdefinitions
startMPdrawing	\startMPdrawing [] \stopMPdrawing
startMPenvironment	\startMPenvironment [] \stopMPenvironment
startMPextensions	\startMPextensions {} \stopMPextensions
startMPinclusions	\startMPinclusions [] {} \stopMPinclusions
startMPinitializations	\startMPinitializations \stopMPinitializations
startMPpositiongraphic	\startMPpositiongraphic {} {} \stopMPpositiongraphic
startMPpositionmethod	\startMPpositionmethod {} \stopMPpositionmethod
startMPrun	\startMPrun {} \stopMPrun
startmarginalnilinka	\startmarginalnilinka [] \stopmarginalnilinka
startmarginalnilinka:assignment	\startmarginalnilinka [=] \stopmarginalnilinka
startmarginblock	\startmarginblock [] \stopmarginblock
startmarkedcontent	\startmarkedcontent [] \stopmarkedcontent
startmarkpages	\startmarkpages [] \stopmarkpages
startmathalignment:instance	\startMATHALIGNMENT [=] \stopMATHALIGNMENT
startmathalignment:instance:align	\startalign [=] \stopalign
startmathalignment:instance:mathalignment	\startmathalignment [=] \stopmathalignment
startmathcases:instance	\startMATHCASES [=] \stopMATHCASES
startmathcases:instance:cases	\startcases [=] \stopcases
startmathcases:instance:mathcases	\startmathcases [=] \stopmathcases
startmathmatrix:instance	\startMATHMATRIX [=] \stopMATHMATRIX
startmathmatrix:instance:mathmatrix	\startmathmatrix [=] \stopmathmatrix
startmathmatrix:instance:matrix	\startmatrix [=] \stopmatrix
startmathmode	\startmathmode \stopmathmode
	\startmathstyle [] \stopmathstyle
startmathstyle	
startmatrices	\startmatrices [=] \stopmatrices
startmaxaligned	\startmaxaligned \stopmaxaligned
startmiddlealigned	\startmiddlealigned \stopmiddlealigned
startmixedcolumns	\startmixedcolumns [] [=] \stopmixedcolumns
startmixedcolumns:instance	\startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS
startmixedcolumns:instance:boxedcolumns	\startboxedcolumns [=] \stopboxedcolumns
startmixedcolumns:instance:itemgroupcolumns	\startitemgroupcolumns [=] \stopitemgroupcolumns
startmode	\startmode [] \stopmode
startmodeset	\startmodeset [] {} \stopmodeset
startmodule	\startmodule [] \stopmodule
startmoduletestsection	\startmoduletestsection \stopmoduletestsection
startmodule:string	\startmodule \stopmodule
startnadpis	\startnadpis [] {} \stopnadpis
startnamedsection	$\$ in the startnamed section [] [=] [=] \stopnamed section
startnamedsubformulas	\startnamedsubformulas [] {} \stopnamedsubformulas
startnaproti	\startnaproti \stopnaproti
startnarrower	\startnarrower [] \stopnarrower
startnarrower:example	\startNARROWER [] \stopNARROWER
startnegativ	\startnegativ \stopnegativ
startnicelyfilledbox	\startnicelyfilledbox [=] \stopnicelyfilledbox
startnointerference	\startnointerference \stopnointerference
startnotallmodes	\startnotallmodes [] \stopnotallmodes
startnotext	\startnotext \stopnotext
startnotmode	\startnotmode [] \stopnotmode
startobrazek	\startobrazek [] [=] \stopobrazek
startodlozit	\startodlozit [] \stopodlozit
startodstavec	\startodstavec [] [=] \stopodstavec
startoramovani	\startoramovani [] [=] \stoporamovani
startoramovanytext:instance	\startFRAMEDTEXT [] [=] \stopFRAMEDTEXT
startoramovanytext:instance:framedtext	\startframedtext [] [=] \stopframedtext
startoutputstream	\startoutputstream [] \stopoutputstream
startoverprint	\startoverprint \stopoverprint
startpagecolumns	\startpagecolumns [=] \stoppagecolumns
startpagecolumns:instance	\startPAGECOLUMNS \stopPAGECOLUMNS
startpagecolumns:name	\startpagecolumns [] \stoppagecolumns
startpagefigure	\startpagefigure [] [=] \stoppagefigure
1 U U	\startpagelayout [] \stoppagelayout
startpagelayout	\a+an+nan
startpagelayout startpar	\startpar [] [=] \stoppar
startpagelayout	\startparagraphs [] \stopparagraphs
startpagelayout startpar	
startpagelayout startpar startparagraphs	\startparagraphs [] \stopparagraphs \startparagraphscell \stopparagraphscell
startpagelayout startpar startparagraphs startparagraphscell startparagraphs:example	\startparagraphs [] \stopparagraphs \startparagraphscell \stopparagraphscell \startPARAGRAPHS \stopPARAGRAPHS
startpagelayout startpar startparagraphs startparagraphscell startparagraphs:example startparallel:example	\startparagraphs [] \stopparagraphs \startparagraphscell \stopparagraphscell \startPARAGRAPHS \stopPARAGRAPHS \startPARALLEL \stopPARALLEL
startpagelayout startpar startparagraphs startparagraphscell startparagraphs:example startparallel:example startparbuilder	\startparagraphs [] \stopparagraphs \startparagraphscell \stopparagraphscell \startparagraphs \stopparagraphscell \startparagraphs \stopparagraphscell \startparalLEL \stopparalLEL \startparbuilder [] \stopparbuilder
startpagelayout startpar startparagraphs startparagraphscell startparagraphs:example startparallel:example	\startparagraphs [] \stopparagraphs \startparagraphscell \stopparagraphscell \startPARAGRAPHS \stopPARAGRAPHS \startPARALLEL \stopPARALLEL

```
startplacefloat:instance:figure
                                                         \startumistifigure [..=..] [..=..] ... \stopumistifigure
startplacefloat:instance:graphic
                                                         \startumistigraphic [..=..] [..=..] ... \stopumistigraphic
                                                         startplacefloat:instance:chemical
                                                         \verb|\startum| isti intermezzo [..=..] [..=..] ... \verb|\stopum| isti intermezzo|
startplacefloat:instance:intermezzo
                                                         startplacefloat:instance:table
startplacepairedbox
                                                         \startumistiPAIREDBOX [..=..] ... \stopumistiPAIREDBOX
startplacepairedbox:instance
                                                         \startumistilegend [..=..] ... \stopumistilegend
startplacepairedbox:instance:legend
startpolozka
                                                         \startpolozka [...] ... \stoppolozka
                                                         \startPOPIS [..=..] ... \stopPOPIS
startpopis:example
startpopis:example:title
                                                         \startPOPIS [...] {...} ... \stopPOPIS
                                                         \startpositioning [...] [..=..] ... \stoppositioning
startpositioning
                                                         \startpositionoverlay {...} ... \stoppositionoverlay
startpositionoverlay
                                                         \startpositiv ... \stoppositiv
startpositiv
startpostponingnotes
                                                         \startpostponingnotes ... \stoppostponingnotes
startpozadi
                                                         \startpozadi [..=..] ... \stoppozadi
                                                         \startPOZADI [..=..] ... \stopPOZADI
startpozadi:example
                                                         \startNOTE [...] ... \stopNOTE
startpoznamka:instance
                                                         \startNOTE [..=..] ... \stopNOTE
startpoznamka:instance:assignment
                                                         \startendnote [..=..] ... \stopendnote \startfootnote [..=..] ... \stopfootnote
startpoznamka:instance:assignment:endnote
startpoznamka:instance:assignment:footnote
                                                         \startendnote [...] ... \stopendnote
startpoznamka:instance:endnote
                                                         \startfootnote [...] ... \stopfootnote
startpoznamka:instance:footnote
startprekryv
                                                         \startprekryv ... \stopprekryv
{\tt startprocessassignmentcommand}
                                                         \startprocessassignmentcommand [..=..] ... \stopprocessassignmentcommand
startprocessassignmentlist
                                                         \verb|\startprocessassignmentlist| [..=..] ... \verb|\stopprocessassignmentlist|
startprocesscommacommand
                                                         \startprocesscommacommand [...] ... \stopprocesscommacommand
                                                         \verb|\startprocesscommalist| [\dots] \dots \verb|\stopprocesscommalist|
startprocesscommalist
                                                         \startprodukt [...] ... \stopprodukt
startprodukt
startprodukt:string
                                                         \startprodukt ... \stopprodukt
startprojekt
                                                         \startprojekt [...] ... \stopprojekt
                                                         \startprojekt ... \stopprojekt
startprojekt:string
                                                         \startprostredi [...] ... \stopprostredi
startprostredi
startprostredi:string
                                                         \startprostredi ... \stopprostredi
startprotectedcolors
                                                         \startprotectedcolors ... \stopprotectedcolors
                                                         \startpublikace [...] [..=..] ... \stoppublikace
startpublikace
startradek
                                                         \startradek [...]
startradky:instance
                                                         \startLINES [..=..] ... \stopLINES
startradky:instance:lines
                                                         \startlines [..=..] ... \stoplines
startrandomized
                                                         \startrandomized ... \stoprandomized
startrawsetups
                                                         \startrawsetups [...] [...] ... \stoprawsetups
startrawsetups:string
                                                         \startrawsetups ... \stoprawsetups
                                                         \startreadingfile ... \stopreadingfile
startreadingfile
                                                         \startregime [...] ... \stopregime
startregime
                                                         \startregister [...] [...] [...] {..+...+..}
startregister
startreusableMPgraphic
                                                         \startreusableMPgraphic {...} {...} ... \stopreusableMPgraphic
                                                         \t startrovnice [...] ... \t
startrovnice
startrovnice:assignment
                                                         \verb|\startrovnice|[..=..]| \dots \verb|\stoprovnice||
startrovnice:instance
                                                         \startFORMULA formula [...] ... \stopFORMULA formula
                                                         \startmdformula [...] ... \stopmdformula \startmpformula [...] ... \stopmpformula
startrovnice:instance:md
startrovnice:instance:mp
                                                         \startsdformula [...] ... \stopsdformula
startrovnice:instance:sd
                                                         \startspformula [...] ... \stopspformula
startrovnice:instance:sp
                                                         \startrozbalene ... \stoprozbalene
startrozbalene
                                                         \startruby [...] ... \stopruby
startruby
                                                        \startscript [...] ... \stopscript \startsectionblock [...] [..=..] ... \stopsectionblock \startsectionblockenvironment [...] \stopsectionblockenvironment
startscript
{\tt startsectionblock}
startsectionblockenvironment
                                                         \startSECTIONBLOCK [..=..] ... \stopSECTIONBLOCK
startsectionblock:instance
                                                         \startappendices [..=..] ... \stopappendices
startsectionblock:instance:appendices
                                                         \startbackmatter [..=..] ... \stopbackmatter
startsectionblock:instance:backmatter
startsectionblock:instance:bodymatter
                                                         \startbodymatter [..=..] ... \stopbodymatter
                                                         \startfrontmatter [..=..] ... \stopfrontmatter
startsectionblock:instance:frontmatter
                                                         \startsectionlevel [...] [..=..] ... \stopsectionlevel
startsectionlevel
                                                         \startSECTION [..=..] [..=..] ... \stopSECTION
startsekce:instance
                                                         \startchapter [..=..] [..=..] ... \stopchapter
startsekce:instance:chapter
startsekce:instance:part
                                                         \startpart [..=..] [..=..] ... \stoppart
startsekce:instance:section
                                                         \startsection [..=..] [..=..] ... \stopsection
                                                         \startsubject [..=..] [..=..] ... \stopsubject
startsekce:instance:subject
startsekce:instance:subsection
                                                         \verb|\startsubsection| [..=..] [..=..] ... \verb|\stopsubsection|
startsekce:instance:subsubject
                                                         \startsubsubject [..=..] [..=..] ... \stopsubsubject
```

startsekce:instance:subsubsection

 $\verb|\startsubsubsection| [..=..] [..=..] ... \verb|\stopsubsubsection|$ 

```
startsekce:instance:subsubsubject
                                                           \startsubsubsubject [..=..] [..=..] ... \stopsubsubsubject
startsekce:instance:subsubsection
                                                           \startsubsubsubsection [..=..] [..=..] ... \stopsubsubsubsection
startsekce:instance:subsubsubsubject
                                                           \startsubsubsubsubsection [..=..] [..=..] ... \stopsubsubsubsubsection
startsekce:instance:subsubsubsubsection
startsekce:instance:subsubsubsubsubject
                                                           \starttitle [..=..] [..=..] ... \stoptitle
startsekce:instance:title
                                                          \startsetups [...] [...] \stopsetups
startsetups
startsetups:string
                                                          \startsetups ... \stopsetups
startshift
                                                          \startshift [...] ... \stopshift
                                                          \startsidebar [...] [..=..] ... \stopsidebar
startsidebar
                                                          \startsimplecolumns [..=..] ... \stopsimplecolumns
startsimplecolumns
                                                          \startsloupce [..=..] ... \stopsloupce
startsloupce
                                                          \startspecialitem [...] [...] ... \stopspecialitem
startspecialitem:item
                                                          \startspecialitem [...] ... \stopspecialitem
startspecialitem:none
                                                          \startspecialitem [...] {...} ... \stopspecialitem
startspecialitem:symbol
startsplitformula
                                                          \startsplitformula ... \stopsplitformula
                                                          \startspread ... \stopspread
startspread
                                                           \startSTARTSTOP ... \stopSTARTSTOP
startstartstop:example
startstaticMPfigure
                                                          \verb|\startstaticMPfigure {...}| ... \verb|\stopstaticMPfigure||
startstaticMPgraphic
                                                          \startstaticMPgraphic {...} {...} ... \stopstaticMPgraphic
                                                          \STARTSTOP {...}
startstop:example
                                                          \verb|\startstrictinspectnextcharacter| \dots \verb|\stopstrictinspectnextcharacter|
startstrictinspectnextcharacter
                                                          \startstructurepageregister [...] [...] [.....] [......]
startstructurepageregister
startstyle
                                                          \startstyle [..=..] ... \stopstyle
                                                          \text{`startstyle [...] } ... \text{`stopstyle}
startstyle:argument
startstyle:instance
                                                           \startSTYLE ... \stopSTYLE
                                                          \startsubformulas [...] ... \stopsubformulas \startsubjectlevel [...] [..=..] ... \stopsubjectlevel
startsubformulas
startsubjectlevel
                                                          \startsubsentence ... \stopsubsentence
startsubsentence
                                                          \startsubstack ... \stopsubstack
startsubstack
startsymbolset
                                                          \startsymbolset [...] [..=..] ... \stopsymbolset
startTABLE
                                                          \startTABLE [..=..] ... \stopTABLE
                                                          \startTABLEbody [..=..] ... \stopTABLEbody
startTABLEbody
                                                          \startTABLEfoot [..=..] ... \stopTABLEfoot \startTABLEhead [..=..] ... \stopTABLEhead \startTABLEnext [..=..] ... \stopTABLEnext
startTABLEfoot
startTABLEhead
startTABLEnext
                                                          \starttabelator [/.../] [..=..] ... \stoptabelator
starttabelator
starttabelator:instance
                                                          starttabelator:instance:fact
                                                           \startfact [...] [..=..] ... \stopfact
                                                           \startlegend [...] [..=..] ... \stoplegend
starttabelator:instance:legend
starttabulatehead
                                                          \verb|\starttabulatehead| [\dots] \dots \verb|\stoptabulatehead|
                                                          \starttabulatetail [...] ... \stoptabulatetail \startTABULATION [...] [..=.] ... \stopTABULATION
starttabulatetail
starttabulation:example
                                                          \starttabulka [|...|] [..=..] ... \stoptabulka
starttabulka
                                                          \starttabulka [...] [..=..] ... \stoptabulka
starttabulka:name
starttabulky
                                                          \starttabulky [|...|] ... \stoptabulky
starttabulky:name
                                                          \starttabulky [...] ... \stoptabulky
starttexcode
                                                          \starttexcode ... \stoptexcode
                                                          \verb|\starttexdefinition| ... ... ... ... ... ... ... \stoptexdefinition|
starttexdefinition
starttext
                                                          \starttext ... \stoptext
                                                          \verb|\starttextbackground| [\dots] [\dots = \dots] \dots \verb|\stoptextbackground|
{\tt starttextbackground}
                                                          \starttextbackgroundmanual ... \stoptextbackgroundmanual
starttextbackgroundmanual
starttextbackground:example
                                                          \startTEXTBACKGROUND [..=..] ... \stopTEXTBACKGROUND
starttextcolor
                                                          \starttextcolor [...] ... \stoptextcolor
starttextcolorintent
                                                          \verb|\starttextcolorintent| \dots \verb|\stoptextcolorintent|
starttextflow
                                                          \operatorname{toptextflow} [\dots] \dots \operatorname{toptextflow}
                                                          \starttextnapovedy [...] ... \stoptextnapovedy \starttextovalinka {...} ... \stoptextovalinka
starttextnapovedy
starttextovalinka
starttextpopisku:instance
                                                           \startLABELtext [...] [...] ... \stopLABELtext
                                                           \startbtxlabeltext [...] [...] ... \stopbtxlabeltext
starttextpopisku:instance:btxlabel
                                                           \startheadtext [...] [...] ... \stopheadtext
starttextpopisku:instance:head
                                                           \startlabeltext [...] [...] ... \stoplabeltext
starttextpopisku:instance:label
                                                           \startmathlabeltext [...] [...] \stopmathlabeltext
starttextpopisku:instance:mathlabel
                                                           \startoperatortext [...] [...] ... \stopoperatortext
starttextpopisku:instance:operator
                                                           \startprefixtext [...] [...] ... \stopprefixtext
starttextpopisku:instance:prefix
                                                           \startsuffixtext [...] [...] ... \stopsuffixtext
starttextpopisku:instance:suffix
starttextpopisku:instance:taglabel
                                                           \starttaglabeltext [...] [...] ... \stoptaglabeltext
starttextpopisku:instance:unit
                                                          \t \sum_{i=1}^{n} [...] [...] ... \t 
                                                          \verb|\starttokens| [\dots] \dots \verb|\stoptokens|
starttokens
                                                          \verb|\starttransparent| [\dots] \dots \verb|\stoptransparent|
starttransparent
                                                          \verb|\starttypescript|[...][...][...]| ... \verb|\stoptypescript|
starttypescript
                                                          \verb|\starttypescriptcollection| [\dots] \dots \verb|\stoptypescriptcollection|
{\tt starttypescript}{\tt collection}
```

```
starttyping:instance
                                                          \startTYPING [..=..] ... \stopTYPING
starttyping:instance:argument
                                                          \startTYPING [...] ... \stopTYPING
                                                          \startLUA [...] ... \stopLUA
starttyping:instance:argument:LUA
                                                          \startMP [...] ... \stopMP
starttyping:instance:argument:MP
starttyping:instance:argument:PARSEDXML
                                                          \startPARSEDXML [...] ... \stopPARSEDXML
starttyping:instance:argument:TEX
                                                          \startTEX [...] ... \stopTEX
                                                          \starttyping [...] ... \stoptyping
starttyping:instance:argument:typing
                                                          \startXML [...] ... \stopXML
starttyping:instance:argument:XML
starttyping:instance:LUA
                                                          \startLUA [..=..] ... \stopLUA
                                                          \startMP [..=..] ... \stopMP
starttyping:instance:MP
                                                          \startPARSEDXML [..=..] ... \stopPARSEDXML
starttyping:instance:PARSEDXML
starttyping:instance:TEX
                                                          \startTEX [..=..] ... \stopTEX
                                                          \starttyping [..=..] ... \stoptyping
starttyping:instance:typing
                                                          \startXML [..=..] ... \stopXML
starttyping:instance:XML
                                                          \startumistirovnici [..=..] ... \stopumistirovnici
startumistirovnici
startumistirovnici:argument
                                                          \startumistirovnici [...] ... \stopumistirovnici
                                                          \verb|\startuniqueMPgraphic {...} {...} ... \stopuniqueMPgraphic
startuniqueMPgraphic
                                                          \verb|\startuniqueMPpagegraphic {...} {...} ... \verb|\stopuniqueMPpagegraphic | ...} |
startuniqueMPpagegraphic
startusableMPgraphic
                                                          \verb|\startusableMPgraphic| \{\ldots\}| \{\ldots\}| \ldots \ \verb|\stopusableMPgraphic|
                                                          \verb|\startuseMPgraphic| \{\ldots\} \ \{\ldots\} \ \ldots \ \verb|\stopuseMPgraphic|
startuseMPgraphic
                                                          \startusemathstyleparameter \... \stopusemathstyleparameter
startusemathstyleparameter
startusingbtxspecification
                                                          \startusingbtxspecification [...] ... \stopusingbtxspecification
                                                          \startuzky [...] [..=..] ... \stopuzky
startuzky
startuzky:assignment
                                                          \startuzky [..=..] [...] ... \stopuzky
startuzky:name
                                                          \startuzky [...] [...] \stopuzky
                                                          \startvboxregister ... \stopvboxregister
startvboxregister
startvboxtohbox
                                                          \startvboxtohbox ... \stopvboxtohbox
                                                          \verb|\startvboxtohboxseparator| \dots \verb|\stopvboxtohboxseparator|
{\tt startvboxtohboxseparator}
startviewerlayer
                                                          \startviewerlayer [...] ... \stopviewerlayer
                                                          \startVIEWERLAYER ... \stopVIEWERLAYER
startviewerlayer:example
startvisici
                                                          \startvisici [..=..] {...} ... \stopvisici
startvisici:argument
                                                          \startvisici [...] {...} ... \stopvisici
                                                          \startvtopregister ... \stopvtopregister
startvtopregister
                                                          \startVYCET [..=..] ... \stopVYCET \startVYCET [...] {...} ... \stopVYCET \startxcell [...] [..=..] ... \stopxcell
startvycet:example
startvycet:example:title
startxcell
                                                          \startxcellgroup [...] [..=..] ... \stopxcellgroup
startxcellgroup
startxgroup
                                                          \startxgroup [...] [..=..] ... \stopxgroup
startxmldisplayverbatim
                                                          \startxmldisplayverbatim [...] ... \stopxmldisplayverbatim
startxmlinlineverbatim
                                                          \startxmlinlineverbatim [...] ... \stopxmlinlineverbatim
startxmlraw
                                                          \startxmlraw ... \stopxmlraw
                                                          \startxmlsetups [...] [...] ... \stopxmlsetups
startxmlsetups
                                                          \startxmlsetups ... \stopxmlsetups
startxmlsetups:string
                                                          \startxrow [...] [..=..] ... \stopxrow
startxrow
                                                          \startxrowgroup [...] [..=..] ... \stopxrowgroup
startxrowgroup
startxtable
                                                          \startxtable [..=..] ... \stopxtable
                                                          \startxtablebody [..=..] ... \stopxtablebody
startxtablebody
                                                          \verb|\startxtablebody| [...] ... \verb|\stopxtablebody|
startxtablebody:name
startxtablefoot
                                                          \startxtablefoot [..=..] ... \stopxtablefoot
                                                          \startxtablefoot [...] ... \stopxtablefoot
startxtablefoot:name
                                                          \startxtablehead [..=..] ... \stopxtablehead
startxtablehead
startxtablehead:name
                                                          \t startxtablehead [...] ... \t stopxtablehead
startxtablenext
                                                          \startxtablenext [..=..] ... \stopxtablenext
startxtablenext:name
                                                          \startxtablenext [...] ... \stopxtablenext
                                                          \startXTABLE [..=..] ... \stopXTABLE
startxtable:example
                                                          \startxtable [...] ... \stopxtable
startxtable:name
                                                          \startzahlavitabulky [...] ... \stopzahlavitabulky
startzahlavitabulky
                                                          \startzarovnanonastred ... \stopzarovnanonastred
startzarovnanonastred
startzarovnanovlevo
                                                          \startzarovnanovlevo ... \stopzarovnanovlevo
startzarovnanovpravo
                                                          \startzarovnanovpravo ... \stopzarovnanovpravo
                                                          \startzhustene [...] ... \stopzhustene
startzhustene
startzlom
                                                          \startzlom [...] [..=..] ... \stopzlom
startzlom:instance
                                                          \verb|\startMAKEUPzlom| [..=..] ... \verb|\stopMAKEUPzlom|
                                                          \startmiddlezlom [..=..] ... \stopmiddlezlom
startzlom:instance:middle
                                                          \startpagezlom [..=..] ... \stoppagezlom
startzlom:instance:page
                                                          \startstandardzlom [..=..] ... \stopstandardzlom
startzlom:instance:standard
startzlom:instance:text
                                                          \starttextzlom [..=..] ... \stoptextzlom
                                                          \stopLINENOTE [...]
stoplinenote:instance
                                                          \stoplinenote [...]
stoplinenote:instance:linenote
stopradek
                                                          \stopradek [...]
stopregister
                                                          \stopregister [...] [...]
                                                          \stopstructurepageregister [...] [...]
```

stopstructurepageregister

strana	\atrana [ ]		
	\strana []		
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {		
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {		
stripcharacter	\stripcharacter \from \to \		
strippedcsname	\strippedcsname \		
strippedcsname:string	\strippedcsname		
stripspaces	\stripspaces \from \to \		
structurelistuservariable	\structurelistuservariable {}		
structurenumber	\structurenumber		
structuretitle	\structuretitle		
structureuservariable	\structureuservariable {}		
structurevariable	\structurevariable {}		
strut	\strut		
strutdp	\strutdp		
strutgap			
strutht	\strutgap \strutht		
	\strutht		
struthtdp	\struthtdp		
struttedbox	\struttedbox {}		
strutwd	\strutwd		
style	\style [=] {}		
styleinstance	\styleinstance []		
style:argument	\style [] {}		
style:instance	\STYLE {}		
subpagenumber	\subpagenumber		
subsentence	\subsentence {}		
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\		
subtractfeature	\subtractfeature []		
subtractfeature:direct	\subtractfeature {}		
swapcounts	\swapcounts \ \		
swapdimens	\swapdimens \ \		
swapface	\swapface		
swapmacros	\swapmacros \ \		
swaptypeface	\swaptypeface		
switchstyleonly	\switchstyleonly []		
switchstyleonly:command	\switchstyleonly \		
switchtocolor	\switchtocolor []		
switchtointerlinespace	\switchtointerlinespace [] [=]		
switchtointerlinespace:argument	\switchtointerlinespace []		
	\switchtointerlinespace []		
switchtointerlinespace:name	<del>_</del>		
symbol	\symbol []		
symbolreference	\symbolreference []		
symbol:direct	\symbol {}		
synctexblockfilename	\synctexblockfilename {}		
synctexresetfilename	\synctexresetfilename		
synctexsetfilename	\synctexsetfilename {}		
synchronizeblank	\synchronizeblank		
synchronizeindenting	\synchronizeindenting		
synchronizemarking	\synchronizemarking [] []		
synchronizeoutputstreams	\synchronizeoutputstreams []		
synchronizestrut	\synchronizestrut {}		
synchronizestiat	\synchronizeshite ()		
2			
synonym:instance	\SYNONYM [] {} {}		
synonym:instance:abbreviation	\abbreviation [] {}		
systemlog	\systemlog {} {} {}		
systemlogfirst	\systemlogfirst $\{\ldots\}$ $\{\ldots\}$		
systemloglast	$\systemloglast {} {} {}$		
systemsetups	\systemsetups {}		
TABLE	\TABLE		
TaBlE	\TaBlE		
TEX	\TEX		
TeX	\TeX		
TheNormalizedFontSize	\TheNormalizedFontSize		
TransparencyHack	\TransparencyHack		
tabulateautoline	\tabulateautoline		
tabulateautorule	\tabulateautorule		
tabulateline	\tabulateline		
tabulaterule	\tabulaterule		
taggedctxcommand	\taggedctxcommand {}		
taggedlabeltexts	\taggedlabeltexts {} {} {}		
tbox	\tbox {}		
tecka	\tecka {}		
tecky	\teckv [ ]		

tecky:assignment	\tecky [=]		
tenkalinka	\tenkalinka		
tenkelinky	\tenkelinky [=]		
testandsplitstring	· · · · · · · · · · · · · · · · · · ·		
	\testandsplitstring \at \to \ \and \		
testcolumn	\testcolumn [] []		
testfeature	\testfeature {} {}		
testfeatureonce	\testfeatureonce {} {}		
testpage	\testpage [] []		
testpageonly			
	\testpageonly [] []		
testpagesync	\testpagesync [] []		
testtokens	\testtokens []		
tex	\tex {}		
texdefinition	\texdefinition {}		
texsetup	\texsetup {}		
-			
textbackground:example	\TEXTBACKGROUND {}		
textcitation	\textcitation [=] []		
textcitation:alternative	\textcitation []		
textcitation:userdata	\textcitation [=] [=]		
textcite	\textcite [=] []		
textcite:alternative	\textcite [] []		
textcite:userdata	\textcite [=] [=]		
textcontrolspace	\textcontrolspace		
textflowcollector	\textflowcollector {}		
textmath	\textmath {}		
	\textminus		
textminus	·		
textnapovedy	\textnapovedy [] {}		
textormathchar	\textormathchar {}		
textormathchars	\textormathchars {}		
textovalinka	\textovalinka [] {}		
textplus	\textplus		
textpopisku:instance	\LABELtext {}		
textpopisku:instance:btxlabel	\btxlabeltext {}		
textpopisku:instance:head	\headtext {}		
textpopisku:instance:label	\labeltext {}		
• •	\mathlabeltext \{\dots\}		
textpopisku:instance:mathlabel			
textpopisku:instance:operator	\operatortext {}		
textpopisku:instance:prefix	\prefixtext {}		
textpopisku:instance:suffix	\suffixtext {}		
textpopisku:instance:taglabel	\taglabeltext {}		
textpopisku:instance:unit	\unittext {}		
• •			
textvisiblespace	\textvisiblespace		
thainumerals	\thainumerals {}		
thefirstcharacter	\thefirstcharacter {}		
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}		
theremainingcharacters	\theremainingcharacters {}		
3			
thickspace	\thickspace		
thinspace	\thinspace		
thirdoffivearguments	\thirdoffivearguments {} {} {} {}		
thirdoffourarguments	\thirdoffourarguments $\{\}$ $\{\}$ $\{\}$		
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {}		
thirdofthreearguments	\thirdofthreearguments {} {} {}		
thirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
threedigitrounding	\threedigitrounding {}		
tibetannumerals	\tibetannumerals {}		
tightlayer	\tightlayer []		
tilde	\tilde {}		
tinyfont	\tinyfont		
tlacitko	\tlacitko [=] {} []		
tlacitkomenu:button	\tlacitkomenu [=] {} {}		
tlacitkomenu:interactionmenu	\tlacitkomenu [] [=] {} {}		
tlacitko:example	\BUTTON [=] {} []		
-			
tlap	\tlap {}		
tloustkacary	\tloustkacary		
tochar	\tochar {}		
tolinenote	\tolinenote []		
topbox	\topbox {}		
<del>-</del>	<del>-</del>		
topleftbox	\topleftbox {}		
toplinebox	\toplinebox {}		
toprightbox	\toprightbox {}		
topskippedbox	\topskippedbox {}		
tracecatcodetables	\tracecatcodetables		
tracedfontname	\tracedfontname {}		
or accar on on an	Volucion on one of the contract of the contrac		

traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
tref	\tref {} {} []
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
tucne	\tucne
tucnekurzivni	\tucnekurzivni
tucnesklonene	\tucnesklonene
tvrdamezera	\tvrdamezera
tvrdemezery	\tvrdemezery
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typebuffer	\typebuffer [] [=]
typebuffer:instance	\opisBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [] [=]
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ {}
ukazbarvu	\ukazbarvu []
ukazmrizku	\ukazmrizku []
ukaznastaveni	\ukaznastaveni []
ukazpaletu	\ukazpaletu [] []
ukazpodpery	\ukazpodpery
ukazpostredizakladnihofontu	\ukazpostredizakladnihofontu []
ukazramecek	\ukazramecek [] []
ukazsadusymbolu	\ukazsadusymbolu []
ukazskupinubarev	\ukazskupinubarev [] []
ukazupravu	\ukazupravu []
ukazvytisk	\ukazvytisk [] [] [=]
ukazvzhled	\ukazvzhled []
ukazzakladnifont	\ukazzakladnifont []
umistikombinovanyseznam	\umistikombinovanyseznam [] [=]
umistikombinovanyseznam:instance	\umistiCOMBINEDLIST [=]
•	\umisticontent [=]
umistikombinovanyseznam:instance:content	
umistilokalnipoznamkypodcarou umistinadsebe	\umistilokalnipoznamkypodcarou [=] \umistinadsebe {} {}
umistinamrizku	\umistinamrizku [] {}
umistinamrizku:list	\umistinamrizku [] {}
umistipodrovnici	\umistipodrovnici [] {}
umistipoznamkypodcarou	\umistipoznamkypodcarou [=]
umistirejstrik	\umistirejstrik [] [=]
umistirejstrik:instance	\umistiREGISTER [=]
umistirejstrik:instance:index	\umistiindex [=]
umistirovnici	\umistirovnici [] {}
umistiseznam	\umistiseznam [] [=]
umistivedlesebe	\umistivedlesebe {} {}
umistizalozky	\umistizalozky [] [=]
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	$\verb \unexpandeddocumentvariable {} $
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	<pre>\uniqueMPgraphic {} {=}</pre>
uniqueMPpagegraphic	<pre>\uniqueMPpagegraphic {} {=}</pre>
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ { }

ınspaceargument	\unspaceargument \to \
ınspaced	\unspaced {}
unspacestring	\unspacestring \to \
intexargument	\untexargument {} \to \
intexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
urcicharakteristikurejstriku	\urcicharakteristikurejstriku [] [=]
ırl	\url []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
nsebodyfont	\usebodyfont []
·	•
sebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [=]
sebtxdefinitions	\usebtxdefinitions []
secitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
secomponent	\usecomponent []
nsedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
sedummystyleparameter	\usedummystyleandcolor () \usedummystyleparameter {}
• • •	• • •
seenvironment	\useenvironment []
seexternalrendering	\useexternalrendering [] [] []
ısefigurebase	\usefigurebase []
nsefile	\usefile [] []
ısegridparameter	\usegridparameter \
seindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
ıselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
nseMPenvironmentbuffer	\useMPenvironmentbuffer []
nseMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
ıseMPrun	\useMPrun {} {}
ıseMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
seproduct	\useproduct []
useprofileparameter	\useprofileparameter \
seproject	\useproject []
usereferenceparameter	\usereferenceparameter \
<del>-</del>	
serpagenumber	\userpagenumber
nsesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
ısesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [=]
setypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []
usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	\utflower {}
itfupper	\utfupper {}
ntilityregisterlength	\utilityregisterlength
uzijadresar	\uzijadresar []
ızijbloky	\uzijbloky [] [=]
nzijexternidokument	\uzijexternidokument [] []
nzijexterniobraz	\uzijexterniobraz [] [] [] [=]
zijexternizvuk	\uzijexternizvuk [] []
zijJSscripts	\uzijJSscripts [] []
-	
ızijmodul	\uzijmodul [] [=]
nzijsymbol	\uzijsymbol []
ızijURL	\uzijURL [] [] []
rai incl	\ugitur] [ ] [ ] [ ] [ ]

VerboseNumber	\VerboseNumber {}
VSEDNIDEN	\VSEDNIDEN {}
vboxreference	\vboxreference [] {}
vec	\vec {}
velke	\velke
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
veryraggedright	\verze []
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\v1 []
vlasovalinka	\vlasovalinka
vlevo	\vlevo
vphantom	\vphantom {}
vpos	\vpos {} {}
vpravo	\vpravo
vradku	\vradku {} []
vsedniden	\vsedniden {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
vspace	\vspace [] []
vspacing	\vspacing []
vyberbloky	\vyberbloky [] [=]
vycet:example	\VYCET [] {} \par
vyplnenytext	\vyplnenytext [=] {} {}
vyplnovelinky	\vyplnovelinky [=] {} {}
vyplnovyradek	\vyplnovyradek [=]
vysoky	\vysoky {}
vysoky:instance	\HIGH {}
vysoky:instance:unitshigh	\unitshigh {}
• •	_
WidthSpanningText	\WidthSpanningText {} {} {}
WidthSpanningText Wdofstring	\WidthSpanningText {} {} {}
wdofstring	\wdofstring {}
wdofstring widthofstring	\wdofstring {} \widthofstring {}
wdofstring widthofstring widthspanningtext	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=]</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XeTeX	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XeTeX xdefconvertedargument	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XeTeX \xdefconvertedargument \ {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XeTeX xdefconvertedargument xmladdindex	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} \withoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlall {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} {} \xmlappendsetup {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdef convertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XETEX \xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafteredocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} \xmlattribute {} {} \xmlattribute {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XATEX \xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlattributed</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XATEX \xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforedocumentsetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XETEX \Xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftl {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlatttibute {} {} {} \xmlattributedef {} {} {} \xmlbadinclusions {} \xmlbeforedocumentsetup {} {} {}</pre>
wdofstring widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XATEX \XATEX \xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappenddocumentsetup {} {} \xmlapplyselectors {} \xmlapplyselectors {} \xmlatt {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {</pre>
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlbeforesetup xmlcommand	\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XATEX \XATEX \xdefconvertedargument \ {} \xmladdindex {} \xmladdindex {} \xmlafterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlall {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlapplyselectors {} \xmlatt {} {} \xmlattibute {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforesetup {} {} \xmlbeforesetup {} {} \xmlconmand {} {} {} \xmlconcat {} {}
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmloommand xmlconcat	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {} \XETEX \XETEX \XETEX \Xdef converted argument \ {} \xmladdindex {} \xmlafter document setup {} {} {} \xmlafter setup {} {} \xmlappend document setup {} {} \xmlappend setup {} \xmlapply selectors {} \xmlatt {} {} \xmlattribute {} {} {} \xmlattribute {} {} {} \xmlattribute def {} {} {} \xmlbefore document setup {} {} \xmlbefore setup {} {} \xmlcommand {} {} {} \xmlcommand {} {}</pre>
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmlocommand xmlconcat xmlconcatrange	\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XATEX \XAGECONVERTED AGENERAL
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmlconmand xmlconcat xmlconcat xmlconcatrange xmlcontext	\wdofstring {} \widthofstring {} \widthofstring {} \widthspanningtext {} {} {} \words {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XAETEX \XAETEX \XAETEX \XMAIDITEX \
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmlconmand xmlconcat xmlconcat xmlcontext xmlcount	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmladfterdocumentsetup {} {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlatt {} {} \xmlattibute {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlcontant {} {} \xmlcontant {} {} \xmlcontant {} {} \xmlcontext {} {.</pre>
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlall xmlappenddocumentsetup xmlappendsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattributedef xmlattributedef xmlbeforedocumentsetup xmlbeforesetup xmlconcat xmlconcat xmlconcat xmlconcat xmlcount xmldefaulttotext	<pre>\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XeTeX \xdefconvertedargument \ {} \xmladdindex {} \xmlafterdocumentsetup {} {} \xmlaftersetup {} {} \xmlappenddocumentsetup {} {} \xmlappendsetup {} \xmlappendsetup {} \xmlapplyselectors {} \xmlattdef {} {} {} \xmlattribute {} {} {} \xmlattributedef {} {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlbeforedocumentsetup {} {} \xmlcontattributedef {} {} {</pre>
widthofstring widthspanningtext withoutpt words wordtonumber writedatatolist writestatus XETEX XETEX XeTeX xdefconvertedargument xmladdindex xmlafterdocumentsetup xmlaftersetup xmlall xmlappenddocumentsetup xmlapplyselectors xmlatt xmlattdef xmlattribute xmlattribute xmlattributedef xmlbadinclusions xmlbeforesetup xmlconmand xmlconcat xmlconcat xmlconcat xmlcount xmldefaulttotext xmldirectives	\wdofstring {} \widthofstring {} \widthspanningtext {} {} {} \widthoutpt {} \words {} \words {} \wordtonumber {} {} \writedatatolist [] [=] [=] \writestatus {} {}  \XETEX \XETEX \XETEX \XAETEX \XMACTEX \XMACTEX \XMALAGET CONVERTE CONVE

xmldisplayverbatim	\xmldisplayverbatim {}	
xmldoif	\xmldoif {} {} {}	
xmldoifatt	\xmldoifatt {} {}	
xmldoifelse	\xmldoifelse {} {} {} {}	
xmldoifelseatt	\xmldoifelseatt {} {} {}	
xmldoifelseempty	\xmldoifelseempty \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
xmldoifelseselfempty	\xmldoifelseselfempty {} {} {}	
xmldoifelsetext	\xmldoifelsetext {} {} {} {}	
xmldoifelsevalue	$\mbox{xmldoifelsevalue } \{\} \{\} \{\}$	
xmldoifnot	$\mathbf{xmldoifnot} \{\} \{\}$	
xmldoifnotatt	\xmldoifnotatt {} {}	
xmldoifnotselfempty	\xmldoifnotselfempty {} {}	
xmldoifnottext	\xmldoifnottext {} {} {}	
xmldoifselfempty	\xmldoifselfempty {} {}	
xmldoiftext	\xmldoiftext {} {} {}	
xmlelement	\xmlelement {} {}	
xmlfilter	\xmlfilter {} {}	
xmlfirst	\xmlfirst {} {}	
xmlflush	\xmlflush {}	
xmlflushcontext	\xmlflushcontext {}	
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}	
xmlflushlinewise	\xmlflushlinewise {}	
xmlflushpure	\xmlflushpure {}	
xmlflushspacewise	\xmlflushspacewise {}	
xmlflushtext	\xmlflushtext {}	
xmlchainatt	\xmlchainatt {} {}	
xmlchainattdef	\xmlchainattdef {} {} {}	
xmlchecknamespace	\xmlchecknamespace {} {}	
xmlinclude	\xmlinclude {} {}	
xmlinclusion	\xmlinclusion {}	
xmlinclusions	\xmlinclusions {}	
xmlinfo	\xmlinfo {}	
xmlinjector	\xmlinjector {}	
xmlinlineprettyprint	\xmlinlineprettyprint {} {}	
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}	
xmlinlineverbatim	\xmlinlineverbatim {}	
XIIIIIIIIIIIIIII	\xmiinineverbacim ()	
umlingtalldingstire	\1:	
xmlinstalldirective	\xmlinstalldirective {} {}	
xmllast	\xmllast {} {}	
xmllast xmllastatt	\xmllast {} {}	
xmllast	\xmllast {} {}	
xmllast xmllastatt	\xmllast {} {}	
xmllast xmllastatt xmllastmatch	\xmllast {} {} \xmllastatt \xmllastmatch	
xmllast xmllastatt xmllastmatch xmllastpar	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue	\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {}	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {}</pre>	
xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace xmlpar</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {} \xmlpar {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnospace xmlpar</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {} \xmlpar {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {} {} \xmlparam {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnonspace {} {} \xmlpar {} {} \xmlparam {} {} \xmlpath {} \xmlpos {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlparam {} {} \xmlparam {} {} \xmlpath {} \xmlposition {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnamespace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprependsetup</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprependsetup {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnamespace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmloadonly {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprettyprint</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprettyprinttext {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprettyprinttext xmlprocessbuffer</pre>	<pre>\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparam {} {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprettyprinttext {} {} \xmlprocessbuffer {} {}</pre>	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata</pre>	\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmloadonly {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlparb {} \xmlpos {} \xmlposition {} {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata xmlprocessfile</pre>	\xmllast {} {} \xmllastatt \xmllastmatch \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} {} \xmlpar {} {} \xmlparam {} {} \xmlparbettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} {} \xmlpar {} {} \xmlpar {} {} \xmlpart {} {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata xmlprocessfile</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlparam {} {} \xmlparam {} {} \xmlparth {} \xmlpos {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlpuraw {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessfile xmlpure</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} {} \xmlpar {} {} \xmlpar {} {} \xmlpart {} {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} {} \xmlprocessfile {} {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata xmlprocessfile xmlpure xmlraw</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmloadonly {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpart {} {} \xmlpath {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlprara {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprara {} \xmlprara {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprara {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprettyprinttext xmlprocessbuffer xmlprocessfile xmlpure xmlraw xmlrat</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmloadonly {} {} \xmlmain {} \xmlmapvalue {} {} \xmlnamespace {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpart {} \xmlpart {} \xmlposition {} {} \xmlprependdocumentsetup {} {} \xmlprettyprint {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} \xmlpure {} {} \xmlpure {} {} \xmlpure {} {} \xmlprocessfile {} {} \xmlpure {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprecessbuffer xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnoadonly {} {} \xmlname {} \xmlname {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlparam {} {} \xmlposition {} {} \xmlprependocumentsetup {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlpraw {} \xmlprocessfile {} {} \xmlpraw {} \xmlprocessfile {} {} \xmlprefatt {} {} \xmlregisteredocumentsetups {} {} \xmlregisteredsetups	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadduffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisteredsetups xmlregisteredsetups xmlregisteredsetups xmlregisterens</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlpostion {} {} {} \xmlprependdocumentsetup {} {} \xmlprecessbuffer {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups	
<pre>xmllast xmllastatt xmllastpar xmlloadbuffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdata xmlprocessfile xmlregistereddocumentsetups xmlregisteredsetups xmlregisterens xmlregisterns xmlregisterns xmlregisterens xmlremapname</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadonly {} {} {} \xmlnoadonly {} {} \xmlnain {} \xmlname {} \xmlnamespace {} {} \xmlnamespace {} {} \xmlpar {} {} \xmlparam {} {} \xmlparependocumentsetup {} {} \xmlprocessbuffer {} {} \xmlprocessfile {} {} \xmlprocessfile {} {} \xmlprate {} {} \xmlprefatt {} {} \xmlpregisteredocumentsetups {} {} \xmlpregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisterens {} {} \xmlregisteredsetups \xmlregisterens {} {} \xmlregisteredsetups \xmlregisterens {} {} \xmlregisteredsetups \xmlregisterens {} {}	
<pre>xmllast xmllastatt xmllastmatch xmllastpar xmlloadduffer xmlloaddata xmlloaddirectives xmlloadfile xmlloadonly xmlmain xmlmapvalue xmlname xmlnamespace xmlnonspace xmlpar xmlparam xmlparam xmlpath xmlpos xmlposition xmlprependdocumentsetup xmlprettyprint xmlprettyprint xmlprocessbuffer xmlprocessdile xmlprocessfile xmlpure xmlraw xmlrefatt xmlregistereddocumentsetups xmlregisteredsetups xmlregisteredsetups xmlregisteredsetups xmlregisteredsetups xmlregisterens</pre>	\xmllastatt \xmllastatt \xmllastpar \xmlloadbuffer {} {} {} \xmlloaddata {} {} {} \xmlloaddata {} {} {} \xmlloaddirectives {} \xmlloadfile {} {} {} \xmlloadonly {} {} {} \xmlmain {} \xmlmapvalue {} {} \xmlname {} \xmlnamespace {} \xmlnamespace {} \xmlpar {} {} \xmlpar {} {} \xmlpar {} {} \xmlpos {} \xmlpostion {} {} {} \xmlprependdocumentsetup {} {} \xmlprecessbuffer {} {} \xmlprocessbuffer {} {} \xmlprocessdata {} {} {} \xmlprocessfile {} {} {} \xmlpure {} {} \xmlraw {} \xmlregistereddocumentsetups {} {} \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups \xmlregisteredsetups	

xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsetatt {} {} {}
xmlsetattribute	$\xim \sum_{i=1}^{n} \{\} \{\} \{\}$
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction $\{\}$ $\{\}$
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar	\xmlsetpar {} {}
xmlsetparam	\xmlsetparam {} {} {}
xmlsetsetup	\xmlsetsetup {} {}
xmlsetup	\xmlsetup {} {}
xmlshow	\xmlshow {}
xmlsnippet	\xmlsnippet {} {}
xmlstrip	\xmlstrip {} {}
xmlstripnolines	\xmlstripnolines {} {}
xmlstripped	\xmlstripped {} {}
xmlstrippednolines	\xmlstrippednolines {} {}
xmltag	\xmltag {}
xmltexentity	\xmltexentity {} {}
xmltext	\xmltext {} {}
xmltobuffer	\xmltobuffer {} {} {}
xmltobufferverbose	\xmltobufferverbose {} {} {}
xmltofile	\xmltofile {} {}
xmlvalue	\xmlvalue {} {}
xmlverbatim	\xmlverbatim {}
xsplitstring	\xsplitstring \ {}
xypos	\xypos {}
Znak	\Znak {}
Znaky	\Znaky {}
zadnamezera	\zadnamezera
zadnehorniadolniradky	\zadnehorniadolniradky
zadnezahlaviaupati	\zadnezahlaviaupati
zachovejbloky	\zachovejbloky [] []
zalozka	\zalozka [] {}
zapisdoseznamu	\zapisdoseznamu [] [=] {} {}
zapismeziseznam	\zapismeziseznam [] [=] {}
zaramovani	\zaramovani [=] {}
zarovnanonastred	\zarovnanonastred {}
zarovnanovlevo	\zarovnanovlevo {}
zarovnanovpravo	\zarovnanovpravo {}
zasobnikpoli	\zasobnikpoli [] [] [=]
ziskejbuffer	\ziskejbuffer []
ziskejbuffer:instance	\ziskatBUFFER
ziskejznaceni	\ziskejznaceni [] []
zlomek:instance	\FRACTION {} {}
zlomek:instance:binom	\binom {} {}
zlomek:instance:dbinom	\dbinom {} {}
zlomek:instance:dfrac	\dfrac {} {}
zlomek:instance:frac	\frac {} {}
zlomek:instance:sfrac	\sfrac {} {}
zlomek:instance:tbinom	\tbinom {} {}
zlomek:instance:xfrac	\xfrac {} {}
zlomek:instance:xxfrac	\xxfrac {} {}
znaceni	\znaceni (,) (,) []
znak	\znak {}
znaky	\znaky {}
zpracujbloky	\zpracujbloky [] [] [=]
zrcadlit	\zrcadlit {}
zref	\zref []
zvysit	\zvysit \
zvysit:argument	\zvysit ()

