ConTeXt

commands



ConTeXt commands

en / english September 13, 2018

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
about	\about []
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptlayout	\adaptiontieature [] [=]
adaptrapersize	\adaptiayout [] [] \adaptiayout []
addfeature	\addfeature []
addfeature:direct	
	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite []
alwayscite:userdata	\alwayscite [=] [=]
ampersand	\ampersand
anchor	\anchor [] [=] [=] {}
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ {}
applytofirstcharacter	\applytofirstcharacter \ {}
applytosplitstringchar	\applytosplitstringchar \ \{\}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ {}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ {}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	
	\applytosplitstringwordspaced \ {}
applytowords arabicdecimals	\applytowords \ \{\} \arabicdecimals \{\}
	\arabicexnumerals {}
arabicexnumerals	
arabicnumerals	
	\arabicnumerals {}
arg	\arabicnumerals {} \arg {}
asciistr	\arabicnumerals {} \arg {} \asciistr {}
asciistr assignalfadimension	<pre>\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {}</pre>
asciistr assignalfadimension assigndimen	<pre>\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} \assigndimen \ {}</pre>
asciistr assignalfadimension assigndimen assigndimension	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimen \ {} \assigndimension {} \ {} {}
asciistr assignalfadimension assigndimen assigndimension assignifempty	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimen \ {} \assigndimension {} \ {} {} \assignifempty \ {}
asciistr assignalfadimension assigndimen assigndimension assignifempty assigntranslation	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimen \ {} \assigndimension {} \ {} {} \assignifempty \ {} \assigntranslation [=] \to \
asciistr assignalfadimension assigndimen assigndimension assignifempty assigntranslation assignvalue	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimen \ {} \assigndimension {} \ {} {} {} \assigntranslation [=] \to \ \assignvalue {} \ {} {} {}
asciistr assignalfadimension assigndimen assigndimension assignifempty assigntranslation assignvalue assignwidth	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimension {} \ {} {} \assigndimension {} \ {} {} \assigntranslation [=] \to \ \assignvalue {} \ {} {} {} \assignwidth {} \ {} {}
asciistr assignalfadimension assigndimen assigndimension assignifempty assigntranslation assignvalue assignwidth assumelongusagecs	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimension {} \ {} {} \assigndimension {} \ {} {} \assigntranslation [] \to \ \assignvalue {} \ {} {} {} \assignwidth {} \ {} {} \assumelongusagecs \ {}
asciistr assignalfadimension assigndimen assigndimension assignifempty assigntranslation assignvalue assignwidth	\arabicnumerals {} \arg {} \asciistr {} \assignalfadimension {} \ {} {} {} \assigndimen \ {} \assigndimension {} \ {} {} {} \assigntranslation [=] \to \ \assignvalue {} \ {} {} {} \assignwidth {} \ {} {}

atpage	\atpage []
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirvbox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttext	\autostarttext \autostoptext
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
 Bigm	\Bigm
	. •
Bigr	\Bigr
background	\background {}
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
background:example	\BACKGROUND {}
bar	\bar {}
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbars	\overbars {}
bar:instance:overstrike	\overstrike {}
bar:instance:overstrikes	\overstrikes {}
bar:instance:underbar	\underbar {}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
	\basegrid [=]
basegrid	_
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
1 0	
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhbox \endhbox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
big	\big
bigbodyfont	\bigbodyfont
9 0	
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskin	\higskin

bitmapimage	\bitmapimage [=] {}
blackrule	\blackrule [=]
blackrules	\blackrules [=]
blank	\blank []
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
bold	\bold
boldface	\boldace
bolditalic	\bolditalic
boldslanted	\boldslanted
bookmark	\bookmark [] {}
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ \ \{\}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
	\btxdetail \\\}
btxdetail	• • • • • • • • • • • • • • • • • • • •
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\ldots\}$ $\{\ldots\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked $\{\}$ $\{\}$ $\{\}$
btxdoifelseuservariable	\btxdoifelseuservariable {} {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse $\{\}$ $\{\}$ $\{\}$
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse {} {} {}
btxdoifuservariableelse	\btxdoifuservariableelse {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
	\btxfieldtype {}
btxfieldtype	* =
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}

btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	· ·
·	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextgrave \(\cdots \)
buildtextognek	\buildtextognek {}
button	\button [=] {} []
button:example	\BUTTON [=] {} []
Caps	\Caps {}
Character	\Character {}
Characters	\Characters {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \
	\ConvertToConstant \ \\\} \\\}
ConvertToConstant	
calligraphic	\calligraphic
camel	\camel {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
cfrac	\cfrac [] {}
character	\character {}
characterkerning:example	\CHARACTERKERNING [] {}
characters	\characters {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
3	<u> </u>
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\
5	\checkinjector []
checknextindentation	<u> </u>
	\checknextindentation []
checknextindentation checknextinjector	\checknextindentation [] \checknextinjector []
checknextinjector checkpage	\checknextindentation [] \checknextinjector [] \checkpage [] [=]
checknextinjector checkpage checkparameters	<pre>\checknextindentation [] \checknextinjector [] \checkpage [] [=] \checkparameters []</pre>
checknextinjector checkpage	\checknextindentation [] \checknextinjector [] \checkpage [] [=]

checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chem	\chem {} {}
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
clip	\clip [=] {}
clippedoverlayimage	\clippedoverlayimage {}
clonefield	\clonefield [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
color	\color [] {}
colorbar	\colorbar []
colorcomponents	\colorcomponents {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloronly	\coloronly [] {}
colorvalue	\colorvalue {}
column	\column []
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
comment:instance	\COMMENT [] [=] {}
comment:instance:comment	\comment [] [=] {}
comparecolorgroup	\comparecolorgroup []
comparedimension	\comparedimension {} {}
comparedimensioneps	\comparedimensioneps {} {}
comparepalet	\comparepalet []
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completeCOMBINEDLIST [=]
completecombinedlist:instance:content	\completecontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
	\completelistofiables [=]
<pre>completelistoffloats:instance:tables completelistofpublications</pre>	\completelistoftables [] \completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completepagenumber	\completepagenumber
completeregister	\completeregister [] [=]
completeregister:instance	\completeREGISTER [=]

completeregister:instance:index	\completeindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
component	\component []
component:string	\component
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult	\compresult
constantdimen	\constantdimen \
constantdimenargument	\constantdimenargument \
constantemptyargument	\constantemptyargument \
constantnumber	\constantnumber \
constantnumberargument	\constantnumberargument \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continueifinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertmenth	\convertmenth {}
convertnumber	\convertnumber {} {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copyboxfromcache	\copyboxfromcache {} {}
copyfield	\copyfield [] []
copylabeltext:instance	\copyLABELtext [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltext [] [=]
copylabeltext:instance:head	\copyheadtext [] [=]
copylabeltext:instance:label	\copylabeltext [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltext [] [=]
	
<pre>copylabeltext:instance:operator copylabeltext:instance:prefix</pre>	\copyoperatortext [] [=] \copyprefixtext [] [=]
copylabeltext:instance:suffix	\copysuffixtext [] [=]
copylabeltext:instance:taglabel	\copytaglabeltext [] [=]
copylabeltext:instance:unit	\copyunittext [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition \{\ldots\}
copysetups	\copysetups [] []
correctwhitespace	\correctwhitespace {}
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxsprint	\ctxsprint {}
currentassignmentlistkey	\currentassignmentlistkey
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentdate	\currentdate []

currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentheadnumber	\currentheadnumber
currentinterface	\currentinterface
currentlabel:example	\currentLABEL [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
•	\currentlistentrytitle
currentlistentrytitle	· ·
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
-	
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
datasetvariable	\datasetvariable \{\ldots\} \{\ldots\}
date	\date [=] []
dayoftheweek	\dayoftheweek {} {} {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference	\defaultobjectreference
defcatcodecommand	\defcatcodecommand \ \{\}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
define	\define [] \ {}
defineaccent	\defineaccent
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebackglound [] [] [] \definebar [] []
defineblock	\defineblock [] [] [=]
definebodyfont	\definebodyfont [] [] [=]
definebodyfontenvironment	\definebodyfontenvironment [] [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebodyfont:argument	\definebodyfont [] [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [] [=]
9	
definebtxrendering	\definebtxrendering [] [] [=]
definebuffer	\definebuffer [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [] [=]
definecharacter	\definecharacter

definecharacterkerning	\definecharacterkerning [] [] [=]
definecharacterspacing	\definecharacterspacing []
definechemical	\definechemical [] {}
definechemicals	\definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol []
definecollector	\definecollector [] [=]
definecolor	\definecolor [] [=]
definecolorgroup	\definecolorgroup [] [x:y:z,]
definecolor:name	\definecolor [] []
definecolumnbreak	\definecolumnbreak [] []
definecolumnset	\definecolumnset [] [=]
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	\definecombination [] [] [=]
definecombinedlist	\definecombinedlist [] [] [=]
definecommand	\definecommand
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversion	\defineconversion [] []
defineconversionset	\defineconversionset [] []
defineconversion:list	\defineconversion [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [] [=]
definedescription	\definedescription [] [] [=]
definedfont	\definedfont []
defineeffect	\defineeffect [] [=]
defineenumeration	\defineenumeration [] [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexternalfigure [] [] [=]
	\definefacingfloat [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] [=]
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefield	\definefield [] [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefieldstack	\definefieldstack [] [=]
definefiguresymbol	\definefiguresymbol [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [=]
definefittingpage	\definefittingpage [] [] [=]
	\definefloat [] [=]
definefloat:name	\definefloat [] []
definefont	\definefont [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] [=]
definefontfamily	\definefontfamily [] [] [] [=]
	\definefontfamilypreset [] [=]
	\definefontfamilypreset [] []
	\definefontfamily [] [] []
	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
	\definefontstyle []
· ·	\definefontsynonym [] [] [=]
· ·	\definefont [] []
8	\defineformula [] [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
	\defineframed [] [] [=]
	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
defineframedtext	\defineframedtext [] [=]
definefrozenfont	\definefrozenfont [] []

defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
definehbox	\definehbox [] []
definehead	\definehead [] [=]
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinteractionmenu	\defineinteractionmenu [] [] []
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabel	\definelabel [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelayout	\definelayout [] []
•	•
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelist	\definelist [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [] [=]
definemakeup	\definemakeup [] [] []
<u>.</u>	
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [] [=]
definemarker	\definemarker []
definemarking	\definemarking [] [=]
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [] []
definemathfraction	
	\definemathfraction [] [=]
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] []
definemathstackers	\definemathstackers [] [] []
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
-	-
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []

definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor definenamedcolor	\definemultitonecolor [] [=] [=] \definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] [] \definenamedcolor []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=] [=]
defineoutputroutine	\defineoutputroutine [] [=]
defineoutputroutinecommand defineoverlay	\defineoutputroutinecommand [] \defineoverlay [] []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [=]
definepagecolumns	\definepagecolumns [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] [] []
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox definepalet	\definepairedbox [] [=] \definepalet [] [=]
definepalet:name	\definepalet [] []
definepapersize	\definepapersize [] [=]
definepapersize:name	\definepapersize [] []
defineparagraph	\defineparagraph [] [=]
defineparagraphs	\defineparagraphs [] [=]
defineparallel	\defineparallel []
defineparbuilder	\defineparbuilder []
defineperiodkerning defineplacement	\defineperiodkerning [] [] [=] \defineplacement [] [] [=]
definepositioning	\definepositioning [] [] []
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [] [=]
defineprocessor	\defineprocessor [] [=]
defineprofile	\defineprofile [] [=]
defineprogram	\defineprogram [] []
definepushbutton	\definepushbutton [] [=]
definepushsymbol definereference	\definepushsymbol [] [] \definereference [] []
definereferenceformat	\definereferenceformat [] [] [=]
defineregister	\defineregister [] [=]
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale definescript	\definescale [] [] []
definescript definesection	\definescript [] [=] \definesection []
definesectionblock	\definesectionblock [] [] [=]
definesectionlevels	\definesectionlevels []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [] [=]
definesort definesorting	\definesort [] [] {} \definesorting [] []
definespotcolor	\definespotcolor [] [] \definespotcolor [] []
definestartstop	\definestartstop [] [=]
definestyle	\definestyle [] [=]
definestyleinstance	$\label{lem:definestyleinstance} $$ \left[\ldots \right] \left[\ldots \right] \left[\ldots \right] $$ \left[\ldots \right] $$$
definesubfield	\definesubfield [] []
definesubformula	\definesubformula [] [=]
definesymbol	\definesymbol [] []
definesynonym definesynonyms	\definesynonym [] [] {} {} \definesynonyms [] [] []
definesystemattribute	\definesystemattribute [] [] \definesystemattribute [] []
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]

definetabletemplate	\definetabletemplate [] [] []
definetabulate	\definetabulate [] []
definetabulation	\definetabulation [] [] f^{OPT} =]
definetext	\definetext [] [] [] [] [] []
definetextbackground	\definetextbackground [] [] []
_	
definetextflow	\definetextflow [] [=]
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
definetransparency:3	\definetransparency []
definetwopasslist	\definetwopasslist {}
definetype	\definetype [] [=]
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
V	\definetypescriptsynonym [] []
definetypescriptsynonym	
definetypesetting	\definetypesetting [] [] [=]
definetyping	\definetyping [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
delimited	\delimited [] []
delimited	\delimited [] [] \\delimitedtext [] []
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
	(accomposition () ()
depthstrut	\depthstrut
•	\depthstrut
depthstrut description:example determineheadnumber	
description: example	\depthstrut \DESCRIPTION [] {} \par \determineheadnumber []
description: example determineheadnumber determinelistcharacteristics	\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=]
description: example determineheadnumber determinelistcharacteristics determinenoflines	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinehistcharacteristics [] [=] \determinenoflines {}</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=]</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics devanagarinumerals	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=]</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineneflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor []</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored []</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored []</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcolored:name	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcolored:name directconvertedcounter	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcolored:name directcopyboxfromcache	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcopyboxfromcache directcdummyparameter	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdummyparameter {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directhighlight	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directhighlight {} {} \</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directcomyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directdumtyparameter {} \directgetboxllx \directgetboxlly \directhighlight {} {} \directlocalframed [] {} \directlocalframed [] {} \end{areacteristics [] [] [] \directlocalframed [] {} \end{areacteristics [] [] [] \directlocalframed [] {} areacteristics [] []</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directlocalframed directlocalframed directlocalframed directluacode	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [=] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directduectdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directluacode {} \directluacode {} \directluacode {} \directluacode {} \end{areacteristics [] {} \directluacode {} areacteristics [.</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directcdummyparameter directgetboxllx directgetboxlly directlocalframed directlocalframed directluacode directselect	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor [] \directcolored [=] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directdumtyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} {} {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} {} {} \directselect {} {} {} {} {} {} \directselectselect {} {} {} {} {} {} \directselectse</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcored:name directconvertedcounter directopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinehistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directdurectdumtyparameter {} \directgetboxllx \directgetboxlly \directlucalframed [] {} \directluacode {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directlighlight directluacode directsetetup	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinehistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directdurectdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} \directselect {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsetup {}</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directlighlight directluacode directsetetd directsetup directsymbol	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinehistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdummyparameter {} \directduectdummyparameter {} \directgetboxllx \directgetboxlly \directgetboxlly include {} \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetbar {} \directsetup {} \direc</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directsetet directsetbar directsetup directsymbol directvypacing	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinehistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directsymbol {} {} \directsymbol {} {} \directvspacing {} \end{arectvspacing {}} arectvspacing {</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directlighlight directluacode directsetet directsetbar directsetup directsymbol directvypacing dis	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directductetdirectdumyparameter {} \directgetboxllx \directgetboxlly \directluacde {} \directluacde {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \directvspacing {} \directvspacing {} \directvspacing {} \directvspacing {} \directral {} \directvspacing {} \directral {} \directvspacing {} \directral {</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directsetett directsetup directsymbol directvspacing dis disabledirectives	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directdirectdumtyparameter {} \directgetboxllx \directgetboxllx \directluacde {} \directluacde {} \directselect {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsymbol {} {} \directvspacing {} \dis {} \disabledirectives []</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbur	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdummyparameter {} \directgetboxllx \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} \text{OPT} \text{OPT} \text{OPT} \text{OPT} OP</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directsetete directsetbar directsetby directsymbol directsymbol directvypacing dis disabledirectives disableexperiments disablemode	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determinenegistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directconvertedcounter {} {} \directdummyparameter {} \directduectopyboxfromcache {} {} \directgetboxllx \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} \text{OPT} </pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcored:name directconvertedcounter directcdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar directsetbar directsetup directsymbol directvypacing dis disabledirectives disablemode disableoutputstream	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directconvertedcounter {} {} \directdummyparameter {} \directdummyparameter {} \directgetboxllx \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \directsetup {} \directsetup {} \directsetup {} \disabledirectives [] \disabledirectives [] \disabledirectives [] \disablemode [] \disablemode [] \disableoutputstream</pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directsetete directsetbar directsetby directsymbol directsymbol directvypacing dis disabledirectives disableexperiments disablemode	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determinenegistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directconvertedcounter {} {} \directdummyparameter {} \directduectopyboxfromcache {} {} \directgetboxllx \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} \text{OPT} </pre>
description:example determineheadnumber determinelistcharacteristics determineregistercharacteristics determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcored:name directconvertedcounter directcdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar directsetbar directsetup directsymbol directvypacing dis disabledirectives disablemode disableoutputstream	<pre>\depthstrut \DESCRIPTION [] {} \ \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [=] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directgetboxllx \directgetboxllx \directlocalframed [] {} \directselect {} {} {} {} \directselect {} {} {} {} \directsetbar {} \text{OPT} \tex</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored:name directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar directsetbar directsetby directsymbol directvypacing dis disabledirectives disableexperiments disableoutputstream disableparpositions	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directdirectdummyparameter {} \directgetboxllx \directpetboxlly \directlocalframed [] {} \directlocalframed [] {} \directsetlect {} {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsymbol {} {} \directsymbol {} {} \disabledirectives [] \disabledirectives [] \disableoutputstream \disableoutputstream \disableregime \disabletrackers []</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed directcselect directsetbar directsetup directsymbol directsymbol directvspacing dis disabledirectives disablemode disableoutputstream disableparpositions disableregime	<pre>\depthstrut \DESCRIPTION [] {} \ \par \determineheadnumber [] \determineheadnumber [] \determinenoflines {} \determineregistercharacteristics [] [=] \digits {} \digits {} \digits {} \digits {} \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directconvertedcounter {} {} \directdirectdummyparameter {} \directdirectdirectdummyparameter {} \directgetboxllx \directgetboxllx \directgetboxlly {} \directluacode {} \directluacode {} \directluacode {} \directselect {} {} {} {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT OPT \directsetbar {} \</pre>
description:example determineheadnumber determinelistcharacteristics determinenoflines determineregistercharacteristics devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar directsymbol directsymbol directvypacing dis disabledirectives disablemode disableoutputstream disableparpositions disableregime disabletrackers	<pre>\depthstrut \DESCRIPTION [] {} \par \determineheadnumber [] \determinelistcharacteristics [] [=] \determinenoflines {} \determineregistercharacteristics [] [=] \devanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directdirectdummyparameter {} \directgetboxllx \directpetboxlly \directlocalframed [] {} \directlocalframed [] {} \directsetlect {} {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsetlectsetlect {} {} {} {} {} \directsymbol {} {} \directsymbol {} {} \disabledirectives [] \disabledirectives [] \disableoutputstream \disableoutputstream \disableregime \disabletrackers []</pre>

distributedhsize	\distributedhsize {} {} {}
dividedsize	\dividedsize \{\} \\\.\}
	\doadaptleftskip {}
doadaptleftskip	
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {}
docheckassignment	\docheckassignment {}
docheckedpagestate	$\label{local-dochecked-page-state} $$ \ {\ldots} {\ldots} {\ldots} {\ldots} {\ldots} {\ldots} $$$
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ [] []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
_	\dodoubleempty \ []
dodoubleempty	
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {} {}
	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallcommonelse	
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifblackelse	\doifblackelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled {} {} {}
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse \{\} \{\}
	\doifcommandhandler \ \{\}
doifcommandhandler	
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {} {}
doifcommonelse	\doifcommonelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse $\{\}$ $\{\}$ $\{\}$
doifcounter	\doifcounter {} {}
doifcounterelse	\doifcounterelse {} {}
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse {} {} {}
doifdefined	\doifdefined \{\ldots\} \\\
doifdefinedcounter	\doifdefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse {} {}
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseassignment	\doifelseassignment \{\ldots\} \{\ldots\}
doifelseblack	$\doing \{\}\ \{\}$
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache $\{\}$ $\{\}$ $\{\}$
doifelsebuffer	\doifelsebuffer {} {}
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon \{\} \{\} \{\}
AOTI CIBECOMMON	// / / / / / / / / / / / / / / / / / /

doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\}
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsecounter	\doifelsecounter {} {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \{\ldots\} \\
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown \{\ldots\} \{\ldots\}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedefinedcounter	\doifelsedefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedimension	\doifelsedimension $\{\ldots\}$ $\{\ldots\}$
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \{\ldots\}
doifelsedocumentargument	\doifelsedocumentargument {} {} {}
doifelsedocumentfilename	\doifelsedocumentfilename $\{\ldots\}$ $\{\ldots\}$
doifelsedrawingblack	\doifelsedrawingblack \{\} \{\}
doifelseempty	\doifelseempty $\{\}$ $\{\}$
doifelseemptyvalue	\doifelseemptyvalue $\{\}$ $\{\}$
doifelseemptyvariable	\doifelseemptyvariable $\{\}$ $\{\}$ $\{\}$
doifelseenv	\doifelseenv \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefastoptionalcheck	\doifelsefastoptionalcheck $\{\ldots\}$ $\{\ldots\}$
doifelsefastoptionalcheckcs	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody {} {}
doifelsefieldcategory	\doifelsefieldcategory $\{\}$ $\{\}$
doifelsefigure	\doifelsefigure \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefile	\doifelsefile $\{\}$ $\{\}$
doifelsefiledefined	\doifelsefiledefined $\{\}$ $\{\}$
doifelsefileexists	\doifelsefileexists {} {}
doifelsefirstchar	\doifelsefirstchar $\{\}$ $\{\}$ $\{\}$
doifelseflagged	\doifelseflagged {} {} {}
doifelsefontchar	\doifelsefontchar $\{\}$ $\{\}$ $\{\}$
doifelsefontfeature	\doifelsefontfeature \{\ldots\} \{\ldots\}
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \{\ldots\} \{\ldots\}
doifelsefontsynonym	\doifelsefontsynonym {} {} {}
doifelsehasspace	\doifelsehasspace {} {} {}
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname $\{\}$ $\{\}$ $\{\}$
doifelseinelement	\doifelseinelement {} {} {}
doifelseinputfile	\doifelseinputfile $\{\}$ $\{\}$
doifelseinsertion	\doifelseinsertion $\{\ldots\}$ $\{\ldots\}$
doifelseinset	\doifelseinset $\{\}$ $\{\}$ $\{\}$
doifelseinstring	\doifelseinstring $\{\}$ $\{\}$ $\{\}$
doifelseinsymbolset	\doifelseinsymbolset $\{\}$ $\{\}$ $\{\}$
doifelseintoks	\doifelseintoks $\{\}$ $\{\}$ $\{\}$
doifelseintwopassdata	$\doing \doing $
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage $\{\}$ $\{\}$
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined $\{\ldots\}$ $\{\ldots\}$
doifelselayoutsomeline	\doifelselayoutsomeline $\{\ldots\}$ $\{\ldots\}$
doifelselayouttextline	\doifelselayouttextline $\{\ldots\}$ $\{\ldots\}$
doifelseleapyear	\doifelseleapyear $\{\}$ $\{\}$
doifelselist	\doifelselist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselocation	\doifelselocation {} {}
doifelselocfile	\doifelselocfile {} {}
doifelseMPgraphic	\doifelseMPgraphic {} {}
doifelsemainfloatbody	\doifelsemainfloatbody $\{\ldots\}$
doifelsemarkedpage	\doifelsemarkedpage \{\ldots\} \{\ldots\}
doifelsemarking	\doifelsemarking \{\ldots\} \{\ldots\}
doifelsemeaning	\doifelsemeaning \ \ \ \}
doifelsemessage	\doifelsemessage $\{\}$ $\{\}$ $\{\}$
doifelsemode	\doifelsemode $\{\}$ $\{\}$
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional {} {}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis $\{\ldots\}$
doifelsenonzeropositive	\doifelsenonzeropositive $\{\ldots\}$ $\{\ldots\}$
doifelsenoteonsamepage	\doifelsenoteonsamepage $\{\ldots\}$ $\{\ldots\}$
doifelsenothing	\doifelsenothing $\{\ldots\}$ $\{\ldots\}$
doifelsenumber	\doifelsenumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectfound	\doifelseobjectfound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseobjectreferencefound	\doifelseobjectreferencefound $\{\}$ $\{\}$ $\{\}$

doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat {} {}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \{\ldots\}
doifelseolderversion	\doifelseolderversion $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseoverlapping	\doifelseoverlapping $\{\}$ $\{\}$ $\{\}$
doifelseoverlay	\doifelseoverlay $\{\ldots\}$ $\{\ldots\}$
doifelseparallel	\doifelseparallel $\{\}$ $\{\}$ $\{\}$
doifelseparentfile	\doifelseparentfile \{\ldots\} \{\ldots\}
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists \{\ldots\} \{\ldots\}
doifelsepatterns	\doifelsepatterns \{\ldots\} \{\ldots\}
doifelseposition	\doifelseposition \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsused	\doifelsepositionsused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsereferencefound	\doifelsereferencefound \{\ldots\} \{\ldots\}
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox \{\} \{\}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesamestring	\doifelsesamestring \{\ldots\} \\\ \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesetups	\doifelsesetups \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomebackground doifelsesomespace	\doifelsesomebackground \{\ldots\} \{\ldots\} \\doifelsesomespace \{\ldots\} \{\ldots\} \{\ldots\} \\doifelsesomespace \{\ldots\} \{\ldots\} \\dots\\}
doifelsesomething	\doifelsesomething \{\ldots\} \\\.\}
doifelsesometoks	\doifelsesometoks \ \{\} \{\}
doifelsestringinstring	\doifelsestringinstring \{\} \{\} \{\}
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber \{\ldots\} \\ \ldots\}
doifelsestructurelisthaspage	\doifelsestructurelisthaspage \{\ldots\} \\\
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \\ \\ \ldots\}
doifelsesymbolset	\doifelsesymbolset \{\ldots\} \\ \ldots\}
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow {} {} {}
doifelsetextflowcollector	\doifelsetextflowcollector {} {} {}
doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {}
doifelseundefined	\doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseurldefined	\doifelseurldefined \{\ldots\} \{\ldots\}
doifelsevalue	\doifelsevalue $\{\}$ $\{\}$ $\{\}$
doifelsevaluenothing	\doifelsevaluenothing $\{\ldots\}$ $\{\ldots\}$
doifelsevariable	\doifelsevariable $\{\}$ $\{\}$ $\{\}$
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse $\{\}$ $\{\}$
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariable	\doifemptyvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifemptyvariableelse	\doifemptyvariableelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse \{\} \{\}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffieldcategoryelse doiffigureelse	\doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\ \ldots\}
doiffileelse	\doiffileelse {} {} {}
doiffileexistselse	\doiffileexistselse {} {} {}
doiffirstcharelse	\doiffirstcharelse \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifflaggedelse	\doifflaggedelse {} {}
doiffontcharelse	\doiffontcharelse \{\} \{\} \{\}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \{\ldots\}
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \{\ldots\}
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse {} {} {}
doifinelementelse	\doifinelementelse $\{\}$ $\{\}$
doifinputfileelse	\doifinputfileelse $\{\}$ $\{\}$
doifinsertionelse	\doifinsertionelse \{\ldots\} \{\ldots\}

J.:¢:	\4-:#:+ [] [] []
doifinset	\doifinset \{\} \{\} \\doifinsetelse \{\} \{\} \{\}
doifinsetelse	
doifinstring doifinstringelse	\doifinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset	\doifinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintokselse	\doifintokselse \{\} \{\} \{\}
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifitalicelse	\doifitalicelse \{\} \{\}
doiflanguageelse	\doiflanguageelse {} {} {}
doiflayerdataelse	\doiflayerdataelse {} {} {}
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \\\.\}
doifleapyearelse	\doifleapyearelse {} {}
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {}
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifmeaningelse	\doifmeaningelse \ \ {} {}
doifmessageelse	\doifmessageelse {} {} {}
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse {} {} {}
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse {} {}
doifnextparenthesiselse	\doifnextparenthesiselse {} {}
doifnonzeropositiveelse	\doifnonzeropositiveelse {} {} {}
doifnot	\doifnot {} {} {}
doifnotallcommon	\doifnotallcommon {} {} {}
doifnotallmodes	\doifnotallmodes \{\ldots\} \{\ldots\}
doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon $\{\}$ $\{\}$
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	\doifnotdocumentfilename {} {}
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue $\{\}$
doifnotemptyvariable	\doifnotemptyvariable $\{\ldots\}$ $\{\ldots\}$
doifnotenv	\doifnotenv \{\} \{\}
doifnoteonsamepageelse	\doifnoteonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifnotescollected	\doifnotescollected \{\ldots\} \\\
doifnotfile	\doifnotfile \{\ldots\} \\\
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotmode	\doifnotmode \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotnumber	\doifnotnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsamestring	\doifnotsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotsetups	\doifnotsetups \{\ldots\}
doifnotvalue	\doifnotvalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotvariable	\doifnotvariable \{\ldots\} \\\.\\
doifnumber	\doifnumber \{\ldots\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectreferencefoundelse doifoddpageelse	\doifoddpagaalsa { } {} {} {}
doifoddpagefloatelse	\doifoddpageelse {} {} \doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \{\ldots\}
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlappingelse	\doifourlappingelse \{\\} \{\\} \{\\}
doifoverlayelse	\doifoverlappingerse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparallelelse	\doifoverlayelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifparentfileelse	\doifparantelelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
aolipai onolilioolbo	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse {} {}

doifpathexistselse	\doifpathexistselse $\{\}$ $\{\}$
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition $\{\}$ $\{\}$
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\doifpositionactionelse $\{\}$ $\{\}$
doifpositionelse	\doifpositionelse \{\ldots\} \\\.\\
doifpositiononpageelse	\doifpositiononpageelse $\{\}$ $\{\}$ $\{\}$
doifpositionsonsamepageelse	\doifpositionsonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {} {}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse {} {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse {} {} {}
doifsamestring	\doifsamestring {} {}
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<u> </u>	\doifsomespaceelse \{\doifsomespaceelse \{\doifsome
doifsomespaceelse	
doifsomething	\doifsomething \{\ldots\}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse \{\dots\} \\\.\
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsymbolsetelse	\doifsymbolsetelse {} {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiftextflowelse	\doiftextflowelse {} {}
doiftopofpageelse	\doiftopofpageelse {} {}
doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined {} {}
doifundefinedcounter	\doifundefinedcounter {} {}
doifundefinedelse	\doifundefinedelse {} {}
doifunknownfontfeature	\doifunknownfontfeature \{\ldots\} \{\ldots\}
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse {} {} {}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse {} {} {}
doifvaluesomething	\doifvaluesomething {} {}
doifvariable	\doifvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvariableelse	\doifvariableelse {} {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\donagitionsetics ()
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \{\} \{\} \{\}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse \{\} \{\}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\doresetattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute {} {}

	N 6. 2.
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ \{\}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
. •	
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged \{\dostarttagged \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dostepwiserecurse	\dostepwiserecurse {} {} {}
dosubtractfeature	\dosubtractfeature {}
dot	\dot {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\downline \(\cdot \) \(\cdot
dowithnextbox	\dowithnextbox \{\} \ \{\}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\ldots\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange {} \
dowithwargument	\dowithwargument \
dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
	\EveryLine {}
EveryLine	· · · · · · · · · · · · · · · · · · ·
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elapsedseconds	\elapsedseconds
elapsedtime	\elapsedtime
em	\em
	\emphasisboldface
emphasisboldface	-
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
-	
enspace	\enspace
enumeration:example	\ENUMERATION [] {} \par
env .	\env {}
environment	\environment []
environment:string	\environment
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
· · · · · · · · · · · · · · · · · · ·	······································

expandcheckedcsname	\expandcheckedcsname \ {} {}
expanded	\expanded {}
expandeddoif	\expandeddoif {} {} {}
expandeddoifelse	\expandeddoifelse {} {} {}
expandeddoifnot	\expandeddoifnot {} {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {} {}
expdoifcommonelse	\expdoifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {} {}
expdoifelseinset	\expdoifelseinset {} {} {}
expdoifinsetelse	\expdoifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
expdoifnot	\expdoifnot {} {} {}
externalfigure	\externalfigure [] []
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {} \externalfigurecollectionminheight {}
externalfigurecollectionminheight externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter	\externalfigurecollectionmanwidth \(\lambda \cdots \rightarrow \)
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings []
fetchallmarks	\fetchallmarks []
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
field	\field [] []
fieldbody	\fieldbody [] [=]
fieldstack	\fieldstack [] [=]
fifthoffivearguments	\fifthoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fifthofsixarguments	\fifthofsixarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight figurenaturalwidth	\figurenaturalheight \figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillinline	\fillinline [=]
fillinrules	\fillinrules [=] {} {}
fillintext	\fillintext [=] {} {}
fillupto	\fillupto [] {}

filterfromnext	\filterfromnext \{\ldots\} \{\ldo
filterfromvalue	\filterfromvalue $\{\ldots\}$ $\{\ldots\}$ $\{^{OPT}$ OPT OPT OPT OPT
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstinlist	\firstinlist []
	\firstoffivearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
_	\firstoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
<u> </u>	<u> </u>
<u> </u>	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
	\firstofsixarguments \{\ldots\} \
	\firstofthreearguments \{\ldots\} \{\ldots\} \{\ldots\}
firstofthreeunexpanded	\firstofthreeunexpanded $\{\}$ $\{\}$
firstoftwoarguments	\firstoftwoarguments {} {}
firstoftwounexpanded	\firstoftwounexpanded {} {}
firstrealpage	\firstrealpage
. •	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue [] []
firstsubpage	\firstsubpage
firstsubpagenumber	\firstsubpagenumber
	\firstuserpage
firstuserpagenumber	\firstuserpagenumber
	\fitfield [] [=]
	\fitfieldframed [=] {}
fittopbaselinegrid	\fittopbaselinegrid {}
fixedspace	\fixedspace
-	\fixedspaces
-	\flag {}
floatuserdataparameter	\floatuserdataparameter {}
_	\flushbox {} {}
flushboxregister	\flushboxregister
flushcollector	\flushcollector []
_	\flushedrightlastline
flushlayer	\flushlayer []
flushlocalfloats	\flushlocalfloats
flushnextbox	\flushnextbox
flushnotes	\flushnotes
flushoutputstream	\flushoutputstream []
flushshapebox	\flushshapebox
flushtextflow	\flushtextflow {}
flushtokens	\flushtokens []
flushtoks	\flushtoks \
fontalternative	\fontalternative
fontbody	\fontbody
fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
	\footnotetext [] {}
footnotetext:assignment	\footnotetext [=]
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
	\forgetparskip
forgetragged	\forgetragged
	\formula [] {}
formulanumber	\formulanumber []
foundbox	\foundbox {} {}
	\fourthoffivearguments \{\ldots\}
	\fourthoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthofsixarguments	\fourthofsixarguments $\{\}$ $\{\}$ $\{\}$ $\{\}$ $\{\}$
fraction:instance	\FRACTION {} {}
fraction:instance:binom	\binom {} {}

fraction:instance:dbinom	\dbinom {} {}
fraction:instance:dfrac	\dfrac {} {}
fraction:instance:frac	\frac {} {}
fraction:instance:sfrac	\sfrac {} {}
fraction:instance:tbinom	\tbinom {} {}
fraction:instance:xfrac	\xfrac {} {}
fraction:instance:xxfrac	\xxfrac {} {}
framed	\framed [=] {}
frameddimension	\frameddimension {}
framedparameter	\framedparameter {}
framedtext:instance	\FRAMEDTEXT [=] {}
framedtext:instance:framedtext	\framedtext [=] {}
framed:instance	\FRAMED [=] {}
framed:instance:fitfieldframed	\fitfieldframed [=] {}
framed:instance:unframed	\unframed [=] {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
from	\from []
fromlinenote	\fromlinenote [] {}
frozenhbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache {} {}
getboxllx	\getboxllx
getboxIIX	\getbox11x \getbox11y
getbuffer	\getbuffer []
getbufferdata	\getbufferdata []
getbuffer:instance	\getBUFFER
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek \{\ldots\} \{\ldots\} \\
getdayspermonth	\getdayspermonth \{\dots\}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getderinedburrer [] \getdocumentargument {}
getdocumentargumentdefault	\getdocumentargument \(\(\text{()}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getdocumentfilename	\getdocumentalgumentdelault \(\(\cdot\)\)
gerdocumentifiename	/gerdocumentillename ()
getdummunarameters	\getdummyparameters [=]
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
getemptyparameters geteparameters	\getemptyparameters [] [=] \geteparameters [] [=]
getemptyparameters geteparameters getexpandedparameters	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=]
getemptyparameters geteparameters getexpandedparameters getfiguredimensions	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=]
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] []
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] []
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromtwopassdata {} {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromtwopassdata {} {} \getfromtwopassdata {} {} \getflyphdirect {} {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromtwopassdata {} {} \getflyphdirect {} {} \getglyphstyled {} {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getgparameters [] [=]
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglypharameters [] [=] \getlasttwopassdata {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglaparameters [] [=] \getlasttwopassdata {} \getlasttwopassdata {} \getlocalfloat {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglaparameters [] [=] \getlasttwopassdata {} \getlocalfloat {} \getlocalfloats</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglaparameters [] [=] \getlasttwopassdata {} \getlocalfloats \getMPdrawing</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromtwopassdata {} {} \getfyphdirect {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {}</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getgparameters [] [=] \getlasttwopassdata {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {} \getmarking [] []</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {} \getmarking [] [] \getmessage {} \{}</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {} \getmarking [] [] \getmassage {} {} \getmamedglyphdirect {} {} \end{array} \] </pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getgarameters [] [=] \getlocalfloats \getlocalfloats \getMPdrawing \getMPdrawing \getMPlayer [] [] {} \getmessage {} {} \getnamedglyphdirect {} {} \getmandedglyphstyled {} {} \getnamedglyphstyled {} \end{array}</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {} \getmarking [] [] \getmassage {} {} \getmamedglyphdirect {} {} \end{array} \] </pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnamedtwopassdatalist	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [=] {} \getmarking [] [] [] \getmassage {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphaliset {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphaliset {} {} \getnameddlyphaliset</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloat getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnameddwopassdatalist getnaturaldimensions	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [] [] \getmessage {} {} \getnamedglyphdirect {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnaturaldimensions \getnoflines {}</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnameddlyphstyled getnameddlyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [] [] \getmarking [] [] {} \getmandedlyphdirect {} {} \getnamedglyphdirect {} {} \getnamedglyphstyled {} {} \getnameddlyphstyled {} {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobject {} {} \</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnamedglyphstyled getnamedglyphstyled getnameddwopassdatalist getnaturaldimensions getnoflines getobject	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [] [] \getmessage {} {} \getnamedglyphdirect {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnaturaldimensions \getnoflines {}</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnamedglyphstyled getnameddlyphstyled getnameddlyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloat {} \getlocalfloat {} \getmarking [] [] [] \getmarking [] [] {} \getmandedlyphdirect {} {} \getnamedglyphstyled {} {} \getnamedglyphstyled {} {} \getnameddlyphstyled {} {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} \left\{} \left\{</pre>
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloats getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnameddlyphstyled getnameddlyphstyled getnameddlyphstyled getnameddlyphstyled getnameddlyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize	\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommacommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloat {} \getlocalfloats \getMPdrawing \getMPlayer [] [] {} \getmarking [] [] {} \getmandedlyphdirect {} {} \getnamedglyphdirect {} {} \getnamedglyphdirect {} {} \getnameddlyphstyled {} {} \getnameddlyphstyled {} {} \getnaturaldimensions \getnoflines {} \getobject {} {} \getobjectdimensions {} {} \getobjectdimensions {}
getemptyparameters geteparameters getexpandedparameters getfiguredimensions getfirstcharacter getfirsttwopassdata getfromcommacommand getfromcommalist getfromtwopassdata getglyphdirect getglyphstyled getgparameters getlasttwopassdata getlocalfloat getlocalfloat getMPdrawing getMPlayer getmarking getmessage getnamedglyphdirect getnamedglyphstyled getnameddlyphstyled getnameddlyphstyled getnameddlyphstyled getnameddlyphstyled getnamedtwopassdatalist getnaturaldimensions getnoflines getobject getobjectdimensions getpaletsize getparameters	<pre>\getemptyparameters [] [=] \geteparameters [] [=] \getexpandedparameters [] [=] \getfiguredimensions [] [=] \getfirstcharacter {} \getfirsttwopassdata {} \getfromcommand [] [] \getfromcommalist [] [] \getfromtwopassdata {} {} \getglyphdirect {} {} \getglyphstyled {} {} \getglasttwopassdata {} \getlocalfloats \getMPdrawing \getMPdrawing \getMPlayer [] [] {} \getmarking [] [] {} \getnamedglyphdirect {} {} \getnamedglyphdirect {} {} \getnamedglyphstyled {} {} \getnamedfloats \getn</pre>

getrandomcount	\getrandomcount \ {} {}
getrandomdimen	\getrandomicounit \ \\ \ \\ \\ \\ \\ \\ \\ \\ \\ \\
getrandomfloat	\getrandomfloat \ {} {}
getrandomnumber	\getrandomnumber \ \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {} \getvariabledefault {} {}
getvariabledefault	
getxparameters globaldisablemode	\getxparameters [] [=] \globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
gobblefivearguments	\gobblefivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments {} {} {} {} {} {} {} {} {
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments gobblespacetokens	\gobblesixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobbletenarguments \{\ldots\} \{\ldots\} \{\ldots\}
gobblethreeoptionals	\gobblethreeargaments () () \gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
godown	\godown []
goto	\goto {} []
gotobox	\gotobox {} []
gotopage	\gotopage {} []
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect {} {} {}
grabuntil	\grabuntil {} \
grave	\grave {}
graycolor	\graycolor [] {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
grid	\grid [=]
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}

gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairline	\hairline
hairspace	\hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
	\halfwaybox {}
halfwaybox	•
handletokens	\handletokens \with \
handwritten	handwritten
hash	hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumber	\headnumber [] []
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headybox	\headvbox {}
headwidth	\headwidth
	• • • • • • • • • • • • • • • • • • • •
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext \{\ldots\} \{\ldots\} \{\ldots\}
helptext	\helptext [] {} {}
help:instance	\HELP [] {} {}
help:instance:helptext	\helptext [] {} {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
hideblocks	\hideblocks [] []
high	\high {}
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
high:instance	\HIGH {}
high:instance:unitshigh	\unitshigh {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction	\hsizefraction \{\ldots\} \{\ldots\}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\htofstring {}
hyphen	\hyphen
- -	
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi

iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
immediatesavetwopassdata	$\int \sum_{i=1}^{n} \{\} \{\} \{\}$
impliedby	\impliedby
implies	\implies
in	\in {} {} []
includemenu	\includemenu []
includeversioninfo	\includeversioninfo {}
increment	\increment \
incrementcounter	\incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber incrementvalue	\incrementsubpagenumber
	\incrementvalue {} \increment ()
increment:argument indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inframed	\inframed [=] {}
infull	\infull {}
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inline	\inline {} []
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
insertpages	\insertpages [] [=]
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \\
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	\installbasicautosetuphandler \ \\
installbasicparameterhandler installbottomframerenderer	\installbasicparameterhandler \ \{\} \installbottomframerenderer \{\} \{\}
installcommandhandler	\installcommandhandler \ \\
installcorenamespace	\installcorenamespace \{\dots\}
installdefinehandler	\installdefinehandler \ \\
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ {}
installdirectsetuphandler	\installdirectsetuphandler \ {}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ {}
installframedautocommandhandler	\installframedautocommandhandler \ \\
installframedcommandhandler	\installframedcommandhandler \ {} \
installglobalmacrostack	\installglobalmacrostack \
installlanguage	\installlanguage [] [=]
installlanguage:name	\installlanguage [] []
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}

installparameterhandler	\installparameterhandler \ {}
installparameterhashhandler	\installparameterhashhandler \ {}
installparametersethandler	\installparametersethandler \ {}
installparentinjector	\installparentinjector \ {}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\}
installsetuphandler	\installsetuphandler \ \{\}
•	
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{\} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\
installstyleandcolorhandler	\installstyleandcolorhandler \ \{\}
installswitchcommandhandler	\installswitchcommandhandler \ \} \
installswitchsetuphandler	\installswitchsetuphandler \ \{\}
installtexdirective	\installtexdirective {} {} {}
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\dots\} \\\
integerrounding	\integerrounding {}
interactionbar	\interactionbar [] [=]
interactionbuttons	\interactionbuttons [=] []
interactionmenu	\interactionmenu [] [=]
intertext	\intertext {}
invokepageheandler	\invokepageheandler {} {}
istltdir	\istltdir
istrtdir	\istrtdir
italic	\italic
italicbold	\italicbold
	·
italiccorrection	\italiccorrection
italicface	\italicface
item	\item []
items	\items [=] {}
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keepblocks	\keepblocks [] []
-	\keeplinestogether {}
keeplinestogether	
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
	\LUAJITTEX
LUAJITTEX	·
LUATEX	LUATEX
Lua	\Lua
LuajitTeX	\LuajitTeX
LuaTeX	\LuaTeX
labellanguage:instance	\LABEL1anguage
labellanguage:instance:btxlabel	\btxlabellanguage
labellanguage:instance:head	\headlanguage
labellanguage:instance:label	\labellanguage
labellanguage:instance:mathlabel	\mathlabellanguage
labellanguage:instance:operator	\operatorlanguage
labellanguage:instance:prefix	\prefixlanguage
labellanguage:instance:suffix	\suffixlanguage
labellanguage:instance:taglabel	\taglabellanguage
labellanguage:instance:unit	\unitlanguage
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
labeltext:instance	\LABELtext {}
labeltext:instance:btxlabel	
TUDGI GEVO. THE GUICE. NOVIUNET	\btxlabeltext {}

labeltext:instance:head	\headtext {}
labeltext:instance:label	\labeltext {}
labeltext:instance:mathlabel	\mathlabeltext {}
labeltext:instance:operator	\operatortext {}
labeltext:instance:prefix	\prefixtext {}
labeltext:instance:suffix	\suffixtext {}
labeltext:instance:taglabel	\taglabeltext {}
labeltext:instance:unit	\unittext {}
label:example	\LABEL [] {}
language	\language []
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
language:example	\LANGUAGE
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht	\lastnaturalboxht
lastnaturalboxwd	\lastnaturalboxwd
lastpredefinedsymbol	\lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpage	\lastsubpage
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
-	\lbox {}
lbox	\IDUX 1r
left	\left
	\left \leftaligned {}
left leftaligned	<pre>\left \leftaligned {} \leftbottombox {}</pre>
left leftaligned leftbottombox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {}</pre>
left leftaligned leftbottombox leftbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {}</pre>
left leftaligned leftbottombox leftbox lefthbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtext {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtext {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {} \leftmathlabeltext {} \leftline {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthbox {} \lefthabeLtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {} \leftnine {} \leftorrighthbox {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox leftorrightvtop</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {} \leftrathlabeltext {} \leftorrighthbox {} \leftorrightybox {} \leftorrightvtop {}</pre>
<pre>left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox</pre>	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthabeLtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {} \leftorrighthbox {} \leftorrightvbox {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \lefthabeltext {} \lefthabeltext {} \leftmathlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttorpbox {} \lefttorpight</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorighthbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorighthbox {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttorightbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright\loox {} \lefttoright\loox {} \lefttoright\loox {} \lefttoright\loox {} \lefttorightvtop {} \lefttoright\loox {} \lefttorightvtop {} \le</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorighthbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorighthbox {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright\loox {} \lefttoright\loox {} \lefttoright\loox {} \lefttorightvtop {</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttorightlemot	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \leftorright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvtorightvtop {} \lefttorightvtorightvtop {} \lefttorightvtorightvtop {} \lefttorightvtorightvtop {} \lefttorightvtorightvtop {} \lefttorightvt</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttoright lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtext {} \leftheadtext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright\loox {} \lefttorightvtop .</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttoright lefttorightbox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \leftbox {} \leftLABELtext {} \leftlabeltext {} \leftlabeltext {} \leftlabeltext {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright \lefttorightvtop {} \lefttorightvtop \lefttorightvtop</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttoright leftcorightbox lefttoright leftcorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthadtext {} \lefthadtext {} \lefthadtext {} \leftmathlabeltext {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \lefttorphox {} \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvtop \lefttorightvtop</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttoright lefttoright lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \leftbox {} \leftbox {} \lefthbox {} \leftheadtext {} \leftheadtext {} \lefthabeltext {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvop {} \lefttorightvop \csname \endcsname \letcsnamecs \csname \endcsname \csname \endcsname \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightvbox lefttorightbox lefttoright lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \leftbox {} \leftbox {} \lefthbox {} \leftheadtext {} \leftheadtext {} \lefthabeltext {} \leftmathlabeltext {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \leftshipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright\lox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop i {} \lefttorightvtop i {} \lefttorightvtop i {} \lefttorightvtop i {} \lettorightvtop i {} \lettscaname { \csname i \csname \csname \csname \csname i \endcsname \lettsname \csname \csname \csname i \endcsname \lettsname \lettsname \leftsname \leftsname \leftsname \left</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttorightbox lefttoright leftsubguillemot leftsubguillemot leftsubguillemot lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftbox {} \leftbox {} \leftbox {} \lefthbox {} \leftheadtext {} \leftheadtext {} \lefthabeltext {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \lefttorightvop {} \lefttorightvop \csname \endcsname \letcsnamecs \csname \endcsname \csname \endcsname \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightvbox lefttorightbox lefttoright leftcorightbox lefttoright leftcorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {.</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\left \leftaligned {} \leftbottombox {} \leftbox {} \leftorrightbox {} \leftorrightvtop {} \leftbox {} \lefttoright \lefttoright \lefttoright {} \lefttoright {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \leftbox {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightpox lefttorightpo	<pre>\left \leftaligned {} \leftbotx {} \leftbox {} \leftorrightbox {} \leftorrightvop {} \leftbox {} \lefttoright {} \lefttoright \lefttoright {} \leftscaname {} \csname \left {} \leftscaname {} \csname \left {} \left {}</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttoright lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightvop lettseundefined letcatcodecommand letcssname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax letterampersand	<pre>\left \leftaligned {} \leftbox {} \leftcorrightbox {} \leftcorrightvop {} \leftcorrightvop {} \leftbox {} \lefttoright \lefttoright {} \lefttoright {} \lefttoright {} \lefttoright {} \lefttoright {} \lefttoright {} \leftcorright {} \leftcorright {} \leftcorright {} \leftbox {} \leftcorright {} \leftcorright {} \leftbox {} \leftbox {} \leftbox {} \leftbox {} \leftcorright {} \leftcor</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance:head leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvop leftskipadaption leftsubguillemot lefttopbox lefttoright lefttorightbox lefttorightvop lettstorightvop lettstorightvop lettstorightvop lettseundefined letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecs letcspty letgvalue letgvalueempty letgvalurelax letterampersand letterat	<pre>\left \leftaligned {} \leftbotx forms {} \leftbox {} \leftcorrightbox {} \leftorrightvop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorightbox {} \lefttoright \leftbox {} \lefttorightvop {} \lefttorightvop {} \leftcorightvop {} \leftcordecommand \ \ \ \lettcondecommand \ \ \</pre>
left leftaligned leftbottombox leftbox lefthbox leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightvop lettsubguillemot leftsubguillemot lefttorightbox lefttorightvop letteconame letcatcodecommand letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecs letcyalue letgvalueempty letgvalurelax letterampersand letterat letterbackslash	<pre>\left \leftaligned {} \leftbottombox {} \leftbotx {} \leftbox {} \leftlabeltext {} \leftcorrightbox {} \leftorrightbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorightbox {} \lefttorightbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \leftcodecommand \ \ \ \lettcscname \ \csname \endcsname \lettcscname \ \csname \endcsname \lettcsnamecs \csname \endcsname \ \lettcsnamecsname \ \csname \endcsname \ \lettcsnamecsname \ \endcsname \ \endcsname \lettcyalueempty \ \letterampersand \letterat \letterampersand \letterat \letterbackslash</pre>

letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterescape \letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
_	
letterrightbracket	\letterrightbracket
letterrightparenthesis	letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline \{\ldots\} \{\ldots\} \{\ldots\}
limitatelines	\limitatelines $\{\}$ $\{\}$
limitatetext	\limitatetext {} {} {}
limitatetext:list	$\left\{ \ldots \right\} \left\{ \ldots \right\}$
line	\line {}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext {} {} {}
linewidth	\linewidth
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=]
listcite	\listcite [=] []
listcite:alternative	
	\listcite [] []
listcite:userdata	\listcite [] [] \listcite [=] [=]
listcite:userdata listlength	
	\listcite [=] [=]
listlength	\listcite [=] [=] \listlength
listlength listnamespaces llap	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {}</pre>
listlength listnamespaces llap loadanyfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadbtxreplacementfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadbtxreplacementfile [] \loadcldfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfileonce	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadctxreplacementfile loadcldfile loadcldfileonce loadfontgoodies	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadctxreplacementfile loadcldfile loadcldfileonce loadfontgoodies loadluafile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfontgoodies [] \loadluafile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafileonce	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafile [] \loadluafile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadctxreplacementfile loadcldfile loadcldfileonce loadfontgoodies loadluafile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfontgoodies [] \loadluafile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafileonce	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafile [] \loadluafile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafileonce loadspellchecklist	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafile [] \loadspellchecklist [] []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafileonce loadspellchecklist loadtexfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadluafileonce [] \loadspellchecklist [] [] \loadstexfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadctxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafileonce loadspellchecklist loadtexfile loadtexfile	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadluafile [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfile []</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadctreplacementfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfileonce loadspellchecklist loadtexfile loadtexfileonce loadtypescriptfile localframed	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadtypescriptfile [] \loadframed [] [=] {}</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtramed	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadtypescriptfile [] \localframed [] [=] {} \localframedwithsettings [] [=] {}</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadcldfileonce loadcldfileonce loadfontgoodies loadluafile loadluafileonce loadspellchecklist loadtexfile loadtexfile loadtexfile loadtexfileonce loadspescriptfile localframed localframed	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafile [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtypescriptfile [] \localframed [] [=] {} \localframedwithsettings [] [=] {} \localhsize</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfileonce loadspescriptfile localframed localframed localframedwithsettings localhsize localpopbox	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadfontgoodies [] \loadluafile [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadspellchecklist loadtexfile loadtexfile loadtexfile loadtramed localframed localframed localfpopbox localpopmacro	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox \localpopmacro \</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtpescriptfile localframed localframed localframedvithsettings localpopbox localpopbox	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox \localpopmacro \ \localpushbox \localpushbox \localpushbox</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadcldfileionce loadcldfileonce loadfontgoodies loadluafile loadluafile loadluafileonce loadspellchecklist loadtexfile loadtexfile loadtexfileonce loadspescriptfile localframed localframed localframed localframedrocelocalpopbox localpopbox localpushbox localpushmacro	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadcldfileonce [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox \localpophacro \ \localpushbox \localpushmacro \</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfilesonce loadspellchecklist loadtexfile localframed localframed localframedvithsettings localhsize localpopbox localpopbox localpushbox localpushmacro localundefine	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadluafileonce [] \loadluafileonce [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadtypescriptfile [] \localframed [] [=] {} \localpobox \localpophox \localpushbox \localpushmacro \ \localpushmacro \ \localundefine {}</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadcldfileionce loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfileonce loadspellchecklist loadtexfile loadtexfileonce loadtypescriptfile localframed localframed localframedvithsettings localhsize localpopbox localpopbox localpushbox localpushmacro localundefine locatedfilepath	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadfontgoodies [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfile [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox \localpophox \localpushbox \localpushmacro \ \localundefine {} \localundefine {} \locatedfilepath</pre>
listlength listnamespaces llap loadanyfile loadanyfile loadbtxdefinitionfile loadbtxreplacementfile loadcldfile loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfile loadtexfilesonce loadspellchecklist loadtexfile localframed localframed localframedvithsettings localhsize localpopbox localpopbox localpushbox localpushmacro localundefine	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadfontgoodies [] \loadluafileonce [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfileonce [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpobox \localpophox \localpushbox \localpushmacro \ \localundefine {} \locatedfilepath \locatefilepath {}</pre>
listlength listnamespaces llap loadanyfile loadanyfileonce loadbtxdefinitionfile loadcldfileionce loadcldfile loadcldfileonce loadfontgoodies loadluafile loadluafile loadtexfileonce loadspellchecklist loadtexfile loadtexfileonce loadtypescriptfile localframed localframed localframedvithsettings localhsize localpopbox localpopbox localpushbox localpushmacro localundefine locatedfilepath	<pre>\listcite [=] [=] \listlength \listnamespaces \llap {} \loadanyfile [] \loadanyfileonce [] \loadbtxdefinitionfile [] \loadcldfile [] \loadcldfile [] \loadcldfileonce [] \loadfontgoodies [] \loadluafile [] \loadluafileonce [] \loadspellchecklist [] [] \loadtexfile [] \loadtexfile [] \loadtexfileonce [] \loadframed [] [=] {} \localframedwithsettings [] [=] {} \localpopbox \localpophox \localpushbox \localpushmacro \ \localundefine {} \localundefine {} \locatedfilepath</pre>

lohi	\lohi [] {}
lomihi	\lomihi {} {} {}
low	\low {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {}
lowmidhigh:instance	\LOWMIDHIGH \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
low:instance low:instance:unitslow	\LOW {} \unitslow {}
1rtbbox	\langle \langl
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	luaversion
METAFONT	METAFONT
METAFUN	METAFUN
METAPOST	METAPOST
MetaFont	\MetaFont
MetaFun MetaPost	\MetaFun
MKII	\MetaPost \MKII
MKIV	\MKIV
MKIX	\MKIX
MKVI	\MKVI
MKXI	\MKXI
MONTH	\MONTH {}
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd-noving {
MPfontaigehalin	\MPdrawing {} \MPfontsizehskip {}
MPfontsizehskip MPgetmultipars	\MPgetmultipars \{\ldots\right\}
MPgetmultishape	\MPgetmultishape \{\ldots\} \\\.\}
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons {}
MPn	\MPn {}
MPoptions	\MPoptions {}
MP- MP-	\MP- ()
MPp MPno mo	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}

MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic \{\ldots\} \{\ldots=\ldots\}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
mainlanguage	\mainlanguage []
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
marking	\marking (,) (,) []
markinjector	\markinjector []
-	\markpage [] []
markpage	\markpage [] [] \mat {}
mat math	\math [] {}
	\mathbf
mathbf	
mathbi	\mathbi
mathblackboard	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND \{\ldots\}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE \{\ldots\} \\\
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace {} {}
mathdoubleextensible:instance:doublebracket	\doublebracket {} {}
mathdoubleextensible:instance:doubleparent	\doubleparent {} {}
$\verb math double extensible: \verb instance : overbarunder bar $	\overbarunderbar {} {}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {} {}
$\verb math double extensible: \verb instance: overbracket underbracket $	\overbracketunderbracket $\{\ldots\}$ $\{\ldots\}$

mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathematics	\mathematics [] {}
mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	\mhookleftarrow {} {}
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	$\mbox{\colored} \mbox{\colored} \color$
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	$\mbox{mrightharpoondown } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightharpoonup	$\mbox{mrightharpoonup } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightleftharpoons	$\mbox{mrightleftharpoons } \{\ldots\} \ \{\ldots\}$
mathextensible:instance:mrightoverleftarrow	$\mbox{\mbox{$\mbox{mrightoverleftarrow} $\{\ldots\}$} \ \$
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	$\mbox{$\mathbb{1}$}$
mathextensible:instance:mtwoheadrightarrow	$\mbox{$\$
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	$\t = \{\ldots\}$
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleftharpoondown {} {}
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}

mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix	\MATHMATRIX {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] \{\}
mathunderextensible:example	\MATHUNDEREXTENSIBLE \{\ldots\}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE \{\ldots\} \{\ldots\}
mathunstacked:example	\mathupright
mathupright mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwords1 {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menubutton: button	\menubutton [=] {} {}
menubutton:interactionmenu	\menubutton [] [=] {} {}
message	\message {}
metaTeX	\metaTeX
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
midaligned	\midaligned {}
middle	\middle
middlealigned	\middlealigned {}

niddlebox	\middlebox {}
nidhbox	\midhbox {}
nidsubsentence	\midsubsentence
ninimalhbox	\minimalhbox {}
nirror	\mirror {}
nixedcaps	\mixedcaps {}
nkvibuffer	\mkvibuffer []
noduleparameter	\moduleparameter {} {}
nolecule	\molecule {}
nono	\mono
nonobold	\monobold
nononormal	\mononormal
nonth	\month {}
	\monthlong {}
•	\monthshort {}
	\mprandomnumber
-	\mtext {}
	\NormalizeFontHeight \ {} {} {}
	\NormalizeFontWidth \ \{\} \{\}
	\NormalizeTextHeight {\dots\} {\dots\} {\dots\}
<u> </u>	\NormalizeTextWidth {} {}
	\Numbers {}
	\namedheadnumber {}
	\namedstructureheadlocation {}
	\namedstructureuservariable {} {}
	\namedstructurevariable \{\dots\} \\\\
	\namedtaggedlabeltexts \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\naturalhbox {}
	\naturalhpack {} \naturalvbox {}
	\naturalvcenter {}
	\naturalvpack {}
	\naturalvtop {}
	\naturalwd
	\negatecolorbox
_	\negated {}
9 -	\negemspace
	\negenspace
9 -	\negthinspace
	\newattribute \
	\newcatcodetable \
	\newcounter \
•	\newevery \ \
	\newfrenchspacing
newmode	\newmode {}
•	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\nextPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
	\nextsubpage
nextsubpagenumber	\nextsubpagenumber
. •	\nextuserpage
. •	\nextuserpagenumber
	\nocharacteralign
•	\nocitation []
	\nocitation {}
	\nocite []
	\nocite {}
	\nodetostring \ \{\}
	\noffigurepages
0 1 0	\noflines

noflocalfloats	\noflocalfloats
noheaderandfooterlines	\noheaderandfooterlines
noheightstrut	\noheightstrut
noindentation	\noindentation
noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
normal	\normal
normalboldface	\normalboldface
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \\\} \normalizefontheight \\ \\\} \\\} \\\}
normalizefontheight normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
normalizetextline	\normalizetextline {} {}
normalizetextwidth	\normalizetextwidth {} {} {}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nospace	\nospace
note	\note [] []
notesymbol	\notesymbol []
note:instance	\NOTE [] {}
note:instance:assignment	\NOTE [=]
note:instance:assignment:endnote	\endnote [=]
note:instance:assignment:footnote	\footnote [=]
note:instance:endnote	\endnote [] {}
note:instance:footnote	\footnote [] \{\}
notopandbottomlines	\notopandbottomlines
notragged	\notragged
notsmallcapped	\notsmallcapped {}
ntimes numberofpoints	<pre>\ntimes {} {} \numberofpoints {}</pre>
numbers	\numberofformits \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputgitename
outputstreambox outputstreamcopy	\outputstreambox [] \outputstreamcopy []
outputstreamunybox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlayimage	\overlayimage {}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []
overlaywidth overloaderror	\overlaywidth \overloaderror
OACTIOGRETIOI	/overtodderror

arramant.	
overset	\overset {} {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
<u> </u>	
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
page	\page []
	\pagearea [] []
pagearea	
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagenumber	\pagenumber
. •	
pagereference	\pagereference []
pagestaterealpage	\pagestaterealpage {} {}
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
•	\pdfbackendcurrentresources
pdfbackendcurrentresources	<u>•</u>
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\} \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
•	-
pdfbackendsetpageattribute	\pdfbackendsetpageattribute \{\ldots\} \{\ldots\}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
•	_ -
pdfTeX	\pdfTeX
percent	\percent
percentdimen	\percentdimen {} {}
periods	\periods []
periods:assignment	\periods [=]
permitcaretescape	\permitcaretescape
-	
	•
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitcircumflexescape \permitspacesbetweengroups
1	\permitcircumflexescape
permitspacesbetweengroups	\permitcircumflexescape \permitspacesbetweengroups
permitspacesbetweengroups persiandecimals persiannumerals	\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {}
permitspacesbetweengroups persiandecimals persiannumerals phantom	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecitation []</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecitation [] \placecombinedlist [] [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placecitation [] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=]</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placecitation [] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecomments placecurrentformulanumber placedbox	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecomments placecurrentformulanumber placedbox placefloat	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecitation [] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {} placefloat [] [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloatwithsetups	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecitation [] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] [] {} {} \placefloatefloatwithsetups [] [] [] {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] [] {} {} \placefloatefloatwithsetups [] [] [] {} {} \placeFLOAT [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \placefloatefloat [] [] {} {} \placeFLOAT [] [] {} {} \placechemical [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] [] {} {} \placefloatefloatwithsetups [] [] [] {} {} \placeFLOAT [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \persiannumerals {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \placefloatefloat [] [] {} {} \placeFLOAT [] [] {} {} \placechemical [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance placefloat:instance	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecitation [] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {} placefloat [] [] {} {} placeFLOAT [] [] {} {} placefigure [] [] {} {} placefigure [] [] {} {} placegraphic [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance placefloat:instance placefloat:instance placefloat:instance:chemical placefloat:instance:graphic placefloat:instance:intermezzo	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {} placefloat [] [] {} {} placefloatemical [] [] {} {} placefigure [] [] {} {} placegraphic [] [] {} {} placeintermezzo [] [] {} {}</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance:chemical placefloat:instance:graphic placefloat:instance:intermezzo placefloat:instance:intermezzo placefloat:instance:table	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {} placefloat [] [] {} {} placefloatefloatinelist [] [] {} placefloatinelist [] [] {.</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebookmarks placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombenedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance:chemical placefloat:instance:graphic placefloat:instance:graphic placefloat:instance:intermezzo placefloat:instance:table placefootnotes	<pre>\permitcircumflexescape \permitspacesbetweengroups \persiandecimals {} \phantom {} \phantom {} \phantombox [=] \pickupgroupedcommand {} {} {} \placeattachments \placebookmarks [] [] [=] \placebtxrendering [] [=] \placecombinedlist [] [=] \placeCOMBINEDLIST [=] \placecontent [=] \placecomments \placecurrentformulanumber \placedbox {} \placefloat [] [] {} {} \placefloatefloatinn [] [] {} {} \placefigure [] [] {} {} \placefigure [] [] {} {} \placeintermezzo [] [] {} {} \placetable [] [] {} {} \placetable [] [] {} {} \placefootnotes []</pre>
permitspacesbetweengroups persiandecimals persiannumerals phantom phantombox pickupgroupedcommand placeattachments placebtxrendering placecitation placecombinedlist placecombinedlist:instance placecombinedlist:instance:content placecomments placecurrentformulanumber placedbox placefloat placefloat:instance placefloat:instance placefloat:instance:chemical placefloat:instance:graphic placefloat:instance:intermezzo placefloat:instance:intermezzo placefloat:instance:table	<pre>permitcircumflexescape permitspacesbetweengroups persiandecimals {} persiannumerals {} phantom {} phantombox [=] pickupgroupedcommand {} {} {} placeattachments placebookmarks [] [] [=] placebtxrendering [] [=] placecombinedlist [] [=] placeCOMBINEDLIST [=] placecontent [=] placecomments placecurrentformulanumber placedbox {} placefloat [] [] {} {} placefloatefloatinelist [] [] {} placefloatinelist [] [] {.</pre>

placeframed	\placeframed [] [=] {}
placeheadnumber	\placeheadnumber []
placeheadtext	\placeheadtext []
placehelp	\placehelp
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelist	\placelist [] [=]
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalfootnotes	\placelocalfootnotes [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placeongrid	\placeongrid [] {}
placeongrid:list	\placeongrid [] {}
placeontopofeachother	\placeontopofeachother {} {}
placepagenumber	\placepagenumber
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\placePAIREDBOX [=] {} {}
placepairedbox:instance:legend	\placelegend [=] {} {}
placeparallel	\placeparallel [] [] []
placerawlist	\placerawlist [] [=]
placeregister	\placeregister [] [=]
placeregister:instance	\placeREGISTER [=]
placeregister:instance:index	\placeindex [=]
placerederingwindow	\placernderingwindow [] []
placesidebyside	\placesidebyside {} {}
placesubformula	\placesubformula [] {}
popattribute	\popattribute \
	\popmacro \
popmacro	\popmode []
popmode popsystemmode	\popsystemmode \{\ldots\}
	\position [=] (,) {}
position positionoverlay	\position \(\(\text{c}\) \(\text{c}\)
positionregionoverlay postponenotes	\positionregionoverlay {} {}
1 1	\postponenotes \predefinedfont []
<pre>predefinedfont predefinefont</pre>	\predefinedfont [] \predefinefont []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prependetoks	\prependetoks \to \
prependgvalue	\prependetoks \to \\ \prependgvalue \{\} \{\}
prependtocommalist	
	\prependtocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue \{\ldots\}
prerollblank	\prerollblank []
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtext [] [=.]
presetlabeltext:instance:btxlabel	\presetbtxlabeltext [] [=]
presetlabeltext:instance:head	\presetlebeltext [] [=]
presetlabeltext:instance:label	\presetlabeltext [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltext [] [=]
presetlabeltext:instance:operator	\presetoperatortext [] [=]
<pre>presetlabeltext:instance:prefix presetlabeltext:instance:suffix</pre>	\presetprefixtext [] [=] \presetsuffixtext [] [=]
Propostaboroono. Impodince. Burrin	/broponnatitynovn [] []

presetlabeltext:instance:taglabel	\presettaglabeltext [] [=]
presetlabeltext:instance:unit	\presetunittext [] [=]
pretocommalist	\pretocommalist \{\dots\} \\\
prettyprintbuffer	\prettyprintbuffer \{\ldots\}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpagenumber
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
processassignlist	\processassignlist [] \
processassignmentcommand	\processassignmentcommand [=] \
processassignmentlist	\processassignmentlist [=] \
processbetween	\processbetween {} \
processblocks	\processblocks [] [] [=]
processbodyfontenvironmentlist	\processbodyfontenvironmentlist \
processcolorcomponents	\processcolorcomponents {}
processcommacommand	\processcommacommand [] \
processcommalist	\processcommalist [] \
processcommalistwithparameters	\processcommalistwithparameters [] \
processcontent	\processcontent {} \
processfile	\processfile {}
processfilemany	\processfilemany {}
processfilenone	\processfilenone {}
processfileonce	\processfileonce {}
processfirstactioninset	\processfirstactioninset [] [,=>,]
processisolatedchars	\processisolatedchars {} \
processisolatedwords	\processisolatedwords {} \
processlinetablebuffer	\processlinetablebuffer []
processlinetablefile	\processlinetablefile {}
processlist	\processlist {} {} \
processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
processyear	\processyear {} {} {}
product	\product []
product:string	\product
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
program	\program []
project	\project []
project:string	\
P1-01-0-0-1-1-1-16	\project
pseudoMixedCapped	<pre>\project \pseudoMixedCapped {}</pre>
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoMixedCapped pseudoSmallCapped	\pseudoMixedCapped {} \pseudoSmallCapped {}
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped	\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {}
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages	\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \purenumber agents \pusharrangedpages \poparrangedpages
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped prenumber purenumber pusharrangedpages pushattribute	\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages	\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped prenumber purenumber pusharrangedpages pushattribute	\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] []</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor \pushendofline \popendofline</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable pushcolor pushendofline pushindentation	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor \pushendofline \popendofline \pushindentation \popindentation</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable pushcolor pushendofline pushindentation pushMPdrawing	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor \pushendofline \popendofline \pushindentation \popindentation \pushMPdrawing \popMPdrawing</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable pushcolor pushendofline pushindentation pushMPdrawing pushmacro	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor \pushendofline \popendofline \pushindentation \popindentation \pushMPdrawing \popMPdrawing \pushmacro \</pre>
pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped purenumber pusharrangedpages pushattribute pushbackground pushbar pushbutton pushcatcodetable pushcolor pushendofline pushindentation pushMPdrawing	<pre>\pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallcapped {} \pseudoSmallcapped {} \pseudosmallcapped {} \purenumber {} \pusharrangedpages \poparrangedpages \pushattribute \ \pushbackground [] \popbackground \pushbar [] \popbar \pushbutton [] [] \pushcatcodetable \popcatcodetable \pushcolor [] \popcolor \pushendofline \popendofline \pushindentation \popindentation \pushMPdrawing \popMPdrawing</pre>

pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix pushsystemmode	<pre>\pushreferenceprefix {} \popreferenceprefix \pushsystemmode {}</pre>
putboxincache	\putboxincache \{\ldots\} \\\.\
putnextboxincache	\putnextboxincache \{\} \\ \\\}
qquad	\qquad
quad	
quads	s []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
Romannumerals	\Romannumerals {} \raggedbottom
raggedbottom raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {}
rawdoifinset rawdoifinsetelse	\rawdoifinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rawsubcountervalue rbox	\rbox {}
rbox readfile	\rbox {} \readfile {} {}
rbox readfile readfixfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {}
rbox readfile readfixfile readjobfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \realsmallcapped {} \recursedepth
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmallCapped {} \realSmallCapped {} \realSmallCapped {} \realsmallCapped {} \recursedepth \recurselevel
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recurselevel \recursestring
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readsmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont	<pre>\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmallfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recurselevel \recursestring \redoconvertfont</pre>
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref	<pre>\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recurselevel \recursestring \redoconvertfont \ref [] []</pre>
rbox readfile readfixfile readjobfile readlocfile readsetfile readsetfile readsysfile readtexfile readtexfile readsmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recurselevel \recursestring \redoconvertfont \ref [] [] \reference [] {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref	<pre>\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recurselevel \recursestring \redoconvertfont \ref [] []</pre>
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceformat:example	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedepth \recursetring \redoconvertfont \ref [] [] \reference [] {} \reference [] {} \reference [] {}
rbox readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedepth \recursestring \redoconvertfont \ref [] [] \reference [] {} \referenceprefix
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceorefix referring registerattachment registerctxluafile	\rbox {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recurselevel \recursetring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \referenceprefix \referring (,) (,) [] \registerattachment [] [=] \registerctxluafile {} {}
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceorefix referring registerattachment registerctxluafile registerexternalfigure	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readlocfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readsysfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \recursedepth \recursedepth \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerctxluafile {} {} \registerexternalfigure [] [] [=]
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registerexternalfigure registerfontclass	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \recursedsmallcapped {} \recursedepth \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerctxluafile {} {} \registerctxluafile {} {} \registerctrontclass {}
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registercxluafile registercyphenationexception	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedepth \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \referenceprefix \referring (,) (,) [] \registerattachment [] [] \registeretxluafile {} {} \registeretyphenationexception [] []
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registercxluafile registercyphenationexception registerhyphenationpattern	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readtexfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedevel \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerctxluafile {} {} \registerctxluafile {} {} \registerctyphenationexception [] [] \registertyphenationexception [] []
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readsysfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceorefix referring registerattachment registerctxluafile registercyphenationexception registermenubuttons	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedevel \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerctxluafile {} {} \registerctxluafile {} {} \registerctyphenationexception [] [] \registertyphenationpattern [] [] \registermenubuttons [] []
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readsysfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registerctxluafile registerctyphenationexception registermenubuttons registersort	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readsysfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedevel \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerottxluafile {} {} \registerottxluafile {} {} \registerottclass {} \registerotyphenationexception [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] []
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readtexfile readxmlfile readxmlfile realpagenumber realSmallCapped realSmallcapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registerctxluafile registerctyphenationexception registersort registersort registersynonym	\readfile {} {.
readfile readfixfile readjobfile readlocfile readsetfile readsysfile readsysfile readxmlfile realpagenumber realSmallCapped realSmallCapped realsmallcapped recursedepth recurselevel recursestring redoconvertfont ref reference referenceprefix referring registerattachment registerctxluafile registerctyphenationexception registermenubuttons registersort	\readfile {} {} {} \readfile {} {} {} \readfixfile {} {} {} \readjobfile {} {} {} \readjobfile {} {} {} \readsetfile {} {} {} \readsetfile {} {} {} \readsysfile {} {} {} \readsysfile {} {} {} \readxmlfile {} {} {} \readxmlfile {} {} {} \realpagenumber \realSmallCapped {} \realSmallcapped {} \realsmallcapped {} \recursedepth \recursedevel \recursestring \redoconvertfont \ref [] [] \reference [] {} \REFERENCEFORMAT {} {} [] \registerattachment [] [] \registerottxluafile {} {} \registerottxluafile {} {} \registerottclass {} \registerotyphenationexception [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] [] \registerotyphenationpattern [] []

and at any in at an accommumb an	ADECTOTED [] [] []]
register:instance:ownnumber	\REGISTER [] {++}
register:instance:ownnumber:index	\index [] \{++}
egular	\regular
relatemarking	\relatemarking [] []
elateparameterhandlers	\relateparameterhandlers $\{\}$ $\{\}$ $\{\}$
elaxvalueifundefined	\relaxvalueifundefined \{\dots\}
remainingcharacters	\remainingcharacters
remark	\remark (,) (,) [=] {}
removebottomthings	\removebottomthings
emovedepth	\removedepth
emovefromcommalist	\removefromcommalist \{\dots\} \\\
emovelastskip	\removelastskip
removelastspace	\removelastspace
emovemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removepunctuation	\removesubstring \from \to \
•	\removesdbstring \from \ \to \
removetoks	
removeunwantedspaces	\removeunwantedspaces
eplacefeature	\replacefeature []
eplacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetboxesincache	\resetbreakpoints
-	-
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
esetcharacterkerning	\resetcharacterkerning
esetcharacterspacing	\resetcharacterspacing
esetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
71	\resetinjector []
resetinjector	
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
esetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
esetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmarking	\resetmarking []
resetmode	\resetmode {}
esetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
-	. -
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
esetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
rogottimor	\raga++imar

resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resettifiattypesetting \resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	\resolvedglyphdirect \{\ldots\} \{\ldots\}
resolvedglyphstyled	\resolvedglyphdffect \(\tau.\) \(\tau.\)
restartcounter	\restartcounter [] []
restorebox	\restartcounter [] [] \restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecounter	\restorecounter [] \restorecurrentattributes {}
restoreendofline	\restorecarrentattiibutes ()
restoreglobalbodyfont	\restoreendoffine \restoreglobalbodyfont
reusableMPgraphic	\reusableMPgraphic \{\ldots\} \\\\.=\ldots\}
reuseMPgraphic	\reuseMPgraphic \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
right mightaliamed	\right
rightaligned	<pre>\rightaligned {} \rightbottombox {}</pre>
rightbottombox	9
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtext {}
rightlabeltext:instance:head	\rightheadtext {}
rightlabeltext:instance:label	\rightlabeltext {}
rightlabeltext:instance:mathlabel	\rightmathlabeltext {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
robustdoifinsetelse	\robustdoifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustpretocommalist	\robustpretocommalist {} \
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
romannumerals	\romannumerals {}
rotate	\rotate [=] {}
rtop	\rtop {}
ruby	\ruby [] {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
SmallCapped	\SmallCapped {}
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansbold	\sansbold

sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {}
savebtxdataset	\savebtxdataset [] [] [=]
savebuffer savebuffer:list	\savebuffer [=.] \savebuffer [] []
savecolor	\savecolor \restorecolor
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\star
sbox	\sbox {}
scale	\scale [] [=] {}
screen	\screen []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
<pre>script:instance:hangul script:instance:hanzi</pre>	\hangul \hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
secondoffivearguments	\secondoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
secondoffourarguments	\secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofsixarguments	\secondofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded {} {}
section:instance	\SECTION []
section:instance:assignment	\SECTION [=] \chapter [=]
section:instance:assignment:chapter section:instance:assignment:part	\part [=]
section:instance:assignment:section	\section [=]
section:instance:assignment:subject	\subject [=]
section:instance:assignment:subsection	\subsection [=]
section:instance:assignment:subsubject	\subsubject [=]
section:instance:assignment:subsubsection	\subsubsection [=]
section:instance:assignment:subsubsubject	\subsubsubject [=]
section:instance:assignment:subsubsubsection	\subsubsubsection [=]
section:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
section:instance:assignment:subsubsubsubsection	\subsubsubsection [=]
section:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
section:instance:assignment:title section:instance:chapter	\title [=] \chapter [] \{}
section:instance:ownnumber	\SECTION [] {}
section:instance:ownnumber:chapter	\chapter [] {} {}
section:instance:ownnumber:part	\part [] {}
section:instance:ownnumber:section	\section [] {}
section:instance:ownnumber:subject	\subject [] {}
section:instance:ownnumber:subsection	\subsection [] {}
section:instance:ownnumber:subsubject	\subsubject [] {}
section:instance:ownnumber:subsubsection	\subsubsection [] {}
section:instance:ownnumber:subsubsubject	\subsubsubject [] {}
section:instance:ownnumber:subsubsubsection	\subsubsubsection [] {}
section:instance:ownnumber:subsubsubsubject	\subsubsubject [] {}
section:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] {} {}
section:instance:ownnumber:subsubsubsubsubject section:instance:ownnumber:title	\subsubsubsubject [] {} {} \title [] {}
section:instance:part	\part [] {}
section:instance:section	\section [] {}
section:instance:subject	\subject [] {}
section:instance:subsection	\subsection [] {}
section:instance:subsubject	\subsubject [] {}
section:instance:subsubsection	\subsubsection [] {}
section:instance:subsubsubject	\subsubsubject [] {}
section:instance:subsubsubsection	\subsubsubsection [] {}
section:instance:subsubsubsubject	\subsubsubsubject [] {}
section:instance:subsubsubsection	\subsubsubsection [] {}
section:instance:subsubsubsubject	\subsubsubsubject [] {}
section:instance:title	\title [] {}

) programm [] [] [] []
seeregister:instance	\seeREGISTER [] {++} {}
seeregister:instance:index	\seeindex [] {++} {}
select	\select \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
selectblocks	\selectblocks [.PT.] [.PT.] [.PT.] OPT OPT
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteralign(\) \{\\} \{\\} \{\\}
5	
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
· ·	\setelementexporttag [] []
setelementexporttag	\seteneasure {} {}
setemeasure	
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
V-1	
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]
setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant {} {}
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage $\{\ldots\}$ $\{\ldots\}$
setinterfacemessage setinterfacevariable	\setinterfacemessage {} {} {} \setinterfacevariable {} {}
_	\setinterfacemessage $\{\ldots\}$ $\{\ldots\}$
setinterfacevariable	\setinterfacemessage {} {} {} \setinterfacevariable {} {}
setinterfacevariable setinternalrendering	\setinterfacemessage \{\ldots\} \{\ldots\} \\setinterfacevariable \{\ldots\} \{\ldots\} \\setinternalrendering \[\ldots\] \{\ldots\}

setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic \{\ldots\} \{\ldots\} \{\ldots\}
setMPpositiongraphicrange	\setMPpositiongraphicrange {} {} {}
setMPtext	\setMPtext {} {}
setMPvariable setMPvariables	\setMPvariable [] [=]
	\setMPvariables [] [=] \setmainbodyfont
setmainbodyfont setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=]
setobject	\setobject {} {} \ {}
setoldstyle	\setoldstyle
setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestaterealpageno	\setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\}
setpercentdimen	\setpercentdimen {} {}
setperiodkerning	\setperiodkerning []
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata $\{\}$ $\{\}$ $\{\}$
setpositiondataplus	\setpositiondataplus $\{\}$ $\{\}$ $\{\}$ $\{\}$
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus {} \ {}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setregisterentry	\setregisterentry [] [=] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setscript	\setscript []
setsecondpasscharacteralign setsectionblock	\setsecondpasscharacteralign \setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {} {}
setstructurepageregister	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settextcontent	\settextcontent [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject {} \ \ \
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} {} \ {}
setup	\setup []

setupalign	\setupalign []
setupalternativestyles	\setupalternativestyles [=]
setuparranging setupattachment	\setuparranging [] \setupattachment [] [=]
setupattachments	\setupattachment [] [=]
setupbackend	\setupbackend [=]
setupbackground	\setupbackground [] [=]
setupbackgrounds	\setupbackgrounds [] [] [=]
setupbackgrounds:page	\setupbackgrounds [] [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupblackrules	\setupblackrules [=]
setupblank	\setupblank []
setupbleeding	\setupbleeding [=]
setupblock	\setupblock [] [=] \setupbodyfont []
setupbodyfont setupbookmark	\setupbookmark [=]
setupbookmark	\setupbookmark [] \setupbottom [] [=]
setupbottomtexts	\setupbottomtexts [] [] [] [] []
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbuffer	\setupbuffer [] [=]
setupbutton	\setupbutton [] [=]
setupcapitals	\setupcapitals [] [=]
setupcaption	\setupcaption [] [=]
setupcaptions	\setupcaptions [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupclipping setupcollector	\setupclipping [=] \setupcollector [] [=]
setupcolor	\setupcolor []
setupcolors	\setupcolors [=]
setupcolumns	\setupcolumns [=]
setupcolumnset	\setupcolumnset [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcombinedlist	\setupcombinedlist [] [=]
setupcombinedlist:instance	\setupCOMBINEDLIST [=]
setupcombinedlist:instance:content	\setupcontent [=]
setupcomment	\setupcomment [] [=]
setupcounter	\setupcounter [] [=] \setupdataset [] [=]
setupdataset setupdelimitedtext	\setupdataset [] [=] \setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenumerations	\setupenumerations [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfield	\setupfield [] [=] [=] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfields	\setupfields [] [=] [=]

setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfillinlines	\setupfillinlines [=]
setupfillinrules	\setupfillinrules [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloat	\setupfloat [] [=]
setupfloats	\setupfloats [] [=]
setupfloatsplitting	\setupfloatsplitting [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupfooter	\setupfooter [] [=]
setupfootertexts	\setupfootertexts [] [] [] []
setupforms	\setupforms [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupformulas	\setupformulas [] [=]
setupframed	\setupframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupframedtexts	\setupframedtexts [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setuphead	\setuphead [] [=]
setupheadalternative	\setupheadalternative [] [=]
setupheader	\setupheader [] [=]
setupheadertexts	\setupheadertexts [] [] [] []
setupheadnumber	\setupheadnumber [] []
setupheads	\setupheads [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setuphyphenmark setupindentedtext	\setuphyphenmark [=] \setupindentedtext [] [=]
setupindenting	\setupindentedtext [] [] \setupindenting []
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupinteraction	\setupinteraction [] [=]
setupinteractionbar	\setupinteractionbar [] [=]
setupinteractionmenu	\setupinteractionmenu [] [=]
setupinteractionscreen	\setupinteractionscreen [=]
setupinteraction:name	\setupinteraction []
setupinterlinespace	\setupinterlinespace [] [=]
setupinterlinespace:argument	\setupinterlinespace []
setupinterlinespace:name	\setupinterlinespace []
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [=]
setupitemgroups	\setupitemgroups [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\setupITEMGROUP [] [=]
setupitemgroup:instance:itemize	\setupitemize [] [] [=]
setupitems	\setupitems [] [=]
setuplabel	\setuplabel [] [=]
setuplabeltext:instance	\setupLABELtext [] [=]
setuplabeltext:instance:btxlabel	\setupbtxlabeltext [] [=]
setuplabeltext:instance:head	\setupheadtext [] [=]
setuplabeltext:instance:label	\setuplabeltext [] [=]
<pre>setuplabeltext:instance:mathlabel setuplabeltext:instance:operator</pre>	\setupmathlabeltext [] [=] \setupoperatortext [] [=]
setuplabeltext:instance:operator setuplabeltext:instance:prefix	\setupprefixtext [] [=]
setuplabeltext:instance:prefix setuplabeltext:instance:suffix	\setupprelixtext [] [=] \setupsuffixtext [] [=]
setuplabeltext:instance:suilix setuplabeltext:instance:taglabel	\setuptaglabeltext [] [=]
setuplabeltext:instance:unit	\setupunittext [] [=]
setuplanguage	\setuplanguage [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayout	\setuplayout [] [=]
± v	* v = = = =

setuplayouttext	\setuplayouttext [] [=]
setuplayout:name	\setuplayout []
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinenumbering	\setuplinenumbering [] [=]
setuplines	\setuplines [] [=]
setuplinetable setuplinewidth	\setuplinetable [] [=] \setuplinewidth []
setuplist	\setuplist [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace [] \setuplow [] [=]
setuplow setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmakeup	\setupmakeup [] [=]
setupmarginblock setupmargindata	\setupmarginblock [] [=] \setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmarginrules	\setupmarginrules [] [=]
setupmarking	\setupmarking [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfence setupmathfraction	\setupmathfence [] [=] \setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=] \setupmathstyle []
setupmathstyle setupmixedcolumns	\setupmathstyle [] \setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnarrower	\setupnarrower [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes setupoffset	\setupnotes [] [=] \setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoppositeplacing	\setupoppositeplacing [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppagecomment setuppageinjection	\setuppagecomment [=] \setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppagenumber	\setuppagenumber [=]
setuppagenumbering	\setuppagenumbering [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppagetransitions	\setuppagetransitions []
setuppairedbox setuppairedbox:instance	\setuppairedbox [] [=] \setupPAIREDBOX [=]
setuppairedbox:instance:legend	\setuplegend [=]
setuppalet	\setuppalet []
setuppaper	\setuppaper [=]
setuppapersize	\setuppapersize [] [=]
setuppapersize:name	\setuppapersize [] []
setupparagraph	\setupparagraph [] [=]

setupparagraphintro	\setupparagraphintro [] []
setupparagraphnumbering	\setupparagraphnumbering [=]
setupparagraphs	\setupparagraphs [] [] [=]
setupparagraphs:assignment	\setupparagraphs [] [=]
setupparallel	\setupparallel [] [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setuppositioning	\setuppositioning [] [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupprograms	\setupprograms [=]
setupquotation	\setupquotation [=]
setupquote	\setupquote [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupreferencing	\setupreferencing [=]
setupregister	\setupregister [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [=]
setupregister:argument	\setupregister [] [=]
setupregister:instance	\setupREGISTER [] [=]
setupregister:instance:index	\setupindex [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setuprotate	\setuprotate [=]
setupruby	\setupruby [] [=]
setups	\setups []
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupsectionblock	\setupsectionblock [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupsorting	\setupsorting [] [=]
setupspacing	\setupspacing []
setupspellchecking	\setupspellchecking [=]
setupstartstop	\setupstartstop [] [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsubpagenumber	\setupsubpagenumber [=]
setupsymbolset	\setupsymbolset []
setupsynctex	\setupsynctex [=]
setupsynonyms	\setupsynonyms [] [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
setupTEXpage	\setupTEXpage [=]
setuptables	\setuptables [=]
setuptabulate	\setuptabulate [] [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptext	\setuptext [] [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptextrules	\setuptextrules [=]
setuptexttexts	\setuptexttexts [] [] [] []
setupthinrules	\setupthinrules [=]
setuptolerance	\setuptolerance []
setuptooltip	\setuptooltip [] [=]
setuptop	\setuptop [] [=]
setuptoptexts	\setuptoptexts [] [] [] []
setuptype	\setuptype [] [=]
setuptyping	\setuptyping [] [=]
setupunit	\setupunit [] [=]
setupurl setupuserpagenumber	\setupurl [=.]
poorbaser bakerramper	\setupuserpagenumber [=]

setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwhitespace	\setupwhitespace []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped $\{\ldots\}$ $\{\ldots\}$
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setup:direct	\setup {}
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {} {}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showbodyfont	\showbodyfont []
showbodyfontenvironment	\showbodyfontenvironment []
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxdatasetfields:argument showbtxfields	\showbtxdatasetfields [] \showbtxfields [=]
5	
showbtxfields	\showbtxfields [=]
showbtxfields showbtxfields:argument	\showbtxfields [=] \showbtxfields []
showbtxfields showbtxfields:argument showbtxhashedauthors	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {}
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {}
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar []
showbtxfields showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents []
showbtxfields showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorset []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharatio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdirsinmargin	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorsenter [] \showcolorset [] \showcolorset [] \showcolorset [] \showcolorset [] \showdirectives \showdirsinmargin \showedebuginfo
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments showfont	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showdirectives \showdirectives \showdirectives \showdirectives \showdebuginfo \showexperiments \showfont [] []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorcomponents [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharatio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorset [] \showcolorset [] \showcolorset [] \showdirectives \showfont [] [] \showfontdata \showfonttatics \showfonttatics \showfonttarameters
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharatio showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontkerns	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showdortents \showfont [] [] \showfontdata \showfontdata \showfonttalics \showfonttalics \showfonttalics \showfontparameters \showfontstrip []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharatio showcolor showcolorbar showcolorcomponents showcolorset showcolorset showcolorstruts showcounter showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontparameters \showfontstrip [] \showfontstrip [] \showfontstyle [] [] []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharatio showcolor showcolorbar showcolorcomponents showcolorset showcolorset showcolorstruts showcounter showdirectives showdirectives showdiresinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showdortents \showfont [] [] \showfontdata \showfontdata \showfonttalics \showfonttalics \showfonttalics \showfontparameters \showfontstrip []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorcomponents showcolorset showcolorset showcolorstruts showcounter showdirectives showdiresinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstyle	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirsinmargin \showedebuginfo \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttalics \showfontparameters \showfontstrip [] \showfontstrip [] \showfontstyle [] [] []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcolor showcolorbar showcolorcomponents showcolorset showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstyle showframe	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirentelion \showexperiments \showfont [] [] \showfontdata \showfontexpansion \showfonttaprameters \showfontsport [] \showfontstrip [] \showfontstyle [] [] [] \showframe [] [] \showglyphdata \showglyphs
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcolor showcolorbar showcolorcomponents showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstyle showframe showglyphdata	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showdirents \showfont [] [] \showfontdata \showfonttapansion \showfonttapansion \showfonttapansion \showfontsport [] \showfontstyle [] [] [] \showfontstyle [] [] \showglyphdata \showglyphs \showgrid []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcolor showcolorbar showcolorgroup showcolorset showcolorstruts showcolorstruts showdirectives showdireinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontparameters showfontstrip showfontstyle showframe showglyphs	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirents \showfont [] [] \showfontdata \showfonttapansion \showfonttapansion \showfonttapansion \showfontspontstrip [] \showfontstyle [] [] [] \showfontstyle [] [] \showglyphdata \showglyphs \showgrid [] \showgridsnapping
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorgroup showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontparameters showfontstrip showfontstyle showframe showglyphata showglyphs showgrid	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showdirents \showfont [] [] \showfontdata \showfonttapansion \showfonttapansion \showfonttapansion \showfontsport [] \showfontstyle [] [] [] \showfontstyle [] [] \showglyphdata \showglyphs \showgrid []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcolor showcolors showcolorser showcolorset showcolorset showcolorstruts showcounter showdirectives showdireinmargin showedebuginfo showexperiments showfont showfonttalics showfonttspansion showfontstrip showfontstyle showframe showglyphdata showglyphs showgrid showgridsnapping	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showfont [] [] \showfontdata \showfonttablics \showfonttaprameters \showfontparameters \showfontsportspip [] \showfontstyle [] [] [] \showglyphdata \showglyphs \showgrid [] \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolor showcolorbar showcolorsomponents showcolorset showcolorset showcolorstruts showdirectives showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfontitalics showfontstrip showfontstyle showframe showglyphdata showglyphs showgrid showgridsnapping showhelp	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showfont [] [] \showfontdata \showfonttablics \showfonttaprameters \showfontparameters \showfontsportspip [] \showfontspip [] \showfontswip [] \showfontswip [] \showglyphdata \showglyphs \showgrid [] \showgridsnapping \showhelp {} []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcolor showcolorbar showcolorset showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontsrip showfontstyle showframe showglyphdata showglyphs showgrid showgridsnapping showhyphens showhyphens showinjector	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showfont [] [] \showfontdata \showfonttablics \showfonttaprameters \showfontparameters \showfontsportspip [] \showfontstyle [] [] [] \showglyphdata \showglyphs \showgrid [] \showgridsnapping \showhelp {} [] \showhyphenationtrace [] []
showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcolor showcolorbar showcolorgoup showcolorset showcolorstruts showcounter showdirectives showdireinmargin showedebuginfo showexperiments showfont showfontdata showfontexpansion showfonttalics showfontsrip showfontstyle showframe showglyphdata showglyphs showgrid showgridsnapping showhelp showhyphens	\showbtxfields [=] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolor [] \showcolorbar [] \showcolorgroup [] [] \showcolorset [] \showcolorset [] \showcolorstruts \showcolorstruts \showdirectives \showdirectives \showdirectives \showdirectives \showdirectives \showfont [] [] \showfontdata \showfonttalics \showfonttalics \showfonttapansion \showfontspansion \showfontsporter \showfontsporter \showfontsporter \showfontsporter \showfontsporter \showfontsporter \showfontsporter \showfontsporter \showfontapandata \showglyphata \showglyphs \showgrid [] \showgridsnapping \showhelp {} [] \showhyphenationtrace [] [] \showhyphens {}

showkerning	\showkerning {}
showlayout	\showlayout []
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmakeup	\showmakeup []
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
Shownextbox	\shownextbox \ \{\}
Showotfcomposition	\showotfcomposition \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
showpalet	\showpalet [] []
showparentchain	\showparentchain \ \{\}
showprint	\showprint [] [=]
showsetups	\showsetups []
Showsetupsdefinition	\showsetupsdefinition []
showstruts	\showstruts
showsymbolset	\showsymbolset []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
simplealignedbox	\simplealignedbox {} {} {}
simplealignedboxplus	\simplealignedboxplus $\{\}$ $\{\}$ $\{\}$
simplealignedspreadbox	\simplealignedspreadbox \{\ldots\} \{\ldots\} \{\ldots\}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox	\simplereversealignedbox {} {} {}
simplereversealignedboxplus	\simplereversealignedboxplus $\{\}$ $\{\}$ $\{\}$
singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sixthofsixarguments	\sixthofsixarguments \{\ldots\} \
slanted	\slanted
slantedbold	\slantedbold
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
small	\small
smallbodyfont	\smallbodyfont
smallbold	\smallbold
smallbolditalic	\smallbolditalic
smallboldslanted	\smallboldslanted
smallcapped	\smallcapped {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallitalicbold	\smallitalicbold
smallnormal	\smallnormal
smallskip	\smallskip
smallslanted	\smallslanted
smallslantedbold	\smallslantedbold
smalltype	\smalltype
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
someline	\someline []
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
somewhere	\somewhere {} {} []
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
naco	\ annac

spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
splitatasterisk	\splitatasterisk \
splitatcolon	\splitatcolon \ \
-	
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
-	
splitfilename	\splitfilename {}
splitfloat	\splitfloat [=] {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
•	. -
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
•	-
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
•	\sqrt [] {}
sqrt	-
stackrel	\stackrel {} {}
start	\start [] \stop
startalignment	\startalignment [] \stopalignment
startallmodes	\startallmodes [] \stopallmodes
startattachment:instance	\startATTACHMENT [] [=] \stopATTACHMENT
startattachment:instance:attachment	\startattachment [] [=] \stopattachment
startbackground	\startbackground [=] \stopbackground
startbackground:example	\startBACKGROUND [=] \stopBACKGROUND
-	
startbar	\startbar [] \stopbar
startbbordermatrix	\startbbordermatrix \stopbbordermatrix
startbitmapimage	\startbitmapimage [=] \stopbitmapimage
startbordermatrix	\startbordermatrix \stopbordermatrix
	-
startbtxrenderingdefinitions	\startbtxrenderingdefinitions [] \stopbtxrenderingdefinition
startbuffer	\startbuffer [] \stopbuffer
startbuffer:instance	\startBUFFER \stopBUFFER
startbuffer:instance:hiding	\starthiding \stophiding
startcatcodetable	\startcatcodetable \ \stopcatcodetable
startcenteraligned	\startcenteraligned \stopcenteraligned
startcharacteralign	\startcharacteralign [=] \stopcharacteralign
startcharacteralign:argument	\startcharacteralign [] \stopcharacteralign
startcheckedfences	\startcheckedfences \stopcheckedfences
	<u>-</u>
startchemical	\startchemical [] [=] \stopchemical
startcollect	\startcollect \stopcollect
startcollecting	\startcollecting \stopcollecting
startcolor	\startcolor [] \stopcolor
startcolorintent	\startcolorintent [] \stopcolorintent
startcoloronly	\startcoloronly [] \stopcoloronly
startcolorset	\startcolorset [] \stopcolorset
startcolumns	\startcolumns [=] \stopcolumns
startcolumnset	\startcolumnset [] [=] \stopcolumnset
startcolumnsetspan	\startcolumnsetspan [] [=] \stopcolumnsetspan
startcolumnset:example	\startCOLUMNSET [=] \stopCOLUMNSET
startcolumnspan	\startcolumnspan [=] \stopcolumnspan
startcombination	\startcombination [] [=] \stopcombination
startcombination:matrix	\startcombination [] [\stopcombination
startcomment:instance	\startCOMMENT [] [=] \stopCOMMENT
startcomment:instance:comment	\startcomment [] [=] \stopcomment
startcomponent	\startcomponent [] \stopcomponent
-	
startcomponent:string	\startcomponent\stopcomponent
startcontextcode	\startcontextcode \stopcontextcode
startcontextdefinitioncode	\startcontextdefinitioncode \stopcontextdefinitioncode
startctxfunction	\startctxfunction \stopctxfunction
startctxfunctiondefinition	\startctxfunctiondefinition \stopctxfunctiondefinition
startcurrentcolor	\startcurrentcolor \stopcurrentcolor
startcurrentlistentrywrapper	\startcurrentlistentrywrapper \stopcurrentlistentrywrapper
startdelimited	\startdelimited [] [] \stopdelimited
startdelimitedtext	\startdelimitedtext [] [] \stopdelimitedtext
startdelimitedtext:instance	\startDELIMITEDTEXT [] \stopDELIMITEDTEXT
startdelimitedtext:instance:aside	\startaside [] [] \stopaside
startdelimitedtext:instance:blockquote	\startblockquote [] [] \stopblockquote

startdelimitedtext:instance:quotation	\startquotation [] [] \stopquotation
startdelimitedtext:instance:quote	\startquote [] [] \stopquote
startdelimitedtext:instance:speech	\startspeech [] [\stopspeech
<u>*</u>	
startdescription:example	\startDESCRIPTION [=] \stopDESCRIPTION
startdescription:example:title	\startDESCRIPTION [] {} \stopDESCRIPTION
startdisplaymath	\startdisplaymath \stopdisplaymath
- •	
startdmath	\startdmath \stopdmath
startdocument	\startdocument [=] \stopdocument
starteffect	\starteffect [] \stopeffect
starteffect:example	\startEFFECT \stopEFFECT
startelement	\startelement {} [=] \stopelement
startembeddedxtable	\startembeddedxtable [=] \stopembeddedxtable
startembeddedxtable:name	\startembeddedxtable [] \stopembeddedxtable
startenumeration:example	\startENUMERATION [=] \stopENUMERATION
startenumeration:example:title	\startENUMERATION [] {} \stopENUMERATION
startenvironment	\startenvironment [] \stopenvironment
startenvironment:string	\startenvironment \stopenvironment
startexceptions	\startexceptions [] \stopexceptions
startexpanded	\startexpanded \stopexpanded
-	
startexpandedcollect	\startexpandedcollect \stopexpandedcollect
startextendedcatcodetable	\startextendedcatcodetable \ \stopextendedcatcodetable
startexternalfigurecollection	\startexternalfigurecollection [] \stopexternalfigurecollection
<u> </u>	
startfacingfloat	\startfacingfloat [] \stopfacingfloat
startfigure	\startfigure [] [] \stopfigure
6	
startfittingpage	\startfittingpage [] [=] \stopfittingpage
startfittingpage:instance	\startFITTINGPAGE [=] \stopFITTINGPAGE
	\startMPpage [=] \stopMPpage
startfittingpage:instance:MPpage	
startfittingpage:instance:TEXpage	\startTEXpage [=] \stopTEXpage
startfixed	\startfixed [] \stopfixed
startfloatcombination	\startfloatcombination [=] \stopfloatcombination
startfloatcombination:matrix	\startfloatcombination [] \stopfloatcombination
startfloattext:instance	\startFLOATtext [] [] \stopFLOATtext
startfloattext:instance:chemical	\startchemicaltext [] [] \stopchemicaltext
startfloattext:instance:figure	\startfiguretext [] [] {} \stopfiguretext
<u> </u>	
startfloattext:instance:graphic	\startgraphictext [] [] \stopgraphictext
startfloattext:instance:intermezzo	\startintermezzotext [] [] \stopintermezzotext
startfloattovt:instanco:tablo	
startfloattext:instance:table	\starttabletext [] [] {} \stoptabletext
startfloattext:instance:table startfont	
startfont	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont
startfont startfontclass	\starttabletext [] [] { \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass
startfont	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution
startfont startfontclass	\starttabletext [] [] { \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass
startfont startfontclass startfontsolution startformula	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula
startfont startfontclass startfontsolution startformula startformulas	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformulas
startfont startfontclass startfontsolution startformula startformulas	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula
startfont startfontclass startfontsolution startformula startformulas	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformulas \startformula [] \stopformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformulas \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula
startfont startfontclass startfontsolution startformula startformulas: startformula:assignment startformula:instance startformula:instance:md	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformulas \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmpformula [] \stopmdformula \startmpformula [] \stopmpformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmpformula [] \stopmpformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmpformula [] \stopmdformula \startmpformula [] \stopmpformula
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmpformula [] \stopmpformula \startsdformula [] \stopsdformula \startsformula [] \stopsdformula \startsformula [] \stopspformula \startsformula [] \stopspformula \startsformula [] \stopspformula
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startformula:instance:sp	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmpformula [] \stopmpformula \startsdformula [] \stopsdformula \startspformula [] \stopspformula \startspformula [] \stopspformula \startframed [] [] \stopframed
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startframed startframed startframedcell	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmdformula [] \stopmformula \startsdformula [] \stopsdformula \startsformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframedcell [] \stopframedcell
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startformula:instance:sp	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmpformula [] \stopmpformula \startsdformula [] \stopsdformula \startspformula [] \stopspformula \startspformula [] \stopspformula \startframed [] [] \stopframed
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmformula \startsdformula [] \stoppformula \startsformula [] \stopsformula \startframed [] \stopformula \startframed [] \stopframed \startframedcontent [] \stopframedcontent
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmdformula [] \stopmformula \startsdformula [] \stopsdformula \startsformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmpformula [] \stopmformula \startsdformula [] \stopsdformula \startspformula [] \stopsformula \startframed [] [\stopframed \startframed [] \stopframed \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmpformula [] \stopmformula \startsdformula [] \stopsdformula \startspformula [] \stopsformula \startframed [] [\stopframed \startframed [] \stopframed \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stoppformula \startsdformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframedcell [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable [] \stopframedt
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:instance:framedtext	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsdformula \startsdformula [] \stopsdformula \startframed [] \stopframed \startframed [] \stopframed \startframed \startframed [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopframedtext
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stoppformula \startsdformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframedcell [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable [] \stopframedt
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:instance:framedtext startgoto	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsdformula \startsdformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframed [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedrow [] \stopframedtable \startframedtable [] [] \stopframedtext \startframedtext [] \stopframedtext []
startfont startfontclass startformula startformula startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsdformula \startsdformula [] \stopsformula \startframed [] [\stopframed \startframed [] \stopframed \startframed \startframed [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopgridsnapping [] \stopgridsnap
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:instance:framedtext startgoto	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsdformula \startsdformula [] \stopsformula \startframed [] [\stopframed \startframed [] [] \stopframed \startframed \startframed [] \stopframed \startframed \startframed [] \stopframed \startframed \startframed [] \stopframed \startframed \startframed \startframed [] \stopframed \startframed
startfont startfontclass startformula startformula startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsdformula \startsdformula [] \stopsformula \startframed [] [\stopframed \startframed [] \stopframed \startframed \startframed [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopgridsnapping [] \stopgridsnap
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:startgoto startgridsnapping startgridsnapping startgridsnapping:list starthanging	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsformula \startsformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframed [] \stopframedcoll \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtatframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] \stopgoto \startframedtext [] \stopgoto \startframedianapping [] \stoppridsnapping \startframedianapping [] \stoppridsna
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmformula \startmformula [] \stopmformula \startmformula [] \stopmformula \startstartformula [] \stopsformula \startframed [] \stopformula \startframed [] \stopframed \startframed [] \stopframed \startframedcell [] \stopframedcell \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] \stopframedtext \startframedtext [] \stopgridsnapping \startframedianpping [] \stophanging \starthanging [] \stophanging \starthanging [] \stophanging \starthanging [] \stophanging \starthanging [] \stophanging
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:startgoto startgridsnapping startgridsnapping startgridsnapping:list starthanging	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopFORMULAformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopsformula \startsformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframed [] \stopframedcoll \startframedcontent [] \stopframedcontent \startframedrow [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtatframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] \stopgoto \startframedtext [] \stopgoto \startframedianapping [] \stoppridsnapping \startframedianapping [] \stoppridsna
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance startframedtext:startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmdformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopspformula \startformula [] \stopspformula \startformula [] \stopspformula \startformula [] \stopformula \startformula [] \stopformula \startformed [] \stopformula \startformed [] \stopformed \startformed \startformed [] \stopformed \startformed \startformed [] \stopformed \startformed
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance startframedtext:instance startframediapping startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxestohbox	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmpformula [] \stopmformula \startsdformula [] \stopsformula \startframed [] \stopformula \startframed [] \stopframed \startframed [] [=.] \stopframed \startframed [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedraw [] \stopframedraw \startframedtable [] [=.] \stopframedtable \startframedtext [] [=.] \stopframedtext \startframedtext [] [=.] \stopframedtext \startframedtext [] [=.] \stopframedtext \startgridsnapping [] \stoppridsnapping \startframedianpping [] \stoppridsnapping \starthanging [] \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophboxregister
startfont startfontclass startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxregister starthead	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmpformula [] \stopmformula \startsdformula [] \stopsformula \startspformula [] \stopsformula \startframed [] [=.] \stopframed \startframedcell [=.] \stopframedcell \startframedcontent [] \stopframedcontent \startframedraw [] \stopframedrow \startframedtable [] [=.] \stopframedtable \startframedtext [] [=.] \stopframedtext \startframedtext [] [=.] \stopframedtext \startgridsnapping [] \stoppridsnapping \starttartgridsnapping [] \stoppridsnapping \startthanging [] \stophanging \starthanging [] \stophanging \starthboxestohbox \stophboxestohbox \starthboxregister \stophboxregister \starthand [] {} \stophboxregister
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance startframedtext:instance startframediapping startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxestohbox	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startmpformula [] \stopmformula \startsdformula [] \stopsformula \startframed [] \stopformula \startframed [] \stopframed \startframed [] [=.] \stopframed \startframed [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframedraw [] \stopframedraw \startframedtable [] [=.] \stopframedtable \startframedtext [] [=.] \stopframedtext \startframedtext [] [=.] \stopframedtext \startframedtext [] [=.] \stopframedtext \startgridsnapping [] \stoppridsnapping \startframedianpping [] \stoppridsnapping \starthanging [] \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophboxregister
startfont startfontclass startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxregister starthead starthelptext	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmdformula \startmdformula [] \stopmdformula \startsdformula [] \stopmformula \startsformula [] \stopsformula \startframed [] \stopformula \startframed [] \stopframed \startframedcell [] \stopframed \startframedcell [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startgridsnapping [] \stoppridsnapping \startframediapping [] \stoppridsnapping \starthanging [] {} \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophanging \starthanging \starthanging \starthanging \starthanging [] {} \stophanging \starthanging
startfont startfontclass startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxregister starthead starthelptext starthelp:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformulas [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startformula [] \stopformula \startmdformula [] \stopmformula \startmdformula [] \stopmformula \startsformula [] \stopmformula \startsformula [] \stopsformula \startframed [] [] \stopframed \startframedcell [] \stopframed \startframedcell [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedtable \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startgoto [] \stopgoto \startgridsnapping [] \stoppridsnapping \starthanging [] \stophanging \starthanging [] \stophanging \starthanging [] \stophanging \starthoxregister \stophboxestohbox \starthboxregister \stophboxestohbox \starthboxregister \stophead \starthelptext [] \stophelptext \startHelP [] \stophelP
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtext:instance startframedtext:instance startframedtext:instance startframeding startgridsnapping startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthelp:instance starthelp:instance starthelp:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmoformula \startmoformula [] \stopmoformula \startmoformula [] \stopmoformula \startspformula [] \stoppformula \startformula [] \stoppformula \startframed [] [\stoppformula \startframed [] [] \stopframed \startframed [] [] \stopframed \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframeddramed [] [] \stopframedtable \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] \stopgoto \startgridsnapping [] \stopparidsnapping \starthanging [] \stophanging \starthanging [] {} \stophanging \starthanging [
startfont startfontclass startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthboxregister starthead starthelptext starthelp:instance	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmoformula \startmoformula [] \stopmoformula \startmoformula [] \stopmoformula \startspformula [] \stoppformula \startformula [] \stoppformula \startframed [] [\stoppformula \startframed [] [] \stopframed \startframed [] [] \stopframed \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedcontent \startframeddramed [] [] \stopframedtable \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] \stopgoto \startgridsnapping [] \stopparidsnapping \starthanging [] \stophanging \starthanging [] {} \stophanging \starthanging [
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthelp:instance starthelp:instance starthelp:instance:helptext starthighlight	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startmoformula [] \stopmoformula \startmoformula [] \stopmoformula \startmoformula [] \stoppformula \startformula [] \stoppformula \startformula [] \stoppformula \startframed [] [] \stopformula \startframed [] [] \stopformula \startframedcell [] \stopformula \startframedcell [] \stopformula \startframedcontent [] \stopformed \startframedcontent [] \stopformedcontent \startframedcontent [] \stopformedcontent \startframedcontent [] \stopformedcontent \startframedtable [] [] \stopformedtable \startframedtext [] [] \stopformedtext \startframedtext [] \stopformedtext \startframedtext [] \stopparidsnapping \startframedtext [] \stopparidsnapping \starthanging [] \stophanging \starthanging []
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping startthanging startthanging:argument starthboxestohbox starthboxregister starthed starthelp:instance starthelp:instance:helptext starthyphenation	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmoformula \startmoformula [] \stopmoformula \startmoformula [] \stopmoformula \startsdformula [] \stopsoformula \startsdformula [] \stopsoformula \startframed [] [] \stopformula \startframed [] [] \stopformula \startframedcell [] \stopformula \startframedcontent [] \stopformedcell \startframedcontent [] \stopformedcontent \startframedrow [] \stopformedrow \startframedrow [] \stopformedrow \startframedtext [] [] \stopformedtext \startframedtext [] [] \stopformedtext \startgidsnapping [] \stopformedtext \startgidsnapping [] \stoppaning \starthanging [] \stophanging \starthanging [] {} \stophanging \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophboxestohbox \starthboxestohbox \stophead \starthelptext [] \stophelptext \starthelptext [] \stophelptext \starthelptext [] \stophelptext \starthelptext [] \stophighlight \starthyphenation [] \stophyphenation
startfont startfontclass startfontsolution startformula startformulas startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping startgridsnapping:list starthanging starthanging:argument starthboxestohbox starthelp:instance starthelp:instance starthelp:instance:helptext starthighlight	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfont \startfontclass [] \stopfontclass \startfontclass [] \stopfontsolution \startformula [] \stopformula \startmoformula [] \stopmoformula \startmoformula [] \stopmoformula \startmoformula [] \stoppformula \startformula [] \stoppformula \startformula [] \stoppformula \startframed [] [] \stopformula \startframed [] [] \stopformula \startframedcell [] \stopformula \startframedcell [] \stopformula \startframedcontent [] \stopformed \startframedcontent [] \stopformedcontent \startframedcontent [] \stopformedcontent \startframedcontent [] \stopformedcontent \startframedtable [] [] \stopformedtable \startframedtext [] [] \stopformedtext \startframedtext [] \stopformedtext \startframedtext [] \stopparidsnapping \startframedtext [] \stopparidsnapping \starthanging [] \stophanging \starthanging []
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping startthanging startthanging:argument starthboxestohbox starthboxregister starthed starthelp:instance starthelp:instance:helptext starthyphenation	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmformula \startmdformula [] \stopmformula \startmdformula [] \stopmformula \startsfformula [] \stopsformula \startsfformula [] \stopsformula \startframed [] [\stopframed \startframed [] \stopframed \startframed [] [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startgoto [] \stopgoto \startgridsnapping [] \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophoxregister \starthboxregister \stophoxregister \starthexthboxregister \stophoxregister \starthexthexthext [] \stophelptext \starthelptext [] \stophelptext \starthelptext [] \stophighlight \starthyphenation [] \stophyphenation \startimath \stophyphenation \startimath \stophyphenation \startimath \stophyphenation \startimath \stophyphenation \startimath \stophyphenation
startfont startfontclass startformula startformula startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframedcell startframedcontent startframedtable startframedtext:instance startframedtext:instance startgridsnapping startgridsnapping startthanging starthboxestohbox starthboxregister starthelp:instance starthphenation starthyphenation startimath startindentedtext	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startmformula [] \stopmformula \startmformula [] \stopmformula \startmpformula [] \stopmformula \startspformula [] \stopsformula \startformula [] \stopsformula \startformula [] \stopsformula \startformed [] [] \stopformula \startformed [] [] \stopformed \startformed \startformed \startformed [] \stopformed \startformed
startfont startfontclass startfontsolution startformula startformula: startformula:assignment startformula:instance startformula:instance:md startformula:instance:mp startformula:instance:sd startformula:instance:sp startframed startframedcell startframedcontent startframedrow startframedtable startframedtext:instance:framedtext startgoto startgridsnapping startgridsnapping startthanging startthanging:argument starthboxestohbox starthboxregister starthelp:instance starthelp:instance:helptext starthyphenation startimath	\starttabletext [] [] {} \stoptabletext \startfont [] \stopfontclass \startfontclass [] \stopfontclass \startfontsolution [] \stopfontsolution \startformula [] \stopformula \startformula [] \stopmformula \startmdformula [] \stopmformula \startmdformula [] \stopmformula \startsfformula [] \stopsformula \startsfformula [] \stopsformula \startframed [] \stopframed \startframed [] \stopframed \startframed [] \stopframedcoll \startframedcontent [] \stopframedcontent \startframedcontent [] \stopframedrow \startframedtable [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startframedtext [] [] \stopframedtext \startgoto [] \stopgoto \startgridsnapping [] \stophidsnapping \starthanging [] {} \stophanging \starthanging [] {} \stophanging \starthanging [] {} \stophoxregister \starthboxregister \stophoxregister \starthboxregister \stophoxregister \starthead [] {} \stophead \starthelptext [] \stophelptext \starthelptext [] \stophidplight \starthyphenation [] \stophyphenation \startimath \stophide \startimath \stophide \startimath \stophide \startimath \stophide \startimath \stophide \startimath \stophide \s

startinteractionmenu	\startinteractionmenu [] \stopinteractionmenu
startinterface	\startinterface \stopinterface
startintertext	\startintertext \stopintertext
startitem	\startitem [] \stopitem
startitemgroup	\startitemgroup [] [=] \stopitemgroup
9 -	\startITEMGROUP [] [=.] \stopITEMGROUP
startitemgroup:instance	
startitemgroup:instance:itemize	\startitemize [] [=] \stopitemize
startJScode	\startJScode \stopJScode
startJSpreamble	\startJSpreamble \stopJSpreamble
-	
startknockout	\startknockout \stopknockout
startlabeltext:instance	\startLABELtext [] [] \stopLABELtext
startlabeltext:instance:btxlabel	\startbtxlabeltext [] [] \stopbtxlabeltext
startlabeltext:instance:head	\startheadtext [] [] \stopheadtext
startlabeltext:instance:label	\startlabeltext [] [] \stoplabeltext
startlabeltext:instance:mathlabel	\startmathlabeltext [] [] \stopmathlabeltext
startlabeltext:instance:operator	\startoperatortext [] [] \stopoperatortext
- ·	
startlabeltext:instance:prefix	\startprefixtext [] [] \stopprefixtext
startlabeltext:instance:suffix	\startsuffixtext [] [] \stopsuffixtext
startlabeltext:instance:taglabel	\starttaglabeltext [] [] \stoptaglabeltext
startlabeltext:instance:unit	\startunittext [] [] \stopunittext
startlayout	\startlayout [] \stoplayout
startleftaligned	\startleftaligned \stopleftaligned
startline	\startline []

startlinealignment	\startlinealignment [] \stoplinealignment
startlinecorrection	\startlinecorrection [] \stoplinecorrection
startlinefiller	\startlinefiller [] [=] \stoplinefiller
startlinenote:instance	\startLINENOTE [] {}
startlinenote:instance:linenote	\startlinenote [] {}
startlinenumbering	\startlinenumbering [] [=] \stoplinenumbering
startlinenumbering:argument	\startlinenumbering [] [] \stoplinenumbering
startlines:instance	
	\startLINES [=] \stopLINES
startlines:instance:lines	\startlines [=] \stoplines
startlinetable	\startlinetable \stoplinetable
startlinetablebody	\startlinetablebody \stoplinetablebody
· ·	
startlinetablecell	\startlinetablecell [=] \stoplinetablecell
startlinetablehead	\startlinetablehead \stoplinetablehead
startlocalfootnotes	\startlocalfootnotes \stoplocalfootnotes
startlocalheadsetup	\startlocalheadsetup \stoplocalheadsetup
startlocallinecorrection	\startlocallinecorrection [] \stoplocallinecorrection
startlocalnotes	\startlocalnotes [] \stoplocalnotes
startlocalsetups	\startlocalsetups [] [] \stoplocalsetups
•	
startlocalsetups:string	\startlocalsetups \stoplocalsetups
startlua	\startlua \stoplua
startluacode	\startluacode \stopluacode
	-
startluaparameterset	\startluaparameterset [] \stopluaparameterset
startluasetups	\startluasetups [] [] \stopluasetups
startluasetups:string	\startluasetups \stopluasetups
startMPclip	\startMPclip {} \stopMPclip
-	
startMPcode	\startMPcode {} \stopMPcode
startMPdefinitions	\startMPdefinitions {} \stopMPdefinitions
startMPdrawing	\startMPdrawing [] \stopMPdrawing
startMPenvironment	\startMPenvironment [] \stopMPenvironment
startMPextensions	\startMPextensions {} \stopMPextensions
startMPinclusions	\startMPinclusions [] {} \stopMPinclusions
startMPinitializations	\startMPinitializations \stopMPinitializations
startMPpositiongraphic	\startMPpositiongraphic {} {} \stopMPpositiongraphic
startMPpositionmethod	\startMPpositionmethod {} \stopMPpositionmethod
startMPrun	\startMPrun {} \stopMPrun
startmakeup	\startmakeup [] [=] \stopmakeup
startmakeup:instance	\startMAKEUPmakeup [=] \stopMAKEUPmakeup
startmakeup:instance:middle	\startmiddlemakeup [=] \stopmiddlemakeup
startmakeup:instance:page	\startpagemakeup [=] \stoppagemakeup
startmakeup:instance:standard	\startstandardmakeup [=] \stopstandardmakeup
startmakeup:instance:text	\starttextmakeup [=] \stoptextmakeup
startmarginblock	\startmarginblock [] \stopmarginblock
•	\startmarginrule [] \stopmarginrule
startmarginrule	
startmarginrule:assignment	\startmarginrule [=] \stopmarginrule
startmarkedcontent	\startmarkedcontent [] \stopmarkedcontent
startmarkpages	\startmarkpages [] \stopmarkpages
startmathalignment:instance	\startMATHALIGNMENT [=] \stopMATHALIGNMENT
startmathalignment:instance:align	\startalign [=] \stopalign
startmathalignment:instance:mathalignment	\startmathalignment [=] \stopmathalignment
<u> </u>	

	A A MARKALARA F. 1 A MARKALARA
startmathcases:instance	\startMATHCASES [=] \stopMATHCASES
startmathcases:instance:cases	\startcases [=] \stopcases
startmathcases:instance:mathcases	\startmathcases [=] \stopmathcases
startmathmatrix:instance	\startMATHMATRIX [=] \stopMATHMATRIX
startmathmatrix:instance:mathmatrix	\startmathmatrix [=] \stopmathmatrix
startmathmatrix:instance:matrix	\startmatrix [=] \stopmatrix
startmathmode	\startmathmode \stopmathmode
startmathstyle	\startmathstyle [] \stopmathstyle
startmatrices	\startmatrices [=] \stopmatrices
startmaxaligned	\startmaxaligned \stopmaxaligned
6	
startmidaligned	\startmidaligned \stopmidaligned
startmiddlealigned	\startmiddlealigned \stopmiddlealigned
startmixedcolumns	\startmixedcolumns [] [=] \stopmixedcolumns
startmixedcolumns:instance	\startMIXEDCOLUMNS [=] \stopMIXEDCOLUMNS
startmixedcolumns:instance:boxedcolumns	\startboxedcolumns [=] \stopboxedcolumns
startmixedcolumns:instance:itemgroupcolumns	\startitemgroupcolumns [=] \stopitemgroupcolumns
startmode	\startmode [] \stopmode
startmodeset	\startmodeset [] {} \stopmodeset
startmodule	\startmodule [] \stopmodule
startmoduletestsection	\startmoduletestsection \stopmoduletestsection
startmodule:string	\startmodule \stopmodule
3	
startnamedsection	\startnamedsection [] [=] \stopnamedsection
startnamedsubformulas	\startnamedsubformulas [] {} \stopnamedsubformulas
startnarrow	\startnarrow [] [=] \stopnarrow
startnarrower	\startnarrower [] \stopnarrower
startnarrower:example	\startNARROWER [] \stopNARROWER
startnarrow:assignment	\startnarrow [=] [] \stopnarrow
startnarrow:name	\startnarrow [] [] \stopnarrow
startnegative	\startnegative \stopnegative
startnicelyfilledbox	\startnicelyfilledbox [=] \stopnicelyfilledbox
startnointerference	
	\startnointerference \stopnointerference
startnotallmodes	\startnotallmodes [] \stopnotallmodes
startnotext	\startnotext \stopnotext
startnote:instance	\startNOTE [] \stopNOTE
startnote:instance:assignment	\startNOTE [=] \stopNOTE
startnote:instance:assignment:endnote	\startendnote [=] \stopendnote
startnote:instance:assignment:footnote	\startfootnote [=] \stopfootnote
startnote:instance:endnote	\startendnote [] \stopendnote
startnote:instance:footnote	\startfootnote [] \stopfootnote
startnotmode	\startnotmode [] \stopnotmode
	\startopposite \stopopposite
startopposite	\startoutputstream [] \stopoutputstream
startoutputstream	
startoverlay	\startoverlay \stopoverlay
startoverprint	\startoverprint \stopoverprint
startpacked	\startpacked [] \stoppacked
startpagecolumns	\startpagecolumns [=] \stoppagecolumns
startpagecolumns:instance	\startPAGECOLUMNS \stopPAGECOLUMNS
startpagecolumns:name	\startpagecolumns [] \stoppagecolumns
startpagecomment	\startpagecomment \stoppagecomment
startpagefigure	\startpagefigure [] [=] \stoppagefigure
startpagelayout	\startpagelayout [] \stoppagelayout
startpar	\startpar [] [=] \stoppar
_	\startparagraph [] [=] \stopparagraph
startparagraph	
startparagraphs	\startparagraphs [] \stopparagraphs
startparagraphscell	\startparagraphscell \stopparagraphscell
startparagraphs:example	\startPARAGRAPHS \stopPARAGRAPHS
startparallel:example	\startPARALLEL \stopPARALLEL
startparbuilder	\startparbuilder [] \stopparbuilder
startplacefloat	\startplacefloat [] [=] \stopplacefloat
startplacefloat:instance	\startplaceFLOAT [=] [=] \stopplaceFLOAT
startplacefloat:instance:chemical	\startplacechemical [=] [=] \stopplacechemical
startplacefloat:instance:figure	\startplacefigure [=] [=] \stopplacefigure
startplacefloat:instance:graphic	\startplacegraphic [=] [=\.] \stopplacegraphic
startplacefloat:instance:intermezzo	\startplaceintermezzo [=] [=] \stopplaceintermezzo
startplacefloat:instance:table	\startplacetable [=] [=] \stopplacetable
startplaceformula	\startplaceformula [=] \stopplaceformula
startplaceformula: argument	\startplaceformula [] \stopplaceformula
startplacepairedbox	\startplacepairedbox [] [=] \stopplacepairedbox
startplacepairedbox:instance	\startplacePAIREDBOX [=] \stopplacePAIREDBOX
startplacepairedbox:instance:legend	\startplacelegend [=] \stopplacelegend
startpositioning	\startpositioning [] [=] \stoppositioning
startpositionoverlay	\startpositionoverlay {} \stoppositionoverlay

atartmonitiva	\atartmagitiva \atarmagitiva
startpositive startpostponing	\startpositive \stoppositive \startpostponing [] \stoppostponing
startpostponingnotes	\startpostponing [] \stoppostponing \startpostponingnotes \stoppostponingnotes
startprocessassignmentcommand	\startprocessassignmentcommand [=] \stopprocessassignmentcommand
startprocessassignmentlist	\startprocessassignmentlist [=] \stopprocessassignmentlist
startprocesscommacommand	\startprocesscommacommand [] \stopprocesscommacommand
•	\startprocesscommalist [] \stopprocesscommalist
startprocesscommalist	
startproduct	\startproduct [] \stopproduct
startproduct:string	\startproduct\stopproduct
startproject	\startproject [] \stopproject
startproject:string	\startproject\stopproject
startprotectedcolors	\startprotectedcolors \stopprotectedcolors
startpublication	\startpublication [] [=] \stoppublication
startrandomized	\startrandomized \stoprandomized
startrawsetups	\startrawsetups [] [\stoprawsetups
startrawsetups:string	\startrawsetups \stoprawsetups
startreadingfile	\startreadingfile \stopreadingfile
startregime	\startregime [] \stopregime
startregister	\startregister [] [] [] {++}
startreusableMPgraphic	\startreusableMPgraphic {} {} \stopreusableMPgraphic
startrightaligned	\startrightaligned \stoprightaligned
startruby	\startruby [] \stopruby
startscript	\startscript [] \stopscript
startsectionblock	\startsectionblock [] [=] \stopsectionblock
startsectionblockenvironment	\startsectionblockenvironment [] \stopsectionblockenvironment
startsectionblock:instance	\startSECTIONBLOCK [=] \stopSECTIONBLOCK
startsectionblock:instance:appendices	\startappendices [=] \stopappendices
startsectionblock:instance:backmatter	\startbackmatter [=] \stopbackmatter
startsectionblock:instance:bodymatter	\startbodymatter [=] \stopbodymatter
startsectionblock:instance:frontmatter	\startfrontmatter [=] \stopfrontmatter
startsectionlevel	\startsectionlevel [] [=] \stopsectionlevel
startsection:instance	\startSECTION [=] [=] \stopSECTION
startsection:instance:chapter	\startchapter [=] [=] \stopchapter
startsection:instance:part	\startpart [=] [=] \stoppart
startsection:instance:section	\startsection [=] [=] \stopsection
startsection:instance:subject	\startsubject [=] [=] \stopsubject
startsection:instance:subsection	\startsubsection [=] [=] \stopsubsection
startsection:instance:subsubject	\startsubsubject [=] [=] \stopsubsubject
startsection:instance:subsubsection	\startsubsubsection [=] [=] \stopsubsubsection
startsection:instance:subsubsubject	\startsubsubsubject [=] [\stopsubsubsubject
startsection:instance:subsubsubsection	\startsubsubsubsection [=] [=] \stopsubsubsubsection
startsection:instance:subsubsubsubject	\startsubsubsubject [=] [=] \stopsubsubsubject
startsection:instance:subsubsubsection	\startsubsubsubsubsection [=] [=] \stopsubsubsubsubsection
startsection:instance:subsubsubsubsubject	\startsubsubsubsubsubject [=] [=] \stopsubsubsubsubsubject
startsection:instance:title	\starttitle [=] [=] \stoptitle
startsetups	\startsetups [] [] \stopsetups
startsetups:string	\startsetups\stopsetups
startshift	
	\startshift [] \stopshift
startsidebar	\startsidebar [] [=.] \stopsidebar
startsimplecolumns	\startsimplecolumns [=.] \stopsimplecolumns
startspecialitem:item	\startspecialitem [] [] \stopspecialitem
startspecialitem:none	\startspecialitem [] \stopspecialitem
startspecialitem:symbol	\startspecialitem [] {} \stopspecialitem
startsplitformula	\startsplitformula \stopsplitformula
startspread	\startspread \stopspread
startstartstop:example	\startSTARTSTOP \stopSTARTSTOP
startstaticMPfigure	\startstaticMPfigure {} \stopstaticMPfigure
startstaticMPgraphic	\startstaticMPgraphic {} {} \stopstaticMPgraphic
startstop:example	\STARTSTOP {}
startstrictinspectnextcharacter	\startstrictinspectnextcharacter \stopstrictinspectnextcharacter
startstructurepageregister	\startstructurepageregister [] [=] [=]
startstyle	\startstyle [=] \stopstyle
startstyle:argument	\startstyle [] \stopstyle
startstyle:instance	\startSTYLE \stopSTYLE
startsubformulas	\startsubformulas [] \stopsubformulas
startsubjectlevel	\startsubjectlevel [] [=] \stopsubjectlevel
startsubsentence	\startsubsentence \stopsubsentence
startsubstack	\startsubstack \stopsubstack
startsymbolset	\startsymbolset [] [=] \stopsymbolset
startTABLE	\startTABLE [=] \stopTABLE
startTABLEbody	\startTABLEbody [=] \stopTABLEbody
startTABLEfoot	\startTABLEfoot [=] \stopTABLEfoot

startTABLEhead	\startTABLEhead [=] \stopTABLEhead
startTABLEnext	\startTABLEnext [=] \stopTABLEnext
starttable	\starttable [] [=] \stoptable
starttablehead	\starttablehead [] \stoptablehead
starttables	\starttables [] \stoptables
starttables:name	\starttables [] \stoptables
starttabletail	\starttabletail [] \stoptabletail
starttable:name	\starttable [] [=] \stoptable
	\starttabulate [//] [=] \stoptabulate
	\starttabulatehead ^{PT} [] \stoptabulatehead
starttabulatetail	\starttabulatetail [] \stoptabulatetail
starttabulate:instance	\startTABULATE [] [=] \stopTABULATE
starttabulate:instance:fact	\startfact [] [=] \stopfact
starttabulate:instance:legend	\startlegend [] [=] \stoplegend
starttabulation:example	\startTABULATION [] [=] \stopTABULATION
	\starttexcode \stoptexcode
	\starttexdefinition\stoptexdefinition
	\starttext \stoptext
	\starttextbackground [] [=] \stoptextbackground
	\starttextbackgroundmanual \stoptextbackgroundmanual
starttextbackground:example	\startTEXTBACKGROUND [=] \stopTEXTBACKGROUND
	\starttextcolor [] \stoptextcolor
	\starttextcolorintent \stoptextcolorintent
	\starttextflow [] \stoptextflow
	\starttextrule {} \stoptextrule
	\starttokens [] \stoptokens
	\starttransparent [] \stoptransparent
• •	\starttypescript [] [] \stoptypescript
	\starttypescriptcollection [] \stoptypescriptcollection
starttyping:instance	\startTYPING [=.] \stopTYPING
starttyping:instance:argument starttyping:instance:argument:LUA	\startTYPING [] \stopTYPING \startLUA [] \stopLUA
starttyping:instance:argument:MP	\startMP [] \stopMP
starttyping:instance:argument:PARSEDXML	\startPARSEDXML [] \stopPARSEDXML
starttyping:instance:argument:TEX	\startTEX [] \stopTEX
starttyping:instance:argument:typing	\starttyping [] \stoptyping
starttyping:instance:argument:XML	\startXML [] \stopXML
starttyping:instance:LUA	\startLUA [=] \stopLUA
starttyping:instance:MP	\startMP [=] \stopMP
starttyping:instance:PARSEDXML	\startPARSEDXML [=] \stopPARSEDXML
starttyping:instance:TEX	\startTEX [=] \stopTEX
starttyping:instance:typing	\starttyping [=] \stoptyping
starttyping:instance:XML	\startXML [=] \stopXML
V. 0	\startuniqueMPgraphic {} {} \stopuniqueMPgraphic
	\startuniqueMPpagegraphic {} {} \stopuniqueMPpagegraphic
	\startunpacked \stopunpacked
	\startusableMPgraphic {} {} \stopusableMPgraphic
	\startuseMPgraphic {} {} \stopuseMPgraphic
	\startusemathstyleparameter \ \stopusemathstyleparameter
	\startusingbtxspecification [] \stopusingbtxspecification
· .	\startvboxregister \stopvboxregister
	\startvboxtohbox \stopvboxtohbox
	\startvboxtohboxseparator \stopvboxtohboxseparator
	\startviewerlayer [] \stopviewerlayer
startviewerlayer:example	\startVIEWERLAYER \stopVIEWERLAYER
startvtopregister	\startvtopregister \stopvtopregister
startxcell	\startxcell [] [=] \stopxcell
startxcellgroup	\startxcellgroup [] [=] \stopxcellgroup
startxcolumn	\startxcolumn [] [=] \stopxcolumn
	\startxgroup [] [=] \stopxgroup
startxmldisplayverbatim	\startxmldisplayverbatim [] \stopxmldisplayverbatim
startxmlinlineverbatim	\startxmlinlineverbatim [] \stopxmlinlineverbatim
	\startxmlraw \stopxmlraw
	\startxmlsetups [] [] \stopxmlsetups
	\startxmlsetups \stopxmlsetups
	\startxrow [] [=] \stopxrow
	\startxrowgroup [] [=] \stopxrowgroup
	\startxtable [=] \stopxtable
	\startxtablebody [=] \stopxtablebody
	\startxtablebody [] \stopxtablebody
	\startxtablefoot [=] \stopxtablefoot
startxtablefoot:name	\startxtablefoot [] \stopxtablefoot

startxtablehead	\startxtablehead [=] \stopxtablehead
startxtablehead:name	\startxtablehead [] \stopxtablehead
startxtablenext	\startxtablenext [=] \stopxtablenext
startxtablenext:name	\startxtablenext [] \stopxtablenext
startxtable:example	\startXTABLE [=] \stopXTABLE
startxtable:name	\startxtable [] \stopxtable
	\stopline []
stopline	-
stoplinenote:instance	\stopLINENOTE []
stoplinenote:instance:linenote	\stoplinenote []
stopregister	\stopregister [] []
stopstructurepageregister	\stopstructurepageregister [] []
stretched	\stretched [=] {}
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
strippedcsname:string	\strippedcsname
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
0.	
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
style	\style [=] {}
styleinstance	\styleinstance []
style:argument	\style [] {}
style:instance	\STYLE {}
subpagenumber	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
subtractfeature	\subtractfeature []
	\subtractfeature {}
subtractfeature:direct	
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
swapmacros	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtobodyfont	\switchtobodyfont []
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []
•	<u>-</u>
symbol	\symbol [] []
symbolreference	\symbolreference []
symbol:direct	\symbol {}
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
synctexresetfilename	\synctexresetfilename \(\text{()}\)
•	
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {} {}
systemlog	\systemlog {} {}
systemlogfirst	\systemlogfirst $\{\}$ $\{\}$
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaBlE
TEX	\TEX

ГеХ	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {}
tbox	\tbox {}
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textreference	\textreference [] {}
textrule	\textrule [] {}
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinrule	\thinrule
thinrules	\thinrules [=]
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {} {} {} {}
thirdoffourarguments	\thirdoffourarguments {} {} {}
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded {} {} {}
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip	\tooltip [=] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions

translate	\translate [=]
transparencycomponents	\transparencycomponents {}
transparent	\transparent [] {}
triplebond	\triplebond
truefilename	\truefilename {}
truefontname	\truefontname {}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
tx	\tx
txx	\txx
typ	\typ [=] {}
	\type [=] {}
type typebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
typedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
typefile	\typefile [] [=] {}
typeinlinebuffer	\typeinlinebuffer [] [=]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [=]
type:angles	\type [=] <<>>
type:example	\TYPE [=] {}
type:example:angles	\TYPE [=] <<>>
typ:angles	\typ [=] <<>>
uconvertnumber	\uconvertnumber {} {}
uedcatcodecommand	\uedcatcodecommand \ \{}
undefinevalue	\undefinevalue {}
undepthed	\undepthed {}
underset	\underset {} {}
undoassign	\undoassign [] [=]
unexpandeddocumentvariable	\unexpandeddocumentvariable {}
unhhbox	\unhhbox \with {}
unihex	\unihex {}
uniqueMPgraphic	\uniqueMPgraphic {} {=}
uniqueMPpagegraphic	\uniqueMPpagegraphic {} {=}
unit:instance	\UNIT {}
unit:instance:unit	\unit {}
unknown	\unknown
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	=
unspaceafter	\unregisterhyphenationpattern [] []
-	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
useblocks	\useblocks [] [=]
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []

usecomponent	\usecomponent []			
usedummycolorparameter	\usedummycolorparameter {}			
usedummystyleandcolor	\usedummystyleandcolor {} {}			
usedummystyleparameter	\usedummystyleparameter {}			
useenvironment	\useenvironment []			
useexternaldocument	\useexternaldocument [] []			
useexternalfigure	\useexternalfigure [] [] [] [=]			
useexternalrendering	\useexternalrendering [] [] []			
useexternalsoundtrack	\useexternalsoundtrack [] []			
usefigurebase	\usefigurebase []			
usefile	\usefile [] []			
usegridparameter	\usegridparameter \			
useindentingparameter	\useindentingparameter \			
useindentnextparameter	\useindentnextparameter \			
useinterlinespaceparameter	\useinterlinespaceparameter \			
useJSscripts	\useJSscripts []			
uselanguageparameter	\uselanguageparameter \			
useluamodule	\useluamodule []			
useMPenvironmentbuffer	\useMPenvironmentbuffer []			
useMPgraphic	\useMPgraphic {} {=}			
useMPlibrary	\useMPlibrary []			
useMPrun	\useMPrun {} {}			
useMPvariables	\useMPvariables [] []			
usemathstyleparameter	\usemathstyleparameter \			
usemodule	\usemodule [] [=]			
usepath	\usepath []			
useproduct	\useproduct []			
useprofileparameter	\useprofileparameter \			
useproject	\useproject []			
usereferenceparameter	\usereferenceparameter \			
userpagenumber	\userpagenumber			
usesetupsparameter	\usesetupsparameter \			
usestaticMPfigure	\usestaticMPfigure [=] []			
usesubpath	\usesubpath []			
usesymbols	\usesymbols []			
usetexmodule	\usetexmodule [] [=]			
usetypescript	\usetypescript [] [] \usetypescriptfile []			
usetypescriptfile useURL	\useURL [] [] []			
useurl	\useurl [] [] []			
usezipfile	\usezipfile [] []			
utfchar	\utfchar {}			
utflower	\utflower {}			
utfupper	\utfupper {}			
utilityregisterlength	\utilityregisterlength			
VerboseNumber	\VerboseNumber {}			
vboxreference	\vboxreference [] {}			
Vec	\vec {}			
verbatim	\verbatim {}			
verbatimstring	\verbatimstring {}			
verbosenumber	\verbosenumber {}			
version	\version []			
verticalgrowingbar	\verticalgrowingbar [=]			
verticalpositionbar	\verticalpositionbar [=]			
veryraggedcenter	\veryraggedcenter			
veryraggedleft	\veryraggedleft			
veryraggedright	\veryraggedright			
vglue	\vglue			
viewerlayer	\viewerlayer [] {}			
vl	\vl []			
vphantom	\vphantom {}			
vpos	\vpos {} {}			
vsmash	\vsmash {}			
vsmashbox	\vsmashbox			
vsmashed	\vsmashed {}			
vspace	\vspace [] []			
vspacing	\vspacing []			
WEEKDAY	\WEEKDAY {}			
WidthSpanningText	$\WidthSpanningText {} {} {}$			
WORD	\WORD {}			
WORDS	\WORDS {}			
Word	\Word { }			

Words	\Words {}		
wdofstring	\wdofstring {}		
weekday	\weekday {}		
widthofstring	\widthofstring {}		
widthspanningtext	\widthspanningtext {} {}		
withoutpt	\withoutpt {}		
word	\word {}		
wordright	\wordright [] {}		
words	\words {}		
wordtonumber	\wordtonumber {} {}		
writebetweenlist	\writebetweenlist [] [=] {}		
writedatatolist	\writedatatolist [] [=] [=]		
writestatus	\writestatus {} {}		
writetolist	\writestatus () () \writetolist [] [=] {} {}		
XETEX	\XETEX		
XeTeX	\XeTeX		
xdefconvertedargument	\xdefconvertedargument \ {}		
xmladdindex	\xmladdindex {}		
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {} {}		
xmlaftersetup	\xmlaftersetup {} {}		
xmlall	\xmlall {} {}		
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}		
xmlappendsetup	\xmlappendsetup {}		
xmlapplyselectors	\xmlapplyselectors {}		
xmlatt	\xmlatt {} {}		
xmlattdef	\xmlattdef {} {}		
xmlattribute	\xmlattribute {} {}		
xmlattributedef	\xmlattributedef {} {} {} {}		
xmlbadinclusions	\xmlbadinclusions {}		
xmlbeforedocumentsetup	\xmlbeforedocumentsetup \{\ldots\} \{\ldots\}		
xmlbeforesetup	\xmlbeforesetup {} {}		
xmlchainatt	\xmlchainatt {} {}		
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \{\}$		
xmlchecknamespace	$\mbox{xmlchecknamespace } \{\}$		
xmlcommand	\xmlcommand {} {} {}		
xmlconcat	\xmlconcat {} {}		
vml concetrance	\wmlconco+rongo f lf lf lf lf l		
xmlconcatrange	\xmlconcatrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlcontext	\xmlcontext {} {}		
3			
xmlcontext	\xmlcontext {} {}		
xmlcontext xmlcount	<pre>\xmlcontext {} {} \xmlcount {}</pre>		
xmlcount xmldefaulttotext	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives	<pre>\xmlcontext {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter	<pre>\xmlcontext {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelse {} {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifelse {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatty xmldoifelseselfempty	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {}</pre>		
xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} {} \xmldoifelsevalue {} {} {} {} \xmldoifelsevalue {} {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifotot xmldoifnot</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsetext {} {} {} {} \xmldoifolsetext {} {} {} {} \xmldoifolsevalue {} {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifelsevalue xmldoifnot</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnotselfempty {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifott xmldoifnot xmldoifnot xmldoifnot xmldoifnotselfempty</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnottext {} {} {} \xmldoifnottext {} {</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifottestext xmldoifnot xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnotselfempty</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifott xmldoifnot xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifolfelseselfempty {} {} {} \xmldoifolfolfelsevalue {} {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} {} \xmldoiftext</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsetext xmldoifott xmldoifnot xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoifselfempty xmldoifselfempty</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifolifelseselfempty {} {} {} \xmldoifolifelsevalue {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftenent {} {} \xmldoiftenent {} {} \xmldoiftenent {} {} \xmlelement {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelsetext xmldoifott xmldoifnot xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnotatt {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempt {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoifter {} {} \xmldoifter {} {} \xmlfilter {} {} {} \xmlfilter {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifolifelseselfempty {} {} {} \xmldoifolifelsevalue {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoifselfempty {} {} \xmldoiftext {} {} {} \xmldoiftext {} {} \xmldoiftext {} {} \xmldoiftenent {} {} \xmldoiftenent {} {} \xmldoiftenent {} {} \xmlelement {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifinottext xmldoifselfempty xmldoiftext xmldoiftext xmldoiftext xmldoiftext xmlelement xmlfilter xmlfirst xmlflush</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseampty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfoltatt {} {} {} \xmldoifoltottatt {} {} {} \xmldoifoltottext {} {} {} \xmldoifoltottext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmldoifoltext {} {} \xmlfilter {} {} {} \xmlfilter {} {} {} \xmlfilter {.</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsetext xmldoifelsevalue xmldoifnot xmldoifnotatt xmldoifnotselfempty xmldoifnottext xmldoifselfempty xmldoifinottext xmldoifselfempty xmldoifinottext xmldoifinottext</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} \xmldoifelse {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseampty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifontottatt {} {} \xmldoifnottext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflush {} \xmlflush {} \xmlflushcontext {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsevalue xmldoifotot xmldoifnot xmldoifnottext xmldoifnottext xmldoifselfempty xmldoifnottext xmldoifselfempty xmldoifnottext xmldoifselfempty xmldoiftext xmldoifselfempty xmldoiftext xmlelement xmlfilter xmlfirst xmlflush xmlflushcontext xmlflushdocumentsetups</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxent {} {} \xmldoifinetxent {} {} \xmlfilush {} \xmlflush {} \xmlflush {} \xmlflushdocumentsetups {} {}</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsevalue xmldoifotot xmldoifnot xmldoifnott xmldoifnottext xmldoifnottext xmldoifselfempty xmldoifinottext xmlflush xmlflush xmlflush xmlflushdocumentsetups xmlflushlinewise</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseampty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifontottet {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxent {} {} \xmldoifinetxent {} {} \xmlfilush {} \xmlflush {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xml</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsevalue xmldoifnot xmldoifnot xmldoifnottext xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifnottext xmldoifselfempty xmldoifnottext xmldoifselfempty xmldoiftext xmldloifottext xmlelement xmlfilter xmlfilter xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifontottelfempty {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifontottext {} {} \xmldoifontottext {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxelfempty {} {} \xmldoifinetxelfempty {} {} \xmlfileshement {} {} \xmlfilush {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushlinewise {} \xmlflushpure {} \xmlflushp</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsevalue xmldoifnot xmldoifnot xmldoifnottext xmldoifnottext xmldoifselfempty xmldoifsetext xmldoifsetext xmldoifsetext xmldoifnottext xmldoifsetext xmldoifsetext xmldoifsetext xmldoifsetext xmldoiftext xmldliter xmlfilter xmlfilter xmlfilush xmlflushcontext xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushspacewise</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifinetext {} {} \xmldoifinetext {} {} \xmldoifinetext {} {} \xmldoifinetext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushpure {} \xmlflushspacewise {} \xml</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelsestext xmldoifelsevalue xmldoifnot xmldoifnot xmldoifnotatt xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifsetext xmldoifsetext xmldoifsetext xmldoifsetext xmldoifsetext xmldoifsetext xmlfloiftext xmlelement xmlfilter xmlfilter xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushlinewise xmlflushpure xmlflushpure xmlflushpacewise xmlflushtext</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldisplayverbatim {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifontottet {} {} \xmldoifnotatt {} {} \xmldoifnotatt {} {} \xmldoifontottext {} {} \xmldoifontottext {} {} \xmldoifontottext {} {} \xmldoifontottext {} {} \xmldoifinetext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlflush {} \xmlflushdocumentsetups {} {} \xmlflushpure {} \xmlflushspacewise {} \xmlflushtext {} \xmlflushte</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelseselfempty xmldoifelsetext xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnotbelfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifsetx xmldoifsetx xmldiflter xmlfilter xmlfilter xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushpure xmlflushtext xmlinclude</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifinottext {} {} \xmldoifinottext {} {} \xmldoifinottext {} {} \xmlfilter {} {} \xmlfiltsh {} \xmlflush {} \xmlflushlinewise {} \xmlflushpure {} \xmlflushtext {} \xmlflushtext</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseempty xmldoifelseselfempty xmldoifelseselfempty xmldoifelsevalue xmldoifnot xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnotselfempty xmldoifinottext xmldoifinotext xmldoifinotext xmldoifinotext xmldoifinotext xmldoifinotext xmldoifinotext xmldoifinotext xmldoifinotext xmlflushoifiext xmlflush xmlflush xmlflush xmlflush xmlflush xmlflushcontext xmlflushlinewise xmlflushpure xmlflushpure xmlflushext xmlinclude xmlinclude</pre>	<pre>\xmlcount {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifolfontatt {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmlfilter {} {} \xmlfilter {} {} \xmlfilush {} \xmlflushcontext {} \xmlflushnore {} \xmlflushpure {} \xmlflushtext {} \xmlflushinclude {} {} {} \xmlflushinclude {} {} \xmlinclusion {} \xml</pre>		
<pre>xmlcontext xmlcount xmldefaulttotext xmldirectives xmldirectivesafter xmldirectivesbefore xmldisplayverbatim xmldoif xmldoifatt xmldoifelse xmldoifelseatt xmldoifelseatt xmldoifelseselfempty xmldoifelseselfempty xmldoifelsetext xmldoifnot xmldoifnotatt xmldoifnotatt xmldoifnotbelfempty xmldoifnottext xmldoifselfempty xmldoifselfempty xmldoifsetx xmldoifsetx xmldiflter xmlfilter xmlfilter xmlflush xmlflushcontext xmlflushdocumentsetups xmlflushpure xmlflushpure xmlflushpure xmlflushtext xmlinclude</pre>	<pre>\xmlcontext {} {} \xmlcount {} \xmldefaulttotext {} \xmldirectives {} \xmldirectivesafter {} \xmldirectivesbefore {} \xmldirectivesbefore {} \xmldoif {} {} {} \xmldoif {} {} {} \xmldoifatt {} {} {} \xmldoifelse {} {} {} \xmldoifelseatt {} {} {} \xmldoifelseempty {} {} {} \xmldoifelseselfempty {} {} {} \xmldoifelsevalue {} {} {} \xmldoifnot {} {} \xmldoifnotatt {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifnottext {} {} \xmldoifinottext {} {} \xmldoifinottext {} {} \xmldoifinottext {} {} \xmlfilter {} {} \xmlfiltsh {} \xmlflush {} \xmlflushlinewise {} \xmlflushpure {} \xmlflushtext {} \xmlflushtext</pre>		

xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar	\xmllastpar
xmlloadbuffer	\xmlloadbuffer {} {} {}
xmlloaddata	\xmlloaddata {} {}
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {} {}
	\xmlloadonly {} {} {}
xmlloadonly	\xmlmain {}
xmlmain	
xmlmapvalue	\xmlmapvalue {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata	\xmlprocessdata {} {} {}
xmlprocessfile	\xmlprocessfile {} {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname \{\} \{\} \{\}
xmlremapnamespace	\xmlremapnamespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}
xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}
xmlsetatt	\xmlsetatt {} {}
xmlsetattribute	$\mbox{xmlsetattribute } \{\} \{\} \{\}$
xmlsetentity	\xmlsetentity {} {}
xmlsetfunction	\xmlsetfunction {} {} {}
xmlsetinjectors	\xmlsetinjectors []
xmlsetpar	\xmlsetpar {} {}
•	
xmlsetparam	
•	\xmlsetparam {} {} {}
xmlsetsetup	\xmlsetparam {} {} {} {} \xmlsetsetup {} {}
xmlsetsetup xmlsetup	\xmlsetparam {} {} {} {} \xmlsetsetup {} {} {}
xmlsetsetup xmlsetup xmlshow	\xmlsetparam {} {} {} {} \xmlsetsetup {} {} \xmlsetup {} {} \xmlshow {}
xmlsetsetup xmlsetup xmlshow xmlsnippet	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {}
xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripnolines xmlstripped xmlstripped</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {} \xmlstrippednolines {} {} \xmltag {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripolines xmlstripped xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity</pre>	\xmlsetparam {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {} \xmltag {} \xmltag {} \xmltag {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {} \xmltag {} \xmltag {} \xmltexentity {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {} \xmltag {} \xmltag {} \xmltaunltaunltaunltaunltaunltaunltaunltaun
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobufferverbose</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstrippednolines {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltobuffer {} {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripped xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobufferverbose</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshow {} \xmlstrip {} {} \xmlstrippet {} {} \xmlstripnolines {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} {} \xmltobuffer {} {} {} \xmltofile {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobuffer xmltobuffer xmltofile</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltobuffer {} {} {} \xmltobufferverbose {} {} {} \xmltofile {} {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobuffer xmltobuffer xmltofile xmlvalue</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshippet {} {} \xmlstrip {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltexentity {} {} \xmltobuffer {} {} \xmltobuffer {} {} {} \xmltobuffer {} {} {} \xmltofile {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {}
<pre>xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped xmlstripped xmlstrippednolines xmltag xmltexentity xmltext xmltobuffer xmltobuffer xmltobuffer xmltofile xmlvalue xmlverbatim</pre>	\xmlsetparam {} {} {} {} \xmlsetup {} {} {} \xmlshow {} \xmlshippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {} \xmlstripped {} {} \xmltag {} \xmltag {} \xmltext {} {} \xmltobuffer {} {} \xmltobuffer {} {} \xmltobuffer {} {} \xmltobuffer {} {} {} \xmltofile {} {} {} \xmlvalue {} {} {} \xmlvalue {} \xmlvalue {} \xmlvalue {} {} \xmlvalue {

