

ConTEXt comandi

language : it / italiano

version : 23 novembre 2020maintainer: Wolfgang Schuster

comments : ntg-context@ntg.nl

AfterPar	\AfterPar {}
Alphabeticnumerals	\Alphabeticnumerals {}
AMSTEX	\AMSTEX
AmSTeX	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
actualday	\actualday
actualmonth	\actualmonth
actualyear	\actualyear
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {} {}
alignhere	\alignhere \(\text{\alignhere}\)
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [, [] \alwayscitation []
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	-
	\alwayscite [=] [=] \ambiente []
ambiente	\ambiente []
ambiente:string	
ampersand anchor	\ampersand \anchor [] [=] {}
ap	\ap {}
apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appendgvalue {} {}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
applytocharacters	\applytocharacters \ {}
applytofirstcharacter	\applytofirstcharacter \ {}
applytosplitstringchar	\applytosplitstringchar \ \{\}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}

arg	\arg {}
asciimode	\asciimode
asciistr	\asciistr {}
assignalfadimension	\assignalfadimension $\{\}$ \ $\{\}$ $\{\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension {} \ {} {} {}
assignifempty	\assignifempty \ {}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ {}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox	\autodirhbox {}
autodirybox	\autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
	-
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autoorientation	\autoorientation {}
autopagestaterealpage	\autopagestaterealpage {}
autopagestaterealpageorder	\autopagestaterealpageorder {}
autorule	\autorule \relax
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	∖Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage {} {} {}
backgroundimagefill	\backgroundimagefill {} {} {}
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar	\nobar {}
bar:instance:overbar	\overbar {}
bar:instance:overbar	\overbar \(\ldots\)
bar:instance:overbars bar:instance:overstrike	\overstrike \{\dots\}
bar:instance:overstrikes	\overstrike \(\lambda \).\
bar:instance:underbar	\underbar \{\dots\}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beforetestandsplitstring \at \to \
beginblock:example	
neRinorocv.evambie	\beginBLOCK [] [=] \endBLOCK
beginblock:example beginbbox	\beginBLOCK [] [=] \endBLOCK \beginhbox \endhbox

beginofshapebox	\beginofshapebox \endofshapebox
•	
beginvbox	\beginvbox \endvbox
beginvtop	\beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	\bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
	•
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
blockuservariable	\blockuservariable {}
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	
	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
•	
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnested	\bTABLEnested [=] \eTABLEnested
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	\bTRs [] \eTRs
bTX	\bTX [=] \eTX
bTY	\bTY [=] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
,	
btxalwayscitation:alternative	\btxalwayscitation [] []
btxalwayscitation:userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif {} {}
btxdoifcombiinlistelse	\btxdoifcombiinlistelse {} {} {} {}
btxdoifelse	\btxdoifelse {} {} {}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelsesameasprevious	\btxdoifelsesameasprevious $\{\}$ $\{\}$
btxdoifelsesameaspreviouschecked	\btxdoifelsesameaspreviouschecked $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
btxdoifelseuservariable	\btxdoifelseuservariable {} {}
btxdoifnot	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse {} {} {} {}
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-	
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}

btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}
btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
·	\btxhybridcite [] []
btxhybridcite:alternative	· ·
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural {} {} {}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Сар	\Cap {}
Caps	\Caps {}
CONTEXT	\CONTEXT
ConTeXt	\ConTeXt
Context	\Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
-	\SECTION [=]
capoverso:instance:assignment	
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
capoverso:instance:assignment:subsubject	\subsubject [=]
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
	= = = =

capoverso:instance:ownnumber:section	\section [] {}
capoverso:instance:ownnumber:subject	\subject [] {}
capoverso:instance:ownnumber:subsection	\subsection [] {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubject	\subsubsubsubject [] {} {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsubsubject	\subsubsubsubject [] $\{\}$
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsection	\subsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned centerbox	\centeraligned \{\ldots\}
	\centerbox \{\}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline \{\ldots\}
centro	\centro
cfrac	\cfrac [] {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
check	\check {}
checkcharacteralign	\checkcharacteralign {}
checkedblank	\checkedblank []
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
checkpage	\checkpage [] [=]
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicalsymbol [] \chemicaltext {}
chemicaltoptext	\chemicaltext \(\(\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=]
cite	\cite [=] []
cite:alternative	\ - i + -
	\cite [] []
cite:direct	\cite {}
	\cite {} \cite [=] [=]
cite:direct	\cite {}

cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
cldprocessfile	\cldprocessfile {}
-	\clip [=] {}
clip	-
clippedoverlayimage	\clippedoverlayimage {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}
colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
columnsetspanwidth	\columnsetspanwidth {}
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	$\verb \commento (,) (,) [=] {}$
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension {} {}
comparedimensioneps	\comparedimensioneps {} {}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoliloats.instance.ligules	
acmml at align of floor a sington as a manhing	
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables	\completelistofintermezzi [=] \completelistoftables [=]
<pre>completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts</pre>	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=]</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister	\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completeREGISTER [=]
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance:index	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] \completelistofabbreviations [=] \completelistofabbreviations [=] \completeregister [] [=] \completeREGISTER [=] \completendex [=]</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] \completelistofabbreviations [=] \completeregister [] [=] \completeREGISTER [=] \completoindex [=] \completoindex [=] \complexorsimple \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completelistofabbreviations [=] \completeregister [] [=] \completeREGISTER [=] \completompletoindex [=] \complexorsimple \ \complexorsimpleempty \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynoryms completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completorpletoridex [=] \completorpletoridex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty \ \complexorsimpleempty \ \complexorsimpleempty \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynoryms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completoridex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {}</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completelistofabbreviations [=] \completenegister [] [=] \completormeletare [=] \completormeletare [] \completormeletare [] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty {} \complexorsimple {} \componenet []</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynoryms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completoridex [=] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty {} \complexorsimple {}</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completelistofabbreviations [=] \completenegister [] [=] \completormeletare [=] \completormeletare [] \completormeletare [] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty {} \complexorsimple {} \componenet []</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynoryms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet:string	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completeregister [] [=] \completorBegISTER [=] \completondex [=] \completordex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty {} \complexorsimple {} \componenet [] \componenet [] \componenet [] \componenet</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet:string composedcollector composedlayer	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completelistofabbreviations [=] \completeregister [] [=] \completondex [=] \completondex [=] \completondex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty \cdots \complexorsimple [] \componenet [] \componenet [] \composedcollector \{\} \composedcollector \{\} \composedlayer \{\} \composedlayer \{\} \composedlayer \{\} \composedlayer \{\} \end{array}</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet:string composedcollector composedlayer compounddiscretionary	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofabbreviations [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \completondex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty \cdots \complexorsimple [] \componenet [] \componenet [] \composedcollector \{\} \composedcollector \{\} \composedlayer \{\} \compounddiscretionary</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofpublications completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet:string composedcollector composedlayer compounddiscretionary compresult	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynonyms [] [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completenedistofabreviations [=] \completompletoREGISTER [=] \completompletoindex [=] \complexorsimple \completonumber \completonumb</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet componenet componenet composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completompletoindex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty {} \componenet [] \componenet [] \componenet [] \composedcollector {} \composedcolposedcolori []</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet componenet componenetstring composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty \cdots \componenet [] \componenet [] \composedcollector \{\} \composedcomposedlayer \{\} \composedconfrontagruppocolori [] \confrontatavolozza []</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \complexorsimple \ldots \complexorsimpleempty \ldots \complexorsimpleempty \ldots \componenet [] \componenet [] \componenet [] \composedcollector \{\} \composedcollector \{\} \composedconfrontagruppocolori [] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ldots.</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsynonyms completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet componenet componenet composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \completorindex [] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimple f} \componenet [] \componenet [] \componenet composedcollector \{\} \componenet composedcollector \{\} \componenet composedcolori [] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \cdots \constantdimenargument \cdots \cdots \constantdimenargument \cdots \cdots \cdots \constantdimenargument \cdots \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofsynonyms [] [=] \completelistofsynONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \complexorsimple \ldots \complexorsimpleempty \ldots \complexorsimpleempty \ldots \componenet [] \componenet [] \componenet [] \composedcollector \{\} \composedcollector \{\} \composedconfrontagruppocolori [] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \ldots.</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantemptyargument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completondex [=] \completorindex [] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimple f} \componenet [] \componenet [] \componenet composedcollector \{\} \componenet composedcollector \{\} \componenet composedcolori [] \confrontagruppocolori [] \confrontatavolozza [] \constantdimen \cdots \constantdimenargument \cdots \cdots \constantdimenargument \cdots \cdots \cdots \constantdimenargument \cdots \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantemptyargument constantnumber	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completeRGISTER [=] \completoindex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty \cdots \componenet [] \componenet [] \componenet [] \componenet discomposed layer {} \componenet argument \cdots \constantdimen argument \cdots \constantdimenargument \cdots \constantdimenargument \cdots \constantdimenargument \cdots \constantnumber \cdots \cdots \constantnumber \cdots \constantnumber \cdots \cdots \constantnumber \cdots \cdots \cdots \constantnumber \cdots \cdots</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsynoryms completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber constantnumberargument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistoflogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \complexorsimple \cdots \complexorsimpleempty \cdots \complexorsimpleempty \cdots \complexorsimpleempty {} \componenet [] \componenet [] \componenet composedcollector {} \composedcollector {} \composedconfrontagruppocolori [] \confrontagruppocolori [] \constantdimen \cdots \constantdimenargument \cdots \constantdimenargument \cdots \constantnumber \cdots \cdots \cdots \constantnumber \cdots \cd</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument componenet componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber constantnumberargument contentreference	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \completorSimple \ \complexorSimple empty \ \complexorSimple empty \ \complexorSimple [] \componenet [] \componenet [] \componenet [] \component discretionary \compresult \confrontagruppocolori [] \constantdimen \ \constantdimenargument \ \constantdimenargument \ \constantnumber argument \ \constantnumberargument \</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber constantnumber constantnumber continuednumber	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \completorSimple \cdots \complexorSimple empty \cdots \complexorSimple empty \cdots \complexorSimple empty \cdots \componenet [] \componenet [] \componenet composedCollector \{\} \composedCollector \{\} \component confrontagruppocolori [] \confrontatavolozza [] \constantdimen \cdots \constantdimenargument \cdots \constantdimenargument \cdots \constantnumber \cdots \cdo</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber continuednumber continuedinumber continuedifinputfile	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \completorindex [] \complexorsimpleempty \ \complexorsimpleempty \ \complexorsimpleempty {} \componenet [] \componenet [] \componenet [] \componenet [] \component [] \confontagruppocolori [] \confontantdimen \ \constantdimen \ \constantdimenargument \ \constantnumber \ \constantnumber \ \constantnumber \ \continuednumber \ \continuednumber \ \continuednumber \ \continuedinputfile \{\} \continu</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts:instance completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantdimenargument constantnumber constantnumber constantnumber continuednumber continueifinputfile convertargument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \completorSimple \ \complexorSimple empty \ \complexorSimple empty \ \complexorSimple empty \ \componenet [] \componenet [] \componenet \composedCollector \{\} \composedConfrontagruppocolori [] \confrontagruppocolori [] \confrontatidimen \ \constantdimen \ \constantdimenargument \ \constantnumber \(\constantnumber \(\const</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completeregister completeregister:instance completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimenargument constantnumber constantnumber continuednumber continuedinumber continuedifinputfile	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completoindex [=] \completoindex [] \complexorsimple \ \complexorsimpleempty \ \complexorsimpleempty \{\} \componenet [] \componenet [] \componenet [] \composedcollector \{\} \composedlayer \{\} \composedlayer \{\} \conforntatavolozza [] \constantdimen \ \constantdimenargument \ \constantnumber \{\} \constantnumber \{\} \continuednumber \{\} \continuednumber \{\} \continuednumber \{\} \convertargument \\ \(\) \convertargument \\ \(</pre>
completelistoffloats:instance:intermezzi completelistoffloats:instance:tables completelistofsorts completelistofsorts:instance completelistofsorts:instance completelistofsorts:instance:logos completelistofsynonyms completelistofsynonyms:instance completelistofsynonyms:instance completelistofsynonyms:instance:abbreviations completeregister completeregister:instance completeregister:instance:index complexorsimple complexorsimpleempty complexorsimpleempty:argument complexorsimple:argument componenet:string componenet:string composedcollector composedlayer compounddiscretionary compresult confrontagruppocolori confrontatavolozza constantdimen constantdimen constantdimenargument constantnumber constantnumber constantnumber continuednumber continueifinputfile convertargument	<pre>\completelistofintermezzi [=] \completelistoftables [=] \completelistofpublications [] [=] \completelistofsorts [] [=] \completelistofSORTS [=] \completelistofJogos [=] \completelistofSYNONYMS [=] \completelistofSYNONYMS [=] \completelistofabbreviations [=] \completeregister [] [=] \completoREGISTER [=] \completonIdex [=] \completorSimple \ \complexorSimple empty \ \complexorSimple empty \ \complexorSimple empty \ \componenet [] \componenet [] \componenet \composedCollector \{\} \composedConfrontagruppocolori [] \confrontagruppocolori [] \confrontatidimen \ \constantdimen \ \constantdimenargument \ \constantnumber \(\constantnumber \(\const</pre>

convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero \{\ldots\} \{\ldots\}
convertmonth	\convertmonth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo []
copyboxfromcache	\copyboxfromcache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
copylabeltext:instance copylabeltext:instance:btxlabel	\copyLABELtesto [] [=] \copybtxlabeltesto [] [=]
copylabeltext:instance:btxlabel copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
copylabeltext:instance:mathlabel	\copymathlabeltesto [] [=]
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition $\{\ldots\}$ $\{\ldots\}$
copysetups	\copysetups [] []
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap crlf	\crampedrlap {} \crlf
crlfplaceholder	\crlfplaceholder
ctop	\ctop {}
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
ctxscanner:example	\CTXSCANNER
ctxsprint	\ctxsprint {}
currentassignmentlistkey currentassignmentlistvalue	\currentassignmentlistkey \currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	\currentETICHETTA [] {}
currentlanguage	\currentlanguage
currentlistentrydestinationattribute	\currentlistentrydestinationattribute
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	\currentlistsymbol
currentmainlanguage	\currentmainlanguage
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct

currentproject	\currentproject
currentregime	\currentregime
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
DAYLONG	\DAYLONG {}
DAYSHORT	\DAYSHORT {}
d	\d {}
da	\da []
daqualcheparte data	\daqualcheparte {} {} [] \data [=] []
datadioggi	\dataioggi []
datadioggi:name	\datadioggi []
datasetvariable	\datasetvariable \{\} \{\}
data:name	\data [=] []
daylong	\daylong {}
dayoftheweek	\dayoftheweek {} {} {}
dayshort	\dayshort {}
dayspermonth	\dayspermonth {} {}
dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement: argument	\decrement ()
defaultinterface	\defaultinterface
defaultobjectpage defaultobjectreference	\defaultobjectrpage \defaultobjectreference
defatcodecommand	\defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ {}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [=]
defineattribute	\defineattribute [] []
definebackground definebar	\definebackground [] [] [] \definebar [] [] []
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] []
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [=]
definecharacterkerning	\definecharacterkerning [] [=]
definecharacterspacing definechemical	\definecharacterspacing [] \definechemical [] {}
definechemicals	\definechemicals [] [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [=]
definecolumnbreak	\definecolumnbreak [] []
definecolumnsetarea	\definecolumnsetarea [] [] [=]
definecolumnsetspan	\definecolumnsetspan [] [] [=]
definecombination	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimplecompty:argument	\definecomplexorsimple \{\ldots\}
definecomplexorsimple:argument defineconversionset	\definecomplexorsimple \{\defineconversionset [\defineconversionset [\defineconversionse
defineconversionset	\defineconversionset [] [] [] \definecounter [] []
definedataset	\definedataset [] [] [=]

definedate	\definedate [] []
definedelimitedtext	\definedelimitedtext [] [] [=]
definedfont	\definedfont []
definedocument	\definedocument [] [] [=]
defineeffect	\defineeffect [] [=]
defineexpandable	\defineexpandable [] \ {}
defineexpansion	\defineexpansion [] [] []
defineexternalfigure definefacingfloat	\defineexternalfigure [] [] [] \definefacingfloat [] [] []
definefallbackfamily	\definefallbackfamily [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant $\{\ldots\}$ $\{\ldots\}$
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] []
definefittingpage definefontalternative	\definefittingpage [] [] \definefontalternative []
definefontfallback	\definefontfallback [] [] [] []
definefontfamily	\definefontfamily [] [] [] []
definefontfamilypreset	\definefontfamilypreset [] [=]
definefontfamilypreset:name	\definefontfamilypreset [] []
definefontfamily:preset	\definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [=]
definefontfile	\definefontfile [] [=]
definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable definefrozenfont	\defineframedtable [] [] \definefrozenfont [] []
defineglobalcolor	\definesiozeniont [] [] \definesiobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehyphenationfeatures	\definehyphenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial defineinsertion	\defineinitial [] [] [] \defineinsertion [] [] []
defineinteraction	\defineinteraction [] [] \land \defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [] \
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset definelayerpreset:name	\definelayerpreset [] [=] \definelayerpreset [] []
definelinefiller	\definelinefiller [] [] [=]
definelinenote	\definelinente [] [] [] \definelinente [] []
definelinenumbering	\definelinenumbering [] [] \.
definelines	\definelines [] [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]

defineMPinstance	\defineMPinstance [] [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [=]
definemathcases	\definemathcases [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] []
definemathextensible	\definemathextensible [] []
definemathfence definemathfraction	\definemathfence [] [] [=] \definemathfraction [] [] []
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathmathmathmathmathmathmathmathmathmath
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] [] []
definemathovertextextensible	\definemathovertextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle [] []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []
definemeasure	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
definemixedcolumns	\definemixedcolumns [] [] [=]
definemode	\definemode [] []
definemulticolumns	\definemulticolumns [] [=]
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace definenarrower	\definenamespace [] [=] \definenarrower [] [] [=]
definenatiower	\definenote [] [] []
definencee	\definenote [] [] [=] \defineorientation [] []
defineornament:collector	\defineornament [] [=] [=]
defineornament:layer	\defineornament [] [=] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
definepage	\definepage [] []
definepagebreak	\definepagebreak [] []
definepagechecker	\definepagechecker [] [] [=]
definepagecolumns	\definepagecolumns [] [=]
definepageinjection	\definepageinjection [] [=]
definepageinjectionalternative	\definepageinjectionalternative [] []
definepageshift	\definepageshift [] []
definepagestate	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
defineparbuilder	\defineparbuilder []
defineperiodkerning	\defineperiodkerning [] [] []
defineplacement	\defineplacement [] [] []
defineplacement definepositioning	\defineplacement [] [] [] \definepositioning [] [] []
defineprefixset	\defineprefixset [] [] []
defineprocesscolor	\defineprocesscolor [] [] \.
defineprocessor	\defineprocessor [] [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol [] []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
defineruby	\defineruby [] [=]
definescale	\definescale [] [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]

defineseparatorset	\defineseparatorset [] []
1	
defineshift	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
definespotcolor	\definespotcolor [] [=]
-	
definestyleinstance	\definestyleinstance [] [] []
definesubformula	\definesubformula [] [=]
definesynonym	\definesynonym [] [] {} {}
	\definesystemattribute [] []
definesystemattribute	
definesystemconstant	\definesystemconstant {}
definesystemvariable	\definesystemvariable {}
defineTABLEsetup	\defineTABLEsetup [] [=]
-	
definetextbackground	\definetextbackground [] [=]
definetextflow	\definetextflow [] [=]
definetextnote	\definetextnote [] [=]
definetokenlist	\definetokenlist []
definetooltip	\definetooltip [] [=]
definetransparency:1	\definetransparency [] []
definetransparency:2	\definetransparency [] [=]
- •	
definetransparency:3	\definetransparency [] []
definetwopasslist	\definetwopasslist {}
definetypeface	\definetypeface [] [] [] [] []
definetypescriptprefix	\definetypescriptprefix [] []
• • •	
definetypescriptsynonym	\definetypescriptsynonym [] []
definetypesetting	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineuserdata	\defineuserdata [] [=]
defineuserdataalternative	\defineuserdataalternative [] [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
•	
definevspace	\definevspace [] []
definevspacing	\definevspacing []
definevspacingamount	\definevspacingamount [] []
definextable	\definextable [] [=]
definisci	\definisci [] \ {}
definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] [=]
definiscibloccosezione	\definiscibloccosezione [] [] [=]
definiscibuffer	\definiscibuffer [] [=]
definiscicampo	\definiscicampo [] [] [] []
-	
definiscicapoversi	\definiscicapoversi [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] []
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [=]
definiscietichetta	\definiscietichetta [] [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] [] [=]
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
3	
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [] [=]
definiscigruppocolonne	\definiscigruppocolonne [] [] [=]
5	
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []

definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
<u> </u>	\definisciriferimento [] []
definisciriferimento	
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] [=]
definiscisottocampo	\definiscisottocampo [] []
•	\definiscisovrapposizione [] []
definiscisovrapposizione	
definiscistackcampi	\definiscistackcampi [] [=]
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [=]
definiscityping	\definiscityping [] [=]
defrostparagraphproperties	\defrostparagraphproperties
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
-	
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext {} {}
depthstrut	\depthstrut
<u>-</u>	\DESCRIZIONE [] {} \par
descrizione:example	
descrizione:example	
destra	\destra
destra determinacaratteristicheregistro	\destra \determinacaratteristicheregistro [] [=]
destra	\destra
destra determinacaratteristicheregistro	\destra \determinacaratteristicheregistro [] [=]
destra determinacaratteristicheregistro determinacarattersticheelenco	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=]</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \devanagarinumerals {}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \devanagarinumerals {} \digits {}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits digits:string	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinengarinumerals {} \digits {} \digits}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \devanagarinumerals {} \digits {}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits digits:string	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinengarinumerals {} \digits {} \digits}</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \devanagarinumerals {} \digits {} \digits \dimensiontocount {} \</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolor []</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored []</pre>
destra determinacaratteristicheregistro determinacarattersticheelenco determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolor directcolored directcolored:name	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored []</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcopyboxfromcache	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcopyboxfromcache	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolore directcolored directcolored:name directcopyboxfromcache directdummyparameter directgetboxllx	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdummyparameter {} \directgetboxllx</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directcopyboxfromcache directdummyparameter directgetboxlly	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directhighlight	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directhighlight {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directlocalframed	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \dieterminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolore [] \directcolored [=] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed [] {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcored-iname directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directlocalframed directluacode	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \dieterminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [=] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdurectdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed [] {} \directlocalframed [] {} \directloacode {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directlocalframed	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \dieterminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed [] {} \directluacode {} \directparwrapper {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcored-iname directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directlocalframed directluacode	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \dieterminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdurectdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed [] {} \directparwrapper {} {} \directselect {} {} {} {} \directselect {} {} {} \directselect {} {} {} \directselect {} {} {} {} \directselect {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} \directselect {} {} {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcored-iname directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directparwrapper	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \dieterminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directgetboxllx \directgetboxlly \directlocalframed [] {} \directlocalframed [] {} \directluacode {} \directparwrapper {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directcomyboxfromcache directcotummyparameter directgetboxllx directgetboxlly directhighlight directluacode directparwrapper directselect	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directparwrapper {} {} \directparwrapper {} {} \directselect {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directlocalframed directloacde directparwrapper directseelect directsetbar directsetbur	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdirectdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directparwrapper {} {} \directselect {} {} {} {} {} \directselect {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetbr \directsetbr \directsetup {} \directsetbetar {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directselect directsetbar directsetup directsymbol	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcompoxfromcache {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directparwrapper {} {} \directselect {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetup {} \</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed directselect directsetby directsymbol directvspacing	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directparwrapper {} {} \directselect {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directseturetctsymbol {} \directsymbol {} {} \dire</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed directcuacode directsebetc directsetbar directsetby directsymbol directvspacing dis	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxllx \directluacode {} \directluacode {} \directsparwrapper {} {} \directselect {} {} {} {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} \directsetup {} \directsymbol {} {} \directvspacing {} \dis {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed directselect directsetby directsymbol directvspacing	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directluacode {} \directparwrapper {} {} \directselect {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directseturetctsymbol {} \directsymbol {} {} \dire</pre>
destra determinacaratteristicheregistro determinanumerotesta determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhighlight directlocalframed directcuacode directsebetc directsetbar directsetby directsymbol directvspacing dis	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directgetboxllx \directgetboxllx \directluacode {} \directluacode {} \directsparwrapper {} {} \directselect {} {} {} {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} \directsetup {} \directsymbol {} {} \directvspacing {} \dis {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directdummyparameter directgetboxllx directgetboxlly directloalframed directloacde directcolored:name directcolored:name directgetboxllx directgetboxlly directgetboxlly directlocalframed directluacode directselect directsetbar directsetbup directsymbol directvspacing dis disabledirectives	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directdummyparameter {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directluacode {} \directparwrapper {} {} \directselect {} {} {} {} {} {} \directsetbar {} {} {} {} {} \directsetbuf {.</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directconvertedcounter directcdummyparameter directgetboxllx directgetboxlly directhighlight directluacode directparwrapper directsetett directsetbar directsetby directsymbol directvspacing dis disabledirectives disablemode	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \divanagarinumerals {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directcolored [] \directcopyboxfromcache {} {} \directcopyboxfromcache {} {} \directdummyparameter {} \directgetboxllx \directgetboxlly \directgetboxlly {} \directparwrapper {} {} \directparwrapper {} {} \directselect {} {} {} {} {} \directselect {} {} {} {} \directsetbar {} OPT OPT OPT OPT OPT \directsetbar {} \directsetypacing {} \disabledirectives [] \disabledirectives [] \disablemode []</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored directcovertedcounter directowpboxfromcache directdummyparameter directgetboxllx directgetboxlly directhjalight directlocalframed directsebar directsebar directsetbar directsetby directsetbur directsetby directsetbur directsetby directset	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \diverminenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdirectgetboxllx \directgetboxllx \directperminents [] \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} {} \directsymbol {} {} \directsymbol {} {} \disabledirectives [] \disablediabledirectives [] \disablediableboutputstream</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhjahlight directparwrapper directsetbar directsetbar directsetbar directsetby directsetbar directsetby directsymbol directsymbol directvypacing dis disabledirectives disablemode disableoutputstream disableparpositions	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdirectgetboxllx \directgetboxllx \directpertype {} {} \directluacode {} \directpertype {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} \directsetbar {} {}</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directloafframed directloafframed directloafframed directsetber directseber directseber directseboxl directseboxl directluacode directparwrapper directsetbetbar directsetbup directsymbol directsymbol directvapacing dis disabledirectives disablemode disableoutputstream disableparpositions disableregime	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinanumerotesta [] \determinanumerals {} \digits {} \digits {} \digits {} \digits {} \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directgetboxlx \directgetboxlx \directlocalframed [] {} \directlocalframed [] {} \directselect {} {} {} \directsetbar {} {} {} \directsetboxly \directsetboxly \directlocalframed [] {} \directsetboxly {} {} {} {} \directsetboxly {} {} \directsetboxly {} {} {} {} \directsetboxly {} {} {} {} \directsetboxly {} {} {} {} {} \directsetboxly {} {} {} {} {} {} {} \directsetboxly {} {} {} {} {} {} {} {} {} \directsetboxly {} {} {} {} {} {} {} {} \directsetboxly {} {</pre>
destra determinacaratteristicheregistro determinanumerotesta determinenoflines devanagarinumerals digits digits:string dimensiontocount directboxfromcache directcolored directcolored:name directcopyboxfromcache directdummyparameter directgetboxllx directgetboxlly directhjahlight directparwrapper directsetbar directsetbar directsetbar directsetby directsetbar directsetby directsymbol directsymbol directvypacing dis disabledirectives disablemode disableoutputstream disableparpositions	<pre>\destra \determinacaratteristicheregistro [] [=] \determinacarattersticheelenco [] [=] \determinanumerotesta [] \determinenoflines {} \determinenoflines {} \digits {} \digits {} \digits \dimensiontocount {} \ \directboxfromcache {} {} \directcolored [] \directcolored [] \directconvertedcounter {} {} \directcopyboxfromcache {} {} \directdirectgetboxllx \directgetboxllx \directpertype {} {} \directluacode {} \directpertype {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} {} {} \directsetbar {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} \directsetbar {} {} {} {} \directsetbar {} {} {} \directsetbar {} {}</pre>

	1110 10 0011 0011 00 f = 1
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
disposeluatable	\disposeluatable \
distributedhsize	\distributedhsize \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip	\doadaptrightskip {}
doaddfeature	\doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext {} {} {}
docheckassignment	\docheckassignment {}
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ {} {}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid	\dogetattributeid {}
dogetcommacommandelement	\dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
dohyphens	\dohyphens
doif	\doif {} {} {}
doifallcommon	\doifallcommon {} {} {}
doifallcommonelse	\doifallcommonelse \{\} \{\} \{\}
doifalldefinedelse	\doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifallmodes	\doifallmodes \{\} \{\}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelsecs	\doifassignmentelsecs {} \ \
doifblackelse	\doifblackelse $\{\ldots\}$ $\{\ldots\}$
doifbothsides	\doifbothsides $\{\ldots\}$ $\{\ldots\}$
doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$
doifboxelse	\doifboxelse {} {} {}
doifbufferelse	\doifbufferelse $\{\}$ $\{\}$
doifcheckedpagestate	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {}
doifcommandhandler	\doifcommandhandler \ \{\}
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon {} {}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent	\doifcontent {} {} \ {}
doifconversiondefinedelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifconversionnumberelse	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifcounter \{\ldots\} \\\
doifcounterelse	\doifcounterlse {} {} {}
doifcurrentfonthasfeatureelse	
doifdefined	\doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifdefined \{\ldots\}
doifdefinedcounter	\doifdefinedcounter \{\ldots\}
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentfilename	$\verb \doifdocumentfilename {} {} $
doifdocumentfilenameelse	$\verb \doifdocumentfilenameelse {} {} {}$
doifdocumentvariable	$\verb \doifdocumentvariable {} {} $
doifdocumentvariableelse	$\verb \doifdocumentvariableelse {} {} {}$
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon $\{\}$ $\{\}$ $\{\}$
doifelsealldefined	\doifelsealldefined $\{\}$ $\{\}$
doifelseallmodes	\doifelseallmodes $\{\}$ $\{\}$
doifelseassignment	\doifelseassignment {} {}

doifelseassignmentcs	\doifelseassignmentcs {} \ \
doifelseblack	\doifelseblack \{\} \{\}
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache $\{\}$ $\{\}$ $\{\}$
doifelsebuffer	\doifelsebuffer \{\ldots\} \\\\
doifelsecolor	\doifelsecolor {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelseconversiondefined	\doifelseconversiondefined \{\ldots\} \{\ldots\} \{\ldots\}
doifelseconversionnumber	\doifelseconversionnumber \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelsecounter	\doifelsecounter {} {}
doifelsecurrentfonthasfeature	\doifelsecurrentfonthasfeature \{\ldots\} \\ \\ \ldots\}
doifelsecurrentsortingused	\doifelsecurrentsortingused {} {}
doifelsecurrentsynonymshown	\doifelsecurrentsynonymshown {} {}
doifelsecurrentsynonymused	\doifelsecurrentsynonymused {} {}
doifelsedefined	\doifelsedefined \{\ldots\} \\\ \ldots\}
doifelsedefinedcounter	\doifelsedefinedcounter {} {} {}
doifelsedimension	\doifelsedimension {} {} {}
doifelsedimenstring	\doifelsedimenstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentargument	\doifelsedocumentargument \{\ldots\} \\\.\\\
doifelsedocumentfilename	\doifelsedocumentfilename \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsedocumentvariable	\doifelsedocumentvariable \{\ldots\} \\\.\\\
doifelsedrawingblack	\doifelsedrawingblack \{\ldots\}
doifelseempty	\doifelseempty \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseemptyvalue	\doifelseemptyvalue \{\ldots\} \\\.\}
doifelseemptyvariable	\doifelseemptyvariable \{\} \{\} \{\}
doifelseenv	\doifelseemptyvaliable \(\(\cdot\) \(\cdot\) \(\cdot\) \(\cdot\)
doifelsefastoptionalcheck doifelsefastoptionalcheckcs	\doifelsefastoptionalcheck {} {}
-	\doifelsefastoptionalcheckcs \ \
doifelsefieldbody	\doifelsefieldbody \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefieldcategory	\doifelsefieldcategory \{\ldots\} \\\.\\\
doifelsefigure doifelsefile	\doifelsefigure \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelsefile \{\ldots\} \\doifelsefile \{\l
doifelsefiledefined	\doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefileexists	\doifelsefileexists {} {} {}
doifelsefirstchar	\doifelsefirstchar {} {} {}
doifelseflagged	\doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontchar	\doifelsefontchar \{\} \{\} \{\}
doifelsefontfeature	\doifelsefontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontpresent	\doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsefontsynonym	\doifelsefontsynonym {} {}
doifelseframed	\doifelseframed \ \{\}
doifelsehasspace	\doifelsehasspace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsehelp	\doifelsehelp {} {}
doifelseincsname	\doifelseincsname \{\} \{\} \{\}
doifelseindented	\doifelseindented \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinelement	\doifelseinelement {} {}
doifelseinputfile	\doifelseinputfile {} {} {}
doifelseinsertion	\doifelseinsertion \{\} \{\}
doifelseinset	\doifelseinset {} {} {}
doifelseinstring	\doifelseinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintwopassdata	\doifelseintwopassdata {} {} {} {}
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage \{\ldots\} \\doifelselanguage \{\ldots\} \\doife
doifelselayerdata	\doifelselayerdata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseleapyear	\doifelseleapyear \{\ldots\} \\doifelseleapyear \\d
doifelselist	\doifelselist \{\ldots\} \\doifelselselselselselselselselselselselselse
doifelselocation	\doifelselocation \{\ldots\}
doifelselocfile	\doifelselocfile \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseMPgraphic	\doifelseMPgraphic \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedcontent	\doifelsemarkedcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsemarkedpage	\doifelsemarkedpage \\\\ \\\\
doifelsemarking	\doifelsemarking \\\} \\\
doifelsemeaning	\doifelsemeaning \ \ \{\}
doifelsemessage	\doifelsemessage \\\} \\\} \\\}
doifelsemode	\doifelsemode {} {} {}

doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional \{\ldots\}
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \{\ldots\} \{\ldots\}
doifelsenoteonsamepage	\doifelsenoteonsamepage {} {} {}
doifelsenothing	\doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenumber	\doifelsenumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound	\doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	\doifelseoddpagefloat \{\ldots\} \\ \ldots\}
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseolderversion	\doifelseolderversion \{\ldots\} \{\ldots\} \{\ldots\}
doifelseorientation	\doifelseorientation \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlay	\doifelseoverlay \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseparwrapper	\doifelseparwrapper \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath	\doifelsepath {} {}
doifelsepathexists	\doifelsepathexists {} {} {}
doifelsepatterns	\doifelsepatterns \{\} \{\}
doifelseposition	\doifelseposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsonsamepage	\doifelsepositionsonsamepage \{\ldots\}\{\ldots\}\
doifelsepositionsonthispage	\doifelsepositionsonthispage \{\ldots\}\{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepositionsused doifelsereferencefound	\doifelsepositionsused \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doifelserightpage {} {}
doifelserightpage doifelserightpagefloat	\doifelserightpagefloat \{\doifelserightpagefloat \}\doifelserightpagefloat \{\doifelserightpage
doifelserighttoleftinbox	\doifelserighttoleftinbox \{\}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
doifelsesamestring	\doifelsesamestring \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesetups	\doifelsesetups {} {}
doifelsesomebackground	\doifelsesomebackground {} {} {}
doifelsesomespace	\doifelsesomespace \\\\} \\\\.\\\
doifelsesomespace doifelsesomething	\doifelsesomespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
-	\doifelsesomespace \{\doifelsesomething \{\doifelsesomething \{\doifelsesometoks \\doifelsesometoks \\doifel
doifelsesomething	\doifelsesomething {} {} {}
doifelsesomething doifelsesometoks	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsesometoks doifelsestringinstring	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber	\doifelsesomething {\ldots\} \{\ldots\} \\doifelsesometoks \\ldots\ \\doifelsestringinstring \{\ldots\} \\doifelsestructurelisthasnumber \{\ldots\} \\doif
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {}
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsesymbolset {} {} {}
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {}
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile	<pre>\doifelsesomething {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflow {} {} {} \doifelsetextflowcollector {} {} {} \doifelsetypingfile {} {}</pre>
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined	\doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined	<pre>\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflowcollector {} {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelseurldefined {} {} {}</pre>
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue	<pre>\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflowcollector {} {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelseurldefined {} {} {} \doifelsevalue {} {} {} {} \doifelsevalue {} {} {}</pre>
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflow collector {} {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {}
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevaluenothing doifelsevariable	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflow collector {} {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {}
doifelsesomething doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevaluenothing doifelsevariable doifempty	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflow collector {} {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifelsevariable {} {} {} \doifenpty {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetypingfile doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptyelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} {} \doifelseteypingfile {} {} \doifelsetypingfile {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifempty {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevariable doifempty doifemptytoks	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} {} \doifelseteypingfile {} {} \doifelsetypingfile {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifenpty {} {} \doifempty {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetypingfile doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevaluenothing doifempty doifemptytoks doifemptyvalue	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue fined {} {} {} \doifelsevalue {} {} {} \doifelsevariable {} {} {} \doifempty {} {} \doifempty {} {} \doifemptytoks \ {} \doifemptyvalue {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptytoks doifemptyvalue doifemptyvalueelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue fined {} {} {} \doifelsevalue {} {} {} \doifelsevariable {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} \doifemptyvalue {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetypingfile doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifemptytoks doifemptyvalueelse doifemptyvalueelse doifemptyvariable	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} \doifelsetundefined {} {} {} \doifelsevalue fined {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifempty {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalueelse {} {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifemptydoks doifemptyvalueelse doifemptyvariableelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} \doifelseundefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptytoks doifemptyvalueelse doifemptyvariableelse doifemptyvariableelse doifemptyvariableelse doifenv	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevundefined {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifenpty {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvaluelse {} {} {} \doifemptyvaluelse {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevariable doifempty doifemptyelse doifemptyvalue doifemptyvalueelse doifemptyvariable doifemptyvariableelse doifenv doifenvelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevaluefined {} {} {} \doifelsevalue {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvaluelse {} {} {} \doifemptyvariable {} {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptytoks doifemptyvalueelse doifemptyvariableelse doifemptyvariableelse doifemptyvariableelse doifenv	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevaluefined {} {} {} \doifelsevaluefined {} {} {} \doifelsevaluenothing {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvaluelse {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevaluenothing doifenpty doifemptydoks doifemptyvalue doifemptyvalue doifemptyvalueelse doifemptyvariable doifenvelse doifenvelse doifenvelse doiffastoptionalcheckcselse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevaluefined {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvaluelse {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doiffastoptionalcheckcelse \ \ \doiffastoptionalcheckelse {} {}
doifelsesomething doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptytoks doifemptyvalue doifemptyvalueelse doifemptyvariableelse doifenv doifenvelse doiffastoptionalcheckcselse doiffastoptionalcheckclse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflow collector {} {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevaluefined {} {} {} \doifelsevaluefined {} {} {} \doifelsevaluenothing {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} {} \doifemptyvaluelse {} {} {} \doifemptyvariable {} {} {} \doifemptyvariable {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {} \doifenvelse {} {} {}
doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelsevalue doifelsevalue doifelsevalue doifelsevalue doifelsevalue doifempty doifemptydoks doifemptyvalue doifemptyvalue doifemptyvalueelse doifemptyvariable doifenvelse doiffastoptionalcheckcselse doiffistoptionalcheckclse doiffieldbodyelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} \doifelsetextflowcollector {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelsevaluefined {} {} {} \doifelsevalue {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifemptyvalue {} {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvaluelse {} {} {} \doifenptyvariable {} {} {} \doifenvelse {} {} {} \doiffastoptionalcheckcelse \ \ \doiffastoptionalcheckcelse \ \ \doiffieldbodyelse {} {} {}
doifelsesometoks doifelsestringinstring doifelsestructurelisthasnumber doifelsestructurelisthaspage doifelsesymboldefined doifelsesymbolset doifelsetext doifelsetextflow doifelsetextflowcollector doifelsetopofpage doifelsetypingfile doifelseundefined doifelseurldefined doifelsevalue doifelsevalue doifelsevaluenothing doifelsevariable doifempty doifemptytoks doifemptyvalue doifemptyvalueelse doifemptyvariable doifenptyvariable doifenvelse doifenvelse doiffastoptionalcheckcselse doiffieldbodyelse doiffieldcategoryelse	\doifelsesomething {} {} {} \doifelsesometoks \ {} {} \doifelsestringinstring {} {} {} \doifelsestructurelisthasnumber {} {} \doifelsestructurelisthaspage {} {} \doifelsesymboldefined {} {} {} \doifelsesymbolset {} {} \doifelsetext {} {} {} \doifelsetextflow {} {} {} \doifelsetextflowcollector {} {} \doifelsetopofpage {} {} \doifelsetypingfile {} {} {} \doifelseundefined {} {} {} \doifelsevalue fined {} {} {} \doifelsevaluenothing {} {} {} \doifelsevaluenothing {} {} {} \doifempty {} {} \doifempty {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvalue {} {} \doifemptyvariable {} {} {} \doifent {} {} \doiffieldbodyelse {} {} {} \doiffieldbodyelse {} {} {} \doiffieldcategoryelse {} {} {}

doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffileelse	\doiffileelse {} {} {}
doiffileexistselse	\doiffileexistselse {} {} {}
doiffirstcharelse	\doiffirstcharelse \{\} \{\} \{\}
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse \{\\} \\\\} \\\\}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \{\ldots\}
doifhasspaceelse	\doifhasspaceelse {} {} {}
doifhelpelse	\doifhelpelse {} {}
doifincsnameelse	\doifincsnameelse {} {} {} {}
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse {} {} {}
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\ \\.\\\
doifinset	\doifinset {} {}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring \{\} \{\}
doifinstringelse	\doifinstringelse \{\} \{\} \{\}
doifinsymbolset	$\label{local_doifinsymbolset} $$ \doifinsymbolset {} {} {} {} $$$
doifinsymbolsetelse	\doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$
doifintokselse	\doifintokselse {} {} {}
doifintwopassdataelse	\doifintwopassdataelse $\{\}$ $\{\}$ $\{\}$
doifitalicelse	\doifitalicelse {} {}
doiflanguageelse	\doiflanguageelse {} {} {}
doiflayerdataelse	
·	\doiflayerdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \{\ldots\}
doiflayouttextlineelse	\doiflayouttextlineelse \{\ldots\} \{\ldots\} \\
doifleapyearelse	\doifleapyearelse $\{\}$ $\{\}$
doiflistelse	\doiflistelse {} {}
doiflocationelse	\doiflocationelse {} {}
doiflocfileelse	\doiflocfileelse {} {}
doifMPgraphicelse	\doifMPgraphicelse {} {} {}
5 1	\doifmainfloatbodyelse \{\ldots\} \\\
doifmainfloatbodyelse	
doifmarkingelse	\doifmarkingelse \{\} \{\}
doifmeaningelse	\doifmeaningelse \ \ \{\} \{\}
doifmessageelse	\doifmessageelse $\{\}$ $\{\}$ $\{\}$
doifmode	\doifmode {} {}
doifmodeelse	\doifmodeelse $\{\}$ $\{\}$
doifnextbgroupcselse	\doifnextbgroupcselse \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse \{\ldots\} \\\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalcselse doifnextoptionalelse	\doifnextoptionalcselse \ \ \doifnextoptionalelse \{\} \{\}
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse	\doifnextoptionalcselse \ \ \doifnextoptionalelse \{\} \{\} \doifnextparenthesiselse \{\} \{\}
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse	\doifnextoptionalcselse \ \ \doifnextoptionalelse \{\} \doifnextparenthesiselse \{\} \\doifnonzeropositiveelse \{\} \{\}
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} \doifnot {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {}</pre>
doifnextoptionalcselse doifnextparenthesiselse doifnozeropositiveelse doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnonzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotcounter {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocunter {} {} \doifnotdocunentargument {} {} \doifnotdocumentfilename {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotalmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocunter {} {} \doifnotdocunentargument {} {} \doifnotdocumentfilename {} {} \doifnotdocumentvariable {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotdocumenty {} {} \doifnotdempty {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentyariable {} {} \doifnotempty {} {} \doifnotemptyvalue {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentilename {} {} \doifnotdomotdocumentyariable {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentilename {} {} \doifnotdempty {} {} \doifnotemptyvariable {} {} \doifnotemptyvariable {} {} \doifnotenv {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvariable	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentilename {} {} \doifnotdomotdocumentyariable {} {} \doifnotemptyvalue {} {} \doifnotemptyvariable {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentilename {} {} \doifnotdempty {} {} \doifnotemptyvariable {} {} \doifnotemptyvariable {} {} \doifnotenv {} {}</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcommon doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentrilename {} {} \doifnotempty {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} {} \doifnotenv {} {} \</pre>
doifnextoptionalcselse doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotescollected doifnotfile	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotemptyvariable {} {} \doifnoteonsamepageelse {} {} \doifnotescollected {} {} \doifnotefile {} {} \doifnotefi</pre>
doifnextoptionalcselse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvalue doifnoteny doifnoteny doifnoteny doifnotensamepageelse doifnotfile doifnotfile doifnotfile	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotdocumentvariable {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} \doifnotenotenosamepageelse {} {} {} \doifnotenotescollected {} {} \doifnotfile {} {}</pre>
doifnextoptionalcselse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvalue doifnoteny doifnoteny doifnoteny doifnotensamepageelse doifnotfile doifnotfile doifnotflagged doifnothing	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentvariable {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} \doifnotenotempty {} {} \doifnotempty {} {} \doifnotenotempty {} {} \doifnotempty {} {} \doi</pre>
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentvariable doifnotdempty doifnotemptyvalue doifnotemptyvariable doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnotfile doifnotflagged doifnothing doifnothingelse	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotdocumentvariable {} {} \doifnotempty {} {} \doifnotemptyvariable {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotenotfile {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothing {} {}</pre>
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvalue doifnotensamepageelse doifnotescollected doifnotfile doifnotflagged doifnothing doifnothingelse doifnotinset	<pre>\doifnextoptionalcselse \ \ \doifnextoptionalelse {} {} \doifnextparenthesiselse {} {} \doifnotzeropositiveelse {} {} {} \doifnot {} {} {} \doifnotallcommon {} {} {} \doifnotallmodes {} {} {} \doifnotcommandhandler \ {} {} \doifnotcommon {} {} {} \doifnotcounter {} {} \doifnotdocumentargument {} {} \doifnotdocumentfilename {} {} \doifnotdofnotempty {} {} \doifnotempty {} {} \doifnotemptyvalue {} {} {} \doifnotenotenosamepageelse {} {} {} \doifnotenotecollected {} {} \doifnotfile {} {} \doifnotfile {} {} \doifnothingelse {} {} \doifnothingelse {} {} \doifnotinotinset {} {} {} \doifnotinotinset {} {} {} \doifnotinset {} {} {} \doifnotintenotine {} {} {} \doifnotine {} {} {} \doifnotine {} {} {</pre>
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentvariable doifnotdemptyvalue doifnotemptyvalue doifnoteny	<pre>\doifnextoptionalcselse \ \\ \doifnextoptionalelse \\\\ \\\\ \doifnextparenthesiselse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</pre>
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentrallename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvalue doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothingelse doifnotinsidesplitfloat doifnotinstring	<pre>\doifnextoptionalcselse \ \\ \doifnextoptionalelse \\\\ \\\\ \doifnextparenthesiselse \\\\\ \\\\\\\\\\\\\\\\\\\\\\\\\</pre>
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentfilename doifnotdocumentvariable doifnotemptyvalue doifnotemptyvalue doifnotenytyvariable doifnotenv doifnotescollected doifnotfile doifnotfile doifnothing doifnotinset doifnotinset doifnotinset doifnotinstring doifnotmode	\doifnextoptionalcselse \ \ \ \doifnextoptionalelse \{\} \{\} \ \doifnextparenthesiselse \{\} \{\} \ \doifnotentialcommon \{\} \{\} \ \doifnotallcommon \{\} \{\} \ \doifnotcommandhandler \ \{\} \ \doifnotcommon \{\} \{\} \ \doifnotcommon \{\} \{\} \ \doifnotcounter \{\} \{\} \ \doifnotdocumentargument \{\} \{\} \ \doifnotdocumentrilename \{\} \{\} \ \doifnotempty \{\} \{\} \ \doifnotemptyvalue \{\} \{\} \ \doifnotenotenosamepageelse \{\} \{\} \ \doifnotenotenosamepageelse \{\} \{\} \ \doifnotenotenosamepageelse \{\} \{\} \ \doifnotenotenosamepageelse \{\} \{\} \ \doifnotfile \{\} \{\} \ \doifnothing \{\} \{\} \ \doifnothing \{\} \{\} \ \doifnotinotinset \{\} \{\} \\ \doifnotinotinsidesplitfloat \{\} \\ \doifnotinotmode \{\} \{\} \\ \doifnotmode \{\} \{\} \\ \doifnotinotmode
doifnextoptionalelse doifnextparenthesiselse doifnonzeropositiveelse doifnot doifnotallcommon doifnotallmodes doifnotcommandhandler doifnotcounter doifnotdocumentargument doifnotdocumentrallename doifnotdocumentvariable doifnotempty doifnotemptyvalue doifnotemptyvalue doifnotenv doifnoteonsamepageelse doifnotfile doifnotfile doifnothing doifnothingelse doifnotinsidesplitfloat doifnotinstring	\doifnextoptionalcselse \ \ \ \doifnextoptionalelse \{\} \{\} \ \doifnextparenthesiselse \{\} \{\} \ \doifnoteropositiveelse \{\} \{\} \ \doifnot \{\} \{\} \{\} \ \doifnotallcommon \{\} \{\} \{\} \ \doifnotallmodes \{\} \{\} \\ \doifnotcommandhandler \ \{\} \\ \doifnotcommon \{\} \{\} \\ \doifnotdocumentargument \{\} \{\} \\ \doifnotdocumentfilename \{\} \{\} \\ \doifnotdocumentvariable \{\} \{\} \\ \doifnotempty \{\} \{\} \\ \doifnotemptyvalue \{\} \{\} \\ \doifnotenotescollected \{\} \{\} \\ \doifnotfile \{\} \{\} \\ \doifnotfinotescollected \{\} \{\} \\ \doifnotfinotening \{\} \{\} \\ \doifnotinoting \{\} \{\} \\ \doifnotinoting \{\} \{\} \\ \doifnotinoting \{\} \{\} \\ \doifnotinotinset \{\} \{\} \\ \doifnotinotinset \{\} \{\} \\ \doifnotinotinset \{\} \{\} \\ \doifnotinotinset \{\} \{\} \\ \doifnotinotinsidesplitfloat \{\} \\ \doifnotinstring \{\} \\ \doifnotinstring \{\} \\\ \doifnotinstring \{\} \{\} \\ \doifnotinstring \{\} \\\ \doifnotinstri

doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue {} {}
doifnotvariable	\doifnotvariable \{\ldots\} \\\.\\
doifnumber	\doifnumber \{\} \{\}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$
doifobjectreferencefoundelse	\doifobjectreferencefoundelse {} {} {} {}
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse {} {} {}
doifolderversionelse	\doifolderversionelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifouterymode	\doifoutervmode {}
doifoverlappingelse	\doifoverlappingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
11 0	\doifoverlayelse \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifoverlayelse	
doifparallelelse	\doifparallelelse {} {} {}
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse \{\} \{\}
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionaction	\doifpositionaction $\{\}$ $\{\}$
doifpositionactionelse	\doifpositionactionelse $\{\}$ $\{\}$
doifpositionelse	\doifpositionelse $\{\}$ $\{\}$
doifpositiononpageelse	\doifpositiononpageelse {} {} {}
doifpositionsonsamepageelse	\doifpositionsonsamepageelse {} {} {}
doifpositionsonthispageelse	\doifpositionsonthispageelse {} {} {}
doifpositionsusedelse	\doifpositionsusedelse {} {}
doifreferencefoundelse	\doifreferencefoundelse {} {} {}
doifrightpageelse	\doifrightpageelse {} {}
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse \{\}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring \{\} \{\}
doifsamestringelse	\doifsamestringelse {} {} {}
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackground	\doifsomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomebackgroundelse	\doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsomespaceelse	\doifsomespaceelse $\{\}$ $\{\}$
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsometoks	\doifsometoks \ \{\}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {} {}
doiftext	\doiftext {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse {} {} {}
doiftextflowelse	\doiftextflowelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\doiftopofpageelse {} {}
doiftopofpageelse doiftypingfileelse	\doiftypingfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifundefined	\doifundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifundefinedelse	\doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifunknownfontfeature	\doifunknownfontfeature \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifurldefinedelse	\doifurldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse \{\} \{\} \{\}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse $\{\}$ $\{\}$
doifvaluesomething	\doifvaluesomething {} {}
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse {} {} {} {}
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
	,

dontleavehmode dontpermitspacesbetweengroups	\dontleavehmode \dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
doquintupleargument doquintupleempty	\doquintupleargument \ [] [] [] [] \doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetatdafffeature doresetattribute	\doresetandafffeature {} \doresetattribute {}
dorotatebox	\dorotatebox \{\} \ \{\}
dosetattribute	\dosetattribute {} {}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {}
dosetupcheckedinterlinespace	\dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace:argument dosetupcheckedinterlinespace:name	\dosetupcheckedinterlinespace {} \dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument dosixtupleempty	\dosixtupleargument \ [] [] [] [] [] \dosixtupleempty \ [] [] [] [] []
dosomebreak	\dosomebreak \
dostarttagged	\dostarttagged {} {} \dostoptagged
	\dostepwiserecurse {} {} {}
	\dosubtractfeature {}
dotfill	\dotfill
dotfskip dotoks	\dotfskip {} \dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \\\}
doublebond	\doublebond
dowith dowithnextbox	\dowith {} {} \dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent \{\} \\ \{\}
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ \
dowithpargument	\dowithpargument \
dowithrange	\dowithrange \{\down\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
dowithwargument dpofstring	\dpofstring {}
dummydigit	\dummydigit
dummyparameter	\dummyparameter {}
ETEX	\ETEX
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument efcmaxheight	\edefconvertedargument \ \{\} \efcmaxheight \{\}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi elapsedseconds	\elaborablocchi [] [=] \elapsedseconds
elapsedsteptime	\elapsedsteptime
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em emphagisheldfase	\em
emphasisboldface	\emphasisboldface

emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enableasciimode	\enableasciimode
enabledirectives	\enabledirectives []
enableexperiments enablemode	\enableexperiments [] \enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitleop
exitloopnow	\exitloopnow \expandcheckedcsname \ \{\} \{\}
expandcheckedcsname expanded	\expanded \lambda \lam
expanded	\expanded \(\cdot\) \\ \(\cdot\) \\ \(\cdot\)
expandeddoifelse	\expandeddoifelse {} {} {} {}
expandeddoifnot	\expandeddoifnot {} {} {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {}
expdoifelse	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifelseinset	\expdoifelseinset $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
expdoifinsetelse	\expdoifinsetelse {} {} {}
expdoifnot	\expdoifnot {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
externalfigurecollectionparameter fakebox	\externalfigurecollectionparameter {} {} \fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	$\verb fastsetupwithargumentswapped {} {} $
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings fetchallmarks	\fetchallmarkings [] [] \fetchallmarks []
fetchmark	\fetchark [] \fetchmark []
fetchmarking	\fetchmark [] [] \fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename

figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
filledhboxg	\filledhboxg {}
filledhboxk	\filledhboxk {}
filledhboxm	\filledhboxm {}
filledhboxr	\filledhboxr {}
filledhboxy	\filledhboxy {}
filler	\filler []
fillupto	\fillupto [] {}
filterfromnext	\filterfrommext \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
filterfromvalue	VIIIteliiomvalue () ()
filterpages	\filterpages [] [=]
filterreference	\filterreference {}
findtwopassdata	\findtwopassdata {} {}
finishregisterentry	\finishregisterentry [] [=] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstinlist	\firstinlist []
firstoffivearguments	\firstoffivearguments \{\} \{\} \{\} \{\}
firstoffourarguments	\firstoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\firstofoneargument \{\ldots\}
firstofoneurowanded	\firstofoneunexpanded \{\ldots\}
firstofoneunexpanded firstofsixarguments	\firstofoleunexpanded \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreearguments	\firstofthreearguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstoftwoarguments	\firstoftwoarguments \{\ldots\}
firstoftwounexpanded	\firstoftwounexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstrealpage	\firstrealpage
firstrealpagenumber	\firstrealpagenumber
firstsubcountervalue	\firstsubcountervalue
firstsubcountervalue firstsubpagenumber	\firstsubcountervalue [] [] \firstsubpagenumber
firstsubpagenumber	\firstsubpagenumber
firstsubpagenumber firstuserpage	\firstsubpagenumber \firstuserpage
firstsubpagenumber firstserpage firstserpagenumber	\firstsubpagenumber \firstuserpage \firstuserpagenumber
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag	<pre>\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {}</pre>
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox	<pre>\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {}</pre>
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector []
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer []
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnotes \flushoutputstream []
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens []
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens []
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushcdrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushcalfloats \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushcalfloats \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontcharbyindex	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontcharbyindex {}
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontclass fontclassname fontface	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fitopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass \fontclassname {} {} \fontface
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontclass fontclassname	<pre>\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \flag {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass \fontclassname {} {} \fontface \fontface \fontfeaturelist []</pre>
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontcharbyindex fontclass fontclassname fontface fontfeaturelist fontsize	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushdrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass \fontclassname {} {} \fontface \fontfeaturelist [] [] \fontsize
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontcharbyindex fontclass fontclassname fontface fontfeaturelist fontsize fontstyle	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \flag {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnotes \flushoutputstream [] \flushshapebox \flushtokens [] \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass \fontclassname {} {} \fontsize \fontsize \fontstyle
firstsubpagenumber firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushnotes flushoutputstream flushshapebox flushtextflow flushtokens flushtoks fontalternative fontbody fontchar fontcharbyindex fontclass fontclassname fontface fontfeaturelist fontsize	\firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushdrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtoks \ \fontalternative \fontbody \fontchar {} \fontclass \fontclassname {} {} \fontface \fontfeaturelist [] [] \fontsize

forgeteverypar	\forgeteverypar
forgetparagraphfreezing	\forgetparagraphfreezing
forgetparameters	\forgetparameters [] [=]
forgetparskip	\forgetparskip
forgetparwrapper	\forgetparwrapper
forgetragged	\forgetragged
formula	\formula [] \}
foundbox	\foundbox \{\} \.\
fourthoffivearguments fourthoffourarguments	\fourthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \\\ \fourthoffourarguments \{\ldots\} \{\ldots\} \{\ldots\} \\\ \fourthoffourarguments \{\ldots\} \{\ldots\} \\\\ \fourthoffourarguments \{\ldots\} \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthofsixarguments	\fourthofsixarguments \{\\} \{\\} \{\\} \{\\} \{\\} \{\\}
frameddimension	\frameddimension \{\ldots\}
framedparameter	\framedparameter {}
frazione:instance	\FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom {} {}
<pre>frazione:instance:dfrac frazione:instance:frac</pre>	\dfrac {} {} \frac {} {}
frazione:instance:frac	\frac \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
frazione:instance:tbinom	\tbinom {} {}
frazione:instance:xfrac	\xfrac {} {}
<pre>frazione:instance:xxfrac</pre>	\xxfrac {} {}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
freezeparagraphproperties	\freezeparagraphproperties
frenchspacing	\frenchspacing
fromlinenote frozenhbox	\fromlinenote [] {} \frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache getboxllx	\getboxfromcache {} {} \getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdatavalue	\getdatavalue {}
getdayoftheweek	\getdayoftheweek {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer getdocumentargument	\getdefinedbuffer [] \getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions getfirstcharacter	\getfiguredimensions [] [=] \getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist []
getfromluatable	\getfromluatable \ {}
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters getinlineuserdata	\getgparameters [] [=] \getinlineuserdata
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getnamedglyphdirect getnamedglyphgtylod	\getnamedglyphdirect {} {}
getnamedglyphstyled getnamedtwopassdatalist	\getnamedglyphstyled {} {} \getnamedtwopassdatalist \ {}
20 manor mobappar nation	/Postramonohappanantipp / []

getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions {} {}
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getparwrapper	\getparwrapper {}
getprivatechar	\getprivatechar {}
getprivateslot	\getprivateslot {}
getrandomcount	\getrandomcount \ \{\} \{\}
getrandomdimen	\getrandomdimen \ {} {}
getrandomfloat	\getrandomfloat \ {} {}
	•
getrandomnumber	\getrandomnumber \ \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettokenlist	\gettokenlist []
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
	\getuserdata
getuserdata	•
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable {} {}
getvariabledefault	\getvariabledefault {} {}
getxparameters	\getxparameters [] [=]
giornosettimana	\giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
	\globalpushmacro \
globalpushmacro	
globalpushreferenceprefix	\globalpushreferenceprefix {} \globalpopreferenceprefix
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments	\gobbleeightarguments {} {} {} {} {} {} {} {}
gobblefivearguments	\gobblefivearguments {} {} {} {}
gobblefiveoptionals	\gobblefiveoptionals [] [] [] []
gobblefourarguments	\gobblefourarguments {} {} {}
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\dots\} \{\do
gobbleoneargument	\gobbleanearguments {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
gobblespacetokens	\gobblespacetokens
gobbletenarguments	$\label{tenarguments} $$ \c \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
gobblethreearguments	\gobblethreearguments {} {} {}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabbufferdatadirect \{\ldots\} \{\ldots\}
grabuntil	\grabuntil \{\ldots\} \\\\\\
grafiamanuale	\grafiamanuale

grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring	\greedysplitstring \at \to \ \and \
greeknumerals	\greeknumerals {}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals hairspace	\gurmurkhinumerals {} \hairspace
halflinestrut	\halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring	\hdofstring {}
headhbox	\headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox	\headvbox {}
headwidth	\headwidth
hebrewnumerals	\hebrewnumerals {}
heightanddepthofstring	\heightanddepthofstring {}
heightofstring heightspanningtext	\heightofstring {} \heightspanningtext {} {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {} {}
hexnumber	\hexnumber {}
hexstringtonumber	\hexstringtonumber {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite	\hiddencite []
highlight	\highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hpackbox	\hpackbox
hpackedbox	hpackedbox
hphantom	\hphantom {}
hpos	\hpos {} {}
hsizefraction hsmash	\hsizefraction {} {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\https://https
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedfile {}
hyphenatedfilename	\hyphenatedfilename {}
humbonatadhhau	\humbana+adhhau \

hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}
idxfromluatable	\idxfromluatable \
ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport []
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata \{\ldots\} \{\ldots\}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaambientefontdeltesto	\impostaambientefontdeltesto [] [.
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
impostaclippling	\impostaclippling [=]
impostacolonne	\impostacolonne [=]
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadescrizioni	\impostadescrizioni [] [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
•	
impostaelencocombinato	\impostaelencocombinato [] [=]
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostacontent [=]
impostaenumerazioni	\impostaenumerazioni [] [=]
impostafigureesterne	\impostafigureesterne [] [=]
impostafondo	\impostafondo [] [=]
impostafontdeltesto	\impostafontdeltesto []
impostaforms	\impostaforms [=]
impostaformule	\impostaformule [] [=]
impostagruppocolonne	\impostagruppocolonne [] [=]
impostaincorniciato	\impostaincorniciato [] [=]
impostainiziatermina	\impostainiziatermina [] [=]
impostainstestazione	\impostainstestazione [] [=]
impostainterazione	\impostainterazione [] [=]
-	
impostainterazione:name	\impostainterazione []
impostainterlinea	\impostainterlinea [] [=]
importainter Linea carmiment	\impostainterlinea []
	\impostainterlinea []
	\:\
impostainterlinea:name	\impostalayout [] [=]
<pre>impostainterlinea:name impostalayout</pre>	\impostalayout [] [] \impostalayout []
<pre>impostainterlinea:name impostalayout impostalayout:name</pre>	\impostalayout []
<pre>impostainterlinea:name impostalayout impostalayout:name impostalineemargine</pre>	\impostalayout [] \impostalineemargine [] [=]
<pre>impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere</pre>	<pre>\impostalayout [] \impostalineemargine [] [=] \impostalineenere [=]</pre>
<pre>impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere impostalineeriempimento impostalineesottili</pre>	<pre>\impostalayout [] \impostalineemargine [] [=] \impostalineenere [=] \impostalineeriempimento [=]</pre>
<pre>impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere</pre>	<pre>\impostalayout [] \impostalineemargine [] [=] \impostalineenere [=]</pre>

impostamaiuscole	\impostamaiuscole [] [=]
impostamakeup	\impostamakeup [] [=]
impostamarcatura	\impostamarcatura [] [=]
impostamenuinterazione	\impostamenuinterazione [] [=]
impostamenzione	\impostamenzione [=]
impostanotepdp	\impostanotepdp [=]
impostanumerazionecapoversi	\impostanumerazionecapoversi [=]
impostanumerazionepagina	\impostanumerazionepagina [=]
impostanumerazionerighe	\impostanumerazionerighe [] [=]
impostanumeropagina impostanumerosottopagina	\impostanumeropagina [=] \impostanumerosottopagina [=]
impostanumerotesta	\impostanumerotesta [] []
impostaoggettimobili	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaoutput	\impostaoutput []
impostaparranging	\impostaparranging []
impostapdp 	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
<pre>impostaposizionamento impostaposizionamentoopposti</pre>	<pre>\impostaposizionamento [] [=] \impostaposizionamentoopposti [=]</pre>
impostaprogrammi	\impostaprogrammi [=]
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
impostarientro	\impostarientro []
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto impostarotazione	<pre>\impostarigovuoto [] \impostarotazione [=]</pre>
impostaschermointerazione	\impostationalities [] \impostationalities []
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [] [=]
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostasistema	\impostasistema [=]
impostaspaziatura impostaspaziobianco	\impostaspaziatura [] \impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostastrut	\impostastrut []
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [] [=]
impostatavolozza	\impostatavolozza []
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] [] \impostatestifondo [] [] []
<pre>impostatestifondo impostatestiincorniciati</pre>	\impostatestifondo [] [] [] [] \impostatestiincorniciati [] [=]
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
impostatesto	\impostatesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=]
impostatestoetichette:instance:btxlabel	\impostabtxlabeltesto [] [=]
impostatestoetichette:instance:head	\impostaheadtesto [] [=]
impostatestoetichette:instance:label	\impostalabeltesto [] [=]
impostatestoetichette:instance:mathlabel	\impostamathlabeltesto [] [=] \impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	\impostatoperatoritesto [] [=]
impostatestoetichette:instance:suffix	\impostasuffixtesto [] [=]
impostatestoetichette:instance:taglabel	\impostataglabeltesto [] [=]
impostatestoetichette:instance:unit	\impostaunittesto [] [=]
impostatestotesti	\impostatestotesti [] [] [] []
impostatolleranza	\impostatolleranza []
impostatransizionepagina	\impostatransizionepagina []
impostatype	\impostatype [] [=]
<pre>impostatyping impostaurl</pre>	<pre>\impostatyping [] [=] \impostaurl [=]</pre>
impostauri imposta:direct	\impostatii [] \imposta {}
· · · · · · · · · · · · · · · · · · ·	

in	\in {} {} []
inclinato	\inclinato
inclinatograssetto	\inclinatograssetto
includemenu	\includemenu []
includesvgbuffer	\includesvgbuffer [] [=]
includesvgfile	\includesvgfile [] [=]
includeversioninfo	\includeversioninfo {}
incorniciato	\incorniciato [=] {}
incorniciato:instance	\FRAMED [=] {}
incorniciato:instance:fitfieldframed incorniciato:instance:unframed	\fitfieldframed [=] {} \unframed [=] {}
incorniciato:instance:uniramed	\uniframed [=] {} \incrementa \
incrementa:argument	\incrementa \\
incrementcounter	\incrementa () \incrementcounter [] []
incrementedcounter	\incrementedcounter []
incrementpagenumber	\incrementpagenumber
incrementsubpagenumber	\incrementsubpagenumber
incrementvalue	\incrementvalue {}
indentation	\indentation
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
inizia	\inizia [] \termina
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione \iniziaambiente \terminaambiente
iniziaambiente:string	\iniziaambiente \terminaambiente \iniziaasciimode \terminaasciimode
iniziaasciimode iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinition
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
iniziacapoverso:instance:chapter	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject	\iniziasubsubsubsubject [=] [=] \terminasubsubsubsubject \iniziasubsubsubsubsection [=] [=] \terminasubsubsubsubsec
iniziacapoverso:instance:subsubsubsubsection iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubsubject [=] [] \terminasubsubsubsubsubsubsubsubsubsubsubsubsubs
iniziacapoverso:instance:title	\iniziatitle [=] [=] \terminatitle
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [=] \terminacharacteralign
iniziacharacteralign:argument	\iniziacharacteralign [] \terminacharacteralign
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolore	\iniziacolore [] \terminacolore
iniziacolorintent	\iniziacolorintent [] \terminacolorintent
iniziacoloronly	\iniziacoloronly [] \terminacoloronly

iniziacolorset	\iniziacolorset [] \terminacolorset
iniziacolumnset	\iniziacolumnset [] [=] \terminacolumnset
iniziacolumnsetspan	\iniziacolumnsetspan [] [=] \terminacolumnsetspan
iniziacolumnset:example	\iniziaCOLUMNSET [=] \terminaCOLUMNSET
iniziacombination	\iniziacombination [] [=] \terminacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination
iniziacommentopagina	\iniziacommentopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
iniziacomponenet	\iniziacomponenet [] \terminacomponenet
•	
iniziacomponenet:string	\iniziacomponenet \terminacomponenet
iniziacontextcode	\iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextdefinitioncode \terminacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	\iniziactxfunctiondefinition \terminactxfunctiondefinition
iniziacurrentcolor	\iniziacurrentcolor \terminacurrentcolor
iniziacurrentlistentrywrapper	$\verb \colored \verb \colored \col$
iniziadelimited	\iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimitedtext [] [] \terminadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] [\terminaDELIMITEDTEXT
	\iniziaaside [] [] \terminaaside
iniziadelimitedtext:instance:aside	
iniziadelimitedtext:instance:blockquote	\iniziablockquote [] [\terminablockquote
iniziadelimitedtext:instance:quotation	\iniziaquotation [] [] \terminaquotation
iniziadelimitedtext:instance:quote	\iniziaquote [] [\terminaquote
iniziadelimitedtext:instance:speech	\iniziaspeech [] [] \terminaspeech
-	
iniziadescrizione:example	\iniziaDESCRIZIONE [=] \terminaDESCRIZIONE
iniziadescrizione:example:title	\iniziaDESCRIZIONE [] {} \terminaDESCRIZIONE
iniziadisplaymath	\iniziadisplaymath \terminadisplaymath
iniziadmath	\iniziadmath \terminadmath
iniziadocument	\iniziadocument [] [=] \terminadocument
iniziadocument:example	\iniziadocument [] [=] \terminadocument
iniziaeffect	\iniziaeffect [] \terminaeffect
iniziaeffect:example	\iniziaEFFECT \terminaEFFECT
iniziaelement	\iniziaelement {} [=] \terminaelement
iniziaelemento	\iniziaelemento [] \terminaelemento
iniziaembeddedxtable	\iniziaembeddedxtable [=] \terminaembeddedxtable
iniziaembeddedxtable:name	\iniziaembeddedxtable [] \terminaembeddedxtable
iniziaenumerazione:example	\iniziaENUMERAZIONE [=] \terminaENUMERAZIONE
<u>.</u>	
iniziaenumerazione:example:title	\iniziaENUMERAZIONE [] {} \terminaENUMERAZIONE
iniziaexceptions	\iniziaexceptions [] \terminaexceptions
iniziaexpanded	\iniziaexpanded \terminaexpanded
iniziaexpandedcollect	\iniziaexpandedcollect \terminaexpandedcollect
iniziaextendedcatcodetable	\iniziaextendedcatcodetable \ \terminaextendedcatcodetable
iniziaexternalfigurecollection	\iniziaexternalfigurecollection [] \terminaexternalfigurecollec
iniziafacingfloat	\iniziafacingfloat [] \terminafacingfloat
iniziafigura	\iniziafigura [] [=] \terminafigura
iniziafisso	\iniziafisso [] \terminafisso
iniziafittingpage	\iniziafittingpage [] [=] \terminafittingpage
iniziafittingpage:instance	\iniziaFITTINGPAGE [=] \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage	\iniziaMPpage [=] \terminaMPpage
iniziafittingpage:instance:TEXpage	\iniziaTEXpage [=] \terminaTEXpage
iniziafloatcombination	\iniziafloatcombination [=] \terminafloatcombination
iniziafloatcombination:matrix	\iniziafloatcombination [] \terminafloatcombination
iniziafloattext:instance	\iniziaFLOATtesto [] [] \terminaFLOATtesto
iniziafloattext:instance:chemical	\iniziachemicaltesto [] [] \terminachemicaltesto
iniziafloattext:instance:figure	\iniziafiguretesto [] [] \terminafiguretesto
iniziafloattext:instance:graphic	\iniziagraphictesto [] [] \terminagraphictesto
iniziafloattext:instance:intermezzo	\iniziaintermezzotesto [] [] \terminaintermezzotesto
iniziafloattext:instance:table	\iniziatabletesto [] [] \terminatabletesto
iniziafont	\iniziafont [] \terminafont
iniziafontclass	\iniziafontclass [] \terminafontclass
iniziafontsolution	\iniziafontsolution [] \terminafontsolution
iniziaformula	\iniziaformula [] \terminaformula
iniziaformula:assignment	\iniziaformula [=] \terminaformula
iniziaformula:instance	\iniziaFORMULAformula [] \terminaFORMULAformula
iniziaformula:instance:md	\iniziamdformula [] \terminamdformula
iniziaformula:instance:mp	\iniziampformula [] \terminampformula
iniziaformula:instance:sd	\iniziasdformula [] \terminasdformula
iniziaformula:instance:sp	\iniziaspformula [] \terminaspformula
iniziaformule	\iniziaformule [] \terminaformule
iniziaframedcell	\iniziaframedcell [=] \terminaframedcell

 $\verb"inizia framed content"$

 $\verb|\line| \verb| inizia framed content [...] ... \verb|\line| termina framed content |$

iniziaframedrow	\iniziaframedrow [=] \terminaframedrow
iniziaframedtable	\iniziaframedtable [] [=] \terminaframedtable
iniziagridsnapping	\iniziagridsnapping [] \terminagridsnapping
iniziagridsnapping:list	\iniziagridsnapping [] \terminagridsnapping
iniziahboxestohbox	\iniziahboxestohbox \terminahboxestohbox
iniziahboxregister	\iniziahboxregister \terminahboxregister
iniziahelp:instance	\iniziaHELP [] \terminaHELP
iniziahelp:instance:helptext	\iniziahelptext [] \terminahelptext
iniziahighlight	\iniziahighlight [] \terminahighlight
iniziahyphenation	\iniziahyphenation [] \terminahyphenation
iniziaimath	\iniziaimath \terminaimath
iniziaimpaccato	\iniziaimpaccato [] \terminaimpaccato
iniziaincorniciato	\iniziaincorniciato [] [=] \terminaincorniciato
iniziaindentedtext	\iniziaindentedtext [] \terminaindentedtext
iniziaindentedtext:example	\iniziaINDENTEDTEXT \terminaINDENTEDTEXT
iniziainterazione	\iniziainterazione [] \terminainterazione
iniziainterface	\iniziainterface \terminainterface
iniziaintertext	\iniziaintertext \terminaintertext
iniziaitemgroup	\iniziaitemgroup [] [] \terminaitemgroup
iniziaitemgroup:instance	\iniziaITEMGROUP [] [] \terminaITEMGROUP
iniziaitemgroup:instance:itemize	\iniziaitemize [] [=] \terminaitemize
iniziaJScode	\iniziaJScode\terminaJScode
iniziaJSpreamble	\iniziaJSpreamble \terminaJSpreamble
iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:	\inizialineamargine [] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialineacesto	\inizialineatesto \(\ldots \rightarrow \) \text{terminalineatesto} \\ \text{inizialinecorrection} \]
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering \inizialinenumbering
inizialinetable	\inizialinenumbering [] [] \terminalinenumbering \inizialinetable \terminalinetable
	\inizialinetable \terminalinetable \inizialinetablebody \terminalinetablebody
inizialinetablebody inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialingua	
inizialocalfootnotes	\inizialingua [] \terminalingua \inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
	\inizialocalinecorrection [] \terminalocalinecorrection \inizialocalnotes [] \terminalocalnotes
inizialocalnotes inizialocalsetups	\inizialocalnotes [] \terminalocalnotes \inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	\inizialocalsetups \terminalocalsetups \inizialua \terminalua
inizialua	• • • • • • • • • • • • • • • • • • • •
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	\inizialuaparameterset [] \terminaluaparameterset
inizialuasetups	\inizialuasetups [] [] \terminaluasetups
inizialuasetups:string	\inizialuasetups\terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions {} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	\iniziaMPpositiongraphic {} {} \terminaMPpositiongraphic
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamarkpages	\iniziamarkpages [] \terminamarkpages
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment

```
iniziamathcases:instance
                                                                               \iniziaMATHCASES [..=..] ... \terminaMATHCASES
                                                                               \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:cases
                                                                               \iniziamathcases [..=..] ... \terminamathcases
iniziamathcases:instance:mathcases
iniziamathmatrix:instance
                                                                               \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
                                                                               \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:mathmatrix
                                                                               \verb|\iniziamatrix| [..=..] ... \verb|\terminamatrix|
iniziamathmatrix:instance:matrix
                                                                               \iniziathematrix [..=..] ... \terminathematrix
iniziamathmatrix:instance:thematrix
iniziamathmode
                                                                               \iniziamathmode ... \terminamathmode
iniziamathstyle
                                                                               \iniziamathstyle [...] ... \terminamathstyle
                                                                               \iniziamatrices [..=..] ... \terminamatrices
iniziamatrices
                                                                               \iniziamaxaligned ... \terminamaxaligned
iniziamaxaligned
                                                                               \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamenuinterattivo
                                                                               \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula
                                                                               \iniziamettiformula [...] ... \terminamettiformula
iniziamettiformula:argument
                                                                               \iniziamiddlealigned ... \terminamiddlealigned
iniziamiddlealigned
                                                                               \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns
                                                                               \verb|\iniziaMIXEDCOLUMNS| [..=..] ... \verb|\terminaMIXEDCOLUMNS||
iniziamixedcolumns:instance
iniziamixedcolumns:instance:boxedcolumns
                                                                               \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
                                                                               \iniziacolumns [..=..] ... \terminacolumns
iniziamixedcolumns:instance:columns
iniziamixedcolumns:instance:itemgroupcolumns
                                                                               \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
                                                                               \iniziamode [...] ... \terminamode
iniziamode
                                                                               \iniziamodeset [...] {...} ... \terminamodeset
iniziamodeset
                                                                               \iniziamodule [...] ... \terminamodule
iniziamodule
iniziamoduletestsection
                                                                               \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string
                                                                               \iniziamodule ... \terminamodule
iniziamulticolumns
                                                                               \verb|\columns| [..=..] ... \verb|\terminamulticolumns| |
inizianamedsection
                                                                               \inizianamedsection [...] [..=..] ... \terminanamedsection
                                                                               \mbox{\colored} \mbox{\color
\verb"iniziana" med subformulas"
                                                                               \inizianarrower [...] ... \terminanarrower
inizianarrower
                                                                               \iniziaNARROWER [...] ... \terminaNARROWER
inizianarrower:example
                                                                               \inizianegativo ... \terminanegativo
inizianegativo
                                                                               \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianicelyfilledbox
inizianointerference
                                                                               \inizianointerference ... \terminanointerference
inizianotallmodes
                                                                               \inizianotallmodes [...] ... \terminanotallmodes
inizianota:instance
                                                                               \iniziaNOTE [...] ... \terminaNOTE
                                                                               \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment
                                                                               \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:endnote
inizianota:instance:assignment:footnote
                                                                               \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:endnote
                                                                               \iniziaendnote [...] ... \terminaendnote
                                                                               \iniziafootnote [...] ... \terminafootnote
inizianota:instance:footnote
inizianotext
                                                                               \inizianotext ... \terminanotext
                                                                               \inizianotmode [...] ... \terminanotmode
inizianotmode
                                                                               \iniziaopposto ... \terminaopposto
iniziaopposto
\verb"inizia outputstream"
                                                                               \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoverprint
                                                                               \iniziaoverprint ... \terminaoverprint
iniziapagecolumns
                                                                               \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance
                                                                               \verb|\iniziaPAGECOLUMNS| ... \verb|\terminaPAGECOLUMNS| |
iniziapagecolumns:name
                                                                               \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagefigure
                                                                               \iniziapagefigure [...] [..=..] ... \terminapagefigure
                                                                               \iniziapagelayout [...] ... \terminapagelayout
{\tt iniziapagelayout}
                                                                               \iniziapar [...] [..=..] ... \terminapar
iniziapar
                                                                               \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphs
iniziaparagraphscell
                                                                               \iniziaparagraphscell ... \terminaparagraphscell
                                                                               \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparagraphs:example
iniziaparallel:example
                                                                               \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder
                                                                               \iniziaparbuilder [...] ... \terminaparbuilder
                                                                               \verb|\iniziap| lacefloat [...] [..=..] [..=..] ... \verb|\terminap| lacefloat|
iniziaplacefloat
                                                                               \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance
                                                                               iniziaplacefloat:instance:chemical
iniziaplacefloat:instance:figure
                                                                               \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
                                                                               \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:graphic
iniziaplacefloat:instance:intermezzo
                                                                               \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
                                                                               iniziaplacefloat:instance:table
iniziaplacepairedbox
                                                                               \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
                                                                               \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance
                                                                               \verb|\line| \verb|\line| iniziamettilegend [..=..] ... \verb|\line| terminamettilegend | |
iniziaplacepairedbox:instance:legend
iniziapositioning
                                                                               \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay
                                                                               \verb|\inizia position overlay {...}| ... \verb|\termina position overlay|
                                                                               \iniziapositivo ... \terminapositivo
iniziapositivo
iniziaposporre
                                                                               \iniziaposporre [...] ... \terminaposporre
iniziapostponingnotes
                                                                               \iniziapostponingnotes ... \terminapostponingnotes
                                                                               \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand
{\tt inizia} process assign {\tt mentcommand}
```

```
\verb|\inizia process assignment list [..=..] ... \verb|\termina process assignment list|
iniziaprocessassignmentlist
iniziaprocesscommacommand
                                                                                \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
                                                                                \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprocesscommalist
iniziaprodotto
                                                                                \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string
                                                                                \iniziaprodotto ... \terminaprodotto
iniziaprogetto
                                                                                \iniziaprogetto [...] ... \terminaprogetto
                                                                                \iniziaprogetto ... \terminaprogetto
iniziaprogetto:string
                                                                                \iniziaprotectedcolors ... \terminaprotectedcolors
iniziaprotectedcolors
                                                                                \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziapubblicazione
iniziarandomized
                                                                                \iniziarandomized ... \terminarandomized
iniziarawsetups
                                                                                \iniziarawsetups [...] [...] ... \terminarawsetups
                                                                                \iniziarawsetups ... \terminarawsetups
iniziarawsetups:string
                                                                                \iniziareadingfile ... \terminareadingfile
iniziareadingfile
                                                                                \iniziaregime [...] ... \terminaregime
iniziaregime
                                                                                \iniziareusableMPgraphic {...} {....} ... \terminareusableMPgraphic
iniziareusableMPgraphic
iniziariga
                                                                                \iniziariga [...]
                                                                                \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance
                                                                                \inizialines [..=..] ... \terminalines
iniziarighe:instance:lines
iniziaruby
                                                                                \iniziaruby [...] ... \terminaruby
iniziascript
                                                                                \iniziascript [...] ... \terminascript
                                                                                iniziasectionblock
iniziasectionblock:instance
                                                                                \verb|\iniziaSECTIONBLOCK| [..=..] ... \verb|\terminaSECTIONBLOCK||
                                                                                \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:appendices
iniziasectionblock:instance:backmatter
                                                                                iniziasectionblock:instance:bodymatter
                                                                                \verb|\iniziabodymatter[..=..]| ... \verb|\terminabodymatter|
iniziasectionblock:instance:frontmatter
                                                                                \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasectionlevel
                                                                                \iniziasetups [...] [...] \terminasetups
iniziasetups
                                                                                \iniziasetups ... \terminasetups
iniziasetups:string
                                                                                \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo
iniziasfondo:example
                                                                                \iniziaSFONDO [..=..] ... \terminaSFONDO
                                                                                \iniziashift [...] ... \terminashift
iniziashift
                                                                                \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasidebar
                                                                                \iniziasimplecolumns [..=..] ... \terminasimplecolumns \iniziasospeso [..=..] {...} ... \terminasospeso \iniziasospeso [...] {...} ... \terminasospeso
iniziasimplecolumns
iniziasospeso
iniziasospeso:argument
                                                                                \iniziasovrapponi ... \terminasovrapponi
iniziasovrapponi
iniziaspecialitem:item
                                                                                \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none
                                                                                \mbox{\colored} \mbox{\color
                                                                                \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziaspecialitem:symbol
iniziasplitformula
                                                                                \iniziasplitformula ... \terminasplitformula
iniziasplittext
                                                                                \iniziasplittext ... \terminasplittext
                                                                                \iniziaspread ... \terminaspread
iniziaspread
                                                                                \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastartstop:example
iniziastaticMPfigure
                                                                                \iniziastaticMPfigure {...} ... \terminastaticMPfigure
\verb"iniziastaticMPgraphic"
                                                                                \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto
                                                                                \iniziastretto [...] [..=..] ... \terminastretto
                                                                                \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:assignment
iniziastretto:name
                                                                                \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter
                                                                                \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
                                                                                \iniziastyle [..=..] ... \terminastyle
iniziastyle
iniziastyle:argument
                                                                                \iniziastyle [...] ... \terminastyle
iniziastyle:instance
                                                                                \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas
                                                                                \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel
                                                                                \iniziasubjectlevel [...] [..=..] ... \terminasubjectlevel
iniziasubsentence
                                                                                \iniziasubsentence ... \terminasubsentence
                                                                                \iniziasubstack ... \terminasubstack
iniziasubstack
                                                                                \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziasymbolset
                                                                                \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLE
iniziaTABLEbody
                                                                                \iniziaTABLEbody [..=..] ... \terminaTABLEbody
                                                                                \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEfoot
iniziaTABLEhead
                                                                                \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext
                                                                                \iniziaTABLEnext [..=..] ... \terminaTABLEnext
                                                                                \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella
                                                                                \iniziatabella [...] [..=..] ... \terminatabella
iniziatabella:name
                                                                                \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle
iniziatabelle:name
                                                                                \iniziatabelle [...] ... \terminatabelle
                                                                                \iniziatabulato [/.../] [..=..] ... \terminatabulato
iniziatabulato
iniziatabulato:instance
                                                                                \verb|\iniziaTABULATE [...] ... \verb|\terminaTABULATE||
iniziatabulato:instance:fact
                                                                                \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend
                                                                                \inizialegend [...] [..=..] ... \terminalegend
                                                                                \iniziatesta [...] {...} ... \terminatesta
```

iniziatesta

iniziatestatabella	\iniziatestatabella [] \terminatestatabella
iniziatestatabulato	\iniziatestatabulato [] \terminatestatabulato
iniziatesto	\iniziatesto \terminatesto
iniziatestoaiuto	\iniziatestoaiuto [] \terminatestoaiuto
iniziatestoetichetta:instance	\iniziaLABELtesto [] [] \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel	\iniziabtxlabeltesto [] [] \terminabtxlabeltesto
iniziatestoetichetta:instance:head	\iniziaheadtesto [] [] \terminaheadtesto
iniziatestoetichetta:instance:label	\inizialabeltesto [] [] \terminalabeltesto
iniziatestoetichetta:instance:mathlabel	\iniziamathlabeltesto [] [] \terminamathlabeltesto
iniziatestoetichetta:instance:operator	\iniziaoperatortesto [] [] \terminaoperatortesto
iniziatestoetichetta:instance:prefix	\iniziaprefixtesto [] [] \terminaprefixtesto
iniziatestoetichetta:instance:suffix	\iniziasuffixtesto [] [] \terminasuffixtesto
iniziatestoetichetta:instance:taglabel	\iniziataglabeltesto [] [] \terminataglabeltesto
iniziatestoetichetta:instance:unit	\iniziaunittesto [] [] \terminaunittesto
iniziatestoincorniciato:instance	\iniziaFRAMEDTEXT [] [=] \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext	\iniziaframedtext [] [=] \terminaframedtext
iniziatexcode	\iniziatexcode \terminatexcode
iniziatexdefinition	\iniziatexdefinition \terminatexdefinit
iniziatextbackground	\iniziatextbackground [] [=] \terminatextbackground
iniziatextbackgroundmanual	\iniziatextbackgroundmanual \terminatextbackgroundmanual
iniziatextbackground:example	\iniziaTEXTBACKGROUND [=] \terminaTEXTBACKGROUND
iniziatextcolor	\iniziatextcolor [] \terminatextcolor
iniziatextcolorintent	\iniziatextcolorintent \terminatextcolorintent
iniziatextflow	\iniziatextflow [] \terminatextflow
iniziatokenlist	\iniziatokenlist [] \terminatokenlist
iniziatokens	\iniziatokens [] \terminatokens
iniziatransparent	\iniziatransparent [] \terminatransparent
iniziatypescript	\iniziatypescript [] [] \terminatypescript
iniziatypescriptcollection	\iniziatypescriptcollection [] \terminatypescriptcollection
iniziatyping:instance	\iniziaTYPING [=] \terminaTYPING
iniziatyping:instance:argument	\iniziaTYPING [] \terminaTYPING
iniziatyping:instance:argument:LUA	\iniziaLUA [] \terminaLUA
iniziatyping:instance:argument:MP	\iniziaMP [] \terminaMP
	\iniziaPARSEDXML [] \terminaPARSEDXML
iniziatyping:instance:argument:PARSEDXML	\iniziaTEX [] \terminaTEX
iniziatyping:instance:argument:TEX	
iniziatyping:instance:argument:typing	\iniziatyping [] \terminatyping
iniziatyping:instance:argument:XML	\iniziaXML [] \terminaXML
iniziatyping:instance:LUA	\iniziaLUA [=] \terminaLUA
iniziatyping:instance:MP	\iniziaMP [=] \terminaMP
iniziatyping:instance:PARSEDXML	\iniziaPARSEDXML [=] \terminaPARSEDXML
iniziatyping:instance:TEX	\iniziaTEX [=] \terminaTEX
iniziatyping:instance:typing	\iniziatyping [=] \terminatyping
iniziatyping:instance:XML	\iniziaXML [=] \terminaXML
iniziauniqueMPgraphic	\iniziauniqueMPgraphic {} {} \terminauniqueMPgraphic
iniziauniqueMPpagegraphic	$\mbox{\colored}$ \iniziauniqueMPpagegraphic $\{\ldots\}$ $\{\ldots\}$ \terminauniqueMPpagegraphic
iniziaunpacked	\iniziaunpacked \terminaunpacked
iniziausableMPgraphic	\iniziausableMPgraphic {} {} \terminausableMPgraphic
iniziauseMPgraphic	\min iniziauseMPgraphic $\{\}$ $\{\}$ \dots $\{terminauseMPgraphic$
iniziausemathstyleparameter	\iniziausemathstyleparameter \ \terminausemathstyleparameter
iniziauserdata	\iniziauserdata [] [=] \terminauserdata
iniziausingbtxspecification	\iniziausingbtxspecification [] \terminausingbtxspecification
iniziavaia	\iniziavaia [] \terminavaia
iniziavboxregister	\iniziavboxregister \terminavboxregister
iniziavboxtohbox	\iniziavboxtohbox \terminavboxtohbox
iniziavboxtohboxseparator	\iniziavboxtohboxseparator \terminavboxtohboxseparator
iniziaviewerlayer	\iniziaviewerlayer [] \terminaviewerlayer
iniziaviewerlayer:example	\iniziaVIEWERLAYER \terminaVIEWERLAYER
iniziavtopregister	\iniziavtopregister \terminavtopregister
iniziaxcell	\iniziaxcell [] [=] \terminaxcell
iniziaxcellgroup	\iniziaxcellgroup [] [=] \terminaxcellgroup
iniziaxcolumn	\iniziaxcolumn [=] \terminaxcolumn
iniziaxcolumn:name	\iniziaxcolumn [] \terminaxcolumn
iniziaxgroup	\iniziaxgroup [] [=] \terminaxgroup
iniziaxmldisplayverbatim	\iniziaxmldisplayverbatim [] \terminaxmldisplayverbatim
iniziaxmlinlineverbatim	\iniziaxmlinlineverbatim [] \terminaxmlinlineverbatim
iniziaxmlraw	\iniziaxmirmineverbatim [] \terminaxmirmineverbatim \iniziaxmlraw
iniziaxmlsetups	\iniziaxmlsetups [] [] \terminaxmlsetups
iniziaxmisetups:string	\iniziaxmisetups \ldots \terminaxmisetups \ldots \terminaxmisetups
	\iniziaxmisetups \terminaxmisetups \iniziaxrow [] [=] \terminaxrow
iniziaxrow	
iniziaxrowgroup	\iniziaxrowgroup [] [=.] \terminaxrowgroup
iniziaxtable	\iniziaxtable [=] \terminaxtable
iniziaxtablebody	\iniziaxtablebody [=] \terminaxtablebody

iniziaxtablebody:name	\iniziaxtablebody [] \terminaxtablebody
iniziaxtablefoot	\iniziaxtablefoot [=] \terminaxtablefoot
iniziaxtablefoot:name	\iniziaxtablefoot [] \terminaxtablefoot
iniziaxtablehead	\iniziaxtablehead [=] \terminaxtablehead
iniziaxtablehead:name	\iniziaxtablehead [] \terminaxtablehead
iniziaxtablenext	\iniziaxtablenext [=] \terminaxtablenext
iniziaxtablenext:name	\iniziaxtablenext [] \terminaxtablenext
iniziaxtable:example	\iniziaXTABLE [=] \terminaXTABLE
iniziaxtable:name	\iniziaxtable [] \terminaxtable
inlinebuffer	\inlinebuffer []
inlinedbox	\inlinedbox {}
inlinemath	\inlinemath {}
inlinemathematics	\inlinemathematics {}
inlinemessage	\inlinemessage {}
inlineordisplaymath	\inlineordisplaymath {} {}
inlineprettyprintbuffer	\inlineprettyprintbuffer {} {}
inlinerange	\inlinerange []
innerflushshapebox	\innerflushshapebox
	-
input	\input {}
inputfilebarename	\inputfilebarename
inputfilename	\inputfilename
inputfilerealsuffix	\inputfilerealsuffix
inputfilesuffix	\inputfilesuffix
inputgivenfile	\inputgivenfile {}
input:string	\input
inriga	\inriga {} []
insertpages	\insertpages [] [] [=]
inspectluatable	\inspectluatable \
installactionhandler	\installactionhandler {}
installactivecharacter	\installactivecharacter
installalingua	\installalingua [] [=]
installalingua:name	\installalingua [] []
installanddefineactivecharacter	\installanddefineactivecharacter {}
installattributestack	\installattributestack \
installautocommandhandler	\installautocommandhandler \ \
installautosetuphandler	$\$ \installautosetuphandler \ \{\}
installbasicautosetuphandler	\installbasicautosetuphandler \ \
installbasicparameterhandler	\installbasicparameterhandler \ {}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \
installcorenamespace	\installcorenamespace {}
installctxfunction	\installctxfunction \ {}
installctxscanner	\installctxscanner \ {}
installdefinehandler	\installdefinehandler \ \{} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
in stall direct style and color handler	$\$ \installdirectstyleandcolorhandler $\$ \ \{\}
installframedautocommandhandler	\installframedautocommandhandler \ $\{\}$ \
installframedcommandhandler	\installframedcommandhandler \ \ \
installglobalmacrostack	\installglobalmacrostack \
installleftframerenderer	\installleftframerenderer {} {}
installmacrostack	\installmacrostack \
installnamespace	\installnamespace {}
installoutputroutine	\installoutputroutine \ {}
installpagearrangement	\installpagearrangement {}
	\installparameterhandler \ \{\}
installparameterhandler	
installparameterhashhandler	\installparameterhashhandler \ \{\}
installparametersethandler	\installparametersethandler \ \{\}
installparentinjector	\installparentinjector \ \{\}
installprotectedctxfunction	\installprotectedctxfunction \ \{\}
installprotectedctxscanner	$\$ \install protected ctxs canner $\$ \ $\{\}$
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ {}
installsetuphandler	\installsetuphandler \ {}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ {}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \\
	,

installstyleandcolorhandler	
v	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective \{\ldots\} \{\ldots\}
installtextracker	\installtextracker {} {} {}
installtopframerenderer	\installtopframerenderer {} {}
installunitsseparator	\installunitsseparator {} {}
installunitsspace	\installunitsspace {} {}
installversioninfo	\installversioninfo \{\dots\} \{\dots\}
integerrounding	\integerrounding {}
intertext	\intertext {}
interwordspaceafter	\interwordspaceafter
interwordspacebefore	\interwordspacebefore
interwordspaces	\interwordspaces {}
interwordspacesafter	\interwordspacesafter {}
interwordspacesbefore	\interwordspacesbefore {}
intorno	\intorno []
invokepagehandler	\invokepagehandler {} {}
italiccorrection	\italiccorrection
italicface	\italicface
itemtag	\itemtag []
jobfilename	\jobfilename
jobfilesuffix	\jobfilesuffix
kap	\kap {}
keeplinestogether	\keeplinestogether {}
keepunwantedspaces	\keepunwantedspaces
kerncharacters	\kerncharacters [] {}
koreancirclenumerals	\koreancirclenumerals {}
koreannumerals	\koreannumerals {}
koreannumeralsc	\koreannumeralsc {}
koreannumeralsp	\koreannumeralsp {}
koreanparentnumerals	\koreanparentnumerals {}
LAMSTEX	\LAMSTEX
LATEX	\LATEX
LamSTeX	\LamSTeX
LaTeX	\LaTeX
Lettera	\Lettera {}
Lettere	\Lettere {}
LUAJITTEX	\LUAJITTEX
	·
LUAMETATEX	LUAMETATEX
LUATEX	LUATEX
Lua	\Lua
	·
LuajitTeX	\LuajitTeX
LuajitTeX LuaMetaTeX	·
-	\LuajitTeX
LuaMetaTeX LuaTeX	\LuajitTeX \LuaMetaTeX \LuaTeX
LuaMetaTeX LuaTeX labellanguage:instance	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel	\LuaJitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \prefixlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \LABELtexts {} {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:nathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \taglabellingua \LABELtexts {} {} \headtexts {} {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \taglabellingua \taglabellingua \taglabellingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languageCharacters	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languagecharacters {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:perfix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharwidth	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacters {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languageCharacters	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languagecharacters {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:perfix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharwidth	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacters {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharwidth lastcounter	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \taglabellingua \taglabellingua \tunitlingua \LABELtexts {} {} \headtexts {} {} \mathlabeltexts {} {} \languageCharacters {} \languagecharacters {} \languagecharwidth {} \languagecharcin] []
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharwidth lastcounter lastcountervalue lastdigit	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \taglabellingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:label labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharvidth lastcounter lastcountervalue lastdigit lastlinewidth	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharwidth {} \lastcounter [] [] \lastcountervalue [] \lastdigit {} \lastlinewidth
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:tunit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacter [] \lastcounter [] [] \lastcountervalue [] \lastdigit {} \lastlinewidth \lastnaturalboxdp
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:taglabel labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:label labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp lastnaturalboxht	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacter [] \lastcounter [] [] \lastcountervalue [] \lastdigit {} \lastlinewidth \lastnaturalboxdp \lastnaturalboxht
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp lastnaturalboxdd	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacter {} \lastounter {} [] \lastountervalue [] \lastountervalue {} \lastounterva
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp lastnaturalboxwd lastparwrapper	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacter [] \lastcounter [] [] \lastcountervalue [] \lastdigit {} \lastnaturalboxdp \lastnaturalboxdd \lastnaturalboxwd \lastnaturarwapper {}
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languagecharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp lastnaturalboxdd	\LuajitTeX \LuaMetaTeX \LuaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \operatorlingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacter {} \lastounter {
LuaMetaTeX LuaTeX labellanguage:instance labellanguage:instance:btxlabel labellanguage:instance:head labellanguage:instance:mathlabel labellanguage:instance:operator labellanguage:instance:prefix labellanguage:instance:suffix labellanguage:instance:suffix labellanguage:instance:unit labeltexts:instance labeltexts:instance:head labeltexts:instance:head labeltexts:instance:mathlabel languageCharacters languageCharacters languagecharwidth lastcounter lastdigit lastlinewidth lastnaturalboxdp lastnaturalboxwd lastparwrapper	\LuajitTeX \LuaMetaTeX \LuaTeX \LABELlingua \btxlabellingua \headlingua \labellingua \mathlabellingua \mathlabellingua \operatorlingua \prefixlingua \suffixlingua \taglabellingua \unitlingua \taglabellingua \unitlingua \LABELtexts {} {} \headtexts {} {} \labeltexts {} {} \languageCharacters {} \languageCharacters {} \languagecharacters {} \languagecharacters {} \languagecharacter [] \lastcounter [] [] \lastcountervalue [] \lastdigit {} \lastnaturalboxdp \lastnaturalboxdd \lastnaturalboxwd \lastnaturarwapper {}

lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {} {}
	•
layerheight	\layerheight
layerwidth	\layerwidth
lazysavetaggedtwopassdata	\lazysavetaggedtwopassdata {} {} {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lbox	\lbox {}
lchexnumber	\lchexnumber {}
lchexnumbers	\lchexnumbers {}
leftbottombox	\leftbottombox {}
leftbox	\leftbox {}
lefthbox	\lefthbox {}
leftlabeltext:instance	\leftLABELtesto {}
leftlabeltext:instance:head	\leftheadtesto {}
leftlabeltext:instance:label	\leftlabeltesto {}
leftlabeltext:instance:mathlabel	\leftmathlabeltesto {}
leftline	\leftline {}
leftorrighthbox	\leftorrighthbox {}
leftorrightvbox	\leftorrightvbox {}
leftorrightvtop	\leftorrightvtop {}
leftskipadaption	\leftskipadaption
leftsubguillemot	\leftsubguillemot
lefttopbox	\lefttopbox {}
lefttoright	\lefttoright
lefttorighthbox	\lefttorighthbox {}
lefttorightvbox	\lefttorightvbox {}
lefttorightvtop	\lefttorightvtop {}
letbeundefined	\letbeundefined {}
letcatcodecommand	\letcatcodecommand \ \
latraranama	\lategenama \ \cenama \andeenama
letcscsname	\letcscsname \ \csname \endcsname
letcsnamecs	\letcsnamecs \csname \
letcsnamecs letcsnamecsname	\letcsnamecs \csname \ \endcsname \ \endcsname \ \endcsname \ \endcsname \ \endcsname
letcsnamecs letcsnamecsname letdummyparameter	\letcsnamecs \csname \endcsname \ \endcame \ \endcame \ \endcsnam
letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letteratbackslash letterbar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbaroup</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbaroup letterclosebrace lettercolon	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letteradalueempty {} \letteradalueempta {} \lett</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdoublequote	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letteradalueempty {} \letteradalueempta {} \lett</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterat {} \letterat {} \letterat backslash \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {}</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterat {} \letterat {} \letterat backslash \letterbar \letterbar \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape letterescape	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape letterescape letterescape letterexclamationmark</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape letterescape	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape letterescape letterescape letterexclamationmark</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterecape letterescape letterexclamationmark letterhash	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape letterescape letterexclamationmark letterhash</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterescape letterexclamationmark letterhat	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letterat {} \letterat {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letteres</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterat {} letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape letterescape letterexclamationmark letterhash letterhat letterleftbrace</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftbracket	<pre>letcsnamecs \csname \endcsname \ letcsnamecsname \csname \endcsname \ \endcsname letdummyparameter {} \ letempty \ letgvalue {} \ letgvalueempty {} letgvalurelax {} lettera {} letterampersand letterat letterbar letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere {} letteregroup letterescape letterescape letterexclamationmark letterhash letterhat letterleftbrace letterleftbrace letterleftbracket</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterat \letterbackslash \letterbar \letterbar \letterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterescape \letterescape \letterhat \letterhat \letterhat \letterhat \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterborup letterclosebrace lettercolon letterdollar letterdoublequote lettere letterescape letterescape letterescape letterhash letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless letterless	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \letterclosebrace \letterdoublequote \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \lettermore</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace lettercolon letterdollar letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftparenthesis letterless lettermore letteropenbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterbgroup \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letterescape \letterescape \letterescape \letterexclamationmark \letterhat \letterlat \letterlat \letterletbrace \letterletbrace \letterleftbrace \letterleftbracket \letterleftbracket \letterleftbrace \letterleftbrac</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterbgroup letterclosebrace letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbracket letterleftparenthesis letterless letteropenbrace letteropenbrace letterpercent	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letteraulueempty {} \letteraulueempty {} \letteraulueempt {} \letteraulueemptaurelax {} \letteraulueemptaurelax {} \letteraulueemptaurelax {} \letteraulueemptaurelax {} \letterbackslash \letterbackslash \letterbacketcolon \letterclosebrace \lettercolon \letterdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhash \letterhat \letterleftbrace \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbrace \lette</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace letterdollar letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterhat letterleftbrace letterleftbrace letterleftprarenthesis letterless letteropenbrace letterpercent letterquestionmark	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborclosebrace \lettercolon \letterdoublequote \letterdoublequote \lettere {} \letterescape \letterexclamationmark \letterhat \letterhat \letterhat \letterlettbrace \letterlettbrace \letterleftbrace \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbrace \letterleftprenthesis \letterpercent \letterpercent \letterpercent \letterquestionmark \letterquestionmark \letterquestionmark \letterquestionmark \letterquestionmark \letterquestionmark \letterpercent \letterquestionmark \letter</pre>
letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace lettercolon letterdoublequote lettere letteregroup letterescape letterexclamationmark letterhat letterleftbrace letterleftbrace letterleftprarenthesis letterless letteropenbrace letteropenbrace letterquestionmark letterrightbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letgyalue {} \ \letgyalueempty {} \letgyalueempty {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterborclosebrace \lettercolon \letterdollar \letterdoublequote \letterdoublequote \letterescape \letterescape \letterexclamationmark \letterhat \letterlattleftbrace \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbracket \letterleftbrace \letterleftermore \letterpercent \letterquestionmark \letterrightbrace</pre>
letcsnamecs letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterboroup letterclosebrace letterdoublequote lettere letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis letterless letterpore letteropenbrace letterpore letteropenbrace letterpore letterpercent letterquestionmark letterightbrace letterpercent letterquestionmark letterrightbrace letterrightbrace letterrightbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \letterclosebrace \lettercdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket \letterrightbrace \letterrightbracket \l</pre>
letcsnamecs letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbackslash letterbar letterboroup letterclosebrace letterdoublequote lettere lettere eltterescape letterexclamationmark letterhat letterleftbracket letterleftparenthesis letterlose lettercopenbrace letterleftparenthesis letterpercent letterpercent letterperightparenthesis	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \ \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterclosebrace \letterclosebrace \lettercolon \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterlatbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letterless \letterpercent \letterquestionmark \letterrightbrace \letterrightbrace \letterrightbracket \letterrightbracket \letterrightparenthesis</pre>
letcsnamecs letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand letterat letterbar letterbar letterboroup letterclosebrace letterdoublequote lettere letterescape letterexclamationmark letterhat letterleftbrace letterleftparenthesis letterless letterpore letteropenbrace letterpore letteropenbrace letterpore letterpercent letterquestionmark letterightbrace letterpercent letterquestionmark letterrightbrace letterrightbrace letterrightbrace	<pre>\letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \endcsname \letdummyparameter {} \ \letempty \ \letgvalue {} \ \letgvalueempty {} \letgvalurelax {} \lettera {} \lettera {} \letterampersand \letterat \letterbackslash \letterbar \letterboroup \letterclosebrace \letterclosebrace \lettercdollar \letterdoublequote \lettere {} \letteregroup \letterescape \letterescape \letterexclamationmark \letterhat \letterleftbrace \letterleftbrace \letterleftbracket \letterleftparenthesis \letterless \letternore \letterpercent \letterquestionmark \letterrightbrace \letterrightbracket \letterrightbrace \letterrightbracket \l</pre>

Letterspacing	\letterspacing [] {}
Lettertilde	\lettertilde
Letterunderscore	\letterunderscore
Letvalue	\letvalue {} \
Letvalueempty	\letvalueempty {}
Letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
Lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {} {}
Limitatelines	\limitatelines {} {}
Limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
Lineasottile	\lineasottile
Lineatesto	\lineatesto [] {}
Linebox	\linebox {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] {} {}
Lineesottili	\lineesottili [=]
Linefillerhbox	\linefillerhbox [] {}
linefillervbox	\linefillervbox [] {}
linefillervtop	\linefillervtop [] {}
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
Linespanningtext	\linespanningtext \{\} \{\}
lingua	\lingua []
•	<u> </u>
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
literalmode	\literalmode
llap	\llap {}
Loadanyfile	\loadanyfile []
Loadanyfileonce	\loadanyfileonce []
Loadbtxdefinitionfile	\loadbtxdefinitionfile []
Loadbtxreplacementfile	\loadbtxreplacementfile []
-	-
Loadcldfile	\loadcldfile []
Loadcldfileonce	\loadcldfileonce []
Loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
Loadspellchecklist	\loadspellchecklist [] []
Loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
Localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
Localhsize	\localhsize
Localpopbox	\localpopbox
localpopmocro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
Locfilename	\locfilename {}
Lomihi	\lomihi {} {} {}
Lowerbox	\lowerbox {} \ {}
Lowercased	\lowercased {}
Lowercasestring	\lowercasestring \to \
Lowercasing	\lowercasing
Lower casing Lowerleftdoubleninequote	\lowerleftdoubleninequote
<u>-</u>	
Lowerleftsingleninequote	\lowerleftsingleninequote
Lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
Lowhigh: instance	\LOWHIGH [] {}
Lowmidhigh:instance	$\LOWMIDHIGH \{\} \{\}$

lrtbbox	\lrtbbox {} {} {} {} {}
ltop	\ltop {}
ltrhbox	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltrvbox	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltrvtop	\ltrvtop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luametaTeX	\luametaTeX
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
5	\MESE {}
MESE	
METAFONT	\METAFONT
METAFUN	\METAFUN
METAPOST	\METAPOST
MetaFont	\MetaFont
MetaFun	\MetaFun
MetaPost	\MetaPost
MKII	\MKII
MKIV	\MKIV
MKIX	\MKIX
MKLX	MKLX
MKVI	\MKVI
MKXI	\MKXI
MKXL	\MKXL
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor {}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing {}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars {} {}
MPgetmultishape	\MPgetmultishape {} {}
•	
MPgetposboxes	\MPgetposboxes {} {}
MPh	\MPh {}
MPII	\MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] {} {}
MPLX	\MPLX
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	
MPls	\MPlr {}
	\MP1r {} \MP1s {}
MPmenubuttons	\MPls {}
MPmenubuttons	\MPls {} \MPmenubuttons {}
MPmenubuttons MPn	<pre>\MPls {} \MPmenubuttons {} \MPn {}</pre>
MPmenubuttons MPn MPoptions	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {} \MPposset {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPpr {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpos {} \MPpositiongraphic {} {} \MPposset {}</pre>
MPmenubuttons MPn MPoptions MPoverlayanchor MPp MPpage MPpardata MPplus MPpos MPpositiongraphic MPposset MPr	<pre>\MPls {} \MPmenubuttons {} \MPn {} \MPoptions {} \MPoverlayanchor {} \MPp {} \MPpage {} \MPpardata {} \MPplus {} {} \MPpositiongraphic {} {} \MPposset {} \MPpr {}</pre>

MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
	\MPtransparency {}
MPtransparency	
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPXL	\MPXL
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
maiuscoletto	\maiuscoletto {}
maiuscolo	\maiuscolo {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	\margindata [] [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance:atleftmargin	\atleftmargin [=] [=] {}
_	
margindata:instance:atrightmargin	\atrightmargin [=] [=] {}
margindata:instance:ininner	\ininner [=] [=] {}
margindata:instance:ininneredge	\ininneredge [=] [=] {}
margindata:instance:ininnermargin	\ininnermargin [=] [=] {}
margindata:instance:inleft	\inleft [=] [=] {}
margindata:instance:inleftedge	\inleftedge [=] [=] {}
margindata:instance:inleftmargin	\inleftmargin [=] [=] {}
margindata:instance:inmargin	\inmargin [=] [=] {}
margindata:instance:inother	\inother [=] [=] {}
5	
margindata:instance:inouter	\inouter [=] [=] {}
margindata:instance:inouteredge	\inouteredge [=] [=] {}
margindata:instance:inoutermargin	\inoutermargin [=] [=] {}
margindata:instance:inright	\inright [=] [=] {}
margindata:instance:inrightedge	\inrightedge [=] [=] {}
margindata:instance:inrightmargin	\inrightmargin [=] [=] {}
margindata:instance:margintext	\margintext [=] [=] {}
markcontent	\markcontent [] {}
markedpages	\markedpages []
markinjector	\markinjector []
markpage	\markpage [] []
markreferencepage	\markreferencepage
mat	\mat {}
matematica	\matematica [] {}
matematica:assignment	\matematica [=] {}
math	\math [] {}
mathbf	\mathbf
mathbi	\mathbi
mathblackboard	• * * * * *
	\mathblackboard
mathbs	\mathbs
mathcommand:example	\MATHCOMMAND {} {}
mathdefault	\mathdefault
mathdouble	\mathdouble [] {} {}
mathdoubleextensible:instance	\MATHDOUBLEEXTENSIBLE {} {}
mathdoubleextensible:instance:doublebar	\doublebar {} {}
mathdoubleextensible:instance:doublebrace	\doublebrace \{\} \{\}
mathdoubleextensible:instance:doublebracket	\doublebracket \{\ldots\} \\ \doublebracket \{\ldots\} \\ \frac{1}{\ldots\}
mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar \{\ldots\}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace \{\ldots\} \{\ldots\}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
	-

mathextensible:instance	\MATHEXTENSIBLE {} {}
mathextensible:instance:cleftarrow	\cleftarrow {} {}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow {} {}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
-	
mathextensible:instance:eleftharpoonupfill	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	$\left\{ eleftrightarrowfill\ \left\{ \ldots\right\}\ \left\{ \ldots\right\}$
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
<u> -</u>	
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	$\mbox{\colored} \mbox{\colored} \color$
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow {} {}
<u> </u>	
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow {} {}
mathextensible:instance:mrightharpoondown	$\mbox{\em mright}$ harpoondown $\{\ldots\}$ $\{\ldots\}$
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel {} {}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
<u> </u>	
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
<u> </u>	\trel {} {}
mathextensible:instance:trel	
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	$\trightharpoondown {} {}$
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow \{\ldots\} \{\ldots\}
mathextensible:instance:xequal	\xequal {} {}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
mathextensible:instance:xleftarrow	\xleftarrow {} {}
mathextensible:instance:xleftharpoondown	\xleft that poon down $\{\ldots\}$
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
manney neuratore : rup names : yret or rkinnigt hooms	ATOTOTISHONGT POONS ()

mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	$\xrightoverleftarrow {} {}$
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow	\xtwoheadrightarrow {} {}
mathfraktur	\mathfraktur
	• • • • • • • • • • • • • • • • • • • •
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathmatrix:instance	\MATHMATRIX [=] {}
mathmatrix:instance:thematrix	\thematrix [=] {}
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTEXSIBLE {} {}
mathovertextextensible:instance:overbar	\overbar {} {}
mathovertextextensible:instance:overbartext	\overbartext {} {}
mathovertextextensible:instance:overbrace	\overbrace {} {}
mathovertextextensible:instance:overbracetext	\overbracetext {} {}
mathovertextextensible:instance:overbracket	\overbracket {} {}
mathovertextextensible:instance:overbrackettext	\overbrackettext {} {}
mathovertextextensible:instance:overleftarrow	\overleftarrow {} {}
mathovertextextensible:instance:overleftharpoondown	\overleftharpoondown {} {}
mathovertextextensible:instance:overleftharpoonup	\overleftharpoonup {} {}
mathovertextextensible:instance:overleftrightarrow	\overleftrightarrow \{\ldots\} \{\ldots\}
mathovertextextensible:instance:overparent	\overparent \{\ldots\} \{\ldots\}
mathovertextextensible:instance:overparenttext	\overparenttext {} {}
mathovertextextensible:instance:overrightarrow	\overrightarrow {} {}
mathovertextextensible:instance:overrightharpoondown	\overrightharpoondown {} {}
mathovertextextensible:instance:overrightharpoonup	\overrightharpoonup {} {}
mathovertextextensible:instance:overtwoheadleftarrow	\overtwoheadleftarrow {} {}
mathovertextextensible:instance:overtwoheadrightarrow	\overtwoheadrightarrow {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
	• • •
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	
	\mathtextbi {}
mathtextbs	\mathtextbi {}
mathtextbs	\mathtextbi {} \mathtextbs {}
mathtextit	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {}</pre>
mathtextit mathtextsl	\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {}
mathtextit mathtextsl mathtexttf	\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextf {}
mathtextit mathtextsl	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextsl {} \mathtextf {}</pre>
mathtextit mathtextsl mathtexttf	\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextf {}
<pre>mathtextit mathtexts1 mathtexttf mathtf</pre>	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextsl {} \mathtextf {}</pre>
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtriplet</pre>	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathtf \mathtriplet [] {} {}</pre>
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example</pre>	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtriplet [] {} {} \mathtriplet [] {} {}</pre>
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder</pre>	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextff {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {}</pre>
<pre>mathtextit mathtextsl mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example</pre>	<pre>\mathtextbi {} \mathtextbs {} \mathtextit {} \mathtextif {} \mathtextff {} \mathtf \mathtriplet [] {} {} {} \mathtriplet [] {} {} \mathtt \mathtriplet [] {} {} \mathtt \mathunder [] {} {} \mathtriplet [] {} \mathrriplet [] {} \math</pre>
<pre>mathtextit mathtextsl mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathunderextextensible:instance</pre>	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextff { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtriplet [] { } { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } { } \mathunder [] { } \mathunder [] { } { } \mathunder [] {</pre>
<pre>mathtextit mathtextsl mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathundertextextensible:instance mathundertextextensible:instance:underbar</pre>	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextsl { } \mathtextff { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtunder [] { } { } \mathtt \mathunder [] { } { } \mathtunder [] { } \mathtunder [] { } \mathtunder [] { } \mathunder [] { }</pre>
<pre>mathtextit mathtextsl mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathunderextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext</pre>	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextsl { } \mathtextff { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtunDEREXTENSIBLE { } \mathunDerbar { } { } \underbar { } { } \underbartext { }</pre>
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathundertextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext</pre>	\mathtextbi {} \mathtextbs {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} \mathtt \mathunder [] {} {} \mathtunderEXTEXTEXSIBLE {} \mathtunderbar {} {} \underbar {} {} \underbar {} {} \underbar {} {} \underbar {} {}
<pre>mathtextit mathtextsl mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathunderextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext</pre>	\mathtextbi {} \mathtextbs {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextsl {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtt \mathunder [] {} {} \mathtunderEXTEXTEXSIBLE {} \mathtunderbartext {} {} \underbartext {} {} \underbartext {} {} \underbarace {} {} \underbaracetext {} {}
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathundertextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext</pre>	\mathtextbi {} \mathtextbs {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} \mathtt \mathunder [] {} {} \mathtunderEXTEXTEXSIBLE {} \mathtunderbar {} {} \underbar {} {} \underbar {} {} \underbar {} {} \underbar {} {}
<pre>mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunder mathunderextensible:example mathundertextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbracetext</pre>	\mathtextbi {} \mathtextbs {} \mathtextbs {} \mathtextit {} \mathtextsl {} \mathtextsl {} \mathtextf {} \mathtf \mathtriplet [] {} {} {} \mathtt \mathunder [] {} {} {} \mathtt \mathunder [] {} {} \mathtunderEXTEXTEXSIBLE {} \mathtunderbartext {} {} \underbartext {} {} \underbartext {} {} \underbarace {} {} \underbaracetext {} {}
mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbarce mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbracetext mathundertextextensible:instance:underbracket	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextsl { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtripleT [] { } { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtunDEREXTENSIBLE { } \mathtunDertextextextensible { } { } \underbartext { } { } \underbartext { } { } \underbracket { } { } \underbrack</pre>
mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbarcetxt mathundertextextensible:instance:underbracetxt mathundertextextensible:instance:underbracket mathundertextextensible:instance:underbracket mathundertextextensible:instance:underbrackettext mathundertextextensible:instance:underleftarrow	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextsl { } \mathtextsl { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtripleT [] { } { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtunDEREXTENSIBLE { } \mathtunDertextextextensible { } { } \underbartext { } { } \underbartext { } { } \underbarcetext { } { } \underbarcetext { } { } \underbarckettext { } { } \underleftarrow { } { } \un</pre>
mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbracket mathundertextextensible:instance:underbracket mathundertextextensible:instance:underleftarrow mathundertextextensible:instance:underleftharpoondown	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtf () { } { } \mathtf () { } { } \mathtt () { } { } \mathtt () { } \</pre>
mathtextit mathtexts1 mathtexttf mathtf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbracetext mathundertextextensible:instance:underbracket mathundertextextensible:instance:underbrackettext mathundertextextensible:instance:underleftarrow mathundertextextensible:instance:underleftharpoondown mathundertextextensible:instance:underleftharpoonup	\mathtextbi { } \mathtextbs { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtextsl { } \mathtextsl { } \mathtextf { } \mathtf \mathtriplet [] { } { } { } \mathtt \mathtriplet [] { } { } { } \mathtt \mathunder [] { } { } \mathtt \mathunder [] { } { } \mathtunDEREXTENSIBLE { } \mathtunDEREXTEXTEXTENSIBLE { } { } \underbartext { } { } \underbartext { } { } \underbracetext { } { } \underbrackettext { } { } \underbrackettext { } { } \underleftarrow { } { } \underleftarpoondown { } { } \underleftharpoondown { } { } \underleftharpoonup { } { }
mathtextit mathtexts1 mathtexttf mathtf mathtriplet mathtriplet:example mathtt mathunder mathunderextensible:example mathunderextextensible:instance mathundertextextensible:instance:underbar mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbartext mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbrace mathundertextextensible:instance:underbracket mathundertextextensible:instance:underbracket mathundertextextensible:instance:underleftarrow mathundertextextensible:instance:underleftharpoondown	<pre>\mathtextbi { } \mathtextbs { } \mathtextit { } \mathtextsl { } \mathtf () { } { } \mathtf () { } { } \mathtt () { } { } \mathtt () { } \</pre>

mathundertextextensible:instance:underparent	\underparent {} {}
mathundertextextensible:instance:underparenttext	\underparenttext {} {}
<u> </u>	\underrightarrow {} {}
mathundertextextensible:instance:underrightarrow	
mathundertextextensible:instance:underrightharpoondown	$\underrightharpoondown {} {}$
mathundertextextensible:instance:underrightharpoonup	\underrightharpoonup {} {}
mathundertextextensible:instance:undertwoheadleftarrow	\undertwoheadleftarrow {} {}
mathundertextextensible:instance:undertwoheadrightarrow	-
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
math:assignment	\math [=] {}
maxaligned	\maxaligned {}
_	
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco {} {}
mettiformula	\mettiformula [] {}
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=]
mettiregistro:instance	\mettiREGISTER [=]
mettiregistro:instance:index	\mettiindex [=]
5	
mettisegnalibro	\mettisegnalibro [] [] [=]
mettisottoformula	\mettisottoformula [] {}
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
	<pre>\middlealigned {} \middlebox {}</pre>
middlealigned	\middlealigned {}
middlealigned middlebox	<pre>\middlealigned {} \middlebox {}</pre>
middlealigned middlebox midhbox midsubsentence	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox	<pre>\middlealigned {} \middlebox {} \midsubsentence \minimalhbox {}</pre>
middlealigned middlebox midhbox midsubsentence	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox	<pre>\middlealigned {} \middlebox {} \midsubsentence \minimalhbox {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \molecule {} \mono</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \molecule {} \mono \monograssetto</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \molecule {} \mono \monograssetto \mononormal</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort	<pre>\middlealigned {} \middlebox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \monthshort {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort	<pre>\middlealigned {} \middlebox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \monthshort {}</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore	<pre>\middlealigned {} \middlebox {} \middbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracornice [] \mostrafontdeltesto []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice mostragriglia	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \monoormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostrafontdeltesto [] \mostragriglia []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracornice mostracornice mostragriglia mostragruppocolori	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostrafontdeltesto [] \mostragriglia [] \mostragruppocolori [] []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice mostragriglia mostragruppocolori mostraimpostazioni	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] [] \mostragriglia [] \mostragruppocolori [] [] \mostraimpostazioni []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracornice mostracornice mostragriglia mostragruppocolori	<pre>\middlealigned {} \middlebox {} \middlebox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] [] \mostragriglia [] \mostragruppocolori [] []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice mostragriglia mostragruppocolori mostraimpostazioni	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] [] \mostragriglia [] \mostragruppocolori [] [] \mostraimpostazioni []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice mostragriglia mostragruppocolori mostraimpostazioni mostralyout mostramakeup	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] [] \mostragriglia [] \mostragruppocolori [] [] \mostralyout [] \mostramakeup []</pre>
middlealigned middlebox midhbox midsubsentence minimalhbox mixedcaps mkvibuffer moduleparameter molecule mono monograssetto mononormal monthlong monthshort mostraambientefontdeltesto mostracolore mostracornice mostragriglia mostragruppocolori mostraimpostazioni mostralyout	<pre>\middlealigned {} \middlebox {} \midhbox {} \midsubsentence \minimalhbox {} \mixedcaps {} \mkvibuffer [] \moduleparameter {} {} \mono \monograssetto \mononormal \monthlong {} \mostraambientefontdeltesto [] \mostracolore [] \mostracornice [] [] \mostragriglia [] \mostragruppocolori [] [] \mostraimpostazioni [] \mostralyout []</pre>

mostrastruts	\mostrastruts
mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
m:assignment	\m [=] {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
NormalizeTextWidth	\NormalizeTextWidth \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Numeri Numeriromani	Numeri {} Numeriromani {}
namedheadnumber	\namedheadnumber {}
namedstructureheadlocation	\namedstructureheadlocation {}
namedstructureuservariable	\namedstructureuservariable \{\ldots\} \\\.\}
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	$\verb \namedtaggedlabeltexts {} {} {} {} {}$
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturaltpack	\naturaltpack {}
naturalybox	\naturalvbox {}
naturalveenter	\naturalveenter {}
naturalvtop	\naturalvpack {} \naturalvtop {}
naturalwd	\naturalwd
negatecolorbox	\negatecolorbox
negated	\negated {}
negemspace	\negemspace
negenspace	\negenspace
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \\
newfrenchspacing newluatable	\newfrenchspacing \newluatable \
newnode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs nextparagraphs:example	\nextparagraphs \successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocharacteralign nocitation	\nocharacteralign \nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ {}
noffigurepages	\noffigurepages
noflines	\noflines
noflinesinbox	\noflinesinbox
noflocalfloats	\noflocalfloats
noheightstrut	\noheightstrut
nohyphens	\nohyphens
noindentation	\noindentation

noitem	\noitem
nonfrenchspacing	\nonfrenchspacing
nonmathematics	\nonmathematics {}
nonvalidassignment	\nonvalidassignment {}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ {}
normalizedfontsize normalizefontdepth	<pre>\normalizedfontsize \normalizefontdepth \ {} {} {}</pre>
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight $\{\}$ $\{\}$
normalizetextline	\normalizetextline \{\ldots\} \{\ldots\}
normalizetextwidth	\normalizetextwidth \{\ldots\} \{\ldots\} \\
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota nota:instance	\nota [] [] \NOTE [] {}
nota:Instance: nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri numeriromani	<pre>\numeri {} \numeriromani {}</pre>
numeroformula	\numerifomani \(\cdot\)\footnote{\text{numeroformula }[]
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth
objectheight	\objectheight
objectmargin	\objectmargin
objectwidth obox	\objectwidth \obox \cdot \}
octnumber	\octnumber {}
octstringtonumber	\octstringtonumber {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer ornament:example	\ornamenttext [=] [=] {} {} \ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaydonth	\overlaycolor
overlaydepth overlayfigure	\overlaydepth \overlayfigure {}
overlayheight	\overlayligure \; \overlayheight
overlayimage	\overlaymergnt \overlayimage \{\ldots\}
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
overlayrollbutton	\overlayrollbutton [] []

overlaywidth	$\operatorname{\oomega}$
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagestaterealpageorder	\pagestaterealpageorder {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
-	
pdfactualtext	\pdfactualtext {} {}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog \{\ldots\} \{\ldots\}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetextgstate	\pdf backends et exting state $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdf backendsetname $\{\ldots\}$ $\{\ldots\}$
pdfbackendsetpageattribute	\pdfbackendsetpageattribute {} {}
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {} {} \LOW {}
ped:instance	
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen \{\ldots\}
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	$\protect\operatorname{\mathtt{f permitcircumflexescape}}$
permitspacesbetweengroups	$\operatorname{\mathtt{ar{p}ermitspacesbetweengroups}}$
persiandecimals	\persiandecimals {}
persiannumerals	\persiannumerals {}
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand $\{\}$ $\{\}$

placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatcaption	\placefloatcaption [] [=] [=]
placefloatwithsetups	\placefloatwithsetups [] [] {} {}
placefloat:instance	\mettiFLOAT [] [] {}
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {} {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeholder	\placeholder []
placeinitial	\placeinitial []
placelayer	\placelayer []
placelayeredtext	\placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {} {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [=]
placerawheaddata	\placerawheaddata []
placerawheadnumber	\placerawheadnumber []
placerawheadtext	\placerawheadtext []
placerawlist	\placerawlist [] [=]
placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode [] \popsystemmode {}
possystemmode positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay \{\ldots\} \\ \.\\
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue \{\dots\}
prependtocommalist	\prependtocommalist \{\dots\} \\
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}

prerollblank	\prerollblank []
presetdocument	\presetdocument [] [=]
presetfieldsymbols	\presetfieldsymbols []
<pre>presetlabeltext:instance</pre>	\presetLABELtesto [] [=]
<pre>presetlabeltext:instance:btxlabel</pre>	\presetbtxlabeltesto [] [=]
<pre>presetlabeltext:instance:head</pre>	\presetheadtesto [] [=]
<pre>presetlabeltext:instance:label</pre>	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
presetlabeltext:instance:operator	\presetoperatortesto [] [=]
presetlabeltext:instance:prefix	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
pretocommalist	\pretocommalist \{\dots\} \\\
prettyprintbuffer	\prettyprintbuffer \{\ldots\}
prevcounter	\prevcounter [] []
prevcountervalue	\prevcountervalue []
preventmode	\preventmode []
prevrealpage	\prevrealpage
prevrealpagenumber	\prevrealpagenumber
prevsubcountervalue	\prevsubcountervalue [] []
prevsubpage	\prevsubpage
prevsubpagenumber	\prevsubpagenumber
prevuserpage	\prevuserpage
prevuserpagenumber	\prevuserpage \prevuserpagenumber
primasottopagina	\primasottopagina
procent	\procent
processaction	\processaction [] [,=>,]
processallactionsinset	\processallactionsinset [] [,=>,]
•	\processassignlist [] \
processassignlist	\processassignmentcommand [=] \
processassignmentcommand processassignmentlist	\processassignmentlist [=] \
-	\processbetween {} \
processbetween	\processbetween \(\cdot\)\
processbodyfontenvironmentlist	- · · · · · · · · · · · · · · · · · · ·
processcolorcomponents	\processcolorcomponents {}
processcommacommand processcommalist	\processcommacommand [] \
processcommarist	\processcommalist [] \
•	-
processcommalistwithparameters	$\verb \processcommalist with parameters [] \verb \ $
processcommalistwithparameters processcontent	\processcommalistwithparameters [] \ \processcontent {} \
processcommalistwithparameters processcontent processfile	\processcommalistwithparameters [] \ \processcontent {} \ \processfile {}
processcommalistwithparameters processcontent processfile processfilemany	\processcommalistwithparameters [] \\processcontent {} \\processfile {} \processfilemany {}
processcommalistwithparameters processcontent processfile processfilemany processfilenone	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,]</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processisolatedwords {} \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processlinetablebuffer []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processlinetablebuffer [] \processlinetablefile {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlist {} {} \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlist {} {} {} \ \processMPbuffer []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processfirstactioninset [] [,=>,] \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processIncessMPbuffer [] \processMPfigurefile {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processistatctioninset [] [,=>,] \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfileonce processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processintationinset [] [,=>,] \processisolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processmonth {} {} {} \processranges [] \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processisolatedbeuffer processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges processseparatedlist	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,] \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processseparatedlist [] [] {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlist processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfirstactioninset [] [,=>,] \processiolatedchars {} \ \processlolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processreparatedlist [] [] {} \processTEXbuffer []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfirstactioninset [] [,=>,] \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processTEXbuffer [] \processtokens {} {} {} {} {} </pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfilenone {} \ \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processTEXbuffer [] \processtokens {} {} {} {} {} \processuntil \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtablebuffer	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtesstablebuffer [] \processtextablebuffer [] \processtokens {} {} {} {} {} \processuntil \ \processxtablebuffer []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processwatablebuffer processxtablebuffer	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,.] \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtokens {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processyear {} {} {} {} \processyear {} {} {} \end{array}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processiolatedbeffer processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processwatablebuffer processxtablebuffer processyear prodotto	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfile {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,.] \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtokens {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processyear {} {} {} {} \processyear {} {} {} \prodotto []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processlinetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtokens processwatablebuffer processyear prodotto prodotto:string	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,=>,] \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtokens {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processyear {} {} {} {} \prodotto [] \prodotto [] \prodotto [] \prodotto []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processionetablebuffer processlinetablefile processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtablebuffer processyear prodotto prodotto:string profiledbox	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,.] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtesstablebuffer [] \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} \prodotto [] \prodotto [] \prodotto [] \profiledbox [] [] {}</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfistactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtokens processuntil processyear prodotto prodotto:string profiledbox profilegivenbox	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,.] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtesstablebuffer [] \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto [] \profiledbox [] [=.] {} \profilegivenbox {} \]</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfistactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtokens processuntil processxtablebuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfilenone {} \processfilenone {} \processiolatedchars {} \ \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processranges [] \ \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto [] \profiledbox [] [=.] {} \profilegivenbox {} \profilegivenbox {} \progetto []</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processfileonce processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processyear prodotto prodotto:string profiledbox progetto progetto:string	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemany {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processInetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtablebuffer [] \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto \profiledbox [] [=.] {} \profilegivenbox {} \progetto [] \procession [] \progetto [] \</pre>
processcommalistwithparameters processcontent processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtablebuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemone {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processranges [] \ \processtablebuffer [] \processtokens {} {} {} {} {} \processtokens {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \profiledbox [] [] {} \profilegivenbox {} \progetto [] \proget</pre>
processcommalistwithparameters processcontent processfile processfile processfilenone processfilenone processfilenone processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtexbuffer processtablebuffer processtablebuffer processtablebuffer processtablebuffer processtablebuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilemone {} \processfilenone {} \processiolatedchars {} \ \processiolatedchars {} \ \processlinetablebuffer [] \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processranges [] \ \processtablebuffer [] \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto [] \profiledbox [] [=] {} \profilegivenbox {} \progetto [] \programma [] \pseudoMixedCapped {} </pre>
processcontent processfile processfile processfilenone processfilenone processfilenone processfilenone processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processxtablebuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped pseudoSmallCapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processfilenone {} \processfilenone {} \processfirstactioninset [] [,.=>,.] \processisolatedchars {} \ \processisolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processranges [] \ \processtablebuffer [] \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \profiledbox [] \profiledbox [] [=] {} \profilegivenbox {} \progetto [] \pseudoMixedCapped {} \pseudoSmallCapped {} \pseudoSmallCapped {} \pseudoSmallCapped {} \progetto [] \pseudoSmallCapped {} \procession and procession and processi</pre>
processcontent processfile processfile processfilenone processfilenone processfilenone processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processtexbuffer processtexbuffer processtexbuffer processtexbuffer processtextuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped pseudoSmallCapped pseudoSmallCapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfile any {} \processfilenone {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processranges [] \ \processtablefile {} \processtokens {} {} {} {} {} \processuntil \ \processyear {} {} {} {} {} \profiledbox [] \profiledbox [] [=] {} \profilegivenbox {} \profilegivenbox {} \progetto [] \progetto [] \progetto [] \progetto [] \progetto [] \pseudoMixedCapped {} \pseudoSmallCapped {} \p</pre>
processcontent processfile processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtexbuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtexbuffer [] \processtexbuffer [] \processtexbuffer [] \processtablebuffer [] \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto \profiledbox [] [=.] {} \profilegivenbox {} \progetto [] \progetto [] \progetto [] \pseudoMixedCapped {} \pseudoSmallCapped {} \pseudosma</pre>
processcontent processfile processfile processfilemany processfileonce processfileonce processfirstactioninset processiolatedchars processiolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtokens processuntil processtablebuffer processtyatil processtrablebuffer processtyatil processtrablebuffer processtyatil processtrablebuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped pseudosmallcapped pseudosmallcapped pseudosmallcapped pseudosmallcapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtexbuffer [] \processtexbuffer [] \processtexbuffer [] \processtablebuffer [] \processyear {} {} {} {} {} \profiledbox [] [] {} \profiledbox [] [] {} \profilegivenbox {} \profilegivenbox {} \progetto [] \progetto [] \pseudoMixedCapped {} \pseudoSmallCapped {</pre>
processcontent processfile processfile processfilemany processfilenone processfileonce processisolatedchars processisolatedchars processisolatedwords processlinetablebuffer processlinetablefile processMPbuffer processMPfigurefile processmonth processranges processeparatedlist processtexbuffer processtexbuffer processtexbuffer processyear prodotto prodotto:string profiledbox profilegivenbox progetto progetto:string programma pseudoMixedCapped pseudoSmallCapped pseudoSmallcapped	<pre>\processcommalistwithparameters [] \ \processcontent {} \ \processfile {} \processfilemany {} \processfilenone {} \processfileonce {} \processiolatedchars {} \ \processiolatedwords {} \ \processlinetablebuffer [] \processlinetablefile {} \processMPbuffer [] \processMPfigurefile {} \processmonth {} {} {} \processranges [] \ \processtexbuffer [] \processtexbuffer [] \processtexbuffer [] \processtablebuffer [] \processuntil \ \processyear {} {} {} {} {} \prodotto [] \prodotto \profiledbox [] [=.] {} \profilegivenbox {} \progetto [] \progetto [] \progetto [] \pseudoMixedCapped {} \pseudoSmallCapped {} \pseudosma</pre>

pulsantemenu:interactionmenu	\pulsantemenu [] [=] {} {}
pulsante:example	\BUTTON [=] {} []
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix {} \popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} {} \ {}
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
quittypescriptscanning	\quittypescriptscanning
ReadFile	\ReadFile {}
raggedbottom	\raggedbottom
raggedcenter	\raggedcenter
raggedleft	\raggedleft
raggedright	\raggedright
raggedwidecenter	\raggedwidecenter
raisebox	\raisebox {} \ {}
randomizetext	\randomizetext {}
randomnumber	\randomnumber {} {}
rawcounter	\rawcounter [] []
rawcountervalue	\rawcountervalue []
rawdate	\rawdate []
rawdoifelseinset	\rawdoifelseinset {} {} {} {}
rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse {} {} {} {}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand	\rawprocesscommacommand [] \
rawprocesscommalist	\rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {} {}
readfixfile	\readfixfile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readjobfile	\readjobfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readlocfile	\readlocfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsetfile	\readsetfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readsysfile	\readsysfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readtexfile	\readtexfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
readxmlfile	\readxmlfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	\readxmille \lambda \forall \tau \tau \realpagenumber
realpagenumber	
realSmallcapped	\realSmallCapped {} \realSmallcapped {}
realSmallcapped	
realsmallcapped	\realsmallcapped {}
recursedepth recurselevel	\recursedepth
TECHTPETENET	\recurselevel

recursestring	\recursestring
redoconvertfont	\redoconvertfont
referencecolumnnumber	\referencecolumnnumber
referenceformat:example	\REFERENCEFORMAT {} {} []
referencepagedetail	\referencepagedetail
referencepagestate	\referencepagestate
referenceprefix	\referenceprefix
referencerealpage	\referencerealpage
referencesymbol	\referencesymbol
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile {} {}
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] []
registermenubuttons	\registermenubuttons [] []
registerparwrapper	\registerparwrapper {} {}
registerparwrapperreverse	\registerparwrapperreverse {} {} {}
registersort	\registersort []
registersynonym	\registersynonym []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] {++}
registro:instance:index	\index [] {++}
registro:instance:ownnumber	\REGISTER [] {} {+}
registro:instance:ownnumber:index	\index [] {++}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura []
relatemarking	\relatemarking []
relateparameterhandlers	\relateparameterhandlers $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {} \
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring	\removesubstring \from \to \
removetoks	\removetoks \from \
removeunwantedspaces	\removeunwantedspaces
repeathead	\repeathead []
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ \{\}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup {} {}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer []
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter []
resetctxscanner	\resetctxscanner \
resetdigitsmanipulation	\resettistamer \\resettigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag resetfontcolorsheme	\resetflag {} \resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	
	\resetfontsolution
resethyphenationfeatures resetiniector	\resetiniector []

resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer []
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
3	. •
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
_	· -
resetpath	\resetpath
resetpenalties	\resetpenalties \
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacements	\resetreplacements
-	-
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsystemmode	\resetsystemmode {}
resettimer	\resettimer
resettokenlist	\resettokenlist []
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {}
resolvedglyphdirect	$\verb \resolvedglyphdirect {} {} $
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] [] []
	\restorebox \{\\} \\\\}
restorebox	
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
retestfeature	\retestfeature
reusableMPgraphic	\reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic {} {=}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox {}
reversehpack	\reversehpack {}
reversetpack	\reversetpack {}
•	-
reversevbox	\reversevbox {}
reversevboxcontent	\reversevboxcontent
reversevpack	\reversevpack {}
reversevtop	\reversevtop {}
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento	
11011110110	\riferimento [] {}
riferimentopagina	\riferimento [] {} \riferimentopagina []
riferimentopagina riferimentotesto	\riferimentopagina [] \riferimentotesto [] {}
riferimentopagina riferimentotesto riflessione	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {}</pre>
riferimentopagina riferimentotesto riflessione riga	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=]</pre>
riferimentopagina riferimentotesto riflessione riga	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=]</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \righthbox {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox righthbox rightlabeltext:instance	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \righthbox {} \rightLABELtesto {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox righthbox rightlabeltext:instance rightlabeltext:instance:head	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \righthbox {} \rightLABELtesto {} \rightheadtesto {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:label	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \rightLABELtesto {} \rightheadtesto {} \rightlabeltesto {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:label rightlabeltext:instance:mathlabel	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \riga {} \rigariempimento [=] \rightbottombox {} \rightbox {} \righthbox {} \rightLABELtesto {} \rightheadtesto {} \rightlabeltesto {} \rightmathlabeltesto {}</pre>
riferimentopagina riferimentotesto riflessione riga rigariempimento rightbottombox rightbox rightbox rightlabeltext:instance rightlabeltext:instance:head rightlabeltext:instance:label	<pre>\riferimentopagina [] \riferimentotesto [] {} \riflessione {} \rigation {} \rigation {} \rightbox {} \righthbox {} \righthabeltesto {} \righthabeltesto {} \rightlabeltesto {}</pre>

rightorleftpageaction	\rightorleftpageaction {} {}
rightpageorder	\rightpageorder
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {} \rlap {}
robustaddtocommalist	\rightarrobustaddtocommalist {} \
robustdoifelseinset	\robustdoifelseinset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
robustdoifinsetelse	\robustdoifinsetelse \{\\} \{\\} \{\\}
robustpretocommalist	\robustpretocommalist \{\dots\} \\\\
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtlhbox	\rtlhbox {}
rtlvbox	\rtlvbox {}
rtlvtop	\rtlvtop {}
rtop	\rtop {}
ruby	\ruby [] {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
russianNumerals	\russianNumerals {}
russiannumerals	\russiannumerals {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {} {}
savebtxdataset savebuffer	\savebtxdataset [] [] [=]
savebuffer:list	\savebuffer [=] \savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\saveconter []
savecurrentattributes	\savecounter [] \savecurrentattributes {}
savecurrentations	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
script:instance	\SCRIPT
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	\secondoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondoffourarguments	\secondoffourarguments {} {} {}
secondofsixarguments	$\label{eq:condofsixarguments} $\{\ldots\} \; \{\ldots\} \; \{\ldots\}$

secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}
secondoftwounexpanded	\secondoftwounexpanded {} {}
seeregister:instance	\vediREGISTER [] {++} {}
seeregister:instance:index	\vedindex [] {++} {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {} {}
selezionablocchi	(Selezionablocchi [] [] []
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setautopagestaterealpageno	\setautopagestaterealpageno {}
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharacteraligndetail	\setcharacteraligndetail $\{\}$ $\{\}$ $\{\}$
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setctxluafunction	\setctxluafunction {} {}
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdatavalue	\setdatavalue {} {}
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument {} {}
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentfilename	\setdocumentfilename {} {}
setdummyparameter	\setdummyparameter {} {}
setelementexporttag	\setelementexporttag [] []
setemeasure	\setemeasure {} {}
setevalue	\setevalue {} {}
setevariable	\setevariable {} {}
setevariables	\setevariables [] [=]
setexpansion	\setexpansion []
setfirstline	\setfirstline []
setfirstpasscharacteralign	\setfirstpasscharacteralign
setflag	\setflag {}
setfont	\setfont
setfontcolorsheme	\setfontcolorsheme []
setfontfeature	\setfontfeature {}
setfontsolution	\setfontsolution []
setfontstrut	\setfontstrut
setfractions	\setfractions
setglobalscript	\setglobalscript []
setgmeasure	\setgmeasure {} {}
setgvalue	\setgvalue {} {}
setgvariable	\setgvariable {} {}
setgvariables	\setgvariables [] [=]
sethboxregister	\sethboxregister {}
sethyphenatedurlafter	\sethyphenatedurlafter {}
sethyphenatedurlbefore	\sethyphenatedurlbefore {}
sethyphenatedurlnormal	\sethyphenatedurlnormal {}
sethyphenationfeatures	\sethyphenationfeatures []
setinitial	\setinitial [] [=]

setinjector	\setinjector [] []
setinteraction	\setinteraction []
setinterfacecommand	\setinterfacecommand {} {}
setinterfaceconstant	\setinterfaceconstant $\{\ldots\}$ $\{\ldots\}$
setinterfaceelement	\setinterfaceelement {} {}
setinterfacemessage	\setinterfacemessage $\{\ldots\}$ $\{\ldots\}$
setinterfacevariable	\setinterfacevariable $\{\ldots\}$ $\{\ldots\}$
setinternalrendering	\setinternalrendering [] [] {}
setitaliccorrection	\setitaliccorrection []
setJSpreamble	\setJSpreamble {} {}
setlayer	\setlayer [] [=] {}
setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setlocalscript	\setlocalscript []
setluatable	\setluatable \ {}
setMPlayer	\setMPlayer [] [] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
	$\verb \setMPpositiongraphic fange {} {} {} {}$
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
·	\setmeasure {} {}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
-	\setnote [] [=]
	\setobject {} {} \ {}
setoldstyle	\setoldstyle
-	\setpagereference {} {}
	\setpagestate [] []
	\setpagestaterealpageno {} {}
setparagraphfreezing	\setparagraphfreezing
	\setpenalties \ {} {}
	\setpercentdimen {} {}
-	\setperiodkerning []
	\setposition {}
	\setpositionbox {} \ {}
	\setpositiondata {} {} {} {}
	\setpositiondataplus {} {} {} {} {}
	\setpositiononly {}
-	\setpositionplus {} \ {}
	\setpositionstrut {}
-	\setprofile []
setrandomseed	\setrandomseed {}
	\setreference [] [=]
	\setreferencedobject {} \ \ \
	\setregisterentry [] [=] [=]
	\setreplacements [] []
-	\setrigidcolumnbalance
	\setrigidcolumnhsize {} {} {}
	\setscript []
-	\setsecondpasscharacteralign
	\setsectionblock [] [=]
	\setsimplecolumnshsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
•	\setsmailcaps \setstackbox {} {} {}
	\setstructurepageregister [] [=] [=]
setstrut	\setstrut
	\setstidt \setsuperiors
setsuseriors	\setsuperiors \setsystemmode {}
setsystemmode	/poople commonder commonde

settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settestcrlf	\settestcrlf
settext	\settext [] [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} \ {}
settightstrut	\settightstrut
settightunreferencedobject	\settightunreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
settokenlist	\settokenlist [] {}
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue {} {}
setugvalue	\setugvalue {} {} \setunreferencedobject {} {} \ {}
setunreferencedobject setupalternativestyles	\setumrererencedobject \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
setupattachment	\setupatternativestyles [] \setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=]
setupbar	\setupbar [] [=]
setupbars	\setupbars [] [=]
setupbleeding	\setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacteralign	\setupcharacteralign [=]
setupcharacterkerning	\setupcharacterkerning [] [=]
setupcharacterspacing	\setupcharacterspacing [] [] [=]
setupchemical	\setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnsetarea	\setupcolumnsetarea [] [=]
setupcolumnsetareatext	\setupcolumnsetareatext [] []
setupcolumnsetlines	\setupcolumnsetlines [] [] []
setupcolumnsetspan	\setupcolumnsetspan [] [=]
setupcolumnsetstart	\setupcolumnsetstart [] [] []
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections	\setupdirections [=]
setupdocument	\setupdocument [] [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=] \setupenv [=]
setupenv setupexpansion	\setupenv [] \setupenvalue [] [=]
setupexport	\setupexpansion [] [] \setupexport [=]
setupexternalfigure	\setupexport [] \setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfacingfloat	\setupfacingfloat [] [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed	\setupfieldlabelframed [] [=]
setupfieldtotalframed	\setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatframed	\setupfloatframed [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula	\setupformula [] [=]
setupformulaframed	\setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]

setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh	\setuphigh [] [=]
setuphighlight	\setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] [=]
setupitemgroup:instance:itemize	\impostaitemize [] [=]
setuplabel	\setuplabel [] [=]
setuplayer	\setuplayer [] [=]
setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]
setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace	\setuplocalinterlinespace [] [=]
setuplocalinterlinespace:argument	\setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
	\setupmathaiignment [] [=]
setupmathcases	
setupmathematics setupmathfence	\setupmathematics [] [=] \setupmathfence [] [=]
setupmathfraction	\setupmathfraction [] [=]
setupmathfractions	\setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	-
-	\setupmathmatrix [] [=]
setupmathornament setupmathradical	\setupmathornament [] [=] \setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
•	
setupmulticolumns	\setupmulticolumns [] [=] \setupnotation [] [=]
setupnotation	
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setuporientation	\setuporientation [] [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine []
setuppagechecker	\setuppagechecker [] [=]
setuppagecolumns	\setuppagecolumns [] [=]
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]

setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper	\setuppaper [=]
setupparagraph	\setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [=]
setupperiodkerning	\setupperiodkerning [] [=]
setupperiods	\setupperiods [=]
setupplaceholder	\setupplaceholder [] [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] [=]
setupregisters	\setupregisters [] [=]
setupregisters:argument	\setupregisters [] [=]
setuprenderingwindow	\setuprenderingwindow [] [=]
setupruby	\setupruby [] [=]
setups	\setups []
-	-
setupscale	\setupscale [] [=]
setupscript	\setupscript [] [=]
setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstyle	\setupstyle [] [=]
- •	
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsymbols	\setupsymbols [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [=]
setupTEXpage	\setupTEXpage [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
1 0	
setuptextflow	\setuptextflow [] [=]
setuptextnote	\setuptextnote [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserdata	\setupuserdata [] [=]
setupuserdataalternative	\setupuserdataalternative [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
-	\setupvspacing []
setupvspacing	
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuxvalue	\setuxvalue {} {}
setvalue	\setvalue {} {}
setvariable	\setvariable {} {}
setvariables	\setvariables [] [=]
	\setvboxregister {}
setvboxregister	
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
-	
shapedhbox	\shifthox {}
shifthox	\SHIII GDOX 1?

shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
showbtxdatasetcompleteness:argument	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxfields	\showbtxfields [=]
showbtxfields:argument	\showbtxfields []
showbtxhashedauthors	\showbtxhashedauthors []
showbtxtables	\showbtxtables []
showchardata	\showchardata {}
showcharratio	\showcharratio {}
showcolorbar	\showcolorbar []
showcolorcomponents showcolorset	\showcolorcomponents [] \showcolorset []
	\showcolorstruts
showcolorstruts	,
showcounter	\showcounter []
showdirectives	\showdirectives
showdirsinmargin	\showdirsinmargin
showedebuginfo	\showedebuginfo
showexperiments	\showexperiments
showfont	\showfont [] []
showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showluatables	\showluatables
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ {}
showotfcomposition	\showotfcomposition {} {} {}
showparentchain	\showparentchain \ {}
showparwrapperstate	\showparwrapperstate {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
signalrightpage	\signalrightpage
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplealignedboxplus	\simplealignedbox \tag{\cdots} \tag{\cdots} \tag{\cdots} \tag{\cdots} \tag{\cdots} \tag{\cdots} \tag{\cdots}
simplealignedspreadbox	\simplealignedspreadbox \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
simplegroupedcommand	\simplegroupedcommand \{\dots\} \\\.\}
simplereversealignedbox	\simplereversealignedbox \{\ldots\} \{\ldots\} \{\ldots\}
simplereversealignedbox	\simplereversealignedboxplus \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Grand-Francisco Company Company

singalcharacteralign	\singalcharacteralign {} {}
singlebond	\singlebond
sinistra	\sinistra
sixthofsixarguments	\sixthofsixarguments {} {} {} {} {} {}
slantedface	\slantedface
slicepages	\slicepages [] [=]
slovenianNumerals	\slovenianNumerals {}
sloveniannumerals	\sloveniannumerals {}
smallcappedcharacters	\smallcappedcharacters {}
smallcappedromannumerals	\smallcappedromannumerals {}
smaller	\smaller
smallskip	\smallskip
smash	\smash [] {}
smashbox	\smashbox
smashboxed	\smashboxed
smashedhbox	\smashedhbox {}
smashedvbox	\smashedvbox {}
snaptogrid	\snaptogrid [] \ {}
snaptogrid:list	\snaptogrid [] \ {}
someheadnumber	\someheadnumber [] []
somekindoftab	\somekindoftab [=]
somelocalfloat	\somelocalfloat
somenamedheadnumber	\somenamedheadnumber {} {}
someplace	\someplace \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \[\ldots\]
sorting:instance	\SORTING [] {}
sorting:instance:logo	\logo [] {}
sottopaginasuccessiva	\sottopaginasuccessiva
spaceddigits	\spaceddigits {}
spaceddigitsmethod	\spaceddigitsmethod
spaceddigitsseparator	\spaceddigitsseparator
spaceddigitssymbol	\spaceddigitssymbol
spanishNumerals	\spanishNumerals {}
spanishnumerals	\spanishnumerals {}
spazifissi	\spazifissi
-	_ · ·
spazio	\spazio
spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {}
splitatasterisk	\splitatasterisk \ \
splitatcolon	\splitatcolon \ \
splitatcolons	\splitatcolons \ \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
-	_ -
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
sqrt	\sqrt [] {}
stackcampi	\stackcampi [] [=]
stackrel	\stackrel {} {}
stackscripts	\stackscripts
-	
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] {++} \stopregister [
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [=] [=] \stopstruc
stirato	\stirato [=] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
Por Theorem	(2011ppodoblumo (

strippedcsname:string	\strippedcsname		
stripspaces	\stripspaces \from \to \		
structurelistuservariable	\structurelistuservariable {}		
structurenumber	\structurenumber		
structuretitle	\structuretitle		
structureuservariable	\structureuservariable {}		
structurevariable	\structurevariable {}		
strut	\strut		
strutdp	\strutdp		
strutgap	\strutgap		
strutht	\strutht		
struthtdp	\struthtdp		
struttedbox	\struttedbox {}		
strutwd style	\style [=] {}		
styleinstance	•		
style:argument	\styleinstance [] \style [] {}		
style:instance	\STYLE {}		
subpagenumber	\subpagenumber		
subsentence	\subsentence {}		
substituteincommalist	\substituteincommalist {} {} \		
subtractfeature	\subtractfeature []		
subtractfeature:direct	\subtractfeature {}		
swapcounts	\swapcounts \ \		
swapdimens	\swapdimens \ \		
swapface	\swapface		
swapmacros	\swapmacros \ \		
swaptypeface	\swaptypeface		
switchstyleonly	\switchstyleonly []		
switchstyleonly:command	\switchstyleonly \		
switchtocolor	\switchtocolor []		
switchtointerlinespace	\switchtointerlinespace [] [=]		
switchtointerlinespace:argument	\switchtointerlinespace []		
switchtointerlinespace:name	\switchtointerlinespace []		
symbolreference	\symbolreference []		
synchronizeblank	\synchronizeblank		
synchronizeindenting	\synchronizeindenting		
synchronizemarking	\synchronizemarking [] []		
synchronizeoutputstreams synchronizestrut	\synchronizeoutputstreams [] \synchronizestrut {}		
synchronizewhitespace	\synchronizestitt ()		
synctexblockfilename	\synctexblockfilename {}		
synctexresetfilename	\synctexresetfilename		
synctexsetfilename	\synctexsetfilename {}		
synonym:instance	\SYNONYM [] {}		
synonym:instance:abbreviation	\abbreviation [] {}		
systemlog	\systemlog {} {}		
systemlogfirst	\systemlogfirst {} {} {}		
systemloglast	\systemloglast {} {} {}		
systemsetups	\systemsetups {}		
TABLE	\TABLE		
TaBlE	\TaBlE		
TEX	\TEX		
TeX	\TeX		
TheNormalizedFontSize	\TheNormalizedFontSize		
TransparencyHack	\TransparencyHack		
tabulateautoline	\tabulateautoline		
tabulateautorule	\tabulateautorule		
tabulateline	\tabulateline		
tabulaterule	\tabulaterule		
taggedctxcommand	\taggedctxcommand {}		
taggedlabeltexts tbox	\taggedlabeltexts {} {} {} \tbox {}		
terminariga	\terminariga []		
testandsplitstring	\testandsplitstring \at \to \ \and \.		
testcolumn	\testcolumn [] []		
testfeature	\testfeature {} {}		
testfeatureonce	\testfeatureonce \{\ldots\} \\\		
testoaiuto	\testoaiuto [] {} {}		
testoetichetta:instance	\LABELtesto {}		
testoetichetta:instance:btxlabel	\btxlabeltesto {}		
testoetichetta:instance:head	\headtesto { }		

testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	\FRAMEDTEXT [=] {}
testoincorniciato:instance:framedtext	$framedtext [=] {}$
testonotapdp	$ ext{ testonotapdp} [] {}$
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] $\{\}$
testpage	\testpage [] []
testpageonly	\testpageonly [] []
testpagesync	\testpagesync [] []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation [] []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textnote:example	\textnote [=] {}
textormathchar	\textormathchar {}
textormathchars	\textormathchars {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}
thedatavalue	\thedatavalue {}
thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theorientation	\theorientation {}
theremainingcharacters	\theremainingcharacters {}
thickspace	\thickspace
thinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments {} {} {} {} {}
thirdoffourarguments	\thirdoffourarguments {} {} {}
thirdofsixarguments	\thirdofsixarguments {} {} {} {} {} {}
thirdofthreearguments	\thirdofthreearguments {} {} {}
thirdofthreeunexpanded	\thirdofthreeunexpanded {} {} {}
threedigitrounding	\threedigitrounding {}
tibetannumerals	\tibetannumerals {}
tieniblocchi	\tieniblocchi []
tightlayer	\tightlayer []
tilde	\tilde {}
tinyfont	\tinyfont
tlap	\tlap {}
tochar	\tochar {}
tolinenote	\tolinenote []
tooltip:instance	\TOOLTIP [=] {} {}
tooltip:instance:argument	\TOOLTIP [] {}
tooltip:instance:argument:tooltip	\tooltip [] {}
tooltip:instance:tooltip	\tooltip [=.] {} {}
topbox	\topbox {}
topleftbox	\topleftbox {}
toplinebox	\toplinebox {}
toprightbox	\toprightbox {}
topskippedbox	\topskippedbox {}
tracecatcodetables	\tracecatcodetables
tracedfontname	\tracedfontname {}
tracedpagestate	\tracedrontname \; \tracedpagestate
	\traceoutputroutines
traceoutputroutines tracepositions	\tracepositions
-	
traduci	\traduci [=]

transparencycomponents	\transparencycomponents {}		
transparent	\transparent [] {}		
•	\triplebond		
truefilename	\truefilename {}		
truefontname	\truefontname {}		
ttraggedright	\ttraggedright		
	\twodigitrounding {}		
	\tx		
	\txx		
	\typ [=] {}		
- 	\type [=] {}		
	\typebuffer [] [=]		
typebuffer:instance	\typeBUFFER [=]		
V-1	\typedefinedbuffer [] [=]		
• •	\typeface		
	\typefile [] [=] {}		
	\typeinlinebuffer [] [=]		
•-	\typescriptone		
V	\typescriptprefix {} \typescriptthree		
	\typescripttmee \typescripttwo		
V1 1	\typesetlpttwo \typesetbuffer [] [=]		
	\typesetbufferonly []		
•	\typesetfile [] [=]		
- 	\type [=.] <<>>		
type:example	\TYPE [=] {}		
type:example:angles	\TYPE [=] <<>>		
	\typ [=] <<>>		
	\uchexnumber {}		
	\uchexnumbers {}		
	\uconvertnumber {} {}		
	\uedcatcodecommand \ {}		
ultimasottopagina	\ultimasottopagina		
undefinevalue	\undefinevalue {}		
undepthed	\undepthed {}		
underset	\underset {} {}		
undoassign	\undoassign [] [=]		
unexpandeddocumentvariable	\unexpandeddocumentvariable {}		
	\unhhbox \with {}		
unihex	\unihex {}		
	\uniqueMPgraphic {} {=}		
	\uniqueMPpagegraphic {} {=}		
unita:instance	\UNIT {}		
unita:instance:unit	\unit {}		
	\unprotect \protect		
•	\unprotected \par		
	\unregisterhyphenationpattern [] []		
	\unregisterparwrapper {}		
	\unspaceafter \ {}		
	<pre>\unspaceargument \to \ \unspaced {}</pre>		
•	-		
	\unspacestring \to \ \unstackscripts		
	\untexargument {} \to \		
	\untexcommand {} \to \		
	\updateparagraphdemerits		
	\updateparagraphpenalties		
	\updateparagraphproperties		
	\updateparagraphshapes		
	\uppercased {}		
	\uppercasestring \to \		
uppercasing	\uppercasing		
	\upperleftdoubleninequote		
upperleftdoublesixquote	\upperleftdoublesixquote		
	\upperleftsingleninequote		
• .	\upperleftsinglesixquote		
upperrightdoubleninequote	\upperrightdoubleninequote		
upperrightdoublesixquote	\upperrightdoublesixquote		
upperrightsingleninequote	\upperrightsingleninequote		
upperrightsinglesixquote	\upperrightsinglesixquote		
url	\url []		
usablocco	\usablocco [] [] [=]		

usacartella	\usacartella []		
usacolonnasonoraesterna	\usacolonnasonoraesterna [] []		
usadocumentoesterno	\usadocumentoesterno [] []		
usafiguraesterna	\usafiguraesterna [] [] [] [=]		
usaJSscripts	\usaJSscripts []		
usamodulo	\usamodulo [] [] [=]		
usasimboli	\usasimboli []		
usaURL	\usaURL [] [] []		
usaurl	\usaurl [] [] []		
usealignparameter	\usealignparameter \		
useblankparameter	\useblankparameter \		
usebodyfont usebodyfontparameter	\usebodyfont [] \usebodyfontparameter \		
usebtxdataset	\usebtxdataset [] [=]		
usebtxdefinitions	\usebtxdefinitions []		
usecitation	\usecitation []		
usecitation:direct	\usecitation {}		
usecolors	\usecolors []		
usecomponent	\usecomponent []		
usedummycolorparameter	\usedummycolorparameter {}		
usedummystyleandcolor	\usedummystyleandcolor \{\ldots\} \\\		
usedummystyleparameter	\usedummystyleparameter {}		
useenvironment	\useenvironment []		
useexternalrendering	\useexternalrendering [] [] []		
usefigurebase	\usefigurebase []		
usefile	\usefile [] []		
usefontpath	\usefontpath []		
usegridparameter	\usegridparameter \		
usehyphensparameter	\usehyphensparameter \		
useindentingparameter	\useindentingparameter \		
useindentnextparameter	\useindentnextparameter \		
useinterlinespaceparameter	\useinterlinespaceparameter \		
uselanguageparameter	\uselanguageparameter \		
useluamodule	\useluamodule []		
useluatable	\useluatable \		
useMPenvironmentbuffer	\useMPenvironmentbuffer []		
useMPgraphic	\useMPgraphic {} {=}		
•	\useMPlibrary []		
useMPrun	\useMPrun {} {}		
useMPvariables	\useMPvariables [] []		
usemathstyleparameter	\usemathstyleparameter \		
useproduct	\useproduct []		
useprofileparameter	\useprofileparameter \		
useproject	\useproject []		
usereferenceparameter userpagenumber	\usereferenceparameter \ \userpagenumber		
usesetupsparameter	\usesetupsparameter \		
usestaticMPfigure	\usestaticMPfigure [=] []		
usesubpath	\usesubpath []		
•	\usetexmodule [] [] [=]		
usetypescript	\usetypescript [] []		
usetypescriptfile	\usetypescriptfile []		
usezipfile	\usezipfile [] []		
utfchar	\utfchar {}		
utflower	\utflower {}		
utfupper	\utfupper {}		
utilityregisterlength	\utilityregisterlength		
VerboseNumber	\VerboseNumber {}		
vaia	\vaia {} []		
vaiabox	\vaiabox {} []		
vaiapagina	\vaiapagina {} []		
vaigiu	\vaigiu []		
validassignment	\validassignment {}		
valorecolore	\valorecolore {}		
vboxreference	\vboxreference [] {}		
vec	\vec {}		
verbatim	\verbatim {}		
verbatimstring	\verbatimstring {}		
verbosenumber	\verbosenumber {}		
versione	\versione []		
verticalgrowingbar	\verticalgrowingbar [=]		
verticalpositionbar	\verticalpositionbar [=]		

veryraggedcenter	\veryraggedcenter		
veryraggedleft	\veryraggedleft		
veryraggedright	\veryraggedright		
vglue	\vglue		
viewerlayer	\viewerlayer [] {}		
vl	\v1 []		
vpackbox	\vpackbox		
-	-		
vpackedbox	\vpackedbox		
vphantom	\vphantom {}		
vpos	\vpos {} {}		
vsmash	\vsmash {}		
vsmashbox	\vsmashbox		
vsmashed	\vsmashed {}		
vspace	\vspace [] []		
vspacing	\vspacing []		
WidthSpanningText	$\WidthSpanningText {} {}$		
wdofstring	\wdofstring {}		
widthofstring	\widthofstring {}		
widthspanningtext	\widthspanningtext {} {} {}		
withoutpt	\withoutpt {}		
words	\words {}		
wordtonumber	\wordtonumber {} {}		
writedatatolist	\writedatatolist [] [=] [=]		
	\writestatus {} {}		
writestatus			
XETEX	XETEX		
XeTeX	XeTeX		
xdefconvertedargument	\xdefconvertedargument \ \{\}		
xmladdindex	\xmladdindex {}		
xmlafterdocumentsetup	\xmlafterdocumentsetup {} {}		
xmlaftersetup	\xmlaftersetup {} {}		
xmlall	\xmlall {} {}		
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}		
xmlappendsetup	\xmlappendsetup {}		
xmlapplyselectors	\xmlapplyselectors {}		
xmlatt	\xmlatt {} {}		
xmlattdef	\xmlattdef {} {} {}		
xmlattribute	\xmlattribute {} {} {}		
xmlattributedef	\xmlattributedef {} {} {} {}		
xmlbadinclusions			
	\xmlbadinclusions {}		
xmlbeforedocumentsetup	\xmlbeforedocumentsetup {} {}		
xmlbeforesetup	\xmlbeforesetup {} {}		
xmlchainatt	\xmlchainatt {} {}		
xmlchainattdef	\xmlchainattdef \{\ldots\} \{\ldots\}		
xmlchecknamespace	\xmlchecknamespace {} {}		
xmlcommand	\xmlcommand {} {} {}		
xmlconcat	\xmlconcat {} {} {}		
xmlconcatrange	\xmlconcatrange \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}		
xmlcontext	\xmlcontext {} {}		
xmlcount	\xmlcount {}		
xmldefaulttotext	\xmldefaulttotext {}		
xmldepth	\xmldepth {}		
xmldirectives	\xmldirectives {}		
xmldirectives	\xmldirectives \(\tau\)		
	\xmldirectivesafter \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmldirectivesbefore	•		
xmldisplayverbatim	\xmldisplayverbatim {}		
xmldoif	\xmldoif {} {} {}		
xmldoifatt	\xmldoifatt {} {}		
xmldoifelse	\xmldoifelse {} {} {}		
xmldoifelseatt	$\xmldoifelseatt {} {} {}$		
xmldoifelseempty	$\x \$		
xmldoifelseselfempty	\xmldoifelseselfempty {} {} {}		
xmldoifelsetext	\xmldoifelsetext {} {} {}		
xmldoifelsevalue	\xmldoifelsevalue {} {} {}		
xmldoifnot	\xmldoifnot {} {} {}		
xmldoifnotatt	\xmldoifnotatt {} {}		
xmldoifnotselfempty	\xmldoifnotselfempty {} {}		
xmldoifnottext	\xmldoifnottext {} {} {}		
xmldoifselfempty	\xmldoifselfempty {} {}		
xmldoiftext	\xmldoiftext {} {} {}		
xmlelement	\xmlelement {} {}		
xmlfilter	\xmlfilter {} {}		
xmlfirst	\xmlfirst {} {}		

xmlflush	\xmlflush {}		
xmlflushcontext	\xmlflushcontext {}		
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}		
xmlflushlinewise	\xmlflushlinewise {}		
xmlflushpure	\xmlflushpure {}		
xmlflushspacewise	\xmlflushspacewise {}		
xmlflushtext	\xmlflushtext {}		
xmlinclude xmlinclusion	\xmlinclude \{\} \\\xmlinclusion \\\\\}		
xmlinclusions	\xmlinclusion \(\lambda \\)		
xmlinfo	\xmlinfo {}		
xmlinjector			
xmlinlineprettyprint	<pre>\xmlinjector {} \xmlinlineprettyprint {} {}</pre>		
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}		
xmlinlineverbatim	\xmlinlineverbatim {}		
xmlinstalldirective	\xmlinstalldirective {} {}		
xmllast	\xmllast {} {}		
xmllastatt	\xmllastatt		
xmllastmatch	\xmllastmatch		
xmllastpar	\xmllastpar		
xmlloadbuffer	$\mbox{xmlloadbuffer } \{\} \ \{\}$		
xmlloaddata	\xmlloaddata {} {} {}		
xmlloaddirectives	\xmlloaddirectives {}		
xmlloadfile	$\mbox{xmlloadfile } \{\} \ \{\}$		
xmlloadonly	\xmlloadonly \{\} \{\}		
xmlmain	\xmlmain {}		
xmlmapvalue	\xmlmapvalue {} {}		
xmlname	\xmlname {}		
xmlnamespace	\xmlnamespace {}		
xmlnonspace	\xmlnonspace {} {}		
xmlpar	\xmlpar {} {}		
xmlparam	\xmlparam {} {} \xmlpath {}		
xmlpath xmlpos	\xmlpos {}		
xmlposition	\xmlposition {} {} {}		
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}		
xmlprependsetup	\xmlprependsetup {}		
xmlprettyprint	\xmlprettyprint {} {}		
xmlprettyprinttext	\xmlprettyprinttext {} {}		
xmlprocessbuffer	\xmlprocessbuffer {} {} {}		
xmlprocessdata	\xmlprocessdata {} {} {}		
xmlprocessfile	\xmlprocessfile {} {} {}		
xmlpure	\xmlpure {} {}		
xmlraw	\xmlraw {}		
xmlrefatt	\xmlrefatt {} {}		
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}		
xmlregisteredsetups	\xmlregisteredsetups		
xmlregisterns	\xmlregisterns {} {}		
xmlremapname	\xmlremapname \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
xmlremapnamespace	\xmlremapnamespace \{\dots\} \{\dots\}		
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}		
xmlremovesetup xmlresetdocumentsetups	<pre>\xmlremovesetup {} \xmlresetdocumentsetups {}</pre>		
xmilese tuo cumentse cups	/vmileserdocumentserups ()		
vmlresetiniectors	\vmlresetiniectors		
xmlresetinjectors xmlresetsetups	\xmlresetinjectors		
xmlresetsetups	\xmlresetsetups {}		
-	\xmlresetsetups {} \xmlsave {} {}		
xmlresetsetups xmlsave	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}		
xmlresetsetups xmlsave xmlsetatt	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} {}</pre> \xmlsetentity {} {}		
<pre>xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction</pre>	\xmlsetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpar {} {} {} \xmlsetparam {} {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow	\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetsetup {} {} {} \xmlsetup {} {} {}		
xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetpar {} {} {} \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {}</pre>		
<pre>xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip</pre>	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {}</pre>		
<pre>xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripnolines</pre>	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetpara {} {} {} \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstrip {} {} \xmlstripnolines {} {}</pre>		
<pre>xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlsetup xmlshow xmlsnippet xmlstrip xmlstripnolines xmlstripped</pre>	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetparam {} {} {} \xmlsetup {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstripnolines {} {} \xmlstripped {} {}</pre>		
<pre>xmlresetsetups xmlsave xmlsetatt xmlsetattribute xmlsetentity xmlsetfunction xmlsetinjectors xmlsetpar xmlsetpar xmlsetparam xmlsetsetup xmlshow xmlsnippet xmlstrip xmlstrip xmlstripnolines</pre>	<pre>\xmlresetsetups {} \xmlsave {} {} \xmlsetatt {} {} {} \xmlsetattribute {} {} {} \xmlsetentity {} {} \xmlsetfunction {} {} {} \xmlsetinjectors [] \xmlsetparat {} {} {} \xmlsetparam {} {} {} \xmlsetparat {} {} {} \xmlsetup {} {} {} \xmlsetup {} {} \xmlshow {} \xmlsnippet {} {} \xmlstrip {} {} \xmlstrip {} {}</pre>		

xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos
yiddishnumerals
zeronumberconversion

\xmltexentity {...} {...} \xmltext {...} {...} \xmltobuffer {...} {...} {...} \xmltobufferverbose {...} {...} {...} \xmltofile {...} {...} {...} \xmlvalue {...} {...} {...} \xmlverbatim {...} \xxplitstring \... {...} \xypos {...} \yiddishnumerals {...}

