


## 2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.

Type Cases Deaths Hospitalizations




# 2009 H1N1 (swine flu pandemic) cases, deaths, and hospitalizations

Interpolated counts from counts from Oct 2009 to March 2010

The CDC provided middle, low and high, estimate counts for the categories below for each month from Oct 2009 to March 2010.

Estimates starting from April 2009 (the beginning of the H1N1 pandemic) are not given, these were interpolated using spline estimation.

Type Cases Deaths Hospitalizations




Note: y-axis is in log scale

Source: [https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)

First case was reported on April 13, 2009 <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5815a5.htm>

# 2009 H1N1 cumulative cases by day vs Covid-19


403 days after the first case



Note: Chart is in logarithmic scale. Vertical scale is compress to show changes in percentage terms.  
A rise from 100 to 110 takes the same space as a rise from 100,000 to 110,000 since both are 10% changes.

# 2009 H1N1 cumulative cases by day vs Covid-19


403 days after the first case



Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19); [https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)

# 2009 H1N1 estimated deaths by day vs Covid-19 deaths


403 days after the first case



Note: y-axis is in log scale  
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19);  
[https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)

2009 H1N1 estimated deaths by day vs Covid-19 deaths

403 days after the first case





Note: y-axis is in log scale  
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19);  
[https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)

# 2009 H1N1 new cases by day vs Covid-19 cases

Vertical blue lines are for reference and placed every two months after the first case for each pandemic

Change Type    Decreased    Increased    Other    Unchanged





Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19); [https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)

# 2009 H1N1 new deaths by day vs Covid-19 deaths

Vertical blue lines are for reference and placed every two months after the first case for each pandemic


Change Type    Decreased    Increased    Unchanged    Other




Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19);  
[https://www.cdc.gov/h1n1flu/estimates\\_2009\\_h1n1.htm](https://www.cdc.gov/h1n1flu/estimates_2009_h1n1.htm) (H1N1)



# COVID-19 Cases in the US




# COVID-19 Deaths in the US



# Rates by Counties

New cases, 7 and 14 days rolling average


variable    rollingMean07Day    rollingMean14Day




# Rates by Counties by 100K population

New cases, 7 and 14 days rolling average

Difference between  
7 and 14 days rolling average



Rolling Average — 7-day — 14-day




Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19)


# Days to double the number of cases

based on seven day rolling average of new cases,  
for counts increase only, if the counts double in more  
than 35 days they show as 35 days.


## Los Angeles




## Orange



## Riverside




## San Bernardino



# Structural change analysis of daily new cases

blue lines with dates reflect when there was a break in the trend for each county




Note: new break trends can developed as new daily counts are included.  
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19)


# Structural change analysis of daily new deaths

blue lines with dates reflect when there was a break in the trend for each county


## Los Angeles




## Orange



## Riverside



## San Bernardino




Note: new break trends can developed as new daily counts are included.  
Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19)

# COVID-19 Reported Patient Impact and Hospital Capacity by Facility

For Los Angeles, Orange, Riverside and San Bernardino Counties


NAME: Los Angeles

name: cln\_icu\_beds\_ovr\_total




NAME: Orange

name: cln\_icu\_beds\_ovr\_total




NAME: Riverside

name: cln\_icu\_beds\_ovr\_total




NAME: San Bernardino

name: cln\_icu\_beds\_ovr\_total



# Cummulative cases per 1k persons by state region

the four highest states by region are highlighted




Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19)  
 U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,  
 Table B01003\_001 TOTAL POPULATION; generated with tidycensus R package.



# 7-day rolling average of daily cases per 100k persons by state region


the four highest states by region are highlighted



Sources: The New York Times, <https://github.com/nytimes/covid-19-data> accessed 2021-02-27 (Covid19)  
 U.S. Census Bureau; American Community Survey, 2014-2018 5-year Estimates,  
 Table B01003\_001 TOTAL POPULATION; generated with tidycensus R package.

# Cummulative cases per 1k persons for California counties

selected counties highlighted



# 7-day rolling average of daily cases per 100k persons by California counties

## selected counties highlighted

