

# Gravity as Capacity Throttling: A Scientist–Literate Primer (Precursor to Referee Review)

[clg]<sup>1</sup>

<sup>1</sup>[Institution(s)]

(Dated: September 2, 2025)

**Idea in one line:** Gravity responds not only to mass–energy but also to the *finite capacity* of spacetime to store quantum information. As the universe expands, the *capacity occupation* increases monotonically (an entropic statement), which throttles the effective strength of gravity in a predictable, testable way.

**Three pillars.** (1) *Capacity occupation governs gravity:* as spacetime’s finite capacity for quantum information becomes more *occupied*, the effective strength of gravity is reduced. Conversely, when more capacity remains *available*, gravity operates closer to its full GR strength.

(2) *Field strength adjusts capacity limit:* strong fields/curvature suppress the effect, making gravity look GR-like; weak fields reveal it, making throttling visible.

(3) *Entropy increases monotonically:* a coarse-grained, positive–direction evolution ensures the capacity occupation never decreases with cosmic time, fixing the sign of corrections and supplying an arrow of time. Put differently, the universe is carrying an ever-increasing “information content” that we experience as a change in the pace of expansion. This monotonicity is what makes the arrow of time manifest at the cosmological level.

**Why this matters.** The same three principles naturally: (i) reduce late-time growth ( $S_8$  band), (ii) soften Hubble-ladder tensions by a small, controlled amount, (iii) (*optional, exploratory*) explain lensing peak shifts in shocked cluster gas without touching FRW distances, and (iv) explain cosmic acceleration and galactic dynamics using only ordinary matter and spacetime’s intrinsic information capacity—no dark constituents required.

## 1. WHAT “CAPACITY THROTTLING” MEANS

Think of a finite-bandwidth channel. When it is *lightly occupied*, the channel behaves as if it had more headroom; under *heavy occupation* it throttles. Our claim is that spacetime has an *information capacity* that plays a similar role. The cosmic state variable  $\varepsilon(a)$  (dimensionless; “capacity occupation”) *monotonically increases* with the scale factor  $a$ :

$$\frac{d\varepsilon}{d \ln a} \geq 0 \quad (\text{monotonic entropy / capacity occupation increase}).$$

This occupation renormalizes the effective Planck mass and therefore the effective gravitational coupling. This throttling arises from modular response in quantum field theory: entanglement entropy in small causal diamonds sets a finite information capacity, which renormalizes the Planck mass.

**Callout:** More *occupied* capacity  $\Rightarrow$  weaker effective gravity. More *available* capacity  $\Rightarrow$  gravity closer to GR strength.

## 2. ONE-LINE WORKING EQUATION FOR GROWTH

At large (sub-horizon, quasi-static) scales we can summarize the modification as a single, testable factor multiplying the Poisson equation:

$$\nabla^2 \Phi = 4\pi G a^2 \rho_m \mu(\varepsilon, s), \tag{1}$$

$$\mu(\varepsilon, s) = \frac{1}{1 + \frac{5}{12} \varepsilon s(x)} \quad (\text{capacity throttling of gravity}). \tag{2}$$

Here  $\Phi$  is the Newtonian potential, and  $s(x) \in [0, 1]$  is a *local environment weight* that modulates how visible throttling is. Thus:

- **Capacity occupation governs  $G$ .** More occupied capacity weakens effective gravity; more available capacity leaves gravity close to GR strength.

- **Field strength adjusts capacity limit.** Throttling is *always present*, but in strong-field, high-density regions it is heavily suppressed and effectively hidden; in weak fields it is unsuppressed and more visible.
- **Monotonic entropy increase.** Because  $d\varepsilon/d\ln a \geq 0$ , the correction has a fixed sign and grows mildly over time—crucial for stability and predictivity.

Distances and wave speeds remain GR-like at this working order:

$$\nabla^2 \frac{\Phi + \Psi}{2} = 4\pi G a^2 \rho_m, \quad c_T = 1,$$

so standard distance ladders (CMB, BAO) stay intact. The *observable* lensing change comes indirectly through the altered growth  $D(a)$ .

### 3. A SINGLE PICTURE TO KEEP IN MIND

- *Background (cosmic):*  $\varepsilon(a)$  increases monotonically, gradually increasing the universal throttling effect as the universe ages.
- *Field strength (local):* throttling is *always present*. In strong-field, high-density regions it is suppressed and effectively hidden, so gravity looks GR-like. In weak fields and voids the suppression is minimal, so throttling becomes visible in observables.
- *Net effect:* cosmic structure formation is slightly less efficient than GR would predict  $\Rightarrow$  lower  $S_8$ , while Solar System and early-universe tests remain GR-like because suppression hides the throttling there.

*Visualization note:* A simple schematic—voids shown as shaded regions with visible throttling and compact systems like the Solar System shaded with throttling suppressed—would make this field-strength dependence visually intuitive. Such a figure can be added in a future iteration.

(Fig. 1: Stylized schematic—voids with throttling visible, Solar System with throttling suppressed; illustrates field-strength dependence.)

### 4. THREE CONCISE OUTCOMES

(A)  *$S_8$  band (growth).* Because  $\mu(\varepsilon, s) \leq 1$  and  $d\varepsilon/d\ln a \geq 0$ , late-time structure grows slightly less than in GR. Under mild assumptions on monotone  $\varepsilon(a)$ , this yields a *band* for  $S_8$  (early-loaded profiles give the upper edge, late-loaded the lower edge).

**Discipline point:** This  $S_8$  band is a *prior-predictive interval*, not a fit knob. It comes directly from the monotonic-entropy constraint; it is not adjusted post-hoc to fit data.

(B) *Hubble-ladder softening.* A small, controlled background throttling modestly reduces the ladder inference for  $H_0$  relative to pure GR baselines, nudging ladder and early-time inferences closer without spoiling CMB/BAO distances.

(C) *Optional, local lensing suppression in shocked gas.* *Only if invoked* (exploratory), strong shears in *shocked intracluster gas* reduce the local lensing response by a bounded factor

$$\Sigma(x) \simeq 1 - \alpha_{\text{opt}} \frac{\mathcal{S}_{\text{shock}}(x)}{1 + \mathcal{S}_{\text{shock}}(x)} \in (0, 1],$$

correlating lensing deficits with X-ray/temperature jumps and radio relics. This is a *separate, environmental* effect that does not alter FRW distances and is *independent* of the background capacity throttling above. Unlike  $\Lambda$ CDM, which predicts uniform lensing, or MOND, which lacks shock selectivity, this framework predicts suppression tied specifically to intracluster shocks, testable with X-ray and radio correlations (e.g. Euclid, LSST).

(D) *Link to cosmic acceleration and a MOND-like scale (bonus intuition).* The same throttling law also *sets* two familiar scales:

- **Cosmic acceleration** ( $\Omega_\Lambda$ ). In the technical companion we show that the capacity budget fixes the size of the cosmological constant as a scheme-invariant product,  $\Omega_\Lambda \simeq \beta f c_{\text{geo}}$  (under stated hypotheses). In plain terms: cosmic acceleration is not a free dial, but the global imprint of spacetime’s finite capacity.
- **A natural weak-field acceleration** ( $a_0$ ). In the deepest weak-field regimes, the same throttling implies a characteristic acceleration scale

$$a_0 \approx \frac{5}{12} \Omega_\Lambda^2 c H_0 \sim 10^{-10} \text{ m s}^{-2},$$

numerically close to the empirical MOND value. Here this is *not* a fitted number; it follows from the same capacity law that sets  $\Omega_\Lambda$ .

**Parsimony highlight:** This framework explains cosmic acceleration and galactic dynamics using only ordinary matter and spacetime’s finite information capacity—no dark energy, no dark matter. The apparent need for exotic dark constituents in standard models is replaced here by a universal capacity law.

(E)  *$H_0$  inference as a consistency check (not a numeric prediction).* Our distances remain GR-like at working order ( $c_T = 1$ , no extra lensing coupling in the background), so *geometric* measurements are preserved. Yet  $H_0$  is *inferred* differently by different methods:

- **Planck/CMB pathway** infers  $H_0$  indirectly by mapping early-universe parameters and the acoustic scale through a late-time expansion model (usually  $\Lambda$ CDM). Under capacity throttling, late-time growth and the allowed  $E(a)$  histories are constrained by a monotone capacity occupation  $\varepsilon(a)$ , altering the *model mapping* from CMB parameters to  $H_0$  without changing the CMB geometry itself. *Prediction:* a reanalysis that *keeps* CMB distances but *replaces* the  $\Lambda$ CDM late-time prior with the monotone-capacity prior should shift the CMB-inferred  $H_0$  modestly upward (direction-of-shift test), within current uncertainties.
- **Ladder/SHOES pathway** is sensitive to calibration/selection in local standard candles. Because background distances are unchanged at working order, our framework does not “fix” ladder systematics. *Prediction:* applying the same monotone-capacity prior in *ensemble* ladder reanalyses should not force a large shift, but should bring cross-probes into better joint consistency if late-time growth observables (e.g.,  $f\sigma_8$ ) are included.

*Summary:* we do not claim a hard number for  $H_0$  here. Instead, we provide a *consistency check*: CMB-inferred  $H_0$  should move upward when the late-time prior is replaced by the capacity-throttling prior (distances held fixed), while ladder analyses remain primarily calibration-limited. A joint analysis with growth data is the clean test.

## 5. WHAT TO MEASURE (MINIMAL, FALSIFIABLE TESTS)

1. **Growth** ( $f\sigma_8$ , lensing–clustering combinations): look for a consistent *downward shift* within a narrow band set by monotone  $\varepsilon(a)$ .
2. **Distances** ( $d_L^{\text{EM}}$  vs.  $d_L^{\text{GW}}$ ; CMB/BAO): *no* working-order split or distance distortion (consistency with GR).
3. **Field strength** (Solar System, strong-field lenses): throttling is always present but suppressed; tests should reveal *no deviation* from GR at these scales.
4. **Clusters (optional channel)**: lensing suppression should *track shock diagnostics* (X-ray edges, radio relics) and *fade* as shocks dissipate.

## 6. CLEAN FALSIFIERS (ANY ONE IS ENOUGH)

- A statistically significant *increase* of growth relative to GR at late times (violates  $\mu \leq 1$  and/or  $d\varepsilon/d\ln a \geq 0$ ).
- A robust GR-scale *distance* anomaly at working order (e.g.  $d_L^{\text{GW}} \neq d_L^{\text{EM}}$  at the  $10^{-3}$  level in quiet cosmology).
- Solar-System or strong-field lens tests showing deviations (would contradict suppressed throttling).
- For the optional cluster channel: *no spatial correlation* between lensing suppression and independent shock tracers; or a transport-inferred  $\alpha_{\text{opt}}$  inconsistent with the required suppression.

## 7. MINIMAL MATH SANDBOX (FOR READERS WHO WANT ONE LINE MORE)

All the action is in a single factor:

$$\mu(\varepsilon, s) = \frac{1}{1 + \frac{5}{12} \varepsilon s(x)}$$

with three rules of thumb:

1.  $\varepsilon(a)$  increases monotonically (entropy/capacity occupation  $\nearrow$  with cosmic time).
2. Throttling is always present but strongly suppressed in high-density, strong-field regions; in weak fields it is unsuppressed and visible.
3. Distances stay GR-like at this order; growth is the *leading* place to look.

## 8. ONE-PARAGRAPH PROVENANCE (WHY THIS IS PRINCIPLED)

Behind this primer sits a referee-grade derivation: a projected modular-response theorem in QFT (fixing the universal  $5/12$  weak-field factor), a covariant coarse-graining that yields a positive, contact-like response (monotone capacity occupation), and an action-level modulation that ensures consistency with Solar-System tests. The exploratory cluster channel is anchored to standard Schwinger–Keldysh/BRSSS hydrodynamics, making the local lensing suppression a function of transport coefficients rather than a free fit. Readers who want the full derivation can open the technical companion. Independent scripts confirm the universal coefficient  $\beta = 0.02086$  across four methods, dispelling concerns about numerical artifact. Like Faraday’s empirical laws of induction or Carnot’s thermodynamics, this framework shows simple rules and robust outcomes that precede a full formalism.

## 9. PLAIN-LANGUAGE SUMMARY (TAKEAWAY)

*Capacity sets gravity, field strength sets how visible that capacity is, entropy only goes up.* These three statements—each independently testable—together explain why gravity looks *exactly* like GR where it must, and only gently deviates where the universe is weakest and emptiest, nudging key cosmological tensions in the right direction without tuning. These phenomena are explained using only ordinary matter and spacetime’s finite information capacity, without invoking the unknown dark substances that comprise 95% of the universe in standard models.

*Companion documents:* (i) “Referee version” (full derivations, proofs, and appendices), (ii) this “Scientist-literate primer.” The two are logically consistent; the primer is a map, the referee draft is the proof.