

Mathematical Analysis Homework 5: Solutions

Cory Nezin

September 25, 2017

1. Let $\{a_n\}_{n=1}^{\infty} \subseteq [0, \infty)$ and assume $\lim_{n \rightarrow \infty} a_n = a, a \subseteq \mathbb{R}$. Prove that $a \geq 0$.

Proof:

$$a_n \geq 0 \implies a - a_n \leq a \implies a_n - a \geq -a$$

$$\text{Suppose } a < 0 \implies -a > 0 \implies a_n - a > 0$$

$$\text{Thus } |a_n - a| \geq |a|$$

But since $|a| > 0$, $\lim_{n \rightarrow \infty} a_n \neq a$, a contradiction.

So $a \geq 0$. ■

2. Assume $\lim_{n \rightarrow \infty} b_n = b$ exists and $b \neq 0$. Prove that $b_n \neq 0$ for $n \geq N$ for some $N \in \mathbb{N}$.

Proof:

We give a proof by contrapositive:

If $b_n = 0$ for some $n \geq N$ for all $N \in \mathbb{N}$

Then $|b_n - b| = |b|$ for some $n > N, \forall N \in \mathbb{N}$

Either $b = 0$ or

If $|b| > 0$ we have $\lim_{n \rightarrow \infty} b_n \neq b$ which is the negation of the hypothesis.

■