



Università
della
Svizzera
italiana

Faculty
of
Informatics

Bachelor Thesis

June 6, 2025

How do children search?

A tool to support researchers in understanding how children search for information online

Costanza Rodriguez Gavazzi

Abstract

Abstract goes here ...

Things to write: Context, Problem, Limitations in SOA, Contribution and Findings

Keywords:

Advisor:

Monica Landoni

Co-advisor:

Diletta Micol Tobia

Approved by the advisor on Date:

Contents

1	Introduction	2
2	Background and Related Work	2
2.1	Foundation	2
2.2	Motivation	2
3	Requirements	4
3.1	Data for Research Use	4
3.2	UI Insights from Literature	5
3.3	Functional Requirements	5
4	System Design	8
4.1	Overview	8
4.2	Components	8
4.3	APIs	8
4.4	Technologies Used	8
4.5	Research Data Collection	8
5	Usage Scenarios	9
5.1	Experts' Feedback	12
6	Conclusions	14
6.1	Future Work	14

1 Introduction

In recent years, children's interactions with search technologies have become a topic of interest in both Information Retrieval (IR) and Human-Computer Interaction (HCI). With the increasing use of the Internet in schools and at home, children are becoming independent searchers, but their needs and behaviors are different from those of adults. Unfortunately, commercial search engines such as Google and Bing are not designed with children in mind, and current tools often do not take into account their cognitive and emotional development.

Previous research has shown that children struggle to evaluate search results effectively, particularly when results are presented in dense or complex formats. Moreover, their perception of what is relevant often differs from adult expectations and may be influenced by emotion, position in the list, or visual elements [8, 9].

This project builds on Savoia's 2025 thesis [11], which proposed a game to observe children's search behavior using both a traditional search engine and a chatbot-like Large Language Model (LLM) interface. Because the original prototype was a proof of concept, it did not implement a data collection feature. This thesis rebuilds that tool with the goal of creating a functioning and reusable prototype that can be used in real research scenarios and contribute to the development of child-friendly search tools.

To do this, the tool was designed as an interactive web-based game in which children answer questions framed in a neutral, positive, or negative emotional tone by choosing between two search tools. Their choices, search behavior, and answers are logged to generate structured data for research purposes. This allows to later analyze aspects such as tool preference, emotional influences, and performance across tasks.

This report is structured as follows:

- Section 2 reviews background research and related work, providing motivation for the project.
- Section 3 explains how the requirements were defined and lists them.
- Section 4 describes the technical architecture of the system.
- Section 5 shows typical usage scenarios.
- Section 6 concludes the report with a discussion on the directions for future work.

2 Background and Related Work

The study of how children search for information online is a growing area that connects education, Information Retrieval (IR), and Human-Computer Interaction (HCI). The goal of this project was to develop a research tool that could collect interaction data from children using both traditional Search Engines and their Results Page (SERP), and Large Language Models (LLMs). Unlike other projects focused mainly on improving User Experience (UX) or User Interface (UI), this project was designed as a flexible platform to support various research questions on children's search behaviors. At the same time, the tool had to be fully functional and ready to use in real research scenarios, so an engaging and appropriate UI for younger users was still a key requirement.

2.1 Foundation

The starting point for this project was the bachelor's thesis by Savoia [11]. In her work, she proposed an interactive game designed to observe how children search for information. The interface was structured around a group of six islands, where each island represented a question framed with a specific emotional tone (positive, neutral, or negative). The children were allowed to choose how they wanted to answer the question, using a familiar web search interface or a chatbot-style LLM. Her work demonstrated that this narrative approach could encourage natural interactions and meaningful behavior from children.

Although her prototype successfully demonstrated the idea, it was not built with the core feature of data extrapolation, nor with reuse or extensibility in mind, but as a proof of concept. This project rebuilt the system from scratch to make it modular, maintainable, and suitable for future research experiments. Still, it kept the core idea of gameplay, the use of emotionally charged questions, and flexibility in tool choice to support various search strategies.

2.2 Motivation

A review of the literature highlighted the need for a research tool tailored to children's needs. Children are frequent users of Search Engines, especially in school settings, but often struggle to find relevant information efficiently [1]. Most commercial tools like Google or Bing are designed for adults [1, 7], and there is no single search interface that fits all users, especially young people with different cognitive and emotional needs [7].

In the IR research community, there is a clear call for child-friendly systems that are more suitable in educational contexts [10]. However, building such systems is challenging. Designing for children means taking into account their specific abilities: cognitive, technical, and emotional [4]. In many cases, children say they want one thing, but their actual behavior shows something else. This is why relying only on interviews or post-task questionnaires can be misleading [1].

Besides, children are often left out of mainstream IR research and there is a lack of reliable data on how they really use search tools [11]. Researchers have highlighted the need for dedicated datasets, experimental tools, and evaluation methods designed for children [8].

Observing how children search and interact with systems, we can gather important insights that help improve the design of future tools [11]. These insights can also guide the development of features that help children, for example, by offering visual cues to highlight relevance or reduce confusion [7]. Data from child search behavior can also support many different research directions, including how emotions impact search performance, how children respond to positive or negative task formulation, or how task complexity affects engagement [10, 8]. In particular, it is also interesting to consider how negative emotions are handled. Some research suggests that tracking negative user emotions could support better filtering, while others warn that hiding negative content could limit learning opportunities [10].

A game-based tool, like the one built in this project, can collect structured data such as query logs, number of queries, time spent, and user clicks [1]. It can also capture richer information on how children switch between tools or how many queries they need before answering. This kind of data would be difficult to gather with traditional observational methods or surveys, as children are reported to be unreliable sources when it comes to describing their own search behavior and preferences [1].

The strength of this approach comes from the benefits of game-based learning, which helps keep children engaged and motivated [2]. When children play a game, they tend to act more naturally and stay focused, making it easier to collect useful data on their behavior [2]. Compared to traditional learning environments, which can feel serious or stressful, games create a more relaxed space where children feel free to explore [2].

By designing the tool as a digital game, we also benefit from interactive elements, storytelling, and visuals that make the experience fun.

3 Requirements

This project did not begin with a fixed list of specifications. Instead, requirements emerged iteratively through exploration of the research domain, analysis of related literature, and discussions with advisors. The work builds on Savoia's thesis [11], which included an initial prototype of the game that was tested in a pilot session with children. From that experience, the feedback from the advisors and what we found in the literature, a new version of the game came to life, one that is more functional, scalable, and better suited to support different research questions in IR and HCI, while also being engaging and usable for children.

The main objective was to implement a fully functional and reusable prototype that could collect detailed data on how children use traditional SE and LLM, while also being engaging and usable for children. The project extends Savoia's prototype [11], which demonstrated the potential of a game-based framework to study children's search behavior, but did not actually integrate the aspect of user data collection. To structure the design, this dual purpose of the tool was fundamental: relevance for researchers aiming to study search behavior, and a pleasurable and engaging experience for children. From this core duality, the following questions guided the requirements definition process: To structure the design, the following questions guided the requirement definition process.

- What kind of data do researchers want to collect?
- Can a game-based interface be used to collect these data effectively?
- What kind of game design is both engaging and suitable for structured data collection?
- How can the tool be both usable for researchers and appealing to children?
- How can the system be modular, extensible, and maintainable for future research?
- How can it adapt to different experimental setups or research contexts?

These reflections acted as a guide to explore the literature, which then led to a concrete list of functional and non-functional requirements, discussed below.

3.1 Data for Research Use

Research has shown that a variety of data is needed to understand children's search behaviors. This includes both quantitative metrics and qualitative observations. Although qualitative observations can offer several advantages in designing for children, this project's main focus was on quantitative metrics to enable the identification of patterns or relationships among behaviors. Analysis of these patterns can help researchers identify the potential roles of searchers among children [6]. Understanding these distinct roles that children play when searching is a key element in characterizing their behavior. Previous research [5] defined seven roles for children searching in a home setting, based on qualitative data such as interviews and observations. More recent research [8] aimed to understand the search roles of children, specifically in the classroom, and to see if they could be inferred using a quantitative approach based on performance indicators from search logs and teacher evaluations. By analyzing quantitative data such as click accuracy, session length, and grades, researchers were able to identify patterns that corresponded to several of the original roles [8]. These findings highlight that both qualitative and quantitative data are fundamental to understanding children's search behavior.

To do this, we identified the following types of data as relevant.

- **Query Logs:** Query text, number of queries, and query term counts [1, 11].
- **Performance Indicators:** Session length, click counts, and rank depth [8].
- **Task Outcome Data:** Final user responses, with the idea that scoring based on teacher rubrics or predefined relevance criteria could be done later when analyzing the gathered data [8].
- **Tool Preference:** Children's selection patterns between search engine and LLM [11].
- **Timing Data:** Time spent on each question, delays before interaction, and time spent on web pages [11].

3.2 UI Insights from Literature

Designing a UI involves understanding how users interact with a digital system through visual and interactive elements. In this project, the UI was not the sole focus but because the target users were children, it required some careful thought. Designing UI for children presents challenges: it must be intuitive, engaging, and customized to their cognitive and emotional development. At the same time, the interface should allow adult stakeholders, such as teachers and researchers, to take any necessary actions, such as setting up the game and downloading the gathered data.

Considering the dual purpose of the tool, the following insights from the literature informed the UI design:

- There is no one-size-fits-all SERP interface suitable for children [7].
- Children prefer playful and engaging tools, and emotional design improves product recognition and user satisfaction [4, 3].
- Humanized design elements such as avatars, animations, and storytelling are particularly effective for younger users [3, 4].
- Participatory design methods show that children prefer familiar, usable UI elements but appreciate fun, cartoonish visuals [12, 9].
- Children prefer to interact with a tool they perceive to be similar to the real thing, instead of a simplified version [1].
- Based on their age and cognitive abilities, children require different levels of scaffolding¹ and support in search tasks [4, 12, 3]. In particular:
 - **Ages 6 to 8:** Interfaces should use simple, familiar words, and reward systems are effective in maintaining engagement. Bright colors are still encouraged [3].
 - **Ages 9 to 12:** These users value autonomy and prefer interfaces that offer control rather than instructions. Feedback should be informative rather than directive. Colors can be more subdued, such as green, grey, and navy tones. They are generally more skilled at navigating websites and handling smaller UI elements [3].

–

3.3 Functional Requirements

Based on the insights from the literature and discussions with the advisors, the following functional requirements were defined for the system:

Language and Initialization

- The language of the game should be modular and easily changeable to be able to test the game with children from different countries.
- A landing page must appear before the game starts to allow teachers or researchers to explain the rules.
- The game must be reset when a new language is selected.

Session Management

- Each session must be identified by a unique user code provided by the teacher.
- The game must start only after the user inputs a valid code.
- The game must persist its state on page refresh using local storage.
- Researchers must be able to download session data at any time, even if the game is incomplete.
- When downloading data, the system must request a password to protect the export and prevent children from tampering with it.

¹Scaffolding refers to a form of support provided in design, particularly for children [4, 8]. In app design, providing scaffolding involves conveying the goals of the app to children in an understandable way (i.e. interactive prompts, visual cues) [4, 8]

Gameplay Logic

- The game must include six clickable islands, presented in a randomized order per session.
- Islands can be clicked in any order.
- Each island represents a straightforward question with a specific emotional framing: positive, neutral, or negative.
- Once answered, an island becomes inactive and cannot be clicked again.
- Inactive islands must show a different cursor, remove hover effects, and a message should appear when trying to click on them.
- Each completed island increases the score by 10 points (maximum 60).
- The current score must be shown to motivate the user.

Search Tool Interfaces

- Clicking on an island must open a question page where the user chooses between two different search tools: Google or Gemini (LLM).
- Users must be allowed to switch between the two tools freely before submitting an answer.
- The Google interface must visually mimic a real search engine and display the top 10 results.
- The Gemini interface must mimic a realistic chatbot interface.
- Clicking on a Google result must open the link in a new browser tab.

User Interaction Tracking

The system must record **per-island data**:

- Question
- Sentiment of the question
- Time of the first click on the island
- Time of the answer submission for the island
- A list of objects containing information about each query or prompt performed by the user, in particular:
 - If the query was made using Google or Gemini
 - The text of the query or prompt
 - The number of query terms
 - The answer provided by the tool of choice - either a list of SERP results for Google or the response from Gemini.
 - When saving SERP results, the system must record:
 - * The title of the result
 - * The snippet of the result
 - * The position of the result in the SERP
 - * The order in which the result was clicked
 - * The time spent on the page corresponding to the result
- The user's final submitted answer

The system must also record **per-session data**:

- Language of the game
- A code to identify the session, provided by the teacher

- Start time and finish time of the session
- Session length
- The order in which the islands were completed
- The order in which the islands were clicked
- Total number of clicks in the session
- The time before the first click in the session
- The final score of the session

User Experience and Engagement

- The game must allow revisiting of islands before submission.
- The emotional tone must be visually represented with colors or icons.
- The User Interface must balance playful and realistic design to reflect real-world behavior of children when interacting with games.
- Upon completion, a thank you page must show the user's final score.
- The background includes animations to enhance engagement.

4 System Design

4.1 Overview

The game is implemented as a single-page web application developed using React, a JavaScript framework. The architecture follows a standard component-based design, where each part of the user interface is a reusable block. Because the logic is not too complex, it is implemented into each relevant component.

There is no backend server: all game logic and interactions run in the browser. When needed, the app communicates with external APIs to retrieve information from either a search engine or a language model. The system can be visualized as:

4.2 Components

TODO

4.3 APIs

The game uses two external APIs, selected based on the player's choice:

- **Google Search API**

Performs a Google search and retrieves the top 10 results for a given query. This is used when the user selects the *Google* option in the *ChoicePage* component.

- **Gemini API**

Sends a prompt to the Gemini API and retrieves the response. This is used when the user selects the *Gemini* option in the *ChoicePage* component.

4.4 Technologies Used

TODO

The main technologies used in this project are

4.5 Research Data Collection

TODO

5 Usage Scenarios

This section illustrates how researchers or teachers (stakeholders) can set up the game and download the data, and how a child interacts with it during a typical session.

Step 1: Language Selection

The game begins with the language choice screen (Fig. 1). The stakeholders select their preferred language before continuing, setting up the game for the child. A hover effect provides visual feedback (Fig. 2).




Figure 1. Language choice screen.




Figure 2. Hover effect on language choice.

Step 2: Session Start

After an adult has chosen the language, the child sees the start screen of the game (Fig. 3). A hover animation was implemented, guiding them to start (Fig. 4).




Figure 3. Game start screen.




Figure 4. Hover effect on start button.

Step 3: Entering a Code

The system requires the child to enter the session code they received prior to the start of the session (Fig. 5), which is validated (Fig. 6). This ensures that all recorded data is associated with a specific session.




Figure 5. Session code entry screen.




Figure 6. Successful code validation.

Step 4: The Island Map

The core component of the game corresponds to the map page (Fig. 7). Each of the six clickable islands represents a unique search task. The hover feedback (Fig. 8) helps guide the attention of the children.



Figure 7. Island map with clickable islands.



Figure 8. Hover effect on islands.

Step 5: Tool Choice

After selecting an island, the child reaches a tool selection page (Fig. 9) where they choose between a traditional search engine (Google) and a large language model (Gemini).



Figure 9. Tool choice screen.

Step 6: Using Google

If the child selects Google, they are presented with a simulated Search Engine landing page (Fig. 10). The interface and behavior mimic real-life scenarios (Fig. 11). Clicking on links opens them in a new tab.




Figure 10. Simulated Google landing.




Figure 11. Google search results with clickable links.

Step 7: Using Gemini

Alternatively, children can choose Gemini, where a chat-like interface appears (Fig. 12). A waiting screen mimics the LLM response delay after sending a prompt (Fig. 13), followed by the result output (Fig. 14).




Figure 12. Gemini chat interface.




Figure 13. Waiting screen for Gemini response.




Figure 14. Gemini response output.

Step 8: Submitting an Answer

After exploring the results, the child can type the final answer (Fig. 15). Once submitted, the user is redirected to the map page, and the island becomes inactive. If the child attempts to revisit a completed island, a warning is shown (Fig. 16).




Figure 15. Final answer submission screen.



Figure 16. Can't click on a completed island.

Step 9: Final Page and Data Export

After completion of all six islands, the child sees their final score (Fig. 17). Each completed island contributes 10 points, with a maximum of 60.

To end the session, a password-protected download prompt is shown (Fig. 18), allowing the teacher or researcher to save all session data locally. It was a design choice to use the browser's prompt functionality instead of a custom modal, to discourage children from trying to tamper with the data export.




Figure 17. Final score screen after completing all islands.




Figure 18. Password-protected data download prompt.

5.1 Experts' Feedback

The tool was presented to two teachers with experience working with children and technology. They provided valuable feedback on the design and usability of the tool, which should be discussed during future iterations of development. Please note that the feedback should be considered as input to be discussed and further analyzed, rather than as definitive requirements to be implemented.

1. The overall visual design was considered slightly outdated and overly childlike, more appropriate for younger students (third or fourth grade). Both experts suggested a more modern and polished look to better suit the target age group.
2. Regarding the first screen, the introductory message was described as too long. Since children tend to click instinctively, they might skip important instructions. To address this, two alternative solutions were proposed:
 - (a) Split the prompt into two screens, one with a warning to wait for the teacher's instruction, and a second screen with a clickable button.
 - (b) Using a larger font and shortening the text (e.g., “*WAIT! When you hear ‘ok’, click*”).
3. The screen featuring clickable islands was deemed not intuitive. The experts noted that it did not encourage interaction and that some children might not realize that the elements were clickable. Additionally, the use of happy and sad face icons was discouraged, as they could lead children to assign emotional meaning or personify the interface unnecessarily.

4. For the question screen, both font size and type were mentioned. They believed that the text should be larger and use a highly readable font such as Arial or certified dyslexia fonts. Furthermore, the question area was suggested to be visually highlighted (e.g., with a colored background) to make it stand out from the rest of the interface.
5. The use of commercial logos was also criticized. This was flagged both for ethical reasons and for inconsistency: although a Google-like logo was shown, the following screen was considered not an accurate replica of the Google or Gemini interface. As a workaround, it was recommended to label the search interface simply as “Search Engine” while mimicking the Google look through color and font style.
6. The score system also received mixed feedback. It was suggested to give teachers the option to enable or disable the display of points. For children with lower self-esteem, visible scores could be discouraging. In contrast, group dynamics could benefit from visible scoring as a form of motivation. If scores are shown, they should be designed with engaging, attention-grabbing visuals.
7. The simulated Google interface needed refinement. The space for displaying the question was perceived as difficult to notice, and the answer input field was not clearly interactive. Improving layout cues would help clarify the expected user action.
8. The final screen’s thank-you message was considered too long. A concise alternative such as “*Great job! You earned X points!*” was recommended, particularly if the scoring feature remains active.

These insights are essential to improve both the usability and accessibility of the tool in future versions.

6 Conclusions

This project was the design and development of a research tool aimed at studying how children interact with different information retrieval systems. The tool, built as an interactive web-based game, allows children to choose between a traditional search engine and a chatbot-style LLM to answer emotionally framed questions. All interactions are logged in a structured way, enabling the collection of data to support research.

The work originated from the limitations identified in Savoia's thesis [11], particularly the need for data collection features. While her work laid the foundation for a possible approach to studying search behavior, it did not provide a usable or extensible tool for research purposes. This project rebuilt the system with the aforementioned goals in mind.

Several contributions were achieved:

- A fully functional prototype was implemented.
- A data model was developed to log user interactions in detail, capturing a variety of metrics relevant to IR and HCI research.
- The user interface was designed to balance child-friendly visuals with realistic representations of search interfaces, aligning with guidelines from the literature.
- Feedback from experts in education and child-computer interaction was gathered to inform future improvements and highlight potential issues in usability.

The project provides a functional addition to current state of the art in the IR and HCI research domains, particularly in the context of studying children's search behavior. The tool is designed to be modular and extensible, allowing for future adaptations to different research contexts or experimental setups.

6.1 Future Work

Although the current prototype is functional and is already suitable for small-scale research studies, further improvements can be made in future iterations to improve usability, data collection, and scalability.

User Interface and Usability Testing

The current interface was designed based on the insights of the literature and internal feedback, but because the design interface could have been a whole project on its own, it can be improved. Furthermore, it has not yet been tested with children in real-life settings. One key area for future work is to conduct formal usability testing sessions with children of different age groups. These sessions would help identify which parts of the UI are intuitive, which are appealing, and which are confusing or too complex. For example, visual feedback (for example hover animations, tool choices, iconography) may need to be adjusted based on children's preferences and cognitive abilities. Additionally, working with experts in child-computer interaction and UX/UI could help refine the design to better suit the target audience.

Extending Data Collection

The current version of the system already collects a wide set of interaction data, including query logs, tool switches, time spent, and submitted responses. However, there is room for improvement and expansion. Future versions could include additional behavioral signals, such as

- Mouse movement and hover times to infer hesitation or curiosity.
- Scroll depth within the SERP.
- Optional feedback prompts for children to self-report satisfaction or perceived difficulty.

Improving Efficiency and Scalability

In the current version of the system, all interaction data is stored locally in the browser and must be manually exported at the end of each session. Although this solution is suitable for small-scale studies or pilot experiments, it introduces several limitations when conducting larger studies.

Managing data from multiple devices becomes time-consuming and there is a risk of losing session data if a participant closes the browser before exporting. Relying on browser-based password prompts also provides only minimal protection and may not be ideal in more formal research contexts.

A possible solution could be to integrate a back-end infrastructure that stores the data in a centralized manner, allowing researchers to:

- Monitor sessions in real time, even across multiple classrooms or devices.
- Automatically collect and aggregate data without manual intervention.
- Minimize the risk of data loss due to user error or technical problems.

Experts' Feedback

The feedback from the experts highlighted several areas for improvement, particularly in the UI design and usability aspects. Future work should focus on discussing the feedback to enhance the overall user experience. This includes refining the visual design to be more modern and polished, simplifying instructions, improving the intuitiveness of clickable elements, and ensuring that the interface is accessible to children with different cognitive abilities.

References

- [1] M. Aliannejadi, M. Landoni, T. Huibers, E. Murgia, and M. S. Pera. Children's perspective on how emojis help them to recognise relevant results: Do actions speak louder than words? In *CHIIR '21: Proceedings of the 2021 Conference on Human Information Interaction and Retrieval*, Canberra, Australia, March 14–19 2021.
- [2] M. S. Alotaibi. Game-based learning in early childhood education: a systematic review and meta-analysis. *Frontiers in Psychology*, 15:1307881, 2024. Received: 05 October 2023; Accepted: 20 March 2024; Published: 02 April 2024.
- [3] A. Amin, M. Shidujaman, and B. Wang. Improving hci on cognition for children with intelligent ui/ux. In *Conference on Human-Computer Interaction*, 2022.
- [4] K. Chen. An interactive design framework for children's apps for enhancing emotional experience. *Interacting with Computers*, 2022. Advance Access published on 28 December 2022.
- [5] E. Foss, A. Druin, R. Brewer, P. Lo, L. Sanchez, E. Golub, and H. Hutchinson. Children's search roles at home: Implications for designers, researchers, educators, and parents. *Journal of the American Society for Information Science and Technology*, 63(3):558–573, 2012. First published: 18 November 2011.
- [6] M. Imazu, S. Nakayama, and H. Joho. Effect of explicit roles on collaborative search in travel planning task. In *Proceedings of the International Conference on Information Seeking and Retrieval*, 2017.
- [7] M. Landoni, M. Aliannejadi, T. Huibers, E. Murgia, and M. S. Pera. Have a clue! the effect of visual cues on children's search behavior in the classroom. In *Proceedings of the ACM Conference on Human Information Interaction and Retrieval (CHIIR)*, Canberra, Australia, March 14–19 2021.
- [8] M. Landoni, T. Huibers, M. Aliannejadi, E. Murgia, and M. S. Pera. Getting to know you: Search logs and expert grading to define children's search roles in the classroom. In *Proceedings of the ACM SIGIR Conference on Human Information Interaction and Retrieval (CHIIR)*, 2021.
- [9] M. Landoni, T. Huibers, E. Murgia, M. Aliannejadi, and M. S. Pera. Somewhere over the rainbow: Exploring the sense for relevance in children. In *Proceedings of the ACM Conference on Human Information Interaction and Retrieval (CHIIR)*, 2021.
- [10] M. Landoni, M. S. Pera, E. Murgia, and T. Huibers. Inside out: Exploring the emotional side of search engines in the classroom. In *Proceedings of the 28th ACM Conference on User Modeling, Adaptation and Personalization (UMAP)*, Genoa, Italy, July 14–17 2020.
- [11] L. Savoia. A quest for knowledge - coding and developing an interactive game to trace children's online searching experience, Jan. 2025.
- [12] M. Tapola, T. Mäkilä, N. Erdmann, and M. Mikkilä-Erdmann. Participating elementary school children in ui design process of learning environment: Case kidnet. In *Proceedings of the Conference on Human Factors in Computing Systems*, Turku, Finland, 2022.