#### HNCO

# Comparison of black box optimization algorithms Cache lookup ratio

#### November 3, 2018

#### Contents

1	Ranking	2
2	Function one-max	3
3	Function lin	4
4	Function leading-ones	5
5	Function ridge	6
6	Function jmp-5	7
7	Function jmp-10	8
8	Function djmp-5	9
9	Function djmp-10	10
10	Function fp-5	11
11	Function fp-10	12
<b>12</b>	Function nk	13
13	Function max-sat	14
14	Function labs	15
<b>15</b>	Function ep	16
16	Function cancel	17
17	Function trap	18
18	Function hiff	19
19	Function plateau	20
20	Function walsh2	21
A	Plan	21
В	Default parameters	24

#### 1 Ranking

algorithm	ran	k di	strib	oution	1					
	1	2	3	4	5	6	7	8	9	10
sa	11	6	1	1	0	0	0	0	0	0
$\operatorname{umda}$	8	6	1	$^{2}$	2	0	0	0	0	0
ea-1c10	0	4	0	1	5	9	0	0	0	0
ea-1p1	0	$^{2}$	9	3	1	2	2	0	0	0
pbil	0	1	4	0	8	4	1	1	0	0
ea-1p10	0	0	4	10	2	3	0	0	0	0
rls	0	0	0	$^{2}$	0	0	3	8	5	1
ea-10p1	0	0	0	0	1	1	9	3	5	0
ga	0	0	0	0	0	0	3	0	4	12
hc	0	0	0	0	0	0	1	7	5	6

Per function rankings (ex-eaquo are grouped in parentheses): one-max umda, sa, ea-1p1, ea-1p10, ea-1c10, pbil, ga, ea-10p1, rls, hc lin umda, sa, ea-1p1, ea-1p10, ea-1c10, pbil, ea-10p1, rls, hc, ga leading-ones sa, umda, ea-1p1, ea-1p10, pbil, ea-1c10, ea-10p1, hc, rls, ga ridge sa, umda, ea-1p1, ea-1p10, ea-1c10, pbil, hc, ea-10p1, ga, rls **jmp-5** sa, ea-1c10, pbil, umda, ea-1p10, ea-1p1, rls, hc, ea-10p1, ga jmp-10 sa, ea-1c10, pbil, rls, umda, ea-1p10, ea-1p1, hc, ea-10p1, ga djmp-5 sa, ea-1c10, pbil, umda, ea-1p10, ea-1p1, rls, hc, ea-10p1, ga djmp-10 sa, ea-1c10, pbil, rls, umda, ea-1p10, ea-1p1, hc, ea-10p1, ga fp-5 sa, umda, ea-1p10, ea-1p1, pbil, ea-1c10, ea-10p1, hc, rls, ga fp-10 sa, umda, ea-1p1, ea-1p10, pbil, ea-1c10, ea-10p1, hc, rls, ga **nk** umda, sa, ea-1p1, ea-1p10, pbil, ea-1c10, ea-10p1, rls, ga, hc max-sat umda, sa, ea-1p1, ea-1p10, pbil, ea-1c10, ea-10p1, rls, ga, hc labs sa, umda, ea-1p10, ea-1p1, ea-10p1, ea-1c10, pbil, rls, hc, ga ep umda, ea-1p1, ea-1p10, sa, ea-1c10, ea-10p1, rls, pbil, hc, ga cancel umda, ea-1p1, sa, ea-1p10, pbil, ea-1c10, ea-10p1, rls, hc, ga trap umda, sa, ea-1p1, ea-1p10, ea-1c10, pbil, ga, ea-10p1, rls, hc hiff sa, umda, ea-1p10, ea-1p1, pbil, ea-1c10, ea-10p1, rls, hc, ga plateau sa, pbil, umda, ea-1c10, ea-1p1, ea-1p10, ga, rls, ea-10p1, hc walsh2 umda, sa, ea-1p1, ea-1p10, pbil, ea-1c10, ea-10p1, rls, ga, hc

#### 2 Function one-max

algorithm	cache lookup ratio						
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk	
rls	0.136	0.138	0.139	0.141	0.144	9	
hc	0.046	0.047	0.047	0.047	0.048	10	
sa	0.895	0.899	0.901	0.902	0.904	2	
ea-1p1	0.864	0.865	0.865	0.865	0.866	3	
ea-1p10	0.862	0.863	0.864	0.865	0.865	4	
ea-10p1	0.143	0.145	0.145	0.146	0.148	8	
ea-1c10	0.848	0.856	0.858	0.859	0.867	5	
ga	0.368	0.371	0.373	0.375	0.379	7	
pbil	0.854	0.855	0.855	0.856	0.856	6	
$\operatorname{umda}$	0.903	0.904	0.904	0.905	0.905	1	

algorithm	algo. time (s)		eval. t	eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.	
rls	0.21	0.00	0.73	0.01	0.94	0.01	
hc	0.18	0.00	0.74	0.01	0.92	0.01	
sa	0.22	0.00	0.48	0.00	0.70	0.00	
ea-1p1	0.31	0.00	0.52	0.01	0.83	0.01	
ea-1p10	0.33	0.00	0.52	0.01	0.85	0.01	
ea-10p1	0.42	0.01	0.77	0.01	1.19	0.01	
ea-1c10	0.29	0.00	0.51	0.01	0.80	0.01	
ga	1.20	0.00	0.70	0.01	1.89	0.01	
pbil	1.26	0.00	0.52	0.01	1.77	0.01	
$\operatorname{umda}$	1.24	0.00	0.51	0.01	1.75	0.01	




Figure 1: one-max

#### 3 Function lin

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.137	0.137	0.138	0.140	0.143	8		
hc	0.080	0.084	0.086	0.088	0.094	9		
sa	0.864	0.871	0.873	0.877	0.999	2		
ea-1p1	0.863	0.864	0.865	0.865	0.866	3		
ea-1p10	0.863	0.863	0.864	0.864	0.865	4		
ea-10p1	0.732	0.736	0.737	0.738	0.739	7		
ea-1c10	0.848	0.854	0.856	0.858	0.862	5		
ga	0.064	0.067	0.072	0.075	0.077	10		
pbil	0.834	0.836	0.837	0.838	0.838	6		
umda	0.902	0.902	0.903	0.903	0.905	1		

algorithm	algo. t	o. time (s) eval.		ime (s)	total ti	me (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.79	0.01	1.00	0.01
hc	0.18	0.00	0.79	0.01	0.96	0.01
$\mathbf{sa}$	0.22	0.01	0.50	0.01	0.71	0.02
ea-1p1	0.32	0.01	0.53	0.00	0.84	0.01
ea-1p10	0.34	0.00	0.53	0.00	0.86	0.01
ea-10p1	0.40	0.01	0.60	0.01	1.01	0.02
ea-1c10	0.29	0.00	0.52	0.01	0.81	0.01
ga	1.21	0.00	0.83	0.01	2.04	0.01
pbil	1.26	0.00	0.54	0.01	1.80	0.01
umda	1.24	0.01	0.51	0.01	1.76	0.01




Figure 2: lin

# 4 Function leading-ones

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.040	0.043	0.044	0.046	0.048	9		
hc	0.081	0.085	0.088	0.090	0.096	8		
sa	0.558	0.981	0.984	0.985	0.989	1		
ea-1p1	0.846	0.849	0.851	0.852	0.854	3		
ea-1p10	0.844	0.848	0.849	0.851	0.857	4		
ea-10p1	0.503	0.513	0.521	0.525	0.540	7		
ea-1c10	0.598	0.618	0.628	0.637	0.647	6		
ga	0.007	0.007	0.008	0.008	0.008	10		
pbil	0.647	0.667	0.671	0.676	0.694	5		
$\frac{1}{2}$ umda	0.858	0.874	0.877	0.879	0.882	2		

algorithm	algo. t	ime (s)	eval. time (s)		total time (s	
	mean	dev.	mean	dev.	mean	dev.
rls	0.20	0.00	0.79	0.01	0.99	0.01
hc	0.18	0.00	0.77	0.01	0.95	0.01
$\mathbf{sa}$	0.21	0.00	0.46	0.04	0.67	0.04
ea-1p1	0.32	0.01	0.52	0.01	0.84	0.01
ea-1p10	0.33	0.00	0.52	0.00	0.86	0.00
ea-10p1	0.40	0.01	0.67	0.01	1.06	0.01
ea-1c10	0.29	0.00	0.60	0.01	0.89	0.01
ga	1.21	0.00	0.84	0.01	2.04	0.01
pbil	1.27	0.00	0.58	0.01	1.86	0.01
umda	1.25	0.01	0.52	0.01	1.77	0.01




Figure 3: leading-ones

# 5 Function ridge

algorithm	cache lookup ratio								
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk			
rls	0.139	0.143	0.145	0.147	0.150	10			
hc	0.626	0.636	0.639	0.648	0.648	7			
sa	0.925	0.930	0.933	0.936	0.953	1			
ea-1p1	0.829	0.831	0.832	0.833	0.836	3			
ea-1p10	0.826	0.829	0.830	0.832	0.834	4			
ea-10p1	0.558	0.571	0.576	0.582	0.600	8			
ea-1c10	0.716	0.717	0.721	0.723	0.728	5			
ga	0.368	0.371	0.374	0.375	0.378	9			
pbil	0.693	0.693	0.694	0.695	0.696	6			
$\frac{1}{\text{umda}}$	0.846	0.849	0.850	0.851	0.856	2			

algorithm	algo. t	go. time (s) eval. time (s)		ime (s)	total time (s	
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.73	0.01	0.94	0.01
hc	0.18	0.00	0.59	0.01	0.77	0.01
sa	0.22	0.01	0.45	0.00	0.68	0.01
ea-1p1	0.32	0.01	0.53	0.00	0.85	0.01
ea-1p10	0.33	0.00	0.53	0.00	0.86	0.01
ea-10p1	0.40	0.01	0.63	0.01	1.03	0.01
ea-1c10	0.29	0.00	0.54	0.00	0.83	0.00
ga	1.20	0.00	0.70	0.01	1.90	0.01
pbil	1.26	0.00	0.55	0.00	1.81	0.00
umda	1.24	0.00	0.52	0.01	1.76	0.01




Figure 4: ridge

# 6 Function jmp-5

algorithm	hm cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.088	0.089	0.089	0.090	0.090	7		
hc	0.019	0.019	0.019	0.019	0.019	8		
sa	0.785	0.787	0.790	0.791	0.794	1		
ea-1p1	0.100	0.103	0.103	0.104	0.105	6		
ea-1p10	0.101	0.103	0.103	0.104	0.107	5		
ea-10p1	0.012	0.013	0.013	0.013	0.013	9		
ea-1c10	0.507	0.512	0.514	0.516	0.520	$^{2}$		
ga	0.004	0.004	0.004	0.004	0.004	10		
pbil	0.189	0.318	0.355	0.400	0.536	3		
$\frac{1}{u$ mda	0.159	0.174	0.181	0.188	0.210	4		

algorithm	algo. t	ime (s)	eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.74	0.01	0.95	0.01
hc	0.18	0.00	0.74	0.01	0.92	0.01
$\mathbf{sa}$	0.22	0.01	0.50	0.00	0.72	0.01
ea-1p1	0.32	0.01	0.75	0.01	1.08	0.02
ea-1p10	0.34	0.00	0.75	0.01	1.09	0.01
ea-10p1	0.42	0.01	0.79	0.01	1.21	0.02
ea-1c10	0.29	0.00	0.59	0.00	0.88	0.01
ga	1.20	0.00	0.80	0.01	1.99	0.01
pbil	1.30	0.01	0.68	0.03	1.99	0.03
umda	1.28	0.01	0.74	0.01	2.02	0.01




Figure 5: jmp-5

# 7 Function jmp-10

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.086	0.086	0.086	0.087	0.087	$\overline{4}$		
hc	0.019	0.019	0.019	0.019	0.019	8		
sa	0.782	0.786	0.789	0.791	0.794	1		
ea-1p1	0.057	0.058	0.058	0.059	0.060	7		
ea-1p10	0.058	0.059	0.059	0.060	0.061	6		
ea-10p1	0.009	0.010	0.010	0.010	0.010	9		
ea-1c10	0.467	0.470	0.471	0.472	0.476	2		
ga	0.003	0.003	0.003	0.004	0.004	10		
pbil	0.179	0.217	0.266	0.288	0.323	3		
$\frac{1}{1}$	0.065	0.071	0.075	0.077	0.082	5		

algorithm	algo. t	algo. time (s)		eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.	
rls	0.22	0.00	0.74	0.01	0.96	0.01	
hc	0.18	0.00	0.74	0.01	0.92	0.01	
sa	0.21	0.00	0.50	0.00	0.71	0.00	
ea-1p1	0.33	0.01	0.76	0.01	1.09	0.02	
ea-1p10	0.34	0.00	0.75	0.01	1.09	0.01	
ea-10p1	0.42	0.01	0.79	0.01	1.22	0.02	
ea-1c10	0.29	0.00	0.60	0.01	0.89	0.01	
ga	1.20	0.00	0.81	0.01	2.01	0.01	
pbil	1.33	0.01	0.73	0.03	2.06	0.03	
umda	1.30	0.00	0.76	0.01	2.05	0.01	




Figure 6: jmp-10

# 8 Function djmp-5

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.088	0.089	0.090	0.090	0.090	7		
hc	0.019	0.019	0.019	0.019	0.019	8		
sa	0.781	0.786	0.789	0.790	0.796	1		
ea-1p1	0.100	0.102	0.103	0.104	0.106	6		
ea-1p10	0.100	0.102	0.103	0.103	0.107	5		
ea-10p1	0.012	0.013	0.013	0.013	0.013	9		
ea-1c10	0.511	0.512	0.514	0.515	0.519	2		
ga	0.004	0.004	0.004	0.004	0.005	10		
pbil	0.233	0.290	0.340	0.395	0.451	3		
$\operatorname{umda}$	0.168	0.180	0.184	0.198	0.208	4		

algorithm	algo. t	ime (s)	eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.74	0.01	0.95	0.01
hc	0.18	0.00	0.74	0.01	0.92	0.01
$\mathbf{sa}$	0.22	0.00	0.50	0.00	0.72	0.00
ea-1p1	0.32	0.01	0.75	0.01	1.07	0.01
ea-1p10	0.34	0.00	0.75	0.00	1.09	0.01
ea-10p1	0.42	0.01	0.79	0.01	1.21	0.02
ea-1c10	0.29	0.00	0.60	0.01	0.89	0.01
ga	1.20	0.00	0.80	0.01	1.99	0.01
pbil	1.30	0.01	0.70	0.03	2.00	0.04
umda	1.28	0.01	0.73	0.01	2.02	0.01




Figure 7: djmp-5

# 9 Function djmp-10

algorithm	cache lookup ratio						
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk	
rls	0.085	0.086	0.086	0.086	0.087	$\overline{4}$	
hc	0.019	0.019	0.019	0.019	0.019	8	
sa	0.783	0.787	0.789	0.791	0.796	1	
ea-1p1	0.057	0.058	0.058	0.059	0.060	7	
ea-1p10	0.058	0.059	0.059	0.059	0.060	6	
ea-10p1	0.009	0.010	0.010	0.010	0.010	9	
ea-1c10	0.469	0.470	0.471	0.472	0.474	$^{2}$	
ga	0.003	0.003	0.003	0.004	0.004	10	
pbil	0.154	0.217	0.296	0.331	0.413	3	
$\operatorname{umda}$	0.067	0.071	0.074	0.079	0.087	5	

algorithm	algo. time (s)		eval. t	eval. time (s)		me (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.22	0.00	0.74	0.01	0.96	0.01
hc	0.18	0.00	0.74	0.01	0.93	0.01
$\mathbf{sa}$	0.22	0.00	0.50	0.00	0.72	0.00
ea-1p1	0.33	0.01	0.76	0.01	1.09	0.01
ea-1p10	0.34	0.00	0.76	0.01	1.10	0.01
ea-10p1	0.42	0.01	0.79	0.01	1.21	0.02
ea-1c10	0.29	0.00	0.60	0.00	0.89	0.01
ga	1.20	0.00	0.80	0.01	2.00	0.01
pbil	1.33	0.01	0.72	0.04	2.05	0.04
umda	1.30	0.00	0.76	0.01	2.06	0.01




Figure 8: djmp-10

# 10 Function fp-5

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.039	0.040	0.041	0.043	0.046	9		
hc	0.066	0.068	0.069	0.071	0.074	8		
sa	0.784	0.983	0.985	0.986	0.991	1		
ea-1p1	0.848	0.850	0.851	0.853	0.856	4		
ea-1p10	0.844	0.850	0.852	0.853	0.855	3		
ea-10p1	0.496	0.505	0.516	0.527	0.554	7		
ea-1c10	0.563	0.600	0.616	0.621	0.659	6		
ga	0.007	0.007	0.008	0.008	0.008	10		
pbil	0.653	0.669	0.672	0.679	0.687	5		
$\overline{\mathrm{umda}}$	0.868	0.874	0.877	0.880	0.887	2		

algorithm	algo. time (s)		eval. ti	eval. time (s)		me (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.20	0.01	0.77	0.01	0.97	0.01
hc	0.18	0.00	0.75	0.01	0.93	0.01
$\mathbf{sa}$	0.21	0.00	0.45	0.02	0.66	0.02
ea-1p1	0.32	0.01	0.52	0.00	0.84	0.01
ea-1p10	0.33	0.00	0.52	0.00	0.86	0.01
ea-10p1	0.41	0.01	0.66	0.01	1.07	0.01
ea-1c10	0.29	0.00	0.59	0.01	0.88	0.01
ga	1.21	0.01	0.82	0.02	2.03	0.03
pbil	1.28	0.00	0.58	0.01	1.85	0.01
umda	1.24	0.00	0.52	0.01	1.76	0.01




Figure 9: fp-5

# 11 Function fp-10

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.036	0.038	0.039	0.040	0.042	9		
hc	0.065	0.070	0.071	0.074	0.079	8		
sa	0.454	0.984	0.985	0.988	0.990	1		
ea-1p1	0.842	0.851	0.852	0.853	0.854	3		
ea-1p10	0.842	0.849	0.851	0.853	0.856	4		
ea-10p1	0.464	0.505	0.520	0.528	0.541	7		
ea-1c10	0.559	0.592	0.603	0.621	0.646	6		
ga	0.007	0.007	0.008	0.008	0.008	10		
pbil	0.662	0.682	0.687	0.693	0.706	5		
$\operatorname{umda}$	0.862	0.877	0.879	0.884	0.891	2		

algorithm	algo. t	ime (s)	eval. t	eval. time (s)		me (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.20	0.00	0.77	0.01	0.97	0.01
hc	0.18	0.00	0.75	0.00	0.93	0.01
$\mathbf{sa}$	0.21	0.00	0.45	0.03	0.66	0.03
ea-1p1	0.32	0.01	0.53	0.01	0.84	0.01
ea-1p10	0.33	0.00	0.52	0.00	0.86	0.00
ea-10p1	0.40	0.01	0.66	0.01	1.07	0.02
ea-1c10	0.29	0.00	0.59	0.02	0.88	0.02
ga	1.21	0.00	0.84	0.02	2.05	0.02
pbil	1.28	0.00	0.57	0.01	1.85	0.01
umda	1.24	0.00	0.52	0.01	1.76	0.01




Figure 10: fp-10

#### 12 Function nk

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.101	0.102	0.102	0.103	0.104	8		
hc	0.019	0.019	0.019	0.019	0.019	10		
sa	0.854	0.864	0.878	0.893	0.948	2		
ea-1p1	0.796	0.831	0.844	0.853	0.864	3		
ea-1p10	0.792	0.828	0.838	0.856	0.861	4		
ea-10p1	0.626	0.656	0.682	0.702	0.735	7		
ea-1c10	0.690	0.701	0.714	0.740	0.778	6		
ga	0.017	0.027	0.030	0.042	0.070	9		
pbil	0.749	0.774	0.781	0.785	0.790	5		
$\operatorname{umda}$	0.866	0.883	0.899	0.900	0.901	1		

algorithm	algo. time (s)		eval. t	eval. time (s)		ime (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.22	0.00	1.20	0.01	1.42	0.01
hc	0.19	0.00	1.22	0.01	1.40	0.02
$\mathbf{sa}$	0.22	0.00	0.54	0.02	0.76	0.02
ea-1p1	0.32	0.01	0.63	0.01	0.95	0.01
ea-1p10	0.34	0.00	0.63	0.02	0.97	0.02
ea-10p1	0.41	0.01	0.80	0.03	1.20	0.03
ea-1c10	0.30	0.00	0.69	0.02	0.98	0.02
ga	1.22	0.00	1.40	0.02	2.62	0.02
pbil	1.27	0.00	0.74	0.01	2.01	0.02
umda	1.25	0.01	0.60	0.01	1.84	0.01




Figure 11: nk

#### 13 Function max-sat

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.096	0.097	0.098	0.099	0.100	8		
hc	0.019	0.019	0.019	0.019	0.019	10		
sa	0.584	0.775	0.784	0.790	0.800	2		
ea-1p1	0.525	0.660	0.765	0.804	0.846	3		
ea-1p10	0.526	0.611	0.750	0.792	0.846	4		
ea-10p1	0.041	0.095	0.152	0.191	0.226	7		
ea-1c10	0.614	0.657	0.681	0.720	0.776	6		
ga	0.021	0.023	0.029	0.072	0.091	9		
pbil	0.694	0.722	0.732	0.757	0.771	5		
umda	0.719	0.744	0.787	0.829	0.886	1		

algorithm	algo. time (s)		eval. t	eval. time (s)		ime (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.22	0.01	4.13	0.07	4.35	0.07
hc	0.19	0.00	4.01	0.04	4.20	0.05
$\mathbf{sa}$	0.22	0.00	1.29	0.15	1.51	0.15
ea-1p1	0.33	0.01	1.68	0.36	2.00	0.36
ea-1p10	0.35	0.00	1.74	0.38	2.09	0.38
ea-10p1	0.44	0.01	4.39	0.19	4.82	0.19
ea-1c10	0.30	0.00	1.70	0.14	2.01	0.14
ga	1.22	0.00	5.04	0.11	6.26	0.11
pbil	1.28	0.01	1.86	0.09	3.14	0.10
umda	1.26	0.00	1.45	0.22	2.72	0.22




Figure 12: max-sat

#### 14 Function labs

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.117	0.118	0.118	0.119	0.120	8		
hc	0.018	0.018	0.018	0.018	0.018	9		
sa	0.946	0.955	0.965	0.971	0.998	1		
ea-1p1	0.828	0.843	0.851	0.856	0.864	4		
ea-1p10	0.799	0.841	0.853	0.859	0.865	3		
ea-10p1	0.637	0.675	0.689	0.699	0.712	5		
ea-1c10	0.650	0.664	0.670	0.677	0.709	6		
ga	0.013	0.015	0.017	0.021	0.054	10		
pbil	0.515	0.537	0.547	0.561	0.584	7		
$\frac{1}{u$ mda	0.879	0.896	0.899	0.901	0.901	2		

algorithm	algo. time (s)		eval. t	eval. time (s)		ime (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	3.32	0.01	3.53	0.01
hc	0.18	0.00	3.64	0.01	3.81	0.01
$\mathbf{sa}$	0.21	0.00	0.55	0.04	0.77	0.04
ea-1p1	0.31	0.01	0.95	0.03	1.27	0.04
ea-1p10	0.33	0.00	0.96	0.05	1.29	0.05
ea-10p1	0.39	0.01	1.50	0.07	1.89	0.07
ea-1c10	0.29	0.00	1.49	0.04	1.78	0.04
ga	1.19	0.00	3.68	0.03	4.87	0.03
pbil	1.31	0.00	1.96	0.07	3.27	0.07
umda	1.24	0.00	0.81	0.02	2.05	0.02




Figure 13: labs

#### 15 Function ep

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.152	0.153	0.153	0.153	0.154	7		
hc	0.013	0.013	0.013	0.013	0.013	9		
sa	0.585	0.631	0.653	0.677	0.702	4		
ea-1p1	0.803	0.828	0.843	0.849	0.861	2		
ea-1p10	0.811	0.826	0.838	0.850	0.864	3		
ea-10p1	0.579	0.595	0.601	0.611	0.627	6		
ea-1c10	0.605	0.610	0.612	0.616	0.622	5		
ga	0.005	0.005	0.005	0.005	0.005	10		
pbil	0.005	0.045	0.070	0.105	0.144	8		
$\operatorname{umda}$	0.838	0.849	0.873	0.884	0.900	1		

algorithm	algo. time (s)		eval. ti	eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.	
rls	0.24	0.01	0.77	0.01	1.01	0.01	
hc	0.19	0.00	0.80	0.01	0.98	0.01	
$\mathbf{sa}$	0.22	0.01	0.57	0.02	0.78	0.02	
ea-1p1	0.32	0.01	0.54	0.01	0.85	0.01	
ea-1p10	0.34	0.00	0.53	0.01	0.87	0.01	
ea-10p1	0.40	0.01	0.65	0.00	1.05	0.01	
ea-1c10	0.29	0.00	0.59	0.00	0.88	0.00	
ga	1.21	0.00	0.93	0.01	2.14	0.01	
pbil	1.39	0.01	0.93	0.02	2.32	0.03	
$\operatorname{umda}$	1.24	0.00	0.53	0.02	1.77	0.02	




Figure 14: ep

#### 16 Function cancel

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.092	0.093	0.093	0.094	0.095	 8		
hc	0.018	0.018	0.018	0.018	0.018	9		
sa	0.587	0.686	0.708	0.718	0.751	3		
ea-1p1	0.548	0.658	0.709	0.744	0.793	$^{2}$		
ea-1p10	0.626	0.661	0.697	0.712	0.854	4		
ea-10p1	0.359	0.419	0.463	0.499	0.580	7		
ea-1c10	0.591	0.600	0.608	0.615	0.631	6		
ga	0.006	0.006	0.007	0.007	0.007	10		
pbil	0.596	0.614	0.634	0.642	0.661	5		
$\overline{umda}$	0.809	0.835	0.846	0.865	0.882	1		

algorithm	algo. time (s)		eval. t	eval. time (s)		ime (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.78	0.01	0.99	0.01
hc	0.18	0.00	0.79	0.01	0.97	0.01
$\mathbf{sa}$	0.22	0.01	0.54	0.01	0.76	0.02
ea-1p1	0.32	0.01	0.57	0.02	0.88	0.03
ea-1p10	0.34	0.00	0.56	0.02	0.90	0.01
ea-10p1	0.41	0.01	0.68	0.01	1.09	0.02
ea-1c10	0.29	0.00	0.58	0.00	0.88	0.00
ga	1.20	0.00	0.84	0.01	2.04	0.01
pbil	1.28	0.01	0.63	0.02	1.91	0.02
umda	1.23	0.00	0.52	0.01	1.76	0.01




Figure 15: cancel

#### 17 Function trap

algorithm	cache lookup ratio							
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk		
rls	0.133	0.137	0.139	0.140	0.144	9		
hc	0.043	0.044	0.045	0.046	0.047	10		
sa	0.896	0.898	0.900	0.902	0.905	2		
ea-1p1	0.863	0.864	0.864	0.865	0.866	3		
ea-1p10	0.863	0.864	0.864	0.865	0.865	4		
ea-10p1	0.142	0.144	0.146	0.146	0.148	8		
ea-1c10	0.853	0.856	0.857	0.859	0.864	5		
ga	0.370	0.373	0.377	0.378	0.381	7		
pbil	0.854	0.855	0.855	0.856	0.857	6		
$\operatorname{umda}$	0.904	0.904	0.904	0.905	0.905	1		

algorithm	algo. time (s)		eval. t	eval. time (s)		me (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.21	0.00	0.76	0.01	0.97	0.01
hc	0.18	0.00	0.78	0.01	0.96	0.01
$\mathbf{sa}$	0.21	0.00	0.48	0.00	0.70	0.00
ea-1p1	0.31	0.00	0.52	0.00	0.84	0.00
ea-1p10	0.33	0.00	0.52	0.00	0.86	0.00
ea-10p1	0.41	0.01	0.80	0.01	1.21	0.01
ea-1c10	0.29	0.00	0.52	0.01	0.80	0.01
ga	1.19	0.00	0.72	0.01	1.91	0.01
pbil	1.26	0.00	0.52	0.00	1.78	0.01
umda	1.24	0.00	0.51	0.01	1.75	0.01




Figure 16: trap

#### 18 Function hiff

algorithm	cache lookup ratio					
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk
rls	0.084	0.084	0.085	0.085	0.086	 8
hc	0.015	0.015	0.015	0.015	0.015	9
sa	0.945	0.956	0.962	0.965	0.978	1
ea-1p1	0.792	0.811	0.817	0.819	0.833	4
ea-1p10	0.802	0.815	0.821	0.831	0.842	3
ea-10p1	0.237	0.255	0.270	0.301	0.328	7
ea-1c10	0.624	0.634	0.637	0.642	0.651	6
ga	0.005	0.006	0.007	0.011	0.040	10
pbil	0.750	0.759	0.765	0.769	0.780	5
$\operatorname{umda}$	0.820	0.857	0.864	0.867	0.890	2

algorithm	algo. time (s)		eval. t	eval. time (s)		ime (s)
	mean	dev.	mean	dev.	mean	dev.
rls	0.22	0.00	0.99	0.01	1.21	0.01
hc	0.18	0.00	1.03	0.01	1.21	0.01
$\mathbf{sa}$	0.22	0.00	0.53	0.01	0.75	0.01
ea-1p1	0.32	0.01	0.66	0.01	0.97	0.01
ea-1p10	0.33	0.00	0.65	0.01	0.99	0.01
ea-10p1	0.41	0.01	1.03	0.03	1.44	0.03
ea-1c10	0.29	0.00	0.73	0.02	1.03	0.02
ga	1.37	0.00	1.23	0.02	2.60	0.02
pbil	1.57	0.01	0.71	0.01	2.29	0.02
umda	1.54	0.01	0.63	0.02	2.17	0.02




Figure 17: hiff

#### 19 Function plateau

algorithm	cache lookup ratio						
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk	
rls	0.142	0.145	0.146	0.148	0.151	8	
hc	0.044	0.046	0.046	0.047	0.048	10	
sa	0.919	0.922	0.926	0.930	0.937	1	
ea-1p1	0.596	0.620	0.635	0.643	0.746	5	
ea-1p10	0.599	0.614	0.632	0.647	0.674	6	
ea-10p1	0.137	0.138	0.138	0.139	0.141	9	
ea-1c10	0.803	0.810	0.813	0.816	0.822	4	
ga	0.364	0.371	0.374	0.375	0.384	7	
pbil	0.840	0.847	0.851	0.851	0.853	2	
$\frac{1}{1}$ umda	0.799	0.829	0.835	0.849	0.874	3	

algorithm	algo. time (s)		eval. t	eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.	
rls	0.21	0.00	0.74	0.01	0.95	0.01	
hc	0.18	0.00	0.75	0.01	0.93	0.01	
$\mathbf{sa}$	0.21	0.00	0.47	0.01	0.68	0.01	
ea-1p1	0.32	0.01	0.60	0.02	0.91	0.02	
ea-1p10	0.34	0.00	0.59	0.01	0.93	0.01	
ea-10p1	0.42	0.01	0.78	0.00	1.20	0.01	
ea-1c10	0.29	0.00	0.53	0.00	0.82	0.00	
ga	1.20	0.00	0.70	0.01	1.90	0.01	
pbil	1.26	0.00	0.53	0.01	1.78	0.01	
umda	1.24	0.00	0.52	0.01	1.76	0.01	




Figure 18: plateau

algorithm	cache lookup ratio						
	min	$Q_1$	$\operatorname{med}$ .	$Q_3$	max	rk	
rls	0.095	0.096	0.097	0.097	0.099	8	
hc	0.019	0.019	0.019	0.019	0.019	10	
sa	0.844	0.864	0.872	0.879	0.903	$^{2}$	
ea-1p1	0.816	0.852	0.862	0.863	0.865	3	
ea-1p10	0.819	0.851	0.856	0.861	0.863	4	
ea-10p1	0.602	0.702	0.713	0.727	0.735	7	
ea-1c10	0.710	0.733	0.757	0.787	0.839	6	
ga	0.030	0.038	0.047	0.063	0.096	9	
pbil	0.732	0.772	0.779	0.785	0.805	5	
$\operatorname{umda}$	0.883	0.896	0.897	0.899	0.901	1	

algorithm	algo. time (s)		eval. time (s)		total time (s)	
	mean	dev.	mean	dev.	mean	dev.
rls	0.22	0.00	3.35	0.02	3.57	0.02
hc	0.19	0.00	3.51	0.05	3.70	0.05
$\mathbf{sa}$	0.22	0.00	0.87	0.05	1.10	0.05
ea-1p1	0.32	0.00	1.01	0.04	1.33	0.04
ea-1p10	0.35	0.01	1.04	0.04	1.39	0.04
ea-10p1	0.41	0.01	1.61	0.11	2.02	0.11
ea-1c10	0.31	0.00	1.30	0.11	1.60	0.11
ga	1.23	0.01	4.05	0.08	5.28	0.08
pbil	1.28	0.01	1.38	0.06	2.66	0.07
umda	1.23	0.07	0.84	0.04	2.07	0.11




Figure 19: walsh2

#### A Plan

```
"opt": "-F 0",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "lin",
    "opt": "-F 1 -p instances/lin.100",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "leading-ones",
    "opt": "-F 10",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "ridge",
    "opt": "-F 11",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "jmp-5",
    "opt": "-F 30 -t 5",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "jmp-10",
    "opt": "-F 30 -t 10",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "djmp-5",
    "opt": "-F 31 -t 5",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "djmp-10",
    "opt": "-F 31 -t 10",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "fp-5",
    "opt": "-F 40 -t 5",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
{
    "id": "fp-10",
```

```
"opt": "-F 40 -t 10",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "nk",
    "opt": "-F 60 -p instances/nk.100.4",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "max-sat",
    "opt": "-F 70 -p instances/ms.100.3.1000",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "labs",
    "opt": "-F 81",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "ep",
    "opt": "-F 90 -p instances/ep.100",
    "reverse": true,
    "logscale": true,
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "cancel",
    "opt": "-F 100 -s 99",
    "reverse": true,
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "trap",
    "opt": "-F 110 --fn-num-traps 10",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "hiff",
    "opt": "-F 120 -s 128",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "plateau",
    "opt": "-F 130",
    "rounding": {
        "value": { "before": 1, "after": 3 },
        "time": { "before": 1, "after": 2 } }
```

```
},
    {
        "id": "walsh2",
        "opt": "-F 162 -p instances/walsh2.100",
        "rounding": {
            "value": { "before": 1, "after": 3 },
            "time": { "before": 1, "after": 2 } }
    }
],
"algorithms": [
        "id": "rls",
        "opt": "-A 100 --restart"
    },
    {
        "id": "hc",
        "opt": "-A 150 --restart"
    },
        "id": "sa",
        "opt": "-A 200 --sa-beta-ratio 1.05 --sa-num-trials 10"
    },
        "id": "ea-1p1",
        "opt": "-A 300"
    },
        "id": "ea-1p10",
        "opt": "-A 310 --ea-mu 1 --ea-lambda 10"
    },
        "id": "ea-10p1",
        "opt": "-A 310 --ea-mu 10 --ea-lambda 1"
    },
        "id": "ea-1c10",
        "opt": "-A 320 --ea-mu 1 --ea-lambda 10 --allow-stay"
    },
        "id": "ga",
        "opt": "-A 400 --ea-mu 100"
    },
        "id": "pbil",
        "opt": "-A 500 -r 5e-3"
    },
    {
        "id": "umda",
        "opt": "-A 600 -x 100 -y 10"
    }
]
```

#### B Default parameters

```
# algorithm = 100
# bm_mc_reset_strategy = 1
# bm_num_gs_cycles = 1
# bm_num_gs_steps = 100
# bm_sampling = 1
# budget = 10000
# bv_size = 100
```

}

```
\# ea_lambda = 100
\# ea_mu = 10
# fn_name = noname
# fn_num_traps = 10
# fn_prefix_length = 2
# fn_threshold = 10
# function = 0
# ga_crossover_bias = 0.5
# ga_crossover_probability = 0.5
# ga_tournament_size = 10
# hea_bit_herding = 0
# hea_num_seq_updates = 100
# hea_reset_period = 0
# hea_sampling_method = 0
# hea_weight = 1
# learning_rate = 0.001
# map = 0
# map_input_size = 100
# map_path = nopath
# mutation_probability = 1
# neighborhood = 0
# neighborhood_iterator = 0
# noise_stddev = 1
# num_iterations = 0
# num_threads = 1
# path = nopath
# pn_mutation_probability = 1
# pn_neighborhood = 0
# pn_radius = 2
# population_size = 10
# pv_log_num_components = 5
# radius = 2
# results_path = results.json
# rls_patience = 50
# sa_beta_ratio = 1.2
# sa_initial_acceptance_probability = 0.6
# sa_num_transitions = 50
# sa_num_trials = 100
\# seed = 0
# selection_size = 1
# target = 100
# print_defaults
# last_parameter
# exec_name = hnco
\# version = 0.11
# Generated from hnco.json
```