# HNCO Fixed-budget analysis

#### September 11, 2021

#### Contents


1	Global results	2
2	Function one-max	3
3	Function lin	5
4	Function leading-ones	7
5	Function ridge	9
6	Function jmp-5	11
7	Function jmp-10	13
8	Function djmp-5	<b>15</b>
9	Function djmp-10	17
10	Function fp-5	19
11	Function fp-10	21
<b>12</b>	Function nk	23
13	Function max-sat	<b>25</b>
14	Function labs	<b>27</b>
<b>15</b>	Function ep	29
16	Function cancel	31
17	Function trap	33
18	Function hiff	35
19	Function plateau	37
20	Function walsh2	39
A	Plan	40
В	Default parameters	43

#### 1 Global results

Algorithm	Rank	:			
	min	$Q_1$	med.	$Q_3$	max
pbil	1	1	1	7	10
sa	1	1	2	3	10
rls	1	2	2	5	10
ga	1	1	3	4	10
hc	1	1	4	5	10
ea-1p1	1	1	4	7	9
umda	1	1	4	7	10
ea-10p1	1	1	4	4	6
ea-1c10	1	2	4	4	8
ea-1p10	1	2	4	8	9

#### 2 Function one-max


Algorithm	Value							
	min	$Q_1$	med.	$Q_3$	max			
rls	100	100	100	100	100			
hc	100	100	100	100	100			
sa	100	100	100	100	100			
ea-1p1	100	100	100	100	100			
ea-1p10	100	100	100	100	100			
ea-10p1	100	100	100	100	100			
ea-1c10	100	100	100	100	100			
ga	100	100	100	100	100			
pbil	100	100	100	100	100			
umda	100	100	100	100	100			



Algorithm	Time (s)							
	algorit	hm	evalua	tion	total			
	mean	dev.	mean	dev.	mean	dev.		
ea-1p1	0.00	0.00	0.00	0.00	0.00	0.00		
ea-1p10	0.00	0.00	0.00	0.00	0.00	0.00		
ea-1c10	0.00	0.00	0.00	0.00	0.00	0.00		
rls	0.00	0.00	0.00	0.00	0.00	0.00		
hc	0.00	0.00	0.00	0.00	0.00	0.00		
umda	0.00	0.00	0.00	0.00	0.00	0.00		
ea-10p1	0.00	0.00	0.00	0.00	0.01	0.00		
sa	0.00	0.00	0.00	0.00	0.01	0.00		
ga	0.01	0.00	0.00	0.00	0.01	0.00		
pbil	0.04	0.00	0.01	0.00	0.04	0.00		

#### 3 Function lin


Algorithm	Value				
	min	$Q_1$	med.	$Q_3$	max
rls	45.03	45.03	45.03	45.03	45.03
hc	45.03	45.03	45.03	45.03	45.03
sa	45.03	45.03	45.03	45.03	45.03
ea-1p1	45.03	45.03	45.03	45.03	45.03
ea-1p10	45.03	45.03	45.03	45.03	45.03
ea-10p1	45.03	45.03	45.03	45.03	45.03
ea-1c10	45.03	45.03	45.03	45.03	45.03
ga	45.03	45.03	45.03	45.03	45.03
pbil	45.03	45.03	45.03	45.03	45.03
umda	45.03	45.03	45.03	45.03	45.03



Algorithm	Time (	$(\mathbf{s})$				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
ea-1p1	0.00	0.00	0.00	0.00	0.00	0.00
ea-1p10	0.00	0.00	0.00	0.00	0.00	0.00
ea-1c10	0.00	0.00	0.00	0.00	0.00	0.00
rls	0.00	0.00	0.00	0.00	0.00	0.00
hc	0.00	0.00	0.00	0.00	0.00	0.00
ea-10p1	0.00	0.00	0.00	0.00	0.01	0.00
umda	0.00	0.00	0.00	0.00	0.00	0.00
sa	0.01	0.00	0.01	0.00	0.02	0.00
ga	0.03	0.02	0.01	0.01	0.04	0.03
pbil	0.05	0.00	0.01	0.00	0.06	0.00

### 4 Function leading-ones


Algorithm	Value							
	min	$Q_1$	med.	$Q_3$	max			
rls	100	100	100	100	100			
hc	100	100	100	100	100			
sa	100	100	100	100	100			
ea-1p1	100	100	100	100	100			
ea-1p10	100	100	100	100	100			
ea-10p1	100	100	100	100	100			
ea-1c10	100	100	100	100	100			
pbil	100	100	100	100	100			
umda	100	100	100	100	100			
ga	94	95	97	98	100			



Algorithm	Time (s)									
	algorit	hm	evalua	tion	total					
	mean	dev.	mean	dev.	mean	dev.				
hc	0.00	0.00	0.00	0.00	0.00	0.00				
ea-1p10	0.00	0.00	0.00	0.00	0.01	0.00				
ea-1p1	0.00	0.00	0.00	0.00	0.01	0.00				
ea-1c10	0.00	0.00	0.00	0.00	0.01	0.00				
rls	0.01	0.01	0.01	0.01	0.02	0.02				
sa	0.01	0.02	0.01	0.02	0.02	0.04				
ea-10p1	0.02	0.00	0.02	0.00	0.04	0.01				
umda	0.03	0.00	0.00	0.00	0.03	0.00				
pbil	0.18	0.01	0.03	0.00	0.21	0.01				
ga	0.55	0.17	0.11	0.03	0.66	0.20				

### 5 Function ridge


Algorithm	Value	9			
	min	$Q_1$	med.	$Q_3$	max
hc	200	200	200	200	200
sa	<b>200</b>	200	200	<b>200</b>	200
ea-1p1	<b>200</b>	200	200	<b>200</b>	200
ea-1p10	<b>200</b>	200	200	<b>200</b>	200
ea-10p1	<b>200</b>	200	200	<b>200</b>	200
umda	<b>200</b>	200	200	200	200
pbil	153	154	154	155	156
ea-1c10	122	123	125	127	138
rls	103	104	105	106	110
ga	102	102	103	103	104



Algorithm	Time (s)							
	algorit	hm	evalua	tion	total			
	mean	dev.	mean	dev.	mean	dev.		
hc	0.00	0.00	0.01	0.00	0.01	0.00		
sa	0.01	0.00	0.01	0.00	0.02	0.00		
ea-1p1	0.01	0.00	0.01	0.00	0.02	0.00		
ea-1p10	0.01	0.00	0.01	0.00	0.02	0.00		
rls	0.09	0.00	0.11	0.00	0.21	0.00		
ea-10p1	0.10	0.01	0.07	0.01	0.17	0.02		
umda	0.11	0.01	0.02	0.00	0.13	0.01		
ea-1c10	0.13	0.00	0.12	0.00	0.25	0.01		
ga	0.61	0.01	0.12	0.00	0.73	0.01		
pbil	0.66	0.01	0.13	0.00	0.79	0.01		

### 6 Function jmp-5


Algorithm	Value							
	min	$Q_1$	med.	$Q_3$	max			
ga	100	100	100	100	100			
pbil	100	100	100	100	100			
umda	100	100	100	100	100			
rls	95	95	95	95	95			
hc	95	95	95	95	95			
sa	95	95	95	95	95			
ea-1p1	95	95	95	95	95			
ea-1p10	95	95	95	95	95			
ea-10p1	95	95	95	95	95			
ea-1c10	95	95	95	95	95			



Algorithm	Time (s)							
	algorit	hm	evalua	tion	total			
	mean	dev.	mean	dev.	mean	dev.		
pbil	0.04	0.00	0.01	0.00	0.05	0.00		
umda	0.08	0.07	0.01	0.01	0.09	0.08		
hc	0.08	0.00	0.11	0.00	0.19	0.00		
rls	0.09	0.00	0.11	0.00	0.20	0.00		
sa	0.10	0.00	0.11	0.00	0.21	0.00		
ea-1c10	0.13	0.00	0.11	0.00	0.24	0.00		
ea-1p1	0.14	0.00	0.11	0.00	0.25	0.01		
ea-1p10	0.15	0.00	0.11	0.00	0.26	0.01		
ea-10p1	0.17	0.00	0.11	0.00	0.29	0.01		
ga	0.18	0.14	0.03	0.03	0.21	0.16		

### 7 Function jmp-10


Algorithm	Value	9			
	min	$Q_1$	med.	$Q_3$	max
pbil	90	90	100	100	100
rls	90	90	90	90	90
hc	90	90	90	90	90
sa	90	90	90	90	90
ea-1p1	90	90	90	90	90
ea-1p10	90	90	90	90	90
ea-10p1	90	90	90	90	90
ea-1c10	90	90	90	90	90
ga	90	90	90	90	90
umda	90	90	90	90	90



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
hc	0.08	0.00	0.11	0.00	0.19	0.00
rls	0.09	0.00	0.11	0.00	0.20	0.00
sa	0.10	0.00	0.11	0.00	0.21	0.00
ea-1c10	0.13	0.00	0.11	0.00	0.24	0.01
ea-1p1	0.14	0.00	0.11	0.00	0.25	0.01
ea-1p10	0.15	0.00	0.11	0.00	0.26	0.00
ea-10p1	0.17	0.00	0.11	0.00	0.29	0.01
pbil	0.38	0.30	0.06	0.05	0.44	0.34
ga	0.61	0.01	0.11	0.00	0.72	0.01
umda	0.68	0.01	0.11	0.00	0.79	0.01

## 8 Function djmp-5


Algorithm	Value						
	min	$Q_1$	med.	$Q_3$	max		
pbil	105	105	105	105	105		
umda	105	105	105	105	105		
ga	100	105	105	105	105		
rls	100	100	100	100	100		
hc	100	100	100	100	100		
sa	100	100	100	100	100		
ea-1p1	100	100	100	100	100		
ea-1p10	100	100	100	100	100		
ea-10p1	100	100	100	100	100		
ea-1c10	100	100	100	100	100		



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
pbil	0.04	0.00	0.01	0.00	0.05	0.00
umda	0.07	0.09	0.01	0.02	0.08	0.11
hc	0.08	0.00	0.11	0.00	0.19	0.00
rls	0.09	0.00	0.11	0.00	0.21	0.01
sa	0.10	0.00	0.11	0.00	0.21	0.01
ea-1c10	0.13	0.00	0.11	0.00	0.24	0.00
ea-1p1	0.14	0.00	0.11	0.00	0.25	0.01
ea-1p10	0.15	0.00	0.11	0.00	0.26	0.01
ea-10p1	0.17	0.00	0.11	0.00	0.29	0.01
ga	0.20	0.17	0.04	0.03	0.24	0.20

### 9 Function djmp-10


Algorithm	Value	9			
	min	$Q_1$	med.	$Q_3$	max
pbil	100	100	100	110	110
rls	100	100	100	100	100
hc	100	100	100	100	100
sa	100	100	100	100	100
ea-1p1	100	100	100	100	100
ea-1p10	100	100	100	100	100
ea-10p1	100	100	100	100	100
ea-1c10	100	100	100	100	100
ga	100	100	100	100	100
umda	100	100	100	100	100



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
hc	0.08	0.00	0.11	0.00	0.20	0.00
rls	0.09	0.00	0.11	0.00	0.21	0.01
sa	0.10	0.00	0.11	0.00	0.21	0.01
ea-1c10	0.13	0.00	0.11	0.00	0.24	0.01
ea-1p1	0.14	0.00	0.11	0.00	0.25	0.01
ea-1p10	0.15	0.00	0.11	0.00	0.26	0.01
ea-10p1	0.17	0.00	0.11	0.00	0.29	0.01
pbil	0.46	0.30	0.08	0.05	0.54	0.35
ga	0.61	0.01	0.11	0.00	0.72	0.01
umda	0.68	0.01	0.11	0.00	0.79	0.01

## 10 Function fp-5


Algorithm	Value	е			
	min	$Q_1$	med.	$Q_3$	max
rls	194	194	194	194	194
sa	<b>194</b>	194	194	194	194
ea-1p1	<b>194</b>	194	194	194	194
ea-10p1	<b>194</b>	194	194	194	194
ea-1c10	194	194	194	194	194
pbil	<b>194</b>	194	194	194	194
umda	194	194	194	194	194
ea-1p10	100	194	194	194	194
ga	188	190	191	192	194
hc	100	100	147	194	194



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
ea-1p1	0.00	0.00	0.00	0.00	0.01	0.00
sa	0.00	0.01	0.00	0.01	0.01	0.02
ea-1c10	0.01	0.00	0.01	0.00	0.01	0.01
rls	0.01	0.00	0.01	0.01	0.02	0.01
ea-1p10	0.01	0.03	0.01	0.03	0.02	0.06
ea-10p1	0.02	0.00	0.02	0.00	0.04	0.01
umda	0.03	0.01	0.00	0.00	0.03	0.01
hc	0.06	0.03	0.09	0.04	0.15	0.07
pbil	0.20	0.03	0.04	0.01	0.24	0.03
ga	0.59	0.11	0.12	0.02	0.71	0.14

### 11 Function fp-10


Algorithm	Value	е			
	min	$Q_1$	med.	$Q_3$	max
pbil	189	189	189	189	189
rls	187	189	189	189	189
ea-10p1	100	189	189	189	189
ea-1c10	100	167	189	189	189
$\operatorname{umda}$	100	100	189	189	189
ga	183	185	187	188	189
sa	100	100	100	189	189
ea-1p1	100	100	100	100	189
ea-1p10	100	100	100	100	189
hc	100	100	100	100	100



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
rls	0.04	0.03	0.06	0.04	0.10	0.07
ea-10p1	0.05	0.06	0.03	0.04	0.08	0.10
ea-1c10	0.05	0.05	0.05	0.05	0.10	0.10
sa	0.07	0.04	0.09	0.05	0.16	0.09
hc	0.08	0.00	0.12	0.00	0.20	0.01
ea-1p10	0.12	0.06	0.10	0.05	0.21	0.11
ea-1p1	0.12	0.05	0.10	0.04	0.22	0.10
pbil	0.18	0.01	0.03	0.00	0.21	0.01
umda	0.28	0.31	0.05	0.06	0.33	0.38
ga	0.54	0.18	0.11	0.04	0.66	0.22

#### 12 Function nk


Algorithm	Value	;			
	min	$Q_1$	med.	$Q_3$	max
sa	1.02	1.03	1.06	1.07	1.07
ga	1.00	1.01	1.03	1.07	1.10
ea-1c10	0.93	1.00	1.01	1.04	1.07
hc	0.97	0.98	1.00	1.01	1.05
ea-10p1	0.94	0.97	1.00	1.02	1.05
rls	0.95	0.98	0.99	1.01	1.07
pbil	0.96	0.98	0.99	1.02	1.03
ea-1p1	0.87	0.93	0.95	0.98	1.00
ea-1p10	0.84	0.90	0.95	0.98	1.01
umda	0.84	0.91	0.94	0.95	1.04



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
hc	0.08	0.00	0.48	0.01	0.57	0.01
rls	0.10	0.00	0.50	0.01	0.60	0.01
sa	0.10	0.00	0.46	0.01	0.56	0.01
ea-1c10	0.13	0.00	0.46	0.01	0.60	0.01
ea-1p1	0.15	0.00	0.48	0.01	0.63	0.01
ea-1p10	0.15	0.00	0.49	0.01	0.64	0.01
ea-10p1	0.18	0.00	0.51	0.02	0.69	0.02
ga	0.61	0.01	0.58	0.01	1.19	0.01
umda	0.65	0.01	0.47	0.01	1.12	0.01
pbil	0.67	0.01	0.52	0.01	1.19	0.01

#### 13 Function max-sat


Algorithm	Value	е			
	min	$Q_1$	med.	$Q_3$	max
sa	969	972	972	972	972
rls	<b>971</b>	972	<b>972</b>	972	972
ga	965	968	969	971	972
ea-1c10	964	968	969	971	972
ea-1p1	962	965	968	971	972
ea-10p1	963	965	968	970	972
ea-1p10	959	966	968	970	972
umda	962	965	968	969	972
hc	963	965	967	968	970
pbil	964	967	967	967	968



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
hc	0.09	0.00	1.88	0.04	1.97	0.04
rls	0.10	0.00	1.90	0.05	2.00	0.05
sa	0.10	0.00	1.75	0.04	1.86	0.04
ea-1c10	0.13	0.00	1.72	0.04	1.86	0.04
ea-1p1	0.15	0.00	1.91	0.04	2.06	0.04
ea-1p10	0.15	0.01	1.89	0.07	2.04	0.07
ea-10p1	0.19	0.00	2.18	0.06	2.36	0.06
ga	0.62	0.01	2.34	0.06	2.95	0.06
umda	0.66	0.01	1.75	0.04	2.41	0.04
pbil	0.68	0.04	1.93	0.10	2.61	0.14

### 14 Function labs


Algorithm	Value	;			
	min	$Q_1$	med.	$Q_3$	max
ga	4.60	4.93	5.06	5.33	5.57
sa	4.03	4.61	4.82	5.01	5.26
ea-1c10	4.55	4.75	4.80	4.94	5.15
hc	4.46	4.58	4.63	4.78	5.31
ea-10p1	4.13	4.39	4.56	4.74	4.87
rls	4.26	4.42	4.52	4.68	4.91
ea-1p10	3.75	3.97	4.19	4.23	4.57
ea-1p1	3.59	3.98	4.15	4.39	4.49
pbil	3.58	3.79	3.90	4.06	4.73
umda	3.37	3.60	3.77	3.98	4.41



Algorithm	Time (s)						
	algorit	hm	evalua	tion	total		
	mean	dev.	mean	dev.	mean	dev.	
hc	0.08	0.00	1.39	0.05	1.47	0.05	
rls	0.10	0.00	1.38	0.04	1.47	0.04	
sa	0.10	0.00	1.39	0.06	1.49	0.06	
ea-1c10	0.13	0.00	1.39	0.06	1.52	0.06	
ea-1p1	0.14	0.00	1.39	0.06	1.53	0.07	
ea-1p10	0.15	0.00	1.38	0.03	1.52	0.03	
ea-10p1	0.18	0.00	1.41	0.07	1.59	0.07	
ga	0.61	0.01	1.38	0.05	2.00	0.05	
umda	0.65	0.01	1.39	0.07	2.04	0.07	
pbil	0.71	0.01	1.37	0.05	2.08	0.05	

### 15 Function ep


Algorithm	Value				
	min	$Q_1$	med.	$Q_3$	max
hc	$1.1 \times 10^{-31}$	$1.2 \times 10^{-30}$	$2.1\times10^{-30}$	$5.6 \times 10^{-30}$	$2.2 \times 10^{-29}$
rls	$2.1 imes10^{-32}$	$7.0 imes10^{-31}$	$2.2 \times 10^{-30}$	$4.6 imes10^{-30}$	$1.0 imes10^{-29}$
ga	$9.7 \times 10^{-32}$	$1.2 \times 10^{-30}$	$2.6 \times 10^{-30}$	$5.0 \times 10^{-30}$	$1.7 \times 10^{-29}$
pbil	$5.6 \times 10^{-32}$	$1.8 \times 10^{-30}$	$3.7 \times 10^{-30}$	$5.7 \times 10^{-30}$	$1.2 \times 10^{-29}$
ea-1c10	$7.4 \times 10^{-31}$	$2.9 \times 10^{-30}$	$6.4 \times 10^{-30}$	$1.4 \times 10^{-29}$	$2.0 \times 10^{-29}$
ea-10p1	$6.7\times10^{-31}$	$1.6 \times 10^{-30}$	$6.9 \times 10^{-30}$	$1.3 \times 10^{-29}$	$2.7 \times 10^{-29}$
sa	$5.7 \times 10^{-31}$	$2.4 \times 10^{-30}$	$7.8 \times 10^{-30}$	$1.4 \times 10^{-29}$	$5.6 \times 10^{-29}$
ea-1p10	$2.8\times10^{-32}$	$8.3 \times 10^{-30}$	$1.5\times10^{-29}$	$2.7\times10^{-29}$	$4.2 \times 10^{-29}$
ea-1p1	$1.8 \times 10^{-31}$	$3.1 \times 10^{-30}$	$1.6 \times 10^{-29}$	$4.1 \times 10^{-29}$	$1.3 \times 10^{-28}$
umda	$5.1\times10^{-31}$	$6.7\times10^{-30}$	$1.7\times10^{-29}$	$2.7\times10^{-29}$	$7.4 \times 10^{-29}$



Algorithm	Time (s)						
	algorit	hm	evalua	tion	total		
	mean	dev.	mean	dev.	mean	dev.	
hc	0.08	0.00	0.15	0.00	0.23	0.00	
rls	0.10	0.00	0.16	0.00	0.25	0.00	
sa	0.10	0.00	0.15	0.00	0.25	0.00	
ea-1c10	0.13	0.00	0.15	0.00	0.28	0.00	
ea-1p1	0.14	0.00	0.15	0.00	0.29	0.00	
ea-1p10	0.14	0.00	0.15	0.00	0.29	0.00	
ea-10p1	0.17	0.00	0.16	0.00	0.34	0.00	
ga	0.61	0.01	0.20	0.00	0.81	0.01	
umda	0.65	0.01	0.15	0.00	0.80	0.01	
pbil	0.76	0.01	0.21	0.00	0.97	0.01	

#### 16 Function cancel


Algorithm	Value	;			
	min	$Q_1$	med.	$Q_3$	max
pbil	0.05	0.06	0.08	0.26	0.70
ga	0.05	0.07	0.30	0.71	1.37
ea-1p10	0.06	0.23	0.55	0.86	1.99
ea-10p1	0.04	0.14	0.56	0.84	2.39
ea-1p1	0.07	0.24	0.69	1.03	1.97
umda	0.10	0.49	0.81	1.57	2.96
ea-1c10	0.06	0.33	1.02	1.41	2.61
hc	0.82	1.33	1.65	1.90	2.25
rls	0.83	1.49	1.82	2.02	2.55
sa	0.47	2.00	2.78	3.38	5.83



Algorithm	Time (	(s)				
	algorit	hm	evalua	tion	total	
	mean	dev.	mean	dev.	mean	dev.
hc	0.08	0.00	0.14	0.00	0.22	0.01
rls	0.09	0.00	0.14	0.00	0.23	0.01
sa	0.10	0.00	0.14	0.00	0.23	0.01
ea-1c10	0.13	0.00	0.14	0.00	0.26	0.01
ea-1p1	0.14	0.00	0.14	0.00	0.28	0.00
ea-1p10	0.14	0.00	0.14	0.00	0.28	0.00
ea-10p1	0.17	0.00	0.14	0.00	0.31	0.01
ga	0.61	0.01	0.14	0.00	0.75	0.01
umda	0.65	0.01	0.14	0.00	0.78	0.02
pbil	0.68	0.01	0.15	0.00	0.83	0.01

#### 17 Function trap


Algorithm	Value	Э			
	min	$Q_1$	med.	$Q_3$	max
hc	91	91	91	91	92
rls	90	91	91	91	91
sa	90	90	90	90	92
ea-1p10	90	90	90	90	91
ea-10p1	90	90	90	90	91
ga	90	90	90	90	91
ea-1p1	90	90	90	90	90
ea-1c10	90	90	90	90	90
pbil	90	90	90	90	90
umda	90	90	90	90	90



Algorithm	Time (s)							
	algorit	hm	evalua	tion	total			
	mean	dev.	mean	dev.	mean	dev.		
hc	0.08	0.00	0.13	0.00	0.21	0.01		
rls	0.09	0.00	0.13	0.00	0.22	0.01		
sa	0.10	0.00	0.13	0.00	0.23	0.01		
ea-1c10	0.13	0.00	0.13	0.00	0.26	0.01		
ea-1p1	0.14	0.00	0.13	0.00	0.27	0.01		
ea-1p10	0.15	0.00	0.13	0.00	0.28	0.00		
ea-10p1	0.17	0.00	0.13	0.00	0.30	0.01		
ga	0.61	0.01	0.13	0.00	0.74	0.01		
umda	0.65	0.01	0.13	0.00	0.77	0.01		
pbil	0.66	0.01	0.13	0.00	0.79	0.01		

#### 18 Function hiff


Algorithm	Value				
	min	$Q_1$	med.	$Q_3$	max
ga	626	718	770	772	1,024
sa	<b>672</b>	704	704	768	800
ea-10p1	560	672	688	704	768
ea-1c10	592	638	650	666	744
pbil	504	522	560	592	624
umda	460	484	500	512	584
hc	480	492	498	508	580
ea-1p1	440	464	492	506	552
ea-1p10	440	454	472	490	560
rls	408	414	420	424	460



Algorithm	Time (	Time (s)						
	algorit	hm	evalua	tion	total			
	mean	dev.	mean	dev.	mean	dev.		
hc	0.08	0.00	0.33	0.01	0.41	0.01		
rls	0.09	0.00	0.32	0.01	0.42	0.01		
sa	0.10	0.00	0.37	0.01	0.47	0.01		
ea-1c10	0.13	0.00	0.36	0.01	0.49	0.01		
ea-1p1	0.14	0.00	0.34	0.01	0.49	0.01		
ea-1p10	0.15	0.00	0.34	0.01	0.49	0.01		
ea-10p1	0.18	0.00	0.38	0.01	0.55	0.01		
ga	0.71	0.02	0.40	0.01	1.11	0.03		
umda	0.80	0.01	0.35	0.01	1.15	0.02		
pbil	0.84	0.01	0.37	0.01	1.20	0.02		

### 19 Function plateau


Algorithm	Value						
	min	$Q_1$	med.	$Q_3$	max		
sa	101	101	101	102	102		
ea-1p1	101	101	101	102	102		
ea-1p10	101	101	101	101	102		
rls	101	101	101	101	101		
hc	101	101	101	101	101		
ea-10p1	101	101	101	101	101		
ea-1c10	101	101	101	101	101		
ga	101	101	101	101	101		
pbil	101	101	101	101	101		
umda	101	101	101	101	101		



Algorithm	Time (s)						
	algorit	hm	evaluation		total		
	mean	dev.	mean	dev.	mean	dev.	
sa	0.08	0.03	0.10	0.03	0.18	0.06	
hc	0.08	0.00	0.11	0.00	0.20	0.00	
rls	0.09	0.00	0.11	0.00	0.21	0.00	
ea-1c10	0.13	0.00	0.12	0.00	0.25	0.01	
ea-1p1	0.13	0.02	0.11	0.02	0.24	0.03	
ea-1p10	0.14	0.01	0.12	0.01	0.26	0.02	
ea-10p1	0.17	0.00	0.12	0.00	0.29	0.01	
ga	0.61	0.01	0.12	0.00	0.73	0.01	
umda	0.65	0.01	0.12	0.00	0.77	0.01	
pbil	0.66	0.01	0.12	0.00	0.78	0.01	

#### 20 Function walsh2

Algorithm	Value				
	min	$Q_1$	med.	$Q_3$	max
sa	693.71	709.44	720.24	720.24	721.22
hc	697.77	711.14	714.36	719.22	721.22
ga	674.19	703.90	708.91	720.24	721.22
rls	689.46	701.69	706.40	714.25	721.22
ea-1c10	680.78	696.97	705.34	715.33	721.22
ea-10p1	639.56	688.22	693.15	702.01	721.22
ea-1p1	639.46	659.90	677.65	688.48	712.83
ea-1p10	627.27	653.48	673.94	681.34	703.76
pbil	634.87	660.01	668.64	685.49	710.76
umda	605.04	638.05	657.25	666.60	703.23



Algorithm	Time (s)						
	algorit	hm	evaluation		total		
	mean	dev.	mean	dev.	mean	dev.	
hc	0.09	0.00	2.08	0.04	2.17	0.04	
rls	0.10	0.00	2.11	0.04	2.21	0.04	
sa	0.10	0.00	2.07	0.05	2.17	0.05	
ea-1c10	0.13	0.00	2.05	0.04	2.18	0.04	
ea-1p1	0.15	0.00	2.15	0.06	2.30	0.06	
ea-1p10	0.15	0.00	2.15	0.04	2.31	0.04	
ea-10p1	0.18	0.01	2.26	0.11	2.44	0.11	
ga	0.62	0.01	2.43	0.05	3.05	0.05	
umda	0.66	0.01	2.05	0.03	2.71	0.03	
pbil	0.68	0.01	2.15	0.05	2.83	0.05	

#### A Plan

```
{
    "exec": "hnco",
    "opt": "--print-results --map 1 --map-random -s 100 --record-evaluation-time",
    "budget": 300000,
    "num_runs": 20,
    "parallel": true,
    "functions": [
        {
            "id": "one-max",
            "opt": "-F 0 --stop-on-maximum",
            "rounding": {
                "value": { "before": 3, "after": 0 },
                "time": { "before": 1, "after": 2 } }
        },
            "id": "lin",
            "opt": "-F 1 --stop-on-maximum -p instances/lin.100",
            "rounding": {
                "value": { "before": 2, "after": 2 },
                "time": { "before": 1, "after": 2 } }
        },
            "id": "leading-ones",
            "opt": "-F 10 --stop-on-maximum",
            "rounding": {
                "value": { "before": 3, "after": 0 },
                "time": { "before": 1, "after": 2 } }
        },
            "id": "ridge",
            "opt": "-F 11 --stop-on-maximum",
            "rounding": {
                "value": { "before": 3, "after": 0 },
                "time": { "before": 1, "after": 2 } }
        },
            "id": "jmp-5",
            "opt": "-F 30 --stop-on-maximum -t 5",
            "rounding": {
                "value": { "before": 3, "after": 0 },
                "time": { "before": 1, "after": 2 } }
        },
{
            "id": "jmp-10",
            "opt": "-F 30 --stop-on-maximum -t 10",
```

```
"rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "djmp-5",
    "opt": "-F 31 --stop-on-maximum -t 5",
    "rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "djmp-10",
    "opt": "-F 31 --stop-on-maximum -t 10",
    "rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "fp-5",
    "opt": "-F 40 --stop-on-maximum -t 5",
    "rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "fp-10",
    "opt": "-F 40 --stop-on-maximum -t 10",
    "rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "nk",
    "opt": "-F 60 -p instances/nk.100.4",
    "rounding": {
        "value": { "before": 1, "after": 2 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "max-sat",
    "opt": "-F 70 -p instances/ms.100.3.1000",
    "rounding": {
        "value": { "before": 3, "after": 0 },
        "time": { "before": 1, "after": 2 } }
},
{
    "id": "labs",
    "opt": "-F 81",
    "rounding": {
        "value": { "before": 1, "after": 2 },
        "time": { "before": 1, "after": 2 } }
},
    "id": "ep",
    "opt": "-F 90 -p instances/ep.100",
    "reverse": true,
    "logscale": true,
    "rounding": {
        "value": { "before": 1, "after": 1 },
        "time": { "before": 1, "after": 2 } }
},
{
```

```
"id": "cancel",
        "opt": "-F 100 -s 99",
        "reverse": true,
        "rounding": {
            "value": { "before": 1, "after": 2 },
            "time": { "before": 1, "after": 2 } }
    },
        "id": "trap",
        "opt": "-F 110 --stop-on-maximum --fn-num-traps 10",
        "rounding": {
            "value": { "before": 3, "after": 0 },
            "time": { "before": 1, "after": 2 } }
    },
        "id": "hiff",
        "opt": "-F 120 --stop-on-maximum -s 128",
        "rounding": {
            "value": { "before": 4, "after": 0 },
            "time": { "before": 1, "after": 2 } }
    },
        "id": "plateau",
        "opt": "-F 130 --stop-on-maximum",
        "rounding": {
            "value": { "before": 3, "after": 0 },
            "time": { "before": 1, "after": 2 } }
    },
        "id": "walsh2",
        "opt": "-F 162 -p instances/walsh2.100",
        "rounding": {
            "value": { "before": 3, "after": 2 },
            "time": { "before": 1, "after": 2 } }
    }
],
"algorithms": [
    {
        "id": "rls",
        "opt": "-A 100 --restart"
    },
        "id": "hc",
        "opt": "-A 150 --restart"
    },
        "id": "sa",
        "opt": "-A 200 --sa-beta-ratio 1.05 --sa-num-trials 10"
    },
        "id": "ea-1p1",
        "opt": "-A 300"
    },
        "id": "ea-1p10",
        "opt": "-A 310 --ea-mu 1 --ea-lambda 10"
    },
    {
        "id": "ea-10p1",
        "opt": "-A 310 --ea-mu 10 --ea-lambda 1"
    },
    {
        "id": "ea-1c10",
```

```
"opt": "-A 320 --ea-mu 1 --ea-lambda 10 --allow-no-mutation"
},
{
        "id": "ga",
        "opt": "-A 400 --ea-mu 100"
},
{
        "id": "pbil",
        "opt": "-A 500 -1 5e-3"
},
{
        "id": "umda",
        "opt": "-A 600 -x 100 -y 10"
}
]
```

#### B Default parameters

```
# algorithm = 100
# bm_mc_reset_strategy = 1
# bm_num_gs_cycles = 1
# bm_num_gs_steps = 100
# bm_sampling = 1
# budget = 10000
# bv_size = 100
# description_path = description.txt
\# ea_lambda = 100
\# ea_mu = 10
# expression = x
# fn_name = noname
# fn_num_traps = 10
# fn_prefix_length = 2
# fn_threshold = 10
# fp_expression = (1-x)^2+100*(y-x^2)^2
# fp_lower_bound = -2
# fp_num_bits = 8
# fp_precision = 0.01
# fp_upper_bound = 2
# function = 0
# ga_crossover_bias = 0.5
# ga_crossover_probability = 0.5
# ga_tournament_size = 10
# hea_bit_herding = 0
# hea_num_seq_updates = 100
# hea_reset_period = 0
# hea_sampling_method = 0
# hea_weight = 1
# learning_rate = 0.001
# map = 0
# map_input_size = 100
# map_path = map.txt
# map_ts_length = 10
# map_ts_sampling_mode = 0
# mutation_rate = 1
# neighborhood = 0
# neighborhood_iterator = 0
# noise_stddev = 1
# num_iterations = 0
# num_threads = 1
# path = function.txt
# pn_mutation_rate = 1
```

```
# pn_neighborhood = 0
# pn_radius = 2
# population_size = 10
# pv_log_num_components = 5
# radius = 2
# rep_categorical_representation = 0
# results_path = results.json
# rls_patience = 50
# sa_beta_ratio = 1.2
# sa_initial_acceptance_probability = 0.6
\# sa_num_transitions = 50
\# sa_num_trials = 100
\# seed = 0
\# selection_size = 1
# solution_path = solution.txt
# target = 100
# print_defaults
# last_parameter
# exec_name = hnco
\# version = 0.18
# Generated from hnco.json
```