COVID-19 and Cancer Consortium (CCC19) Registry PID 108899





■ Data Dictionary Codebook

04/01/2021 1:09pm

		Field Label	Field Attributes (Field Type, Validation, Choices,		
#	Variable / Field Name	Field Note	Calculations, etc.)		
Instru	ment: Screening form (scr	reening_form) 🔄 Enabled as survey	▲ Collapse		
1	record_id	Study ID	text		
2	ts_0	Timestamp for the screening form	text (datetime_dmy), Required Field Annotation: @HIDDEN @NOW_UTC		
3	inclusion_yn	Do you intend to make a report on a patient who has a presumptive or lab-proven diagnosis of COVID-19 and has a current or past medical history of an invasive malignancy? Invasive malignancy is defined as any solid tumor other than in situ cancers (stage 0), and any hematologic malignancies other than precursor hematologic neoplasms (e.g., MGUS or monoclonal B lymphocytosis of undetermined significance).	yesno, Required 1 Yes 0 No		
4	exclude Show the field ONLY if: [inclusion_yn] = '0'	We're sorry, but this survey is is intended to report on patients with COVID-19 and cancer. Non-melanoma skin cancer, in situ cancers, and premalignant conditions are excluded. Please click the button to exit the survey.	radio, Required x Exit the survey Stop actions on x		
5	previous_report Show the field ONLY if: [inclusion_yn] = '1'	Have you previously reported this patient to this or any other registry?	radio, Required 1 No 2 This registry 3 Another registry		
6	this_registry Show the field ONLY if: [previous_report] = '2'	If you have additional follow-up information to add to an existing report, you should return to that report and update the content.	descriptive		
7	registry_other Show the field ONLY if: [previous_report] = '3'	Please feel free to fill out the survey. In order to help us avoid duplication with other complementary efforts, please optionally list the names of the other registries that you have reported to.	text		
8	ccc19 Show the field ONLY if: [inclusion_yn] = '1'	Are you reporting on behalf on an institution participating in the CCC19 consortium?	yesno, Required 1 Yes 0 No		
9	ccc19_exclude Show the field ONLY if: [ccc19] = '0'	We're sorry, but this survey is currently open only to respondents who are at a CCC19 participating institution. The attached FAQ provides some details about getting involved as a participating institution. If you would like your site to get involved, please contact us through the CCC19 website.	descriptive, Required		
10	ccc19_exclude_2 Show the field ONLY if: [ccc19] = '0'	Please click the button below to exit the survey.	radio, Required x Exit the survey		
11	ccc19_institution	Please identify the participating institution.	Stop actions on x dropdown (autocomplete), Required		
	Show the field ONLY if:		181 Albert Einstein Cancer Center		
	[ccc19] = '1'		101 Aurora Health Care		
			1- Banner MD Anderson Cancer Center		
			158 Baptist Cancer Center (Memphis, TN)		
			196 Baptist Healthcare System (IN/KY)		
			1- Barrow Neurological Institute 109		
			163 Baylor College of Medicine		
			39-6 BC Cancer		
			162 Beth Israel Deaconess Medical Center (BIDMC)		
			192 Boston Medical Center		
			139 Brown University		

9.0 7	REDCap
167	Cancer Treatment Centers of America (CTCA)
392	Centre Hospitalier de l'Université de Montréal (CHUM)
140- 2	Centro Médico ABC
102	City of Hope
103	Cleveland Clinic
133	Columbia University/New York Presbyterian
188	Cook County Hospital
104	Dana-Farber Cancer Institute (DFCI)
105	Duke University
143	Einstein Medical Center
106	Emory University/Winship Cancer Institute
107	Fred Hutchinson Cancer Research Center/University of Washington/Seattle Cancer Care Alliance
1- 101	Geisinger Health System
1- 104	Georgetown Lombardi Comprehensive Cancer Center at Georgetown University
1- 110	George Washington University
138	Gundersen Health System
395	Hamilton Health Sciences
1- 103	Harold C. Simmons Comprehensive Cancer Center at the University of Texas Southwestern Medical Center
144	Hartford HealthCare Cancer Institute
1- 114	HCA Houston Healthcare
189	Henry Ford Cancer Institute
394	Hôpital Pierre-Le Gardeur
140- 3	Hospital General de México
140- 4	Hospital Regional de Alta Especialidad de Ixtalapuca
151	Houston Methodist Cancer Center
168	Huntsman Cancer Institute
146	Inova Schar Cancer Institute
140- 1	Instituto Nacional de Cancerología
108	Intermountain Healthcare
109	Johns Hopkins University
177	Kaiser Permanente Northwest
152	Karmanos Cancer Institute
193	Lewis Cancer & Research Pavilion @ St. Joseph's/Candler
178	Loma Linda University Cancer Center
155	Loyola University Medical Center
142	LSU Health Sciences Center
190	Markey Cancer Center at the University of Kentucky
110	Massachusetts General Hospital (MGH)
111	Mayo Clinic
112	Mays Cancer Center at UT Health San Antonio
391	McGill University Health Centre
113	MD Anderson Cancer Center
1- 116	MD Anderson Cancer Center at Cooper

	REDCap	
131	Medical University of South Carolina/Hollings Cancer Center	
1- 112	Meharry Medical College	
182	Memorial Sloan-Kettering Cancer Center (MSKCC)	
197	Michigan Center of Medical Research	
172	Missouri Baptist Cancer Center	
137	Moffitt Cancer Center	
176	Mount Auburn Hospital	
160	Mount Carmel Health System	
114	Mount Sinai/Tisch Cancer Institute Northwell Health	
115		
1- 107	Northwest Medical Specialties	
116	Northwestern University/Lurie Cancer Center	
147	NYU Langone Health/Perlmutter Cancer Center	
1- 115	O'Neal Comprehensive Cancer Center at UAB	
154	Oregon Health & Sciences University/Knight Cancer Institute (OHSU)	
199	Parkview Cancer Institute/Parkview Research Center	
149	Penn State Cancer Institute	
198	Penn State Health St. Joseph Cancer Center	
1- 119	Roger Williams Medical Center	
150	Roswell Park Comprehensive Cancer Center	
179	Rush University Medical Center	
117	Rutgers Cancer Institute of New Jersey	
393	Segal Cancer Centre, Jewish General Hospital, McGill University	
1- 117	Sharp HealthCare	
185	Sidney Kimmel Cancer Center at Thomas Jefferson University	
140	SSM Health Cancer Care	
183	Stamford Hospital	
118	Stanford University	
134	St. Elizabeth Healthcare	
195	Sutter Health	
119	Ohio State University Comprehensive Cancer Center	
1- 102	Tallahassee Memorial Healthcare	
180	ThedaCare Cancer Care	
173	Thompson Cancer Survival Center	
1- 113	Tripler Army Medical Center	
159	Tufts Medical Center	
187	UCLA Jonsson Comprehensive Cancer Center	
136	University Hospitals, Cleveland	
120	University of California, Davis	
121	University of California, San Diego (UCSD)	
135	University of California, San Francisco (UCSF)	
141	University of Chicago	
166	University of Cincinnati Cancer Center	
148	University of Colorado Cancer Center	
122	University of Connecticut	

		` ,	- 3 ,	·
			161	University of Florida Health Cancer Center
			156	University of Hawaii Cancer Center
			169	University of Illinois at Chicago (UIC)
			165	University of Iowa Holden Comprehensive Cancer Center
			123	University of Kansas
			1- 105	University of Louisville James Graham Brown Cancer Center
			124	University of Maryland
			125	University of Miami/Sylvester Comprehensive Cancer Center
			153	University of Michigan/Rogel Cancer Center
			126	University of Minnesota
			1- 106	University of Mississippi Medical Center
			184	University of Nebraska Medical Center/Buffett Cancer Center
			127	University of North Carolina/Lineberger Comprehensive Cancer Center
			132	University of Rochester Medical Center
			174	University of Wisconsin Carbone Cancer Center
			1100	UPMC Western Maryland
			128	Vanderbilt University Medical Center/Vanderbilt- Ingram Cancer Center
			1- 111	Vidant Medical Center, East Carolina University
			191	Virginia Mason Cancer Institute
			186	Virtua Health
			157	Wake Forest Baptist Comprehensive Cancer Center
			129	Washington University in St. Louis/Siteman Cancer Center
			164	Weill Cornell Medicine/Meyer Cancer Center
			170	WellSpan Health
			194	Wentworth-Douglass Hospital
			130	West Cancer Center
			171	Willis-Knighton Cancer Center
			145	Yale New Haven Health/Smilow Cancer Hospital
			1- 108	Yuma Regional Medical Center
			9999	TEST
12	timing_of_report	Is this survey being filled out during the COVID-19 illness, or	radio,	Required
	Show the field ONLY if: [ccc19] = 1	retrospectively? Unless you know that the patient has either recovered from COVID-19 (with or without complications) or died from COVID-19, you should select "during the COVID-19 illness". If you know that the patient is deceased, you should select "after the course of illness	1 Du	ter the course of illness (retrospectively)
12	dy year	(retrospectively)".	radio	Paguirad
13	dx_year	What year was the patient diagnosed with COVID-19 in?		Required 2019
	Show the field ONLY if: [ccc19] = 1	eld ONLY if:		2020
			2021	
<u> </u>				

14	covid_19_dx_interval Show the field ONLY if: [ccc19] = 1	How long ago was the patient's COVID-19 diagnosis (to the best of your knowledge)?	radio, Required 1 Within the past week 2 Within the past 1 to 2 weeks 3 Within the past 2 to 4 weeks 4 Within the past 4 to 8 weeks 5 Within the past 8 to 12 weeks 6 Within the past 3 to 6 months 7 More than 6 months ago 8 Within the past 6 to 9 months 9 Within the past 9 to 12 months 10 More than 12 months ago 99 Unknown			
15	hcw_screen Show the field ONLY if: [ccc19] = '0'	Are you a healthcare provider or entering data on a healthcare provider's behalf?	yesno 1 Yes 0 No Field Annotation: @HIDDEN			
16	hcw_exclude Show the field ONLY if: [hcw_screen] = '0'	This survey is currently open only to healthcare professionals or those entering data on behalf of a healthcare professional. If you are a patient or care partner looking to enter data about yourself or someone you know, please know we are currently working on strategies to reach out to you. If you would like to learn more about patient involvement in CCC19, check our website - we will update our website as we develop more ways for patients to get involved. Thank you for your patience! Please click the button below to exit the survey.	radio x Exit the survey Field Annotation: @HIDDEN Stop actions on x			
17	location Show the field ONLY if: [ccc19] = '0'	Are you based in any of the listed countries or regions?	radio 1 United States or the U.S. territories EU European Union (EU) 11 Argentina 39 Canada 140 Mexico 224 United Kingdom 83 Germany 107 Italy 197 Spain 0 No - I am not based in any of those countries or regions Field Annotation: @HIDECHOICE = '83,107,197' @HIDDEN			
18	intl_stop Show the field ONLY if: [location] = '0'	We're sorry, but the IRB does not allow us to collect data from your country at this time. However, we are actively looking into adding international participation on a country-by-country basis. Please visit our website for more information; you will be redirected there once you end the survey by clicking the button.	radio x Exit the survey Field Annotation: @HIDDEN Stop actions on x			
19	screening_form_complete	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete			
	ument: Patient Demographic		^ Collapse			
20	ts_1	Timestamp for the patient demographics form	text (datetime_dmy), Required Field Annotation: @HIDDEN @NOW_UTC			
21	local_id	This field will only hold metadata for those sites using local REDCap instances and exporting to this database. It hold the local database record_id	text (integer) Field Annotation: @HIDDEN			
22	patient_id Show the field ONLY if: [ccc19] = '1'	Please enter your local unique patient identifier here (no PHI!). If this is a test case, please enter "9999".	text (integer, Min: 1), Required			

17.	2021		COVID-19 and Cancer Consortium (CCC19) Re	sylat	ту ПЕВОар
Ī	23	age	Section Header: Patient Demographics - mandatory This section asks about patient	radio	o, Required
			information at the time of the COVID-19 diagnosis or during the first known encounter for COVID-19 as available for data entry.	1	Younger than 18
			Age at COVID-19 diagnosis (years)	2	18-29
				3	30-39
				4	40-49
				5	50-59
				6	60-69
				7	70-79
				8	80-89
				9	Older than 90
				10	DEPRECATED (was unknown)
				99	Unknown
				Field	I Annotation: @HIDECHOICE = '10'
	24	peds_contact	We have interest in collecting additional information about pediatric	desc	riptive
		Show the field ONLY if: [age] = '1'	patients, but these more specific details would require PHI and are thus currently out of scope. You may learn more about this effort by visiting the CCC19 website (clicking this link will open a new window).		
ľ	25	age_exact	Exact age at COVID-19 diagnosis (Note: you should only enter a	text	(integer, Min: 18, Max: 89)
		Show the field ONLY if:	number between 18-89, as ages outside of this range are considered PHI)		
		[age] = '2' or [age] = '3' or [age] =	' ' '''		
		'4' or [age] = '5' or [age] = '6' or [a ge] = '7' or [age] = '8'			
ļ	26	gender	Gender	drop	odown, Required
					Female
				1	Male
				2	Other
				3	Prefer not to say
				Field	Annotation: SNOMED: 263495000
ŀ	27	country_of_patient_residen	Country of patient residence	drop	odown (autocomplete), Required
				1	United States of America (USA)
				х	
				2	Afghanistan
				3	Albania
				4	Algeria
				5	American Samoa
				6	Andorra
				7	Angola
				8	Anguilla
				9	Antarctica
				10	Antigua and Barbuda
				11	Argentina
				12	Armenia
				13	Aruba
				14	Australia
				15	Austria
				16	Azerbaijan
				17	Bahamas
				18	Bahrain
				19	Bangladesh
				20	Barbados
				21	Belarus
				22	Belgium
				23	Belize
				24	Benin
				25	Bermuda
				Ш	
•			· '		<u> </u>

gistr	•
26	Bhutan
27	Bolivia
28	Bosnia and Herzegovina
29	Botswana
30	Bouvet Island
31	Brazil
32	British Indian Ocean Territory
33	Brunei Darussalam
34	Bulgaria
35	Burkina Faso
36	Burundi
37	Cambodia
38	Cameroon
39	Canada
40	Cape Verde
41	Cayman Islands
42	Central African Republic
43	Chad
44	Chile
45	China
46	Christmas Island
47	Cocos (Keeling Islands)
48	Colombia
49	Comoros
50	Congo
51	Cook Islands
52	Costa Rica
53	Cote D'Ivoire (Ivory Coast)
54	Croatia (Hrvatska
	Cuba
55	Cuba
55 56	Cyprus
56	Cyprus
56 57	Cyprus Czech Republic
56 57 58	Cyprus Czech Republic Denmark
56 57 58 59	Cyprus Czech Republic Denmark Djibouti
56 57 58 59 60 61 62	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor
56 57 58 59 60 61	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic
56 57 58 59 60 61 62 63 64	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt
56 57 58 59 60 61 62 63	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador
56 57 58 59 60 61 62 63 64	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea
56 57 58 59 60 61 62 63 64 65	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador
56 57 58 59 60 61 62 63 64 65 66 67	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea
56 57 58 59 60 61 62 63 64 65 66 67 68 69	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia
56 57 58 59 60 61 62 63 64 65 66 67 68	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia
56 57 58 59 60 61 62 63 64 65 66 67 68 69	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France French Guiana
56 57 58 59 60 61 62 63 64 65 66 67 70 71 72 73 74 77 78	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France French Guiana French Polynesia
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France French Guiana French Polynesia French Southern Territories
56 57 58 59 60 61 62 63 64 65 66 67 71 72 73 74 77 78 79 80	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France French Guiana French Polynesia French Southern Territories Gabon
56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 77 78	Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic East Timor Ecuador Egypt El Salvador Equatorial Guinea Eritrea Estonia Ethiopia Falkland Islands (Malvinas) Faroe Islands Fiji Finland France French Guiana French Polynesia French Southern Territories

gistr	у КЕОСар
82	Georgia
83	Germany
84	Ghana
85	Gibraltar
86	Greece
87	Greenland
88	Grenada
89	Guadeloupe
90	Guam
91	Guatemala
92	Guinea
93	Guinea-Bissau
94	Guyana
95	Haiti
96	Heard and McDonald Islands
97	Honduras
98	Hong Kong
99	Hungary
100	Iceland
101	India
102	Indonesia
103	Iran
104	Iraq
105	Ireland
106	Israel
107	Italy
108	Jamaica
109	Japan
110	Jordan
111	Kazakhstan
112	Kenya
113	Kiribati
114	Korea (North)
115	Korea (South)
116	Kuwait
117	Kyrgyzstan
118	Laos
119	Latvia
120	Lebanon
121	Lesotho
122	Liberia
123	Libya
124	Liechtenstein
125	Lithuania
126	Luxembourg
127	Macadonia
128	Madagassar
129	Malawi
130	Malawi
131	Malaysia
132	Maldives
133	Mali
134	Malta
135	Marshall Islands

gistr	y REDCap
136	Martinique
137	Mauritania
138	Mauritius
139	Mayotte
140	Mexico
141	Micronesia
142	Moldova
143	Monaco
144	Mongolia
145	Montserrat
146	Morocco
147	Mozambique
148	Myanmar
149	Namibia
150	Nauru
151	Nepal
152	Netherlands
153	Netherlands Antilles
154	New Caledonia
155	New Zealand
156	Nicaragua
157	Niger
158	Nigeria
159	Niue
160	Norfolk Island
161	Northern Mariana Islands
162	Norway
163	Oman
164	Pakistan
165	Palau
166	Panama
167	Papua New Guinea
168	· · · · · · · · · · · · · · · · · · ·
169	Paraguay Peru
170	Philippines
170	Pitcairn
	Poland
172	
173	Portugal
174	Puerto Rico
175	Qatar
176	Reunion
177	Romania Russian Fodoration
178	Russian Federation
179	Rwanda
180	Saint Kitts and Nevis
181	Saint Lucia
182	Saint Vincent and The Grenadines
183	Samoa
184	San Marino
185	Sao Tome and Principe
186	Saudi Arabia
187	Senegal
188	Seychelles
189	Sierra Leone

	Show the field ONLY if:		AL	Alaballia (AL)
		State of territory of patient residence	AL	Alabama (AL)
28	state_of_patient_residence	State or territory of patient residence		down (autocomplete), Required
			Field .	Annotation: SNOMED: 223369002
			240	Zimbabwe
			-	Zambia
				Zaire
				Yugoslavia
			236	
			—	Western Sahara
				Wallis and Futuna Islands
				Virgin Islands (US)
				Virgin Islands (British)
			231	
				Venezuela
			-	Vatican City State (Holy See)
			228	
			227	Uzbekistan
			—	Uruguay
				US Minor Outlying Islands
			-	United Kingdom (Britain / UK)
			-	United Arab Emirates
				Ukraine
				Uganda
				Tuvalu
			-	Turks and Caicos Islands
				Turkmenistan
			_	Turkey
				Tunisia
				Trinidad and Tobago
				Tonga
				Tokelau
				Togo
			-	Thailand
			_	Tanzania
			_	Tajikistan
				Taiwan
			-	Syria
				Switzerland
			_	Sweden
				Swaziland
				Svalbard and Jan Mayen Islands
				Suriname
			_	Sudan
				St. Pierre and Miquelon
				St. Helena
				Spain Sri Lanka
				S. Georgia and S. Sandwich Isls.
				South Africa
			-	Somalia South Africa
			-	Solomon Islands
				Slovenia
				Slovak Republic
				Singapore
		Í		

COVID-19 and Cancer Consortium (CCC19) Registry | REDCap [country_of_patient_residen] = '1' Alaska (AK) ΑZ Arizona (AZ) AR Arkansas (AR) CA California (CA) CO Colorado (CO) СТ Connecticut (CT) DE Delaware (DE) Florida (FL) FL GΑ Georgia (GA) н Hawaii (HI) ID Idaho (ID) IL Illinois (IL) IN Indiana (IN) ΙA Iowa (IA) KS Kansas (KS) KY Kentucky (KY) LA Louisiana (LA) ME Maine (ME) MD Maryland (MD) MA Massachusetts (MA) MI Michigan (MI) MN Minnesota (MN) MS Mississippi (MS) МО Missouri (MO) MT Montana (MT) NE Nebraska (NE) NV Nevada (NV) NH New Hampshire (NH) NJ New Jersey (NJ) NM New Mexico (NM) NY New York (NY) NC North Carolina (NC) ND North Dakota (ND) ОН Ohio (OH) ОК Oklahoma (OK) OR Oregon (OR) PA Pennsylvania (PA) RI Rhode Island (RI) SC South Carolina (SC) SD South Dakota (SD) TN Tennessee (TN) TX Texas (TX) UT Utah (UT) VT Vermont (VT) VA Virginia (VA) WA Washington (WA) WV West Virginia (WV) WI Wisconsin (WI) WY Wyoming (WY) DC District of Columbia (DC) AS American Samoa (AS) GU Guam (GU) MP Northern Mariana Islands (MP) Puerto Rico (PR) PR

	·						
		VI U.S. Virgin Islands (VI)					
city	What is the name of the city where the patient is receiving medical care? Optional, but will help with avoiding duplicate reports.	text					
facility	What is the name of the healthcare facility where the patient is presenting? Optional, but will help with avoiding duplicate reports. If the facility is a satellite to a larger center, please specify in this field.	text					
more_demographics Show the field ONLY if: [ccc19] = '0'	Section Header: Patient demographics - optional This section asks about patient information at the time of the COVID-19 diagnosis or during the first known encounter for COVID-19 as available for data entry. Would you like to answer additional demographic questions? This is optional but will really help us understand the granular details better.	yesno 1 Yes 0 No					
race	Patient-reported race (check all that apply if patient identifies with more than one race)	checkbox 1002- race1002_5 American Indian/Alaska Native 5					
		2028- race2028_9 Asian					
		2076- race2076_8 Native Hawaiian or Other Pacific Islander 2054- race2054_5 Black or African American					
		5 2106- race2106_3 White					
		3 2131- race2131_1 Other 1					
		UNK race_unk Unknown / Not Reported					
athorisity.	Dationt reported otherists	Field Annotation: Value Set: 2.16.840.1.114222.4.11.6065					
etrifficity	Patient-reported ethnicity	radio 2135-2 Hispanic or Latino					
		2186-5 NOT Hispanic or Latino					
		UNK Unknown / Not Reported					
		Custom alignment: RH Field Annotation: Value Set: 2.16.840.1.114222.4.11.837					
urban_rural	What type of area does the patient primarily reside in?	radio					
		1 Urban (city)					
		2 Suburban (town, suburbs)					
		3 Rural (country)					
		88 Other					
		99 Unknown					
insurance	What is the patient's insurance status? Check all that apply; this should	checkbox					
Show the field ONLY if:	be the insurance status at the time of COVID-19 diagnosis.	0 insurance0 Not insured					
[more_demographics] = '1' or [ccc		1 insurance1 Private insurance/managed care					
siden] = '1'		2 insurance2 Medicaid					
		3 insurance3 Medicare					
		4 insurance4 Other government					
		99 insurance99 Unknown					
hcw	ls the patient a healthcare worker?	radio					
		0 No					
		1 Yes					
		99 Unknown					
hcw_info	We are currently developing a separate survey to collect more	descriptive					
Show the field ONLY if: [hcw] = '1'	information on healthcare workers with cancer who have suspected or confirmed COVID-19. You may learn more about this effort by visiting the CCC19 website (clicking this link will open a new window).	Field Annotation: @HIDDEN					
	facility more_demographics Show the field ONLY if: [ccc19] = '0' race ethnicity urban_rural urban_rural hcw_info Show the field ONLY if: [more_demographics] = '1' or [ccc 19] = '1' or [ccc 19] = '1' or [ccc 19] = '1' or [coch 19] = '1'	Care2 Optional, but will help with avoiding duplicate reports.					

			UN	UNK Unknown				
			88					
			3	diagnosis Within the past 3 to 12 months prior to COVID-19 diagnosis				
	Show the field ONLY if: [recent_surgery] = '1'	COVID-19 diagnosis?	1	Within the past month prior to COVID-19 diagnosis Within the past 1 to 3 months prior to COVID-19				
47	surgery_timing	What is the timing of the most recent surgery, relative to the date of		99 Unknown				
+∪	recent_out act y	include but not be limited to cancer surgeries.	0	No Yes				
45 46	surg_med_hx_header recent_surgery	Surgical and Medical History Has the patient had a surgery of any kind in the past year? This should	desc	riptive				
44	bmi	Patient body mass index (BMI) in kg/m2 Note: please do not enter BSA here.		(number	-, Min: 5)			
43	weight	Patient weight, please specify units. If you know BMI, please skip this field and enter it below. If patient has not had any recent weights taken, ok to use values up to 3 months prior to COVID-19 diagnosis.	text					
42	height	Patient height, please specify units. If you know BMI, please skip this field and enter it below. If patient has not had any recent heights taken, ok to use values up to 12 months prior to COVID-19 diagnosis.	text					
41	smoking_product_oth_specify Show the field ONLY if: [smoking_product(OTH)] = '1'	Please specify type of other smoking products Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	note	es				
				l Annota SNOMED	tion: Variable:SNOMED 69810100	6; Value		
			UN	K	smoking_productunk	Unknown		
			OTI	+	smoking_productoth	pipe Other		
			-	2495000	smoking_product722495000	Hookah		
	g_status] = '2a'			498003	smoking_product722497008	e-Cigarettes		
	Show the field ONLY if: [smoking_status] = '1' or [smokin			2496004 2497008	smoking_product722496004 smoking_product722497008	Cigarettes Cigars		
40	smoking_product	Types of inhaled smoking products. Check all that apply.		kbox	cmoking product 732406334	Cignustr -		
			99	Unknov	vn			
			3	Nevers				
			2d		smoker, quit between 6 and 10 years			
			2b 2c		smoker, quit between 1 and 5 ye smoker, quit between 6 and 10 y			
			2a		smoker, quit less than 1 year ago			
			2		smoker, NOS			
39	smoking_status	Smoking status	radio		t smoker			
			99	Unknov	vn			
				No ECOG PS recorded within the 3 months prior to COVID-19 diagnosis				
			4	4: Completely disabled. Cannot carry on any self-care. Totally confined to bed or chair				
			3	or chair	3: Capable of only limited self-care. Confined to bed or chair more than 50% of waking hours			
			2	2 2: Ambulatory and capable of all self-care but u to carry out any work activities. Up and about r than 50% of waking hours				
		months prior to COVID-19 diagnosis".	1		rity but f a light or office work			
		performance status closest to the time of infection. If the patient has not had an encounter with the medical system within 3 months of the COVID-19 diagnosis, you should choose "No ECOG PS recorded within 3	0		active, able to continue with all puss without restriction	e-disease		
38	ecog_status	ECOG performance status prior to infection Please record the ECOG	· · · · · · · · · · · · · · · · · · ·					

/2021		COVID-19 and Cancer Consortium (CCC19) Re	-gistiy			
48	details_surgery Show the field ONLY if:	Additional details Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	es		
	[recent_surgery] = '1'					
49	concomitant_meds	Concomitant medications being taken at time of presentation with COVID-19. These would typically be the medications that the patient	checkbox		Customic	
		was taking as an outpatient at or around the time of COVID-19	H02	concomitant_medsh02	Systemic corti	
		diagnosis, unless they were already hospitalized and on additional	L04A	concomitant_medsl04a	Immunosuppi	
		medications for other reasons. Check all that apply.	RXCUI- 2393	concomitant_medsrxcui_2393	Chloroquine	
			RXCUI- 5521	concomitant_medsrxcui_5521	Hydroxychlord (Plaquenil)	
			RXCUI- 612865	concomitant_medsrxcui_612865	Tocilizumab	
			C09A	concomitant_medsc09a	ACE inhibitors	
			C09C	concomitant_medsc09c	Angiotensin re (ARBs)	
			ATC- C10AA	concomitant_medsatc_c10aa	Statins	
			J01	concomitant_medsj01	Antibiotics	
			RXCUI- 18631	concomitant_medsrxcui_18631	Azithromycin (Pak)	
		A JO	HO- 44995	concomitant_medsho_44995	Anti-virals	
			ATC- J05AR10	concomitant_medsatc_j05ar10	Lopinavir/Rito	
			RXCUI- 260101	concomitant_medsrxcui_260101	Oseltamivir (T	
			N02BE0	concomitant_medsn02be01	Tylenol (paracetamol/	
		I A	M01A	concomitant_medsm01a	Ibuprofen, na NSAIDs	
			N02BA	concomitant_medsn02ba	Aspirin	
			B01AC	concomitant_medsb01ac	Antiplatelet ag aspirin	
			A10BA0	2 concomitant_medsa10ba02	Metformin	
			A11CC	concomitant_medsa11cc	Vitamin D	
			B01A	concomitant_medsb01a	Anticoagulatio	
			C07A	concomitant_medsc07a	Beta blockers	
			OTH	concomitant_medsoth	Other	
			UNK	concomitant_medsunk	Unknown	
			NONE	concomitant_medsnone	None	
			Field Ann	alignment: LH notation: Terminology: ATC, RxNorm DFTHEABOVE='NONE' @HIDECHOICE='C	C07A'	
50	steroid_specific_2	Steroid dosing, in prednisone dose equivalents Note: 3 mg of	radio			
	Show the field ONLY if:	dexamethasone is equivalent to 20 mg of prednisone, so any dose of dexamethasone of more than 3 mg/day (21 mg/week) would be	1 20	mg/day or below [low dose]		
	[concomitant_meds(H02)] = '1'	equivalant to more than 20 mg of prednisone/day.	1a 10	mg/day or below [low dose]		
			1b Mo	re than 10 mg/day up to 20 mg/day		
			2 Mo	re than 20 mg/day but less than 1mg/kg	g/day	
			3 Equ	ual to or greater than 1 mg/kg/day		
			99 Unl	known		
			Field Anr	notation: @HIDECHOICE='1'		

			- 3 1 1		
51	immuno_type	Please specify which immunosuppressant(s). Check all that apply.	checkbox		
	Show the field ONLY if:		L04AD01	immuno_typel04ad01	Cyclosporine
	[concomitant_meds(L04A)] = '1'		L04AD02	immuno_typel04ad02	Tacrolimus (Prograf)
			L04AA10	immuno_typel04aa10	Sirolimus
			L04AA18	immuno_typel04aa18	Everolimus
			L04AX01		Azathioprine (lmuran)
			L04AA06		Mycophenolate mofetil (CellCept)
			L01BB02		Mercaptopurine (6- MP)
			L04AA33	immuno_typel04aa33	Vedolizumab
			L01BA01	immuno_typel01ba01	Methotrexate
			L01AA01	immuno_typel01aa01	Cyclophosphamide
			L04AB04	immuno_typel04ab04	Adalimumab
			L01XE18	immuno_typel01xe18	Ruxolitinib (Jakafi)
			L01XE57		Fedratinib (Inrebic)
			ОТН	immuno_typeoth	Other
			UNK	immuno_typeunk	Unknown
			Field Anno	tation: Terminologies: ATC	
52	immuno_oth_more Show the field ONLY if: [immuno_type(OTH)] = '1'	Please specify what other immunosuppressants Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	-	
53	aspirin_dose	Aspirin dosing	radio		
	Show the field ONLY if:		26245900	3 Low dose (less than 200	mg/day)
	[concomitant_meds(N02BA)] = '1'		26182900	3 Full dose	
			26166500	6 Unknown	
				tation: Terminology: SNOME	D
54	bl_anticoag_type Show the field ONLY if: [concomitant_meds(B01A)] = '1'	Which anticoagulants were used? Check all that apply.	B01AA	bl_anticoag_typeb01aa	Vitamin K antagonists (e.g., warfarin)
			B01AB	bl_anticoag_typeb01ab	Low-molecular weight heparin (e.g., enoxaparin [Lovenox])
			B01AB01	bl_anticoag_typeb01ab0	Unfractionated heparin
			B01AE	bl_anticoag_typeb01ae	Direct thrombin inhibitors (e.g., argatroban, dabigatran [Pradaxa])
			B01AF	bl_anticoag_typeb01af	Direct factor Xa inhibitors (e.g., apixaban [Eliquis], rivaroxaban [Xarelto])
			B01AX05	bl_anticoag_typeb01ax0	5 Fondaparinux
			UNK	bl_anticoag_typeunk	Unknown
			ОТН	bl_anticoag_typeoth	Other
			Field Anno	tation: Terminology: ATC	
55	bl_anticoag_reason	Why were anticoagulants being used?	radio		
55	bl_anticoag_reason Show the field ONLY if:	Why were anticoagulants being used?	radio	0 Prophylaxis	
55	bl_anticoag_reason Show the field ONLY if: [concomitant_meds(B01A)] = '1'	Why were anticoagulants being used?	radio		
55	Show the field ONLY if:	Why were anticoagulants being used?	radio 36027100	0 Therapeutic dosing	
55	Show the field ONLY if:	Why were anticoagulants being used?	radio 36027100 26220200 26166500	0 Therapeutic dosing	

/2021		COVID-19 and Cancer Consortium (CCC19) Re	9.0	, oap
56	bl_anticoag_type_oth_specify Show the field ONLY if: [bl_anticoag_type(OTH)] = '1'	Please specify what other anticoagulants Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	
57	meds_other Show the field ONLY if: [concomitant_meds(OTH)] = '1'	Please specify what other medications Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	
58	gcsf	Did the patient receive G-CSF within two weeks of the COVID-19	radio	
		diagnosis?	0	No
			1	Yes, Prophylactic G-CSF use (within 1-3 days of completion of chemo)
			2	Yes, Therapeutic G-CSF use (later than 1-3 days after chemo or during a neutropenic hospitalization)
			OTH	Other
			UNK	Unknown
59	gcsf_oth_specify Show the field ONLY if: [gcsf] = 'OTH'	Please specify what other G-CSF Do not record any PHI in this field. As a reminder, this includes all elements of date other than year.	notes	
60	additional_meds	Additional details about medications that the patient may have been taking (e.g., specific drug names; if taking NSAIDs or corticosteroids, how long, how much; etc.) If it is easy to copy a full medication list from your EMR, please do so here. Do not record any PHI in this field. As a reminder, this includes all elements of date other than year.	notes	
61	sars_vax	Did the patient receive a SARS-CoV-2 vaccine?	1 \	No Yes Jnknown
63	sars_vax_which Show the field ONLY if: [sars_vax] = '1' sars_vax_other Show the field ONLY if: [sars_vax_which] = '88' sars_vax_when	Which of the following SARS-CoV-2 vaccines did the patient receive? Please specify what other SARS-CoV-2 vaccine Do not record any PHI in this field. As a reminder, this includes all elements of date other than year. How long after the FIRST dose of vaccine was COVID-19 diagnosed?	1a / 1b / 4 J 2a 1 2b 1 3a 1 88 0 99 1 notes	Required AstraZeneca vaccine (one dose only) AstraZeneca vaccine (both doses) Iohnson & Johnson vaccine Moderna mRNA vaccine (one dose only) Moderna mRNA vaccine (both doses) Pfizer mRNA vaccine (one dose only) Pfizer mRNA vaccine (both doses) Other Unknown
04	sars_vax_when Show the field ONLY if: [sars_vax] = '1'	now forig after the Fik51 dose of vaccine was COVID-19 diagnosed?	1 L 2 4 3 & 4 L 88 L	Required Less than 4 weeks 4 to 8 weeks 8 to 12 weeks More than 12 weeks N/A - patient was vaccinated AFTER the COVID-19 diagnosis Unknown
65	influenza_vax	Did the patient have an influenza vaccine in the season which they contracted SARS-CoV-2?	radio 0 1	No Yes Unknown
66	bcg_vax	Has the patient ever had a BCG vaccine?	1	No Yes Unknown

Patient Riv blood type Patient Riv Blood t	
B Bacol_type_th	
As As As As As As As As	
AB	
Display Disp	
Patient RH blood type	
Field Annotation: SNOMED: 11214;9006 radio restriction restricti	
Disord type m	
1837/27027 Ibh 1837/48003	
10.000 1	
29	
Field Annotations SMOMED: 113298001 65 comorbid, header Comorbidities in this section, please regard on any pre-existing conditions other than canner that evere present prior to the COVD-19 illness. 70 significant_comorbidities Significant_comorbidities Significant_comorbidities Significant_comorbidities Significant_comorbidities Significant_comorbidities defended significant_comorbidities sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse agents for sold argan transplant or for an autoimmune algeresse. 8400-001 significant_comorbidities _ 562950 significant_comorbidities _ 562950 significant_comorbidities _ 562950 significant_comorbidities _ 572410 significant_comorbidities _ 57	
69 comorbiditheader Comorbidities in this section, please report on any pre-existing conditions other than cancer that were present prior to the COVID-19 illness. 3 significant_comorbidities (other than cancer. Check all that apply, if you do not know specific diagnoses, ok to choose the "NOS" changed to the control to the coving videous, NOS immunes suppression is defined as charmotherapy, use of nonrecitabilities in many pre-existing agents for sollid organ transplant or for an autoimmune disease. 4279008 significant_comorbidities (5427908 significant_comorbidities) (5427908 significant_comorbid	
conditions other than cancer that were present prior to the COVID-19 illness. Significant_comorbidities Significant_comorbiditi	
you do not know specific diagnoses, ok to choose the "NOS" categories (eg., Pulmonary disease, NOS), immune suppressive agents for solid organ transplant or for an autoimmune disease. 1882901	
(e.g., Pulmonary disease, NOSI, Immune suppression is defined as outpatient use of predinsions (10 limy) or greater), use of chemotherapy, use of nonsteroidal immunosuppressive agents for solid organ transplant or for an autoimmune disease. 1999-2001	
outpatient use of prednisone (10mg/d or greater), use of or herotherapy, use of nonstroidal immunosuppressive agents for solid organ transplant or for an autoimmune disease. 1982901	
19829001 significant_comorbidities_ 198291 19997001 significant_comorbidities_ 199801 19997001 significant_comorbidities_ 199801 19997001 significant_comorbidities_ 199801 19997001 significant_comorbidities_ 199981 19997000 significant_comorbidities_ 199981 1999700 significant_comorbidities_ 199981 1999700 significant_comorbidities_ 199981 1999700 significant_comorbidities_ 199981 19997000 significant_comorbidities_ 199981 19998000 significant_comorbidities_ 20000 significant_comorbidities_ 200000 significant_comorbidities_ 200000 significant_comorbidities_ 200000 significant_comorbidities_ 200000 significant_como	definition
195967001 significant_comorbidities19567 13645005 significant_comorbidities17567 13645005 significant_comorbidities78275 13645005 significant_comorbidities78275 13645006 significant_comorbidities47204 138341003 significant_comorbidities67625 138341003 significant_comorbidities67625 138341003 significant_comorbidities57625 138341003 significant_comorbidities57822 138341003 significant_comorbidities57822 138341003 significant_comorbidities57822 138341003 significant_comorbidities67822 138341003 significant_comorbidities67822 138341003 significant_comorbidities67822 138341004 significant_comorbidities67822 138341005 significant_comorbidities77852 138341006 significant_comorbidities77852 138341007 significant_comorbidities77852 138341007 significant_comorbidities77852 138341007 significant_comorbidities77852 138341007 significant_comorbidities77852 138341008 significant_comorbidities77842 138341008 significant_comorbid	
13643005 significant_comorbidities13645(78275009 significant_comorbidities782750(84004001 significant_comorbidities42704(427046006 significant_comorbidities6265(38341003 significant_comorbidities63625(38341003 significant_comorbidities63625(38341003 significant_comorbidities56265(38341008 significant_comorbidities5626(53741008 significant_comorbidities5822(53741008 significant_comorbidities5822(42343007 significant_comorbidities42343(42343007 significant_comorbidities40004(40047006 significant_comorbidities40004(40047006 significant_comorbidities40004(40047006 significant_comorbidities40004(40047006 significant_comorbidities40004(40047006 significant_comorbidities40004(40047006 significant_comorbidities70004(40047006 significant_comorbi	
78275009 significant_comorbidities_782751 84004001 significant_comorbidities_840044 427046006 significant_comorbidities_427046 56265001 significant_comorbidities_562651 38341003 significant_comorbidities_383410 55822004 significant_comorbidities_558220 53741008 significant_comorbidities_5737410 42343007 significant_comorbidities_423431 698247007 significant_comorbidities_423431 698247007 significant_comorbidities_423431 400047006 significant_comorbidities_40004 275526006 significant_comorbidities_40004 275526006 significant_comorbidities_59282 128053003 significant_comorbidities_59282 128053003 significant_comorbidities_128053 90708001 significant_comorbidities_723190 46177005 significant_comorbidities_723190 46177005 significant_comorbidities_723190 31943007 significant_comorbidities_393831 323656003 significant_comorbidities_393831 31943007 significant_comorbidities_393831 31943007 significant_comorbidities_393831 31943007 significant_comorbidities_393831 31943007 significant_comorbidities_394831 323656003 significant_comorbidities_394831 323656003 significant_comorbidities_394831 32488006 significant_comorbidities_194831 32448006 significant_comorbidities_39484 32448006 significant_comorbidities_39484	
84004001 significant_comorbidities840040 427046006 significant_comorbidities42704 56265001 significant_comorbidities52656 3834103 significant_comorbidities52656 3834103 significant_comorbidities538241 55822004 significant_comorbidities538241 55822004 significant_comorbidities538241 42343007 significant_comorbidities63824 42343007 significant_comorbidities423436 40047006 significant_comorbidities404366 400047006 significant_comorbidities40004706 significant_comorbidities40004706 significant_comorbidities40004706 significant_comorbidities40004706 327526006 significant_comorbidities40004706 400047006 significant_comorbidities40004706 328648000 significant_comorbidities40004706 400047006 328648000 significant_comorbidities7010840 400047006 328648000 significant_comorbidities401700 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 40177005 401	
427046006 significant_comorbidities_427046 56265001 significant_comorbidities_562656 38341003 significant_comorbidities_562656 38341003 significant_comorbidities_582204 significant_comorbidities_582204 significant_comorbidities_582204 significant_comorbidities_582204 significant_comorbidities_582204 significant_comorbidities_42343007 significant_comorbidities_42343007 significant_comorbidities_49436004 significant_comorbidities_49436004 significant_comorbidities_49436004 significant_comorbidities_49436004 significant_comorbidities_1943004 significant_comorbidities_1940043009 significant_comorbidities_2048000 significant_	009 Obstruc (OSA)
56265001 significant_comorbidities562656 38341003 significant_comorbidities58220 55822004 significant_comorbidities58220 55822004 significant_comorbidities58220 53741008 significant_comorbidities58220 53741008 significant_comorbidities637410 42343007 significant_comorbidities423430 significant_comorbidities423430 significant_comorbidities40004 significant_comorbidities40004 significant_comorbidities40004 275526006 significant_comorbidities40004 275526006 significant_comorbidities40004 significant_comorbidities40004 significant_comorbidities12805 90708001 significant_comorbidities12805 90708001 significant_comorbidities12805 46177005 significant_comorbidities401770 236433004 significant_comorbidities401770 326433004 significant_comorbidities30483 235856003 significant_comorbidities30483 323856003 significant_comorbidities30484 32385	001 Radiatio
38341003 significant_comorbidities38341(55822004 significant_comorbidities55822(53741008 significant_comorbidities55822(53741008 significant_comorbidities63741(42343007 significant_comorbidities42343(698247007 significant_comorbidities42343(49436004 significant_comorbidities49436(400047006 significant_comorbidities40004; 275526006 significant_comorbidities40004; 275526006 significant_comorbidities5252(59282003 significant_comorbidities5282(128053003 significant_comorbidities12805; 90708001 significant_comorbidities90708(723190009 significant_comorbidities72319(46177005 significant_comorbidities72319(46177005 significant_comorbidities72319(19943007 significant_comorbidities32643; 235856003 significant_comorbidities32643(235856003 significant_comorbidities32643(235856003 significant_comorbidities325648(352448006 significant_comorbidities52448(52448006 significant_comorbidities52448(7200002 significant_comorbidities52448(7200002 significant_comorbidities52448(6006 ICI pneu
55822004 significant_comorbidities558220	001 Cardiov
53741008 significant_comorbidities537410 42343007 significant_comorbidities423430 698247007 significant_comorbidities498244 49436004 significant_comorbidities494364 400047006 significant_comorbidities49004; 275526006 significant_comorbidities275526 59282003 significant_comorbidities92826 128053003 significant_comorbidities12805; 90708001 significant_comorbidities12805; 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236436 235856003 significant_comorbidities236436 19943007 significant_comorbidities199430 OTH-x significant_comorbidities199430 OTH-x significant_comorbidities192430	003 Hyperte
42343007 significant_comorbidities423430 698247007 significant_comorbidities698241 49436004 significant_comorbidities494360 400047006 significant_comorbidities494360 275526006 significant_comorbidities40004; 59282003 significant_comorbidities592820 128053003 significant_comorbidities12805; 90708001 significant_comorbidities12805; 90708001 significant_comorbidities7231900 723190009 significant_comorbidities7231900 significant_comorbidities4617700 236435004 significant_comorbidities36438; 235856003 significant_comorbidities323643636 19943007 significant_comorbidities323643636 07H-x significant_comorbidities19943007 Significant_comorbidities19243000000000000000000000000000000000000	
698247007 significant_comorbidities698241 49436004 significant_comorbidities494366 400047006 significant_comorbidities400043 275526006 significant_comorbidities275526 59282003 significant_comorbidities592826 128053003 significant_comorbidities128053 90708001 significant_comorbidities907086 723190009 significant_comorbidities723196 46177005 significant_comorbidities461776 236435004 significant_comorbidities436433 235856003 significant_comorbidities323856 19943007 significant_comorbidities199436 OTH-x significant_comorbidities199436 OTH-x significant_comorbidities192436 31943007 significant_comorbidities192436 S12448006 significant_comorbidities192436 S12448006 significant_comorbidities192436 S12448006 significant_comorbidities192436 S12448006 significant_comorbidities5244866 S1200002 significant_comorbidities52244866	
49436004 significant_comorbidities494360 400047006 significant_comorbidities40004: 275526006 significant_comorbidities275526 59282003 significant_comorbidities592826 128053003 significant_comorbidities12805: 90708001 significant_comorbidities907086 723190009 significant_comorbidities907086 723190009 significant_comorbidities461776 236435004 significant_comorbidities23643: 235856003 significant_comorbidities235856 19943007 significant_comorbidities199436 OTH-x significant_comorbidities19436 OTH-x significant_comorbidities19436 OTH-x significant_comorbidities19436 OTH-x significant_comorbidities19436 T200002 significant_comorbidities52448606 significant_comorbidities52448606 significant_comorbidities52448606 significant_comorbidities7200006	007 Conges (CHF) in HFrEF
400047006 significant_comorbidities40004: 275526006 significant_comorbidities275526 59282003 significant_comorbidities592826 128053003 significant_comorbidities128053 90708001 significant_comorbidities907086 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236436 235856003 significant_comorbidities236436 19943007 significant_comorbidities199430 OTH-x significant_comorbidities199430 OTH-x significant_comorbidities04b_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	7007 Cardiac
400047006 significant_comorbidities40004: 275526006 significant_comorbidities275526 59282003 significant_comorbidities592826 128053003 significant_comorbidities128053 90708001 significant_comorbidities907086 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236436 235856003 significant_comorbidities236436 19943007 significant_comorbidities199430 OTH-x significant_comorbidities199430 OTH-x significant_comorbidities194430 OTH-x significant_comorbidities194430 S2448006 significant_comorbidities524480 52448006 significant_comorbidities7200002 significant_comorbidities7200002	004 Atrial fil
59282003 significant_comorbidities592820 128053003 significant_comorbidities128053 90708001 significant_comorbidities907080 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236433 235856003 significant_comorbidities236433 235856003 significant_comorbidities23585603 0TH-x significant_comorbidities199430 OTH-x significant_comorbidities0th_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities7200000	
128053003 significant_comorbidities128053 90708001 significant_comorbidities907080 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236438 235856003 significant_comorbidities235850 19943007 significant_comorbidities199430 OTH-x significant_comorbidities0th_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	- I
128053003 significant_comorbidities128053 90708001 significant_comorbidities907080 723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236438 235856003 significant_comorbidities235850 19943007 significant_comorbidities199430 OTH-x significant_comorbidities0th_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236435 235856003 significant_comorbidities235856 19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
723190009 significant_comorbidities723190 46177005 significant_comorbidities461770 236435004 significant_comorbidities236435 235856003 significant_comorbidities235856 19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
236435004 significant_comorbidities236435 235856003 significant_comorbidities235856 19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
235856003 significant_comorbidities235856 19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	005 End-sta
235856003 significant_comorbidities235856 19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	(ESRD), 5004 ESRD, o
19943007 significant_comorbidities199430 OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
OTH-x significant_comorbiditiesoth_x 52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	
52448006 significant_comorbidities524480 7200002 significant_comorbidities720000	Other o
7200002 significant_comorbidities720000	
	009 Diabete
<u> </u>	

		COVID-19 and Cancer Consortium (CCC19) R	cgistry IXL	•	
			190388001	significant_comorbidities190388001	Diabete complic
			237602007	significant_comorbidities237602007	Metabo
			414916001	significant_comorbidities414916001	Obesity
			238136002	significant_comorbidities238136002	Morbid BMI > 3
			444216004	significant_comorbidities444316004	related
			24526004	significant_comorbidities444316004 significant_comorbidities24526004	Seasor
			24320004		(IBD)
			85828009	significant_comorbidities85828009	Rheum disease
			234336002	significant_comorbidities234336002	History transpla stem ce
			313039003	significant_comorbidities313039003	History transpla
			ОТН	significant_comorbiditiesoth	Other
			UNK	significant_comorbiditiesunk	Unknov
			NONE	significant_comorbiditiesnone	None
				tion: Terminology: SNOMED HEABOVE='NONE'	
71	hiv_cd4	What is the patient's CD4+ T-cell count?	text (numbe	r, Min: 0)	
	Show the field ONLY if: [significant_comorbidities(624790 08)] = '1'				
72	hiv_vl	What is the patient's viral load, in copies/mL?	text (number	r, Min: 0)	
	Show the field ONLY if: [significant_comorbidities(624790 08)] = '1'				
73	ibd	Please consider reporting this patient to the Secure-IBD Registry as	descriptive		
	Show the field ONLY if: [significant_comorbidities(245260 04)] = '1'	well.			
74	please_specify Show the field ONLY if: [significant_comorbidities(OTH)] = '1' or [significant_comorbidities (OTH-x)] = '1'	Please specify what other significant comorbidities Do not record any PHI in this field. As a reminder, this includes all elements of date other than year.	notes		
75	o2_requirement	Does the patient have a baseline chronic O2 requirement?	radio		
			1 Yes, pa	tient requires chronic supplemental O2	
			0 No, pat	ient does not require supplemental O2	
			99 Unknov	wn	
76	comorbid_no	Number of comorbid conditions requiring active therapy.	radio		
	comorbia_no				
	Comorbid_no	1, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	0 0		
	comorbid_no		0 0 1 1		
	comorbid_no		0 0 1 1 2 2		
	comorbid_no		0 0 1 1 2 2 3 3		
	comorbid_no		0 0 1 1 2 2 3 3 4 4 or mo		
77	additional_comorbid	Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	0 0 1 1 2 2 3 3		
77		Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than	0 0 1 1 2 2 3 3 4 4 or mo		
	additional_comorbid	Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	0 0 1 1 2 2 3 3 4 4 or mo 99 Unknow		
	additional_comorbid	Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Section Header: Free text entry (optional) Comments Do not record any PHI in this field. As a reminder, this	0 0 1 1 2 2 3 3 4 4 or mo 99 Unknow		
78	additional_comorbid comments_form_1	Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Section Header: Free text entry (optional) Comments Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	0 0 1 1 2 2 3 3 4 4 or mo 99 Unknow notes	wn	
78	additional_comorbid comments_form_1	Additional comments about comorbidities. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Section Header: Free text entry (optional) Comments Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Section Header: Form Status	0 0 1 1 2 2 3 3 4 4 or mo 99 Unknow notes	ete	

2021		COVID-19 and Cancer Consortium (CCC19) R	-gisti y			
Instr	ument: COVID-19 details (cov	id19_details) 🛂 Enabled as survey			^ Collapse	
80	ts_2	Timestamp for the COVID-19 details form	text (datetime_dmy), Required Field Annotation: @HIDDEN @NOW_UTC			
81	c19_workup_why	Section Header: COVID-19 Details - Mandatory Diagnostic Information	radio			
		Why did the patient come to be evaluated for SARS-CoV-2 or COVID-19?	1	Symptoms		
			2	Screening prior to a proced	dure	
			3	Screening prior to a system	nic anti-cancer treatment	
			4	Screening due to a high-ris exposure)	k situation (e.g., known	
			ОТН	Other		
			UNK	Unknown		
			Field A	Annotation: @HIDDEN DEPRI	ECATED	
82	c19_workup_why_2	Why did the patient come to be evaluated for SARS-CoV-2 or COVID-19? Check all that apply.	checkbox, Required			
			1	c19_workup_why_21	Symptoms	
			2	c19_workup_why_22	Screening prior to a procedure	
			3	c19_workup_why_23	Screening prior to a systemic anti-cancer treatment	
			4	c19_workup_why_24	Screening due to a high- risk situation (e.g., known exposure)	
			5	c19_workup_why_25	Screening required for public health reasons (e.g., prior to nursing home placement)	
			ОТН	c19_workup_why_2oth	Other	
			UNK	c19_workup_why_2unk	Unknown	
83	workup_oth_specify	Please specify what other reason for COVID-19 evaluation Do not	notes	·		
	Show the field ONLY if: [c19_workup_why] = 'OTH'	record any PHI in this field. As a reminder, this includes all elements of dates other than year.				

84	symptoms	Which symptoms and/or signs were present upon initial	checkbox, R	equired	
0-	Symptoms	presentation? Check all that apply.		symptoms367391008	Fatigue/Malaise
			386661006	symptoms386661006	Fever
			49727002	symptoms49727002	Cough
			248595008	symptoms248595008	Productive cough (with sputum)
			267036007	symptoms267036007	Dyspnea (SOB/DOE)
			68962001	symptoms68962001	Myalgias (muscle pains, body aches)
			57676002	symptoms57676002	Arthralgias (joint pains)
			162397003	symptoms162397003	Sore throat
			25064002	symptoms25064002	Headache
			419284004	symptoms419284004	Altered mental status (AMS)
			44169009	symptoms44169009	Loss of sense of smell (anosmia)
			36955009	symptoms36955009	Loss of taste (ageusia)
			64531003	symptoms64531003	Rhinorrhea (runny nose)
			422587007	symptoms422587007	Nausea
			272044004	symptoms272044004	Vomiting
			62315008	symptoms62315008	Diarrhea
			43364001	symptoms43364001	Abdominal discomfort (other than frank abdominal pain)
			21522001	symptoms21522001	Abdominal pain
			166643006	symptoms166643006	LFT abnormalities
			301095005	symptoms301095005	Cardiac involvement
			9826008	symptoms9826008	Conjunctivitis
			ОТН	symptomsoth	Other
			84387000	symptoms84387000	None (patient was asymptomatic)
			UNK	symptomsunk	Unknown
				ation: Terminology: SNOME HEABOVE='84387000'	D
85	symptoms_oth_specify Show the field ONLY if: [symptoms(OTH)] = '1'	Please specify other symptoms. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
86	symptoms_none_why Show the field ONLY if: [symptoms(84387000)] = '1'	Was the patient tested as part of a pre-treatment or pre-procedure screening program?	radio 0 No 1 Yes 99 Unkno	wn	
87	covid_19_diagnosis	COVID-19 diagnosis Note: if the patient ever had a positive laboratory result, please choose "laboratory-confirmed". This should be checked even if the positive test is from another facility and you do not have a hard copy of the results. Laboratory results can include PCR, antibodies, or any other test that would be consistent with a current or prior SARS-CoV-2 infection.	11 Suspect 2 Suspect 3 Suspect	red tted based on symptoms tted based on contact with e tted based on CXR findings tted based on CT scan finding tory-confirmed	
			99 Unkno	-	

12021		COVID-19 and Cancer Consortium (CCC19) R	59.04.) 112.5 Oup
88	covid_19_lab_type	What was the type of laboratory confirmation? Check all that apply	checkbox, Required
	Show the field ONLY if:		94746-5 covid_19_lab_type94746_5 PCR
	[covid_19_diagnosis] = '4'		94558-4 covid_19_lab_type94558_4 Antigen test (ELISA)
			94762-2 covid_19_lab_type94762_2 Serology (antibodies to SARS-CoV-2)
			LA14698- covid_19_lab_typela14698_7 Other 7
			LA4489-6 covid_19_lab_typela4489_6 Unknown
			Field Annotation: Vocabulary: LOINC
89	covid_19_dx_imaging	Please describe the imaging abnormalities. Do not record any PHI in	notes
	Show the field ONLY if: [covid_19_diagnosis] = '2' or [covid_19_diagnosis] = '3'	this field. As a reminder, this includes all elements of dates other than year.	
90	neg_test	Did the patient have a negative laboratory test despite having	radio, Required
	Show the field ONLY if:	symptoms or signs supportive of the COVID-19 diagnosis?	1 Yes
	[covid_19_diagnosis] = '1' or [covid_1 d_19_diagnosis] = '11' or [covid_1		2 No
	9_diagnosis] = '2' or [covid_19_dia gnosis] = '3' or [covid_19_diagnosi s] = '99'		99 Unknown
91	covid_19_test_more	Please provide additional details, including the type of COVID-19 test.	notes
	Show the field ONLY if:	Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	
	[neg_test] = '1' or [covid_19_diagn osis] = '4'	elements of dates other than year.	
92	additional_sx	Additional comments about COVID-19 symptoms and diagnosis. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
93	severity_of_covid_19_v2	Section Header: Initial Severity and Course of Illness	radio, Required
		Initial severity of COVID-19 Note 1: this is probably the most important single piece of information that we are gathering, please try not to	1 Mild (no hospitalization required)
		answer "unknown" if at all possible. Note 2: if hospitalization or ICU	2 Moderate (hospitalization indicated)
		admission were indicated but the patient was not actually admitted, you should still select that box. For example, for a patient who arrives	3 Severe (ICU admission indicated)
		at the ED with critical hypoxia that would ordinarily indicate a need for mechanical ventilation, but is transitioned to home hospice	99 Unknown
		immediately, you should still select the severe checkbox. Note 3: if the	
		patient is diagnosed while in the hospital and is asymptomatic (e.g., as screening prior to nursing home placement), answer this question as if	
		they were presenting as an outpatient.	
94	cytokine_yn	Did the patient experience a cytokine storm or cytokine release syndrome that was specifically documented in the patient's chart?	radio
	Show the field ONLY if: [severity_of_covid_19_v2] = '2' or	syndrome that was specifically abcamented in the patient's chart.	0 No 1 Yes
	[severity_of_covid_19_v2] = '3'		99 Unknown
95	hosp_status	Was the patient ever hospitalized during their course of illness? If the	radio, Required
دو	nosp_status	patient was hospitalized more than once, please report on the index	0 No
		hospitalization and make a note in the comments about the other hospitalization(s).	1 Yes - admitted to floor
			2 Yes - admitted to floor and then transferred to the ICL
			3 Yes - admitted directly to the ICU
			99 Unknown
96	dx_hosp_interval	How many days elapsed between the COVID-19 diagnosis and the first	text (integer)
	Show the field ONLY if:	hospital admission? If the patient was hospitalized on the same day as their diagnosis, enter 0 here. If they were hospitalized before the	
	[hosp_status] = '1' or [hosp_statu s] = '2' or [hosp_status] = '3'	COVID-19 diagnosis (e.g., iatrogenic COVID-19), enter a negative number corresponding to how many days they were in the hospital before diagnosis. If you do not know the answer, enter 9999 here.	
97	code_status_admit	What was the patient's code status at the time of admission	radio
	Show the field ONLY if:	·	1 Full code
	[hosp_status] = 1 or [hosp_status]		2 DNR only
	= 2 or [hosp_status] = 3		3 DNI only
			4 DNR/DNI
1			99 Unknown

			-9
98	code_status_change	Did the patient's code status change during the hospitalization?	radio
	Show the field ONLY if: [hosp_status] = 1 or [hosp_status]		0 No
	= 2 or [hosp_status] = 3		1 Yes
			99 Unknown
99	code_status_change_what	What did the code status change to?	radio
	Show the field ONLY if: [code_status_change] = 1		1 Full code 2 DNR only
	[code_states_enange]		2 DNR only 3 DNI only
			4 DNR/DNI
			88 Other
			99 Unknown
100	code status shange why	Printly describe why the code status was shanged. Do not record any	
100	code_status_change_why	Briefly describe why the code status was changed. Do not record any PHI in this field. As a reminder, this includes all elements of dates other	notes
	Show the field ONLY if: [code_status_change] = 1	than year.	
101	palliative_yn	Was a palliative care consultant or team involved in the care of the	radio
	Show the field ONLY if:	patient during this admission?	0 No
	[hosp_status] = 1 or [hosp_status] = 2 or [hosp_status] = 3		1 Yes
	= 2 or [nosp_status] = 3		99 Unknown
102	hosp_los	If known, how long was the length of stay, in days? If the patient is still	text (integer, Min: 1)
	Show the field ONLY if:	hospitalized, enter 9999 here.	
	[hosp_status] = '1'		
103	hosp_los_2	If known, how long was the length of stay prior to transfer to the ICU, in days?	text (integer, Min: 1)
	Show the field ONLY if: [hosp_status] = '2'		
104	icu_los	If known, how long was the ICU length of stay, in days? If the patient is	text (integer, Min: 1)
	Show the field ONLY if:	still in the ICU, enter 9999 here.	
	[hosp_status] = '2' or [hosp_statu s] = '3'		
105	current_status	What is the patient's current location?	radio, Required
	Show the field ONLY if:		1 Outpatient - new COVID-19 diagnosis
	[timing_of_report] = '1'		2 Outpatient - follow up
			3 ER - new COVID-19 diagnosis
			4 ER - Follow up
			5 Hospitalized (non-ICU) - new admit
			6 Hospitalized (non-ICU) - continued
			7 ICU - new admit
			8 ICU - continued
			9 None - patient is deceased
106	days_to_death_2	Approximately how many days elapsed between COVID-19 diagnosis and death? If this information is unknown to you, please enter 9999	text (integer, Min: 0), Required
	Show the field ONLY if: [current_status] = '9'	here.	
107	cause_of_death	To the best of your knowledge, what was the proximal cause of death?	radio, Required
-/	Show the field ONLY if:	,	1 COVID-19
	[current_status] = '9'		2 Cancer
			3 Both
			88 Other
			99 Unknown
108	deceased_reason	Please provide additional details about the proximal cause of death. Do	notes, Required
108	deceased_reason Show the field ONLY if:	Please provide additional details about the proximal cause of death. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	

		,	<u> </u>	'		
109	c19_complications_systemic	Section Header: Complications	checkbox, Re		1	_
		Systemic complications occurring during the COVID-19 illness. Check all that apply. If there were no systemic complications, please check	50960005	c19_complications_systemic5096		Bleed
		Notice.		c19_complications_systemic6740		Dissel intrav coagu (DIC)
			57653000	c19_complications_systemic5765	3000	Multic failure
			91302008	c19_complications_systemic9130	2008	Sepsis
			238147009	c19_complications_systemic2381	47009	Other
			NONE	c19_complications_systemicnone	;	None
			UNK	c19_complications_systemicunk		Unkn
				ion: Terminology: SNOMED IEABOVE='NONE'		
110	c19_bleeding Show the field ONLY if: [c19_complications_systemic(509	Please specify the type of bleeding. Check all that apply.	112648003	c19_bleeding112648003	Major bleedir (requir	_
	60005)] = '1'				multip RBCs transfu or ICU admit)	le usions
			73099002	c19_bleeding73099002	Non-m but clir relevar bleed	nically
			127563002	c19_bleeding127563002	Minor (withou transfu need)	ut
			230690007- Major	c19_bleeding230690007_major	CNS hemor extens	
			230690007- Minor	c19_bleeding230690007_minor	CNS hemor limited	- Y
			ОТН	c19_bleedingoth	Other	
			UNK	c19_bleedingunk	Unkno	wn
			Field Annotat	ion: Terminology: SNOMED-modified	1	
111	c19_bleeding_oth_specify Show the field ONLY if: [c19_bleeding(OTH)] = '1'	Please specify further details about bleeding. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			
112	dic_certainty	How definite was the DIC diagnosis?	radio			
	Show the field ONLY if:		1 Definite			
	[c19_complications_systemic(674		2 Suspect	ed		
	06007)] = '1'		99 Unknow	/n		
113	dic_treatment	Which of the following were used to treat the DIC?	radio			
	Show the field ONLY if:			Plasma (FFP)		
	[c19_complications_systemic(674		256401009	Cryoprecipitate		
	06007)] = '1'		NONE	None		
			UNK	Unknown		
			ОТН	Other		
			Field Annotat	ion: Terminology: SNOMED		
114	dic_more	Please provide further details about DIC, including clinical	notes			
	Show the field ONLY if: [c19_complications_systemic(674 06007)] = '1'	manifestations. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.				
115	c19_comp_systemic_specify	Please specify other systemic complications. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than	notes			

116	o2_requirement_c19	Did the patient require supplemental O2 during the course of illness?	radi	o, Require	ed_			
			0	No				
			1	Yes				
			99	Unknow	n			
117	o2_policy	Was there an institutional policy in place to refuse intubation for	radi	0				
	Show the field ONLY if:	patients with metastatic cancer, at the time when this patient required	0	No				
	[o2_requirement_c19] = '1'	supplemental O2?	1	Yes				
			99	Unknow	n			
118	c19_complications_pulm	Pulmonary complications occurring during the COVID-19 illness. Check	che	ckbox, Red	 nuired			
110	ers_complications_paint	all that apply. If there were no pulmonary complications, please check				cations_pulm	409622000	Respira
		"None". Note: the distinction between pneumonia and pneumonitis can often be very subtle and subjective. Radiology notes may say						failure
		pneumonitis and clinical notes may say pneumonia. Please use your			c19_compli	cations_pulm	_205237003	Pneum
		best judgment.			•	cations_pulm		Pneum
			67	782005	c19_compli	cations_pulm	_67782005	Acute respira distress syndro (ARDS)
			59:	282003	c19_compli	cations_pulm	_59282003	Pulmoi emboli
			60	046008	c19_compli	cations_pulm	_60046008	(PE) Pleural effusio
			31:	2682007	c19_compli	cations_pulm	312682007	Empye
						cations_pulm		Other
			NC	NE	c19_compli	cations_pulm	_none	None
			UN	IK	c19_compli	cations_pulm	_unk	Unkno
			Field	d Annotati	on: Termino	ology: SNOMED		
119	resp_failure_tx	Which of the following supplemental O2 interventions did the patient	radi		011. 10111111	310831 311011123		
113	Show the field ONLY if:	require? Select the most invasive intervention required during the	1		nnula or fac	e mask with sta	ndard O2	
	[c19_complications_pulm(409622	course of illness.	2	High-flov	w nasal can	nula or blow-by		
	000)] = '1' or [o2_requirement_c1		3	Non-reb				
	9] = '1'		4	CPAP				
			5	BiPAP				
			6	Intubatio	nn .			
			-	Unknow				
120	withdrawal_yn	Was there an active decision to withdraw care?	radi	0				
120	Show the field ONLY if:	was there an active decision to withdraw care:	0	No				
	[resp_failure_tx] = '6'		1	Yes				
	·		99	Unknow	n			
121	tale aluanous Ile a	M/L	_					
121	withdrawal_who	Who was involved in the decision to withdraw care? Please check all that apply		ckbox withdraw	al_who1	Patient		
	Show the field ONLY if: [withdrawal_yn] = '1'		-	withdraw		Spouse or sign	ificant other	
			\vdash	withdraw		Child	inicant other	
			\vdash		al_who 4	Parent		
			-		al_who5 al who 6	Other family		
			\vdash	withdraw		Friend	ain a	
			$\ '\ $	withitididW	al_who7	Primary manag hematologist/o		
			8	withdraw	al_who8	Hospitalist/Inte	ensivist	
			9	withdraw	al_who9	Palliative care	clinician	
122	berlin_yn	Were the Berlin criteria formally assessed?	radi	0				
	Show the field ONLY if:		0	No				
	[c19_complications_pulm(677820		1	Yes				
	05)] = '1'		99	Unknow	n/Unsure			
			ь	i				

		COVID-19 and Cancer Consortium (CCC19) R	ogioti	,,,,,	1	
123	berlin_2 Show the field ONLY if: [berlin_yn] = '1'	Berlin criteria. The Berlin criteria are based on a decreased PaO2/FiO2 ratio:-mild ARDS: 201 - 300 mmHg (\leq 39.9 kPa)-moderate ARDS: 101 - 200 mmHg (\leq 26.6 kPa)-severe ARDS: \leq 100 mmHg (\leq 13.3 kPa)Note that the Berlin definition requires a minimum positive end expiratory pressure (PEEP) of 5 cmH2O for consideration of the PaO2/FiO2 ratio. This degree of PEEP may be delivered noninvasively with CPAP to	2	Mild Moderat Severe		
		diagnose mild ARDS. Click this link to access a calculator for PaO2/FiO2 ratio (opens a new window)	99	Unknow	<u>/n</u>	
124	c19_comp_pulm_specify Show the field ONLY if: [c19_complications_pulm(500430 02)] = '1'	Please specify other pulmonary complications. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	5		
125	c19_complications_card	Cardiovascular complications occurring during the COVID-19 illness.	check	kbox, Red	quired	1
		Check all that apply. If there were no cardiovascular complications, please check "None".	4500	07003	c19_complications_card45007003	Hypoter
		please circle Notice.	2229	98006	c19_complications_card22298006	Myocare infarctio
			4145	545008	c19_complications_card414545008	Other co
			4943	36004	c19_complications_card49436004	Atrial fil
			7190	08006	c19_complications_card71908006	Ventricu fibrillati
			6982	247007	c19_complications_card698247007	Other ca
			8589	98001	c19_complications_card85898001	Cardion
			4234	43007	c19_complications_card42343007	Congest heart fa (CHF)
			5928	82003	c19_complications_card59282003	Pulmon embolis
			1280	053003	c19_complications_card128053003	Deep ve thromb (DVT)
			2755	517008	c19_complications_card275517008	Superfice venous thromb (SVT)
			2306	690007	c19_complications_card230690007	Cerebro acciden stroke)
			4140	086009	c19_complications_card414086009	Thromb NOS
			4960	01007	c19_complications_card49601007	Other
			NON	NE	c19_complications_cardnone	None
			UNK	(c19_complications_cardunk	Unknow
			Field	Annotati	ion: Terminology: SNOMED	
126	sepsis_pressors Show the field ONLY if: [c19_complications_card(4500700 3)] = '1'	Did the patient require pressors?	1	No Yes Unknow	m	
127	c19_comp_card_specify Show the field ONLY if: [c19_complications_card(4960100 7)] = '1' or [c19_complications_card(414545008)] = '1' or [c19_complications_card(698247007)] = '1'	Please specify other cardiac complications. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			

		COVID TO GITG GGTGGT GGTGGT (GGGTG) TO	ogion y T				
128	c19_complications_gi	Gastrointestinal complications occurring during the COVID-19 illness.	checkbox, I	Required]
		Check all that apply. If there were no GI complications, please check "None".	42704400	9 c19_complications_gi_	_427044009	Acute	
		Notice.				hepatic injury	
			38902600	0 c19 complications gi	200026000		+
			-			Ascites	+
			81060008	c19_complications_gi_	_81060008	Bowel obstruction	эn
			56905009	c19_complications_gi_	_56905009	Bowel perforation	J om
			71057200	0 c19_complications_gi_	_710572000	Ileus	1
			48661000	c19_complications_gi_	48661000	Peritonitis	s
			53619000	c19_complications_gi_		Other	t
			NONE	c19_complications_gi_		None	†
				<u> </u>			+
			UNK	c19_complications_gi_	_unk	Unknown	+
			Field Annot	ation: Terminology: SNOI	MED		
129	c19_comp_gi_specify	Please specify other GI complications. Do not record any PHI in this	notes				1
	Show the field ONLY if:	field. As a reminder, this includes all elements of dates other than year.					
	[c19_complications_gi(53619000)]						
	= '1'						4
130	c19_complications_other	Other complications occurring during the COVID-19 illness. Check all that apply. If there were no other complications, please check "None".	checkbox, I	1	1466000	4 4	+
		that apply. If there were no other complications, please theck Note.	14669001	c19_complications_oth	er1466900	1 Acute kidne injury	у
			91175000	c19_complications_oth	er 9117500		+
			37207000				+
			41408600			09 Thron	+
			36296500	5 c19_complications_oth	er 3629650	NOS 05 Other	+
			NONE	c19_complications_oth		None	+
			UNK	c19_complications_oth		Unkno	+
				tation: Terminology: SNO			Ì
131	c19_complications_oth_specify	Please specify other complications. Do not record any PHI in this field.	notes				1
	Show the field ONLY if: [c19_complications_other(362965 005)] = '1'	As a reminder, this includes all elements of dates other than year.					
132	current_status_v2	Section Header: Clinical Status	radio, Requ	uired			1
	Show the field ONLY if:	Current COVID-19 status Fully recovered means that the patient has		recovered			
	[timing_of_report] = '1' and ([curr	returned to their baseline functional status and repeat SARS-CoV-2	1b Recov	vered with complications			
	ent_status] = '1' or [current_statu	testing, if obtained, is negative. If they are on medications to treat sequelae or have functional compromise (e.g., impaired pulmonary		ing infection			
	s] = '2' or [current_status] = '3' or [current_status] = '4' or [current_s	function) but are not considered to have active infection, they should	3 Died	J2220.1			
	tatus] = '5' or [current_status] =	be considered to have recovered with complications.	\vdash	014/0			
	'6' or [current_status] = '7' or [cur rent_status] = '8')		99 Unkn	Ovvil			
133	current_status_retro	Final COVID-19 status Fully recovered means that the patient has	radio, Requ	uired			1
.55	Show the field ONLY if:	returned to their baseline functional status and repeat SARS-CoV-2		recovered			
	[timing_of_report] = '2'	testing, if obtained, is negative. If they are on medications to treat	—	vered with complications			
		sequelae or have functional compromise (e.g., impaired pulmonary function) but are not considered to have active infection, they should	3 Died				
		be considered to have recovered with complications.	99 Unkn	OWD			
124		Annual in the late of the state					1
134	days_to_death Show the field ONLY if:	Approximately how many days elapsed between COVID-19 diagnosis and death? If this information is unknown to you, please enter 9999	text (intege	r, Min: 0), Required			
	[current_status_retro] = '3' or [current_status_v2] = '3'	here.					_[
135	cause_of_death_2	To the best of your knowledge, what was the proximal cause of death?	radio, Requ	uired			1
	Show the field ONLY if:		1 COVIE	D-19			
	[current_status_v2] = '3' or [curre		2 Cance	er			
	nt_status_retro] = '3'		3 Both				
			88 Other				
							1
			99 Unkn	own l			

136					
150	deceased_reason_retro Show the field ONLY if: [current_status_v2] = '3' or [curre	Please provide additional details about the proximal cause of death. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required	
	nt_status_retro] = '3'				
137	current_status_clinical	Current clinical status	radio,	Required	
	Show the field ONLY if:		0	Outpatient - No symptoms	
	[current_status_v2] = '2'		1	Outpatient - Mild symptoms	
			2	Outpatient - Moderate sympt	oms
			3	Outpatient - Severe symptom	
			4	Inpatient - Near Recovery	
			5	Inpatient - Moderately ill	
			6	Inpatient - Severely ill	
			7	Critical (ICU) - Severely ill, not support	requiring ventilator
			8	Critical (ICU) - Severely ill, intu	bated
			ОТН	Other	
			99	Unknown	
138	current_status_clinical_specify Show the field ONLY if: [current_status_clinical] = 'OTH'	Please specify other current clinical status Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required	
139	worst_status_clinical	Worst clinical status. Report the worst clinical presentation during the		Required	
	Show the field ONLY if:	COVID-19 illness or the current clinical status if this is the only known status. If the patient died, this should be the highest level of care that	0	Outpatient - No symptoms	
	[timing_of_report] = '2'	they received prior to the time of death.	1	Outpatient - Mild symptoms	
			2	Outpatient - Moderate sympt	oms
			3	Outpatient - Severe symptom	S
			5	Inpatient - Moderately ill	
			6	Inpatient - Severely ill	
			7	-	not require ventilator
			′	Critical (ICU) - Severely ill, did support	not require ventilator
			8	Critical (ICU) - Severely ill, intu	bated
			ОТН	Other	
			99	Unknown	
4.40				L	
140	worst_status_clinical_specify Show the field ONLY if: [worst_status_clinical] = 'OTH'	Please specify worst clinical status Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required	
141	complications_severity	Current severity of COVID-19 complications. Check all that apply.	check	box, Required	
	Show the field ONLY if:		0	complications_severity0	No complications
	[current_status_v2] = '1b' or [current_st ent_status_v2] = '2' or [current_st atus_retro] = '1b'		1	complications_severity1	Mild complications (mimimal symptoms from complications)
			2	complications_severity2	Moderate complications (moderate symptoms from complications)
			3	complications_severity3	Serious complications (symptoms substantially impact the patient's functional status or disabling physical functioning)
			OTH	complications_severityoth	Other
			99	complications_severity99	Unknown
142	complications_severity_oth_speci fy Show the field ONLY if: [complications_severity(OTH)] = '1'	Please specify other current severity of COVID-19 complications Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required	,

	P 42 22	The state of the s		· · · · · · · · · · · · · · · · · · ·	
143	worst_complications_severity	Worst severity of COVID-19 complications. Check all that apply.	o cnec	kbox, Required worst_complications_severity0	None (patient
	Show the field ONLY if: [timing_of_report] = '2' and [curre nt_status_retro] != '3'			worst_complications_severityo	was asymptomatic)
			1	worst_complications_severity1	Mild complications (mimimal symptoms from complications)
			2	worst_complications_severity2	Moderate complications (moderate symptoms from complications)
			3	worst_complications_severity3	Serious complications (symptoms substantially impact the patient's functional status or disabling physical functioning)
			ОТН	H worst_complications_severityoth	Other
			99	worst_complications_severity99	Unknown
144	worst_complications_severity_spe cify Show the field ONLY if: [worst_complications_severity(OT H)] = '1'	Please specify other worst severity of COVID-19 complications Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes, Required		
145	consider_returning Show the field ONLY if: [current_status_v2] = '2'	Please consider returning to add a new form once final status has been determined. In order to do this, click on the button named "Survey Queue" in the top right-hand corner of the screen. This will open a window where you can choose "Get link to my survey queue". Use this link to return to the survey at any time to add additional updated information.	desc	riptive	
146	covid_19_more Show the field ONLY if: [ccc19] = '0'	Section Header: COVID-19 Details - Optional Would you like to answer additional COVID-19 detail questions? This is optional but will really help us understand the granular details better.	yesn 1	Yes	
147	mortality	If it has been at least 30 days from the presumptive or laboratory-		o, Required	
147	Show the field ONLY if:	proven COVID-19 diagnosis, was the patient alive 30 days after	1	Yes	
	[covid_19_dx_interval] != '1' and [c	diagnosis?	0	No	
	ovid_19_dx_interval] != '2' and [co vid_19_dx_interval] != '3'		88	N/A - it has been fewer than 30 days si diagnosis	nce COVID-19
			99	Unknown	
148	mortality_90	If it has been at least 90 days (~3 months) from the presumptive or	radio	o, Required	
	Show the field ONLY if:	laboratory-proven COVID-19 diagnosis, was the patient alive 90 days after diagnosis?	1	Yes	
	[covid_19_dx_interval] != '1' and [c ovid_19_dx_interval] != '2' and [co	a.c. aagiivois.	0	No	
	vid_19_dx_interval] != '3' and [covi		88	N/A - it has been fewer than 90 days si	nce COVID-19
	d_19_dx_interval] != '4' and [covid _19_dx_interval] != '5' and [mortal		00	diagnosis	
	ity] != '0'		99	Unknown	
149	mortality_180	If it has been at least 180 days (~6 months) from the presumptive or	radio, Required		
	Show the field ONLY if:	laboratory-proven COVID-19 diagnosis, was the patient alive 180 days after diagnosis?	1	Yes	
	[covid_19_dx_interval] != '1' and [c ovid_19_dx_interval] != '2' and [co		0	No	
			188	N/A - it has been fewer than 180 days	since COVID-19
	vid_19_dx_interval] != '3' and [covid d_19_dx_interval] != '4' and [covid _19_dx_interval] != '5' and [covid_			diagnosis	

/2021		COVID-19 and Cancel Consolitum (CCC19) N	ogion y 1122 oap
150	labs	Section Header: Baseline laboratory values at the time of or closest to the date of the	radio
		COVID-19 diagnosis If the laboratory value (e.g., IL-6 level) was not available at the time of presentation, please enter the earliest known result, if known.	1 At the time of initial COVID-19 diagnosis
		At what time point were labs drawn? This information is important to build predictive models of disease severity based on lab values. Your	2a At the time of a change in clinical status (hospitalization)
		answer should be based on common labs (CBC, CMP, BNP, etc.) - not necessarily send-out labs that were drawn later in the course of COVID-	2b At the time of a change in clinical status (other than hospitalization)
		19 illness.	3 Labs were not drawn or are not available for review
			OTH Other
			UNK Unknown
151	labs_oth_specify	Please specify what other time point labs were drawn Do not record	notes
	Show the field ONLY if: [labs] = 'OTH'	any PHI in this field. As a reminder, this includes all elements of dates other than year.	
152	wbc_range	Section Header: CBC values at presentation	radio (Matrix)
	Show the field ONLY if:	Total WBC count	LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
153	alc_range	Absolute lymphocyte count (ALC) - less than 1500/uL should be	radio (Matrix)
	Show the field ONLY if:	considered low	LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
			Field Annotation: less than 1500/uL should be considered low
154	anc_range	Absolute neutrophil count (ANC)	radio (Matrix)
	Show the field ONLY if:		LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
			Field Annotation: less than 1000/uL should be considered low
155	aec range	Absolute eosinophil count (AEC)	radio (Matrix)
	Show the field ONLY if:		LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
156	hgb_range	Hemoglobin	radio (Matrix)
	Show the field ONLY if:		LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
157	plt_range	Platelets	radio (Matrix)
	Show the field ONLY if:		LO Low
	[labs] != '3'		WNL Normal
			HI High
			NT Not tested
			99 Unknown
L	1	1	

158	wbc_numeric	Total WBC count in 10^9/L	text (number, Min: 0, Max: 1000)
	Show the field ONLY if: [wbc_range] = 'LO' or [wbc_range] = 'HI'		
159	alc	Absolute lymphocyte count per uL	text (number, Min: 0)
	Show the field ONLY if: [alc_range] = 'LO' or [alc_range] = 'HI'		
160	anc	Absolute neutrophil count per uL	text (number, Min: 0)
	Show the field ONLY if: [anc_range] = 'LO' or [anc_range] = 'HI'		
161	aec	Absolute eosinophil count per uL	text (number, Min: 0)
	Show the field ONLY if: [aec_range] = 'LO' or [aec_range] = 'HI'		
162	hgb	Hemoglobin level in g/dL	text (number, Min: 0)
	Show the field ONLY if: [hgb_range] = 'LO' or [hgb_range] = 'HI'		
163	plt	Platelet count, 10^3/uL	text (number, Min: 0)
	Show the field ONLY if: [plt_range] = 'LO' or [plt_range] = 'HI'		
164	creat	Section Header: Other lab values at presentation	radio (Matrix)
	Show the field ONLY if: [labs] != '3'	Creatinine	0 Normal
	[labs] :- 3		1 Abnormal NT Not tested
			99 Unknown
			S CHAICHT
			Field Annotation: SNOMED: 1032061000000108
165	tbili Show the field ONLY if:	Total bilirubin	radio (Matrix) 0 Normal
	[labs] != '3'		1 Abnormal
	[lass]. s		
	[[]		NT Not tested
	[lass]. S		NT Not tested 99 Unknown
166	ast	AST	99 Unknown radio (Matrix)
166	ast Show the field ONLY if:	AST	99 Unknown radio (Matrix) 0 Normal
166	ast	AST	99 Unknown radio (Matrix) 0 Normal 1 Abnormal
166	ast Show the field ONLY if:	AST	99 Unknown radio (Matrix) 0 Normal
166	ast Show the field ONLY if:	AST	99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested
	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if:		99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown
	ast Show the field ONLY if: [labs] != '3' alt		99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal
	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if:		radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested
167	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3'	ALT	radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown
	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3'		radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 1 Abnormal NT Not tested 99 Unknown radio (Matrix)
167	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3'	ALT	radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal
167	ast Show the field ONLY if: [labs]!= '3' alt Show the field ONLY if: [labs]!= '3' Idh Show the field ONLY if:	ALT	radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix)
167	ast Show the field ONLY if: [labs]!= '3' alt Show the field ONLY if: [labs]!= '3' Idh Show the field ONLY if:	ALT	radio (Matrix) Normal NT Not tested yellow Unknown radio (Matrix) No Normal Abnormal NT Not tested yellow Unknown radio (Matrix) No Normal Not tested yellow Unknown radio (Matrix) No Normal Not tested yellow Unknown radio (Matrix) No Normal Abnormal
167	ast Show the field ONLY if: [labs]!= '3' alt Show the field ONLY if: [labs]!= '3' Idh Show the field ONLY if:	ALT	radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown
167	ast Show the field ONLY if: [labs]!= '3' alt Show the field ONLY if: [labs]!= '3' Idh Show the field ONLY if:	ALT	radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) NT Not tested 99 Unknown
167	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3' Idh Show the field ONLY if: [labs] != '3'	ALT	radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown Field Annotation: SNOMED: 250644007 radio (Matrix) O Normal
167	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3' Idh Show the field ONLY if: [labs] != '3'	ALT	radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) 0 Normal 1 Abnormal NT Not tested 99 Unknown Field Annotation: SNOMED: 250644007 radio (Matrix) 0 Normal 1 Abnormal
167	ast Show the field ONLY if: [labs] != '3' alt Show the field ONLY if: [labs] != '3' Idh Show the field ONLY if: [labs] != '3'	ALT	radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown radio (Matrix) O Normal 1 Abnormal NT Not tested 99 Unknown Field Annotation: SNOMED: 250644007 radio (Matrix) O Normal

170	hs_trop	High-sensitivity troponin	radio (Matrix)
	Show the field ONLY if:		0 Normal
	[labs] != '3'		1 Abnormal
			NT Not tested
			99 Unknown
171	bnp	BNP	radio (Matrix)
	Show the field ONLY if:		0 Normal
	[labs] != '3'		1 Abnormal
			NT Not tested
			99 Unknown
172	crp	CRP	radio (Matrix)
	Show the field ONLY if:		0 Normal
	[labs] != '3'		1 Abnormal
			NT Not tested
			99 Unknown
173	il6	IL-6	radio (Matrix)
	Show the field ONLY if: [labs] != '3'		0 Normal
	[labs] := 5		1 Abnormal
			NT Not tested
			99 Unknown
174	pt	PT	radio (Matrix)
	Show the field ONLY if: [labs] != '3'		0 Normal
	[[ab3] := 5		1 Abnormal
			NT Not tested
			99 Unknown
175	aptt	aPTT	radio (Matrix) 0 Normal
	Show the field ONLY if: [labs] != '3'		
	[[0.05] . 5		NT Not tested
			99 Unknown
176	fibrinogen	Fibrinogen	radio (Matrix) 0 Normal
	Show the field ONLY if: [labs] != '3'		1 Abnormal
			NT Not tested
			99 Unknown
			Field Annotation: SNOMED: 71636003
177	ddimer	D-Dimer D-Dimer	radio (Matrix)
	Show the field ONLY if: [labs] != '3'		0 Normal 1 Abnormal
			1 Abnormal NT Not tested
			99 Unknown
			33 OTIKITOWIT
			Field Annotation: SNOMED: 1019221000000107
178	other_lab	Other (free text will open for more details below)	radio (Matrix)
	Show the field ONLY if:		0 Normal
	[labs] != '3'		1 Abnormal
			NT Not tested
<u> </u>			99 Unknown
179	creat_numeric	Please provide measured creatinine level in mg/dL	text (number, Min: 0)
	Show the field ONLY if: [creat] = '1'		
180	tbili_numeric	Please provide measured total bilirubin value in mg/dL	text
	Show the field ONLY if:	process and a serious and a se	
	[tbili] = '1'		

2021	021 COVID-19 and Cancer Consortium (CCC19) Registry REDCap					
181	ast_numeric	Please provide measured AST/SGOT value in units/L	text (number, Min: 32)			
	Show the field ONLY if: [ast] = '1'					
182	alt_numeric	Please provide measured ALT/SGPT value in units/L	text (number, Min: 32)			
	Show the field ONLY if: [alt] = '1'					
183	pt_numeric	Please report measured PT value in seconds. If above the maximum	text (number)			
	Show the field ONLY if: [pt] = '1'	range, enter "999".				
184	aptt_numeric	Please report measured aPTT value in seconds. If above the maximum	text (number, Min: 0)			
	Show the field ONLY if: [aptt] = '1'	range, enter "999".				
185	fibrinogen_numeric	Please report measured fibrinogen value in mg/dL (conventional units).	text			
	Show the field ONLY if: [fibrinogen] = '1'					
186	ddimer_numeric	Please report measured D-Dimer value along with units, which often	text			
	Show the field ONLY if: [ddimer] = '1'	differ between labs.				
187	ldh_numeric	Please report measured LDH value along with units, which often differ	text			
	Show the field ONLY if: [ldh] = '1'	between labs.				
188	tni_numeric	Please report measured Tnl value in ng/mL. Only record values greater	text (number, Min: 0)			
	Show the field ONLY if: [tni] = '1'	than or equal to 0.05 ng/mL.				
189	hs_trop_numeric	Please report measured high sensitivity troponin value in pg/mL.	text (number, Min: 0.05)			
	Show the field ONLY if: [hs_trop] = '1'					
190	bnp_numeric	Please report measured BNP value in pg/mL.	text (number, Min: 0)			
	Show the field ONLY if: [bnp] = '1'					
191	crp_numeric	Please provide measured CRP value along with units, which often differ between labs.	text			
	Show the field ONLY if: [crp] = '1'	between labs.				
192	il6_numeric	Please report measured IL-6 value in pg/mL	text (number, Min: 1.8)			
	Show the field ONLY if: [il6] = '1'					
193	other_lab_more	Please provide more details including numeric values, if you are able.	notes			
	Show the field ONLY if: [other_lab] = '1'	Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.				
194	coinfection_yn	Section Header: Co-infections	radio			
		Was another co-infection suspected within two weeks prior or up to two weeks after the COVID-19 diagnosis?	0 No 1 Yes 99 Unknown			

12021		OOVID-13 and Cancer Consortium (CCC13) To			
195	coinfection	Were there other co-infections diagnosed? Check all that apply.	checkbox		
	Show the field ONLY if: [coinfection_yn] = '1'	Terminology: SNOMED	49872002	coinfection49872002	Viral, NOS
			407479009	coinfection407479009	Influenza A
			407480007	coinfection407480007	Influenza B
			84101006	coinfection84101006	Ordinary coronavirus
			1838001	coinfection1838001	Rhinovirus
			6415009	coinfection6415009	RSV
			409822003	coinfection409822003	Bacterial infection, NOS
			8745002	coinfection8745002	Gram-positive bacteria
		2336070	233607000	coinfection233607000	Pneumococcal pneumonia
			81325006	coinfection81325006	Gram-negative bacteria
		2429008	414561005	coinfection414561005	Fungal, NOS
			2429008	coinfection2429008	Aspergillus culture-confirmed
			709601002	coinfection709601002	Aspergillus suspected (galactomannan positive)
			442376007	coinfection442376007	Tests are pending
			ОТН	coinfectionoth	Other
			UNK	coinfectionunk	Unknown
			NONE	coinfectionnone	None
			Field Annota	cion: Terminology: SNOMED)
196	coinfection_other Show the field ONLY if: [coinfection_yn] = '1'	Please specify what co-infections were diagnosed, including the organism(s) if you know it. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		

197	covid_19_treatment	Section Header: COVID-19 Treatment	checkbox		
		COVID-19 treatment, including pre-existing drugs that were continued	B01A	covid_19_treatmentb01a	Antic
	dui	during the COVID-19 diagnosis. Check all that apply.	B01AC	covid_19_treatmentb01ac	Antic than
			HO-44995	covid_19_treatmentho_44995	Antiv
			N02BA	covid_19_treatmentn02ba	Aspir
			ATC-J05AE08	covid_19_treatmentatc_j05ae08	Ataz
			RXCUI-18631	covid_19_treatmentrxcui_18631	Azith (Zith
			DB-15718	covid_19_treatmentdb_15718	Baml
			Bam-Et	covid_19_treatmentbam_et	Baml
			REGEN-COV2	covid_19_treatmentregen_cov2	Casir
			RXCUI-2393	covid_19_treatmentrxcui_2393	Chlor
			RXCUI-5521	covid_19_treatmentrxcui_5521	Hydr (Plaq
			HO-45861	covid_19_treatmentho_45861	JAK ir for a
			ATC-J05AR10	covid_19_treatmentatc_j05ar10	Lopir
			RXCUI-260101	covid_19_treatmentrxcui_260101	Oselt
			B05AX03	covid_19_treatmentb05ax03	Plast indiv plast
			OMOP4873974	covid_19_treatmentomop4873974	Remo
			ATC-C10AA	covid_19_treatmentatc_c10aa	Statir
			HO-45523	covid_19_treatmentho_45523	Syste (will p detai
			ATC-L04AB	covid_19_treatmentatc_l04ab	TNF a
			RXCUI-612865	covid_19_treatmentrxcui_612865	Tocili
			ATC-L04AC	covid_19_treatmentatc_l04ac	Othe inhib addit
			233573008	covid_19_treatment233573008	Extra
			714749008	covid_19_treatment714749008	Cont repla (CRR
			ОТН	covid_19_treatmentoth	Othe
			UNK	covid_19_treatmentunk	Unkr
			NONE	covid_19_treatmentnone	None
			oth_plasma	covid_19_treatmentoth_plasma	DEPR
			Field Annotation ATC/HemOnc/ON @HIDECHOICE='6	MOP/RxNorm/SNOMED	
198	dx_cp_interval Show the field ONLY if: [covid_19_treatment(B05AX03)] = '1'	How many days elapsed between the COVID-19 diagnosis and the first convalescent plasma infusion? If the patient was infused on the same day as their diagnosis, enter 0 here. If you do not know the answer, enter 9999 here.	text (integer)		
199	c19_aspirin_dose Show the field ONLY if:	Aspirin dosing	radio 262459003 Lo	w dose (less than 200 mg/day)	
	[covid_19_treatment(N02BA)] = '1'		261829003 Fu		
			261665006 Un	ıknown	
			Field Annotation	: Terminology: SNOMED	

1/2021		COVID-19 and Cancer Consortium (CCC19) R	cgisti y i	КЕВООР	
200	steroid_type	Steroid type. Check all that apply.	checkbox		
	Show the field ONLY if: [covid_19_treatment(HO-45523)]		H02AB0		Dexamethasone (Decadron)
	= '1'		H02AB0		Hydrocortisone (Cortef)
			H02AB0		Methylprednisolone (Solumedrol)
			H02AB0	steroid_typeh02ab06	Prednisolone
			H02AB0	steroid_typeh02ab07	Prednisone
			Field Ann	otation: Terminology: ATC	
201	steroid_specific	Steroid dosing, in prednisone dose equivalents Note: 3 mg of	radio		
	Show the field ONLY if:	dexamethasone is equivalent to 20 mg of prednisone, so any dose of dexamethasone of more than 3 mg/day (21 mg/week) would be	1 20 r	ng/day or below [low dose]	
	[covid_19_treatment(HO-45523)] = '1'	equivalant to more than 20 mg of prednisone/day.	1a 10 r	ng/day or below [low dose]	
	-		1b Mor	e than 10 mg/day up to 20 m	ng/day
			2 Mor	e than 20 mg/day but less th	an 1mg/kg/day
			3 Equ	al to or greater than 1 mg/kg	/day
			 	nown	
25-				otation: @HIDECHOICE='1'	
202	steroid_more Show the field ONLY if: [covid_19_treatment(HO-45523)] = '1'	Please provide more details: prednisone dose equivalents (e.g., 1 mg/kg) and duration of steroid therapy. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
203	covid_19_tx_interleukin	Interleukin inhibitor treatment other than tocilizumab. Check all that	checkbox		
	Show the field ONLY if:	apply.	L04AC14	covid_19_tx_interleukin	l04ac14 Sarilumab
	[covid_19_treatment(ATC-L04AC)] = '1'		ОТН	covid_19_tx_interleukin	oth Other
				otation: Field:ATC L04AC; Val IOICE='L04AC07'	ues:ATC
204	jak	JAK inhibitor treatment. Check all that apply.	checkbox		
	Show the field ONLY if:		L01XE18	jakl01xe18 Ruxolitinib	(Jakafi)
	[covid_19_treatment(HO-45861)] = '1'		L04AA44	jakl04aa44 Upadacitin	ib
			ОТН	jakoth Other	
			Field Ann	otation: Terminologies: ATC,	RxNorm
205	c19_anticoag_reason	Has the patient received any dose or type of anticoagulants at any time	checkbox		
		during the COVID-19 diagnosis? Check all that apply. (Examples: unfractionated heparin, LMWH, fondaparinux, direct thrombin inhibitor, Vitamin K antagonist, or DOAC) ATE: arterial thromboembolism; VTE: venous thromboembolism		:19_anticoag_reason1	Prophylactic use (without the presence of a VTE either as an inpatient or outpatient)
			2	19_anticoag_reason2	DEPRECATED
			2a	19_anticoag_reason2a	Therapeutic use (for known VTE diagnosis)
			2b	19_anticoag_reason2b	Therapeutic use (for known ATE diagnosis)
			2c	-19_anticoag_reason2c	Therapeutic use in the absence of any thrombosis (e.g., for prevention of stroke in atrial fibrillation)
			3	19_anticoag_reason3	For DIC during hospitalization
			NONE	19_anticoag_reasonnone	None (patient did not receive any anticoagulants)
			UNK	19_anticoag_reasonunk	Unknown
			ОТН	19_anticoag_reasonoth	Other
			Field Ann	otation: @HIDECHOICE='2'	
			_		

2021		COVID-19 and Cancer Consortium (CCC19) R	egistry R	ЕВСар	
206	covid_19_tx_tnf	Tumor necrosis factor alpha (TNF- $lpha$) inhibitor treatment. Check all that	checkbox		
	Show the field ONLY if:	apply.	L04AB01	covid_19_tx_tnfl04ab01 Et	anercept
	[covid_19_treatment(ATC-L04AB)] = '1'		ОТН	covid_19_tx_tnfoth O	ther
			Field Anno	tation: Field:ATC L04AB; Values:	ATC
207	c19_anticoag_reason_oth_specify	Please specify the type and indication of other anticoagulants Do not	notes		
	Show the field ONLY if: [c19_anticoag_reason(OTH)] = '1'	record any PHI in this field. As a reminder, this includes all elements of dates other than year.			
208	c19_anticoag_type	Which anticoagulants were used? Check all that apply.	checkbox		
	Show the field ONLY if: [c19_anticoag_reason(1)] = '1' or [c19_anticoag_reason(2a)] = '1' or		B01AA	c19_anticoag_typeb01aa	Vitamin K antagonists (e.g., warfarin)
	[c19_anticoag_reason(2b)] = '1' or [c19_anticoag_reason(2c)] = '1' or [c19_anticoag_reason(3)] = '1' or [c19_anticoag_reason(OTH)] = '1'		B01AB	c19_anticoag_typeb01ab	Low-molecular weight heparin (e.g., enoxaparin [Lovenox])
			B01AB01	c19_anticoag_typeb01ab01	Unfractionated heparin
			B01AE	c19_anticoag_typeb01ae	Direct thrombin inhibitors (e.g., argatroban, dabigatran [Pradaxa])
			B01AF	c19_anticoag_typeb01af	Direct factor Xa inhibitors (e.g., apixaban [Eliquis], rivaroxaban [Xarelto])
			B01AX05	c19_anticoag_typeb01ax05	Fondaparinux
			UNK	c19_anticoag_typeunk	Unknown
			ОТН	c19_anticoag_typeoth	Other
			Field Anno	tation: Terminology: ATC	
209	c19_anticoag_type_oth_specify Show the field ONLY if: [c19_anticoag_type(OTH)] = '1'	Please specify what other anticoagulants Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
210	covid_19_treatment_trial	Was any COVID-19 treatment given as part of a clinical trial?	radio 0 No 1 Yes 99 Unkn	own	

				•		
211	covid_19_trial_tx	COVID-19 clinical trial treatment. Check all that apply. If you do not	checkbox, R	· 1		1
	Show the field ONLY if:	know which drug(s) were given on clinical trial, please check "Unknown". If you are not able to disclose drug names due to	DB-15718	covid_19_trial_tx	:db_15718	Bamlar
	[covid_19_treatment_trial] = '1'	institutional restrictions, please check "Other".	Bam-Et	covid_19_trial_tx		Bamlar
			REGEN-CO'			Casirivi
			RXCUI-552	1 covid_19_trial_tx	:rxcui_5521	Hydrox (Plaque
			HO-44995	covid_19_trial_tx	:ho_44995	Anti-vir
			ATC-J05AR1	10 covid_19_trial_tx	atc_j05ar10	Lopina
			OMOP4873	3974 covid_19_trial_tx	omop4873974	Remde
			RXCUI-1863	31 covid_19_trial_tx	rxcui_18631	Azithro (Zithro
			HO-45523	covid_19_trial_tx	ho_45523	System
			L04AC08	covid_19_trial_tx	l04ac08	Canaki
			L04AC16	covid_19_trial_tx	:l04ac16	Guselk
			L04AC14	covid_19_trial_tx	:l04ac14	Sarilum
			L04AC07	covid_19_trial_tx	l04ac07	Tocilizu
			L04AB02	covid_19_trial_tx	l04ab02	Inflixim
			B05AX03	covid_19_trial_tx	b05ax03	Plasma individi plasma
			ОТН	covid_19_trial_tx	, oth	Other
			UNK	covid_19_trial_tx		Unknov
			OINK	covid_19_trial_tx	auiik	OTIKITO
				ation: Terminologies: nc/OMOP/RxNorm @H	IDECHOICE = 'OTH	-
212	dx_cp_interval_2	How many days elapsed between the COVID-19 diagnosis and the first	text (integer	r)		
	Show the field ONLY if: [covid_19_trial_tx(B05AX03)] = '1' and [covid_19_treatment(B05AX0 3)] = '0'	convalescent plasma infusion? If the patient was infused on the same day as their diagnosis, enter 0 here. If you do not know the answer, enter 9999 here.				
213	covid_19_trial_more Show the field ONLY if: [covid_19_trial_tx(OTH)] = '1'	Please specify what other clinical trial treatment. (Note: some institutions have restrictions on sharing of this information, please check with your institutional official if you have any questions.) Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			
214	additional_tx	Additional COVID-19 treatment comments, e.g. specific doses. Please provide further information here. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			
215	prbc	Did the patient receive any PRBC transfusions?	radio 0 No 1 Yes 99 Unkno	own		
216	comments_form_2	Section Header: Free text entry (optional)	notes			
		Comments Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.				
217	covid19_details_complete	Section Header: Form Status Complete?	dropdown 0 Incomp 1 Unverifi 2 Comple	ied		
Instru	I ument: Cancer details (cancer_	_details)			^0	ollapse
218	ts_3	Timestamp for the cancer details form		ne_dmy), Required ation: @HIDDEN @NO\	W_UTC	
219	cancer_type	Section Header: Cancer-specific data - Mandatory	dropdown (a	autocomplete), Require	ed	
		Cancer type. If the patient has multiple primaries, please report on the		Malignant Solid Neopla		
		cancer that was most recently treated.	C9325	Adrenocortical Carcino	ma	
			C9291	Anal Cancer		
			C9330	Appendix Cancer		
1						
			+	Bile Duct Cancer (Chol	angiocarcinoma)	
			C4436		angiocarcinoma)	

C9312	Bone cancer, NOS
C5111	Brain Cancer - benign (e.g., meningioma)
C132067	Brain Cancer - low-grade glioma
C3059	Brain Cancer - high-grade glioma (e.g., GBM)
C4627	Brain (CNS) Cancer, NOS
C4872	Breast Cancer
C9039	Cervical Cancer
C4910	Colon Cancer
C2955	Colon/Rectum Cancer
C3513	Esophagus Cancer
C4817	Ewing Sarcoma
C3867	Fallopian Tube Cancer
C3844	Gallbladder Cancer
C3708	Germ Cell Tumor
C3868	GIST
C4013	Head and Neck Cancer
C4819	Invasive Cutaneous SCC (do not record localized SCC)
C2921	Invasive Cutaneous BCC (do not record localized BCC)
C3234	Mesothelioma
C4039	III Defined/Cancer of Unknown Primary
C3099	Liver Cancer (HCC)
C4878	Lung Cancer, NOS
C3224	Melanoma
C9231	Merkel Cell
C3871	Nasopharyngeal Carcinoma
C3270	Neuroblastoma
C3809	Neuroendocrine tumor (NET) or Carcinoid
C2926	Non Small Cell Lung Cancer (NSCLC)
C9145	Osteosarcoma
C7431	Ovarian Cancer
C3850	Pancreatic Cancer
C4906	Parathyroid Cancer
C9061	Penis Cancer
C3538	Peritoneum Cancer
C3555	Placenta Cancer (incl. Choriocarcinoma)
C4863	Prostate Cancer
C9382	Rectum and Rectosigmoid Cancer
C9385	Renal Kidney Cancer (RCC)
C7355	Renal Pelvis Cancer
C7541	Retinoblastoma
C3359	Rhabdomyosarcoma
C6389	Scrotum Cancer
C4917	Small Cell Lung Cancer
C7724	Small Intestine Cancer
C9306	Soft Tissue Sarcoma, NOS
C4911	Stomach (Gastric) Cancer
C9063	Testis Cancer
C3411	Thymus Cancer
C4815	Thyroid Cancer
C7558	Uterus (Endometrial) Cancer
C3917	Vagina Cancer
C8538	Vascular Sarcoma, NOS
C4866	Vulva Cancer

				<u> </u>
			C3267	Wilms Tumor
			C27134	Malignant Hematologic Neoplasm, NOS
			C9300	Acute Leukemia
			C3171	Acute myeloid leukemia (AML)
			C3167	Acute lymphoblastic leukemia (ALL)
			C4345	Myeloproliferative neoplasm (MPN)
			C3174	Chronic myeloid leukemia (CML)
			C3247	Myelodysplastic syndrome (MDS)
			C9244	Aggressive lymphoma
			C9357	Hodgkin lymphoma
			C3211	Non-Hodgkin lymphoma (NHL)
			C8851	
				Diffuse large B-cell lymphoma (DLBCL)
			C4337	Mantle cell lymphoma (MCL)
			C2912	Burkitt lymphoma
			C8504	Indolent lymphoma
			C3209	Follicular lymphoma
			C3163	Chronic lymphocytic leukemia (CLL)
			C4341	Marginal zone lymphoma
			C4665	Plasma cell dyscrasia
			C3242	Multiple myeloma
			C3819	AL amyloidosis
			C27908	T-cell and NK-cell neoplasm
			C9308	Lymphoproliferative disorder
			C3106	Histiocyte disorder
			ОТН	Other
			OTH_H	Other Heme
			OTH_S	Other Solid Tumor
				otation: LOINC:63929-4; Terminology: NCIT DICE = 'OTH'
220	cancer_type_oth Show the field ONLY if: [cancer_type] = 'OTH' or [cancer_t ype] = 'C132146' or [cancer_type] = 'OTH_H' or [cancer_type] = 'OTH _S' or [cancer_type] = 'C27134'	Please specify cancer type	text	
221	acute_leukemia_more Show the field ONLY if:	This code is not preferred because it is non-specific. If the patient has a myeloid-lineage acute leukemia (AML, APL, AMML, etc) please go back and select acute myeloid leukemia. If the patient has a plasma cell	descriptive	2
	[cancer_type] = 'C9300'	leukemia, please go back and select plasma cell dyscrasia. Otherwise, please enter the specific details below in the additional cancer details.		
222	lung_nos_more Show the field ONLY if: [cancer_type] = 'C4878'	This code should only be used if you do not know the histology of the lung cancer (e.g., the patient was treated without a confirmatory biopsy) or if the histology overlaps. If you know that the cancer is NSCLC (e.g., adenocarcinoma, squamous cell carcinoma, large cell carcinoma) please go back and select that choice. If you know that the cancer is a low-grade neuroendocrine tumor (i.e., carcinoid), please go back and select carcinoid/NET. If you know that the cancer is a highgrade neuroendocrine tumor (i.e., small cell lung cancer), please go back and select SCLC. Otherwise, please enter the specific histology below in the additional cancer details.	descriptive	
223	teravolt Show the field ONLY if: [cancer_type] = 'C4878' or [cancer_type] = 'C2926' or [cancer_type] = 'C4917' or [cancer_type] = 'C341 1'	Please consider donating data to the TERAVOLT (Thoracic cancERs international coVid 19 cOLlaboraTion) registry, as well. In order to do this, unless you are already part of a member institution, you will need to reach out to Prof. Jennifer Whisenant j.whisenant@vumc.org	descriptive	
224	multiple_ca	Does the patient have multiple malignancies? This includes multiple active malignancies as well as historic cancers.	radio, Req 0 No 1 Yes 99 Unkr	

1/:	/2021 COVID-19 and Cancer Consortium (CCC19) Registry REDCap						
	225	multiple_ca_quant Show the field ONLY if:	How many malignancies? If you do not know the exact number, enter the number that you are aware of (e.g., if you know there are at least	radio, Red	quired		
		[multiple_ca] = '1'	three separate malignancies, enter three).	3 Three	2		
				4 Four			
				5 Five o	or more		
-	226	cancer_type_2	Cancer type of second malignancy. If the patient has more than two	dropdow	n (autocomplete), Required		
		Show the field ONLY if:	malignancies, please select the second-most recently diagnosed cancer	C132146	1		
		[multiple_ca] = '1'	type. If unknown or unclear, please specify in the free text box below.	C9325	Adrenocortical Carcinoma		
				C9291	Anal Cancer		
				C9330	Appendix Cancer		
				C4436	Bile Duct Cancer (Cholangiocarcinoma)		
				C4912	Bladder Cancer		
				C9312	Bone cancer, NOS		
				C5111	Brain Cancer - benign (e.g., meningioma)		
				C132067	Brain Cancer - low-grade glioma		
				C3059	Brain Cancer - high-grade glioma (e.g., GBM)		
				C4627	Brain (CNS) Cancer, NOS		
				C4872	Breast Cancer		
				C9039	Cervical Cancer		
				C4910	Colon Cancer		
				C2955	Colon/Rectum Cancer		
				C3513	Esophagus Cancer		
				C4817	Ewing Sarcoma		
				C3867	Fallopian Tube Cancer		
				C3844	Gallbladder Cancer		
				C3708	Germ Cell Tumor		
				C3868	GIST		
				C4013	Head and Neck Cancer		
				C4819	Invasive Cutaneous SCC (do not record localized SCC)		
				C2921	Invasive Cutaneous BCC (do not record localized BCC)		
				C3234	Mesothelioma		
				C4039	III Defined/Cancer of Unknown Primary		
				C3099	Liver Cancer (HCC)		
				C4878	Lung Cancer, NOS		
				C3224	Melanoma		
				C9231	Merkel Cell		
				C3871	Nasopharyngeal Carcinoma		
				C3270	Neuroblastoma		
				C3809	Neuroendocrine tumor (NET) or Carcinoid		
				C2926	Non Small Cell Lung Cancer (NSCLC)		
				C9145	Osteosarcoma		
				C7431	Ovarian Cancer		
				C3850	Pancreatic Cancer		
				C4906	Parit Court		
				C9061	Penis Cancer		
				C3538	Peritoneum Cancer		
				C3555	Placenta Cancer (incl. Choriocarcinoma)		
				C4863	Prostate Cancer Parture and Partasiamaid Cancer		
				C9382	Rectum and Rectosigmoid Cancer Report Kidney Cancer (RCC)		
				C9385	Renal Kidney Cancer (RCC)		
				C7355	Renal Pelvis Cancer		
				C7541	Retinoblastoma		
				C3359	Rhabdomyosarcoma		

			C6389	Scrotum Cancer
			C4917	Small Cell Lung Cancer
			C7724	Small Intestine Cancer
			C9306	Soft Tissue Sarcoma, NOS
			C4911	Stomach (Gastric) Cancer
			C9063	Testis Cancer
			C3411	Thymus Cancer
			C4815	Thyroid Cancer
			C7558	Uterus (Endometrial) Cancer
			C3917	Vagina Cancer
			C8538	Vascular Sarcoma, NOS
			C4866	Vulva Cancer
			C3267	Wilms Tumor
			C27134	Malignant Hematologic Neoplasm, NOS
			C9300	Acute Leukemia
			C3171	Acute myeloid leukemia (AML)
			C3167	Acute lymphoblastic leukemia (ALL)
			C4345	Myeloproliferative neoplasm (MPN)
			C3174	Chronic myeloid leukemia (CML)
			C3247	Myelodysplastic syndrome (MDS)
			C9244	Aggressive lymphoma
			C9357	Hodgkin lymphoma
			C3211	Non-Hodgkin lymphoma (NHL)
			C8851	Diffuse large B-cell lymphoma (DLBCL)
			C4337	Mantle cell lymphoma (MCL)
			C2912	Burkitt lymphoma
			C8504	Indolent lymphoma
			C3209	Follicular lymphoma
			C3163	Chronic lymphocytic leukemia (CLL)
			C4341	Marginal zone lymphoma
			C4665	Plasma cell dyscrasia
			C3242	Multiple myeloma
			C3819	AL amyloidosis
			C27908	T-cell and NK-cell neoplasm
			C9308	Lymphoproliferative disorder
			C3106	Histiocyte disorder
			ОТН	Other
			OTH_H	Other Heme
			OTH_S	Other Solid Tumor
				tation: LOINC:63929-4; Terminology: NCIT
:7	cancer type oth 2	Please specify cancer type	-	JICE - UIII
. /	cancer_type_oth_2 Show the field ONLY if: [cancer_type_2] = 'OTH' or [cancer_type_2] = 'C132146' or [cancer_t ype_2] = 'OTH_H' or [cancer_type_2] = 'OTH_S' or [cancer_type_2] = 'C27134'	Please specify cancer type	text	
8	cancer_type_3	Cancer type of third malignancy. If the patient has more than three	dropdown	(autocomplete), Required
	Show the field ONLY if:	malignancies, please select the third-most recently diagnosed cancer		Malignant Solid Neoplasm, NOS
	[multiple_ca_quant] = '3' or [multi	type. If unknown or unclear, please specify in the free text box below.	C9325	Adrenocortical Carcinoma
	ple_ca_quant] = '4' or [multiple_c a_quant] = '5'		C9291	Anal Cancer
		ant] = '5'	1 ———	
	a_quant] = '5'		C9330	Appendix Cancer
	a_quant] = '5'		C9330 C4436	Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma)
	a_quant] = '5'			

C5111	Brain Cancer - benign (e.g., meningioma)
C132067	Brain Cancer - low-grade glioma
C3059	Brain Cancer - high-grade glioma (e.g., GBM)
C4627	Brain (CNS) Cancer, NOS
C4872	Breast Cancer
C9039	Cervical Cancer
C4910	Colon Cancer
C2955	Colon/Rectum Cancer
C3513	Esophagus Cancer
C4817	Ewing Sarcoma
C3867	Fallopian Tube Cancer
C3844	Gallbladder Cancer
C3708	Germ Cell Tumor
C3868	GIST
C4013	Head and Neck Cancer
C4819	Invasive Cutaneous SCC (do not record localized SCC)
C2921	Invasive Cutaneous BCC (do not record localized BCC)
C3234	Mesothelioma
C4039	III Defined/Cancer of Unknown Primary
C3099	Liver Cancer (HCC)
C4878	Lung Cancer, NOS
C3224	Melanoma
C9231	Merkel Cell
C3871	
	Nasopharyngeal Carcinoma
C3270	Neuroblastoma
C3809	Neuroendocrine tumor (NET) or Carcinoid
C2926	Non Small Cell Lung Cancer (NSCLC)
C9145	Osteosarcoma
C7431	Ovarian Cancer
C3850	Pancreatic Cancer
C4906	Parathyroid Cancer
C9061	Penis Cancer
C3538	Peritoneum Cancer
C3555	Placenta Cancer (incl. Choriocarcinoma)
C4863	Prostate Cancer
C9382	Rectum and Rectosigmoid Cancer
C9385	Renal Kidney Cancer (RCC)
C7355	Renal Pelvis Cancer
C7541	Retinoblastoma
C3359	Rhabdomyosarcoma
C6389	Scrotum Cancer
C4917	Small Cell Lung Cancer
C7724	Small Intestine Cancer
C9306	Soft Tissue Sarcoma, NOS
C4911	Stomach (Gastric) Cancer
C9063	Testis Cancer
C3411	Thymus Cancer
C4815	Thyroid Cancer
C7558	Uterus (Endometrial) Cancer
C3917	Vagina Cancer
C8538	Vascular Sarcoma, NOS
C4866	Vulva Cancer
C3267	Wilms Tumor

	İ	1		
			C27134	Malignant Hematologic Neoplasm, NOS
			C9300	Acute Leukemia
			C3171	Acute myeloid leukemia (AML)
			C3167	Acute lymphoblastic leukemia (ALL)
			C4345	Myeloproliferative neoplasm (MPN)
			C3174	Chronic myeloid leukemia (CML)
			C3247	Myelodysplastic syndrome (MDS)
			C9244	Aggressive lymphoma
			C9357	Hodgkin lymphoma
			C3211	Non-Hodgkin lymphoma (NHL)
			C8851	Diffuse large B-cell lymphoma (DLBCL)
			C4337	Mantle cell lymphoma (MCL)
			C2912	Burkitt lymphoma
			C8504	Indolent lymphoma
			C3209	Follicular lymphoma
			C3163	Chronic lymphocytic leukemia (CLL)
			C4341	Marginal zone lymphoma
			C4665	Plasma cell dyscrasia
			C3242	Multiple myeloma
			C3819	AL amyloidosis
			C27908	T-cell and NK-cell neoplasm
			C9308	Lymphoproliferative disorder
			C3106	
				Histiocyte disorder Other Heme
			OTH_H	
			OTH_S	Other Solid Tumor
			Field Anno	tation: LOINC:63929-4; Terminology: NCIT
229	cancer_type_oth_3	Please specify cancer type	text	
	Show the field ONLY if: [cancer_type_3] = 'C132146' or [c			
	ancer_type_3] = 'OTH_H' or [canc er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134'			
230	er_type_3] = 'OTH_S' or [cancer_ty	Cancer type of fourth malignancy. If the patient has more than four		(autocomplete), Required
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if:	malignancies, please select the fourth-most recently diagnosed cancer		(autocomplete), Required Malignant Solid Neoplasm, NOS
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi			
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if:	malignancies, please select the fourth-most recently diagnosed cancer	C132146	Malignant Solid Neoplasm, NOS
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma)
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma)
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM)
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955 C3513	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer Colon/Rectum Cancer Esophagus Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955 C3513 C4817	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer Colon/Rectum Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955 C3513 C4817 C3867 C3844	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer Colon/Rectum Cancer Esophagus Cancer Ewing Sarcoma Fallopian Tube Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955 C3513 C4817 C3867 C3844 C3708	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer Colon/Rectum Cancer Esophagus Cancer Ewing Sarcoma Fallopian Tube Cancer Gallbladder Cancer
230	er_type_3] = 'OTH_S' or [cancer_ty pe_3] = 'C27134' cancer_type_4 Show the field ONLY if: [multiple_ca_quant] = '4' or [multi	malignancies, please select the fourth-most recently diagnosed cancer	C132146 C9325 C9291 C9330 C4436 C4912 C9312 C5111 C132067 C3059 C4627 C4872 C9039 C4910 C2955 C3513 C4817 C3867 C3844	Malignant Solid Neoplasm, NOS Adrenocortical Carcinoma Anal Cancer Appendix Cancer Bile Duct Cancer (Cholangiocarcinoma) Bladder Cancer Bone cancer, NOS Brain Cancer - benign (e.g., meningioma) Brain Cancer - low-grade glioma Brain Cancer - high-grade glioma (e.g., GBM) Brain (CNS) Cancer, NOS Breast Cancer Cervical Cancer Colon Cancer Colon/Rectum Cancer Esophagus Cancer Ewing Sarcoma Fallopian Tube Cancer

C4819	Invasive Cutaneous SCC (do not record localized SCC)
C2921	Invasive Cutaneous BCC (do not record localized BCC)
C3234	Mesothelioma
C4039	Ill Defined/Cancer of Unknown Primary
C3099	Liver Cancer (HCC)
C4878	Lung Cancer, NOS
C3224	Melanoma
C9231	Merkel Cell
C3871	Nasopharyngeal Carcinoma
C3270	Neuroblastoma
C3809	Neuroendocrine tumor (NET) or Carcinoid
C2926	Non Small Cell Lung Cancer (NSCLC)
C9145	Osteosarcoma
C7431	Ovarian Cancer
C3850	Pancreatic Cancer
C4906	Parathyroid Cancer
C9061	Penis Cancer
C3538	Peritoneum Cancer
C3555	Placenta Cancer (incl. Choriocarcinoma)
C4863	Prostate Cancer
C9382	Rectum and Rectosigmoid Cancer
C9385	Renal Kidney Cancer (RCC)
C7355	Renal Pelvis Cancer
C7541	Retinoblastoma
C3359	Rhabdomyosarcoma
C6389	Scrotum Cancer
C4917	Small Cell Lung Cancer
C7724	Small Intestine Cancer
C9306	Soft Tissue Sarcoma, NOS
C4911	Stomach (Gastric) Cancer
C9063	Testis Cancer
C3411	Thymus Cancer
C4815	Thyroid Cancer
C7558	Uterus (Endometrial) Cancer
C3917	Vagina Cancer
C8538	Vascular Sarcoma, NOS
C4866	Vulva Cancer
C3267	Wilms Tumor
C27134	Malignant Hematologic Neoplasm, NOS
C9300	Acute Leukemia
C3171	Acute myeloid leukemia (AML)
C3167	Acute lymphoblastic leukemia (ALL)
C4345	Myeloproliferative neoplasm (MPN)
C3174	Chronic myeloid leukemia (CML)
C3247	Myelodysplastic syndrome (MDS)
C9244	Aggressive lymphoma
C9357	Hodgkin lymphoma
C3211	Non-Hodgkin lymphoma (NHL)
C8851	Diffuse large B-cell lymphoma (DLBCL)
C4337	Mantle cell lymphoma (MCL)
C2912	Burkitt lymphoma
C8504	Indolent lymphoma
C3209	Follicular lymphoma
	11

/1/:	2021		COVID-19 and Cancer Consortium (CCC19) R	egistry R	EDCap
				C3163	Chronic lymphocytic leukemia (CLL)
				C4341	Marginal zone lymphoma
				C4665	Plasma cell dyscrasia
				C3242	Multiple myeloma
				C3819	AL amyloidosis
				C27908	T-cell and NK-cell neoplasm
				C9308	Lymphoproliferative disorder
				C3106	Histiocyte disorder
				OTH_H	Other Heme
				OTH_S	Other Solid Tumor
				0111_3	other solid runion
-				Field Anno	tation: LOINC:63929-4; Terminology: NCIT
	231	cancer_type_oth_4	Please specify cancer type	text	
		Show the field ONLY if: [cancer_type_4] = 'C132146' or [c ancer_type_4] = 'OTH_H' or [canc er_type_4] = 'OTH_S' or [cancer_ty pe_4] = 'C27134'			
	232	cancer_type_5	Cancer type of fifth malignancy. If the patient has more than five		(autocomplete), Required
		Show the field ONLY if:	malignancies, please select the fifth-most recently diagnosed cancer type. If unknown or unclear, please specify in the free text box below.	-	Malignant Solid Neoplasm, NOS
		[multiple_ca_quant] = '5'		C9325	Adrenocortical Carcinoma
				C9291	Anal Cancer
				C9330	Appendix Cancer
				C4436	Bile Duct Cancer (Cholangiocarcinoma)
				C4912	Bladder Cancer
				C9312	Bone cancer, NOS
				C5111	Brain Cancer - benign (e.g., meningioma)
				C132067	Brain Cancer - low-grade glioma
				C3059	Brain Cancer - high-grade glioma (e.g., GBM)
				C4627	Brain (CNS) Cancer, NOS
				C4872	Breast Cancer
				C9039	Cervical Cancer
				C4910	Colon Cancer
				C2955	Colon/Rectum Cancer
				C3513	Esophagus Cancer
				C4817	Ewing Sarcoma
				C3867	Fallopian Tube Cancer
				C3844	Gallbladder Cancer
				C3708	Germ Cell Tumor
				C3868	GIST
				C4013	Head and Neck Cancer
				C4819	Invasive Cutaneous SCC (do not record localized SCC)
				C2921	Invasive Cutaneous BCC (do not record localized BCC)
				C3234	Mesothelioma
				C4039	III Defined/Cancer of Unknown Primary
				C3099	Liver Cancer (HCC)
				C4878	Lung Cancer, NOS
				C3224	Melanoma
				C9231	Merkel Cell
				C3871	Nasopharyngeal Carcinoma
				C3270	Neuroblastoma
				C3809	Neuroendocrine tumor (NET) or Carcinoid
				C2926	Non Small Cell Lung Cancer (NSCLC)
				C9145	Osteosarcoma
				C7431	Ovarian Cancer
Į			l		

3850	Pancreatic Cancer
C4906	Parathyroid Cancer
C9061	Penis Cancer
C3538	Peritoneum Cancer
C3555	Placenta Cancer (incl. Choriocarcinoma)
C4863	Prostate Cancer
C9382	Rectum and Rectosigmoid Cancer
C9385	Renal Kidney Cancer (RCC)
C7355	Renal Pelvis Cancer
C7541	Retinoblastoma
C3359	Rhabdomyosarcoma
C6389	Scrotum Cancer
C4917	Small Cell Lung Cancer
C7724	Small Intestine Cancer
C9306	Soft Tissue Sarcoma, NOS
C4911	Stomach (Gastric) Cancer
C9063	Testis Cancer
C3411	Thymus Cancer
C4815	Thyroid Cancer
C7558	Uterus (Endometrial) Cancer
C3917	Vagina Cancer
C8538	Vascular Sarcoma, NOS
C4866	Vulva Cancer
C3267	Wilms Tumor
C27134	Malignant Hematologic Neoplasm, NOS
C9300	Acute Leukemia
C3171	Acute myeloid leukemia (AML)
C3167	Acute lymphoblastic leukemia (ALL)
C4345	Myeloproliferative neoplasm (MPN)
C3174	Chronic myeloid leukemia (CML)
C3247	Myelodysplastic syndrome (MDS)
C9244	Aggressive lymphoma
C9357	Hodgkin lymphoma
C3211	Non-Hodgkin lymphoma (NHL)
C8851	Diffuse large B-cell lymphoma (DLBCL)
C4337	Mantle cell lymphoma (MCL)
C2912	Burkitt lymphoma
C8504	Indolent lymphoma
C3209	Follicular lymphoma
C3163	Chronic lymphocytic leukemia (CLL)
C4341	Marginal zone lymphoma
C4665	Plasma cell dyscrasia
C3242	-
	Multiple myeloma
C3819	AL amyloidosis
C27908	T-cell and NK-cell neoplasm
C9308	Lymphoproliferative disorder
C3106	Histiocyte disorder
OTH_H	Other Heme
OTH_S	Other Solid Tumor

1/2021		COVID-19 and Cancer Consortium (CCC19) Re	egisti	/ NEDCap		
233	cancer_type_oth_5 Show the field ONLY if: [cancer_type_5] = 'C132146' or [c	Please specify cancer type	text			
	ancer_type_5] = 'OTH_H' or [canc er_type_5] = 'OTH_S' or [cancer_ty pe_5] = 'C27134'					
234	multiple_ca_more Show the field ONLY if: [multiple_ca] = '1'	Multiple malignancies - further details. Please provide further details, including whether the primary cancers were synchronous or metachronous, the types of the multiple primaries, etc. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			
235	breast_biomarkers	Breast cancer specific: What is the breast cancer phenotype? Check all	check	box	1	
	Show the field ONLY if: [cancer_type] = 'C4872' or [cancer_ _type_2] = 'C4872' or [cancer_type_4] e_3] = 'C4872' or [cancer_type_4]	that apply. Instructions: Oncology notes: (Medical, Surgical, or Radiation oncology notes): Information obtained from the most recent oncology note would suffice. Ideally, data entry is from the medical oncologist note, but if not available surgical or radiation oncology notes may also have the details of the information. Confirmation with	ER	breast_biomarkerser	Estrogen and/or progesterone-receptor positive (ER or PR positive)	
	= 'C4872' or [cancer_type_5] = 'C4 872'	pathology report is not required (unless the clinic notes fails to comment on both hormone receptors as well as HER2 status).	HER2	breast_biomarkersher2	HER2 overexpressing (HER2 positive)	
		Pathology Reports: If the most recent note is unclear, proceed as follows for assessing pathology reports: For patients with stage IV or metastatic breast cancer, use the receptor information from the most	TNB	breast_biomarkerstnbc	Triple-negative breast cancer (ER, PR, and HER2 negative)	
		recent biopsy of the metastatic site, if unavailable, can use information from primary surgery or initial diagnostic biopsy. For stages I-III breast	99	breast_biomarkers99	Unknown	
	cancer, use information from surgery if available, otherwise use information from initial diagnostic biopsy. Hormone receptor (HR) status: Hormone receptor (HR) can refer to Estrogen receptor (ER) and/or progesterone receptor (PR). Any estrogen-receptor (ER) or progesterone-receptor (PR) expression above 1% on immunohistochemistry (IHC) is considered positive. HER2 Status: Positive: HER2 is considered positive if described as "overexpressed" or "3+ positive" by IHC or "amplified" by FISH. Of note 0 or 1+ by IHC is considered negative. If IHC is described as 2+, please refer to FISH results or final interpretation for the HER2 results. Positive FISH results (described as positive or amplified) always supersede IHC results, if there are discrepant results between the two.					
236	bcg_intraves_ever Show the field ONLY if: [cancer_type] = 'C4912' or [cancer_type_2] = 'C4912' or [cancer_type_3] = 'C4912' or [cancer_type_4] = 'C4912' or [cancer_type_5] = 'C4912'	Bladder cancer specific: Has the patient ever received intravesicular BCG?	1 '	res Jnknown		
237	gleason	Prostate cancer specific: Gleason Score – Document the highest	radio			
	Show the field ONLY if:	Gleason score (from either biopsy or radical prostatectomy - preferred if available). For example, Gleason 4 + 3 would be marked as Gleason 7.		Gleason score 2		
	[cancer_type] = 'C4863' or [cancer_ _type_2] = 'C4863' or [cancer_typ		-	Gleason score 3		
	e_3] = 'C4863' or [cancer_type_4] = 'C4863' or [cancer_type_5] = 'C4		04 (
	863'			Gleason score 5		
				Gleason score 6		
				Gleason score 7		
				Gleason score 8 Gleason score 9		
				Gleason score 10		
			X7 I	No needle core biopsy/TURP/p performed	prostatectomy	
			X8 I	Not applicable: Information no	ot collected for this case	
				Not documented in medical re not assessed or unknown if as		
			Field /	Annotation: NAACCR 3840/384	1	

	2021 COVID-19 and Cancer Consortium (CCC19) Registry REDCap				
238	gleason_source Show the field ONLY if: ([cancer_type] = 'C4863' or [cancer_type_2] = 'C4863' or [cancer_type_3] = 'C4863' or [cancer_type_4] = 'C4863' or [cancer_type_5] = 'C4 863') and ([gleason] = '02' or [gleason] = '03' or [gleason] = '04' or [gleason] = '05' or [gleason] = '06' or [gleason] = '07' or [gleason] = '0 8' or [gleason] = '09' or [gleason] = '10')	Prostate cancer specific: What type of specimen was the Gleason score based on?	384 384 ME UN	40 Prostate biopsy or TURP 41 Radical prostatectomy T Metastatic site of disease	
239	cancer_status	Cancer status. If the patient has multiple primaries, please report on the cancer that was most recently treated.	radi 1 2 3 4 5	o, Required Remission/NED Active disease, responding to treatment Active disease, stable Active disease, progressing Active disease, status unknown or not yet assessed Unknown	
240	hospice Show the field ONLY if: [cancer_status] = 4 or [cancer_status] = 5	Was the patient on hospice prior to the COVID-19 diagnosis?	radi 0 1 99	o No Yes Unknown	
241	on_treatment	Is the patient on anti-cancer treatment? That is, was the patient receiving any treatments intended to directly or indirectly destroy cancer cells in the 3 months prior to COVID-19 diagnosis? This includes systemic therapy, surgery, radiotherapy, and transplant/cellular therapy (including prior to actual transplant/infusion).	radi 1 0 99	o, Required Yes No Unknown	
242	recent_treatment Show the field ONLY if: [on_treatment] = '1'	When was the most recent anti-cancer treatment, relative to the time of COVID-19 diagnosis? Anti-cancer treatment means anything intended to directly or indirectly destroy cancer cells, including systemic therapy, surgery, radiotherapy, and transplant/cellular therapy.	1 2 3 88 98	o, Required Less than 2 weeks prior to COVID-19 diagnosis Within 2 to 4 weeks prior to COVID-19 diagnosis Within the month to 3 months prior to COVID-19 diagnosis More than 3 months prior to COVID-19 diagnosis Treatment was initiated for the first time AFTER the COVID-19 diagnosis Unknown	
243	hx_treatment Show the field ONLY if: [on_treatment] = '0' or [recent_tre atment] = '88'	When was the most recent anti-cancer treatment completed, relative to the time of COVID-19 diagnosis? Anti-cancer treatment means anything intended to directly or indirectly destroy cancer cells, including systemic therapy, surgery, radiotherapy, and transplant/cellular therapy.		Completed within 3 months prior to COVID-19 diagnosis Completed more than 3 months but less than 1 year prior to COVID-19 diagnosis Completed more than 1 year prior to COVID-19 diagnosis Never (patient never received cancer treatment prior to COVID-19 diagnosis) Unknown	

2021		COVID-19 and Cancer Consortium (CCC19) N	egistry	REDCap	
244	treatment_modality	Anti-cancer treatment modality. Check all that apply. You should check	checkbo	x, Required	
	Show the field ONLY if: [on_treatment] = '1' or [hx_treatm	any modality that was given as part of the most recent course of therapy, not treatments given in the more distant past. For example, if	685	treatment_modality685	Cytotoxic chemotherapy
	ent] = '1' or [hx_treatment] = '2'	a patient received concurrent chemoradiation, check cytotoxic chemotherapy and radiotherapy. If a patient received neoadjuvant	694	treatment_modality694	Immunotherapy
		chemotherapy followed by surgery, you should check cytotoxic	58229	treatment_modality58229	Targeted therapy
		chemotherapy and surgery. When in doubt, please provide additional details in the free text boxes below. Definitions Cytotoxic chemotherapy: drugs that have direct toxic effects on the cellular	691	_ ,	Endocrine (Hormone) therapy
		reproduction apparatus (e.g., anthracyclines, taxanes, vinca alkaloids,	695	treatment_modality695	Radiotherapy
		etc.). Immunotherapy: drugs or cellular therapy that primarily act through upregulation of the immune system (e.g., immune checkpoint	14051	treatment_modality14051	Surgery
		inhibitors, allogeneic hematopoeitic stem cell transplant, BiTEs, CAR-T-cells). Endocrine (Hormone) therapy: drugs that inhibit, mimic, or	45186	_	Transplant/Cellular therapy
		replace endocrine processes (e.g., tamoxifen, aromatase inhibitors, octreotide). Targeted therapy: drugs that interfere with specific cellular proteins through blockade (e.g., monoclonal antibodies) or disruption	45215	treatment_modality45215	Intravesicular therapy (e.g., BCG)
		(e.g., tyrosine kinase inhibitors). Note that monoclonal antibodies that do not have a direct immunostimulatory effect (e.g., rituximab,	ОТН	treatment_modalityoth	Other
		bevacizumab, etc.) should be selected as "Targeted therapy", as should immunomodulators (e.g., lenalidomide) and drugs that target specific cellular proteins (e.g., venetoclax, ibrutinib).	Field Anı	notation: Terminology: HemOno	:
245	intravesicular_bcg	Did the intravesicular therapy include BCG?	radio		
	Show the field ONLY if:		0 No		
	[treatment_modality(45215)] = '1'		1 Yes		
			99 Un	known	
246	tx_modality_oth_specify	Please specify other modalities. Do not record any PHI in this field. As a	notes		
	Show the field ONLY if: [treatment_modality(OTH)] = '1'	reminder, this includes all elements of dates other than year.			
247	what_immunotherapy	What immunotherapy?	radio, Re	İ	
	Show the field ONLY if:		45838	Anti-CTLA4 antibody	
	[treatment_modality(694)] = '1'		45446	Anti-PD-1 antibody (e.g., nivo	olumab,
			45170	Anti-PD-L1 antibody (e.g., ate avelumab)	ezolizumab,
			45838- 45446	Combination of anti-CTLA4 a ipilimumab & nivolumab)	nd anti-PD-1 (e.g.
			ОТН	Other	
			UNK	Unknown	
			Field Anı	notation: Terminology: HemOno	:
248	immuno_other_specify Show the field ONLY if: [what_immunotherapy] = 'OTH'	Please specify what other immunotherapy Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
249	what_targeted_tx	Some targeted therapies have postulated antiviral effects. Was the	checkbo	x	
	Show the field ONLY if: [treatment_modality(58229)] = '1'	patient taking any of these medications? Check all that apply.	L01XE5	1 what_targeted_txl01xe51	Acalabrutinib (Calquence)
			L01XE0	6 what_targeted_txl01xe06	Dasatinib (Sprycel)
			L01XE5	7 what_targeted_txl01xe57	Fedratinib (Inrebic)
			L01XE2	7 what_targeted_txl01xe27	lbrutinib (Imbruvica)
			L01XE0	1 what_targeted_txl01xe01	Imatinib (Gleevec)
			L01XE0	8 what_targeted_txl01xe08	Nilotinib (Tasigna)
			L01XE1	8 what_targeted_txl01xe18	Ruxolitinib (Jakafi)
			ОТН	what_targeted_txoth	Other
			UNK	what_targeted_txunk	Unknown
			NONE	what_targeted_txnone	None
			INCINE	Wild Car Second Co.	
250	targeted_other_specify Show the field ONLY if:	Please specify what other targeted therapy. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than	notes	mac_argetea_anone	1

	I		
251	pneumonitis	Is there a strong concern for concurrent immune-related adverse event	radio
	Show the field ONLY if:	(irAE) pneumonitis?	1 No
	[treatment_modality(694)] = '1'		2 Possible
			3 Likely
			4 Definite irAE pneumonitis
252	other_irae	Is there a strong concern for another concurrent irAE?	yesno
	Show the field ONLY if:		1 Yes
	[treatment_modality(694)] = '1'		0 No
252	irae tevt	Diago describe Do not record any DIII in this field. As a reminder this	
253	irae_text	Please describe Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
	Show the field ONLY if: [other_irae] = '1'	·	
254	radiotherapy	Does or did the radiation treatment field include the lungs to any	radio
	Show the field ONLY if:	degree?	1 Yes
	[treatment_modality(695)] = '1'		0 No
			99 Unknown
255		To a contract of the last cont	
255	transplant_prior_tx	Transplant and cellular therapy - additional information. So that we can better understand the patient's degree of immunosuppression, please	notes
	Show the field ONLY if: [treatment_modality(45186)] = '1'	provide additional details related to their prior treatment course and to	
	or [significant_comorbidities(234	their disease status when entering into transplant or cellular therapy. Do not record any PHI in this field. As a reminder, this includes all	
	336002)] = '1'	elements of dates other than year.	
256	transplant_cellular_therapy	Transplant & cellular therapy - what type of therapy?	radio
	Show the field ONLY if:		1 Autologous stem cell transplant
	[treatment_modality(45186)] = '1'		10 Allogeneic SCT (donor/type unknown)
	or [significant_comorbidities(234 336002)] = '1'		2 MUD allogeneic SCT
			3 MRD allogeneic SCT
			4 Haplo allogeneic SCT
			5 Cord blood allogeneic SCT
			6 CAR-T cells
			OTH Other
			7 DEPRECATED (was Unknown)
			99 Unknown
			33 OTINIOWIT
			Field Annotation: @HIDECHOICE = '7'
257	sct_other_specify	Please specify what other type of transplant or cellular therapy Do not	notes
	Show the field ONLY if:	record any PHI in this field. As a reminder, this includes all elements of dates other than year.	
	[transplant_cellular_therapy] = 'O TH'	addes other than year.	
258	transplant_cellular_timing	Transplant & cellular therapy - how far out from treatment?	radio
230		Transplant & cential therapy - now fail out from treatment?	0 During prep (prior to transplant)
	Show the field ONLY if: [treatment_modality(45186)] = '1'		1 0-20 days
	or [significant_comorbidities(234		2 21-100 days
	336002)] = '1'		3 101-365 days
			4 More than 1 year
			5 DEPRECATED (was Unknown)
			99 Unknown
			Field Annotation: @HIDECHOICE = '5'
259	treatment_additional	Anti-cancer treatment - additional information. Please give more details	notes
	Show the field ONLY if:	here about the specific treatment(s) that the patient has been	
	[on_treatment] = '1' or [hx_treatm	receiving, including drug and/or regimen names. Do not record any PHI in this field. As a reminder, this includes all elements of dates other	
L	ent] = '1'	than year.	
260	treatment_intent	Anti-cancer treatment intent Note: if the cancer is not considered	radio, Required
	Show the field ONLY if:	curable, you should choose palliative intent.	1 Curative
	[on_treatment] = '1' or [hx_treatm		2 Palliative
	ent] = '1' or [hx_treatment] = '2'		99 Unclear or unknown
	l	1	<u> </u>

266	prostate_trial_more Show the field ONLY if: [prostate_tx(TRIAL)] = '1' prostate_tx_oth Show the field ONLY if:	Please specify clinical trial details. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Please specify other agent(s). Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	996051 40048 195820 159758 154754 TRIAL OTH NONE UNK notes	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial Other agent None of the above Unknown
266	Show the field ONLY if:		996051 40048 195820 159758 154754 TRIAL OTH NONE UNK	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582 prostate_tx1547545 prostate_txtrial prostate_txoth prostate_txnone	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial Other agent None of the above
266			996051 40048 195820 159758 154754 TRIAL OTH NONE UNK	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582 prostate_tx1547545 prostate_txtrial prostate_txoth prostate_txnone	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial Other agent None of the above
			996051 40048 195820 159758 154754 TRIAL OTH NONE	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582 prostate_tx1547545 prostate_txtrial prostate_txoth prostate_txnone	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial Other agent None of the above
			996051 40048 195820 159758 154754 TRIAL OTH	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582 prostate_tx1547545 prostate_txtrial prostate_txoth	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial Other agent
			996051 40048 195820 159758 154754 TRIAL	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582 prostate_tx1547545 prostate_txtrial	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab Clinical trial
			996051 40048 195820 159758 154754	prostate_tx996051 prostate_tx40048 0 prostate_tx1958200 2 prostate_tx1597582 5 prostate_tx1547545	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib Pembrolizumab
			996051 40048 195820 159758	prostate_tx996051 prostate_tx40048 prostate_tx1958200 prostate_tx1597582	Cabazitaxel (Jevtana) Carboplatin Radium-223 Olaparib
ı			996051 40048 195820	prostate_tx996051 prostate_tx40048 0 prostate_tx1958200	Cabazitaxel (Jevtana) Carboplatin Radium-223
			996051 40048	prostate_tx996051 prostate_tx40048	Cabazitaxel (Jevtana) Carboplatin
			996051	prostate_tx996051	Cabazitaxel (Jevtana)
	1		1 / / Yh /	LUTOSTATE IX //96/	
			72962	prostate_tx72962	(Nubeqa) Docetaxel (Taxotere)
			218032	5 prostate_tx2180325	Darolutamide
			199957	4 prostate_tx1999574	Apalutamide (Erleada)
	d [hx_treatment] != '88'		130729	8 prostate_tx1307298	Enzalutamide (Xtandi)
	863') and [hx_treatment] != '3' an		110007	2 prostate_tx1100072	Abiraterone (Zytiga)
	e_3] = 'C4863' or [cancer_type_4] = 'C4863' or [cancer_type_5] = 'C4		31805	prostate_tx31805	Nilutamide
	r_type_2] = 'C4863' or [cancer_typ	selected.	4508	prostate_tx4508	Flutamide
	Show the field ONLY if: ([cancer_type] = 'C4863' or [cance	or presumed positive COVID-19 disease. More than one option can be	83008	prostate_tx83008	Bicalutamide (Casodex)
265	prostate_tx	Prostate cancer specific: Please check all the prostate cancer therapies that the patient received within 3 months of a positive SARS-CoV-2 test	checkbo		Ricalutamido
	863') and [hx_treatment] != '3' an d [hx_treatment] != '88'				
	e_3] = 'C4863' or [cancer_type_4] = 'C4863' or [cancer_type_5] = 'C4	leuprolide (Lupron), goserelin (Zoladex), triptorelin (Trelstar), buserelin (Suprefact).	[] 3111		
	r_type_2] = 'C4863' or [cancer_typ	therapy is typically administered in the form of an injection given every 1, 3, 4, or 6 months. Agents largely include: degarelix (Firmagon),	99 Uni		
	Show the field ONLY if: ([cancer_type] = 'C4863' or [cance	presumed positive COVID-19 disease? HINT: Androgen deprivation	1 Yes		
264	adt	Prostate cancer specific: Was the patient on androgen deprivation therapy (ADT) within 6 months of a positive SARS-CoV-2 test or	radio 0 No		
	= 'C4863' or [cancer_type_5] = 'C4 863'				
	_type_2] = 'C4863' or [cancer_typ e_3] = 'C4863' or [cancer_type_4]		99 Uni		
	Show the field ONLY if: [cancer_type] = 'C4863' or [cancer		0 No 1 Yes	:	
263	orchiectomy	Prostate cancer specific: Has the patient had a bilateral orchiectomy?	radio		
	Show the field ONLY if: [treatment_context] = 'OTH'	,			
262	other_context	Please specify other treatment context Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
			Field Anr	notation: Terminology: Hen	nOnc
			UNK	Unknown	
			OTH	Other	
			1901	Maintenance	
			1526	Consolidation	
		mark Norrediative therapy, NOS.	813	Induction	
		palliative surgical resection or radiation as their only therapy, please mark "Non-curative therapy, NOS".	1874	Subsequent line non-cura	tive therapy
		please mark "Curative therapy, NOS". Likewise, if they underwent	14900	2nd line non-curative ther	ару
		CHOP for DLBCL, and ABVD for Hodgkin lymphoma. If the patient underwent curative surgical resection or radiation as their only therapy,	3175	1st line non-curative thera	ру
		induction" and should be checked for patients receiving upfront therapy with the intent of achieving remission, e.g., 7+3 for AML, R-	2648	Non-curative therapy, NOS	5
	ent] = '1' or [hx_treatment] = '2'	t] = '1' or [hx_treatment] = '2' for hematologic malignancy. Induction is synonymous with "remission	2618	Adjuvant	
	[on_treatment] = '1' or [hx_treatm	malignancies. The first set of choices are more commonly used for solid tumors, and the last three (induction, consolidation, maintenance)	5250	Neoadjuvant	
201	Show the field ONLY if:	language for treatment context differs for solid and hematologic	46235	Curative therapy, NOS	
261	treatment context	Current (or most recent) anti-cancer treatment context. Note that the	radio		

1/2021		COVID-19 and Cancer Consortium (CCC19) No	9.0	., ,	
268	cancer_more	Section Header: Cancer-specific data - Optional	yesr	10	
	Show the field ONLY if:	Would you like to answer additional cancer-specific questions? This is		Yes	
	[ccc19] = '0'	optional but will really help us understand the granular details better.	0	No	
			<u> </u>		
269	stage	Stage at cancer diagnosis. If the patient has multiple primaries, please	radi		
		report on the cancer that was most recently treated. If the patient has a solid tumor but you cannot determine an exact stage, try to determine	100	04-0 0 (in situ)	
		whether the disease was localized or disseminated at diagnosis. Clues	1	1	
		to localized disease at diagnosis include definitive therapies such as	2	II	
		lumpectomy for breast cancer, colectomy for colon cancer, and	3	III	
		prostatectomy for prostate cancer. If the patient was initially diagnosed with in situ cancer but then developed invasive disease, please report	4	IV	
		the stage at the time of invasive disease diagnosis. For hematologic			
		malignancies that are not anatomically staged (e.g., leukemias,	764		
		myeloma), select localized or disseminated based on the distribution of the disease. For example, multiple myeloma would be disseminated,	764	1-7 Disseminated	
		whereas a solitary plasmacytoma would be localized. Most leukemias	ОТ	H Other	
		are considered disseminated at diagnosis, with very few exceptions.	99	Unknown	
			Field	d Annotation: Termino	logy: NAACCR
270	stage_oth_specify	Please specify other stage at cancer diagnosis Do not record any PHI in	note	es	
	Show the field ONLY if:	this field. As a reminder, this includes all elements of dates other than			
	[stage] = 'OTH'	year.			
271	mets_yn	Did the patient have metastatic cancer at the time of COVID-19	radi	0	
	Show the field ONLY if:	diagnosis?	0	No	
	[cancer_status] != '1'		1	Yes	
			88	Not applicable (e.g.,	patient has a liquid hematologic
				malignancy)	
			99	Unknown	
272	mate sites	What were the sites of metastatic disease? Please sheek all that apply	chor	lhov	
272	mets_sites	What were the sites of metastatic disease? Please check all that apply.	111	kbox 2- mets_sites111	2 1 Bone
	Show the field ONLY if: [mets_yn] = '1'		1	12- Illets_sites111	2_1 BOITE
	[inets_yii] = 1		111	13- mets_sites111	3 1 Brain
			1		5_1 5.4
			111	4- mets_sites111	4_1 Distant lymph nodes
			1		
			111	5- mets_sites111	5_1 Liver
			1		
				6- mets_sites111	6_1 Lung
			1		
			11'	7- mets_sites111	7_1 Other sites
			-		
			11′	17- mets_sites111	7_2 Generalized metastases such as carcinomatosis,
			-		malignant pleural effusion,
					malignant ascites
			9	mets_sites9	DEPRECATED (was
			<u> </u>		Unknown)
			99	mets_sites99	Unknown
			Field	Annotation: Tormina	logy: NAACCR @HIDECHOICE = '9'
272		Diagonal distribution of materials in the control of the control o			106y. NAACCIN WITHDECHOICE - 9
273	mets_oth_specify	Please specify additional sites of metastatic cancer Do not record any PHI in this field. As a reminder, this includes all elements of dates other	note	25	
	Show the field ONLY if:	than year.			
27.4	[mets_sites(1117-1)] = '1'	M/L		_	
274	cancer_timing	When was the patient's cancer diagnosed? If the patient has multiple primaries, please report on the cancer that was most recently treated.	radi		COVID 10
		primitives, predict report on the carried that was most recently fleated.	0	At the same time as	
			88	AFTER the COVID-19	diagnosis
			1	Within the past year	
			2	Within the past 5 yea	ars
			3	More than 5 years ag	go
			99	Unknown	
				İ	

72021		COVID TO did Galloci Gollocidalii (CCCTO) IX	
275	clinical_trial	Is the patient on a clinical trial?	radio 0 No 1 Yes 99 Unknown
276	clinical_trial_more Show the field ONLY if: [clinical_trial] = '1'	Please provide additional details if you can. Note: some institutions have restrictions on sharing of this information, please check with your institutional official if you have any questions. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
277	additional_ca_dx	Additional details about cancer diagnosis (stage, prior therapies, etc.) Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
278	prior_tx	Has the patient ever received treatments known to be associated with cardiac or pulmonary toxicity? Check all that apply.	checkbox 73 prior_tx73 Bleomycin 90 prior_tx90 Carmustine
			122 prior_tx122 Cyclophosphamide 202 prior_tx202 Everolimus
			243 prior_tx243 Gemcitabine 44985 prior_tx44985 Anthracyclines 45000 prior_tx45000 Antibody-drug conjugates
			45613 prior_tx45613 Anti-CD38 antibodies (e.g. daratumumab) 58101 prior_tx58101 Checkpoint inhibitors
			694 prior_tx694 Immunotherapy 44947 prior_tx44947 Monoclonal antibodies
			45388 prior_tx45388 Platinum agents 45352 prior_tx45352 Taxanes 44955 prior_tx44955 Tyrosine kinase inhibitors (TKIs)
			695 prior_tx695 Radiation involving a lung field OTH prior_txoth Other
			UNK prior_txunk Unknown NONE prior_txnone None Field Annotation: Terminology: HemOnc
279	drugs_expanded Show the field ONLY if: [prior_tx(45613)] = '1' or [prior_tx (44985)] = '1' or [prior_tx(45388)] = '1' or [prior_tx(45352)] = '1' or [p rior_tx(44955)] = '1'	Please list specific drugs Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	text
280	irae_gr3 Show the field ONLY if: [prior_tx(58101)] = '1' or [prior_tx	Has the patient experienced a current or past (ever) iRAE CTCAE grade 3 or above? Check all that apply.	checkbox 418290006 irae_gr3418290006 Pruritis 271807003 irae_gr3271807003 Rash
	(694)] = '1' or [treatment_modalit y(694)] = '1'		57676002 irae_gr357676002 Arthralgia 3723001 irae_gr33723001 Arthritis 205237003 irae_gr3205237003 Pneumonitis
			40930008 irae_gr340930008 Hypothyroidism 267060006 irae_gr3267060006 Diarrhea
			64226004 irae_gr364226004 Colitis 64613007 irae_gr364613007 Enteritis 128241005 irae_gr3128241005 Hepatitis
			OTH irae_gr3oth Other NONE irae_gr3none None UNK irae_gr3unk Unknown
281	irae_oth_specify Show the field ONLY if: [irae_gr3(OTH)] = '1'	Please specify what other iRAE CTCAE grade 3 or above. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes

	irae_past		
	Show the field ONLY if: [prior_tx(58101)] = '1' or [prior_tx (694)] = '1'	Was there ever evidence of an immune-related adverse event (irAE) affecting the lungs or heart? (pneumonitis, myocarditis)	radio 1 No 2 Possible 3 Likely 4 Definite 99 Unknown
	irae_past_more Show the field ONLY if: [irae_past] = '2' or [irae_past] = '3' or [irae_past] = '4'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
	prior_tx_other Show the field ONLY if: [prior_tx(OTH)] = '1'	Please specify other past treatments with potential cardiac or pulmonary toxicity.	text
285	prior_tx_text	If the patient had potentially lung-toxic therapy in the past, please provide further details. For example, how long ago the treatment was, whether there was overt lung toxicity at the time of treatment, etc. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
286	comments_form_3	Section Header: Free text entry (optional) Comments Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes
287	cancer_details_complete	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete
Instru	ment: Respondent details (r	espondent_details) 🛂 Enabled as survey	^ Collapse
288	ts_4	Timestamp for the respondent details form	text (datetime_dmy), Required Field Annotation: @HIDDEN @NOW_UTC
289	role	Section Header: A bit about you Are you the primary managing hematologist/oncologist?	yesno, Required 1 Yes 0 No
	practice_setting Show the field ONLY if: [role] = '1'	What is your practice setting? Check all that apply.	checkbox 1 practice_setting1 Community Practice 2 practice_setting2 Community Hospital 3 practice_setting3 University Hospital 4 practice_setting4 NCI designated Comprehensive Cancer Center 5 practice_setting5 Other Cancer Centers 6 practice_setting6 Other Tertiary Center
	role_2 Show the field ONLY if: [role] = '0'	What is your role in relationship to the patient?	radio, Required 1 Advanced practice practitioner who regularly sees patient 2 Nurse who regularly sees patient 3 Hematology/oncology fellow who regularly sees patient 4 Triage personnel 5 Hospitalist 6 Intensivist 99 Designee of a CCC19 participating institution 7 Other
	other_role Show the field ONLY if: [role] = '7'	Please specify	text, Required
-	email_1	Thank you very much for filling out this short survey. Due to IRB restrictions, we are not able to collect further personal details from you	descriptive
293		at this time. You may learn more about CCC19 by visiting the CCC19 website (clicking this link will open a new window).	

205	recognidant details commists	Section Header: Form Status	dra-	down
295	respondent_details_complete	Complete?		ndown Incomplete
		complete.	l — L	Unverified
			-	
			2 (Complete
Instru	ument: Follow-up (followup)	₽ Enabled as survey		^ Collapse
296	ts_5	Timestamp for the follow-up form		Required Annotation: @HIDDEN @NOW_UTC
297	fu_weeks	How far out from initial COVID-19 diagnosis are you making this report?	radio	o, Required
			30	Approximately 30 days (1 month) after COVID-19 diagnosis
			90	Approximately 90 days (3 months) after COVID-19 diagnosis
			180	Approximately 180 days (6 months) after COVID-19 diagnosis
			365	Approximately 365 days (1 year) after COVID-19 diagnosis
			OTH	All other time intervals
298	d30_vital_status	Was the patient ALIVE at 30 days from COVID-19 diagnosis?	radio	o, Required
	Show the field ONLY if: [fu_weeks] = '30'		0	Yes the patient was alive for at least 30 days from COVID-19 diagnosis
			1	Patient was deceased within 30 days of COVID-19 diagnosis
			99	Unknown
299	d90_vital_status	Was the patient ALIVE at 90 days from COVID-19 diagnosis?	radio	o, Required
	Show the field ONLY if: [fu_weeks] = '90'		0	Yes the patient was alive for at least 90 days from COVID-19 diagnosis
	,		1	Patient was deceased within 90 days of COVID-19 diagnosis
			99	Unknown
300	d180_vital_status	Was the patient ALIVE at 180 days from COVID-19 diagnosis?	radio	o, Required
	Show the field ONLY if: [fu_weeks] = '180'		0	Yes the patient was alive for at least 180 days from COVID-19 diagnosis
	[ra_rresid] .ss		1	Patient was deceased within 180 days of COVID-19 diagnosis
			99	Unknown
301	timing_of_report_weeks Show the field ONLY if: [fu_weeks] = 'OTH'	Please specify, in weeks, how much time has elapsed since initial COVID-19 diagnosis.	text	(number, Min: 0, Max: 60), Required
302	fu_reason	What is prompting this follow-up report?	radio	o, Required
	Show the field ONLY if:		1	Hospitalization
	[fu_weeks] = 'OTH'		2	Major change in clinical status other than hospitalization
			3	Death
			ОТН	H Other
303	fu_reason_oth Show the field ONLY if: [fu_reason] = 'OTH'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	note	S
304	covid_19_status_fu	Section Header: COVID-19 follow-up details required	radio	o, Required
JU4	covia_19_status_tu	Current COVID-19 status Fully recovered means that the patient has	1	Fully recovered
		returned to their baseline functional status and repeat SARS-CoV-2	1b	Recovered with complications
		testing, if obtained, is negative. If they are on medications to treat sequelae or have functional compromise (e.g., impaired pulmonary	2	Ongoing infection
		function) but are not considered to have active infection, they should	3	Died
		be considered to have recovered with complications.	-	
			99	Unknown
305	days_to_death_fu_2 Show the field ONLY if:	Approximately how many days elapsed between COVID-19 diagnosis and death? If this information is unknown to you, please enter 9999 here.	text	(integer, Min: 0), Required
	[covid_19_status_fu] = '3'	<u> </u>		

		COVID-19 and Cancer Consortium (CCC19) Re		
	cause_of_death_fu Show the field ONLY if:	To the best of your knowledge, what was the proximal cause of death?		Required COVID-19
	[covid_19_status_fu] = '3'		2 (Cancer
			-	Both
			\vdash	Other
			\vdash	
			99 L	Jnknown
	deceased_reason_fu_2 Show the field ONLY if:	Please provide additional details about the proximal cause of death. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required
	[covid_19_status_fu] = '3'	WILO Outlined Cook for Clinical Insurance and Bloom as to the table and		Danish d
	who_ordinal_scale Show the field ONLY if: ([fu_weeks] = '30' or [fu_weeks] =	WHO Ordinal Scale for Clinical Improvement Please note that this scale is somewhat redundant to other questions here, but will help us to validate the scale as a reliable tool for determining disease severity at	1	Required Ambulatory (Not hospitalized) with no limitation of activities
	'90') and [covid_19_status_fu] != '3'	fixed time-based endpoints.	2	Ambulatory (Not hospitalized) with limitation of activities
			3	Hospitalized, no oxygen therapy
			4	Hospitalized, requiring oxygen by mask or nasal prongs
			5	Hospitalized, requiring non-invasive ventilation or high-flow oxygen
			6	Hospitalized, requiring intubation and mechanical ventilation
			7	Hospitalized, requiring ventilation + additional organ support - pressors, RRT, and/or ECMO
			OTH	Other - patient does not fit into any of these categories
			UNK	Unknown
	who_ordinal_oth Show the field ONLY if: [who_ordinal_scale] = 'OTH'	Please briefly explain why the patient does not fit into any of the categories. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes	
310	current_status_clinical_fu	Current clinical status	radio,	Required
	Show the field ONLY if:		0	Outpatient - No symptoms
	[covid_19_status_fu] = '2'		1	Outpatient - Mild symptoms
			2	Outpatient - Moderate symptoms
			3	Outpatient - Severe symptoms
			4	Inpatient - Near Recovery
			5	-
			_	Inpatient - Moderately ill
			6	Inpatient - Severely ill
			7	Critical (ICU) - Severely ill, not requiring ventilator
				support
			8	support Critical (ICU) - Severely ill, intubated
			8 OTH	support
			8	support Critical (ICU) - Severely ill, intubated
	current_status_clinical_specify_fu Show the field ONLY if: [current_status_clinical_fu] = 'OT H'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	8 OTH 99	support Critical (ICU) - Severely ill, intubated Other
	Show the field ONLY if: [current_status_clinical_fu] = 'OT	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture	8 OTH 99 notes,	support Critical (ICU) - Severely ill, intubated Other Unknown
312	Show the field ONLY if: [current_status_clinical_fu] = 'OT H'	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture the worst severity from the time of diagnosis to the time of this follow-	8 OTH 99 notes,	support Critical (ICU) - Severely ill, intubated Other Unknown Required
312	Show the field ONLY if: [current_status_clinical_fu] = 'OT H' worst_complications_severity_fu Show the field ONLY if: [covid_19_status_fu] = '1' or [covid_19_status_fu] = '1b' or [covid_1	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture	8 OTH 99 notes,	support Critical (ICU) - Severely ill, intubated Other Unknown Required
312	Show the field ONLY if: [current_status_clinical_fu] = 'OT H' worst_complications_severity_fu Show the field ONLY if: [covid_19_status_fu] = '1' or [covi	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture the worst severity from the time of diagnosis to the time of this follow-	8 OTH 99 notes,	support Critical (ICU) - Severely ill, intubated Other Unknown Required None (patient was asymptomatic) Mild complications (mimimal symptoms from
312	Show the field ONLY if: [current_status_clinical_fu] = 'OT H' worst_complications_severity_fu Show the field ONLY if: [covid_19_status_fu] = '1' or [covid_19_status_fu] = '1b' or [covid_1	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture the worst severity from the time of diagnosis to the time of this follow-	8 OTH 99 notes,	support Critical (ICU) - Severely ill, intubated Other Unknown Required None (patient was asymptomatic) Mild complications (mimimal symptoms from complications) Moderate complications (moderate symptoms from
312	Show the field ONLY if: [current_status_clinical_fu] = 'OT H' worst_complications_severity_fu Show the field ONLY if: [covid_19_status_fu] = '1' or [covid_19_status_fu] = '1b' or [covid_1	includes all elements of dates other than year. Worst severity of COVID-19 complications. This answer should capture the worst severity from the time of diagnosis to the time of this follow-	8 OTH 99 notes, 0 1	support Critical (ICU) - Severely ill, intubated Other Unknown Required None (patient was asymptomatic) Mild complications (mimimal symptoms from complications) Moderate complications (moderate symptoms from complications) Serious complications (symptoms substantially impact the patient's functional status or disabling

212	complications coverity for	Coverity of COVID 10 complications at the time of this follows up to and	ارام مادا	any Danwinad	
313	complications_severity_fu	Severity of COVID-19 complications at the time of this follow-up report. Check all that apply.		oox, Required	NIliti
	Show the field ONLY if: [covid_19_status_fu] = '1b' or [cov id_19_status_fu] = '2'		1	complications_severity_fu0 complications_severity_fu1	Mild complications (mimimal symptoms from
			2	complications_severity_fu2	complications) Moderate complications (moderate symptoms from complications)
			3	complications_severity_fu3	Serious complications (symptoms substantially impact the patient's functional status or disabling physical functioning)
			ОТН	complications_severity_fuoth	Other
			99	complications_severity_fu99	Unknown
314	complications_severity_oth_speci fy_fu Show the field ONLY if: [complications_severity_fu(OTH)] = '1'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes,	Required	
315	cancer_tx_fu	Section Header: COVID-19 Effect on Cancer Treatment	radio	Paguirad	
313		Was the patient's cancer treatment plan modified as a result of COVID-		Required No	
	Show the field ONLY if: [covid_19_status_fu] != '3'	19?	-	'es	
			-+	Jnknown	
				JIKIIOWII	
316	cancer_tx_fu_more Show the field ONLY if: [cancer_tx_fu] = '1'	Please provide additional details. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
317	cancer_status_fu	Cancer status at the time of this follow-up report. If the patient has	radio,	Required	_
	Show the field ONLY if:	multiple primaries, please report on the cancer that was most recently	1 F	Remission/NED	
	[covid_19_status_fu] != '3'	treated.	2 A	Active disease, responding to treatr	ment
			3 A	Active disease, stable	
			4	Active disease, progressing	
			5 A	Active disease, status unknown or r	not yet assessed
			99 l	Jnknown	
318	hospice_fu	Section Header: COVID-19 follow-up details optional The following sections contain	radio		
	Show the field ONLY if:	questions that will help us more fully understand the disease course of COVID-19. Most		No	
		hut not all of these auestions are ontional			
	[hospice] != '1'	but not all of these questions are optional. Since you last reported on this patient, were they transitioned to	H	'es	
			1 \	res Jnknown	
319		Since you last reported on this patient, were they transitioned to	1 \		
	[hospice] != '1' hospice_fu_more Show the field ONLY if:	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of	1 \\ 99 \tag{8} notes		
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	1 \\ 99 \tag{8} notes	Jnknown	
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Since you last reported on this patient, were they admitted or re-	1 \\ 99 \tag{8} notes	Jnknown Required	ration of the illness
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Since you last reported on this patient, were they admitted or re-	1 N 99 U notes	No	
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Since you last reported on this patient, were they admitted or re-	1 N 99 U notes	Required No Yes - admitted to floor for the dul Yes - admitted to floor and then t	
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Since you last reported on this patient, were they admitted or re-	1 N 99 U notes	Required No Yes - admitted to floor for the dur	ransferred to the
	[hospice] != '1' hospice_fu_more Show the field ONLY if: [hospice_fu] = '1'	Since you last reported on this patient, were they transitioned to hospice? Please specify why the patient was transitioned to hospice. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year. Since you last reported on this patient, were they admitted or re-	1 N 99 U notes	Required No Yes - admitted to floor for the dui Yes - admitted to floor and then t ICU Yes - admitted directly to the ICU Not applicable - they were admitt at the time of the last report and	ransferred to the

/2021		COVID-19 and Cancer Consortium (CCC19) R	egisti	ry KEL	осар		
321	hosp_status_fu_more Show the field ONLY if: [hosp_status_fu] = 'OTH'	Please provide further details. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	note	S			
322	admission_reason_fu Show the field ONLY if: [hosp_status_fu] = '1' or [hosp_st atus_fu] = '2' or [hosp_status_fu] = '3'	Was the admission related to COVID-19 or complications of COVID-19?	1 2 3	Possibly Unrelate	ly related related ed		
323	hosp_los_fu Show the field ONLY if: [hosp_status_fu] = '1'	If known, how long was the length of stay, in days?	text ((integer, I	Min: 1)		
324	hosp_los_fu_2 Show the field ONLY if: [hosp_status_fu] = '2'	If known, how long was the length of stay prior to transfer to the ICU, in days?	text ((integer, I	Min: 1)		
325	icu_los_fu Show the field ONLY if: [hosp_status_fu] = '2' or [hosp_st atus_fu] = '3'	If known, how long was the ICU length of stay, in days?	text ((integer, I	Min: 1)		
326	current_status_fu Show the field ONLY if: [covid_19_status_fu] != '3'	What is the patient's current location?	4 5 6 7 8 9	Outpation ER - Follo Hospital Hospital ICU - nev	ized (non-ICU) - new admit lized (non-ICU) - continued w admit ntinued patient is deceased		
327	days_to_death_fu Show the field ONLY if: [current_status_fu] = '9' or [fu_rea son] = '3'	Approximately how many days elapsed between COVID-19 diagnosis and death? If this information is unknown to you, please enter 9999 here.	text ((integer, I	Min: 0), Required		
328	deceased_reason_fu Show the field ONLY if: [current_status_fu] = '9'	Please provide additional details about the proximal cause of death. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	note	s, Requir	ed		
329	c19_complications_systemic_fu	Section Header: Additional Medical Events Please report any new complications or medical events that have arisen since completing the most recent form, whether or not they are clearly attributable to COVID-19 or another cause. Systemic events during the follow-up period. Check all that apply. If there were no additional systemic events, please check "No additional events".	576 913 238 NON	06007 53000 02008 147009 NE	quired c19_complications_systemic c19_complications_systemic c19_complications_systemic c19_complications_systemic c19_complications_systemic c19_complications_systemic c19_complications_systemic	_fu57653000 _fu91302008 _fu238147009 _funone	Ble Dis int do (DI Mu fai Sel Otl No sys eve

2021			egisii y KEI		
330	c19_bleeding_fu	Please specify the type of bleeding. Check all that apply.	checkbox		
	Show the field ONLY if: [c19_complications_systemic_fu(5 0960005)] = '1'		112648003		Major bleedin (requirii multiple RBCs transfus or ICU admit)
			73099002		Non-ma but clini relevant bleed
			127563002		Minor b (withou transfus need)
			230690007- Major		CNS hemorr extensiv
			230690007- Minor		CNS hemorr limited
			ОТН	c19_bleeding_fuoth	Other
			UNK	c19_bleeding_fuunk	Unknov
			Field Annotat	ion: Terminology: SNOMED-modified	
331	c19_bleeding_oth_specify_fu Show the field ONLY if: [c19_bleeding_fu(OTH)] = '1'	Please specify further details about bleeding. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
332	dic_more_fu Show the field ONLY if:	Please provide further details about DIC, including clinical manifestations. Do not record any PHI in this field. As a reminder, this	notes		
	[c19_complications_systemic_fu(6 7406007)] = '1'	includes all elements of dates other than year.			
333	c19_comp_systemic_specify_fu Show the field ONLY if: [c19_complications_systemic_fu(2 38147009)] = '1'	Please specify other systemic events. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
334	o2_requirement_fu	Did the patient require supplemental O2 during the follow-up period?	radio, Require 0 No 1 Yes 99 Unknow		
335	c19_complications_pulm_fu	Pulmonary events during the follow-up period. Check all that apply. If there were no additional pulmonary events, please check "No additional events".	checkbox, Re 409622000	quired c19_complications_pulm_fu40962200	0 Resp
			205237003	c19_complications_pulm_fu20523700	
			233604007	c19_complications_pulm_fu23360400	
			67782005	c19_complications_pulm_fu67782005	Acut resp distr synd (ARE
				alo complications pulm for E0383003	
			59282003	c19_complications_pulm_fu59282003	Puln emb
			60046008	c19_complications_pulm_fu60046008	emb Pleu effu
			60046008	c19_complications_pulm_fu60046008	Pleu effus 7 Emp
			60046008	c19_complications_pulm_fu60046008	Pleu effu: 7 Emp Othe No addi
			60046008 312682007 50043002	c19_complications_pulm_fu60046008 c19_complications_pulm_fu31268200 c19_complications_pulm_fu50043002	Pleu effu: 7 Emp Othe

336	resp_failure_tx_fu	Which of the following supplemental O2 interventions did the patient	radio			
	Show the field ONLY if:	require? Select the most invasive intervention required during the	1	Nasal car	nnula or face mask with standard O2	
	[c19_complications_pulm_fu(409	follow-up period.	2	High-flov	v nasal cannula or blow-by	
	622000)] = '1' or [o2_requirement _fu] = '1'		3	Non-rebr	reather	
			4	CPAP		
			5	BiPAP		
			-	Intubatio	on .	
			-	Unknowr		
					'	
337	berlin_yn_fu	Were the Berlin criteria formally assessed?	radio			
	Show the field ONLY if: [c19_complications_pulm_fu(677		-	No		
	82005)] = '1'		-	Yes		
			99	Unknowr	n/Unsure	
338	berlin_fu	Berlin criteria.The Berlin criteria are based on a decreased PaO2/FiO2	radio	ı	_	
	Show the field ONLY if:	ratio:-mild ARDS: 201 - 300 mmHg (\leq 39.9 kPa)-moderate ARDS: 101 - 200 mmHg (\leq 26.6 kPa)-severe ARDS: \leq 100 mmHg (\leq 13.3 kPa)Note	1	Mild		
	[berlin_yn_fu] = '1'	that the Berlin definition requires a minimum positive end expiratory	2	Moderate	е	
		pressure (PEEP) of 5 cmH2O for consideration of the PaO2/FiO2 ratio. This degree of PEEP may be delivered noninvasively with CPAP to	3	Severe		
		diagnose mild ARDS.	99	Unknowr	ו	
339	c19_comp_pulm_specify_fu	Please specify other pulmonary events. Do not record any PHI in this	notes	5		
	Show the field ONLY if:	field. As a reminder, this includes all elements of dates other than year.				
	[c19_complications_pulm_fu(500					
	43002)] = '1'					
340	c19_complications_card_fu	Cardiovascular events during the follow-up period. Check all that apply.		kbox, Req		1
		If there were no additional cardiovascular events, please check "No additional events".	4500	07003	c19_complications_card_fu45007003	Нурс
			2229	98006	c19_complications_card_fu22298006	Myod
			44.41	F 4F000	10 1: :: 1.5 44.45.45000	infar
			4145	545008	c19_complications_card_fu414545008	Othe ische
			4943	36004	c19_complications_card_fu49436004	Atrial
				-	c19_complications_card_fu71908006	Ventr
			, , , ,		e19_complications_cara_ra	fibrill
			6982	247007	c19_complications_card_fu698247007	Othe
						arrhy
			8589	98001	c19_complications_card_fu85898001	Cardi
			4234	43007	c19_complications_card_fu42343007	Cong
						heart (CHF)
			5928	82003	c19_complications_card_fu59282003	Pulm
						embo
			1280	053003	c19_complications_card_fu128053003	Deep
						thror (DVT)
			275	517008	c10 complications card for 275517000	
			2/5	517008	c19_complications_card_fu275517008	Supe veno
						thror
			25.		40 10	(SVT)
			2306	690007	c19_complications_card_fu230690007	Cerel accid
						strok
			4140	086009	c19_complications_card_fu414086009	Throi
						NOS
			4960	01007	c19_complications_card_fu49601007	Othe
			NON	NE	c19_complications_card_funone	No a
						cardi even
			UNK	. 	 c19_complications_card_fuunk	Unkr
				·	5.5_56p.icacions_cara_raanix	JUNI
L			Field	Annotatio	on: Terminology: SNOMED	
341	hotn_pressors_fu	Did the patient require pressors?	radio			
	Show the field ONLY if:		0	No		
	[c19_complications_card_fu(4500		1	Yes		
	7003)] = '1'		99	Unknowr	n	
					_	

	c19_comp_card_specify_fu Show the field ONLY if: [c19_complications_card_fu(4960 1007)] = '1' or [c19_complications _card_fu(414545008)] = '1' or [c19 _complications_card_fu(69824700 7)] = '1'	Please specify other cardiac events. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
343	c19_complications_gi_fu	Gastrointestinal events during the follow-up period. Check all that	checkbox		
545	ero_complications_gi_ru	apply. If there were no additional GI events, please check "No additional events".	427044009	c19_complications_gi_fu427044009	Acute h injury
			389026000	c19_complications_gi_fu389026000	Ascites
			81060008	c19_complications_gi_fu81060008	Bowel obstruc
			56905009	c19_complications_gi_fu56905009	Bowel perfora
			710572000	c19_complications_gi_fu710572000	Ileus
			48661000	c19_complications_gi_fu48661000	Peritoni
			53619000	c19_complications_gi_fu53619000	Other
			NONE	c19_complications_gi_funone	No addi gastroir events
			UNK	c19_complications_gi_fuunk	Unknov
			Field Annota	tion: Terminology: SNOMED	
344	c19_comp_gi_specify_fu Show the field ONLY if: [c19_complications_gi_fu(536190 00)] = '1'	Please specify other GI events. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
345	c19_complications_other_fu	Other events during the follow-up period. Check all that apply. If there	checkbox, Re	equired	
		were no additional other events, please check "No additional events".	14669001	c19_complications_other_fu1466900)1 Acu kidr inju
			91175000	c19_complications_other_fu9117500	00 Seiz
			372070002	c19_complications_other_fu3720700	002 Gan
			414086009	c19_complications_other_fu4140860	
			362965005	c19_complications_other_fu3629650	05 Oth
			NONE	c19_complications_other_funone	No add evei
			UNK	c19_complications_other_fuunk	Unk
			Field Annotation: Ter '414086009'		CE =
346	c19_complications_oth_specify_fu	Please specify other events. Do not record any PHI in this field. As a	notes		
	Show the field ONLY if: [c19_complications_other_fu(362 965005)] = '1'	reminder, this includes all elements of dates other than year.			
347	c19_addl_treatment	Section Header: COVID-19 Additional Treatment Did the patient receive any additional treatments for COVID-19 or its sequelae?	radio 0 No 1 Yes 99 Unknow	wn	
348	additional_tx_fu Show the field ONLY if: [c19_addl_treatment] = '1'	Additional treatment comments, e.g. specific doses. Please provide further information here. Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		

349	covid_19_treatment_fu	Additional COVID-19 treatment. Check all that apply.	checkbox				
	Show the field ONLY if:	Control of the control of the coppy.	DB-15718	covid_19_treatment_fudb_15718	Ва		
	[c19_addl_treatment] = '1'		Bam-Et	covid_19_treatment_fubam_et	В		
			REGEN-COV2	covid_19_treatment_furegen_cov2	C		
			OMOP4873974	covid 19 treatment fu omop4873974			
			HO-45523	covid_19_treatment_fuho_45523			
					(w		
					Sy (w de Pla in		
			B05AX03	covid_19_treatment_fub05ax03	Pla		
					pla		
			RXCUI-2393	covid_19_treatment_furxcui_2393	cr		
			RXCUI-5521	covid_19_treatment_furxcui_5521	+		
					H) (P		
			HO-44995	covid_19_treatment_fuho_44995	Ar		
			ATC-J05AE08	covid_19_treatment_fuatc_j05ae08	At		
			ATC-J05AR10	covid_19_treatment_fuatc_j05ar10	Lo		
			RXCUI-260101	covid_19_treatment_furxcui_260101	Qs		
			RXCUI-18631	covid_19_treatment_furxcui_18631	Az (Zi		
			ATC-C10AA	covid_19_treatment_fuatc_c10aa	Sta		
			RXCUI-612865	covid_19_treatment_furxcui_612865	То		
			L04AA37	covid_19_treatment_ful04aa37	Ва		
			ATC-L04AC	covid_19_treatment_fuatc_l04ac	Ωt		
					inh		
			110 45064		inh ad JAH for		
			HO-45861	covid_19_treatment_fuho_45861	for		
			ATC-L04AB	covid_19_treatment_fuatc_l04ab	T		
					pro		
					pro de An		
			B01A	covid_19_treatment_fub01a	An		
			N02BA	covid_19_treatment_fun02ba	As An		
			B01AC	covid_19_treatment_fub01ac	An		
			233573008	covid 19 treatment fu 233573008	tha Ex		
			233373008	COVID_19_treatment_1u233373008	ox		
			714749008	covid_19_treatment_fu714749008	Cc		
					re _l (Cl		
			O.T.I.		(4)		
			OTH	covid_19_treatment_fuoth	Ot Ur		
			UNK	covid_19_treatment_fuunk			
			NONE	covid_19_treatment_funone	No DE		
			oth_plasma	covid_19_treatment_fuoth_plasma	DE		
			Field Annotation: ATC/HemOnc/ON @HIDECHOICE='6	//OP/RxNorm/SNOMED			
350	dx_cp_interval_fu	How many days elapsed between the COVID-19 diagnosis and the first	text (integer)				
	Show the field ONLY if: ([covid_19_trial_tx(B05AX03)] = '0' or [covid_19_trial_tx(B05AX03)] = ") and [covid_19_treatment(B05A X03)] = '0' and [covid_19_treatme	convalescent plasma infusion? If the patient was infused on the same day as their diagnosis, enter 0 here. If you do not know the answer, enter 9999 here.					
	nt_fu(B05AX03)] = '1'						

2021		COVID-19 and Cancer Consortium (CCC19) No	ogioti	y ' _	Боар			
351	steroid_type_fu	Steroid type. Check all that apply.	chec	kbox				
	Show the field ONLY if: [covid_19_treatment_fu(HO-4552		H02	AB02	-71	Dexametha: (Decadron)	sone	
	3)] = '1'		H02	AB09		Hydrocortis (Cortef)	one	
			H02	AB04		Methylpredi (Solumedro		
			H02	AB06	steroid_type_fuh02ab06	Prednisolon	e	
			H02	AB07	steroid_type_fuh02ab07	Prednisone		
			Field	Annota	ation: Terminology: ATC			
352	steroid_specific_fu		radio					
	Show the field ONLY if:	dexamethasone is equivalent to 20 mg of prednisone, so any dose of dexamethasone of more than 3 mg/day (21 mg/week) would be	1	1 20 mg/day or below [low dose]				
	[covid_19_treatment_fu(HO-4552 3)] = '1'	equivalant to more than 20 mg of prednisone/day.	1a	10 mg	0 mg/day or below [low dose]			
	,,		1b	More t	than 10 mg/day up to 20 mg/c	day		
			2	More t	than 20 mg/day but less than	1mg/kg/day		
			3	Equal	to or greater than 1 mg/kg/da	ıy		
			99	Unkno	own			
			Field	Annota	ation: @HIDECHOICE='1'			
353	steroid_more_fu	Please provide more details: prednisone dose equivalents (e.g., 1 mg/kg) and duration of steroid therapy. Do not record any PHI in this	note:	S				
	Show the field ONLY if: [covid_19_treatment_fu(HO-4552 3)] = '1'	field. As a reminder, this includes all elements of dates other than year.						
354	c19_aspirin_dose_fu	Aspirin dosing	radic)				
	Show the field ONLY if:		262	459003	Low dose (less than 200 mg	g/day)		
	[covid_19_treatment_fu(N02BA)] = '1'		261	829003	Full dose			
	- 1		261	665006	Unknown			
			Field Annotation: Terminology		ation: Terminology: SNOMED			
355	c19_anticoag_type_fu	Which anticoagulants were used? Check all that apply.	chec					
	Show the field ONLY if: [covid_19_treatment_fu(B01A)] = '1'		B01	AA	c19_anticoag_type_fub01a	antago		
			B01	AB	c19_anticoag_type_fub01a	l l	-	
			B01	AB01	c19_anticoag_type_fub01a	b01 Unfrac	tionate in	
			B01	AE	c19_anticoag_type_fub01a	throm	bin ors (e.g. oban, atran	
			B01	AF	c19_anticoag_type_fub01a	Xa inh	xaban	
			B01	AX05	c19_anticoag_type_fub01a	x05 Fonda	parinux	
			UNF	<	c19_anticoag_type_fuunk	Unkno	wn	
			OTH	1	c19_anticoag_type_fuoth	Other		
356	c19_anticoag_type_oth_specify_fu Show the field ONLY if: [c19_anticoag_type_fu(OTH)] = '1'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	note	S		1		

357	c19_anticoag_reason_fu	What was the purpose of the anticoagulant treatment? Check all that	checkbox			
	Show the field ONLY if: [covid_19_treatment_fu(B01A)] = '1'	apply.	1	c19_anticoag_reason_fu1	Prophylad (without t presence either as inpatient outpatier	he of a VTE an or
			2	c19_anticoag_reason_fu2	Therapeu (for know ATE histor	n VTE or
			2a	c19_anticoag_reason_fu2a	Therapeu (for know diagnosis	n VTE
			2b	c19_anticoag_reason_fu2b	Therapeu (for know diagnosis	n ATE
			2c	c19_anticoag_reason_fu2c	Therapeu the abser thrombos for prever stroke in fibrillation	nce of any sis (e.g., ntion of atrial
			3	c19_anticoag_reason_fu3	For DIC d	uring
			UNK	c19_anticoag_reason_fuunk	Unknown	
			ОТН	c19_anticoag_reason_fuoth	Other	
			Field A	nnotation: @HIDECHOICE='2'		
358	c19_anticoag_reason_oth_specify _fu Show the field ONLY if: [c19_anticoag_reason_fu(OTH)] = '1'	Please specify Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes			
359	covid_19_tx_interleukin_fu	Interleukin inhibitor treatment other than tocilizumab. Check all that	that checkbox			
	Show the field ONLY if: [covid_19_treatment_fu(ATC-L04A C)] = '1'	apply.	L04A	CO3 covid_19_tx_interleukin_fu_	l04ac03	anakinra
			L04A			basiliximab
			L04A			briakinumal
			L04A			brodaluma
				covid_19_tx_interleukin_fu_		canakinuma
			L04A			daclizumab
				covid_19_tx_interleukin_fu_ covid_19_tx_interleukin_fu_		guselkumab
			L04A0			rilonacept
			L04A			risankizuma
				C14 covid_19_tx_interleukin_fu_	_	sarilumab
			L04A0			secukinuma
			L04A0			siltuximab
			L04A			sirukumab
			L04A			tildrakizuma
			L04A0	CO7 covid_19_tx_interleukin_fu_	l04ac07	DEPRECATE
			L04A	CO5 covid_19_tx_interleukin_fu_	l04ac05	ustekinuma
				nnotation: Field:ATC L04AC; Valu :CHOICE='L04AC07'	es:ATC	

360	jak_fu	field ONLY if:	checkbox			
	Show the field ONLY if: [covid_19_treatment_fu(HO-4586 1)] = '1'		L01XE18	jak_ful01xe18	Ruxolitinib (Jakafi)	
			L04AA29	jak_ful04aa29	Tofacitinib (Xeljanz)	
			RXCUI- 1487006	jak_furxcui_1487006	Oclacitinib	
			L04AA37	jak_ful04aa37	Baricitinib	
			Peficitinib	jak_fupeficitinib	Peficitinib	
			L01XE57	jak_ful01xe57	Fedratinib (Inrebic)	
			L04AA44	jak_ful04aa44	Upadacitinib	
			Field Annotatio	n: Terminologies: ATC, RxN	lorm	
361	covid_19_tx_tnf_fu	apply.	checkbox			
	Show the field ONLY if: [covid_19_treatment_fu(ATC-L04A B)] = '1'		L04AB04 cov	rid_19_tx_tnf_ful04ab04	Adalimumab	
			L04AB03 cov	rid_19_tx_tnf_ful04ab03	Afelimomab	
			L04AB05 cov	rid_19_tx_tnf_ful04ab05	Certolizumab pegol	
			L04AB01 cov	rid_19_tx_tnf_ful04ab01	Etanercept	
			L04AB06 cov	rid_19_tx_tnf_ful04ab06	Golimumab	
			L04AB02 cov	rid_19_tx_tnf_ful04ab02	Infliximab	
			L04AB07 cov	rid_19_tx_tnf_ful04ab07	Opinercept	
			Field Annotatio	n: Field:ATC L04AB; Values	:ATC	
362	covid_19_treatment_trial_fu	trial?	radio			
	Show the field ONLY if:		0 No			
	[c19_addl_treatment] = '1'		1 Yes			
			99 Unknown			

363 covid_19_trial_tx_fu COVID-19 clinical trial treatment. Check all that apply. If you do not checkbox, Required know which drug(s) were given on clinical trial, please check DB-15718 covid_19_trial_tx_fu__ _db_15718 Bamlai Show the field ONLY if: "Unknown". If you are not able to disclose drug names due to [covid_19_treatment_trial_fu] = '1' Bam-Et covid_19_trial_tx_fu___bam_et Bam institutional restrictions, please check "Other". REGEN-COV2 covid_19_trial_tx_fu___regen_cov2 Casiriy RXCUI-2393 Chloro covid 19 trial tx fu rxcui 2393 RXCUI-5521 covid_19_trial_tx_fu___rxcui_5521 Hydrox (Plaqu HO-44995 Anticovid_19_trial_tx_fu___ho_44995 ATC-J05AE08 covid_19_trial_tx_fu___atc_j05ae08 Atazan ATC-J05AR10 covid_19_trial_tx_fu___atc_j05ar10 Lopina RXCUI-260101 covid_19_trial_tx_fu___rxcui_260101 Oselta OMOP4873974 Remde covid_19_trial_tx_fu__omop4873974 RXCUI-18631 Azithro covid_19_trial_tx_fu___rxcui_18631 (Zith o HO-45523 covid_19_trial_tx_fu___ho_45523 System ATC-C10AA covid_19_trial_tx_fu___atc_c10aa Stati L04AC03 covid_19_trial_tx_fu___l04ac03 anakin L04AA37 covid_19_trial_tx_fu___l04aa37 Bariditi L04AC02 covid_19_trial_tx_fu___l04ac02 hasil L04AC09 briakir covid_19_trial_tx_fu___l04ac09 L04AC12 covid_19_trial_tx_fu___l04ac12 brodal L04AC08 covid_19_trial_tx_fu___l04ac08 canaki L04AC01 covid_19_trial_tx_fu_ l04ac01 daclizu L04AC16 covid_19_trial_tx_fu__ _l04ac16 guselk L04AC13 ixekizu covid_19_trial_tx_fu_ _l04ac13 L04AC04 covid_19_trial_tx_fu_ rilonac 104ac04 L04AC18 covid_19_trial_tx_fu_ 104ac18 risanki L04AC14 covid 19 trial tx fu 104ac14 sarilun L04AC10 covid_19_trial_tx_fu__ _l04ac10 secuki L04AC11 covid_19_trial_tx_fu__ 104ac11 siltuxir L04AC15 sirukuı covid_19_trial_tx_fu_ _l04ac15 L04AC17 covid_19_trial_tx_fu_ _l04ac17 tildraki L04AC07 covid_19_trial_tx_fu_ tocilizu L04AC05 covid_19_trial_tx_fu_ _l04ac05 ustekir L04AB04 covid_19_trial_tx_fu_ _l04ab04 adalim L04AB03 covid_19_trial_tx_fu_ _l04ab03 afelimo L04AB05 104ab05 covid 19 trial tx fu certoli: L04AB01 covid_19_trial_tx_fu___l04ab01 etanei L04AB06 covid_19_trial_tx_fu___l04ab06 golimu L04AB02 inflixin covid_19_trial_tx_fu___l04ab02 L04AB07 covid_19_trial_tx_fu___l04ab07 opin OTH-plasma Plasr covid_19_trial_tx_fu___oth_plasma individ plasma B05AX03 covid_19_trial_tx_fu___b05ax03 Plasi individ plasma OTH covid_19_trial_tx_fu___oth Othe UNK covid_19_trial_tx_fu___unk Unkno Field Annotation: Terminologies: ATC/HemOnc/OMOP/RxNorm @HIDECHOICE = 'OTHplasma'

/2021		COVID-19 and Cancer Consortium (CCC19) R	egistry REDCap		
364	dx_cp_interval_fu_2 Show the field ONLY if: ([covid_19_trial_tx(B05AX03)] = '0' or [covid_19_trial_tx(B05AX03)] = '')' and [covid_19_treatment(B05A X03)] = '0' and [covid_19_treatme nt_fu(B05AX03)] = '0' and [covid_1 9_trial_tx_fu(B05AX03)] = '1'	How many days elapsed between the COVID-19 diagnosis and the first convalescent plasma infusion? If the patient was infused on the same day as their diagnosis, enter 0 here. If you do not know the answer, enter 9999 here.	text (integer)		
365	covid_19_trial_more_fu Show the field ONLY if: [covid_19_trial_tx_fu(OTH)] = '1'	Please specify. (Note: some institutions have restrictions on sharing of this information, please check with your institutional official if you have any questions.) Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
366	fu_info	Thank you for completing this form. If you have additional updates in the future, please use the link from the Survey Queue to return to the survey and add a new instance of the form.	descriptive		
367	comments_form_5	Comments Do not record any PHI in this field. As a reminder, this includes all elements of dates other than year.	notes		
368	followup_complete	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete		
Instru	ument: Manual Exclude (manu	ual_exclude)	^ Collapse		
369	manual_exclude	Field to manually exclude records identified as needing exclusion (e.g., false positive PCR)	truefalse 1 True 0 False Field Annotation: @DEFAULT='0'		
370	exclude_why Show the field ONLY if: [manual_exclude] = '1'	Why was the patient excluded?	radio, Required 1 Duplicate record 2 In situ solid malignancy 6 Non-melanoma skin cancer, non-invasive 3 Precursor hematologic condition 4 Benign hematologic condition 5 False positive SARS-CoV-2 test 7 Low quality score, non-CCC19 site 88 Other 99 Unknown		
371	manual_exclude_more	Why was patient manually excluded?	notes		
372	manual_exclude_complete	Section Header: Form Status Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete		