

# Visual Construction System of Interfaces

## Qooxdoo GUI Builder

### (July 2007)

Cláudia Oliveira, N.º 3459 – Cláudio Pedro, N.º 3805 – Nuno Coelho, N.º 3938

Escola Superior de Tecnologia e Gestão de Beja

**Abstract - This document represents an approach to what was done by the students during the development of the visual construction system of interfaces, Qooxdoo GUI Builder.**

#### I. INTRODUCTION

The development of graphical interfaces in text-mode takes too much time and makes it harder for a programmer to get the job done, given the clear difficulties that he will have to face. There are nowadays, innumerable tools of IDE type that make it easier to build well-structured and good-looking interfaces, interactively and fast. In contrast to what happens with other graphical toolkits, there is no environment of the kind, developed for qooxdoo.

This project had as objective the development of a graphical tool that supports the construction of interfaces composed by elements of the graphical toolkit qooxdoo [1]. It is intended, with this tool, to diminish the time expense for the

programmers in the construction of the interfaces, facilitating still the construction to them, of the same ones. In the development of this tool, it was appealed to the graphical toolkit Qt (Dalheimer, 2002) [2], which presents two advantages of extreme relevance. It allows drag & drop and its graphical controls possess layouts similar to the ones of controls with the same function in the qooxdoo toolkit.

#### II. METHODOLOGY

In the development of this tool, it was adopted the waterfall model [3], which is constituted by five distinct phases. *Analysis*, in which analogous tools were studied and the characteristics to implement were identified. *Drawing*, where the modules of the implementation, its characteristics and the foreseen times of development, were identified. *Implementation*, during which the modules identified in the previous phase, were implemented. *Tests*, which was useful to verify that the requirements detected

during the analysis phase had been implemented, and *Maintenance*, which was not considered during the accomplishment of this project.

### III. TECHNOLOGIES USED

In the development of the application, it was used the programming language Python to develop the same, the graphical *toolkit* Qt to develop the graphical interface of the same and the codification language YAML to codify interfaces and templates. It was also used the formatting language HTML to show the built interface in a browser, the programming language *JavaScript* which allows the development of qooxdoo graphical interfaces, the Web development model AJAX [4] which makes Web pages much more interactive and the qooxdoo framework that holds the reason why all the other technologies were used.

### IV. WORK DEVELOPED

The development of the application was initiated by searching on the Web for analogous tools. Then a study over the same was done, where the main characteristics to be implemented in the application were defined, from which outstood, the implementation of visual controls in the draw area through drag & drop, a properties editor to format the visual controls implemented on the draw area, the storage of visual interfaces and templates with the

visual characteristics of formatted controls and the preview of the built interface in a browser. In this analysis phase it was developed the Use Cases diagram and described its templates and three possible scenes of use of the application.

In a second phase, during which it was intended to model the system, the Classes diagram and the State Transitions diagram were elaborated, and the low-fidelity prototypes of the graphical interfaces of the application were projected. These prototypes included the window of the application, as well as dialog windows to confirm actions. During the development of these prototypes, constant improvements were made, in accordance with the heuristic evaluation [5] applied to the same, based on the ten heuristics of Nielsen.

With the specification of the requirements and the modeling of the system done, the implementation phase arrived. This phase consisted in the codification of the following four modules of implementation:

- **Collect of information about the visual controls to be available to the user** to build interfaces and selection of the same. Another study was still done, to define which controls were similar between the controls of qooxdoo and Qt;
- **Construction of the graphical interface of the application and**

**implementation of mechanisms to interact with the available visual controls.** The graphical interface was developed based on the low-fidelity prototypes drawn during the modeling of the system. Each visual control is represented by a specific class that provides the interaction with the application;

- **Construction of a HTML code generator** that will include a portion of JavaScript code, where, through qooxdoo commands, the interface will be described. The HTML code generator is the “engine” that provides the user with the possibility of previewing the interface, in a browser.
- **Construction of a YAML code interpreter and generator** that allows the storage and loading of interfaces and templates created by the user. In the developed application the user will have the possibility to create interfaces and templates that he might wish to store in a storage unit of its choice, to further visualize or modify. The extension of the files that store interfaces is “.ymli” and the extension of the files that store templates is “.ymlt”.

## V. DOCUMENTATION

In a software development project it is very important to leave the source code well documented, to make it more understandable, so that later the same can be reused and changed in an easier way.

In the particular case of this project, it was appealed to the Doxywizard tool from Doxygen [6], to generate the configuration file that has in its contents a set of options related with the source code files and with the format that the documentation to be generated will have. After the file being generated, the same tool was used to generate the documentation of the code implemented during this project, in HTML format.

## VI. DIFFICULTIES

It was necessary to find a system that would allow the storage and management of the work developed by the elements of the group, and that would be available through the Internet, which would be the only access environment possible for all the elements.

Through Google Code, a service named *Project Hosting*, which offers a platform of version control and “bug” identification over open-source type projects, was used. This hosting platform offers various facilities like, virtual storage space to host files associated with the project, access control, version control over the files that exist in the data repository and sending of reports to the mailing list of the project.

## VII. CONCLUSION

This project allowed above all a deepening of knowledge at the level of applications that make the development of graphical interfaces easier. It also allowed the application of knowledge previously acquired in various classes of the course.

In short, this project was extremely competitive and interesting due to the diverse knowledge that it required being that it will be equally interesting to follow the evolution process of the developed application, as well as, the increase of its potentialities and functionalities.

## VIII. BIBLIOGRAPHY

- [1] *qooxdoo*. (2006, December 22). [Online]. Available at <http://qooxdoo.org>
- [2] Matthias Kalle Dalheimer, *Programming with Qt, 2nd Edition*, O'Reilly, January 2002, chapter 1
- [3] *Waterfall model*. (2007, Janeiro 28). [Online]. Available at [http://en.wikipedia.org/wiki/Waterfall\\_development](http://en.wikipedia.org/wiki/Waterfall_development)
- [4] *Ajax (programação)*. (2007, January 14). [Online]. Available at [http://pt.wikipedia.org/wiki/AJAX\\_%28programa%C3%A7%C3%A3o%29](http://pt.wikipedia.org/wiki/AJAX_%28programa%C3%A7%C3%A3o%29)
- [5] *Heuristic Evaluation*. (2005). [Online]. Available at <http://www.useit.com/papers/heuristic>
- [6] *Doxygen* (2007, May 14). [Online]. Available at <http://en.wikipedia.org/wiki/Doxygen>