


Learning Objectives – Administer Intersite Connectivity

- Configure VNet Peering
- Configure Network Routing and Endpoints
- Lab 05 Implement Intersite Connectivity

Configure VNet Peering



Determine VNet Peering Uses




- Two types of peering: Global and Regional
- Connects two Azure virtual networks you can peer across subscriptions and tenants
- Peered networks use the Azure backbone for privacy and isolation
- Easy to setup, seamless data transfer, and great performance

Determine Gateway Transit and Connectivity Needs UDR User defined route NVA Net Virtual applique

Gateway transit allows peered virtual networks to share the gateway and get access to resources

No VPN gateway is required in the peered spoke virtual network

Default VNet peering provides full connectivity





address spaces of connected networks can't overlap

Create VNet Peering

Allow virtual network access settings

Configure forwarded traffic settings

Status should show "connected"


Add peering
This virtual network
Peering link name *
✓ Allow 'VNet1' to access the peered virtual network ①
Allow 'VNet1' to receive forwarded traffic from the peered virtual network ①
Allow gateway in 'VNet1' to forward traffic to the peered virtual network ①
Enable 'VNet1' to use the peered virtual networks' remote gateway ①
Remote virtual network
Peering link name *

Determine Service Chaining Uses

Leverage user-defined routes and service chaining to implement custom routing

Implement a VNet hub with a network virtual appliance or a VPN gateway

Service chaining enables you to direct traffic from one virtual network to a virtual appliance, or virtual network gateway, in a peered virtual network, through user-defined routes




Learning Recap – Configure VNet Peering



Distribute your services across Azure virtual networks and integrate them by using virtual network peering

Check your knowledge questions and additional study



Configure Network Routing and Endpoints

By Private Endpoints (NIC)


Private Enapoints INIC Storage SA NIC NIC NIC Private EP 10.0.0.5

App Service AKS ACI FCR

Review System Routes

Directs network traffic between virtual machines, on-premises networks, and the internet

- Traffic between VMs in the same subnet
- Between VMs in different subnets in the same virtual network
- Data flow from VMs to the internet
- Communication between VMs using a VNet-to-VNet VPN
- Site-to-Site and ExpressRoute communication through the VPN gateway






Identify User-Defined Routes

A route table contains a set of rules, called routes, that specifies how packets should be routed in a virtual network

User-defined routes are custom routes that control network traffic by defining routes that specify the next hop of the traffic flow

The next hop can be a virtual network gateway, virtual network, internet, or virtual appliance


ronte add /p ---




Determine Service Endpoint Uses


Endpoints limit network access to specific services

Adding service endpoints can take up to 15 minutes to complete





Identify Private Link Uses



Private connectivity to services on Azure. Traffic remains on the Microsoft network, with no public internet access

Integration with on-premises and peered networks

In the event of a security incident within your network, only the mapped resource would be accessible

Learning Recap – Configure Network Routing and Endpoints



Check your knowledge questions and additional

study


Manage and control traffic flow in your Azure deployment with routes

Introduction to Azure Private Link

Lab - Implement Intersite Connectivity



Lab 05 – Architecture diagram



End of presentation

