


National – ph_4_inc; faceted by analysis time season week




National – ph_4_inc; faceted by analysis time season week




National – ph_4_inc; faceted by analysis time season week



National – ph_4_inc; faceted by analysis time season week



National – ph_4_inc; faceted by analysis time season week



National – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 0.10 -0.05 -0.00 -0.15 -0.10 -0.05 prob 0.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 0.05 -0.00 0.15 -0.10 0.05 -0.00 -Ö


National – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 -0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 24 25 26 27 22 23 0.15 -0.10 -0.05 ond 0.00 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -0.00 10 0 5 10

bin

5

National – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 27 24 25 26 22 23 0.15 0.10 -0.05 ord 0.00 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 -0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -0.00 10 5 10 Ö 5

National – ph_4_inc; faceted by analysis time season week



National – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 24 25 26 27 22 23 0.15 0.10 -0.05 -30 28 29 31 32 33 0.15 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 -0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -

bin

10

5

Ö

10

5

0.00

National – ph_4_inc; faceted by analysis time season week 15 10 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 24 25 26 27 22 23 0.15 -0.10 -0.05 -0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 0.10 -0.05 -0.00 10 5 10 Ö

bin

5

National – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 0.10 -0.05 -0.00 24 25 27 22 23 26 0.15 -0.10 -0.05 -0.00 0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 -0.10 -0.05 -0.00 40 41 0.15 -0.10 0.05 -0.00

bin

5

Ö


5

10


10

Region1 – ph_4_inc; faceted by analysis time season week 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.75 -0.50 -0.25 -0.00 0.00 1.00 -0.75 -0.50 -0.00 -1.00 0.75 -0.50 -0.25 -0.00 1.00 **-**0.75 **-**0.50 **-**0.25 **-**0.00 -Ö Ò bin


Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week



Region1 – ph_4_inc; faceted by analysis time season week




Region1 – ph_4_inc; faceted by analysis time season week



Region1 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 -0.10 0.05 -0.00 -16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 23 24 25 26 27 22 0.15 -0.10 -0.05 prob 0.00 28 30 29 31 32 33 0.15 -0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 0.10 -0.05 -0.00 10 0 5 10 5 bin

Region2 – ph_4_inc; faceted by analysis time season week 1.00 **-**0.75 **-**0.50 **-**0.25 **-**0.00 1.00 -0.75 -0.50 -0.25 -0.00 -1.00 -0.75 -0.50 -0.25 -0.00 0.00 0.00 1.00 -0.75 -0.50 -0.25 -0.00 1.00 -0.75 -0.50 -0.25 -0.00 1.00 -0.75 -0.50 **-**0.25 **-**0.00 -Ö bin

Region2 – ph_4_inc; faceted by analysis time season week




Region2 – ph_4_inc; faceted by analysis time season week 0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.10 -0.05 -0.00 0.10 -0.05 -0.00 -0.10 -0.05 -0.00 Ö bin

Region2 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 0.05 -0.00 -0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -

Region2 – ph_4_inc; faceted by analysis time season week 0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 prob 0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.00 Ö bin

Region2 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 0.15 **-**0.10 **-**0.05 prob 0.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 0.15 0.10 -0.05 -0.00 bin

Region2 – ph_4_inc; faceted by analysis time season week




Region2 – ph_4_inc; faceted by analysis time season week 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 ò


Region2 – ph_4_inc; faceted by analysis time season week 0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.00 bin

Region2 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 0.10 -0.05 -0.00 22 23 24 25 26 27 0.15 0.10 0.05 -0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 0.10 -0.05 -0.00 -10 5 10 Ò 5


Region2 – ph_4_inc; faceted by analysis time season week




Region2 – ph_4_inc; faceted by analysis time season week



Region2 – ph_4_inc; faceted by analysis time season week



Region3 – ph_4_inc; faceted by analysis time season week



Region3 – ph_4_inc; faceted by analysis time season week 0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -

0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -


0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -

0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -


0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -



Region3 – ph_4_inc; faceted by analysis time season week



Region3 – ph_4_inc; faceted by analysis time season week



Region3 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 24 25 26 27 22 23 0.15 -0.10 -0.05 g 0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 -0.10 -0.05 -0.00 40 41 0.15 -

0.10 -0.05 -0.00 -


5

ò

10


5

Region3 – ph_4_inc; faceted by analysis time season week



Region3 – ph_4_inc; faceted by analysis time season week 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -


Region3 – ph_4_inc; faceted by analysis time season week




Region3 – ph_4_inc; faceted by analysis time season week 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 -0.09 **-**0.06 **-**0.03 -0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -

0.00


Region3 – ph_4_inc; faceted by analysis time season week




Region3 – ph_4_inc; faceted by analysis time season week




Region3 – ph_4_inc; faceted by analysis time season week




Region4 – ph_4_inc; faceted by analysis time season week




Region4 – ph_4_inc; faceted by analysis time season week




Region4 – ph_4_inc; faceted by analysis time season week




Region4 – ph_4_inc; faceted by analysis time season week



Region4 – ph_4_inc; faceted by analysis time season week



Region4 – ph_4_inc; faceted by analysis time season week



Region4 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 **-**0.10 **-**0.05 -0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.00

Region4 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 prob 0.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.00

Region4 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 prob 0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00

Region4 – ph_4_inc; faceted by analysis time season week 0.20 0.15 -0.10 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 0.00 0.00 0.20 0.15 0.10 0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -

0.00

Region4 – ph_4_inc; faceted by analysis time season week 0.20 -0.15 -0.10 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 0.00 0.20 0.15 0.10 0.05 0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -


ò

0.00


Region4 – ph_4_inc; faceted by analysis time season week 0.20 **-**0.15 **-**0.10 **-**0.05 **-**0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 0.20 -0.15 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00

Region4 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 -0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 24 25 26 27 22 23 0.15 -0.10 -0.05 g 0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -0.00 -10 5 Ö 10 5 bin


Region5 – ph_4_inc; faceted by analysis time season week




Region5 – ph_4_inc; faceted by analysis time season week




Region5 – ph_4_inc; faceted by analysis time season week




Region5 – ph_4_inc; faceted by analysis time season week



Region5 – ph_4_inc; faceted by analysis time season week



Region5 – ph_4_inc; faceted by analysis time season week




Region5 – ph_4_inc; faceted by analysis time season week 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -

Ö

Region5 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 27 22 24 25 26 23 0.15 0.10 -0.05 -30 28 29 31 32 33 0.15 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 0.10 0.05 -0.00 10 5 Ö 10 5

Region5 – ph_4_inc; faceted by analysis time season week




Region5 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 0.10 0.05 -0.00 24 25 26 27 22 23 0.15 0.10 -0.05 -0.00 o 0.15 30 28 29 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -0.00 10 5 Ö 10 5


Region5 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 prob 00.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 **-**0.15 -0.10 -0.05 -0.00

Region5 – ph_4_inc; faceted by analysis time season week 0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.10 -0.05 -0.00 0.10 -0.05 -0.00 0.10 -0.05 -0.00 🕌 bin


Region6 – ph_4_inc; faceted by analysis time season week




Region6 – ph_4_inc; faceted by analysis time season week




Region6 – ph_4_inc; faceted by analysis time season week



Region6 – ph_4_inc; faceted by analysis time season week




Region6 – ph_4_inc; faceted by analysis time season week



Region6 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 -22 23 24 25 26 27 0.15 -0.10 -0.05 g 0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 -40 41 0.15 -0.10 -0.05 -0.00 10 10 5 0 5

Region6 – ph_4_inc; faceted by analysis time season week



Region6 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 0.15 0.10 -0.05 -0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 bin

Region6 – ph_4_inc; faceted by analysis time season week

0.20 -0.15 -

0.10 -0.05 -0.00 -

0.20 -0.15 -0.10 -0.05 -0.00 -

0.20 -0.15 -0.10 -0.05 -


0.20 -0.15 -0.05 -

0.00


0.20 -0.15 -0.10 -0.05 -0.00 -

0.20 -0.15 -0.10 -0.05 -

0.00




Region6 – ph_4_inc; faceted by analysis time season week




Region6 – ph_4_inc; faceted by analysis time season week 0.20 -0.15 -0.10 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.20 -0.15 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -Ö

Region6 – ph_4_inc; faceted by analysis time season week 0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.00 0.09 **-**0.06 **-**0.03 prob 0.00 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 0.09 **-**0.06 **-**0.03 -0.00 Ö


Region7 – ph_4_inc; faceted by analysis time season week




Region7 – ph_4_inc; faceted by analysis time season week



Region7 – ph_4_inc; faceted by analysis time season week




Region7 – ph_4_inc; faceted by analysis time season week




0.12


Region7 – ph_4_inc; faceted by analysis time season week




Region7 – ph_4_inc; faceted by analysis time season week



Region7 – ph_4_inc; faceted by analysis time season week




Region7 – ph_4_inc; faceted by analysis time season week




Region7 – ph_4_inc; faceted by analysis time season week 0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -0.25 -0.20 -0.15 -0.05 -0.00 -0.25 -0.20 -0.15 -0.05 -0.05 -0.25 -0.20 -0.15 -0.10 -0.05 -0.00 -0.25 - 0.20 - 0.15 - 0.10 - 0.05 - 0.00 - 0.00

Region7 – ph_4_inc; faceted by analysis time season week



Region7 – ph_4_inc; faceted by analysis time season week 0.15 -0.10 -0.05 -0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 prob 0.00 0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.00 -0.15 -0.10 -0.05 -0.00


Region7 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week 0.75 -0.50 -0.25 -0.00 0.75 -0.50 **-**0.25 **-**0.00 0.75 -0.50 -0.25 -0.75 -0.50 -0.25 -0.00 0.75 0.50 -0.25 -0.00 -0.75 -0.50 -0.25 -0.00 -Ö bin

Region8 – ph_4_inc; faceted by analysis time season week 0.4 -0.2 0.0 0.4 -0.2 -0.0 0.4 -0.2 prob 0.0 0.4 -0.2 -0.0 0.4 -0.2 -0.0 0.4 -0.2 0.0

Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -0.20 - 0.15 - 0.10 - 0.05 - 0.00 - 0.00 - 0.00


Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week 0.6 -0.4 -0.2 -0.0 -0.6 0.4 0.2 0.0 0.6 -0.4 -0.2 prob 0.0 0.6 -0.4 -0.2 -0.0 -




Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week



Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week




Region8 – ph_4_inc; faceted by analysis time season week 15 10 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 22 23 24 25 26 27 0.15 -0.10 -0.05 o.00 ., 28 29 30 31 32 33 0.15 -0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 -0.10 -0.05 -0.00 40 41 0.15 0.10 -0.05 -0.00 0 10 10 5 5

Region8 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 0.05 -0.00 23 24 25 26 27 22 0.15 -0.10 -0.05 -28 29 30 31 32 33 0.15 -0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 -40 41 0.15 0.10 -0.05 -0.00 -10 5 10 Ò 5

Region9 – ph_4_inc; faceted by analysis time season week




Region9 – ph_4_inc; faceted by analysis time season week




Region9 – ph_4_inc; faceted by analysis time season week 0.20 **-**0.15 **-**0.10 **-**0.05 **-**0.00 0.20 -0.15 -0.10 -0.05 **-**0.00 **-**0.20 -0.15 -0.10 -0.05 -0.00 0.20 -0.15 -0.05 -0.00 0.20 -0.15 -0.10 -0.05 -0.00 -0.20 -0.15 -0.10 -0.05 -0.00 -Ö


 $Region 9-ph_4_inc; faceted by analysis time season week$




Region9 – ph_4_inc; faceted by analysis time season week



Region9 – ph_4_inc; faceted by analysis time season week



Region9 – ph_4_inc; faceted by analysis time season week



Region9 – ph_4_inc; faceted by analysis time season week 0.08 0.06 -0.04 -0.02 -0.00 0.08 -0.06 -0.04 -0.02 -0.00 -0.08 **-**0.06 **-**0.04 **-**0.02 -0.02 0.00 0.08 0.06 0.04 0.02 0.00 0.08 -0.06 -0.04 -0.02 -0.00 0.08 **-**0.06 **-**0.04 -0.02 -0.00 Ö

Region9 – ph_4_inc; faceted by analysis time season week 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00 -0.09 **-**0.06 **-**0.03 -0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.00 ò

Region9 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 0.10 -0.05 -0.00 16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 22 24 26 27 23 25 0.15 0.10 -0.05 ond 0.00 0.15 28 29 30 31 32 33 0.10 -0.05 -0.00 34 35 36 37 38 39 0.15 0.10 -0.05 -0.00 40 41 0.15 -0.10 -0.05 -0.00 -4 5 10 Ö 10 5

Region9 – ph_4_inc; faceted by analysis time season week 0.08 -0.06 -0.04 -0.02 -0.00 0.08 -0.06 -0.04 -0.02 -0.00 -0.08 -0.06 -0.04 -0.02 -0.02 0.00 0.08 0.06 0.04 0.02 0.00 0.08 -0.06 -0.04 -0.02 -0.00 -0.08 -0.06 -0.04 -0.02 -0.00 -

Region9 – ph_4_inc; faceted by analysis time season week 0.09 -0.06 -0.03 -0.00 -0.09 -0.06 -0.03 -0.00 -0.09 -0.06 **-**0.03 prob 0.00 0.09 -0.06 **-**0.03 **-**0.00 0.09 -0.06 -0.03 -0.00 0.09 -0.06 -0.03 -0.00

Region9 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.06 0.04 -0.02 -0.00 16 17 18 19 20 21 0.06 0.04 -0.02 -0.00 22 23 24 25 26 27 0.06 0.04 -0.02 -33 28 29 30 31 32 0.06 -0.04 -0.02 -0.00 34 35 36 37 38 39 0.06 -0.04 -0.02 -0.00 41 40 0.06 -0.04 -0.02 -0.00

10

5

0

10

Region10 – ph_4_inc; faceted by analysis time season week 10 15 11 12 13 14 0.15 -0.10 -0.05 -0.00 -16 17 18 19 20 21 0.15 -0.10 -0.05 -0.00 22 24 26 27 23 25 0.15 -0.10 -0.05 -28 29 30 31 32 33 0.15 -0.10 -0.05 -0.00 -34 35 36 37 38 39 0.15 -0.10 0.05 -0.00 -40 41 0.15 0.10 -0.05 -

0.00 -

Ò


5

10


Ö

5

Region10 – ph_4_inc; faceted by analysis time season week




Region10 – ph_4_inc; faceted by analysis time season week




Region10 – ph_4_inc; faceted by analysis time season week 0.5 -0.4 -0.3 -0.2 -0.1 -0.0 -0.5 -0.4 -0.3 -0.2 -0.1 -0.0 -0.5 -0.4 -0.3 -0.2 -0.1 -0.0 -QOJD 0.5 - 0.4 - 0.3 - 0.2 - 0.1 - 0.0 - 0.0 0.5 - 0.4 - 0.3 - 0.2 - 0.1 - 1 0.5 - 0.4 - 0.3 - 0.2 - 0.1 - 0.0 - 1

Ó


Region10 – ph_4_inc; faceted by analysis time season week




Region10 – ph_4_inc; faceted by analysis time season week




Region10 – ph_4_inc; faceted by analysis time season week




Region10 – ph_4_inc; faceted by analysis time season week



Region10 – ph_4_inc; faceted by analysis time season week



Region10 – ph_4_inc; faceted by analysis time season week



Region10 – ph_4_inc; faceted by analysis time season week

